


JANSEVA-X - technical documentation

Consent-based government application
intelligence layer.
Hackathon prototype - synthetic data and mock
providers.

Intent-first. Consent-based. Officer-controlled.



A guided application layer that begins with citizen intent.

JANSEVA-X helps a citizen discover supported services, prepare an application with consent, complete deterministic prototype verification, submit or save a draft, and track the employee-owned review lifecycle.

It separates current prototype behavior from future production integration.

02

Prototype boundary: synthetic data and mock providers only - no government, biometric, e-KYC, payment, or legal e-sign integration.

Portal navigation is often harder than the citizens actual need.

The prototype focuses on service discovery, repeated entry, document preparation, verification handoffs, opaque status, and disconnected citizen/employee workflows.

No impact metrics are claimed.

03

Prototype boundary: synthetic data and mock providers only - no government, biometric, e-KYC, payment, or legal e-sign integration.

Intent -> preparation -> verification -> review -> completion

JANSEVA AI routes supported voice/text intent. Consent gates Smart Fill and Smart Attach. The system then preserves application ownership, lifecycle validation, and officer-controlled decisions.

04

Prototype boundary: synthetic data and mock providers only - no government, biometric, e-KYC, payment, or legal e-sign integration.

Citizen and Employee journeys are deliberately connected.

Citizen: authentication, discovery, automatic application opening, consent, preparation, mock verification, submission/draft, tracking, generated documents, mock e-sign, exam/offline flows.

Employee: queue, claim, document review, advisory AI, identity summary, review, approve/correction/reject, issuance and completion.

05

Prototype boundary: synthetic data and mock providers only - no government, biometric, e-KYC, payment, or legal e-sign integration.


Separate portals, services, and shared durable state.

Citizen Frontend -> Citizen Backend -> PostgreSQL / Prisma

Employee Frontend -> Employee Backend -> shared application/database state

Supporting components: JANSEVA AI, Smart Fill/Attach, mock provider boundaries, fingerprint session, async processing, document service, mock e-sign, IndexedDB/PWA.

06



A focused multi-application repository.

citizen-backend - citizen APIs, Prisma schema, services and worker logic
citizen-frontend - citizen experience, copilot and offline modules
employee-backend - protected employee workflow APIs
employee-frontend - employee review experience
shared - API contract
docs - technical reference and demo runbook

07


Prototype boundary: synthetic data and mock providers only - no government, biometric, e-KYC, payment, or legal e-sign integration.

A citizen-owned, consent-based application flow.

JWT-backed citizen session -> supported service discovery -> owned application -> consented preparation -> application-scoped verification -> explicit submit/draft -> tracking and protected generated-document access.

Ownership checks protect citizen application data.

08



Review remains structured and officer-owned.

Employee authentication and role checks gate queue, claim, review, decision, document issuance, and completion steps.

AI advisory and mock verification summaries do not transfer final decision authority to AI.

09




Voice/text routing connects intent to supported application context.

The copilot supports intent routing, service discovery, automatic opening, preparation consent, Smart Fill/Attach handoff, verification handoff, and a submit-or-draft choice.

Ambiguous or unsupported requests stay bounded to available prototype services.

10



Preparation is useful only after citizen consent.

The prototype reads available synthetic demo data and document metadata through existing application boundaries.

It does not claim real registry retrieval, government data access, or mandatory automatic submission.

11

Prototype boundary: synthetic data and mock providers only - no government, biometric, e-KYC, payment, or legal e-sign integration.

Every identity surface is explicitly a mock provider boundary.

Mock Aadhaar, Mock PAN, mock e-KYC, face demo, and fingerprint demo are deterministic prototype components.

No real Aadhaar, PAN, UIDAI, biometric provider, e-KYC provider, or government registry is contacted.

12


Prototype boundary: synthetic data and mock providers only - no government, biometric, e-KYC, payment, or legal e-sign integration.

A QR handoff restores the same authorized session after mobile login.

PC starts an application-scoped session -> QR opens companion -> phone authenticates -> validated return restores the same session -> press-and-hold scanner advances a deterministic five-finger sequence -> backend session completes -> PC refreshes status.

13

No fingerprint image, template, raw biometric sample, or real matching is captured or stored.



Submission creates durable, trackable work.

Citizen explicitly submits an identity-verified application -> durable submission ticket -> pending/processing state -> completed/failed result where implemented.

Idempotency and lifecycle validation prevent duplicate or invalid transitions.

14




The final decision belongs to the officer.

Queue -> claim -> document review -> AI pre-verification/advisory -> identity summary -> officer review.

Available decision branches: approve, request correction, reject. Approval can lead to generated prototype documents and mock e-sign.

15



The SSC CGL demo includes local-first draft behavior.

Exam applications use IndexedDB for draft persistence and offline submission intents, with reconnect synchronization and service-worker/PWA behavior where implemented.

Local browser data does not replace server-side confirmation.

16



PostgreSQL and Prisma model the durable domain state.

Core relationships include users/profiles, services, applications, status history, application documents, verification records/sessions, tickets, generated documents/signing sessions, and employee review records.

Migrations and seed data support the synthetic demo environment.

17



Route groups are organized around authenticated domain boundaries.

Citizen groups include health, auth, profile, services, applications, documents, identity verification, fingerprint sessions, generated documents/signing, exams, and exam applications.

Employee groups include health, employee auth/profile, applications, review, and documents.


18



Controls are built around authenticated ownership and valid lifecycle state.

JWT authentication * active-account checks * role authorization * citizen ownership * employee authorization * request validation * lifecycle/state validation * idempotency * protected documents * safe errors * CORS configuration * mock-provider isolation.

19



The prototype is honest about what it is not.

All government records, identity checks, face/fingerprint demonstration data, generated certificates, and signatures are synthetic.

There is no legal validity or production government integration.

20

Prototype boundary: synthetic data and mock providers only - no government, biometric, e-KYC, payment, or legal e-sign integration.

Automation and browser verification cover different confidence layers.

The repository includes backend service/authorization/status tests, frontend typechecks/builds, and manual/browser verification of Citizen, fingerprint QR, Employee decision, generated-document/mock-signing, and offline/reconnect flows.

This dossier does not claim production certification.

21

Prototype boundary: synthetic data and mock providers only - no government, biometric, e-KYC, payment, or legal e-sign integration.

Current prototype constraints are intentionally visible.

No real government integrations, real biometrics, real Aadhaar/PAN, e-KYC, e-sign, payment, or production observability. The fingerprint companion requires local LAN reachability.

Demo data and mock providers are not production substitutes.

22

Prototype boundary: synthetic data and mock providers only - no government, biometric, e-KYC, payment, or legal e-sign integration.

Productionization is a roadmap, not a claim.

Future work may include approved provider integrations, managed infrastructure, operational observability, privacy/accessibility assessment, threat modeling, formal security/compliance work, and governed service expansion.

23

Prototype boundary: synthetic data and mock providers only - no government, biometric, e-KYC, payment, or legal e-sign integration.

Government services should understand citizens.

JANSEVA-X demonstrates a governed route from citizen intent to a guided application journey - with clear prototype boundaries, citizen consent, and officer-owned decisions.

24

Prototype boundary: synthetic data and mock providers only - no government, biometric, e-KYC, payment, or legal e-sign integration.