mac连接mssql纪录

- 1.安装unixODBC 去官网直接下载,之后进行./configure, make, sudo make install,这里要注意安装路径,我这里是默认的安装路径/usr/local/,之后装freetds的时候要用到
- 2.安装freeTDS 照样是从官网下载, 具体可见博客:

```
http://blog.csdn.net/qdujunjie/article/details/30063279
```

之后要讲行配置:

```
./configure --with-tdsver=8.0 --with-unixodbc=/usr/local
```

从这里可以看出这里是设置了unixodbc的安装目录

安装后freeTDS好像是默认版本是5.0,这个可以通过命令行查看:

```
/usr/local/freetds/bin/tsql -C
```

这个版本为5.0就会导致连接的时候报以下错误:

```
Error 20017 (severity 9):

Unexpected EOF from the server
OS error 36, "Operation now in progress"

Error 20002 (severity 9):

Adaptive Server connection failed

There was a problem connecting to the server
```

顺便说一下连接的语句:

```
/usr/local/freetds/bin/tsql -H 192.168.137.41 -p 1433 -U sa
```

这时就需要修改freetds的配置文件了,去到/usr/local/freetds/etc/freetds.conf,在这个文件中修改版本信息,然后重启apache,再次连接,这时候看到:

```
locale is "zh_CN.UTF-8"
locale charset is "UTF-8"
using default charset "UTF-8"
```

表明已经可以连接了

前两步的安装步骤可参考博客:

```
http://blog.nguyenvq.com/blog/2010/05/16/freetds-unixodbc-rodbc-r/
```

3.需要给php安装扩展支持mssql和dbo_dblib。

进到一个php的源码包,进入ext / ,然后进入mssql和dbo_dblib这两个文件夹,分别进行配置,安装,具体操作可见以下博客:

```
\label{log:mac-os} $$ $$ $ \frac{10-9-mavericks}{} $$
```

这里要注意的是,你要安装了freetds之后才能进行这一步,因为配置那里需要制定freetds的路径;

安装完之后,so文件会被放到php的扩展目录下,最后要在php.ini文件中加入语句,表明添加这两个扩展;

这时候就可以通过php程序连接mssql数据库了,测试代码如下:

```
try{
    $hostname = "192.168.137.41";
    $port = 1433;
    $dbname = "games";
    $username = "sa";
    $pw = "mj19930115";
    $dbh = new PDO("dblib:host=$hostname:$port;dbname=$dbname","$username","$pw");
} catch(PDOException $e)
{
    echo "Failed to get DB handle:".$e->getMessage()."\n";
    exit;
}
//var_dump($dbh);
```