

Cucumber Report

24-Mar-2024, 11:55:56 pm

Start : Mar 24, 11:53:44.012 pm

End : Mar 24, 11:55:54.864 pm

Duration : 2 m 10.852 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 8
SKIPPED - 0


PASSED - 0
FAILED - 16
SKIPPED - 0

PASSED - 19
FAILED - 16
SKIPPED - 89




| Feature | | Scenario | | | | Step | | | |
|------------------------------------|----------|----------|---|---|---|------|---|---|----|
| Name | Duration | T | P | F | S | T | P | F | S |
| <u>Login with UserId</u> | 8.847 s | 1 | 0 | 1 | 0 | 7 | 4 | 1 | 2 |
| <u>Edit User Profile</u> | 31.977 s | 4 | 0 | 4 | 0 | 36 | 4 | 4 | 28 |
| <u>Search Functionality</u> | 32.224 s | 4 | 0 | 4 | 0 | 24 | 4 | 4 | 16 |
| <u>Add to Cart Functionality</u> | 16.605 s | 2 | 0 | 2 | 0 | 14 | 2 | 2 | 10 |
| <u>Find Stores</u> | 8.045 s | 1 | 0 | 1 | 0 | 9 | 1 | 1 | 7 |
| <u>Find Preschool Locator</u> | 16.395 s | 2 | 0 | 2 | 0 | 18 | 2 | 2 | 14 |
| <u>Manage Cart</u> | 8.639 s | 1 | 0 | 1 | 0 | 8 | 1 | 1 | 6 |
| <u>Manage Shortlisted Products</u> | 8.017 s | 1 | 0 | 1 | 0 | 8 | 1 | 1 | 6 |


| Tag | Scenario | | | | Feature | | | |
|-------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Name | <i>T</i> | <i>P</i> | <i>F</i> | <i>S</i> | <i>T</i> | <i>P</i> | <i>F</i> | <i>S</i> |
| @FirstCry | 16 | 0 | 16 | 0 | 8 | 0 | 8 | 0 |



| # | Feature Name | T | P | F | S | Duration |
|---|------------------------------------|---|---|---|---|----------|
| 1 | <u>Login with UserId</u> | 1 | 0 | 1 | 0 | 8.847 s |
| 2 | <u>Edit User Profile</u> | 4 | 0 | 4 | 0 | 31.977 s |
| 3 | <u>Search Functionality</u> | 4 | 0 | 4 | 0 | 32.224 s |
| 4 | <u>Add to Cart Functionality</u> | 2 | 0 | 2 | 0 | 16.605 s |
| 5 | <u>Find Stores</u> | 1 | 0 | 1 | 0 | 8.045 s |
| 6 | <u>Find Preschool Locator</u> | 2 | 0 | 2 | 0 | 16.395 s |
| 7 | <u>Manage Cart</u> | 1 | 0 | 1 | 0 | 8.639 s |
| 8 | <u>Manage Shortlisted Products</u> | 1 | 0 | 1 | 0 | 8.017 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|----------------------------------|--|---|---|---|---|----------|
| 1 | <u>Login with UserId</u> | <u>Login with Mobile Number</u> | 7 | 4 | 1 | 2 | 8.841 s |
| 2 | <u>Edit User Profile</u> | <u>Edit user profile</u> | 9 | 1 | 1 | 7 | 8.038 s |
| 3 | <u>Edit User Profile</u> | <u>Edit user profile</u> | 9 | 1 | 1 | 7 | 8.120 s |
| 4 | <u>Edit User Profile</u> | <u>Edit user profile</u> | 9 | 1 | 1 | 7 | 8.182 s |
| 5 | <u>Edit User Profile</u> | <u>Edit user profile</u> | 9 | 1 | 1 | 7 | 7.604 s |
| 6 | <u>Search Functionality</u> | <u>Login, Search</u> | 6 | 1 | 1 | 4 | 8.091 s |
| 7 | <u>Search Functionality</u> | <u>Login, Search</u> | 6 | 1 | 1 | 4 | 7.927 s |
| 8 | <u>Search Functionality</u> | <u>Login, Search</u> | 6 | 1 | 1 | 4 | 8.127 s |
| 9 | <u>Search Functionality</u> | <u>Login, Search</u> | 6 | 1 | 1 | 4 | 8.030 s |
| 10 | <u>Add to Cart Functionality</u> | <u>Login, Search and Add Product to Cart</u> | 7 | 1 | 1 | 5 | 8.018 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|------------------------------------|---|---|---|---|---|----------|
| 11 | <u>Add to Cart Functionality</u> | <u>Login, Search and Add Product to Cart</u> | 7 | 1 | 1 | 5 | 8.580 s |
| 12 | <u>Find Stores</u> | <u>User must be able to find FirstCry store results</u> | 9 | 1 | 1 | 7 | 8.045 s |
| 13 | <u>Find Preschool Locator</u> | <u>Search for a city in the Preschool Locator</u> | 9 | 1 | 1 | 7 | 7.925 s |
| 14 | <u>Find Preschool Locator</u> | <u>Search for a city in the Preschool Locator</u> | 9 | 1 | 1 | 7 | 8.459 s |
| 15 | <u>Manage Cart</u> | <u>Manage Cart Functions</u> | 8 | 1 | 1 | 6 | 8.639 s |
| 16 | <u>Manage Shortlisted Products</u> | <u>Shortlist and Manage Products</u> | 8 | 1 | 1 | 6 | 8.017 s |

Login with UserId

| | | | | | |
|--|---------------------------|--|---|--|---|
| FAILED | DURATION - 8.847 s | Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0 |  | Steps Total - 7 Pass - 4 Fail - 1 Skip - 2 |  |
| / 11:53:44.012 pm // 11:53:52.859 pm / | | | | | |
| | | | | | |



Login with Mobile Number

| | | | |
|---|---|---|--|
| <div>FAILED</div> <div>DURATION - 8.841 s</div> | <div></div> | <div>Steps</div> <div>Total - 7</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 2</div> | <div></div> |
| <div>/ 11:53:44.018 pm // 11:53:52.859 pm /</div> | | | |
| <div>Login with UserId</div> | | | |
| <div>@FirstCry</div> | | | |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User navigate to the FirstCry URL | PASSED | 3.172 s |
| 2 | When user click on the login button | PASSED | 1.905 s |
| 3 | Then user should be on login Page | PASSED | 0.050 s |
| 4 | And User enter "chandumj787013@gmail.com" | PASSED | 0.141 s |
| 5 | And user click on the continue button org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <div class="loginSignup_continueBtn_block bg_ff btn_fill" id="loginotp" onclick="checkemail('login',1);">...</div> is not clickable at point (631, 410). Other element would receive the click: <div class="loginSignup_verifyOtp_popup_details div_input">...</div> (Session info: chrome=122.0.6261.131) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ce680bf55871f3c7446f6d7212fddfd2, clickElement {id=f.79482B4CE6D73CB5BB64973FC8D8E0BE.d.440F153423462C5161052018820EEB1F.e.121}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:9724}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:9724/devtool..., se.cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (ce680bf55871f3c7446f6d7212fddfd2)] -> xpath: //div[@id='loginotp']] Session ID: ce680bf55871f3c7446f6d7212fddfd2 | FAILED | 3.114 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at pages.LoginPage.clickOnContinue(LoginPage.java:37) at steps.LoginStepDefination.user_click_on_the_continue_button(LoginStepDefination.java:38) at ?.user click on the continue button(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/1.Login.feature:9) </pre> <p>* Not displayable characters are replaced by '?'. </p> | | |
| 6 | And user click the submit button | SKIPPED | 0.000 s |
| 7 | Then user should be on Home Page | SKIPPED | 0.000 s |

Edit User Profile

| | | | | | | | |
|--|--|---|--|---|--|---|--|
| FAILED | | DURATION - 31.977 s | | Scenarios | | Steps | |
| / 11:53:52.899 pm // 11:54:24.876 pm / | | Total - 4 Pass - 0 Fail - 4 Skip - 0 | |  | | Total - 36 Pass - 4 Fail - 4 Skip - 28 | |
| | | | |  | | | |



Edit user profile

| | | | | |
|---|--|---|---|--|
| <div>FAILED</div> <div>DURATION - 8.038 s</div> | | <div></div> | <div>Steps</div> <div>Total - 9</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 7</div> | <div></div> |
| <div>/ 11:53:52.899 pm // 11:54:00.937 pm /</div> | | | | |
| <div>Edit User Profile</div> | | | | |
| <div>@FirstCry</div> | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User navigate to the FirstCry URL | PASSED | 1.592 s |
| 2 | When User log into the application with credentials <pre>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element ... is not clickable at point (1032, 31). Other element would receive the click: <div class="overlay-bg-block" style="">...</div> (Session info: chrome=122.0.6261.131) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ce680bf55871f3c7446f6d7212fddfd2, clickElement {id=f.79482B4CE6D73CB5BB64973FC8D8E0BE.d.AE5D83526F60A67BED20FB3D0946AC0E.e.175}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:9724}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:9724/devtool..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (ce680bf55871f3c7446f6d7212fddfd2)] -> xpath: //li[@class='logreg']/child::span[1]] Session ID: ce680bf55871f3c7446f6d7212fddfd2 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</pre> | FAILED | 6.077 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | <pre> at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at pages.LoginPage.clickOnLogin(LoginPage.java:29) at steps.SharedSteps.user_log_into_the_application_with_credentials(SharedSteps.java:123) at ?.User log into the application with credentials(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/2.MyProfile.feature:6) * Not displayable characters are replaced by '?'. </pre> | | |
| 3 | When User click on My Account | SKIPPED | 0.000 s |
| 4 | And User select My Profile | SKIPPED | 0.000 s |
| 5 | Then User should be on profile page | SKIPPED | 0.001 s |
| 6 | And User perform an Edit operation on My Address Book | SKIPPED | 0.000 s |
| 7 | And User add/change delivery address of "sheet1" | SKIPPED | 0.000 s |
| 8 | And click on Save | SKIPPED | 0.000 s |
| 9 | Then User can view the "" | SKIPPED | 0.000 s |



Edit user profile

| | | | |
|--|---|--|--|
| FAILED DURATION - 8.120 s / 11:54:00.949 pm // 11:54:09.069 pm / Edit User Profile @FirstCry |  | Steps Total - 9 Pass - 1 Fail - 1 Skip - 7 |  |
|--|---|--|--|

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User navigate to the FirstCry URL | PASSED | 1.712 s |
| 2 | When User log into the application with credentials <pre> org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element ... is not clickable at point (1032, 31). Other element would receive the click: <div class="overlay-bg-block" style="">...</div> (Session info: chrome=122.0.6261.131) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ce680bf55871f3c7446f6d7212fddfd2, clickElement {id=f.79482B4CE6D73CB5BB64973FC8D8E0BE.d.F3BB32A7779ACEF1372548E42D6542DE.e.231}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc..., </pre> | FAILED | 6.059 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | <p>fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:9724}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:9724/devtool..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (ce680bf55871f3c7446f6d7212fddfd2)] -> xpath: //li[@class='logreg']/child::span[1]] Session ID: ce680bf55871f3c7446f6d7212fddfd2</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at pages.LoginPage.clickOnLogin(LoginPage.java:29) at steps.SharedSteps.user_log_into_the_application_with_credentials(SharedSteps.java:123) at ?.User log into the application with credentials(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/2.MyProfile.feature:6)</p> <p>* Not displayable characters are replaced by '?'. </p> | | |
| 3 | When User click on My Account | SKIPPED | 0.000 s |
| 4 | And User select My Profile | SKIPPED | 0.001 s |
| 5 | Then User should be on profile page | SKIPPED | 0.001 s |
| 6 | And User perform an Edit operation on My Address Book | SKIPPED | 0.000 s |
| 7 | And User add/change delivery address of "sheet2" | SKIPPED | 0.000 s |
| 8 | And click on Save | SKIPPED | 0.001 s |
| 9 | Then User can view the "" | SKIPPED | 0.000 s |



Edit user profile

| | | | | |
|---|--|--|---|---|
| <div>FAILED</div> <div>DURATION - 8.182 s</div> | |  | <div>Steps</div> <div>Total - 9</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 7</div> |  |
| / 11:54:09.079 pm // 11:54:17.261 pm / | | | | |
| Edit User Profile | | | | |
| @FirstCry | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User navigate to the FirstCry URL | PASSED | 1.715 s |
| 2 | When User log into the application with credentials <pre>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element ... is not clickable at point (1032, 31). Other element would receive the click: <div class="overlay-bg-block" style="">...</div> (Session info: chrome=122.0.6261.131) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ce680bf55871f3c7446f6d7212fddfd2, clickElement {id=f.79482B4CE6D73CB5BB64973FC8D8E0BE.d.A866C8BC5E8D6E48DC3562C1C54C2A4A.e.295}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:9724}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:9724/devtool..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (ce680bf55871f3c7446f6d7212fddfd2)] -> xpath: //li[@class="logreg"]/child::span[1]] Session ID: ce680bf55871f3c7446f6d7212fddfd2 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)</pre> | FAILED | 6.109 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | <pre> at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at pages.LoginPage.clickOnLogin(LoginPage.java:29) at steps.SharedSteps.user_log_into_the_application_with_credentials(SharedSteps.java:123) at ?.User log into the application with credentials(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/2.MyProfile.feature:6) * Not displayable characters are replaced by '?'. </pre> | | |
| 3 | When User click on My Account | SKIPPED | 0.000 s |
| 4 | And User select My Profile | SKIPPED | 0.000 s |
| 5 | Then User should be on profile page | SKIPPED | 0.001 s |
| 6 | And User perform an Edit operation on My Address Book | SKIPPED | 0.000 s |
| 7 | And User add/change delivery address of "sheet3" | SKIPPED | 0.000 s |
| 8 | And click on Save | SKIPPED | 0.004 s |
| 9 | Then User can view the "" | SKIPPED | 0.000 s |



Edit user profile

| | | | | |
|---|--|--|---|---|
| <div>FAILED</div> <div>DURATION - 7.604 s</div> | | <div></div> | <div>Steps</div> <div>Total - 9</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 7</div> | <div></div> |
| <div>/ 11:54:17.272 pm // 11:54:24.876 pm /</div> | | | | |
| <div>Edit User Profile</div> | | | | |
| <div>@FirstCry</div> | | | | |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User navigate to the FirstCry URL | PASSED | 1.182 s |
| 2 | When User log into the application with credentials | FAILED | 6.086 s |
| | <pre> org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element ... is not clickable at point (1032, 31). Other element would receive the click: <div class="overlay-bg-block" style="">...</div> (Session info: chrome=122.0.6261.131) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ce680bf55871f3c7446f6d7212fddfd2, clickElement {id=f.79482B4CE6D73CB5BB64973FC8D8E0BE.d. </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | <p>CEC8599FCF34E6493D1EAA7E687D607E.e.357}} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:9724}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:9724/devtool..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (ce680bf55871f3c7446f6d7212fddfd2)] -> xpath: //li[@class='logreg']/child::span[1]] Session ID: ce680bf55871f3c7446f6d7212fddfd2</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at pages.LoginPage.clickOnLogin(LoginPage.java:29) at steps.SharedSteps.user_log_into_the_application_with_credentials(SharedSteps.java:123) at ?.User log into the application with credentials(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/2.MyProfile.feature:6) * Not displayable characters are replaced by '?'. </p> | | |
| 3 | When User click on My Account | SKIPPED | 0.000 s |
| 4 | And User select My Profile | SKIPPED | 0.000 s |
| 5 | Then User should be on profile page | SKIPPED | 0.000 s |
| 6 | And User perform an Edit operation on My Address Book | SKIPPED | 0.000 s |
| 7 | And User add/change delivery address of "sheet4" | SKIPPED | 0.000 s |
| 8 | And click on Save | SKIPPED | 0.000 s |
| 9 | Then User can view the "" | SKIPPED | 0.000 s |

Search Functionality

| | | | | | |
|--|----------------------------|--|---|--|---|
| FAILED | DURATION - 32.224 s | Scenarios Total - 4 Pass - 0 Fail - 4 Skip - 0 |  | Steps Total - 24 Pass - 4 Fail - 4 Skip - 16 |  |
| / 11:54:24.891 pm // 11:54:57.115 pm / | | | | | |

Login, Search

| | | | | |
|---|--|---|---|--|
| <div>FAILED</div> <div>DURATION - 8.091 s</div> | | <div></div> | <div>Steps</div> <div>Total - 6</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 4</div> | <div></div> |
| <div>/ 11:54:24.891 pm // 11:54:32.982 pm /</div> | | | | |
| <div>Search Functionality</div> | | | | |
| <div>@FirstCry</div> | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User navigate to the FirstCry URL | PASSED | 1.588 s |
| 2 | When User log into the application with credentials org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element ... is not clickable at point (1032, 31). Other element would receive the click: <div class="overlay-bg-block" style="">...</div> (Session info: chrome=122.0.6261.131) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ce680bf55871f3c7446f6d7212fddfd2, clickElement {id=f.79482B4CE6D73CB5BB64973FC8D8E0BE.d.BB90713EDBD9E1E6F04892413C3E6E55.e.412}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:9724}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:9724/devtool..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (ce680bf55871f3c7446f6d7212fddfd2)] -> xpath: //li[@class='logreg']/child::span[1]] Session ID: ce680bf55871f3c7446f6d7212fddfd2 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | FAILED | 6.066 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | <pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at pages.LoginPage.clickOnLogin(LoginPage.java:29) at steps.SharedSteps.user_log_into_the_application_with_credentials(SharedSteps.java:123) at ?.User log into the application with credentials(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/ 3.SearchOperation.feature:6) * Not displayable characters are replaced by '?'. </pre> | | |
| 3 | When User search for "watches" | SKIPPED | 0.000 s |
| 4 | And select product from the search results | SKIPPED | 0.000 s |
| 5 | And User switches focus to the new tab | SKIPPED | 0.000 s |
| 6 | Then title should be "" | SKIPPED | 0.000 s |



Login, Search

| <div>FAILED</div> <div>DURATION - 7.927 s</div> | | <div><table><thead><tr><th>Step</th><th>Count</th></tr></thead><tbody><tr><td>1</td><td>1</td></tr><tr><td>2</td><td>6</td></tr><tr><td>3</td><td>0</td></tr><tr><td>4</td><td>0</td></tr><tr><td>5</td><td>0</td></tr><tr><td>6</td><td>0</td></tr></tbody></table></div> | Step | Count | 1 | 1 | 2 | 6 | 3 | 0 | 4 | 0 | 5 | 0 | 6 | 0 | <div>Steps</div> <div>Total - 6</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 4</div> | <div></div> |
|---|-------|--|------|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|-------------|
| Step | Count | | | | | | | | | | | | | | | | | |
| 1 | 1 | | | | | | | | | | | | | | | | | |
| 2 | 6 | | | | | | | | | | | | | | | | | |
| 3 | 0 | | | | | | | | | | | | | | | | | |
| 4 | 0 | | | | | | | | | | | | | | | | | |
| 5 | 0 | | | | | | | | | | | | | | | | | |
| 6 | 0 | | | | | | | | | | | | | | | | | |
| / 11:54:33.014 pm // 11:54:40.941 pm / | | | | | | | | | | | | | | | | | | |
| Search Functionality | | | | | | | | | | | | | | | | | | |
| @FirstCry | | | | | | | | | | | | | | | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given User navigate to the FirstCry URL | PASSED | 1.495 s |
| 2 | <p>When User log into the application with credentials</p> <pre> org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element ... is not clickable at point (1032, 31). Other element would receive the click: <div class="overlay-bg-block" style="">...</div> (Session info: chrome=122.0.6261.131) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [ce680bf55871f3c7446f6d7212fddfd2, clickElement {id=f.79482B4CE6D73CB5BB64973FC8D8E0BE.d. 67F9D1886F827B568529776394D72D5C.e.469}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:9724}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:9724/devtool..., se.cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (ce680bf55871f3c7446f6d7212fddfd2)] -> xpath: //li[@class="logreg"]/child::span[1]] Session ID: ce680bf55871f3c7446f6d7212fddfd2 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at pages.LoginPage.clickOnLogin(LoginPage.java:29) at steps.SharedSteps.user_log_into_the_application_with_credentials(SharedSteps.java:123) at ?.User log into the application with credentials(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/ 3.SearchOperation.feature:6) * Not displayable characters are replaced by '?'. </pre> | FAILED | 6.107 s |
| 3 | When User search for "shirts" | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 4 | And select product from the search results | SKIPPED | 0.001 s |
| 5 | And User switches focus to the new tab | SKIPPED | 0.000 s |
| 6 | Then title should be "" | SKIPPED | 0.001 s |



Login, Search

| | | | | |
|---|--|---|---|--|
| <div>FAILED</div> <div>DURATION - 8.127 s</div> | | <div></div> | <div>Steps</div> <div>Total - 6</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 4</div> | <div></div> |
| <div>/ 11:54:40.951 pm // 11:54:49.078 pm /</div> | | | | |
| <div>Search Functionality</div> | | | | |
| <div>@FirstCry</div> | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User navigate to the FirstCry URL | PASSED | 1.680 s |
| 2 | When User log into the application with credentials <pre>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element ... is not clickable at point (1032, 31). Other element would receive the click: <div class="overlay-bg-block" style="">...</div> (Session info: chrome=122.0.6261.131) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ce680bf55871f3c7446f6d7212fddfd2, clickElement {id=f.79482B4CE6D73CB5BB64973FC8D8E0BE.d.0186C2F6B0E8C120B17B5926A2FEFAAB.e.526}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:9724}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:9724/devtool..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (ce680bf55871f3c7446f6d7212fddfd2)] -> xpath: //li[@class="logreg"]/child::span[1]] Session ID: ce680bf55871f3c7446f6d7212fddfd2 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</pre> | FAILED | 6.102 s |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | <pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at pages.LoginPage.clickOnLogin(LoginPage.java:29) at steps.SharedSteps.user_log_into_the_application_with_credentials(SharedSteps.java:123) at ?.User log into the application with credentials(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/3.SearchOperation.feature:6) * Not displayable characters are replaced by '?'. </pre> | | |
| 3 | When User search for "123456" | SKIPPED | 0.000 s |
| 4 | And select product from the search results | SKIPPED | 0.000 s |
| 5 | And User switches focus to the new tab | SKIPPED | 0.000 s |
| 6 | Then title should be "" | SKIPPED | 0.000 s |



Login, Search

| | | | |
|---|---|--|--|
| FAILED DURATION - 8.030 s / 11:54:49.085 pm // 11:54:57.115 pm / Search Functionality @FirstCry |  | Steps Total - 6 Pass - 1 Fail - 1 Skip - 4 |  |
|---|---|--|--|



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User navigate to the FirstCry URL | PASSED | 1.650 s |
| 2 | When User log into the application with credentials <pre> org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element ... is not clickable at point (1032, 31). Other element would </pre> | FAILED | 6.056 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | <p>receive the click: <div class="overlay-bg-block" style="">...</div> (Session info: chrome=122.0.6261.131) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ce680bf55871f3c7446f6d7212fddfd2, clickElement {id=f.79482B4CE6D73CB5BB64973FC8D8E0BE.d.2EE794E1BEFE01993C01BEC3F5DDDA54.e.583}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:9724}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:9724/devtool..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (ce680bf55871f3c7446f6d7212fddfd2)] -> xpath: //li[@class='logreg']/child::span[1]] Session ID: ce680bf55871f3c7446f6d7212fddfd2</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at pages.LoginPage.clickOnLogin(LoginPage.java:29) at steps.SharedSteps.user_log_into_the_application_with_credentials(SharedSteps.java:123) at ?.User log into the application with credentials(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/3.SearchOperation.feature:6) * Not displayable characters are replaced by '?'. </p> | | |
| 3 | When User search for "shirts" | SKIPPED | 0.000 s |
| 4 | And select product from the search results | SKIPPED | 0.001 s |
| 5 | And User switches focus to the new tab | SKIPPED | 0.000 s |
| 6 | Then title should be "" | SKIPPED | 0.000 s |

Add to Cart Functionality

| | | | | | |
|--|----------------------------|-----------|---|------------|---|
| FAILED | DURATION - 16.605 s | Scenarios |  | Steps |  |
| / 11:54:57.125 pm // 11:55:13.730 pm / | | Total - 2 | | Total - 14 | |
| | | Pass - 0 | | Pass - 2 | |
| | | Fail - 2 | | Fail - 2 | |
| | | Skip - 0 | | Skip - 10 | |



Login, Search and Add Product to Cart

| | | | | |
|---|--|---|-----------|--|
| <div><div>FAILED</div><div>DURATION - 8.018 s</div></div> | | <div></div> | Steps | <div></div> |
| / 11:54:57.126 pm // 11:55:05.144 pm / | | | Total - 7 | |
| Add to Cart Functionality | | | Pass - 1 | |
| @FirstCry | | | Fail - 1 | |
| | | | Skip - 5 | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User navigate to the FirstCry URL | PASSED | 1.588 s |
| 2 | When User log into the application with credentials | FAILED | 6.099 s |
| | <p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element ... is not clickable at point (1032, 31). Other element would receive the click: <div class="overlay-bg-block" style="display: block; width: 100%; height: 100%; background-color: black; opacity: 0.5;"> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> </p> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | <pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at pages.LoginPage.clickOnLogin(LoginPage.java:29) at steps.SharedSteps.user_log_into_the_application_with_credentials(SharedSteps.java:123) at ?.User log into the application with credentials(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/4.AddToCart.feature:6) * Not displayable characters are replaced by '?'. </pre> | | |
| 3 | When User search for a "shirts" | SKIPPED | 0.000 s |
| 4 | And Click on one Product | SKIPPED | 0.000 s |
| 5 | And User switches focus to the new tab | SKIPPED | 0.000 s |
| 6 | And click on Add to Cart for the selected product | SKIPPED | 0.000 s |
| 7 | Then "" should be added to my cart | SKIPPED | 0.000 s |



Login, Search and Add Product to Cart

| | | | | |
|---|--|---|---|--|
| <div>FAILED</div> <div>DURATION - 8.580 s</div> | | <div></div> | <div>Steps</div> <div>Total - 7</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 5</div> | <div></div> |
| / 11:55:05.150 pm // 11:55:13.730 pm / | | | | |
| Add to Cart Functionality | | | | |
| @FirstCry | | | | |



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given User navigate to the FirstCry URL | PASSED | 2.172 s |
| 2 | <p>When User log into the application with credentials</p> <pre> org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element ... is not clickable at point (1032, 31). Other element would receive the click: <div class="overlay-bg-block" style="">...</div> (Session info: chrome=122.0.6261.131) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [ce680bf55871f3c7446f6d7212fddfd2, clickElement {id=f.79482B4CE6D73CB5BB64973FC8D8E0BE.d. 585C0BDB7E863E23335D760576AF109E.e.697}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:9724}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:9724/devtool..., se.cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (ce680bf55871f3c7446f6d7212fddfd2)] -> xpath: //li[@class="logreg"]/child::span[1]] Session ID: ce680bf55871f3c7446f6d7212fddfd2 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at pages.LoginPage.clickOnLogin(LoginPage.java:29) at steps.SharedSteps.user_log_into_the_application_with_credentials(SharedSteps.java:123) at ?.User log into the application with credentials(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/4.AddToCart. feature:6) * Not displayable characters are replaced by '?'. </pre> | FAILED | 6.062 s |
| 3 | When User search for a "watches" | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 4 | And Click on one Product | SKIPPED | 0.000 s |
| 5 | And User switches focus to the new tab | SKIPPED | 0.000 s |
| 6 | And click on Add to Cart for the selected product | SKIPPED | 0.000 s |
| 7 | Then "" should be added to my cart | SKIPPED | 0.000 s |

Find Stores

| | | | | | |
|--|--------------------|-----------|---|-----------|---|
| FAILED | DURATION - 8.045 s | Scenarios |  | Steps |  |
| / 11:55:13.730 pm // 11:55:21.775 pm / | | Total - 1 | | Total - 9 | |
| | | Pass - 0 | | Pass - 1 | |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 7 | |



User must be able to find FirstCry store results

| | | | | |
|---|--|--|---|--|
| <div>FAILED</div> <div>DURATION - 8.045 s</div> | | <div></div> | <div>Steps</div> <div>Total - 9</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 7</div> | <div></div> |
| / 11:55:13.730 pm // 11:55:21.775 pm / | | | | |
| Find Stores | | | | |
| @FirstCry | | | | |



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User navigate to the FirstCry URL | PASSED | 1.630 s |
| 2 | When User log into the application with credentials | FAILED | 6.116 s |
| | org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element ... is not clickable at point (1032, 31). Other element would receive the click: <div class="overlay-bg-block" style="">...</div> (Session info: chrome=122.0.6261.131) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ce680bf55871f3c7446f6d7212fddfd2, clickElement {id=f.79482B4CE6D73CB5BB64973FC8D8E0BE.d.CA2FC507A87ACFC92D8454166E8535C0.e.754}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:9724}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:9724/devtool..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (ce680bf55871f3c7446f6d7212fddfd2)] -> xpath: //li[@class='logreg']/child::span[1]] Session ID: ce680bf55871f3c7446f6d7212fddfd2 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at pages.LoginPage.clickOnLogin(LoginPage.java:29) at steps.SharedSteps.user_log_into_the_application_with_credentials(SharedSteps.java:123) at ?.User log into the application with credentials(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/5.StoreLocator.feature:6) * Not displayable characters are replaced by '?'. | | |
| 3 | When User must hover over the stores&preschool | SKIPPED | 0.001 s |
| 4 | And User must click on the find stores from drop down | SKIPPED | 0.000 s |
| 5 | And User switches focus to the new tab | SKIPPED | 0.000 s |
| 6 | Then User should be on storelocator page | SKIPPED | 0.001 s |
| 7 | When User select the "FirstCry", "Andhra Pradesh" and "Anakapalle Town" | SKIPPED | 0.000 s |
| 8 | And User click on the search button | SKIPPED | 0.000 s |
| 9 | Then User must be able to view the "" | SKIPPED | 0.000 s |

Find Preschool Locator

| | | | | | |
|--|----------------------------|--|---|--|---|
| FAILED | DURATION - 16.395 s | Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0 |  | Steps Total - 18 Pass - 2 Fail - 2 Skip - 14 |  |
| / 11:55:21.785 pm // 11:55:38.180 pm / | | | | | |



Search for a city in the Preschool Locator

| | | | | |
|--|---------------------------|--|--|---|
| FAILED | DURATION - 7.925 s |  | Steps Total - 9 Pass - 1 Fail - 1 Skip - 7 |  |
| / 11:55:21.785 pm // 11:55:29.710 pm / | | | | |
| Find Preschool Locator | | | | |
| @FirstCry | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User navigate to the FirstCry URL | PASSED | 1.544 s |
| 2 | When User log into the application with credentials org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element ... is not clickable at point (1032, 31). Other element would receive the click: <div class="overlay-bg-block" style="">...</div> (Session info: chrome=122.0.6261.131) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ce680bf55871f3c7446f6d7212fddfd2, clickElement {id=f.79482B4CE6D73CB5BB64973FC8D8E0BE.d.9E04AF86686134F1A887DEB80A450EA8.e.812}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:9724}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:9724/devtool..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (ce680bf55871f3c7446f6d7212fddfd2)] -> xpath: //li[@class='logreg']/child::span[1]] Session ID: ce680bf55871f3c7446f6d7212fddfd2 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | FAILED | 6.066 s |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | <pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at pages.LoginPage.clickOnLogin(LoginPage.java:29) at steps.SharedSteps.user_log_into_the_application_with_credentials(SharedSteps.java:123) at ?.User log into the application with credentials(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/6.PreSchool. feature:6) * Not displayable characters are replaced by '?'. </pre> | | |
| 3 | When user can click on storeandpreschool | SKIPPED | 0.001 s |
| 4 | And user can click on findpreschool | SKIPPED | 0.000 s |
| 5 | And user switches focus to new tab | SKIPPED | 0.000 s |
| 6 | Then user should be on "" tab | SKIPPED | 0.000 s |
| 7 | And user search for "Agra" | SKIPPED | 0.000 s |
| 8 | And click on findmy preschool | SKIPPED | 0.000 s |
| 9 | Then User should see preschools in "" | SKIPPED | 0.000 s |



Search for a city in the Preschool Locator

| | | | |
|--|--|--|---|
| FAILED DURATION - 8.459 s / 11:55:29.721 pm // 11:55:38.180 pm / Find Preschool Locator @FirstCry |  | Steps Total - 9 Pass - 1 Fail - 1 Skip - 7 |  |
|--|--|--|---|



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given User navigate to the FirstCry URL | PASSED | 1.991 s |
| 2 | <p>When User log into the application with credentials</p> <pre>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element ... is not clickable at point (1032, 31). Other element would receive the click: <div class="overlay-bg-block" style="">...</div> (Session info: chrome=122.0.6261.131) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ce680bf55871f3c7446f6d7212fddfd2, clickElement {id=f.79482B4CE6D73CB5BB64973FC8D8E0BE.d.D58268E5AF1CFC3EA2AD76AC294A29EC.e.871}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:9724}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:9724/devtool..., se.cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (ce680bf55871f3c7446f6d7212fddfd2)] -> xpath: //li[@class="logreg"]/child::span[1]] Session ID: ce680bf55871f3c7446f6d7212fddfd2 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at pages.LoginPage.clickOnLogin(LoginPage.java:29) at steps.SharedSteps.user_log_into_the_application_with_credentials(SharedSteps.java:123) at ?.User log into the application with credentials(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/6.PreSchool.feature:6) * Not displayable characters are replaced by '?'. </pre> | FAILED | 6.133 s |
| 3 | When user can click on storeandpreschool | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|---|---------------------------------------|---------|----------|
| 4 | And user can click on findpreschool | SKIPPED | 0.000 s |
| 5 | And user switches focus to new tab | SKIPPED | 0.000 s |
| 6 | Then user should be on "" tab | SKIPPED | 0.000 s |
| 7 | And user search for "Bengaluru" | SKIPPED | 0.000 s |
| 8 | And click on findmy preschool | SKIPPED | 0.000 s |
| 9 | Then User should see preschools in "" | SKIPPED | 0.000 s |

Manage Cart

| | | | | | |
|--|--------------------|-----------|---|-----------|---|
| FAILED | DURATION - 8.639 s | Scenarios |  | Steps |  |
| / 11:55:38.196 pm // 11:55:46.835 pm / | | Total - 1 | 1 | Total - 8 | 8 |
| | | Pass - 0 | | Pass - 1 | |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 6 | |



Manage Cart Functions

| | | | | |
|--|--------------------|---|-------|--|
| FAILED | DURATION - 8.639 s |  | Steps |  |
| / 11:55:38.196 pm // 11:55:46.835 pm / | | | | |
| Manage Cart | | | | |
| @FirstCry | | | | |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User navigate to the FirstCry URL | PASSED | 2.188 s |
| 2 | When User log into the application with credentials | FAILED | 6.107 s |
| | org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element ... is not clickable at point (1032, 31). Other element would receive the click: <div class="overlay-bg-block" style="">...</div> (Session info: chrome=122.0.6261.131) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ce680bf55871f3c7446f6d7212fddfd2, clickElement {id=f.79482B4CE6D73CB5BB64973FC8D8E0BE.d.4588ED7F2CB740D6EB9B050361552BE8.e.929}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | <p>fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:9724}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:9724/devtool..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (ce680bf55871f3c7446f6d7212fddfd2)] -> xpath: //li[@class='logreg']/child::span[1]] Session ID: ce680bf55871f3c7446f6d7212fddfd2</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at pages.LoginPage.clickOnLogin(LoginPage.java:29) at steps.SharedSteps.user_log_into_the_application_with_credentials(SharedSteps.java:123) at ?.User log into the application with credentials(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/7.CartFunction.feature:6)</p> <p>* Not displayable characters are replaced by '?'. </p> | | |
| 3 | When User add a few products to the cart <div> <div>pants</div> <div>books</div> </div> | SKIPPED | 0.006 s |
| 4 | And User click on cart | SKIPPED | 0.000 s |
| 5 | Then user can see "" in the cart | SKIPPED | 0.000 s |
| 6 | When User move a product to the shortlist | SKIPPED | 0.000 s |
| 7 | When User change the quantity of product from the cart | SKIPPED | 0.000 s |
| 8 | Then the "<quantity>" should be changed | SKIPPED | 0.000 s |

Manage Shortlisted Products

| | | | | | |
|--|---------------------------|-----------|---|-----------|---|
| FAILED | DURATION - 8.017 s | Scenarios |  | Steps |  |
| / 11:55:46.847 pm // 11:55:54.864 pm / | | Total - 1 | | Total - 8 | |
| | | Pass - 0 | | Pass - 1 | |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 6 | |

Shortlist and Manage Products

| | | | | |
|---|--|---|---|--|
| <div>FAILED</div> <div>DURATION - 8.017 s</div> | | <div></div> | <div>Steps</div> <div>Total - 8</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 6</div> | <div></div> |
| / 11:55:46.847 pm // 11:55:54.864 pm / | | | | |
| Manage Shortlisted Products | | | | |
| @FirstCry | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User navigate to the FirstCry URL | PASSED | 1.540 s |
| 2 | When User log into the application with credentials org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element ... is not clickable at point (1032, 31). Other element would receive the click: <div class="overlay-bg-block" style="">...</div> (Session info: chrome=122.0.6261.131) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ce680bf55871f3c7446f6d7212fddfd2, clickElement {id=f.79482B4CE6D73CB5BB64973FC8D8E0BE.d.B58980C562E982E77999AF3EAE6D8D7.e.986}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:9724}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:9724/devtool..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (ce680bf55871f3c7446f6d7212fddfd2)] -> xpath: //li[@class='logreg']/child::span[1]] Session ID: ce680bf55871f3c7446f6d7212fddfd2 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | FAILED | 6.121 s |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | <pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) atjdk.internal.reflect.GeneratedMethodAccessor73.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) atjdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at pages.LoginPage.clickOnLogin(LoginPage.java:29) at steps.SharedSteps.user_log_into_the_application_with_credentials(SharedSteps.java:123) at ?.User log into the application with credentials(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/ 8.ShortlistFunction.feature:6) * Not displayable characters are replaced by '?'. </pre> | | |
| 3 | When User shortlist few products <div> <div>Toys</div> <div>mobiles</div> </div> | SKIPPED | 0.001 s |
| 4 | And User click on the Shortlist button | SKIPPED | 0.000 s |
| 5 | Then user can see "" in the shortlist | SKIPPED | 0.000 s |
| 6 | When User add a product to the cart from the shortlist | SKIPPED | 0.000 s |
| 7 | When User delete a product from the shortlist | SKIPPED | 0.000 s |
| 8 | Then the "" should be removed from the shortlist | SKIPPED | 0.000 s |