


Feature			Scei	nario		Step			
Name	Duration	T	P	F	S	T	P	F	S
Login with Mobile Number	46.106 s	1	1	0	0	7	7	0	0
Edit User Profile	45.642 s	1	0	1	0	9	3	1	5
Search Functionality	1 m 44.646 s	2	2	0	0	12	12	0	0
Add to Cart Functionality	1 m 52.378 s	2	1	1	0	14	12	1	1
Find Stores	50.334 s	1	1	0	0	9	9	0	0
Find Preschool Locator	1 m 48.175 s	2	2	0	0	18	18	0	0
Manage Cart	1 m 6.349 s	1	0	1	0	8	5	1	2
Manage Shortlisted Products	58.619 s	1	0	1	0	8	2	1	5


Tag	Scenario				Fea	ture		
Name	T	P	F	S	Т	P	F	S
@FirstCry	11	7	4	0	8	4	4	0

FEATURES SUMMARY --- 4 -




#	Feature Name	T	P	F	S	Duration
1	Login with Mobile Number	1	1	0	0	46.106 s
2	Edit User Profile	1	0	1	0	45.642 s
3	Search Functionality	2	2	0	0	1 m 44.646 s
4	Add to Cart Functionality	2	1	1	0	1 m 52.378 s
5	<u>Find Stores</u>	1	1	0	0	50.334 s
6	<u>Find Preschool Locator</u>	2	2	0	0	1 m 48.175 s
7	Manage Cart	1	0	1	0	1 m 6.349 s
8	Manage Shortlisted Products	1	0	1	0	58.619 s

SCENARIOS SUMMARY -- 5 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login with Mobile Number	Login with Mobile Number	7	7	0	0	46.102 s
2	Edit User Profile	Edit user profile	9	3	1	5	45.641 s
3	Search Functionality	Login, Search	6	6	0	0	50.788 s
4	Search Functionality	Login, Search	6	6	0	0	53.848 s
5	Add to Cart Functionality	Login, Search and Add Product to Cart	7	7	0	0	59.709 s
6	Add to Cart Functionality	Login, Search and Add Product to Cart	7	5	1	1	52.645 s
7	<u>Find Stores</u>	User must be able to find FirstCry store results	9	9	0	0	50.319 s
8	Find Preschool Locator	Search for a city in the Preschool Locator	9	9	0	0	56.756 s
9	Find Preschool Locator	Search for a city in the Preschool Locator	9	9	0	0	51.401 s
10	Manage Cart	Manage Cart Functions	8	5	1	2	1 m 6.349 s

SCENARIOS SUMMARY -- 6




#	Feature Name	Scenario Name	T	P	F	S	Duration
12	Manage Shortlisted Products	Shortlist and Manage Products	8	2	1	5	58.619 s

DETAILED SECTION -- 7 --

### **Login with Mobile Number**

PASSED	DURATION - 46.106 s	Scenarios		Steps	
		Total - 1		Total - 7	
/ 4:09:36.555 pm // 4	1:10:22.661 pm /	Pass - 1	1	Pass - 7	7
		Fail - 0		Fail - 0	l 🚺 ' 🍠 l
		Skip - 0		Skip - 0	

### **Login with Mobile Number**




#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	3.206 s
2	When user click on the login button	PASSED	1.904 s
3	Then user should be on login Page	PASSED	0.071 s
4	And User enter "chandumj787013@gmail.com"	PASSED	0.165 s
5	And user click on the continue button	PASSED	3.486 s
6	And user click the submit button	PASSED	36.601 s
7	Then user should be on Home Page	PASSED	0.494 s

#### **Edit User Profile**

Scenarios		Steps	
Total - 1		Total - 9	
Pass - 0	1	Pass - 3	9
Fail - 1		Fail - 1	
Skip - 0		Skip - 5	
	Total - 1 Pass - 0 Fail - 1	Total - 1 Pass - 0 Fail - 1	Total - 1  Pass - 0  Fail - 1  Total - 9  Pass - 3  Fail - 1

DETAILED SECTION -- 8 --

# **Edit user profile**



#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.751 s
2	When User log into the application with credentials	PASSED	43.094 s
3	When User click on My Account	PASSED	0.255 s
4	And User select My Profile	FAILED	0.213 s
	org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [800a32455c4282c94e285ae2c015d7a0, actions (actions=[org.openqa.selenium.interactions. Sequence@50e5032c]] Capabilities (acceptInsecureCerts: false, browserName: horome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb, userDataDir: C:\Users\lenovo\AppDataL\loc}, fedcm:accounts: true, goog:chromeOptions: (debuggerAddress: localhost.62380), networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost.62380/devtoo, se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 800a32455c482c94e285ae2c015d7a0 at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:415) at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:178) at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341) at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:178) at java.base/java.util.stream.ForEachOps\$ForEachOps\Gref.accept(ForEachOps.java:183) at java.base/java.util.stream.ReferencePipeline\$251.accept(ReferencePipeline.java:179) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:509) at java.base/java.util.stream.ForEachOps\$ForEachOpsO		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:218)		
	at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:213)		
	at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:332)		
	at org.openqa.selenium.json.Json.toJson(Json.java:47)		
	at org.openqa.selenium.json.Json.toJson(Json.java:41)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:273)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:179)		
	at org.openga.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)		
	at org.openga.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)		
	at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openga.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:604)		
	at org.openga.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:605)		
	at pages.HomePage.clickonMyProfile(HomePage.java:74)		
	at steps.MyProfileStep.user_select_my_profile(MyProfileStep.java:29)		
	at ?.User select My Profile(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/2.MyProfile.feature:10)		
	Suppressed: org.openga.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.11.0', revision:		
	'040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: driver.version:		
	RemoteWebDriver at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:357) at org.openqa.selenium.json.Json.		
	toJson(Json.java:45) at org.openqa.selenium.json.Json.toJson(Json.java:41) at org.openqa.selenium.remote.codec.		
	AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:273) at org.openqa.selenium.remote.codec.		
	AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127) at org.openqa.selenium.remote.HttpCommandExecutor.		
	execute(HttpCommandExecutor.java:179) at org.openqa.selenium.remote.service.DriverCommandExecutor. invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.		
	execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openga.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:604) at org.openga.selenium.interactions.		
	Actions\$BuiltAction.perform(Actions.java:605) at pages.HomePage.clickonMyProfile(HomePage.java:74) at steps.MyProfileStep.		
	user_select_my_profile(MyProfileStep.java:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at		
	java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.		
	DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.		
	java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.		
	cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.		
	execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.		
	cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.		
	ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.executeStep.java:85) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.runPickleStep.run(TestStep.java:57) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.		
	cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.		
	Cucumber Execution Context. lambda \$\frac{1}{2} \text{Cucumber Execution Context.} at io. cucumber. core. runtime.		
	RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.		

#	Step / Hook Details	Status	Duration
	CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.		
	runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.		
	runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.		
	DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.		
	java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.		
	internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.		
	invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at		
	org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969) at org.testng.internal.invokers.TestInvokers.TestInvoker.		
	invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.		
	java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.		
	forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:829) at org.testng.TestRunner.run(TestRunner.java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431)		
	java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunner.run(SuiteRunner.java:330)		
	SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testing.SuiteRunnerWorker.run(SuiteRunnerWorker.java:55) at org.		
	testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.		
	TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.apache.maven.surefire.testng.		
	TestNGExecutor.run(TestNGExecutor.java:135) at org.apache.maven.surefire.testng.TestNGDirectoryTestSuite.		
	executeSingleClass(TestNGDirectoryTestSuite.java:112) at org.apache.maven.surefire.testng.TestNGDirectoryTestSuite.		
	execute(TestNGDirectoryTestSuite.java:99) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:146)		
	at org.apache.maven.surefire.booter.ForkedBooter.invokeProviderInSameClassLoader(ForkedBooter.java:384) at org.apache.maven.		
	surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:345) at org.apache.maven.surefire.booter.ForkedBooter. execute(ForkedBooter.java:126) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:418) Caused by: java.lang.		
	reflect.InvocationTargetException		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:411)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:178)		
	at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:200)		
	at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:183)		
	at java.base/java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:179)		
	at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133)		
	at java.base/java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1845)		
	at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509)		
	at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)		
	at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:150)		
	at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:173)		
	at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)		
	at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:200)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:218)		
	at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:213)		
	at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:332)		
	at org.openqa.selenium.json.Json.toJson(Json.java:47)		
	at org.openqa.selenium.json.Json.toJson(Json.java:41)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:273)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:179)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:604)		
	at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:605)		
	at pages.HomePage.clickonMyProfile(HomePage.java:74)		
	at steps.MyProfileStep.user_select_my_profile(MyProfileStep.java:29)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	$at\ org. testng. in ternal. invokers. Method Invocation Helper. invoke Method (Method Invocation Helper. java: 139)$		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:829)		
	at org.testng.TestRunner.run(TestRunner.java:602)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:330)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1176)		
	at org.testng.TestNG.runSuites(TestNG.java:1099)		
	at org.testng.TestNG.run(TestNG.java:1067)		
	at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:135)		
	at org.apache.maven.surefire.testng.TestNGDirectoryTestSuite.executeSingleClass(TestNGDirectoryTestSuite.java:112)		
	at org.apache.maven.surefire.testng.TestNGDirectoryTestSuite.execute(TestNGDirectoryTestSuite.java:99)		
	at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:146)		
	at org.apache.maven.surefire.booter.ForkedBooter.invokeProviderInSameClassLoader(ForkedBooter.java:384)		
	at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:345)		
	at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:126)		
	at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:418)		
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text", "selector":"My		
	Profile" (Session info: chrome=122.0.6261.131) For documentation on this error, please visit: https://www.selenium.dev/documentation/		
	webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name:		
	'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:		
	[800a32455c4282c94e285ae2c015d7a0, findElement {using=link text, value=My Profile}] Capabilities {acceptInsecureCerts: false,		
	browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb, userDataDir:		
	C:\Users\lenovo\AppData\Loc}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62380},		
	networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62380/devtoo,		
	se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000},		
	unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true,		


DETAILED SECTION -- 13 --

#	Step / Hook Details	Status	Duration
	webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID:		
	800a32455c4282c94e285ae2c015d7a0		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy42.getWrappedElement(Unknown Source)		
	at org.openqa.selenium.interactions.PointerInput\$Origin.asArg(PointerInput.java:275)		
	at org.openqa.selenium.interactions.PointerInput\$Move.encode(PointerInput.java:224)		
	at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:72)		
	at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:81)		
	* Not displayable characters are replaced by '?'.		
5	Then User should be on profile page	SKIPPED	0.000 s
6	And User perform an Edit operation on My Address Book	SKIPPED	0.000 s
7	And User add/change delivery address of "user1"	SKIPPED	0.000 s
8	And click on Save	SKIPPED	0.000 s
9	Then User can view the ""	SKIPPED	0.000 s

# **Search Functionality**


PASSED	DURATION - 1 m 44.646 s	Scenarios		Steps	
		Total - 2		Total - 12	
/ 4:11:08.916 pm // 4	1:12:53.562 pm /	Pass - 2	2	Pass - 12	12
		Fail - 0		Fail - 0	12
		Skip - 0		Skip - 0	

### Login, Search



#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.655 s
2	When User log into the application with credentials	PASSED	40.277 s
3	When User search for "watches"	PASSED	4.750 s
4	And select product from the search results	PASSED	0.367 s
5	And User switches focus to the new tab	PASSED	0.016 s
6	Then title should be ""	PASSED	3.382 s

#### Login, Search




DETAILED SECTION -- 15 --

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.575 s
2	When User log into the application with credentials	PASSED	41.873 s
3	When User search for "shirts"	PASSED	4.718 s
4	And select product from the search results	PASSED	0.305 s
5	And User switches focus to the new tab	PASSED	0.013 s
6	Then title should be ""	PASSED	3.447 s

### **Add to Cart Functionality**

FAILED	DURATION - 1 m 52.378 s	Scenarios		Steps	
		Total - 2		Total - 14	
/ 4:12:53.581 pi	m // 4:14:45.959 pm /	Pass - 1	2	Pass - 12	14
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	


# **Login, Search and Add Product to Cart**



#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.807 s
2	When User log into the application with credentials	PASSED	41.225 s
3	When User search for a "shirts"	PASSED	6.228 s
4	And Click on one Product	PASSED	2.226 s
5	And User switches focus to the new tab	PASSED	0.016 s
6	And click on Add to Cart for the selected product	PASSED	0.234 s
7	Then "" should be added to my cart	PASSED	6.383 s

DETAILED SECTION -- 16 --

### **Login, Search and Add Product to Cart**




#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.898 s
2	When User log into the application with credentials	PASSED	41.849 s
3	When User search for a "watches"	PASSED	4.744 s
-	And Click on one Product	PASSED	2.217 s
;	And User switches focus to the new tab	PASSED	0.010 s
	And click on Add to Cart for the selected product	FAILED	0.064 s
	org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=122.0.6261.131) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [800a32455c4282c94e285ae2c015d7a0, clickElement [id=f. 55E923A4F7089B287D3A61E578346C74.d.8E342024E13FB3D82B212A2F1618DBFC.e.107]] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (It8a4fedeb, userDataDir: C:\Users\lenovo\AppData\Loc\}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62380}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62380/devtoo, se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: fimplicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:imPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (800a32455c4282c94e285ae2c015d7a0)] -> xpath: //span[contains(text(),'ADD TO CART')]] Session ID: 800a32455c4282c94e285ae2c015d7a0] at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:490) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:196) at org.openqa.selen		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)		
	at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)		
	at jdk.internal.reflect.GeneratedMethodAccessor61.invoke(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)		
	at jdk.proxy2/jdk.proxy2.\$Proxy42.click(Unknown Source)		
	at pages.ProductsPage.clickOnAddToCart(ProductsPage.java:23)		
	at steps.AddToCartStepDefination.click_on_add_to_cart_for_the_selected_product(AddToCartStepDefination.java:38)		
	at ?.click on Add to Cart for the selected product(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/4.AddToCart.		
	feature:12)		
	* Not displayable characters are replaced by '?'.		
7	Then "" should be added to my cart	SKIPPED	0.000 s

#### **Find Stores**

PASSED	DURATION - 50.334 s	Scenarios		Steps	
		Total - 1		Total - 9	
/ 4:14:46.294 p	m // 4:15:36.628 pm /	Pass - 1	1	Pass - 9	9
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	
		Skip		OKIP O	

# **User must be able to find FirstCry store results**




DETAILED SECTION -- 18 --

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.948 s
2	When User log into the application with credentials	PASSED	40.917 s
3	When User must hover over the stores&preschool	PASSED	0.547 s
4	And User must click on the find stores from drop down	PASSED	0.210 s
5	And User switches focus to the new tab	PASSED	2.027 s
6	Then User should be on storelocator page	PASSED	0.000 s
7	When User select the "FirstCry", "Andhra Pradesh" and "Anakapalle Town"	PASSED	0.533 s
8	And User click on the search button	PASSED	0.119 s
9	Then User must be able to view the ""	PASSED	3.614 s

#### **Find Preschool Locator**

		Steps		Ι.	Scenarios	<b>75</b> s	DURATION - 1 m 48.175 s	PASSED
		Total - 18		/	Total - 2			
18		Pass - 18	2		Pass - 2		17:24.824 pm /	/ 4:15:36.649 pm // 4:.
		Fail - 0			Fail - 0			
		Skip - 0		\ \ \	Skip - 0			
	\			\				

### **Search for a city in the Preschool Locator**




#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.355 s
2	When User log into the application with credentials	PASSED	41.480 s
3	When user can click on storeandpreschool	PASSED	0.528 s
4	And user can click on findpreschool	PASSED	0.206 s

DETAILED SECTION -- 19 --

#	Step / Hook Details	Status	Duration
5	And user switches focus to new tab	PASSED	1.034 s
6	Then user should be on "" tab	PASSED	0.000 s
7	And user search for "Agra"	PASSED	3.341 s
8	And click on findmy preschool	PASSED	2.079 s
9	Then User should see preschools in ""	PASSED	4.442 s

#### **Search for a city in the Preschool Locator**




#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	2.110 s
2	When User log into the application with credentials	PASSED	40.768 s
3	When user can click on storeandpreschool	PASSED	0.234 s
4	And user can click on findpreschool	PASSED	0.202 s
5	And user switches focus to new tab	PASSED	1.084 s
6	Then user should be on "" tab	PASSED	0.000 s
7	And user search for "Bengaluru"	PASSED	0.245 s
8	And click on findmy preschool	PASSED	2.092 s
9	Then User should see preschools in ""	PASSED	2.698 s

# **Manage Cart**

FAILED	DURATION - 1 m 6.349 s	Scenarios		Steps	
		Total - 1		Total - 8	
/ 4:17:24.850 pm // 4	4:18:31.199 pm /	Pass - 0	1	Pass - 5	8 📕 8
		Fail - 1		Fail - 1	👅 ĭ 📕
		Skip - 0		Skip - 2	

# **Manage Cart Functions**




#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.562 s
2	When User log into the application with credentials	PASSED	41.492 s
3	When User add a few products to the cart	PASSED	17.336 s
	pants books		
4	And User click on cart	PASSED	4.458 s
5	Then user can see "" in the cart	PASSED	0.002 s
6	When User move a product to the shortlist	FAILED	0.033 s
	org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression (//div[@title='Shortlist'] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '(//div[@title='Shortlist']' is not a valid XPath expression. (Session info: chrome=122.0.6261.131) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [800a32455c4282c94e285ae2c015d7a0, findElement {using=xpath, value=(//div[@title='Shortlist']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb, userDataDir: C:\Users\lenovo\AppData\Loc}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62380}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62380/devtoo, se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true,		


DETAILED SECTION -- 21 --

#	Step / Hook Details	Status	Duration
	webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID:		
	800a32455c4282c94e285ae2c015d7a0		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy42.click(Unknown Source)		
	at pages.CartPage.moveToShortlist(CartPage.java:51)		
	at steps.CartFuncStep.user_move_a_product_to_the_shortlist(CartFuncStep.java:54)		
	at ?.User move a product to the shortlist(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/7.CartFunction.		
	feature:14)		
	* Not displayable characters are replaced by '?'.		
7	When User change the quantity of product from the cart	SKIPPED	0.000 s
8	Then the " <quantity>" should be changed</quantity>	SKIPPED	0.000 s

# **Manage Shortlisted Products**



DETAILED SECTION -- 22 --



#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.873 s
2	When User log into the application with credentials	PASSED	40.991 s
<del>-</del>	When User shortlist few products	FAILED	15.346 s
J	Toys mobiles	TAILLE	13.040 3
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:  {"method":"xpath","selector":"(//div/@class="i_inner_block")](1)/descendant::img") (Session info: chrome=122.0.6261.131) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [800a32455c4282c94e285ae2c015d7a0, findElement {using=xpath, value=(//div/@class="i_inner_block")}[1]/descendant::img]} Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 {f18a44fedeb, userDataDir: C:\UsersNenovoAppDataLloc}} fedem:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62380/devtoc, sercdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:minPinLength: true, webauthn:extension:prictorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructo		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		

DETAILED SECTION -- 23 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy42.click(Unknown Source) at pages.SearchPage.clickonFirstProduct(SearchPage.java:18) at steps.ShortListStep.user_shortlist_few_products(ShortListStep.java:34) at ?.User shortlist few products(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/8.ShortlistFunction.feature:9) * Not displayable characters are replaced by '?'.		
4	And User click on the Shortlist button	SKIPPED	0.000 s
5	Then user can see "" in the shortlist	SKIPPED	0.000 s
6	When User add a product to the cart from the shortlist	SKIPPED	0.000 s
7	When User delete a product from the shortlist	SKIPPED	0.000 s
8	Then the "" should be removed from the shortlist	SKIPPED	0.000 s