


| Feature | | Scenario | | | | Step | | | |
|--------------------------|--------------|----------|---|---|---|----------|---|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| Login with Mobile Number | 46.484 s | 1 | 1 | 0 | 0 | 7 | 7 | 0 | 0 |
| Edit User Profile | 1 m 10.584 s | 1 | 0 | 1 | 0 | 9 | 7 | 1 | 1 |
| Search Functionality | 4.913 s | 1 | 0 | 1 | 0 | 6 | 0 | 1 | 5 |


| Tag Scenario | | | | | | Fea | ture | |
|--------------|---|---|---|---|---|-----|------|---|
| Name | T | P | F | S | T | P | F | S |
| @FirstCry | 3 | 1 | 2 | 0 | 3 | 1 | 2 | 0 |

FEATURES SUMMARY ---



| # | Feature Name | T | P | F | S | Duration |
|---|--------------------------|---|---|---|---|--------------|
| 1 | Login with Mobile Number | 1 | 1 | 0 | 0 | 46.484 s |
| 2 | Edit User Profile | 1 | 0 | 1 | 0 | 1 m 10.584 s |
| 3 | Search Functionality | 1 | 0 | 1 | 0 | 4.913 s |

SCENARIOS SUMMARY -- 5 -




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--------------------------|--------------------------|---|---|---|---|--------------|
| 1 | Login with Mobile Number | Login with Mobile Number | 7 | 7 | 0 | 0 | 46.478 s |
| 2 | Edit User Profile | Edit user profile | 9 | 7 | 1 | 1 | 1 m 10.584 s |
| 3 | Search Functionality | Login, Search | 6 | 0 | 1 | 5 | 4.913 s |

DETAILED SECTION -- 6 --

Login with Mobile Number

| PASSED | DURATION - 46.484 s | Scenarios | | Steps | |
|---------------------|---------------------|-----------|---|-----------|--|
| | | Total - 1 | | Total - 7 | |
| / 4:05:19.483 pm // | 4:06:05.967 pm / | Pass - 1 | 1 | Pass - 7 | 7 |
| | | Fail - 0 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 0 | |
| | | | | | |

Login with Mobile Number




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User navigate to the FirstCry URL | PASSED | 3.621 s |
| 2 | When user click on the login button | PASSED | 1.785 s |
| 3 | Then user should be on login Page | PASSED | 0.015 s |
| 4 | And User enter "chandumj787013@gmail.com" | PASSED | 0.146 s |
| 5 | And user click on the continue button | PASSED | 3.248 s |
| 6 | And user click the submit button | PASSED | 35.147 s |
| 7 | Then user should be on Home Page | PASSED | 0.472 s |

Edit User Profile

| FAILED | DURATION - 1 m 10.584 s | Scenarios | | Steps | |
|-----------------------|-------------------------|-----------|---|-----------|---|
| | | Total - 1 | | Total - 9 | |
| / 4:06:05.999 pm // 4 | 1:07:16.583 pm / | Pass - 0 | 1 | Pass - 7 | 9 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 1 | |
| | | | | | |

DETAILED SECTION -- 7 --

Edit user profile




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User navigate to the FirstCry URL | PASSED | 4.684 s |
| 2 | When User log into the application with credentials | PASSED | 53.436 s |
| 3 | When User click on My Account | PASSED | 3.225 s |
| 4 | And User select My Profile | PASSED | 3.184 s |
| 5 | Then User should be on profile page | PASSED | 0.013 s |
| 6 | And User perform an Edit operation on My Address Book | PASSED | 0.302 s |
| 7 | And User add/change delivery address of "user1" | PASSED | 4.421 s |
| 8 | And click on Save | FAILED | 0.055 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector";"selector":"#btnSaveAddress"} (Session info: chrome=122.0.6261.131) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [57323bb6a617fdf20c6dee4e3b437bff, findElement {using=id, value=btnSaveAddress}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb, userDataDir: C:\Users\lenovo\AppDataL\loc), fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62150}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62150/devtoo, se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 57323bb6a617fdf20c6dee4e3b437bff at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) | | |
| | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) | | |
| | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) | | |
| | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) | | |
| | at jdk.proxy2/jdk.proxy2.\$Proxy42.click(Unknown Source) | | |
| | at pages.MyProfilePage.clickOnSave(MyProfilePage.java:81) | | |
| | at steps.MyProfileStep.click_on_save(MyProfileStep.java:67) | | |
| | at ?.click on Save(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/2.MyProfile.feature:14) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 9 | Then User can view the "" | SKIPPED | 0.000 s |

Search Functionality

| FAILED | DURATION - 4.913 s | Scenarios | | Steps | |
|-----------------------|--------------------|-----------|---|-----------|---|
| | | Total - 1 | | Total - 6 | |
| / 4:07:16.836 pm // 4 | :07:21.749 pm / | Pass - 0 | 1 | Pass - 0 | 6 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 5 | |

Login, Search



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given User navigate to the FirstCry URL | FAILED | 3.720 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=122.0.6261.131) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: Windows 11', os.arch: 'amd64', os.version: '10.0', jeav.eversion: '12.0.6261.131, chrome: (chromedriverVersion: 122.0.6261.132 (Tlaa44fedeb, userDataDir: CVLuserslenovOtAppDataLoc), fedemacounts: true, opogrchromeoplotions: (debuggerAddress: localhost562291), networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), sec.dp: ws://localhost.62291/devtoo, sec.dpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: o, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthnextension:credBlob: true, webauthnextension:targeBlob: true, webauthnextension:minPinLength: true, webauthnextension:truel) Session ID: b01283e54dacd2113e7987e398e947fb at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceeWilthCaller(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.w3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.w3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.ete.W3cM3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.ete.W3cM3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.ete.W3cM3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.ete.W3cM3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.ete.W3cM3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.ete. | | |
| 2 | When User log into the application with credentials | SKIPPED | 0.000 s |
| 3 | When User search for "watches" | SKIPPED | 0.000 s |
| 4 | And select product from the search results | SKIPPED | 0.002 s |
| 5 | And User switches focus to the new tab | SKIPPED | 0.000 s |
| 6 | Then title should be "" | SKIPPED | 0.001 s |
| | AFTER - steps.SharedSteps.teardownScenario() | FAILED | 0.008 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=122.0.6261.131) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b01283e54dacd2113e7987e398e947fb, getCurrentWindowHandle {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, | | |

DETAILED SECTION -- 10 --

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb, userDataDir: C:\Users\lenovo\AppData\Loc}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62291}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62291/devtoo, se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:p | | |
| | webauthn:virtualAuthenticators: true} Session ID: b01283e54dacd2113e7987e398e947fb at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.getWindowHandle(RemoteWebDriver.java:455) | | |
| | at steps.SharedSteps.teardownScenario(SharedSteps.java:28) | | |