Cucumber Report

23-Mar-2024, 7:06:33 pm

| Start : Mar 23, 7:03:45.462 pm	End : Mar 23, 7:06:31.743 pm	Duration : 2 m 46.281 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 7 SKIPPED - 0	PASSED - 1 FAILED - 10 SKIPPED - 0	PASSED - 18 FAILED - 10 SKIPPED - 57

8

11

85

Pass %

12 %

9 %

21 %

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Login with Mobile Number	51.158 s	1	1	0	0	7	7	0	0
Edit User Profile	40.243 s	1	0	1	0	9	2	1	6
Search Functionality	16.667 s	2	0	2	0	12	2	2	8
Add to Cart Functionality	16.604 s	2	0	2	0	14	2	2	10
Find Stores	8.770 s	1	0	1	0	9	1	1	7
Find Preschool Locator	16.243 s	2	0	2	0	18	2	2	14
Manage Cart	8.242 s	1	0	1	0	8	1	1	6
Manage Shortlisted Products	8.228 s	1	0	1	0	8	1	1	6

Tag	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@FirstCry	11	1	10	0	8	1	7	0

#	Feature Name	T	P	F	S	Duration
1	Login with Mobile Number	1	1	0	0	51.158 s
2	Edit User Profile	1	0	1	0	40.243 s
3	Search Functionality	2	0	2	0	16.667 s
4	Add to Cart Functionality	2	0	2	0	16.604 s
5	Find Stores	1	0	1	0	8.770 s
6	Find Preschool Locator	2	0	2	0	16.243 s
7	Manage Cart	1	0	1	0	8.242 s
8	Manage Shortlisted Products	1	0	1	0	8.228 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login with Mobile Number	Login with Mobile Number	7	7	0	0	51.153 s
2	Edit User Profile	Edit user profile	9	2	1	6	40.242 s
3	Search Functionality	Login, Search	6	1	1	4	8.261 s
4	Search Functionality	Login, Search	6	1	1	4	8.399 s
5	Add to Cart Functionality	Login, Search and Add Product to Cart	7	1	1	5	8.161 s
6	Add to Cart Functionality	Login, Search and Add Product to Cart	7	1	1	5	8.435 s
7	Find Stores	User must be able to find FirstCry store results	9	1	1	7	8.770 s
8	Find Preschool Locator	Search for a city in the Preschool Locator	9	1	1	7	8.175 s
9	Find Preschool Locator	Search for a city in the Preschool Locator	9	1	1	7	8.060 s
10	Manage Cart	Manage Cart Functions	8	1	1	6	8.242 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
11	Manage Shortlisted Products	Shortlist and Manage Products	8	1	1	6	8.228 s

Login with Mobile Number

PASSED	DURATION - 51.158 s		Scenarios		Steps	
			Total - 1		Total - 7	
/ 7:03:45.462 pm // 7:04:36.620 pm /			Pass - 1	1	Pass - 7	7
			Fail - 0		Fail - 0	
			Skip - 0		Skip - 0	

Login with Mobile Number

PASSED	DURATION - 51.153 s		Steps	
/ 7:03:45.467 pm // 7:04:36.620 pm /			Total - 7	
Login with Mobile Number			Pass - 7	7
@FirstCry			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	3.794 s
2	When user click on the login button	PASSED	8.139 s
3	Then user should be on login Page	PASSED	0.010 s
4	And User enter "chandumj787013@gmail.com"	PASSED	0.132 s
5	And user click on the continue button	PASSED	3.016 s
6	And user click the submit button	PASSED	35.446 s
7	Then user should be on Home Page	PASSED	0.456 s

Edit User Profile

FAILED	DURATION - 40.243 s		Scenarios		Steps	
			Total - 1		Total - 9	
/ 7:04:36.649 pm // 7:05:16.892 pm /			Pass - 0	1	Pass - 2	9
			Fail - 1		Fail - 1	
			Skip - 0		Skip - 6	

Edit user profile

FAILED	DURATION - 40.242 s

/ 7:04:36.650 pm // 7:05:16.892 pm /

Edit User Profile

@FirstCry

Steps
Total - 9
Pass - 2
Fail - 1
Skip - 6

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.638 s
2	When User log into the application with credentials	PASSED	38.086 s
3	When User click on My Account	FAILED	0.077 s

org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [ea1bfe5eb50b8690c74a9331e6bbaad4, actions {actions=[org.openqa.selenium.interactions.Sequence@10817f46]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:1251}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:1251/devtool..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ea1bfe5eb50b8690c74a9331e6bbaad4

  at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:415)
  at org.openqa.selenium.json.JsonOutput.lambdanew16(JsonOutput.java:178)
  at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341)
  at org.openqa.selenium.json.JsonOutput.lambdanew22(JsonOutput.java:200)
  at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.accept(ForEachOps.java:183)
  at java.base/java.util.stream.ReferencePipeline$2$1.accept(ReferencePipeline.java:179)
  at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133)
  at java.base/java.util.Spliterators$IteratorSpliterator.forEachRemaining(Spliterators.java:1845)
  at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509)
  at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)
  at java.base/java.util.stream.ForEachOps$ForEachOp.evaluateSequential(ForEachOps.java:150)
  at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.evaluateSequential(ForEachOps.java:173)
  at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)
  at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596)
  at org.openqa.selenium.json.JsonOutput.lambdanew23(JsonOutput.java:200)
  at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341)

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.json.JsonOutput.lambdanew24(JsonOutput.java:218)		
	at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68)		
	at org.openqa.selenium.json.JsonOutput.lambdanew25(JsonOutput.java:213)		
	at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:332)		
	at org.openqa.selenium.json.Json.toJson(Json.java:47)		
	at org.openqa.selenium.json.Json.toJson(Json.java:41)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:273)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:179)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:604)		
	at org.openqa.selenium.interactions.Actions$BuiltAction.perform(Actions.java:605)		
	at org.openqa.selenium.interactions.Actions.perform(Actions.java:574)		
	at pages.HomePage.hovertoMyAccount(HomePage.java:70)		
	at steps.MyProfileStep.user_click_on_my_account(MyProfileStep.java:24)		
	at ?.User click on My Account(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/2.MyProfile.feature:9)		
	Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:357) at org.openqa.selenium.json.Json.toJson(Json.java:45) at org.openqa.selenium.json.Json.toJson(Json.java:41) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:273) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:179) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:604) at org.openqa.selenium.interactions.Actions$BuiltAction.perform(Actions.java:605) at org.openqa.selenium.interactions.Actions.perform(Actions.java:574) at pages.HomePage.hovertoMyAccount(HomePage.java:70) at steps.MyProfileStep.user_click_on_my_account(MyProfileStep.java:24) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.		

#	Step / Hook Details	Status	Duration
	executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext. runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner. runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests. runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect. DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method. java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng. internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker. invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:969) at org.testng.internal.invokers.TestInvoker. invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker. java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList. forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:829) at org.testng.TestRunner.run(TestRunner. java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng. SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org. testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng. TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.apache.maven.surefire.testng. TestNGExecutor.run(TestNGExecutor.java:135) at org.apache.maven.surefire.testng.TestNGDirectoryTestSuite. executeSingleClass(TestNGDirectoryTestSuite.java:112) at org.apache.maven.surefire.testng.TestNGDirectoryTestSuite. execute(TestNGDirectoryTestSuite.java:99) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:146) at org.apache.maven.surefire.booter.ForkedBooter.invokeProviderInSameClassLoader(ForkedBooter.java:384) at org.apache.maven. surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:345) at org.apache.maven.surefire.booter.ForkedBooter. execute(ForkedBooter.java:126) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:418) Caused by: java.lang. reflect.InvocationTargetException at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:411) at org.openqa.selenium.json.JsonOutput.lambdanew16(JsonOutput.java:178) at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341) at org.openqa.selenium.json.JsonOutput.lambdanew22(JsonOutput.java:200) at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.accept(ForEachOps.java:183) at java.base/java.util.stream.ReferencePipeline$2$1.accept(ReferencePipeline.java:179) at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133) at java.base/java.util.Spliterators$IteratorSpliterator.forEachRemaining(Spliterators.java:1845) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ForEachOps$ForEachOp.evaluateSequential(ForEachOps.java:150) at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.evaluateSequential(ForEachOps.java:173) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.json.JsonOutput.lambdanew23(JsonOutput.java:200)		
	at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341)		
	at org.openqa.selenium.json.JsonOutput.lambdanew24(JsonOutput.java:218)		
	at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68)		
	at org.openqa.selenium.json.JsonOutput.lambdanew25(JsonOutput.java:213)		
	at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:332)		
	at org.openqa.selenium.json.Json.toJson(Json.java:47)		
	at org.openqa.selenium.json.Json.toJson(Json.java:41)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:273)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:179)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:604)		
	at org.openqa.selenium.interactions.Actions$BuiltAction.perform(Actions.java:605)		
	at org.openqa.selenium.interactions.Actions.perform(Actions.java:574)		
	at pages.HomePage.hovertoMyAccount(HomePage.java:70)		
	at steps.MyProfileStep.user_click_on_my_account(MyProfileStep.java:24)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:129)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:969)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:829)		
	at org.testng.TestRunner.run(TestRunner.java:602)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:330)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1176)		
	at org.testng.TestNG.runSuites(TestNG.java:1099)		
	at org.testng.TestNG.run(TestNG.java:1067)		
	at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:135)		
	at org.apache.maven.surefire.testng.TestNGDirectoryTestSuite.executeSingleClass(TestNGDirectoryTestSuite.java:112)		
	at org.apache.maven.surefire.testng.TestNGDirectoryTestSuite.execute(TestNGDirectoryTestSuite.java:99)		
	at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:146)		
	at org.apache.maven.surefire.booter.ForkedBooter.invokeProviderInSameClassLoader(ForkedBooter.java:384)		
	at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:345)		
	at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:126)		
	at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:418)		
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[contains(@class,'anch myacc_2')]"} (Session info: chrome=122.0.6261.131) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ea1bfe5eb50b8690c74a9331e6bbaad4, findElement {using=xpath, value=//span[contains(@class,'anch myacc_2')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc...},		

#	Step / Hook Details	Status	Duration

	fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:1251}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:1251/devtool..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ea1bfe5eb50b8690c74a9331e6bbaad4
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy45.getWrappedElement(Unknown Source)
	  at org.openqa.selenium.interactions.PointerInput$Origin.asArg(PointerInput.java:275)
	  at org.openqa.selenium.interactions.PointerInput$Move.encode(PointerInput.java:224)
	  at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:72)
	  at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:81)
	* Not displayable characters are replaced by '?'.		

4	And User select My Profile	SKIPPED	0.000 s
5	Then User should be on profile page	SKIPPED	0.000 s
6	And User perform an Edit operation on My Address Book	SKIPPED	0.000 s
7	And User add/change delivery address of "user1"	SKIPPED	0.000 s
8	And click on Save	SKIPPED	0.001 s
9	Then User can view the ""	SKIPPED	0.000 s

Search Functionality

FAILED	DURATION - 16.667 s	Scenarios		Steps	
/ 7:05:16.915 pm // 7:05:33.582 pm /		Total - 2 Pass - 0 Fail - 2 Skip - 0	2	Total - 12 Pass - 2 Fail - 2 Skip - 8	12

Login, Search

FAILED	DURATION - 8.261 s		Steps	
/ 7:05:16.915 pm // 7:05:25.176 pm /			Total - 6 Pass - 1 Fail - 1 Skip - 4	6
Search Functionality				
@FirstCry				

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.786 s
2	When User log into the application with credentials	FAILED	6.088 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element ... is not clickable at point (1032, 31). Other element would receive the click: <div class="overlay-bg-block" style="">...</div> (Session info: chrome=122.0.6261.131) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [ea1bfe5eb50b8690c74a9331e6bbaad4, clickElement {id=f.ADC09CB19547EA8432F0D4D1447BD7F7.d. 615AC82D6409BB950F74EF7645F412C7.e.350}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:1251}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:1251/devtool..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (ea1bfe5eb50b8690c74a9331e6bbaad4)] -> xpath: //li[@class='logreg']/child::span[1]] Session ID: ea1bfe5eb50b8690c74a9331e6bbaad4
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)		
	at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)		
	at jdk.proxy2/jdk.proxy2.$Proxy45.click(Unknown Source)		
	at pages.LoginPage.clickOnLogin(LoginPage.java:29)		
	at steps.SharedSteps.user_log_into_the_application_with_credentials(SharedSteps.java:109)		
	at ?.User log into the application with credentials(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/3.SearchOperation.feature:6)		
	* Not displayable characters are replaced by '?'.		
3	When User search for "watches"	SKIPPED	0.000 s
4	And select product from the search results	SKIPPED	0.000 s
5	And User switches focus to the new tab	SKIPPED	0.000 s
6	Then title should be ""	SKIPPED	0.000 s

Login, Search

FAILED	DURATION - 8.399 s
/ 7:05:25.183 pm // 7:05:33.582 pm /	
Search Functionality	
@FirstCry	

Steps
Total - 6
Pass - 1
Fail - 1
Skip - 4

6

| #	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.904 s
2	When User log into the application with credentials	FAILED	6.084 s

#	Step / Hook Details	Status	Duration
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element ... is not clickable at point (1032, 31). Other element would receive the click: <div class="overlay-bg-block" style="">...</div> (Session info: chrome=122.0.6261.131) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [ea1bfe5eb50b8690c74a9331e6bbaad4, clickElement {id=f.ADC09CB19547EA8432F0D4D1447BD7F7.d. 063598B5074E56525252A9F69ED00B1F.e.409}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:1251}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:1251/devtool..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (ea1bfe5eb50b8690c74a9331e6bbaad4)] -> xpath: //li[@class='logreg']/child::span[1]] Session ID: ea1bfe5eb50b8690c74a9331e6bbaad4 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.$Proxy45.click(Unknown Source) at pages.LoginPage.clickOnLogin(LoginPage.java:29) at steps.SharedSteps.user_log_into_the_application_with_credentials(SharedSteps.java:109) at ?.User log into the application with credentials(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/ 3.SearchOperation.feature:6) * Not displayable characters are replaced by '?'.		
3	When User search for "shirts"	SKIPPED	0.001 s
4	And select product from the search results	SKIPPED	0.000 s
5	And User switches focus to the new tab	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
6	Then title should be ""	SKIPPED	0.000 s

Add to Cart Functionality

FAILED	DURATION - 16.604 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0	2	Steps Total - 14 Pass - 2 Fail - 2 Skip - 10	14
/ 7:05:33.596 pm // 7:05:50.200 pm /					

Login, Search and Add Product to Cart

FAILED	DURATION - 8.161 s		Steps Total - 7 Pass - 1 Fail - 1 Skip - 5	7
/ 7:05:33.597 pm // 7:05:41.758 pm /				
Add to Cart Functionality				
@FirstCry				

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.702 s
2	When User log into the application with credentials	FAILED	6.118 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element ... is not clickable at point (1032, 31). Other element would receive the click: <div class="overlay-bg-block" style="">...</div> (Session info: chrome=122.0.6261.131) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [ea1bfe5eb50b8690c74a9331e6bbaad4, clickElement {id=f.ADC09CB19547EA8432F0D4D1447BD7F7.d. 4943D7B94CA0BDF26D241AEB0317962B.e.467}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:1251}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:1251/devtool..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (ea1bfe5eb50b8690c74a9331e6bbaad4)] -> xpath: //li[@class='logreg']/child::span[1]] Session ID: ea1bfe5eb50b8690c74a9331e6bbaad4 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

| #	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.$Proxy45.click(Unknown Source) at pages.LoginPage.clickOnLogin(LoginPage.java:29) at steps.SharedSteps.user_log_into_the_application_with_credentials(SharedSteps.java:109) at ?.User log into the application with credentials(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/4.AddToCart.feature:6) * Not displayable characters are replaced by '?'.		
3	When User search for a "shirts"	SKIPPED	0.000 s
4	And Click on one Product	SKIPPED	0.000 s
5	And User switches focus to the new tab	SKIPPED	0.000 s
6	And click on Add to Cart for the selected product	SKIPPED	0.000 s
7	Then "" should be added to my cart	SKIPPED	0.000 s

Login, Search and Add Product to Cart

FAILED	DURATION - 8.435 s

/ 7:05:41.765 pm // 7:05:50.200 pm /

Add to Cart Functionality

@FirstCry

Steps
Total - 7
Pass - 1
Fail - 1
Skip - 5

7

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.989 s
2	When User log into the application with credentials	FAILED	6.088 s

org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element ... is not clickable at point (1032, 31). Other element would receive the click: <div class="overlay-bg-block" style="">...</div>   (Session info: chrome=122.0.6261.131) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [ea1bfe5eb50b8690c74a9331e6bbaad4, clickElement {id=f.ADC09CB19547EA8432F0D4D1447BD7F7.d. 8AAF77ED01DBB98A68060A9BA444154D.e.524}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:1251}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:1251/devtool..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (ea1bfe5eb50b8690c74a9331e6bbaad4)] -> xpath: //li[@class='logreg']/child::span[1]] Session ID: ea1bfe5eb50b8690c74a9331e6bbaad4
  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)
  at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.$Proxy45.click(Unknown Source) at pages.LoginPage.clickOnLogin(LoginPage.java:29) at steps.SharedSteps.user_log_into_the_application_with_credentials(SharedSteps.java:109) at ?.User log into the application with credentials(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/4.AddToCart.feature:6) * Not displayable characters are replaced by '?'.		
3	When User search for a "watches"	SKIPPED	0.000 s
4	And Click on one Product	SKIPPED	0.000 s
5	And User switches focus to the new tab	SKIPPED	0.000 s
6	And click on Add to Cart for the selected product	SKIPPED	0.000 s
7	Then "" should be added to my cart	SKIPPED	0.000 s

Find Stores

FAILED	DURATION - 8.770 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Steps Total - 9 Pass - 1 Fail - 1 Skip - 7	9
/ 7:05:50.215 pm // 7:05:58.985 pm /					

User must be able to find FirstCry store results

FAILED	DURATION - 8.770 s		Steps Total - 9 Pass - 1 Fail - 1 Skip - 7	9
/ 7:05:50.215 pm // 7:05:58.985 pm /				
Find Stores				
@FirstCry				

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	2.315 s
2	When User log into the application with credentials	FAILED	6.087 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element ... is not clickable at point (1032, 31). Other element would receive the click: <div class="overlay-bg-block" style="">...</div> (Session info: chrome=122.0.6261.131) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [ea1bfe5eb50b8690c74a9331e6bbaad4, clickElement {id=f.ADC09CB19547EA8432F0D4D1447BD7F7.d. 4AF346A9A075F4198AD1560C349FF6D0.e.581}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:1251}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:1251/devtool..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (ea1bfe5eb50b8690c74a9331e6bbaad4)] -> xpath: //li[@class='logreg']/child::span[1]] Session ID: ea1bfe5eb50b8690c74a9331e6bbaad4
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)
	    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)
	    at jdk.proxy2/jdk.proxy2.$Proxy45.click(Unknown Source)
	    at pages.LoginPage.clickOnLogin(LoginPage.java:29)
	    at steps.SharedSteps.user_log_into_the_application_with_credentials(SharedSteps.java:109)
	    at ?.User log into the application with credentials(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/5.StoreLocator. feature:6)
	* Not displayable characters are replaced by '?'.		

3	When User must hover over the stores&preschool	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
4	And User must click on the find stores from drop down	SKIPPED	0.000 s
5	And User switches focus to the new tab	SKIPPED	0.000 s
6	Then User should be on storelocator page	SKIPPED	0.000 s
7	When User select the "FirstCry","Andhra Pradesh" and "Anakapalle Town"	SKIPPED	0.000 s
8	And User click on the search button	SKIPPED	0.000 s
9	Then User must be able to view the ""	SKIPPED	0.001 s

Find Preschool Locator

FAILED	DURATION - 16.243 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0	2	Steps Total - 18 Pass - 2 Fail - 2 Skip - 14	18
/ 7:05:59.003 pm // 7:06:15.246 pm /					

Search for a city in the Preschool Locator

FAILED	DURATION - 8.175 s		Steps Total - 9 Pass - 1 Fail - 1 Skip - 7	9
/ 7:05:59.003 pm // 7:06:07.178 pm /				
Find Preschool Locator				
@FirstCry				

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.751 s
2	When User log into the application with credentials	FAILED	6.078 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element ... is not clickable at point (1032, 31). Other element would receive the click: <div class="overlay-bg-block" style="">...</div> (Session info: chrome=122.0.6261.131) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [ea1bfe5eb50b8690c74a9331e6bbaad4, clickElement {id=f.ADC09CB19547EA8432F0D4D1447BD7F7.d. E470D252F0895AC655CEB8327FCCA2F4.e.640}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc...},		

| #	Step / Hook Details	Status	Duration

	fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:1251}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:1251/devtool..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (ea1bfe5eb50b8690c74a9331e6bbaad4)] -> xpath: //li[@class='logreg']/child::span[1]] Session ID: ea1bfe5eb50b8690c74a9331e6bbaad4
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)
	    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)
	    at jdk.proxy2/jdk.proxy2.$Proxy45.click(Unknown Source)
	    at pages.LoginPage.clickOnLogin(LoginPage.java:29)
	    at steps.SharedSteps.user_log_into_the_application_with_credentials(SharedSteps.java:109)
	    at ?.User log into the application with credentials(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/6.PreSchool.feature:6)
	* Not displayable characters are replaced by '?'.		

3	When user can click on storeandpreschool	SKIPPED	0.001 s
4	And user can click on findpreschool	SKIPPED	0.000 s
5	And user switches focus to new tab	SKIPPED	0.000 s
6	Then user should be on "" tab	SKIPPED	0.000 s
7	And user search for "Agra"	SKIPPED	0.000 s
8	And click on findmy preschool	SKIPPED	0.000 s
9	Then User should see preschools in ""	SKIPPED	0.000 s

Search for a city in the Preschool Locator

FAILED	DURATION - 8.060 s		Steps
/ 7:06:07.186 pm // 7:06:15.246 pm /			Total - 9
			Pass - 1
Find Preschool Locator			Fail - 1
@FirstCry			Skip - 7

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.597 s
2	When User log into the application with credentials	FAILED	6.064 s

org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element ... is not clickable at point (1032, 31). Other element would receive the click: <div class="overlay-bg-block" style="">...</div>   (Session info: chrome=122.0.6261.131) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [ea1bfe5eb50b8690c74a9331e6bbaad4, clickElement {id=f.ADC09CB19547EA8432F0D4D1447BD7F7.d. 4F98C089240DAE28C4A132B131936345.e.698}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:1251}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:1251/devtool..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (ea1bfe5eb50b8690c74a9331e6bbaad4)] -> xpath: //li[@class='logreg']/child::span[1]] Session ID: ea1bfe5eb50b8690c74a9331e6bbaad4
  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)
  at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.$Proxy45.click(Unknown Source) at pages.LoginPage.clickOnLogin(LoginPage.java:29) at steps.SharedSteps.user_log_into_the_application_with_credentials(SharedSteps.java:109) at ?.User log into the application with credentials(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/6.PreSchool.feature:6) * Not displayable characters are replaced by '?'.		
3	When user can click on storeandpreschool	SKIPPED	0.000 s
4	And user can click on findpreschool	SKIPPED	0.000 s
5	And user switches focus to new tab	SKIPPED	0.001 s
6	Then user should be on "" tab	SKIPPED	0.000 s
7	And user search for "Bengaluru"	SKIPPED	0.000 s
8	And click on findmy preschool	SKIPPED	0.000 s
9	Then User should see preschools in ""	SKIPPED	0.001 s

Manage Cart

FAILED	DURATION - 8.242 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Steps Total - 8 Pass - 1 Fail - 1 Skip - 6	8
/ 7:06:15.263 pm // 7:06:23.505 pm /					

Manage Cart Functions

FAILED	DURATION - 8.242 s
/ 7:06:15.263 pm // 7:06:23.505 pm /	
Manage Cart	
@FirstCry	

Steps
Total - 8
Pass - 1
Fail - 1
Skip - 6

8

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.785 s
2	When User log into the application with credentials	FAILED	6.098 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element ... is not clickable at point (1032, 31). Other element would receive the click: <div class="overlay-bg-block" style="">...</div> (Session info: chrome=122.0.6261.131) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ea1bfe5eb50b8690c74a9331e6bbaad4, clickElement {id=f.ADC09CB19547EA8432F0D4D1447BD7F7.d.7E46DF8CB18C8877B1F152C55E30E7A4.e.757}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:1251}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:1251/devtool..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (ea1bfe5eb50b8690c74a9331e6bbaad4)] -> xpath: //li[@class='logreg']/child::span[1]] Session ID: ea1bfe5eb50b8690c74a9331e6bbaad4
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)
	    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.$Proxy45.click(Unknown Source) at pages.LoginPage.clickOnLogin(LoginPage.java:29) at steps.SharedSteps.user_log_into_the_application_with_credentials(SharedSteps.java:109) at ?.User log into the application with credentials(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/7.CartFunction.feature:6) * Not displayable characters are replaced by '?'.		
3	When User add a few products to the cart pants books	SKIPPED	0.005 s
4	And User click on cart	SKIPPED	0.001 s
5	Then user can see "" in the cart	SKIPPED	0.000 s
6	When User move a product to the shortlist	SKIPPED	0.000 s
7	When User change the quantity of product from the cart	SKIPPED	0.000 s
8	Then the "<quantity>" should be changed	SKIPPED	0.000 s

Manage Shortlisted Products

FAILED	DURATION - 8.228 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 8 Pass - 1 Fail - 1 Skip - 6	
/ 7:06:23.515 pm // 7:06:31.743 pm /			1		8

Shortlist and Manage Products

FAILED	DURATION - 8.228 s		Steps Total - 8 Pass - 1 Fail - 1 Skip - 6	
/ 7:06:23.515 pm // 7:06:31.743 pm /				8
Manage Shortlisted Products				
@FirstCry				

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.775 s
2	When User log into the application with credentials	FAILED	6.109 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element ... is not clickable at point (1032, 31). Other element would receive the click: <div class="overlay-bg-block" style="">...</div> (Session info: chrome=122.0.6261.131) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [ea1bfe5eb50b8690c74a9331e6bbaad4, clickElement {id=f.ADC09CB19547EA8432F0D4D1447BD7F7.d. 4DB822AE9584CBF8018E172EACC53193.e.816}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:1251}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:1251/devtool..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (ea1bfe5eb50b8690c74a9331e6bbaad4)] -> xpath: //li[@class='logreg']/child::span[1]] Session ID: ea1bfe5eb50b8690c74a9331e6bbaad4
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)
	    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)
	    at jdk.proxy2/jdk.proxy2.$Proxy45.click(Unknown Source)
	    at pages.LoginPage.clickOnLogin(LoginPage.java:29)
	    at steps.SharedSteps.user_log_into_the_application_with_credentials(SharedSteps.java:109)
	    at ?.User log into the application with credentials(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/ 8.ShortlistFunction.feature:6)
	* Not displayable characters are replaced by '?'.		

3	When User shortlist few products	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	Toys mobiles		
4	And User click on the Shortlist button	SKIPPED	0.000 s
5	Then user can see "" in the shortlist	SKIPPED	0.000 s
6	When User add a product to the cart from the shortlist	SKIPPED	0.000 s
7	When User delete a product from the shortlist	SKIPPED	0.000 s
8	Then the "" should be removed from the shortlist	SKIPPED	0.000 s