# Cucumber Report

| Start : Mar 23, 6:26:41.628 pm | End : Mar 23, 6:30:58.465 pm | Duration : 4 m 16.837 s |
| --- | --- | --- |
| Features | Scenarios | Steps |
| PASSED - 0 <br> FAILED - 8 <br> SKIPPED - 0 | PASSED - 0 <br> FAILED - 11 <br> SKIPPED - 0 | PASSED - 20 <br> FAILED - 11 <br> SKIPPED - 54 |

**Features:** 8

**Scenarios:** 11

**Steps:** 85

Pass %: 0 %

Pass %: 0 %

Pass %: 23 %

| Feature | | Scenario | | | | Step | | | |
|---|---|---|---|---|---|---|---|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| *Login with Mobile Number* | 38.826 s | 1 | 0 | 1 | 0 | 7 | 6 | 1 | 0 |
| *Edit User Profile* | 40.291 s | 1 | 0 | 1 | 0 | 9 | 2 | 1 | 6 |
| *Search Functionality* | 20.684 s | 2 | 0 | 2 | 0 | 12 | 2 | 2 | 8 |
| *Add to Cart Functionality* | 49.488 s | 2 | 0 | 2 | 0 | 14 | 3 | 2 | 9 |
| *Find Stores* | 9.477 s | 1 | 0 | 1 | 0 | 9 | 1 | 1 | 7 |
| *Find Preschool Locator* | 49.767 s | 2 | 0 | 2 | 0 | 18 | 3 | 2 | 13 |
| *Manage Cart* | 8.000 s | 1 | 0 | 1 | 0 | 8 | 1 | 1 | 6 |
| *Manage Shortlisted Products* | 40.191 s | 1 | 0 | 1 | 0 | 8 | 2 | 1 | 5 |

| Tag | Scenario | | | | Feature | | | |
|---|---|---|---|---|---|---|---|---|
| **Name** | **T** | **P** | **F** | **S** | **T** | **P** | **F** | **S** |
| *@FirstCry* | 11 | 0 | 11 | 0 | 8 | 0 | 8 | 0 |

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | Login with Mobile Number | 1 | 0 | 1 | 0 | 38.826 s |
| 2 | Edit User Profile | 1 | 0 | 1 | 0 | 40.291 s |
| 3 | Search Functionality | 2 | 0 | 2 | 0 | 20.684 s |
| 4 | Add to Cart Functionality | 2 | 0 | 2 | 0 | 49.488 s |
| 5 | Find Stores | 1 | 0 | 1 | 0 | 9.477 s |
| 6 | Find Preschool Locator | 2 | 0 | 2 | 0 | 49.767 s |
| 7 | Manage Cart | 1 | 0 | 1 | 0 | 8.000 s |
| 8 | Manage Shortlisted Products | 1 | 0 | 1 | 0 | 40.191 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | Login with Mobile Number | Login with Mobile Number | 7 | 6 | 1 | 0 | 38.821 s |
| 2 | Edit User Profile | Edit user profile | 9 | 2 | 1 | 6 | 40.291 s |
| 3 | Search Functionality | Login, Search | 6 | 1 | 1 | 4 | 13.752 s |
| 4 | Search Functionality | Login, Search | 6 | 1 | 1 | 4 | 6.920 s |
| 5 | Add to Cart Functionality | Login, Search and Add Product to Cart | 7 | 1 | 1 | 5 | 8.256 s |
| 6 | Add to Cart Functionality | Login, Search and Add Product to Cart | 7 | 2 | 1 | 4 | 41.224 s |
| 7 | Find Stores | User must be able to find FirstCry store results | 9 | 1 | 1 | 7 | 9.476 s |
| 8 | Find Preschool Locator | Search for a city in the Preschool Locator | 9 | 2 | 1 | 6 | 41.085 s |
| 9 | Find Preschool Locator | Search for a city in the Preschool Locator | 9 | 1 | 1 | 7 | 8.672 s |
| 10 | Manage Cart | Manage Cart Functions | 8 | 1 | 1 | 6 | 7.999 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 11 | Manage Shortlisted Products | Shortlist and Manage Products | 8 | 2 | 1 | 5 | 40.191 s |

## Login with Mobile Number

| FAILED | DURATION - 38.826 s | Scenarios | | Steps | |
|--------|---------------------|-----------|---|-------|---|
| / 6:26:41.628 pm // 6:27:20.454 pm / | | Total - 1<br>Pass - 0<br>Fail - 1<br>Skip - 0 | 1 | Total - 7<br>Pass - 6<br>Fail - 1<br>Skip - 0 | 7 |

## Login with Mobile Number

| FAILED | DURATION - 38.821 s | | Steps | |
|--------|---------------------|---|-------|---|
| / 6:26:41.633 pm // 6:27:20.454 pm / | | | Total - 7<br>Pass - 6<br>Fail - 1<br>Skip - 0 | 7 |
| *Login with Mobile Number* | | | | |
| @FirstCry | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| 1 | Given User navigate to the FirstCry URL | PASSED | 3.208 s |
| 2 | When user click on the login button | PASSED | 1.934 s |
| 3 | Then user should be on login Page | PASSED | 0.082 s |
| 4 | And User enter "chandumj787013@gmail.com" | PASSED | 0.142 s |
| 5 | And user click on the continue button | PASSED | 3.009 s |
| 6 | And user click the submit button | PASSED | 30.064 s |
| 7 | Then user should be on Home Page | FAILED | 0.012 s |
| | java.lang.AssertionError: expected [Baby Products Online India: Newborn Baby Products & Kids Online Shopping at FirstCry.com] but found [FirstCry Account Login]<br>    at org.testng.Assert.fail(Assert.java:110)<br>    at org.testng.Assert.failNotEquals(Assert.java:1577)<br>    at org.testng.Assert.assertEqualsImpl(Assert.java:149)<br>    at org.testng.Assert.assertEquals(Assert.java:131)<br>    at org.testng.Assert.assertEquals(Assert.java:655)<br>    at org.testng.Assert.assertEquals(Assert.java:665)<br>    at steps.LoginStepDefination.user_should_be_on_home_page(LoginStepDefination.java:52) | | |

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| | at ?.user should be on Home Page(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/1.Login.feature:11)<br>* Not displayable characters are replaced by '?'. | | |

## Edit User Profile

| FAILED | DURATION - 40.291 s | Scenarios<br>Total - 1<br>Pass - 0<br>Fail - 1<br>Skip - 0 | 1 | Steps<br>Total - 9<br>Pass - 2<br>Fail - 1<br>Skip - 6 | 9 |
|--------|---------------------|---|---|---|---|
| / 6:27:20.486 pm // 6:28:00.777 pm / | | | | | |

### Edit user profile

| FAILED | DURATION - 40.291 s | | Steps<br>Total - 9<br>Pass - 2<br>Fail - 1<br>Skip - 6 | 9 |
|--------|---------------------|---|---|---|
| / 6:27:20.486 pm // 6:28:00.777 pm / | | | | |
| Edit User Profile | | | | |
| @FirstCry | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| 1 | Given User navigate to the FirstCry URL | PASSED | 1.964 s |
| 2 | When User log into the application with credentials | PASSED | 37.969 s |
| 3 | When User click on My Account | FAILED | 0.038 s |
| | org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [67fd9527907894f6f1933959e47057c1, actions {actions=[org.openqa.selenium.interactions.Sequence@48499739]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65012}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65012/devtoo..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 67fd9527907894f6f1933959e47057c1<br>    at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:415) | | |

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| | at org.openqa.selenium.json.JsonOutput.lambda$new$16(JsonOutput.java:178) | | |
| | at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341) | | |
| | at org.openqa.selenium.json.JsonOutput.lambda$new$22(JsonOutput.java:200) | | |
| | at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.accept(ForEachOps.java:183) | | |
| | at java.base/java.util.stream.ReferencePipeline$2$1.accept(ReferencePipeline.java:179) | | |
| | at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133) | | |
| | at java.base/java.util.Spliterators$IteratorSpliterator.forEachRemaining(Spliterators.java:1845) | | |
| | at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) | | |
| | at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) | | |
| | at java.base/java.util.stream.ForEachOps$ForEachOp.evaluateSequential(ForEachOps.java:150) | | |
| | at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.evaluateSequential(ForEachOps.java:173) | | |
| | at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) | | |
| | at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596) | | |
| | at org.openqa.selenium.json.JsonOutput.lambda$new$23(JsonOutput.java:200) | | |
| | at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341) | | |
| | at org.openqa.selenium.json.JsonOutput.lambda$new$24(JsonOutput.java:218) | | |
| | at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68) | | |
| | at org.openqa.selenium.json.JsonOutput.lambda$new$25(JsonOutput.java:213) | | |
| | at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341) | | |
| | at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:332) | | |
| | at org.openqa.selenium.json.Json.toJson(Json.java:47) | | |
| | at org.openqa.selenium.json.Json.toJson(Json.java:41) | | |
| | at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:273) | | |
| | at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:179) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:604) | | |
| | at org.openqa.selenium.interactions.Actions$BuiltAction.perform(Actions.java:605) | | |
| | at org.openqa.selenium.interactions.Actions.perform(Actions.java:574) | | |
| | at pages.HomePage.hovertoMyAccount(HomePage.java:70) | | |
| | at steps.MyProfileStep.user_click_on_my_account(MyProfileStep.java:24) | | |
| | at ?.User click on My Account(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/2.MyProfile.feature:9) | | |
| | Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: driver.version: RemoteWebDriver       at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:357)       at org.openqa.selenium.json.Json.toJson(Json.java:45)       at org.openqa.selenium.json.Json.toJson(Json.java:41)       at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:273)       at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127)       at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:179)       at org.openqa.selenium.remote.service.DriverCommandExecutor. | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | invokeExecute(DriverCommandExecutor.java:196)        at org.openqa.selenium.remote.service.DriverCommandExecutor. execute(DriverCommandExecutor.java:171)       at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:604)       at org.openqa.selenium.interactions. Actions$BuiltAction.perform(Actions.java:605)       at org.openqa.selenium.interactions.Actions.perform(Actions.java:574)       at pages. HomePage.hovertoMyAccount(HomePage.java:70)       at steps.MyProfileStep.user_click_on_my_account(MyProfileStep.java:24)       at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)       at java.base/jdk.internal.reflect. NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)       at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl. invoke(DelegatingMethodAccessorImpl.java:43)       at java.base/java.lang.reflect.Method.invoke(Method.java:568)       at io.cucumber.java. Invoker.doInvoke(Invoker.java:66)       at io.cucumber.java.Invoker.invoke(Invoker.java:24)       at io.cucumber.java.AbstractGlueDefinition. invokeMethod(AbstractGlueDefinition.java:47)       at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)       at io. cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)       at io.cucumber.core.runner.PickleStepDefinitionMatch. runStep(PickleStepDefinitionMatch.java:63)       at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)       at io. cucumber.core.runner.TestStep.executeStep(TestStep.java:85)       at io.cucumber.core.runner.TestStep.run(TestStep.java:57)       at io. cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)       at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)       at io.cucumber.testng.TestNGCucumberRunner. lambda$runScenario$1(TestNGCucumberRunner.java:132)       at io.cucumber.core.runtime.CucumberExecutionContext. lambda$runTestCase$5(CucumberExecutionContext.java:129)       at io.cucumber.core.runtime.RethrowingThrowableCollector. executeAndThrow(RethrowingThrowableCollector.java:23)       at io.cucumber.core.runtime.CucumberExecutionContext. runTestCase(CucumberExecutionContext.java:129)       at io.cucumber.testng.TestNGCucumberRunner. runScenario(TestNGCucumberRunner.java:129)       at io.cucumber.testng.AbstractTestNGCucumberTests. runScenario(AbstractTestNGCucumberTests.java:35)       at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)       at java.base/jdk.internal.reflect. DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)       at java.base/java.lang.reflect.Method.invoke(Method. java:568)       at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)       at org.testng. internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)       at org.testng.internal.invokers.TestInvoker. invokeTestMethod(TestInvoker.java:221)       at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)       at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:969)       at org.testng.internal.invokers.TestInvoker. invokeTestMethods(TestInvoker.java:194)       at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker. java:148)       at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)       at java.base/java.util.ArrayList. forEach(ArrayList.java:1511)       at org.testng.TestRunner.privateRun(TestRunner.java:829)       at org.testng.TestRunner.run(TestRunner. java:602)       at org.testng.SuiteRunner.runTest(SuiteRunner.java:437)       at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391)       at org.testng.SuiteRunner.run(SuiteRunner.java:330)       at org.testng. SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)       at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)       at org. testng.TestNG.runSuitesSequentially(TestNG.java:1256)       at org.testng.TestNG.runSuitesLocally(TestNG.java:1176)       at org.testng. TestNG.runSuites(TestNG.java:1099)       at org.testng.TestNG.run(TestNG.java:1067)       at org.apache.maven.surefire.testng. TestNGExecutor.run(TestNGExecutor.java:135)       at org.apache.maven.surefire.testng.TestNGDirectoryTestSuite. executeSingleClass(TestNGDirectoryTestSuite.java:112)       at org.apache.maven.surefire.testng.TestNGDirectoryTestSuite. execute(TestNGDirectoryTestSuite.java:99)       at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:146) at org.apache.maven.surefire.booter.ForkedBooter.invokeProviderInSameClassLoader(ForkedBooter.java:384)       at org.apache.maven. surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:345)       at org.apache.maven.surefire.booter.ForkedBooter. execute(ForkedBooter.java:126)       at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:418) Caused by: java.lang. reflect.InvocationTargetException<br>   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)<br>   at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:411) | | |
| | at org.openqa.selenium.json.JsonOutput.lambda$new$16(JsonOutput.java:178) | | |
| | at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341) | | |
| | at org.openqa.selenium.json.JsonOutput.lambda$new$22(JsonOutput.java:200) | | |
| | at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.accept(ForEachOps.java:183) | | |
| | at java.base/java.util.stream.ReferencePipeline$2$1.accept(ReferencePipeline.java:179) | | |
| | at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133) | | |
| | at java.base/java.util.Spliterators$IteratorSpliterator.forEachRemaining(Spliterators.java:1845) | | |
| | at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) | | |
| | at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) | | |
| | at java.base/java.util.stream.ForEachOps$ForEachOp.evaluateSequential(ForEachOps.java:150) | | |
| | at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.evaluateSequential(ForEachOps.java:173) | | |
| | at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) | | |
| | at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596) | | |
| | at org.openqa.selenium.json.JsonOutput.lambda$new$23(JsonOutput.java:200) | | |
| | at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341) | | |
| | at org.openqa.selenium.json.JsonOutput.lambda$new$24(JsonOutput.java:218) | | |
| | at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68) | | |
| | at org.openqa.selenium.json.JsonOutput.lambda$new$25(JsonOutput.java:213) | | |
| | at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341) | | |
| | at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:332) | | |
| | at org.openqa.selenium.json.Json.toJson(Json.java:47) | | |
| | at org.openqa.selenium.json.Json.toJson(Json.java:41) | | |
| | at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:273) | | |
| | at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:179) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:604) | | |
| | at org.openqa.selenium.interactions.Actions$BuiltAction.perform(Actions.java:605) | | |
| | at org.openqa.selenium.interactions.Actions.perform(Actions.java:574) | | |
| | at pages.HomePage.hovertoMyAccount(HomePage.java:70) | | |
| | at steps.MyProfileStep.user_click_on_my_account(MyProfileStep.java:24) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) | | |
| | at io.cucumber.java.Invoker.invoke(Invoker.java:24) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at io.cumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) | | |
| | at io.cumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) | | |
| | at io.cumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) | | |
| | at io.cumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10) | | |
| | at io.cumber.core.runner.TestStep.executeStep(TestStep.java:85) | | |
| | at io.cumber.core.runner.TestStep.run(TestStep.java:57) | | |
| | at io.cumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) | | |
| | at io.cumber.core.runner.TestCase.run(TestCase.java:84) | | |
| | at io.cumber.core.runner.Runner.runPickle(Runner.java:75) | | |
| | at io.cumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132) | | |
| | at io.cumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:129) | | |
| | at io.cumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) | | |
| | at io.cumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) | | |
| | at io.cumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) | | |
| | at io.cumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) | | |
| | at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) | | |
| | at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:969) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) | | |
| | at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) | | |
| | at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) | | |
| | at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) | | |
| | at org.testng.TestRunner.privateRun(TestRunner.java:829) | | |
| | at org.testng.TestRunner.run(TestRunner.java:602) | | |
| | at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) | | |
| | at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) | | |
| | at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) | | |
| | at org.testng.SuiteRunner.run(SuiteRunner.java:330) | | |
| | at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) | | |
| | at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) | | |
| | at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) | | |
| | at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) | | |
| | at org.testng.TestNG.runSuites(TestNG.java:1099) | | |
| | at org.testng.TestNG.run(TestNG.java:1067) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:135) | | |
| | at org.apache.maven.surefire.testng.TestNGDirectoryTestSuite.executeSingleClass(TestNGDirectoryTestSuite.java:112) | | |
| | at org.apache.maven.surefire.testng.TestNGDirectoryTestSuite.execute(TestNGDirectoryTestSuite.java:99) | | |
| | at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:146) | | |
| | at org.apache.maven.surefire.booter.ForkedBooter.invokeProviderInSameClassLoader(ForkedBooter.java:384) | | |
| | at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:345) | | |
| | at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:126) | | |
| | at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:418) | | |
| | Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[contains(@class,'anch myacc_2')]"}   (Session info: chrome=122.0.6261.131) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [67fd9527907894f6f1933959e47057c1, findElement {using=xpath, value=//span[contains(@class,'anch myacc_2')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65012}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65012/devtoo..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 67fd9527907894f6f1933959e47057c1 | | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) | | |
| | at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) | | |
| | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) | | |
| | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) | | |
| | at jdk.proxy2/jdk.proxy2.$Proxy45.getWrappedElement(Unknown Source) | | |
| | at org.openqa.selenium.interactions.PointerInput$Origin.asArg(PointerInput.java:275) | | |
| | at org.openqa.selenium.interactions.PointerInput$Move.encode(PointerInput.java:224) | | |
| | at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:72) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:81) *Not displayable characters are replaced by '?'.* | | |
| 4 | And User select My Profile | SKIPPED | 0.000 s |
| 5 | Then User should be on profile page | SKIPPED | 0.000 s |
| 6 | And User perform an Edit operation on My Address Book | SKIPPED | 0.000 s |
| 7 | And User add/change delivery address of "user1" | SKIPPED | 0.000 s |
| 8 | And click on Save | SKIPPED | 0.000 s |
| 9 | Then User can view the "" | SKIPPED | 0.000 s |

## Search Functionality

| FAILED | DURATION - 20.684 s | Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0 | Steps Total - 12 Pass - 2 Fail - 2 Skip - 8 |
|---|---|---|---|
| / 6:28:00.788 pm // 6:28:21.472 pm / | | | |

### Login, Search

| FAILED | DURATION - 13.752 s | | Steps Total - 6 Pass - 1 Fail - 1 Skip - 4 |
|---|---|---|---|
| / 6:28:00.788 pm // 6:28:14.540 pm / | | | |
| *Search Functionality* | | | |
| @FirstCry | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given User navigate to the FirstCry URL | PASSED | 8.373 s |
| 2 | When User log into the application with credentials | FAILED | 5.043 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//li[@class='logreg']/child::span[1]"}  (Session info: chrome=122.0.6261.131) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [67fd9527907894f6f1933959e47057c1, findElement {using=xpath, | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | value=//li[@class='logreg']/child::span[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65012}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65012/devtoo..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 67fd9527907894f6f1933959e47057c1<br>  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)<br>  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br>  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br>  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)<br>  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)<br>  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)<br>  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)<br>  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)<br>  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)<br>  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)<br>  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)<br>  at jdk.proxy2/jdk.proxy2.$Proxy45.click(Unknown Source)<br>  at pages.LoginPage.clickOnLogin(LoginPage.java:29)<br>  at steps.SharedSteps.user_log_into_the_application_with_credentials(SharedSteps.java:103)<br>  at ?.User log into the application with credentials(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/3.SearchOperation.feature:6)<br>* Not displayable characters are replaced by '?'. | | |
| 3 | When User search for "watches" | SKIPPED | 0.000 s |
| 4 | And select product from the search results | SKIPPED | 0.000 s |
| 5 | And User switches focus to the new tab | SKIPPED | 0.000 s |
| 6 | Then title should be "" | SKIPPED | 0.000 s |

**Login, Search**

| FAILED | DURATION - 6.920 s |
| --- | --- |

*/ 6:28:14.552 pm // 6:28:21.472 pm /*

*Search Functionality*

@FirstCry

**Steps**
Total - 6
Pass - 1
Fail - 1
Skip - 4

| # | Step / Hook Details | Status | Duration |
| --- | --- | --- | --- |
| 1 | Given User navigate to the FirstCry URL | PASSED | 1.586 s |
| 2 | When User log into the application with credentials | FAILED | 5.031 s |

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//li[@class='logreg']/child::span[1]"}   (Session info: chrome=122.0.6261.131) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [67fd9527907894f6f1933959e47057c1, findElement {using=xpath, value=//li[@class='logreg']/child::span[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65012}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65012/devtoo..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 67fd9527907894f6f1933959e47057c1
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)
    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)
    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)<br>at jdk.proxy2/jdk.proxy2.$Proxy45.click(Unknown Source)<br>at pages.LoginPage.clickOnLogin(LoginPage.java:29)<br>at steps.SharedSteps.user_log_into_the_application_with_credentials(SharedSteps.java:103)<br>at ?.User log into the application with credentials(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/3.SearchOperation.feature:6)<br>* Not displayable characters are replaced by '?'. | | |
| 3 | When User search for "shirts" | SKIPPED | 0.000 s |
| 4 | And select product from the search results | SKIPPED | 0.000 s |
| 5 | And User switches focus to the new tab | SKIPPED | 0.000 s |
| 6 | Then title should be "" | SKIPPED | 0.000 s |

## Add to Cart Functionality

| FAILED | DURATION - 49.488 s | Scenarios<br>Total - 2<br>Pass - 0<br>Fail - 2<br>Skip - 0 | 2 | Steps<br>Total - 14<br>Pass - 3<br>Fail - 2<br>Skip - 9 | 14 |
|---|---|---|---|---|---|
| / 6:28:21.472 pm // 6:29:10.960 pm / | | | | | |

### Login, Search and Add Product to Cart

| FAILED | DURATION - 8.256 s | | Steps<br>Total - 7<br>Pass - 1<br>Fail - 1<br>Skip - 5 | 7 |
|---|---|---|---|---|
| / 6:28:21.472 pm // 6:28:29.728 pm / | | | | |
| Add to Cart Functionality | | | | |
| @FirstCry | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given User navigate to the FirstCry URL | PASSED | 1.683 s |
| 2 | When User log into the application with credentials | FAILED | 6.123 s |
| | org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <span class="anch poplogin_main poplogin R12_61" passpoplink="//www.firstcry.com/m/login?http://www.firstcry.com/">...</span> is not clickable at point (1032, 31). Other element would | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | receive the click: <div class="overlay-bg-block" style="">...</div>   (Session info: chrome=122.0.6261.131) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [67fd9527907894f6f1933959e47057c1, clickElement {id=f.58DFB42966028EDB8C695147933AB612.d.FD2C23660ED0A9DE758D8D78BF78E899.e.405}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65012}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65012/devtoo..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (67fd9527907894f6f1933959e47057c1)] -> xpath: //li[@class='logreg']/child::span[1]] Session ID: 67fd9527907894f6f1933959e47057c1<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)<br>    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)<br>    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)<br>    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)<br>    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)<br>    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)<br>    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)<br>    at java.base/java.lang.reflect.Method.invoke(Method.java:568)<br>    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)<br>    at jdk.proxy2/jdk.proxy2.$Proxy45.click(Unknown Source)<br>    at pages.LoginPage.clickOnLogin(LoginPage.java:29)<br>    at steps.SharedSteps.user_log_into_the_application_with_credentials(SharedSteps.java:103)<br>    at ?.User log into the application with credentials(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/4.AddToCart.feature:6)<br>* Not displayable characters are replaced by '?'. | | |
| 3 | When User search for a "shirts" | SKIPPED | 0.000 s |
| 4 | And Click on one Product | SKIPPED | 0.000 s |
| 5 | And User switches focus to the new tab | SKIPPED | 0.000 s |
| 6 | And click on Add to Cart for the selected product | SKIPPED | 0.001 s |
| 7 | Then "" should be added to my cart | SKIPPED | 0.002 s |

### Login, Search and Add Product to Cart

| FAILED | DURATION - 41.224 s |
|--------|---------------------|
| / 6:28:29.736 pm // 6:29:10.960 pm / | |
| Add to Cart Functionality | |
| @FirstCry | |

Steps
Total - 7
Pass - 2
Fail - 1
Skip - 4

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| 1 | Given User navigate to the FirstCry URL | PASSED | 1.849 s |
| 2 | When User log into the application with credentials | PASSED | 38.021 s |
| 3 | When User search for a "watches" | FAILED | 1.120 s |

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:
{"method":"xpath","selector":"//input[@id='search_box']"}   (Session info: chrome=122.0.6261.131) For documentation on this error, please visit:
https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision:
'040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.
chrome.ChromeDriver Command: [67fd9527907894f6f1933959e47057c1, findElement {using=xpath, value=//input[@id='search_box']}]
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion:
122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress:
localhost:65012}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp:
ws://localhost:65012/devtoo..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0,
pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,
webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators:
true} Session ID: 67fd9527907894f6f1933959e47057c1
  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) | | |
| | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) | | |
| | at jdk.proxy2/jdk.proxy2.$Proxy45.clear(Unknown Source) | | |
| | at pages.HomePage.EnterProduct(HomePage.java:59) | | |
| | at steps.AddToCartStepDefination.user_search_for_a(AddToCartStepDefination.java:28) | | |
| | at ?.User search for a "watches"(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/4.AddToCart.feature:9) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 4 | And Click on one Product | SKIPPED | 0.000 s |
| 5 | And User switches focus to the new tab | SKIPPED | 0.000 s |
| 6 | And click on Add to Cart for the selected product | SKIPPED | 0.000 s |
| 7 | Then "" should be added to my cart | SKIPPED | 0.001 s |

## Find Stores

| FAILED | DURATION - 9.477 s | Scenarios | | Steps | |
|---|---|---|---|---|---|
| | | Total - 1 | | Total - 9 | |
| / 6:29:10.976 pm // 6:29:20.453 pm / | | Pass - 0 | 1 | Pass - 1 | 9 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 7 | |

### User must be able to find FirstCry store results

| FAILED | DURATION - 9.476 s | | Steps | |
|---|---|---|---|---|
| | | | Total - 9 | |
| / 6:29:10.977 pm // 6:29:20.453 pm / | | | Pass - 1 | 9 |
| Find Stores | | | Fail - 1 | |
| @FirstCry | | | Skip - 7 | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given User navigate to the FirstCry URL | PASSED | 2.717 s |
| 2 | When User log into the application with credentials | FAILED | 6.386 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found   (Session info: chrome=122.0.6261.131) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#stale-element-reference-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [67fd9527907894f6f1933959e47057c1, clickElement {id=f.58DFB42966028EDB8C695147933AB612.d. 449DCC641F055FE8842660AAB7CAF981.e.555}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65012}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65012/devtoo..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (67fd9527907894f6f1933959e47057c1)] -> xpath: //li[@class='logreg']/child::span[1]] Session ID: 67fd9527907894f6f1933959e47057c1<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)<br>    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)<br>    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)<br>    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)<br>    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)<br>    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)<br>    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)<br>    at java.base/java.lang.reflect.Method.invoke(Method.java:568)<br>    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)<br>    at jdk.proxy2/jdk.proxy2.$Proxy45.click(Unknown Source)<br>    at pages.LoginPage.clickOnLogin(LoginPage.java:29)<br>    at steps.SharedSteps.user_log_into_the_application_with_credentials(SharedSteps.java:103)<br>    at ?.User log into the application with credentials(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/5.StoreLocator.feature:6)<br>* Not displayable characters are replaced by '?'. | | |
| 3 | When User must hover over the stores&preschool | SKIPPED | 0.000 s |
| 4 | And User must click on the find stores from drop down | SKIPPED | 0.000 s |
| 5 | And User switches focus to the new tab | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 6 | Then User should be on storelocator page | SKIPPED | 0.000 s |
| 7 | When User select the "FirstCry","Andhra Pradesh" and "Anakapalle Town" | SKIPPED | 0.000 s |
| 8 | And User click on the search button | SKIPPED | 0.000 s |
| 9 | Then User must be able to view the "" | SKIPPED | 0.000 s |

## Find Preschool Locator

| FAILED | DURATION - 49.767 s | Scenarios<br>Total - 2<br>Pass - 0<br>Fail - 2<br>Skip - 0 | 2 | Steps<br>Total - 18<br>Pass - 3<br>Fail - 2<br>Skip - 13 | 18 |
|---|---|---|---|---|---|
| / 6:29:20.478 pm // 6:30:10.245 pm / | | | | | |

### Search for a city in the Preschool Locator

| FAILED | DURATION - 41.085 s | | Steps<br>Total - 9<br>Pass - 2<br>Fail - 1<br>Skip - 6 | 9 |
|---|---|---|---|---|
| / 6:29:20.479 pm // 6:30:01.564 pm / | | | | |
| Find Preschool Locator | | | | |
| @FirstCry | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given User navigate to the FirstCry URL | PASSED | 2.239 s |
| 2 | When User log into the application with credentials | PASSED | 38.279 s |
| 3 | When user can click on storeandpreschool | FAILED | 0.026 s |
| | org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [67fd9527907894f6f1933959e47057c1, actions {actions=[org.openqa.selenium.interactions.Sequence@615b5480]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65012}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65012/devtoo..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | true} Session ID: 67fd9527907894f6f1933959e47057c1 | | |
| |   at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:415) | | |
| |   at org.openqa.selenium.json.JsonOutput.lambda$new$16(JsonOutput.java:178) | | |
| |   at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341) | | |
| |   at org.openqa.selenium.json.JsonOutput.lambda$new$22(JsonOutput.java:200) | | |
| |   at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.accept(ForEachOps.java:183) | | |
| |   at java.base/java.util.stream.ReferencePipeline$2$1.accept(ReferencePipeline.java:179) | | |
| |   at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133) | | |
| |   at java.base/java.util.Spliterators$IteratorSpliterator.forEachRemaining(Spliterators.java:1845) | | |
| |   at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) | | |
| |   at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) | | |
| |   at java.base/java.util.stream.ForEachOps$ForEachOp.evaluateSequential(ForEachOps.java:150) | | |
| |   at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.evaluateSequential(ForEachOps.java:173) | | |
| |   at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) | | |
| |   at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596) | | |
| |   at org.openqa.selenium.json.JsonOutput.lambda$new$23(JsonOutput.java:200) | | |
| |   at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341) | | |
| |   at org.openqa.selenium.json.JsonOutput.lambda$new$24(JsonOutput.java:218) | | |
| |   at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68) | | |
| |   at org.openqa.selenium.json.JsonOutput.lambda$new$25(JsonOutput.java:213) | | |
| |   at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341) | | |
| |   at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:332) | | |
| |   at org.openqa.selenium.json.Json.toJson(Json.java:47) | | |
| |   at org.openqa.selenium.json.Json.toJson(Json.java:41) | | |
| |   at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:273) | | |
| |   at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127) | | |
| |   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:179) | | |
| |   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) | | |
| |   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) | | |
| |   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) | | |
| |   at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:604) | | |
| |   at org.openqa.selenium.interactions.Actions$BuiltAction.perform(Actions.java:605) | | |
| |   at org.openqa.selenium.interactions.Actions.perform(Actions.java:574) | | |
| |   at pages.HomePage.hovertoStoresandPreSchool(HomePage.java:77) | | |
| |   at steps.PreSchoolStep.user_can_click_on_storeandpreschool(PreSchoolStep.java:23) | | |
| |   at ?.user can click on storeandpreschool(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/6.PreSchool.feature:10) | | |
| |   Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: driver.version: RemoteWebDriver    at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:357)    at org.openqa.selenium.json.Json. toJson(Json.java:45)    at org.openqa.selenium.json.Json.toJson(Json.java:41)    at org.openqa.selenium.remote.codec. AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:273)    at org.openqa.selenium.remote.codec. | | |

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| | AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127)          at org.openqa.selenium.remote.HttpCommandExecutor. execute(HttpCommandExecutor.java:179)          at org.openqa.selenium.remote.service.DriverCommandExecutor. invokeExecute(DriverCommandExecutor.java:196)          at org.openqa.selenium.remote.service.DriverCommandExecutor. execute(DriverCommandExecutor.java:171)          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:604)          at org.openqa.selenium.interactions. Actions$BuiltAction.perform(Actions.java:605)          at org.openqa.selenium.interactions.Actions.perform(Actions.java:574)          at pages. HomePage.hovertoStoresandPreSchool(HomePage.java:77)          at steps.PreSchoolStep. user_can_click_on_storeandpreschool(PreSchoolStep.java:23)          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)          at java.base/jdk. internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)          at java.base/java.lang.reflect.Method. invoke(Method.java:568)          at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)          at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)          at io.cucumber.java.JavaStepDefinition. execute(JavaStepDefinition.java:29)          at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)          at io. cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)          at io.cucumber.core.runner. ExecutionMode$1.execute(ExecutionMode.java:10)          at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)          at io. cucumber.core.runner.TestStep.run(TestStep.java:57)          at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84)          at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)          at io. cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)          at io.cucumber.core.runtime. CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:129)          at io.cucumber.core.runtime. RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)          at io.cucumber.core.runtime. CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)          at io.cucumber.testng.TestNGCucumberRunner. runScenario(TestNGCucumberRunner.java:129)          at io.cucumber.testng.AbstractTestNGCucumberTests. runScenario(AbstractTestNGCucumberTests.java:35)          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)          at java.base/jdk.internal.reflect. DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)          at java.base/java.lang.reflect.Method.invoke(Method. java:568)          at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)          at org.testng. internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)          at org.testng.internal.invokers.TestInvoker. invokeTestMethod(TestInvoker.java:221)          at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)          at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:969)          at org.testng.internal.invokers.TestInvoker. invokeTestMethods(TestInvoker.java:194)          at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker. java:148)          at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)          at java.base/java.util.ArrayList. forEach(ArrayList.java:1511)          at org.testng.TestRunner.privateRun(TestRunner.java:829)          at org.testng.TestRunner.run(TestRunner. java:602)          at org.testng.SuiteRunner.runTest(SuiteRunner.java:437)          at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391)          at org.testng.SuiteRunner.run(SuiteRunner.java:330)          at org.testng. SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)          at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)          at org. testng.TestNG.runSuitesSequentially(TestNG.java:1256)          at org.testng.TestNG.runSuitesLocally(TestNG.java:1176)          at org.testng. TestNG.runSuites(TestNG.java:1099)          at org.testng.TestNG.run(TestNG.java:1067)          at org.apache.maven.surefire.testng. TestNGExecutor.run(TestNGExecutor.java:135)          at org.apache.maven.surefire.testng.TestNGDirectoryTestSuite. executeSingleClass(TestNGDirectoryTestSuite.java:112)          at org.apache.maven.surefire.testng.TestNGDirectoryTestSuite. execute(TestNGDirectoryTestSuite.java:99)          at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:146) at org.apache.maven.surefire.booter.ForkedBooter.invokeProviderInSameClassLoader(ForkedBooter.java:384)          at org.apache.maven. surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:345)          at org.apache.maven.surefire.booter.ForkedBooter. execute(ForkedBooter.java:126)          at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:418) Caused by: java.lang. reflect.InvocationTargetException <br>    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:411) | | |
| | at org.openqa.selenium.json.JsonOutput.lambda$new$16(JsonOutput.java:178) | | |
| | at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341) | | |
| | at org.openqa.selenium.json.JsonOutput.lambda$new$22(JsonOutput.java:200) | | |
| | at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.accept(ForEachOps.java:183) | | |
| | at java.base/java.util.stream.ReferencePipeline$2$1.accept(ReferencePipeline.java:179) | | |
| | at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133) | | |
| | at java.base/java.util.Spliterators$IteratorSpliterator.forEachRemaining(Spliterators.java:1845) | | |
| | at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) | | |
| | at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) | | |
| | at java.base/java.util.stream.ForEachOps$ForEachOp.evaluateSequential(ForEachOps.java:150) | | |
| | at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.evaluateSequential(ForEachOps.java:173) | | |
| | at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) | | |
| | at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596) | | |
| | at org.openqa.selenium.json.JsonOutput.lambda$new$23(JsonOutput.java:200) | | |
| | at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341) | | |
| | at org.openqa.selenium.json.JsonOutput.lambda$new$24(JsonOutput.java:218) | | |
| | at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68) | | |
| | at org.openqa.selenium.json.JsonOutput.lambda$new$25(JsonOutput.java:213) | | |
| | at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341) | | |
| | at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:332) | | |
| | at org.openqa.selenium.json.Json.toJson(Json.java:47) | | |
| | at org.openqa.selenium.json.Json.toJson(Json.java:41) | | |
| | at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:273) | | |
| | at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:179) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:604) | | |
| | at org.openqa.selenium.interactions.Actions$BuiltAction.perform(Actions.java:605) | | |
| | at org.openqa.selenium.interactions.Actions.perform(Actions.java:574) | | |
| | at pages.HomePage.hovertoStoresandPreSchool(HomePage.java:77) | | |
| | at steps.PreSchoolStep.user_can_click_on_storeandpreschool(PreSchoolStep.java:23) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) | | |
| | at io.cucumber.java.Invoker.invoke(Invoker.java:24) | | |
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) | | |
| | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) | | |
| | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) | | |
| | at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:57) | | |
| | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:84) | | |
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:129) | | |
| | at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) | | |
| | at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) | | |
| | at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) | | |
| | at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:969) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) | | |
| | at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) | | |
| | at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) | | |
| | at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) | | |
| | at org.testng.TestRunner.privateRun(TestRunner.java:829) | | |
| | at org.testng.TestRunner.run(TestRunner.java:602) | | |
| | at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) | | |
| | at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) | | |
| | at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) | | |
| | at org.testng.SuiteRunner.run(SuiteRunner.java:330) | | |
| | at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) | | |
| | at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) | | |
| | at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) | | |
| | at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.testng.TestNG.runSuites(TestNG.java:1099) | | |
| | at org.testng.TestNG.run(TestNG.java:1067) | | |
| | at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:135) | | |
| | at org.apache.maven.surefire.testng.TestNGDirectoryTestSuite.executeSingleClass(TestNGDirectoryTestSuite.java:112) | | |
| | at org.apache.maven.surefire.testng.TestNGDirectoryTestSuite.execute(TestNGDirectoryTestSuite.java:99) | | |
| | at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:146) | | |
| | at org.apache.maven.surefire.booter.ForkedBooter.invokeProviderInSameClassLoader(ForkedBooter.java:384) | | |
| | at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:345) | | |
| | at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:126) | | |
| | at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:418) | | |
| | Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[text()='Stores & Preschools']"}   (Session info: chrome=122.0.6261.131) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [67fd9527907894f6f1933959e47057c1, findElement {using=xpath, value=//span[text()='Stores & Preschools']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65012}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65012/devtoo..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 67fd9527907894f6f1933959e47057c1 | | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) | | |
| | at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) | | |
| | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) | | |
| | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) | | |
| | at jdk.proxy2/jdk.proxy2.$Proxy45.getWrappedElement(Unknown Source) | | |
| | at org.openqa.selenium.interactions.PointerInput$Origin.asArg(PointerInput.java:275) | | |

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
|   | at org.openqa.selenium.interactions.PointerInput$Move.encode(PointerInput.java:224)<br>at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:72)<br>at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:81)<br>* Not displayable characters are replaced by '?'. | | |
| 4 | And user can click on findpreschool | SKIPPED | 0.000 s |
| 5 | And user switches focus to new tab | SKIPPED | 0.000 s |
| 6 | Then user should be on "" tab | SKIPPED | 0.000 s |
| 7 | And user search for "Agra" | SKIPPED | 0.000 s |
| 8 | And click on findmy preschool | SKIPPED | 0.000 s |
| 9 | Then User should see preschools in "" | SKIPPED | 0.000 s |

### Search for a city in the Preschool Locator

| FAILED | DURATION - 8.672 s |
|--------|--------------------|
| / 6:30:01.573 pm // 6:30:10.245 pm / | |
| Find Preschool Locator | |
| @FirstCry | |

Steps
Total - 9
Pass - 1
Fail - 1
Skip - 7

9

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| 1 | Given User navigate to the FirstCry URL | PASSED | 2.110 s |
| 2 | When User log into the application with credentials | FAILED | 6.070 s |
| | org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <span class="anch poplogin_main poplogin R12_61" passpoplink="//www.firstcry.com/m/login?http://www.firstcry.com/">...</span> is not clickable at point (1032, 31). Other element would receive the click: <div class="overlay-bg-block" style="">...</div>   (Session info: chrome=122.0.6261.131) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [67fd9527907894f6f1933959e47057c1, clickElement {id=f.58DFB42966028EDB8C695147933AB612.d. 2A570756426516E6A6BA2AE9A90CDAA1.e.1050}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65012}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65012/devtoo..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (67fd9527907894f6f1933959e47057c1)] -> xpath: //li[@class='logreg']/child::span[1]] Session ID: 67fd9527907894f6f1933959e47057c1 | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) | | |
| | at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) | | |
| | at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) | | |
| | at jdk.proxy2/jdk.proxy2.$Proxy45.click(Unknown Source) | | |
| | at pages.LoginPage.clickOnLogin(LoginPage.java:29) | | |
| | at steps.SharedSteps.user_log_into_the_application_with_credentials(SharedSteps.java:103) | | |
| | at ?.User log into the application with credentials(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/6.PreSchool.feature:6)<br>* Not displayable characters are replaced by '?'. | | |
| 3 | When user can click on storeandpreschool | SKIPPED | 0.000 s |
| 4 | And user can click on findpreschool | SKIPPED | 0.000 s |
| 5 | And user switches focus to new tab | SKIPPED | 0.000 s |
| 6 | Then user should be on "" tab | SKIPPED | 0.001 s |
| 7 | And user search for "Bengaluru" | SKIPPED | 0.000 s |
| 8 | And click on findmy preschool | SKIPPED | 0.000 s |
| 9 | Then User should see preschools in "" | SKIPPED | 0.001 s |

# Manage Cart

| FAILED | DURATION - 8.000 s | | Scenarios | | Steps | |
|---|---|---|---|---|---|---|
| | | | Total - 1 | | Total - 8 | |
| / 6:30:10.261 pm // 6:30:18.261 pm / | | | Pass - 0 | 1 | Pass - 1 | 8 |
| | | | Fail - 1 | | Fail - 1 | |
| | | | Skip - 0 | | Skip - 6 | |

## Manage Cart Functions

| FAILED | DURATION - 7.999 s | | Steps | |
|---|---|---|---|---|
| | | | Total - 8 | |
| / 6:30:10.262 pm // 6:30:18.261 pm / | | | Pass - 1 | 8 |
| Manage Cart | | | Fail - 1 | |
| @FirstCry | | | Skip - 6 | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given User navigate to the FirstCry URL | PASSED | 1.520 s |
| 2 | When User log into the application with credentials | FAILED | 6.110 s |
| | org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <span class="anch poplogin_main poplogin R12_61" passpoplink="//www.firstcry.com/m/login?http://www.firstcry.com/">...</span> is not clickable at point (1032, 31). Other element would receive the click: <div class="overlay-bg-block" style="">...</div>   (Session info: chrome=122.0.6261.131) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [67fd9527907894f6f1933959e47057c1, clickElement {id=f.58DFB42966028EDB8C695147933AB612.d. 1F6464FE42A36A60C53892FD855C539F.e.1106}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65012}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65012/devtoo..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (67fd9527907894f6f1933959e47057c1)] -> xpath: //li[@class='logreg']/child::span[1]] Session ID: 67fd9527907894f6f1933959e47057c1<br>  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)<br>at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)<br>at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)<br>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)<br>at java.base/java.lang.reflect.Method.invoke(Method.java:568)<br>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)<br>at jdk.proxy2/jdk.proxy2.$Proxy45.click(Unknown Source)<br>at pages.LoginPage.clickOnLogin(LoginPage.java:29)<br>at steps.SharedSteps.user_log_into_the_application_with_credentials(SharedSteps.java:103)<br>at ?.User log into the application with credentials(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/7.CartFunction.feature:6)<br>* Not displayable characters are replaced by '?'. | | |
| 3 | When User add a few products to the cart<br><br>`pants`<br>`books` | SKIPPED | 0.002 s |
| 4 | And User click on cart | SKIPPED | 0.000 s |
| 5 | Then user can see "" in the cart | SKIPPED | 0.000 s |
| 6 | When User move a product to the shortlist | SKIPPED | 0.000 s |
| 7 | When User change the quantity of product from the cart | SKIPPED | 0.001 s |
| 8 | Then the "<quantity>" should be changed | SKIPPED | 0.000 s |

## Manage Shortlisted Products

| FAILED | DURATION - 40.191 s | Scenarios | | Steps | |
|---|---|---|---|---|---|
| | | Total - 1 | | Total - 8 | |
| / 6:30:18.274 pm // 6:30:58.465 pm / | | Pass - 0 | 1 | Pass - 2 | 8 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 5 | |

### Shortlist and Manage Products

| FAILED | DURATION - 40.191 s |
|---|---|
| / 6:30:18.274 pm // 6:30:58.465 pm / | |
| *Manage Shortlisted Products* | |
| @FirstCry | |

**Steps**
Total - 8
Pass - 2
Fail - 1
Skip - 5

8

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given User navigate to the FirstCry URL | PASSED | 1.660 s |
| 2 | When User log into the application with credentials | PASSED | 37.923 s |
| 3 | When User shortlist few products | FAILED | 0.016 s |

Toys
mobiles

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@id='search_box']"}   (Session info: chrome=122.0.6261.131) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [67fd9527907894f6f1933959e47057c1, findElement {using=xpath, value=//input[@id='search_box']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65012}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65012/devtoo..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 67fd9527907894f6f1933959e47057c1
  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)<br>at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)<br>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)<br>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)<br>at jdk.proxy2/jdk.proxy2.$Proxy45.clear(Unknown Source)<br>at pages.HomePage.EnterProduct(HomePage.java:59)<br>at steps.ShortListStep.user_shortlist_few_products(ShortListStep.java:31)<br>at ?.User shortlist few products(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/8.ShortlistFunction.feature:9)<br>* Not displayable characters are replaced by '?'. | | |
| 4 | And User click on the Shortlist button | SKIPPED | 0.001 s |
| 5 | Then user can see "" in the shortlist | SKIPPED | 0.001 s |
| 6 | When User add a product to the cart from the shortlist | SKIPPED | 0.000 s |
| 7 | When User delete a product from the shortlist | SKIPPED | 0.000 s |
| 8 | Then the "" should be removed from the shortlist | SKIPPED | 0.000 s |