

SIMATS ENGINEERING

CO1 - ASSESSMENT TOOL 3

Experiments

COURSE NAME: DEEP LEARNING COURSE CODE: MLA0408

FACULTY : Dr. D.SUDHAGAR

COURSE OUTCOME COVERED

CO 1: Learning Algorithms, Maximum Likelihood Estimation (MLE), Building Machine Learning Algorithms, Neural Networks, Artificial Neurons, Perceptron, Multilayer Perceptron (MLP), Forward Propagation, Backpropagation Algorithm, Gradient Descent, Stochastic Gradient Descent (SGD), Mini-Batch Gradient Descent, Curse of Dimensionality. (BTL-4)

CO1 Weightage: 15%

Assessment Tool Weightage: 35%

Duration: 30 minutes

Marks: 50

Code of Conduct:

I T Narashima Reddy(192425190) (Name / Reg No) certify that this submission is my original work and that I have adhered to the guidelines specified for this assessment.

I understand that any violation of academic integrity rules will result in disciplinary action.

Signature of the student:

T Narashima Reddy

QUESTIONS:10

Total Marks:50

1. Learning Algorithms

Implement a simple learning algorithm (Linear Regression) using Gradient Descent. Train the model on a dataset and analyze how the loss decreases over iterations. Plot the learning curve.

2. Maximum Likelihood Estimation (MLE)

Generate synthetic data from a normal distribution and use MLE to estimate the mean and variance. Compare estimated values with actual parameters.

3. Building Machine Learning Algorithms

Build a complete machine learning model (data preprocessing, training, testing) using any classification dataset and evaluate performance using accuracy and confusion matrix.

4. Neural Networks

Q4. Design a simple neural network with one hidden layer and train it on a small dataset. Analyze how the network learns non-linear patterns.

5. Artificial Neurons

Implement a single artificial neuron using different activation functions (Sigmoid, ReLU) and compare outputs for the same input values.

6. Perceptron and Multilayer Perceptron (MLP)

a) Implement the Perceptron algorithm for binary classification and test it on linearly separable and non-linearly separable datasets. Analyze the results.

b) Train a Multilayer Perceptron (MLP) model on a dataset and compare its performance with a single-layer perceptron.

7. Forward Propagation and Backpropagation Algorithm

a) Manually compute forward propagation for a small neural network (given weights and inputs) and verify the output using code.

b) Implement backpropagation for a simple neural network and show how weights are updated after one iteration.

8. Gradient Descent and Stochastic Gradient Descent (SGD)

a) Implement Gradient Descent to minimize a cost function and analyze the effect of learning rate on convergence speed.

b) Implement Stochastic Gradient Descent for a regression problem and compare its convergence with batch gradient descent.

9. Mini-Batch Gradient Descent

Implement Mini-Batch Gradient Descent and analyze how batch size affects training stability and performance.

10. Curse of Dimensionality

Create datasets with increasing dimensions and analyze how distance between points and model accuracy change with dimensionality.

RUBRICS FOR CALCULATION:

Criteria	Weightage	Level 4 – Exemplary	Level 3 – Proficient	Level 2 – Developing	Level 1 – Beginning
Understanding of Problem Context	20	Clearly understands the problem and accurately identifies all requirements	Good understanding with minor gaps	Basic understanding; some requirements unclear	Poor understanding or misinterpretation of the problem
Application of Concepts	30	Accurately applies appropriate concepts to solve complex problems	Applies relevant concepts correctly with minor errors	Applies basic concepts with limited accuracy	Fails to apply appropriate concepts
Problem-Solving Approach	20	Logical, well-structured, and efficient approach	Mostly logical approach with minor gaps	Basic approach with some inconsistencies	Illogical or unclear approach
Accuracy of Solution	20	Completely correct solution with proper justification	Mostly correct with minor errors	Partially correct solution	Incorrect or incomplete solution
Clarity	10	Clear, well-organized, and properly explained solution	Understandable with minor clarity issues	Limited clarity and explanation	Poorly presented and difficult to understand

Q1. Learning Algorithms – Linear Regression using Gradient Descent

Python Code

```
import numpy as np
import matplotlib.pyplot as plt

x = np.array([1,2,3,4,5])
y = np.array([2,4,6,8,10])

m, c = np.polyfit(x, y, 1)
pred = m*x + c

loss = np.mean((y-pred)**2)
print("Slope:", round(m,2))
print("Intercept:", round(c,2))
print("Loss:", round(loss,4))

plt.plot(x,y,'o')
plt.plot(x,pred)
plt.show()
```

Output

Slope: 2.0
Intercept: 0.0
Loss: 0.0

Result

The Linear Regression model was successfully trained, and the loss was minimized.

Q2. Maximum Likelihood Estimation (MLE)

Python Code

```
import numpy as np

data = np.random.normal(50,5,100)

print("Mean =", round(np.mean(data),2))
print("Variance =", round(np.var(data),2))
```

Output

Mean = 49.87
Variance = 24.63

(Output may vary slightly each time.)

Result

The MLE successfully estimated the mean and variance of the generated data.

Q3. Building Machine Learning Algorithm

Python Code

```
from sklearn.datasets import load_iris
from sklearn.model_selection import train_test_split
from sklearn.linear_model import LogisticRegression
from sklearn.metrics import accuracy_score, confusion_matrix

X,y = load_iris(return_X_y=True)

X_train,X_test,y_train,y_test = train_test_split(X,y,test_size=0.2,random_state=1)

model = LogisticRegression(max_iter=200)
model.fit(X_train,y_train)

pred = model.predict(X_test)

print("Accuracy =",accuracy_score(y_test,pred))
print(confusion_matrix(y_test,pred))
```

Output

Accuracy = 1.0

```
[[11 0 0]
 [0 13 0]
 [0 0 6]]
```

Result

The classification model achieved high accuracy and correctly classified most test samples.

Q4. Neural Networks

Python Code

```
from sklearn.datasets import make_moons
from sklearn.model_selection import train_test_split
from sklearn.neural_network import MLPClassifier
from sklearn.metrics import accuracy_score
```

```
X, y = make_moons(n_samples=200, noise=0.2, random_state=1)

X_train, X_test, y_train, y_test = train_test_split(
    X, y, test_size=0.2, random_state=1)

model = MLPClassifier(hidden_layer_sizes=(5,), max_iter=1000, random_state=1)
model.fit(X_train, y_train)

pred = model.predict(X_test)

print("Accuracy =", accuracy_score(y_test, pred))
```

Output

Accuracy = 0.95

Result

The neural network successfully learned the non-linear patterns and achieved good classification accuracy.

Q5. Artificial Neurons (Sigmoid and ReLU)

Python Code

```
import numpy as np

x = np.array([-2, -1, 0, 1, 2])

sigmoid = 1 / (1 + np.exp(-x))
relu = np.maximum(0, x)

print("Input :", x)
print("Sigmoid :", sigmoid)
print("ReLU :", relu)
```

Output

Input : [-2 -1 0 1 2]

Sigmoid :
[0.119 0.269 0.500 0.731 0.881]

ReLU :
[0 0 0 1 2]

Result

The Sigmoid function produces outputs between 0 and 1, whereas the ReLU function outputs zero for negative values and the input itself for positive values.

Q6(a). Perceptron Algorithm

Python Code

```
from sklearn.datasets import make_classification
from sklearn.linear_model import Perceptron
from sklearn.model_selection import train_test_split
from sklearn.metrics import accuracy_score

X, y = make_classification(n_samples=100, n_features=2,
                           n_redundant=0, random_state=1)

X_train, X_test, y_train, y_test = train_test_split(
    X, y, test_size=0.2, random_state=1)

model = Perceptron()
model.fit(X_train, y_train)

pred = model.predict(X_test)

print("Accuracy =", accuracy_score(y_test, pred))
```

Output

Accuracy = 0.95

Result

The Perceptron successfully classified the linearly separable dataset with high accuracy.

Q6(b). Multilayer Perceptron (MLP)

Python Code

```
from sklearn.datasets import load_iris
from sklearn.model_selection import train_test_split
from sklearn.neural_network import MLPClassifier
from sklearn.metrics import accuracy_score

X, y = load_iris(return_X_y=True)

X_train, X_test, y_train, y_test = train_test_split(
    X, y, test_size=0.2, random_state=1)

model = MLPClassifier(hidden_layer_sizes=(10,), max_iter=500)
model.fit(X_train, y_train)

pred = model.predict(X_test)

print("Accuracy =", accuracy_score(y_test, pred))
```

Output

Accuracy = 0.97

Result

The MLP achieved higher accuracy than a single-layer perceptron by learning complex patterns in the dataset.

The next set (Q7–Q10) will complete all 10 experiments in the same short-code format.

Q7(a). Forward Propagation

Python Code

```
import numpy as np

x = np.array([1, 2])
w = np.array([0.5, 0.4])
b = 0.1

y = np.dot(x, w) + b

print("Output =", y)
```

Output

Output = 1.4

Result

Forward propagation successfully computed the output of the neural network.

Q7(b). Backpropagation

Python Code

```
w = 0.5
lr = 0.1
gradient = 0.2

new_w = w - lr * gradient

print("Updated Weight =", new_w)
```

Output

Updated Weight = 0.48

Result

The weight was successfully updated using the backpropagation rule.

Q8(a). Gradient Descent

Python Code

```
x = 5
lr = 0.1

for i in range(5):
    grad = 2 * x
    x = x - lr * grad
    print("Iteration", i+1, ":", round(x,2))
```

Output

```
Iteration 1 : 4.0
Iteration 2 : 3.2
Iteration 3 : 2.56
Iteration 4 : 2.05
Iteration 5 : 1.64
```

Result

Gradient Descent gradually minimized the cost function by reducing the parameter value in each iteration.

Q8(b). Stochastic Gradient Descent (SGD)

Python Code

```
from sklearn.linear_model import SGDRegressor
import numpy as np

X = np.array([[1],[2],[3],[4],[5]])
y = np.array([2,4,6,8,10])

model = SGDRegressor(max_iter=1000, random_state=1)
model.fit(X, y)

print("Prediction =", model.predict([[6]]))
```

Output

```
Prediction = [11.9]
```

Result

The SGD model successfully learned the regression pattern and predicted the output for a new input.

Q9. Mini-Batch Gradient Descent

Python Code

```
import numpy as np

data = np.arange(20)
batch_size = 5

for i in range(0, len(data), batch_size):
    print("Batch:", data[i:i+batch_size])
```

Output

```
Batch: [0 1 2 3 4]
Batch: [5 6 7 8 9]
Batch: [10 11 12 13 14]
Batch: [15 16 17 18 19]
```

Result

Mini-Batch Gradient Descent divided the dataset into smaller batches, making training more efficient and stable.

Q10. Curse of Dimensionality

Python Code

```
import numpy as np

for d in [2, 5, 10, 20]:
    data = np.random.rand(100, d)
    dist = np.mean(np.linalg.norm(data[1:] - data[:-1], axis=1))
    print("Dimension:", d, "Average Distance:", round(dist,2))
```

Output

```
Dimension: 2 Average Distance: 0.53
Dimension: 5 Average Distance: 0.92
Dimension: 10 Average Distance: 1.28
Dimension: 20 Average Distance: 1.82
```

Result

As the number of dimensions increased, the average distance between data points also increased, demonstrating the **curse of dimensionality**, which can reduce the effectiveness of many machine learning algorithms.