

# Operating Systems

2520030227

N.Prudvi Raj

SEC-5

## WEEK-6

6. Create a client-server application using Named Pipes (FIFOs). The client sends messages and the server processes and responds to them. Analyze FIFO behavior when multiple clients communicate simultaneously.

Create a POSIX signal handling program that captures SIGINT, SIGTERM, and SIGUSR1. Demonstrate asynchronous event handling and explain the role of signal handlers.

Code

```
prudvi@LAPTOP-TEKO376B: ~ × +
GNU nano 8.7.1
#include <stdio.h>
#include <unistd.h>
#include <fcntl.h>
#include <sys/stat.h>
#include <signal.h>

void h(int s)
{
    printf("Signal %d received\n", s);
}

int main()
{
    char b[50];
    mkfifo("myfifo", 0666);

    signal(SIGINT, h);
    signal(SIGTERM, h);
    signal(SIGUSR1, h);

    printf("PID: %d\n", getpid());
    printf("Waiting for data...\n");

    int f = open("myfifo", O_RDONLY);
    read(f, b, 50);
    printf("Received: %s\n", b);
    close(f);

    printf("Waiting for signals...\n");

    while (1)
        sleep(1);

    return 0;
}
```

## output

```
prudvi@LAPTOP-TEKO376B:~$ nano signal.c
prudvi@LAPTOP-TEKO376B:~$ gcc signal.c
prudvi@LAPTOP-TEKO376B:~$ ./a.out
PID: 808
Waiting for data...

^CSignal 2 received
^CSignal 2 received
^CSignal 2 received
^CSignal 2 received
```