


Experiment:1




Experiment:2




Experiment:3




Experiment:4




Experiment:5




Experiment:6




Experiment:7



Experiment:8



Experiment:9



```
names <- c("siri", "mahi", "chiru")
age <- c(23, 24, 25)
marks <- c(88, 78, 25)

df <- data.frame(names, age, marks)


cat("Mean of Age:", mean(df$age), "\n")
cat("Median of Age:", median(df$age), "\n")


cat("Range of Age:", range(df$age), "\n")
cat("Variance of Age:", var(df$age), "\n")
cat("Standard Deviation of Age:", sd(df$age), "\n")
cat("Interquartile Range of Age:", IQR(df$age), "\n")


write.csv(df, "datafr.csv", row.names = FALSE)
```

```
Mean of Age: 24
> cat("Median of Age:", median(df$age), "\n")
Median of Age: 24
>
> cat("Range of Age:", range(df$age), "\n")
Range of Age: 23 25
> cat("Variance of Age:", var(df$age), "\n")
Variance of Age: 1
> cat("Standard Deviation of Age:", sd(df$age), "\n")
Standard Deviation of Age: 1
> cat("Interquartile Range of Age:", IQR(df$age), "\n")
Interquartile Range of Age: 1
>
>
> write.csv(df, "datafr.csv", row.names = FALSE)
>
```

median_value	20
min_value	10
minmax	num [1:5] 0 0.25 0.5 0.75 1
mode_value	20
names	chr [1:3] "siri" "mahi" "chiru"
num	num [1:5] 10 20 20 30 40
num1	10
num2	25
num3	15

Experiment:10



```
marks <- c(88, 78, 25, 90, 78)


cat("Mean =", mean(marks), "\n")
cat("Median =", median(marks), "\n")



mode_value <- as.numeric(names(which.max(table(marks))))
cat("Mode =", mode_value, "\n")


cat("Range =", max(marks) - min(marks), "\n")
cat("Variance =", var(marks), "\n")
cat("Standard Deviation =", sd(marks), "\n")
cat("Interquartile Range =", IQR(marks), "\n")
```


```
>
>
> mode_value <- as.numeric(names(which.max(table(marks))))
> cat("Mode =", mode_value, "\n")
Mode = 78
>
>
> cat("Range =", max(marks) - min(marks), "\n")
Range = 65
> cat("Variance =", var(marks), "\n")
Variance = 715.2
> cat("Standard Deviation =", sd(marks), "\n")
Standard Deviation = 26.74322
> cat("Interquartile Range =", IQR(marks), "\n")
Interquartile Range = 10
>
```

median_value	20
min_value	10
minmax	num [1:5] 0 0.25 0.5 0.75 1
mode_value	78
names	chr [1:3] "siri" "mahi" "chiru"
num	num [1:5] 10 20 20 30 40
num1	10
num2	25
num3	15


Experiment:11




Experiment:12




Experiment:13




Experiment:14




Experiment:15




Experiment:16




Experiment:17



Experiment:18



Experiment:19



Experiment:20

