

Task 1 Submission - Polymorphism

Student Number - 35040

Q2

```
public class Printer {  
  
    void print(String message) {  
        System.out.println("message is: " + message);  
    }  
  
    void print(int value) {  
        System.out.println("int is: " + value);  
    }  
  
    void print(String message, int copies) {  
        System.out.println("message: " + message + "copies: " + copies);  
    }  
}
```

```
public class Main {  
    Run | Debug  
    public static void main(String [] args) {  
        Printer p1 = new Printer();  
  
        p1.print(message: "Hello");  
        p1.print(value: 18);  
        p1.print(message: "Hello" , copies: 20);  
    }  
}
```

```
message is: Hello  
int is: 18  
message: Hellocopies: 20
```

Q3

```
package Q3;

public class Employee {

    void work() {
        System.out.println(x: "Employee is working");
    }
}
```

```
package Q3;

public class Developer extends Employee {

    @Override
    void work() {
        System.out.println(x: "Developer is coddng the codes");
    }
}
```

```
package Q3;

public class Designer extends Employee {

    @Override
    void work() {
        System.out.println(x: "Designer is creating design");
    }
}
```

```

package Q3;

public class Main {
    Run | Debug
    public static void main(String[] args) {
        Employee e1 = new Developer();
        Employee e2 = new Designer();

        e1.work();
        e2.work();
    }
}

```

```

orkspaceStorage\b43e066d426ab53fa4455c
Developer is coddng the codes
Designer is creating design

```

Q6

```

package Q6;

class ThreatDetector {

    void detectThreat() {
        System.out.println(x: "Generic threat detected.");
    }
}

```

```
package Q6;

class MalwareDetector extends ThreatDetector {

    @Override
    void detectThreat() {
        System.out.println(x: "Malware threat detected!");
    }
}
```

```
package Q6;

class PhishingDetector extends ThreatDetector {

    @Override
    void detectThreat() {
        System.out.println(x: "Phishing threat detected!");
    }
}
```

```
package Q6;

class IntrusionDetector extends ThreatDetector {

    @Override
    void detectThreat() {
        System.out.println(x: "Intrusion threat detected!");
    }
}
```

```

package Q6;

public class Main {
    Run | Debug
    public static void main(String[] args) {

        ThreatDetector[] detectors = {
            new MalwareDetector(),
            new PhishingDetector(),
            new IntrusionDetector()
        };

        for (ThreatDetector detector : detectors) {
            detector.detectThreat();
        }
    }
}

```

```

Malware threat detected!
Phishing threat detected!
Intrusion threat detected!

```

PS D:\NSBM\1 YEAR\2 Sem\Java\Code\Lab\J