

Take Home Activity 3

Student Number – 35040

Q1

```
public class Book {  
    String title;  
  
    public static void main(String[] args) {  
        Book b = new Book();  
        b.title = "Java Basic";  
  
        System.out.println(b.title);  
    }  
}
```

```
D:\NSBM\1 YEAR\2 Sem\Java\Code\Assignment\1>java Book  
Java Basic
```

Q2

```
public class Calculator {  
    void add() {  
        int a = 15, b = 35;  
        int sum = a + b;  
        System.out.println("Sum" + sum);  
    }  
  
    public static void main(String[] args) {  
        Calculator c1 = new Calculator();  
        c1.add();  
    }  
}
```

D:\NSBM\1 YEAR\2 Sem\Java\Code\Assignm
Sum: 50

Q3

```
public class Student {  
    Student() {  
        System.out.println("Student Created");  
    }  
  
    public static void main (String[] args) {  
        Student s1 = new Student();  
    }  
}
```

```
D:\NSBM\1 YEAR\2 Sem\Java\Code\Assig  
Student created
```

Q4

```
public class Laptop {  
    String brand = "Lenove";  
  
    void showBrand1 () {  
        System.out.println ("Brand" + Brand);  
    }  
  
    void ShowBrand2 () {  
        System.out.println ("Brand Again" + Brand);  
    }  
  
    public static void main (String[] args) {  
        Laptop l1 = new Laptop ();  
        l1.showBrand1 ();  
        l2.showBrand2 ();  
    }  
}
```

```
D:\NSBM\1 YEAR\2 Sem\Java\Code\Assignment\1>java La  
Brand: Lenove  
Brand again: Lenove
```

Q5

```
public class Mobile {  
    String model;  
  
    void displayModel() {  
        System.out.println("Model: " + model);  
    }  
  
    public static void main(String[] args) {  
        Mobile m1 = new Mobile();  
        m1.model = "Apple";  
        m1.displayModel();  
    }  
}
```

```
D:\NSBM\1 YEAR\2 Sem\Java\Code\Assignment\1>java Mobile  
Model: Apple
```

Q6

```
public class Animal {  
    String type;  
  
    public static void main (String[] args) {  
        Animal a1 = new Animal();  
        Animal a2 = new Animal();  
  
        a1.type = "Cat";  
        a2.type = "Dog";  
  
        System.out.println (a1.type);  
        System.out.println (a2.type);  
    }  
}
```

Alisa

```
D:\NSBM\1 YEAR\2 Sem\Java\Code\A  
Cat  
Dog
```

Q7

```
class person {  
    private int age;  
  
    void setAge(int a) {  
        age = a;  
    }  
  
    int getAge() {  
        return age;  
    }  
  
    public static void main(String[] args) {  
        person p1 = new person();  
        p1.setAge(19);  
  
        System.out.println("Age: " + p1.getAge());  
    }  
}
```

```
D:\NSBM\1 YEAR\2 Sem\Java\Code\Assignment\1>ja  
Age: 19
```