

PROCEDURES

Retrieve Staff Details Using IN Parameter:

```
n1 x
Limit to 1000 rows

5 • CREATE TABLE Staff (
6     Staff_ID INT PRIMARY KEY,
7     Staff_Name VARCHAR(50),
8     Department VARCHAR(50),
9     Salary INT
10 );
11 • INSERT INTO Staff VALUES
12     (201, 'Navya', 'IT', 55000),
13     (202, 'Manya', 'HR', 48000),
14     (203, 'Neha', 'Finance', 60000),
15     (204, 'Spoorthi', 'Marketing', 52000),
16     (205, 'Varshitha', 'Management', 70000),
17     (206, 'Tanisha', 'IT', 58000);
18 DELIMITER //
19 • CREATE PROCEDURE GetStaffDetails(IN p_staff_id INT)
20 BEGIN
21     SELECT *
22     FROM Staff
23     WHERE Staff_ID = p_staff_id;
24 END //
25 DELIMITER ;
26 • CALL GetStaffDetails(201);
```

OUTPUT

	Staff_ID	Staff_Name	Department	Salary
▶	201	Navya	IT	55000

Calculate Total and Average Using IN and OUT:

```
n1
1 • CREATE DATABASE IF NOT EXISTS StaffSalaryDb;
2
3   USE StaffSalaryDb;
4
5   DROP PROCEDURE IF EXISTS CalculateSalary;
6 • DROP TABLE IF EXISTS Staff;
7
8 • CREATE TABLE Staff (
9     Staff_ID INT PRIMARY KEY,
10    Staff_Name VARCHAR(50),
11    Department VARCHAR(50),
12    Salary INT
13  );
14
15 • INSERT INTO Staff VALUES
16    (201, 'Navya', 'IT', 55000),
17    (202, 'Manya', 'HR', 48000),
18    (203, 'Neha', 'Finance', 60000),
19    (204, 'Spoorthi', 'Marketing', 52000),
20    (205, 'Varshitha', 'Management', 70000),
21    (206, 'Tanisha', 'IT', 58000);
22
```


```
n1
23 DELIMITER //
24 • CREATE PROCEDURE CalculateSalary(
25     IN p_salary1 INT,
26     IN p_salary2 INT,
27     IN p_salary3 INT,
28     OUT p_total INT,
29     OUT p_average DECIMAL(10,2)
30 )
31 BEGIN
32     SET p_total = p_salary1 + p_salary2 + p_salary3;
33     SET p_average = p_total / 3.0;
34 END //
35
36 DELIMITER ;
37
38 • CALL CalculateSalary(
39     55000,
40     48000,
41     60000,
42     @total,
43     @average
44 );
```

```
44     );  
45  
46 •   SELECT  
47     @total AS Total_Salary,  
48     @average AS Average_Salary;
```

OUTPUT

	Total_Salary	Average_Salary
▶	163000	54333.33

Update Salary Using INOUT:



The screenshot shows a SQL IDE window with a toolbar at the top containing icons for file operations, execution, and search. The script below is used to set up a database environment for testing salary updates.

```
n1
1 • CREATE DATABASE IF NOT EXISTS CompanyDb;
2 • USE CompanyDb;
3 • DROP PROCEDURE IF EXISTS IncreaseSalary;
4 • DROP TABLE IF EXISTS Staff;
5
6 • CREATE TABLE Staff (
7     Staff_ID INT PRIMARY KEY,
8     Staff_Name VARCHAR(50),
9     Department VARCHAR(50),
10    Salary INT
11 );
12
13 • INSERT INTO Staff VALUES
14 (201, 'Navya', 'IT', 55000),
15 (202, 'Manya', 'HR', 48000),
16 (203, 'Neha', 'Finance', 60000),
17 (204, 'Spoorthi', 'Marketing', 52000),
18 (205, 'Varshitha', 'Management', 70000),
19 (206, 'Tanisha', 'IT', 58000);
20
21 DELIMITER //
22
```

```

22
23 • CREATE PROCEDURE IncreaseSalary(
24     IN p_increment_percent DECIMAL(5,2),
25     INOUT p_salary DECIMAL(10,2)
26 )
27 BEGIN
28     SET p_salary = p_salary +
29         (p_salary * p_increment_percent / 100);
30 END //
31
32 DELIMITER ;
33
34 • SET @salary = 55000;
35
36 • CALL IncreaseSalary(10, @salary);
37
38 • SELECT @salary AS New_Salary;

```

OUTPUT

	New_Salary
▶	60500.00