

STRING FUNCTION

UPPERCASE

```
1  CREATE TABLE STUDENT (  
2      Student_ID INT,  
3      Student_Name VARCHAR(15),  
4      Class VARCHAR(8),  
5      Marks INT,  
6      Fee_Paid DECIMAL(10,2),  
7      Date_of_Birth DATE,  
8      Admission_Date DATE  
9  );  
10  
11  -- Insert record  
12  INSERT INTO STUDENT  
13      (Student_ID, Student_Name, Class, Marks, Fee_Paid, Date_of_Birth, Admission_Date)  
14  VALUES  
15      (115, 'Navya', '10A', 85, 55000.00, '2007-02-13', '2023-06-10'),  
16      (116, 'Manya', '10A', 92, 53000.00, '2007-11-20', '2023-06-12'),  
17      (117, 'Varshitha', '10B', 78, 45000.00, '2007-08-08', '2023-06-11'),  
18      (118, 'Tanisha', '10B', 88, 46000.00, '2007-01-03', '2023-06-15'),  
19      (119, 'Spoorthi', '10A', 65, 49000.00, '2007-01-30', '2023-06-13');  
20  
21  
22  SELECT *  
23  FROM STUDENT;  
24  
25  SELECT Student_Name,  
26      UPPER(Student_Name) AS Uppercase_Name  
27  FROM STUDENT;  
28  
29  GO
```

OUTPUT

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Date
115	Navya	10A	85	55000.00	2007-02-13	2023-06-10
116	Manya	10A	92	53000.00	2007-11-20	2023-06-12
117	Varshitha	10B	78	45000.00	2007-08-08	2023-06-11
118	Tanisha	10B	88	46000.00	2007-01-03	2023-06-15
119	Spoorthi	10A	65	49000.00	2007-01-30	2023-06-13

Student_Name	Uppercase_Name
Navya	NAVYA
Manya	MANYA
Varshitha	VARSHITHA
Tanisha	TANISHA
Spoorthi	SPOORTHY

LOWERCASE

```
1  CREATE TABLE STUDENT (  
2      Student_ID INT,  
3      Student_Name VARCHAR(15),  
4      Class VARCHAR(8),  
5      Marks INT,  
6      Fee_Paid DECIMAL(10,2),  
7      Date_of_Birth DATE,  
8      Admission_Date DATE  
9  );  
10  
11  -- Insert record  
12  INSERT INTO STUDENT  
13      (Student_ID, Student_Name, Class, Marks, Fee_Paid, Date_of_Birth, Admission_Date)  
14  VALUES  
15      (115, 'Navya', '10A', 85, 55000.00, '2007-02-13', '2023-06-10'),  
16      (116, 'Manya', '10A', 92, 53000.00, '2007-11-20', '2023-06-12'),  
17      (117, 'Varshitha', '10B', 78, 45000.00, '2007-08-08', '2023-06-11'),  
18      (118, 'Tanisha', '10B', 88, 46000.00, '2007-01-03', '2023-06-15'),  
19      (119, 'Spoorthi', '10A', 65, 49000.00, '2007-01-30', '2023-06-13');  
20  
21  
22  SELECT *  
23  FROM STUDENT;  
24  
25  SELECT Student_Name,  
26      LOWER(Student_Name) AS Lowercase_Name  
27  FROM STUDENT;  
28  
29  GO
```

OUTPUT

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Date
115	Navya	10A	85	55000.00	2007-02-13	2023-06-10
116	Manya	10A	92	53000.00	2007-11-20	2023-06-12
117	Varshitha	10B	78	45000.00	2007-08-08	2023-06-11
118	Tanisha	10B	88	46000.00	2007-01-03	2023-06-15
119	Spoorthi	10A	65	49000.00	2007-01-30	2023-06-13

Student_Name	Lowercase_Name
Navya	navya
Manya	manya
Varshitha	varshitha
Tanisha	tanisha
Spoorthi	spoorthi

LENGTH

```
1  CREATE TABLE STUDENT (  
2      Student_ID INT,  
3      Student_Name VARCHAR(15),  
4      Class VARCHAR(8),  
5      Marks INT,  
6      Fee_Paid DECIMAL(10,2),  
7      Date_of_Birth DATE,  
8      Admission_Date DATE  
9  );  
10  
11  -- Insert record  
12  INSERT INTO STUDENT  
13      (Student_ID, Student_Name, Class, Marks, Fee_Paid, Date_of_Birth, Admission_Date)  
14  VALUES  
15      (115, 'Navya', '10A', 85, 55000.00, '2007-02-13', '2023-06-10'),  
16      (116, 'Manya', '10A', 92, 53000.00, '2007-11-20', '2023-06-12'),  
17      (117, 'Varshitha', '10B', 78, 45000.00, '2007-08-08', '2023-06-11'),  
18      (118, 'Tanisha', '10B', 88, 46000.00, '2007-01-03', '2023-06-15'),  
19      (119, 'Spoorthi', '10A', 65, 49000.00, '2007-01-30', '2023-06-13');  
20  
21  
22  SELECT *  
23  FROM STUDENT;  
24  
25  SELECT Student_Name,  
26      LEN(Student_Name) AS Name_Length  
27  FROM STUDENT;  
28  
29  GO
```

OUTPUT

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Date
115	Navya	10A	85	55000.00	2007-02-13	2023-06-10
116	Manya	10A	92	53000.00	2007-11-20	2023-06-12
117	Varshitha	10B	78	45000.00	2007-08-08	2023-06-11
118	Tanisha	10B	88	46000.00	2007-01-03	2023-06-15
119	Spoorthi	10A	65	49000.00	2007-01-30	2023-06-13

Student_Name	Name_Length
Navya	5
Manya	5
Varshitha	9
Tanisha	7
Spoorthi	8

CONCAT

```
1  CREATE TABLE STUDENT (  
2      Student_ID INT,  
3      Student_Name VARCHAR(15),  
4      Class VARCHAR(8),  
5      Marks INT,  
6      Fee_Paid DECIMAL(10,2),  
7      Date_of_Birth DATE,  
8      Admission_Date DATE  
9  );  
10  
11  -- Insert record  
12  INSERT INTO STUDENT  
13      (Student_ID, Student_Name, Class, Marks, Fee_Paid, Date_of_Birth, Admission_Date)  
14  VALUES  
15      (115, 'Navya', '10A', 85, 55000.00, '2007-02-13', '2023-06-10'),  
16      (116, 'Manya', '10A', 92, 53000.00, '2007-11-20', '2023-06-12'),  
17      (117, 'Varshitha', '10B', 78, 45000.00, '2007-08-08', '2023-06-11'),  
18      (118, 'Tanisha', '10B', 88, 46000.00, '2007-01-03', '2023-06-15'),  
19      (119, 'Spoorthi', '10A', 65, 49000.00, '2007-01-30', '2023-06-13');  
20  
21  
22  SELECT *  
23  FROM STUDENT;  
24  
25  SELECT CONCAT(Student_Name, '- Class', Class) AS Student_Details  
26  FROM STUDENT;  
27  
28  GO
```

OUTPUT

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Date
115	Navya	10A	85	55000.00	2007-02-13	2023-06-10
116	Manya	10A	92	53000.00	2007-11-20	2023-06-12
117	Varshitha	10B	78	45000.00	2007-08-08	2023-06-11
118	Tanisha	10B	88	46000.00	2007-01-03	2023-06-15
119	Spoorthi	10A	65	49000.00	2007-01-30	2023-06-13

Student_Details

Navya- Class10A
Manya- Class10A
Varshitha- Class10B
Tanisha- Class10B
Spoorthi- Class10A

SUBSTRING

```
1  CREATE TABLE STUDENT (  
2      Student_ID INT,  
3      Student_Name VARCHAR(15),  
4      Class VARCHAR(8),  
5      Marks INT,  
6      Fee_Paid DECIMAL(10,2),  
7      Date_of_Birth DATE,  
8      Admission_Date DATE  
9  );  
10  
11  -- Insert record  
12  INSERT INTO STUDENT  
13      (Student_ID, Student_Name, Class, Marks, Fee_Paid, Date_of_Birth, Admission_Date)  
14  VALUES  
15      (115, 'Navya', '10A', 85, 55000.00, '2007-02-13', '2023-06-10'),  
16      (116, 'Manya', '10A', 92, 53000.00, '2007-11-20', '2023-06-12'),  
17      (117, 'Varshitha', '10B', 78, 45000.00, '2007-08-08', '2023-06-11'),  
18      (118, 'Tanisha', '10B', 88, 46000.00, '2007-01-03', '2023-06-15'),  
19      (119, 'Spoorthi', '10A', 65, 49000.00, '2007-01-30', '2023-06-13');  
20  
21  
22  SELECT *  
23  FROM STUDENT;  
24  
25  SELECT Student_Name,  
26  SUBSTRING(Student_Name, 1, 5) AS First_Five_Characters  
27  FROM STUDENT;  
28  
29  GO
```

OUTPUT

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Date
115	Navya	10A	85	55000.00	2007-02-13	2023-06-10
116	Manya	10A	92	53000.00	2007-11-20	2023-06-12
117	Varshitha	10B	78	45000.00	2007-08-08	2023-06-11
118	Tanisha	10B	88	46000.00	2007-01-03	2023-06-15
119	Spoorthi	10A	65	49000.00	2007-01-30	2023-06-13

Student_Name	First_Five_Characters
--------------	-----------------------

Navya	Navya
Manya	Manya
Varshitha	Varsh
Tanisha	Tanis
Spoorthi	Spoor

NUMERIC FUNCTION

ROUND

```
1  CREATE TABLE STUDENT (  
3      Student_Name VARCHAR(15),  
4      Class VARCHAR(8),  
5      Marks INT,  
6      Fee_Paid DECIMAL(10,2),  
7      Date_of_Birth DATE,  
8      Admission_Date DATE  
9  );  
10  
11  -- Insert record  
12  INSERT INTO STUDENT  
13      (Student_ID, Student_Name, Class, Marks, Fee_Paid, Date_of_Birth, Admission_Date)  
14  VALUES  
15      (115, 'Navya', '10A', 85, 55000.00, '2007-02-13', '2023-06-10'),  
16      (116, 'Manya', '10A', 92, 53000.00, '2007-11-20', '2023-06-12'),  
17      (117, 'Varshitha', '10B', 78, 45000.00, '2007-08-08', '2023-06-11'),  
18      (118, 'Tanisha', '10B', 88, 46000.00, '2007-01-03', '2023-06-15'),  
19      (119, 'Spoorthi', '10A', 65, 49000.00, '2007-01-30', '2023-06-13');  
20  
21  
22  SELECT *  
23  FROM STUDENT;  
24  
25  SELECT Student_Name,  
26         Marks,  
27         ROUND(Marks * 1.05, 0) AS Bonus_Marks  
28  FROM STUDENT;  
29  
30  
31  GO
```

OUTPUT

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Date
115	Navya	10A	85	55000.00	2007-02-13	2023-06-10
116	Manya	10A	92	53000.00	2007-11-20	2023-06-12
117	Varshitha	10B	78	45000.00	2007-08-08	2023-06-11
118	Tanisha	10B	88	46000.00	2007-01-03	2023-06-15
119	Spoorthi	10A	65	49000.00	2007-01-30	2023-06-13

Student_Name	Marks	Bonus_Marks
Navya	85	89.00
Manya	92	97.00
Varshitha	78	82.00
Tanisha	88	92.00
Spoorthi	65	68.00

CEIL

```
1 CREATE TABLE STUDENT (  
3     Student_Name VARCHAR(15),  
4     Class VARCHAR(8),  
5     Marks INT,  
6     Fee_Paid DECIMAL(10,2),  
7     Date_of_Birth DATE,  
8     Admission_Date DATE  
9 );  
10  
11 -- Insert record  
12 INSERT INTO STUDENT  
13     (Student_ID, Student_Name, Class, Marks, Fee_Paid, Date_of_Birth, Admission_Date)  
14     VALUES  
15     (115, 'Navya', '10A', 85, 55000.00, '2007-02-13', '2023-06-10'),  
16     (116, 'Manya', '10A', 92, 53000.00, '2007-11-20', '2023-06-12'),  
17     (117, 'Varshitha', '10B', 78, 45000.00, '2007-08-08', '2023-06-11'),  
18     (118, 'Tanisha', '10B', 88, 46000.00, '2007-01-03', '2023-06-15'),  
19     (119, 'Spoorthi', '10A', 65, 49000.00, '2007-01-30', '2023-06-13');  
20  
21  
22 SELECT *  
23 FROM STUDENT;  
24  
25 SELECT Student_Name,  
26         Marks / 10.0 AS Marks_Value,  
27         CEILING(Marks / 10.0) AS Rounded_Up  
28 FROM STUDENT;  
29  
30  
31 GO
```

OUTPUT

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Date
115	Navya	10A	85	55000.00	2007-02-13	2023-06-10
116	Manya	10A	92	53000.00	2007-11-20	2023-06-12
117	Varshitha	10B	78	45000.00	2007-08-08	2023-06-11
118	Tanisha	10B	88	46000.00	2007-01-03	2023-06-15
119	Spoorthi	10A	65	49000.00	2007-01-30	2023-06-13

Student_Name	Marks_Value	Rounded_Up
Navya	8.500000	9
Manya	9.200000	10
Varshitha	7.800000	8
Tanisha	8.800000	9
Spoorthi	6.500000	7

FLOOR

```
1  CREATE TABLE STUDENT (  
2      Student_ID INT,  
3      Student_Name VARCHAR(15),  
4      Class VARCHAR(8),  
5      Marks INT,  
6      Fee_Paid DECIMAL(10,2),  
7      Date_of_Birth DATE,  
8      Admission_Date DATE  
9  );  
10  
11  -- Insert record  
12  INSERT INTO STUDENT  
13      (Student_ID, Student_Name, Class, Marks, Fee_Paid, Date_of_Birth, Admission_Date)  
14  VALUES  
15      (115, 'Navya', '10A', 85, 55000.00, '2007-02-13', '2023-06-10'),  
16      (116, 'Manya', '10A', 92, 53000.00, '2007-11-20', '2023-06-12'),  
17      (117, 'Varshitha', '10B', 78, 45000.00, '2007-08-08', '2023-06-11'),  
18      (118, 'Tanisha', '10B', 88, 46000.00, '2007-01-03', '2023-06-15'),  
19      (119, 'Spoorthi', '10A', 65, 49000.00, '2007-01-30', '2023-06-13');  
20  
21  
22  SELECT *  
23  FROM STUDENT;  
24  
25  SELECT Student_Name,  
26  Marks / 10.0 AS Marks_Value,  
27  FLOOR(Marks / 10.0) AS Rounded_Down  
28  FROM STUDENT;  
29  
30  GO
```

OUTPUT

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Date
115	Navya	10A	85	55000.00	2007-02-13	2023-06-10
116	Manya	10A	92	53000.00	2007-11-20	2023-06-12
117	Varshitha	10B	78	45000.00	2007-08-08	2023-06-11
118	Tanisha	10B	88	46000.00	2007-01-03	2023-06-15
119	Spoorthi	10A	65	49000.00	2007-01-30	2023-06-13
Student_Name	Marks_Value	Rounded_Down				
Navya	8.500000	8				
Manya	9.200000	9				
Varshitha	7.800000	7				
Tanisha	8.800000	8				
Spoorthi	6.500000	6				

MOD

```
1  CREATE TABLE STUDENT (  
2      Student_ID INT,  
3      Student_Name VARCHAR(15),  
4      Class VARCHAR(8),  
5      Marks INT,  
6      Fee_Paid DECIMAL(10,2),  
7      Date_of_Birth DATE,  
8      Admission_Date DATE  
9  );  
10  
11  -- Insert record  
12  INSERT INTO STUDENT  
13      (Student_ID, Student_Name, Class, Marks, Fee_Paid, Date_of_Birth, Admission_Date)  
14  VALUES  
15      (115, 'Navya', '10A', 85, 55000.00, '2007-02-13', '2023-06-10'),  
16      (116, 'Manya', '10A', 92, 53000.00, '2007-11-20', '2023-06-12'),  
17      (117, 'Varshitha', '10B', 78, 45000.00, '2007-08-08', '2023-06-11'),  
18      (118, 'Tanisha', '10B', 88, 46000.00, '2007-01-03', '2023-06-15'),  
19      (119, 'Spoorthi', '10A', 65, 49000.00, '2007-01-30', '2023-06-13');  
20  
21  
22  SELECT *  
23  FROM STUDENT;  
24  
25  SELECT Student_Name,  
26      Marks,  
27      Marks % 10 AS Remainder  
28  FROM STUDENT  
29  
30  GO
```

OUTPUT

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Date
115	Navya	10A	85	55000.00	2007-02-13	2023-06-10
116	Manya	10A	92	53000.00	2007-11-20	2023-06-12
117	Varshitha	10B	78	45000.00	2007-08-08	2023-06-11
118	Tanisha	10B	88	46000.00	2007-01-03	2023-06-15
119	Spoorthi	10A	65	49000.00	2007-01-30	2023-06-13

Student_Name	Marks	Remainder
Navya	85	5
Manya	92	2
Varshitha	78	8
Tanisha	88	8
Spoorthi	65	5

ABS

```
1  CREATE TABLE STUDENT (  
2      Student_ID INT,  
3      Student_Name VARCHAR(15),  
4      Class VARCHAR(8),  
5      Marks INT,  
6      Fee_Paid DECIMAL(10,2),  
7      Date_of_Birth DATE,  
8      Admission_Date DATE  
9  );  
10  
11  -- Insert record  
12  INSERT INTO STUDENT  
13      (Student_ID, Student_Name, Class, Marks, Fee_Paid, Date_of_Birth, Admission_Date)  
14  VALUES  
15      (115, 'Navya', '10A', 85, 55000.00, '2007-02-13', '2023-06-10'),  
16      (116, 'Manya', '10A', 92, 53000.00, '2007-11-20', '2023-06-12'),  
17      (117, 'Varshitha', '10B', 78, 45000.00, '2007-08-08', '2023-06-11'),  
18      (118, 'Tanisha', '10B', 88, 46000.00, '2007-01-03', '2023-06-15'),  
19      (119, 'Spoorthi', '10A', 65, 49000.00, '2007-01-30', '2023-06-13');  
20  
21  
22  SELECT *  
23  FROM STUDENT;  
24  
25  SELECT Student_Name,  
26  Marks,  
27  ABS(Marks - 80) AS Difference_From_80  
28  FROM STUDENT;  
29  
30  GO
```

OUTPUT

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Date
115	Navya	10A	85	55000.00	2007-02-13	2023-06-10
116	Manya	10A	92	53000.00	2007-11-20	2023-06-12
117	Varshitha	10B	78	45000.00	2007-08-08	2023-06-11
118	Tanisha	10B	88	46000.00	2007-01-03	2023-06-15
119	Spoorthi	10A	65	49000.00	2007-01-30	2023-06-13

Student_Name	Marks	Difference_From_80
Navya	85	5
Manya	92	12
Varshitha	78	2
Tanisha	88	8
Spoorthi	65	15

DATE FUNCTIONS:

Extracting the year

```
1  CREATE TABLE STUDENT (  
2      Student_ID INT,  
3      Student_Name VARCHAR(15),  
4      Class VARCHAR(8),  
5      Marks INT,  
6      Fee_Paid DECIMAL(10,2),  
7      Date_of_Birth DATE,  
8      Admission_Date DATE  
9  );  
10  
11  -- Insert record  
12  INSERT INTO STUDENT  
13      (Student_ID, Student_Name, Class, Marks, Fee_Paid, Date_of_Birth, Admission_Date)  
14  VALUES  
15      (115, 'Navya', '10A', 85, 55000.00, '2007-02-13', '2023-06-10'),  
16      (116, 'Manya', '10A', 92, 53000.00, '2007-11-20', '2023-06-12'),  
17      (117, 'Varshitha', '10B', 78, 45000.00, '2007-08-08', '2023-06-11'),  
18      (118, 'Tanisha', '10B', 88, 46000.00, '2007-01-03', '2023-06-15'),  
19      (119, 'Spoorthi', '10A', 65, 49000.00, '2007-01-30', '2023-06-13');  
20  
21  
22  SELECT *  
23  FROM STUDENT;  
24  
25  SELECT Student_Name,  
26  Date_of_Birth,  
27  YEAR(Date_of_Birth) AS Birth_Year  
28  FROM STUDENT;  
29  
30  GO
```

OUTPUT

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Date
115	Navya	10A	85	55000.00	2007-02-13	2023-06-10
116	Manya	10A	92	53000.00	2007-11-20	2023-06-12
117	Varshitha	10B	78	45000.00	2007-08-08	2023-06-11
118	Tanisha	10B	88	46000.00	2007-01-03	2023-06-15
119	Spoorthi	10A	65	49000.00	2007-01-30	2023-06-13

Student_Name	Date_of_Birth	Birth_Year
Navya	2007-02-13	2007
Manya	2007-11-20	2007
Varshitha	2007-08-08	2007
Tanisha	2007-01-03	2007
Spoorthi	2007-01-30	2007

Extracting the month

```
1  CREATE TABLE STUDENT (  
2      Student_ID INT,  
3      Student_Name VARCHAR(15),  
4      Class VARCHAR(8),  
5      Marks INT,  
6      Fee_Paid DECIMAL(10,2),  
7      Date_of_Birth DATE,  
8      Admission_Date DATE  
9  );  
10  
11  -- Insert record  
12  INSERT INTO STUDENT  
13      (Student_ID, Student_Name, Class, Marks, Fee_Paid, Date_of_Birth, Admission_Date)  
14  VALUES  
15      (115, 'Navya', '10A', 85, 55000.00, '2007-02-13', '2023-06-10'),  
16      (116, 'Manya', '10A', 92, 53000.00, '2007-11-20', '2023-06-12'),  
17      (117, 'Varshitha', '10B', 78, 45000.00, '2007-08-08', '2023-06-11'),  
18      (118, 'Tanisha', '10B', 88, 46000.00, '2007-01-03', '2023-06-15'),  
19      (119, 'Spoorthi', '10A', 65, 49000.00, '2007-01-30', '2023-06-13');  
20  
21  
22  SELECT *  
23  FROM STUDENT;  
24  
25  SELECT Student_Name,  
26  Date_of_Birth,  
27  MONTH(Date_of_Birth) AS Birth_Month  
28  FROM STUDENT;  
29  
30  GO
```

OUTPUT

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Date
115	Navya	10A	85	55000.00	2007-02-13	2023-06-10
116	Manya	10A	92	53000.00	2007-11-20	2023-06-12
117	Varshitha	10B	78	45000.00	2007-08-08	2023-06-11
118	Tanisha	10B	88	46000.00	2007-01-03	2023-06-15
119	Spoorthi	10A	65	49000.00	2007-01-30	2023-06-13

Student_Name	Date_of_Birth	Birth_Month
Navya	2007-02-13	2
Manya	2007-11-20	11
Varshitha	2007-08-08	8
Tanisha	2007-01-03	1
Spoorthi	2007-01-30	1

Extracting the day

```
1  CREATE TABLE STUDENT (  
2      Student_ID INT,  
3      Student_Name VARCHAR(15),  
4      Class VARCHAR(8),  
5      Marks INT,  
6      Fee_Paid DECIMAL(10,2),  
7      Date_of_Birth DATE,  
8      Admission_Date DATE  
9  );  
10  
11  -- Insert record  
12  INSERT INTO STUDENT  
13      (Student_ID, Student_Name, Class, Marks, Fee_Paid, Date_of_Birth, Admission_Date)  
14  VALUES  
15      (115, 'Navya', '10A', 85, 55000.00, '2007-02-13', '2023-06-10'),  
16      (116, 'Manya', '10A', 92, 53000.00, '2007-11-20', '2023-06-12'),  
17      (117, 'Varshitha', '10B', 78, 45000.00, '2007-08-08', '2023-06-11'),  
18      (118, 'Tanisha', '10B', 88, 46000.00, '2007-01-03', '2023-06-15'),  
19      (119, 'Spoorthi', '10A', 65, 49000.00, '2007-01-30', '2023-06-13');  
20  
21  
22  SELECT *  
23  FROM STUDENT;  
24  
25  SELECT Student_Name,  
26  Date_of_Birth,  
27  DAY(Date_of_Birth) AS Birth_Day  
28  FROM STUDENT;  
29  
30  GO
```

OUTPUT

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Date
115	Navya	10A	85	55000.00	2007-02-13	2023-06-10
116	Manya	10A	92	53000.00	2007-11-20	2023-06-12
117	Varshitha	10B	78	45000.00	2007-08-08	2023-06-11
118	Tanisha	10B	88	46000.00	2007-01-03	2023-06-15
119	Spoorthi	10A	65	49000.00	2007-01-30	2023-06-13

Student_Name	Date_of_Birth	Birth_Day
Navya	2007-02-13	13
Manya	2007-11-20	20
Varshitha	2007-08-08	8
Tanisha	2007-01-03	3
Spoorthi	2007-01-30	30

Calculating current age

```
1  CREATE TABLE STUDENT (  
2      Student_ID INT,  
3      Student_Name VARCHAR(15),  
4      Class VARCHAR(8),  
5      Marks INT,  
6      Fee_Paid DECIMAL(10,2),  
7      Date_of_Birth DATE,  
8      Admission_Date DATE  
9  );  
10  
11  -- Insert record  
12  INSERT INTO STUDENT  
13  || (Student_ID, Student_Name, Class, Marks, Fee_Paid, Date_of_Birth, Admission_Date)  
14  VALUES  
15  || (115, 'Navya', '10A', 85, 55000.00, '2007-02-13', '2023-06-10'),  
16  || (116, 'Manya', '10A', 92, 53000.00, '2007-11-20', '2023-06-12'),  
17  || (117, 'Varshitha', '10B', 78, 45000.00, '2007-08-08', '2023-06-11'),  
18  || (118, 'Tanisha', '10B', 88, 46000.00, '2008-01-03', '2023-06-15'),  
19  || (119, 'Spoorthi', '10A', 65, 49000.00, '2007-12-12', '2023-06-13');  
20  
21  
22  SELECT *  
23  FROM STUDENT;  
24  
25  SELECT Student_Name,  
26  || || Date_of_Birth,  
27  || || DATEDIFF(YEAR, Date_of_Birth, GETDATE()) AS Age  
28  FROM Student;  
29  
30  GO
```

OUTPUT

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Date
115	Navya	10A	85	55000.00	2007-02-13	2023-06-10
116	Manya	10A	92	53000.00	2007-11-20	2023-06-12
117	Varshitha	10B	78	45000.00	2007-08-08	2023-06-11
118	Tanisha	10B	88	46000.00	2008-01-03	2023-06-15
119	Spoorthi	10A	65	49000.00	2007-12-12	2023-06-13

Student_Name	Date_of_Birth	Age
Navya	2007-02-13	19
Manya	2007-11-20	19
Varshitha	2007-08-08	19
Tanisha	2008-01-03	18
Spoorthi	2007-12-12	19