

STRING FUNCTION

UPPERCASE

```
1 CREATE TABLE STUDENT (  
2     Student_ID INT,  
3     Student_Name VARCHAR(15),  
4     Class VARCHAR(8),  
5     Marks INT,  
6     Fee_Paid DECIMAL(10,2),  
7     Date_of_Birth DATE,  
8     Admission_Date DATE  
9 );  
10  
11 -- Insert record  
12 INSERT INTO STUDENT  
13 | | (Student_ID, Student_Name, Class, Marks, Fee_Paid, Date_of_Birth, Admission_Date)  
14 VALUES  
15 | | | (115, 'Navya', '10A', 85, 55000.00, '2007-02-13', '2023-06-10'),  
16 | | | (116, 'Manya', '10A', 92, 53000.00, '2007-11-20', '2023-06-12'),  
17 | | | (117, 'Varshitha', '10B', 78, 45000.00, '2007-08-08', '2023-06-11'),  
18 | | | (118, 'Tanisha', '10B', 88, 46000.00, '2007-01-03', '2023-06-15'),  
19 | | | (119, 'Spoorthi', '10A', 65, 49000.00, '2007-01-30', '2023-06-13');  
20  
21  
22 SELECT *  
23 FROM STUDENT;  
24  
25 SELECT Student_Name,  
26 | | | UPPER(Student_Name) AS Uppercase_Name  
27 FROM STUDENT;  
28  
29 GO
```

OUTPUT

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Date
115	Navya	10A	85	55000.00	2007-02-13	2023-06-10
116	Manya	10A	92	53000.00	2007-11-20	2023-06-12
117	Varshitha	10B	78	45000.00	2007-08-08	2023-06-11
118	Tanisha	10B	88	46000.00	2007-01-03	2023-06-15
119	Spoorthi	10A	65	49000.00	2007-01-30	2023-06-13

Student_Name	Uppercase_Name
Navya	NAVYA
Manya	MANYA
Varshitha	VARSHITHA
Tanisha	TANISHA
Spoorthi	SPOORTHII

LOWERCASE

```
1  CREATE TABLE STUDENT (  
2      Student_ID INT,  
3      Student_Name VARCHAR(15),  
4      Class VARCHAR(8),  
5      Marks INT,  
6      Fee_Paid DECIMAL(10,2),  
7      Date_of_Birth DATE,  
8      Admission_Date DATE  
9  );  
10  
11  -- Insert record  
12  INSERT INTO STUDENT  
13      (Student_ID, Student_Name, Class, Marks, Fee_Paid, Date_of_Birth, Admission_Date)  
14  VALUES  
15      (115, 'Navya', '10A', 85, 55000.00, '2007-02-13', '2023-06-10'),  
16      (116, 'Manya', '10A', 92, 53000.00, '2007-11-20', '2023-06-12'),  
17      (117, 'Varshitha', '10B', 78, 45000.00, '2007-08-08', '2023-06-11'),  
18      (118, 'Tanisha', '10B', 88, 46000.00, '2007-01-03', '2023-06-15'),  
19      (119, 'Spoorthi', '10A', 65, 49000.00, '2007-01-30', '2023-06-13');  
20  
21  
22  SELECT *  
23  FROM STUDENT;  
24  
25  SELECT Student_Name,  
26  LOWER(Student_Name) AS Lowercase_Name  
27  FROM STUDENT;  
28  
29  GO
```

OUTPUT

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Date
115	Navya	10A	85	55000.00	2007-02-13	2023-06-10
116	Manya	10A	92	53000.00	2007-11-20	2023-06-12
117	Varshitha	10B	78	45000.00	2007-08-08	2023-06-11
118	Tanisha	10B	88	46000.00	2007-01-03	2023-06-15
119	Spoorthi	10A	65	49000.00	2007-01-30	2023-06-13

Student_Name	Lowercase_Name
Navya	navya
Manya	manya
Varshitha	varshitha
Tanisha	tanisha
Spoorthi	spoorthi

LENGTH

```
1  CREATE TABLE STUDENT (  
2      Student_ID INT,  
3      Student_Name VARCHAR(15),  
4      Class VARCHAR(8),  
5      Marks INT,  
6      Fee_Paid DECIMAL(10,2),  
7      Date_of_Birth DATE,  
8      Admission_Date DATE  
9  );  
10  
11  -- Insert record  
12  INSERT INTO STUDENT  
13      (Student_ID, Student_Name, Class, Marks, Fee_Paid, Date_of_Birth, Admission_Date)  
14  VALUES  
15      (115, 'Navya', '10A', 85, 55000.00, '2007-02-13', '2023-06-10'),  
16      (116, 'Manya', '10A', 92, 53000.00, '2007-11-20', '2023-06-12'),  
17      (117, 'Varshitha', '10B', 78, 45000.00, '2007-08-08', '2023-06-11'),  
18      (118, 'Tanisha', '10B', 88, 46000.00, '2007-01-03', '2023-06-15'),  
19      (119, 'Spoorthi', '10A', 65, 49000.00, '2007-01-30', '2023-06-13');  
20  
21  
22  SELECT *  
23  FROM STUDENT;  
24  
25  SELECT Student_Name,  
26      LEN(Student_Name) AS Name_Length  
27  FROM STUDENT;  
28  
29  GO
```

OUTPUT

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Date
115	Navya	10A	85	55000.00	2007-02-13	2023-06-10
116	Manya	10A	92	53000.00	2007-11-20	2023-06-12
117	Varshitha	10B	78	45000.00	2007-08-08	2023-06-11
118	Tanisha	10B	88	46000.00	2007-01-03	2023-06-15
119	Spoorthi	10A	65	49000.00	2007-01-30	2023-06-13

Student_Name	Name_Length
Navya	5
Manya	5
Varshitha	9
Tanisha	7
Spoorthi	8

CONCAT

```
1  CREATE TABLE STUDENT (  
2      Student_ID INT,  
3      Student_Name VARCHAR(15),  
4      Class VARCHAR(8),  
5      Marks INT,  
6      Fee_Paid DECIMAL(10,2),  
7      Date_of_Birth DATE,  
8      Admission_Date DATE  
9  );  
10  
11  -- Insert record  
12  INSERT INTO STUDENT  
13      (Student_ID, Student_Name, Class, Marks, Fee_Paid, Date_of_Birth, Admission_Date)  
14  VALUES  
15      (115, 'Navya', '10A', 85, 55000.00, '2007-02-13', '2023-06-10'),  
16      (116, 'Manya', '10A', 92, 53000.00, '2007-11-20', '2023-06-12'),  
17      (117, 'Varshitha', '10B', 78, 45000.00, '2007-08-08', '2023-06-11'),  
18      (118, 'Tanisha', '10B', 88, 46000.00, '2007-01-03', '2023-06-15'),  
19      (119, 'Spoorthi', '10A', 65, 49000.00, '2007-01-30', '2023-06-13');  
20  
21  
22  SELECT *  
23  FROM STUDENT;  
24  
25  SELECT CONCAT(Student_Name, '- Class', Class) AS Student_Details  
26  FROM STUDENT;  
27  
28  GO
```

OUTPUT

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Date
115	Navya	10A	85	55000.00	2007-02-13	2023-06-10
116	Manya	10A	92	53000.00	2007-11-20	2023-06-12
117	Varshitha	10B	78	45000.00	2007-08-08	2023-06-11
118	Tanisha	10B	88	46000.00	2007-01-03	2023-06-15
119	Spoorthi	10A	65	49000.00	2007-01-30	2023-06-13

Student_Details

Navya- Class10A
Manya- Class10A
Varshitha- Class10B
Tanisha- Class10B
Spoorthi- Class10A

SUBSTRING

```
1  CREATE TABLE STUDENT (  
2      Student_ID INT,  
3      Student_Name VARCHAR(15),  
4      Class VARCHAR(8),  
5      Marks INT,  
6      Fee_Paid DECIMAL(10,2),  
7      Date_of_Birth DATE,  
8      Admission_Date DATE  
9  );  
10  
11  -- Insert record  
12  INSERT INTO STUDENT  
13      (Student_ID, Student_Name, Class, Marks, Fee_Paid, Date_of_Birth, Admission_Date)  
14  VALUES  
15      (115, 'Navya', '10A', 85, 55000.00, '2007-02-13', '2023-06-10'),  
16      (116, 'Manya', '10A', 92, 53000.00, '2007-11-20', '2023-06-12'),  
17      (117, 'Varshitha', '10B', 78, 45000.00, '2007-08-08', '2023-06-11'),  
18      (118, 'Tanisha', '10B', 88, 46000.00, '2007-01-03', '2023-06-15'),  
19      (119, 'Spoorthi', '10A', 65, 49000.00, '2007-01-30', '2023-06-13');  
20  
21  
22  SELECT *  
23  FROM STUDENT;  
24  
25  SELECT Student_Name,  
26  SUBSTRING(Student_Name, 1, 5) AS First_Five_Characters  
27  FROM STUDENT;  
28  
29  GO
```

OUTPUT

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Date
115	Navya	10A	85	55000.00	2007-02-13	2023-06-10
116	Manya	10A	92	53000.00	2007-11-20	2023-06-12
117	Varshitha	10B	78	45000.00	2007-08-08	2023-06-11
118	Tanisha	10B	88	46000.00	2007-01-03	2023-06-15
119	Spoorthi	10A	65	49000.00	2007-01-30	2023-06-13

Student_Name	First_Five_Characters
Navya	Navya
Manya	Manya
Varshitha	Varsh
Tanisha	Tanis
Spoorthi	Spoor

NUMERIC FUNCTION

ROUND

```
1  CREATE TABLE STUDENT (  
3      Student_Name VARCHAR(15),  
4      Class VARCHAR(8),  
5      Marks INT,  
6      Fee_Paid DECIMAL(10,2),  
7      Date_of_Birth DATE,  
8      Admission_Date DATE  
9  );  
10  
11  -- Insert record  
12  INSERT INTO STUDENT  
13      (Student_ID, Student_Name, Class, Marks, Fee_Paid, Date_of_Birth, Admission_Date)  
14  VALUES  
15      (115, 'Navya', '10A', 85, 55000.00, '2007-02-13', '2023-06-10'),  
16      (116, 'Manya', '10A', 92, 53000.00, '2007-11-20', '2023-06-12'),  
17      (117, 'Varshitha', '10B', 78, 45000.00, '2007-08-08', '2023-06-11'),  
18      (118, 'Tanisha', '10B', 88, 46000.00, '2007-01-03', '2023-06-15'),  
19      (119, 'Spoorthi', '10A', 65, 49000.00, '2007-01-30', '2023-06-13');  
20  
21  
22  SELECT *  
23  FROM STUDENT;  
24  
25  SELECT Student_Name,  
26      Marks,  
27      ROUND(Marks * 1.05, 0) AS Bonus_Marks  
28  FROM STUDENT;  
29  
30  
31  GO
```

OUTPUT

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Date
115	Navya	10A	85	55000.00	2007-02-13	2023-06-10
116	Manya	10A	92	53000.00	2007-11-20	2023-06-12
117	Varshitha	10B	78	45000.00	2007-08-08	2023-06-11
118	Tanisha	10B	88	46000.00	2007-01-03	2023-06-15
119	Spoorthi	10A	65	49000.00	2007-01-30	2023-06-13

Student_Name	Marks	Bonus_Marks
Navya	85	89.00
Manya	92	97.00
Varshitha	78	82.00
Tanisha	88	92.00
Spoorthi	65	68.00

CEIL

```
1 CREATE TABLE STUDENT (  
3     Student_Name VARCHAR(15),  
4     Class VARCHAR(8),  
5     Marks INT,  
6     Fee_Paid DECIMAL(10,2),  
7     Date_of_Birth DATE,  
8     Admission_Date DATE  
9 );  
10  
11 -- Insert record  
12 INSERT INTO STUDENT  
13     (Student_ID, Student_Name, Class, Marks, Fee_Paid, Date_of_Birth, Admission_Date)  
14     VALUES  
15     (115, 'Navya', '10A', 85, 55000.00, '2007-02-13', '2023-06-10'),  
16     (116, 'Manya', '10A', 92, 53000.00, '2007-11-20', '2023-06-12'),  
17     (117, 'Varshitha', '10B', 78, 45000.00, '2007-08-08', '2023-06-11'),  
18     (118, 'Tanisha', '10B', 88, 46000.00, '2007-01-03', '2023-06-15'),  
19     (119, 'Spoorthi', '10A', 65, 49000.00, '2007-01-30', '2023-06-13');  
20  
21  
22 SELECT *  
23 FROM STUDENT;  
24  
25 SELECT Student_Name,  
26         Marks / 10.0 AS Marks_Value,  
27         CEILING(Marks / 10.0) AS Rounded_Up  
28 FROM STUDENT;  
29  
30  
31 GO
```

OUTPUT

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Date
115	Navya	10A	85	55000.00	2007-02-13	2023-06-10
116	Manya	10A	92	53000.00	2007-11-20	2023-06-12
117	Varshitha	10B	78	45000.00	2007-08-08	2023-06-11
118	Tanisha	10B	88	46000.00	2007-01-03	2023-06-15
119	Spoorthi	10A	65	49000.00	2007-01-30	2023-06-13

Student_Name	Marks_Value	Rounded_Up
Navya	8.500000	9
Manya	9.200000	10
Varshitha	7.800000	8
Tanisha	8.800000	9
Spoorthi	6.500000	7

FLOOR

```
1 CREATE TABLE STUDENT (  
2     Student_ID INT,  
3     Student_Name VARCHAR(15),  
4     Class VARCHAR(8),  
5     Marks INT,  
6     Fee_Paid DECIMAL(10,2),  
7     Date_of_Birth DATE,  
8     Admission_Date DATE  
9 );  
10  
11 -- Insert record  
12 INSERT INTO STUDENT  
13     (Student_ID, Student_Name, Class, Marks, Fee_Paid, Date_of_Birth, Admission_Date)  
14 VALUES  
15     (115, 'Navya', '10A', 85, 55000.00, '2007-02-13', '2023-06-10'),  
16     (116, 'Manya', '10A', 92, 53000.00, '2007-11-20', '2023-06-12'),  
17     (117, 'Varshitha', '10B', 78, 45000.00, '2007-08-08', '2023-06-11'),  
18     (118, 'Tanisha', '10B', 88, 46000.00, '2007-01-03', '2023-06-15'),  
19     (119, 'Spoorthi', '10A', 65, 49000.00, '2007-01-30', '2023-06-13');  
20  
21  
22 SELECT *  
23 FROM STUDENT;  
24  
25 SELECT Student_Name,  
26 Marks / 10.0 AS Marks_Value,  
27 FLOOR(Marks / 10.0) AS Rounded_Down  
28 FROM STUDENT;  
29  
30 GO
```

OUTPUT

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Date
115	Navya	10A	85	55000.00	2007-02-13	2023-06-10
116	Manya	10A	92	53000.00	2007-11-20	2023-06-12
117	Varshitha	10B	78	45000.00	2007-08-08	2023-06-11
118	Tanisha	10B	88	46000.00	2007-01-03	2023-06-15
119	Spoorthi	10A	65	49000.00	2007-01-30	2023-06-13
Student_Name	Marks_Value	Rounded_Down				
Navya	8.500000	8				
Manya	9.200000	9				
Varshitha	7.800000	7				
Tanisha	8.800000	8				
Spoorthi	6.500000	6				

MOD

```
1  CREATE TABLE STUDENT (  
2      Student_ID INT,  
3      Student_Name VARCHAR(15),  
4      Class VARCHAR(8),  
5      Marks INT,  
6      Fee_Paid DECIMAL(10,2),  
7      Date_of_Birth DATE,  
8      Admission_Date DATE  
9  );  
10  
11  -- Insert record  
12  INSERT INTO STUDENT  
13      (Student_ID, Student_Name, Class, Marks, Fee_Paid, Date_of_Birth, Admission_Date)  
14  VALUES  
15      (115, 'Navya', '10A', 85, 55000.00, '2007-02-13', '2023-06-10'),  
16      (116, 'Manya', '10A', 92, 53000.00, '2007-11-20', '2023-06-12'),  
17      (117, 'Varshitha', '10B', 78, 45000.00, '2007-08-08', '2023-06-11'),  
18      (118, 'Tanisha', '10B', 88, 46000.00, '2007-01-03', '2023-06-15'),  
19      (119, 'Spoorthi', '10A', 65, 49000.00, '2007-01-30', '2023-06-13');  
20  
21  
22  SELECT *  
23  FROM STUDENT;  
24  
25  SELECT Student_Name,  
26      Marks,  
27      Marks % 10 AS Remainder  
28  FROM STUDENT  
29  
30  GO
```

OUTPUT

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Date
115	Navya	10A	85	55000.00	2007-02-13	2023-06-10
116	Manya	10A	92	53000.00	2007-11-20	2023-06-12
117	Varshitha	10B	78	45000.00	2007-08-08	2023-06-11
118	Tanisha	10B	88	46000.00	2007-01-03	2023-06-15
119	Spoorthi	10A	65	49000.00	2007-01-30	2023-06-13

Student_Name	Marks	Remainder
Navya	85	5
Manya	92	2
Varshitha	78	8
Tanisha	88	8
Spoorthi	65	5

ABS

```
1  CREATE TABLE STUDENT (  
2      Student_ID INT,  
3      Student_Name VARCHAR(15),  
4      Class VARCHAR(8),  
5      Marks INT,  
6      Fee_Paid DECIMAL(10,2),  
7      Date_of_Birth DATE,  
8      Admission_Date DATE  
9  );  
10  
11  -- Insert record  
12  INSERT INTO STUDENT  
13      (Student_ID, Student_Name, Class, Marks, Fee_Paid, Date_of_Birth, Admission_Date)  
14  VALUES  
15      (115, 'Navya', '10A', 85, 55000.00, '2007-02-13', '2023-06-10'),  
16      (116, 'Manya', '10A', 92, 53000.00, '2007-11-20', '2023-06-12'),  
17      (117, 'Varshitha', '10B', 78, 45000.00, '2007-08-08', '2023-06-11'),  
18      (118, 'Tanisha', '10B', 88, 46000.00, '2007-01-03', '2023-06-15'),  
19      (119, 'Spoorthi', '10A', 65, 49000.00, '2007-01-30', '2023-06-13');  
20  
21  
22  SELECT *  
23  FROM STUDENT;  
24  
25  SELECT Student_Name,  
26  Marks,  
27  ABS(Marks - 80) AS Difference_From_80  
28  FROM STUDENT;  
29  
30  GO
```

OUTPUT

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Date
115	Navya	10A	85	55000.00	2007-02-13	2023-06-10
116	Manya	10A	92	53000.00	2007-11-20	2023-06-12
117	Varshitha	10B	78	45000.00	2007-08-08	2023-06-11
118	Tanisha	10B	88	46000.00	2007-01-03	2023-06-15
119	Spoorthi	10A	65	49000.00	2007-01-30	2023-06-13

Student_Name	Marks	Difference_From_80
Navya	85	5
Manya	92	12
Varshitha	78	2
Tanisha	88	8
Spoorthi	65	15

DATE FUNCTIONS:

Extracting the year

```
1  CREATE TABLE STUDENT (  
2      Student_ID INT,  
3      Student_Name VARCHAR(15),  
4      Class VARCHAR(8),  
5      Marks INT,  
6      Fee_Paid DECIMAL(10,2),  
7      Date_of_Birth DATE,  
8      Admission_Date DATE  
9  );  
10  
11  -- Insert record  
12  INSERT INTO STUDENT  
13      (Student_ID, Student_Name, Class, Marks, Fee_Paid, Date_of_Birth, Admission_Date)  
14  VALUES  
15      (115, 'Navya', '10A', 85, 55000.00, '2007-02-13', '2023-06-10'),  
16      (116, 'Manya', '10A', 92, 53000.00, '2007-11-20', '2023-06-12'),  
17      (117, 'Varshitha', '10B', 78, 45000.00, '2007-08-08', '2023-06-11'),  
18      (118, 'Tanisha', '10B', 88, 46000.00, '2007-01-03', '2023-06-15'),  
19      (119, 'Spoorthi', '10A', 65, 49000.00, '2007-01-30', '2023-06-13');  
20  
21  
22  SELECT *  
23  FROM STUDENT;  
24  
25  SELECT Student_Name,  
26  Date_of_Birth,  
27  YEAR(Date_of_Birth) AS Birth_Year  
28  FROM STUDENT;  
29  
30  GO
```

OUTPUT

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Date
115	Navya	10A	85	55000.00	2007-02-13	2023-06-10
116	Manya	10A	92	53000.00	2007-11-20	2023-06-12
117	Varshitha	10B	78	45000.00	2007-08-08	2023-06-11
118	Tanisha	10B	88	46000.00	2007-01-03	2023-06-15
119	Spoorthi	10A	65	49000.00	2007-01-30	2023-06-13

Student_Name	Date_of_Birth	Birth_Year
Navya	2007-02-13	2007
Manya	2007-11-20	2007
Varshitha	2007-08-08	2007
Tanisha	2007-01-03	2007
Spoorthi	2007-01-30	2007

Extracting the month

```
1  CREATE TABLE STUDENT (  
2      Student_ID INT,  
3      Student_Name VARCHAR(15),  
4      Class VARCHAR(8),  
5      Marks INT,  
6      Fee_Paid DECIMAL(10,2),  
7      Date_of_Birth DATE,  
8      Admission_Date DATE  
9  );  
10  
11  -- Insert record  
12  INSERT INTO STUDENT  
13      (Student_ID, Student_Name, Class, Marks, Fee_Paid, Date_of_Birth, Admission_Date)  
14  VALUES  
15      (115, 'Navya', '10A', 85, 55000.00, '2007-02-13', '2023-06-10'),  
16      (116, 'Manya', '10A', 92, 53000.00, '2007-11-20', '2023-06-12'),  
17      (117, 'Varshitha', '10B', 78, 45000.00, '2007-08-08', '2023-06-11'),  
18      (118, 'Tanisha', '10B', 88, 46000.00, '2007-01-03', '2023-06-15'),  
19      (119, 'Spoorthi', '10A', 65, 49000.00, '2007-01-30', '2023-06-13');  
20  
21  
22  SELECT *  
23  FROM STUDENT;  
24  
25  SELECT Student_Name,  
26  Date_of_Birth,  
27  MONTH(Date_of_Birth) AS Birth_Month  
28  FROM STUDENT;  
29  
30  GO
```

OUTPUT

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Date
115	Navya	10A	85	55000.00	2007-02-13	2023-06-10
116	Manya	10A	92	53000.00	2007-11-20	2023-06-12
117	Varshitha	10B	78	45000.00	2007-08-08	2023-06-11
118	Tanisha	10B	88	46000.00	2007-01-03	2023-06-15
119	Spoorthi	10A	65	49000.00	2007-01-30	2023-06-13

Student_Name	Date_of_Birth	Birth_Month
Navya	2007-02-13	2
Manya	2007-11-20	11
Varshitha	2007-08-08	8
Tanisha	2007-01-03	1
Spoorthi	2007-01-30	1

Extracting the day

```
1  CREATE TABLE STUDENT (  
2      Student_ID INT,  
3      Student_Name VARCHAR(15),  
4      Class VARCHAR(8),  
5      Marks INT,  
6      Fee_Paid DECIMAL(10,2),  
7      Date_of_Birth DATE,  
8      Admission_Date DATE  
9  );  
10  
11  -- Insert record  
12  INSERT INTO STUDENT  
13      (Student_ID, Student_Name, Class, Marks, Fee_Paid, Date_of_Birth, Admission_Date)  
14  VALUES  
15      (115, 'Navya', '10A', 85, 55000.00, '2007-02-13', '2023-06-10'),  
16      (116, 'Manya', '10A', 92, 53000.00, '2007-11-20', '2023-06-12'),  
17      (117, 'Varshitha', '10B', 78, 45000.00, '2007-08-08', '2023-06-11'),  
18      (118, 'Tanisha', '10B', 88, 46000.00, '2007-01-03', '2023-06-15'),  
19      (119, 'Spoorthi', '10A', 65, 49000.00, '2007-01-30', '2023-06-13');  
20  
21  
22  SELECT *  
23  FROM STUDENT;  
24  
25  SELECT Student_Name,  
26  Date_of_Birth,  
27  DAY(Date_of_Birth) AS Birth_Day  
28  FROM STUDENT;  
29  
30  GO
```

OUTPUT

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Date
115	Navya	10A	85	55000.00	2007-02-13	2023-06-10
116	Manya	10A	92	53000.00	2007-11-20	2023-06-12
117	Varshitha	10B	78	45000.00	2007-08-08	2023-06-11
118	Tanisha	10B	88	46000.00	2007-01-03	2023-06-15
119	Spoorthi	10A	65	49000.00	2007-01-30	2023-06-13

Student_Name	Date_of_Birth	Birth_Day
Navya	2007-02-13	13
Manya	2007-11-20	20
Varshitha	2007-08-08	8
Tanisha	2007-01-03	3
Spoorthi	2007-01-30	30

Calculating current age

```
1  CREATE TABLE STUDENT (  
2      Student_ID INT,  
3      Student_Name VARCHAR(15),  
4      Class VARCHAR(8),  
5      Marks INT,  
6      Fee_Paid DECIMAL(10,2),  
7      Date_of_Birth DATE,  
8      Admission_Date DATE  
9  );  
10  
11  -- Insert record  
12  INSERT INTO STUDENT  
13      (Student_ID, Student_Name, Class, Marks, Fee_Paid, Date_of_Birth, Admission_Date)  
14  VALUES  
15      (115, 'Navya', '10A', 85, 55000.00, '2007-02-13', '2023-06-10'),  
16      (116, 'Manya', '10A', 92, 53000.00, '2007-11-20', '2023-06-12'),  
17      (117, 'Varshitha', '10B', 78, 45000.00, '2007-08-08', '2023-06-11'),  
18      (118, 'Tanisha', '10B', 88, 46000.00, '2008-01-03', '2023-06-15'),  
19      (119, 'Spoorthi', '10A', 65, 49000.00, '2007-12-12', '2023-06-13');  
20  
21  
22  SELECT *  
23  FROM STUDENT;  
24  
25  SELECT Student_Name,  
26      Date_of_Birth,  
27      DATEDIFF(YEAR, Date_of_Birth, GETDATE()) AS Age  
28  FROM Student;  
29  
30  GO
```

OUTPUT

Output:						
Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Date
115	Navya	10A	85	55000.00	2007-02-13	2023-06-10
116	Manya	10A	92	53000.00	2007-11-20	2023-06-12
117	Varshitha	10B	78	45000.00	2007-08-08	2023-06-11
118	Tanisha	10B	88	46000.00	2008-01-03	2023-06-15
119	Spoorthi	10A	65	49000.00	2007-12-12	2023-06-13
Student_Name	Date_of_Birth	Age				
Navya	2007-02-13	19				
Manya	2007-11-20	19				
Varshitha	2007-08-08	19				
Tanisha	2008-01-03	18				
Spoorthi	2007-12-12	19				

AGGREGATE FUNCTION GROUP BY

```
queries.sql x +
1 CREATE TABLE STUDENT (
2     Student_ID INT,
3     Name VARCHAR(50),
4     Class INT,
5     Marks INT
6 );
7
8 INSERT INTO STUDENT (Student_ID, Name, Class, Marks)
9 VALUES
10 (1, 'Navya', 1, 155),
11 (2, 'Manya', 1, 65),
12 (3, 'Varshitha', 1, 75),
13 (4, 'Spoorthi', 2, 80),
14 (5, 'Tanisha', 2, 70),
15 (6, 'Neha', 2, 65),
16 (7, 'Anu', 3, 95),
17 (8, 'Divya', 3, 155);
18
19 SELECT *
20 FROM STUDENT;
21
22 SELECT
23     Class,
24     COUNT(*) AS Total_Students,
25     AVG(Marks) AS Average_Marks
26 FROM STUDENT
27 GROUP BY Class;
28
29
```

OUTPUT

Output:

Student_ID	Name	Class	Marks
1	Navya	1	155
2	Manya	1	65
3	Varshitha	1	75
4	Spoorthi	2	80
5	Tanisha	2	70
6	Neha	2	65
7	Anu	3	95
8	Divya	3	155

Class	Total_Students	Average_Marks
1	3	98
2	3	71
3	2	125

HAVING CLAUSE

```
queries.sql × +
1 CREATE TABLE STUDENT (
2     Student_ID INT,
3     Name VARCHAR(50),
4     Class INT,
5     Marks INT
6 );
7
8 INSERT INTO STUDENT (Student_ID, Name, Class, Marks) VALUES
9 (1, 'Navya', 1, 155),
10 (2, 'Manyu', 1, 65),
11 (3, 'Varshitha', 1, 75),
12 (4, 'Spoorthi', 2, 80),
13 (5, 'Tanisha', 2, 70),
14 (6, 'Neha', 2, 65),
15 (7, 'Anu', 3, 95),
16 (8, 'Divya', 3, 155);
17
18 SELECT * FROM STUDENT;
19
20 SELECT Class, COUNT(*) AS Total_Students, AVG(Marks) AS Average_Marks
21 FROM STUDENT
22 GROUP BY Class
23 HAVING COUNT(*) > 2;
24
```

OUTPUT

Output:

Student_ID	Name	Class	Marks
1	Navya	1	155
2	Manya	1	65
3	Varshitha	1	75
4	Spoorthi	2	80
5	Tanisha	2	70
6	Neha	2	65
7	Anu	3	95
8	Divya	3	155

Class	Total_Students	Average_Marks
1	3	98
2	3	71

ORDER BY

```
queries.sql x +
1
2 CREATE TABLE STUDENT (
3     Student_ID INT,
4     Name VARCHAR(50),
5     Class INT,
6     Marks INT
7 );
8
9
10 INSERT INTO STUDENT (Student_ID, Name, Class, Marks) VALUES
11 (1, 'Navya', 1, 155),
12 (2, 'Manya', 1, 65),
13 (3, 'Varshitha', 1, 75),
14 (4, 'Spoorthi', 2, 80),
15 (5, 'Tanisha', 2, 70),
16 (6, 'Neha', 2, 65),
17 (7, 'Anu', 3, 95),
18 (8, 'Divya', 3, 155);
19
20
21 SELECT * FROM STUDENT;
22
23 SELECT *
24     FROM STUDENT
25     ORDER BY Name ASC;
26
27
```

OUTPUT

Output:

Student_ID	Name	Class	Marks
1	Navya	1	155
2	Manya	1	65
3	Varshitha	1	75
4	Spoorthi	2	80
5	Tanisha	2	70
6	Neha	2	65
7	Anu	3	95
8	Divya	3	155
Student_ID	Name	Class	Marks
7	Anu	3	95
8	Divya	3	155
2	Manya	1	65
1	Navya	1	155
6	Neha	2	65
4	Spoorthi	2	80
5	Tanisha	2	70
3	Varshitha	1	75