

# SWIFT SHIP TRACKER

## User Story:

The SwiftShip Tracker is designed to provide a centralized Salesforce-based parcel management solution that enables customers to book parcels, track delivery status, and manage shipments through an intuitive interface and conversational AI support. The system manages Parcel, Delivery, Sender, and Receiver information using Salesforce custom objects and relationships. Flows automate parcel operations and notifications, while AgentForce AI and Prompt Builder enable customers to retrieve parcel information and interact with the system conversationally. Delivery agents can update parcel status in real time, while Experience Cloud, security controls, reports, and dashboards provide secure customer access and operational visibility.

## 1. INTRODUCTION

### 1.1 Project Overview :

The SwiftShip Tracker is a Salesforce CRM solution developed to simplify parcel booking, shipment tracking, and delivery management. It supports the complete parcel lifecycle from booking and dispatch through tracking and delivery confirmation. Customers can access shipment information, while delivery agents can update parcel details and delivery status.

### 1.2 Purpose :

The purpose of SwiftShip Tracker is to:

- Centralize parcel and delivery information.
- Simplify parcel booking and tracking.
- Provide real-time shipment visibility.
- Automate delivery updates and customer notifications.
- Enable conversational parcel tracking using AgentForce AI and Prompt Builder.


- Improve agent efficiency through Salesforce Flows and dashboards.
- Provide secure, role-based access to customers, agents, support staff, and administrators.

## 2. IDEATION PHASE

### 2.1 Problem Statement

| PS   | I am<br>(Customer)   | I'm trying<br>to        | But                                                                         | Because                                                          | Which<br>makes me<br>feel |
|------|----------------------|-------------------------|-----------------------------------------------------------------------------|------------------------------------------------------------------|---------------------------|
| PS-1 | Customer /<br>Sender | book a<br>parcel easily | booking<br>requires<br>support<br>assistance or<br>multiple<br>applications | parcel<br>operations<br>are not<br>centralized                   | frustrated                |
| PS-2 | Customer /<br>Sender | track my<br>parcel      | I do not<br>have a<br>simple real-<br>time<br>tracking<br>experience        | shipment<br>information<br>is difficult to<br>access             | confused                  |
| PS-3 | Delivery Agent       | update<br>parcel status | status<br>updates<br>require<br>manual<br>handling                          | there is a<br>need for<br>centralized<br>operational<br>tracking | concerned                 |

|      |          |                           |                                                               |                                              |           |
|------|----------|---------------------------|---------------------------------------------------------------|----------------------------------------------|-----------|
| PS-4 | Customer | receive delivery updates  | notifications may not be available at every delivery stage    | communication needs to be automated          | uncertain |
| PS-5 | Admin    | monitor parcel operations | parcel flow and delivery performance are difficult to monitor | operational data needs centralized reporting | concerned |




## 2.2 Empathy Map Canvas

**User Persona:** Customer / Sender

- **Think & Feel:** Wants a simple way to book and track parcels without repeatedly contacting support.
- **Hear:** Receives delivery information and status updates from the parcel service.
- **See:** Parcel details, tracking status, estimated delivery date, and delivery

information.

- **Say & Do:** Books parcels, checks tracking information, and asks for delivery updates.
- **Pain:** Delays, confusion, lack of easy tracking, and dependence on support or multiple apps.
- **Gain:** Real-time visibility, self-service tracking, convenient booking, and timely notifications.



## 3.REQUIREMENT ANALYSIS PHASE

### 3.1 Customer Journey Map

Stages:

- Parcel Booking
- Parcel Record Creation

- Dispatch & Shipment
- In-Transit Tracking
- Out for Delivery
- Delivery Confirmation
- Customer Notification
- Feedback / Support



## 3.2 Solution Requirements

### Functional Requirements

| FR No | Requirement                        |
|-------|------------------------------------|
| FR-1  | Parcel booking and record creation |
| FR-2  | Parcel status tracking             |
| FR-3  | Weight management                  |

|       |                                          |
|-------|------------------------------------------|
| FR-4  | Estimated delivery date management       |
| FR-5  | Sender information management            |
| FR-6  | Receiver information management          |
| FR-7  | Delivery and current-location tracking   |
| FR-8  | Agent parcel status updates              |
| FR-9  | Automated customer notifications         |
| FR-10 | AI-powered parcel tracking               |
| FR-11 | Reports and dashboards                   |
| FR-12 | Customer access through Experience Cloud |

### Non-Functional Requirements

| NFR          | Description                                        |
|--------------|----------------------------------------------------|
| Usability    | Intuitive Salesforce and customer-facing interface |
| Security     | Role-based and field-level access control          |
| Reliability  | Accurate parcel status and delivery information    |
| Performance  | Timely Flow and AgentForce responses               |
| Availability | Salesforce cloud-based access                      |
| Scalability  | Supports growing parcel and delivery operations    |

|                 |                                                           |
|-----------------|-----------------------------------------------------------|
| Data Integrity  | Controlled access and relationship-based parcel data      |
| Maintainability | Flows, prompts, topics, and configurations can be updated |

### 3.3 Data Flow Diagram

Flow:

Customer / Sender



Parcel Booking



Parcel Record



Sender + Receiver Information



Delivery Record



Parcel Status Update



Current Location & Estimated Delivery



Automated Notifications



Customer Tracking / AgentForce AI



Reports & Dashboards

### **AI Tracking Flow**

Customer Query



AgentForce AI



Prompt Builder – Retrieve Parcel Details



Parcel Record




Status / Weight / Estimated Delivery



Conversational Response

The Prompt Builder implementation retrieves Parcel ID, Status, Weight, and Estimated Delivery Date information for tracking responses.



### 3.4 Technology Stack

| Layer          | Technology                                                   |
|----------------|--------------------------------------------------------------|
| Platform       | Salesforce Developer Edition                                 |
| UI             | Lightning App Page, Lightning Record Pages, Experience Cloud |
| Database       | Salesforce Custom & Standard Objects                         |
| Business Logic | Salesforce Flows, Apex Classes                               |
| Automation     | Record-Triggered Flows, Auto-Launched Flows, Scheduled Flows |


|               |                                                                                |
|---------------|--------------------------------------------------------------------------------|
| AI            | AgentForce AI, Prompt Builder                                                  |
| Notifications | Email Alerts & Email Templates                                                 |
| Processing    | Batch Apex                                                                     |
| Security      | Profiles, Permission Sets, Role Hierarchy, Field-Level Security, Sharing Rules |
| Reporting     | Reports & Dashboards                                                           |

## 4. PROJECT DESIGN PHASE

### 4.1 Problem–Solution Fit

| Problem                        | Solution                                    | Benefit               |
|--------------------------------|---------------------------------------------|-----------------------|
| Parcel booking is difficult    | Salesforce Parcel management                | Centralized booking   |
| Tracking requires support      | AgentForce AI + Prompt Builder              | Self-service tracking |
| Manual status updates          | Salesforce Flows                            | Automated processes   |
| Problem                        | Solution                                    | Benefit               |
| Delivery communication gaps    | Email Alerts                                | Timely notifications  |
| Scattered shipment information | Parcel, Delivery, Sender & Receiver objects | Structured data       |

|                                       |                                   |                   |
|---------------------------------------|-----------------------------------|-------------------|
| Difficult operational monitoring      | Reports & Dashboards              | Better visibility |
| Different users need different access | Profiles, Roles & Permission Sets | Secure access     |



## 4.2 Proposed Solution

### Functional Requirements

| Parameter | Description                                           |
|-----------|-------------------------------------------------------|
| Problem   | Difficult and inefficient parcel booking and tracking |

|                |                                                                                                             |
|----------------|-------------------------------------------------------------------------------------------------------------|
| Solution       | Salesforce-based Parcel Management System                                                                   |
| Innovation     | AgentForce AI + Prompt Builder for conversational self-service tracking and automated Salesforce Flows      |
| Impact         | Centralized booking, real-time tracking visibility, timely notifications, and efficient delivery management |
| Business Model | Parcel, customer, delivery-agent, support, and administrator operations                                     |
| Scalability    | Supports growing parcel operations, Experience Cloud, and integration with external logistics systems       |

### 4.3 Solution Architecture

#### SYSTEM ARCHITECTURE

Users

Customer | Delivery Agent | Support Staff | Admin



User Interface

Salesforce Lightning | Experience Cloud



SwiftShip Tracker – Salesforce Platform

Data Layer

- Parcel
- Delivery
- Sender
- Receiver

Automation Layer

- Flows
- Approval Processes
- Apex Classes

- Batch Apex
- Email Alerts

## AI Layer

- Agentforce AI
- Prompt Builder
- Parcel Tracking Agent

## Security Layer


- Profiles
- Roles
- Permission Sets
- Sharing Rules
- Field-Level Security



## Reports & Dashboards



## Parcel Tracking & Operational Insights



## 5. PROJECT PLANNING & SCHEDULING

## 5.1 Project Planning

The SwiftShip Tracker project follows the Agile methodology. The project is divided into multiple sprints, with each sprint focusing on a specific functional requirement. User stories are assigned story points based on complexity and priority.

### Product Backlog and Sprint Schedule

| Sprint   | Functional Requirement (Epic) | User Story | Task                                                                    | Story Points | Priority | Team Member |
|----------|-------------------------------|------------|-------------------------------------------------------------------------|--------------|----------|-------------|
| Sprint 1 | Developer Setup               | USN-1      | Configure Salesforce environment for SwiftShip Tracker                  | 3            | High     | Member 1    |
| Sprint 2 | Data Modeling                 | USN-2      | Create Parcel, Delivery, Sender, and Receiver objects and relationships | 5            | High     | Member 2    |
| Sprint 2 | Data Modeling                 | USN-3      | Create tabs and Lightning App for SwiftShip modules                     | 5            | High     | Member 3    |
| Sprint 3 | Automation                    | USN-4      | Validate parcel details and mandatory booking fields                    | 3            | High     | Member 4    |
| Sprint 3 | Automation                    | USN-5      | Create Flows for parcel status and delivery updates                     | 3            | High     | Member 4    |
| Sprint 4 | Apex                          | USN-6      | Implement Apex Classes for parcel and delivery operations               | 5            | High     | Member 1    |
| Sprint 4 | Apex                          | USN-7      | Implement Batch Apex for automated record updates                       | 5            | High     | Member 2    |
| Sprint 5 | Reports                       | USN-8      | Create reports for parcel status and delivery performance               | 4            | High     | Member 3    |
| Sprint 6 | Dashboards & AI               | USN-9      | Create dashboards and integrate Agentforce for AI parcel tracking       | 4            | Medium   | Member 4    |

## Agile Execution

- Epics → User Stories → Tasks
- Sprint-based development and execution
- Story points used for effort estimation
- Sprint progress tracked using velocity and burndown charts
- Testing and validation performed at the end of each sprint

## Project Tracker

The project tracker is used to monitor planned tasks, completed tasks, story points, sprint progress, and overall project completion.

## Velocity

Velocity represents the number of story points completed in each sprint and helps the team estimate the workload for upcoming sprints.

## Burndown Chart

The burndown chart shows the remaining work against time and helps track whether the project is progressing according to the sprint plan.

(4 Marks)

## **6. Project Development Phase:**

### **Phase 1: Requirement Analysis & Planning**

**Objective:**

| Sprint   | Total Story Points | Duration | Sprint Start Date | Sprint End Date (Planned) | Story Points Completed (as on Planned End Date) | Sprint Release Date (Actual) |
|----------|--------------------|----------|-------------------|---------------------------|-------------------------------------------------|------------------------------|
| Sprint-1 | 20                 | 6 Days   | 24 Oct 2022       | 29 Oct 2022               | 20                                              | 29 Oct 2022                  |
| Sprint-2 | 20                 | 6 Days   | 31 Oct 2022       | 05 Nov 2022               |                                                 |                              |
| Sprint-3 | 20                 | 6 Days   | 07 Nov 2022       | 12 Nov 2022               |                                                 |                              |
| Sprint-4 | 20                 | 6 Days   | 14 Nov 2022       | 19 Nov 2022               |                                                 |                              |
| Sprint-5 | 20                 | 6 Days   | 21 Nov 2022       | 26 Nov 2022               |                                                 |                              |
| Sprint-6 | 20                 | 6 Days   | 28 Nov 2022       | 03 Dec 2022               |                                                 |                              |
|          |                    |          |                   |                           |                                                 |                              |
|          |                    |          |                   |                           |                                                 |                              |

“Customers often face delays and confusion while booking, tracking, and managing parcel deliveries because they need to call support or use multiple apps. A conversational AI agent can simplify this by allowing customers to book parcels, get live tracking, and manage deliveries in one place.” Key Requirements:

- Requirement gathering from end users and delivery agents.
- Defining system scope and user personas (Customer, Agent, Admin).
- Designing the data model with relationships between Parcel, Sender, Receiver, and Delivery.
- Identifying use cases such as parcel booking, tracking, and delivery update automation.
- Selecting tools: Salesforce Flows, Prompt Builder, and AgentForce AI.

## Defining Project Scope & Objectives

Project Scope:

Build a Salesforce CRM solution for parcel delivery businesses to manage the complete parcel lifecycle—from booking and dispatch to tracking and delivery confirmation.

The project uses Salesforce Flows, Apex, Email Alerts, AI Prompt Builder, Reports, and Dashboards to automate operations, improve real-time tracking, and provide better

customer service. Role-based access and Experience Cloud ensure secure access for admins, delivery agents, and customers.

Key focus: Automation, real-time tracking, AI support, operational efficiency, reporting, and secure data management.

## **Gathering & Analysing User Needs**

### **Users Involved**

- **Customers:** Book and track parcels and receive updates.
- **Delivery Agents:** Manage parcels and update delivery status.
- **Customer Support:** Handle customer queries and delivery issues.
- **Admin:** Manage users, security, and system performance.
- **Developer:** Implement automation, AI, and integrations.

### **Key Functional Needs**

- Parcel booking and real-time tracking.
- Delivery status updates: Booked → In Transit → Out for Delivery → Delivered.
- Automated email notifications.
- Sender and receiver details management.
- AI Agent for parcel tracking and customer queries.
- Reports and dashboards for monitoring operations.
- Role-based security using Profiles and Permission Sets.

### **Tools Used**

- Salesforce Developer Org
- Prompt Builder / Agentforce AI
- Salesforce Flow Builder
- **Google Sheets / Docs**

## **Identifying Key Salesforce Features & Tools Required**

Salesforce Features Planned:

- Custom Objects:

Parcel\_\_c, Delivery\_\_c, Sender\_\_c, Receiver\_\_c

- Standard Objects:

Account, Contact, Case, Task, EmailMessage,

User

- Automations:

Record-Triggered Flows, Auto-Launched Flows, Approval Processes, Scheduled Flows

- Apex: Apex Classes for automated parcel operations (e.g., Lead-to-Parcel mapping, delivery notifications), Batch Apex for periodic updates or notifications
- UI: Lightning App Page (SwiftShip Tracker App), Dynamic Forms for Parcel Details, Lightning

Record Pages, and Experience Cloud for Customer Access

- AgentForce AI & Prompt Builder: Integrated AI agent trained to fetch parcel data based on Parcel

ID and respond to tracking or delivery status queries

- Email Services: Custom Email Alerts and Templates for booking confirmations, delivery updates, and completion acknowledgments
- Security: Profiles, Permission Sets, Role Hierarchies, Field-Level Security, and Sharing Rules to ensure controlled access for Admin, Agent, and Customer roles

## Designing Data Model and Security Model

### Data Model :

- **Parcel:** Stores Parcel ID, status, weight, and delivery date.
- **Delivery:** Tracks delivery location, status, and parcel details.
- **Sender:** Stores sender address, contact, and email.
- **Receiver:** Stores receiver address, contact, and email.
- Objects are connected through **relationships** to support end-to-end parcel tracking.

### Security Model:

- **Role Hierarchy:** Admin → Delivery Manager → Agent → Customer.

- **Profiles:** Provide appropriate access for Admin, Agents, Customers, and Support Staff.
- **Permission Sets:** Provide additional permissions such as updating delivery status.
- **Sharing Rules:** Control access to Parcel and Delivery records.
- **Field-Level Security:** Protects sensitive contact and location information.

## **Phase 2: Salesforce Development –Backend & Configurations**

This phase focused on developing the core logic of SwiftShip Tracker. Custom objects were created for Parcel, Sender, Receiver, and Delivery with relationships. Automations were built using Flows for parcel status updates and approval processes.

### **Milestone 1- Salesforce Account**

What is Salesforce?

Salesforce is a cloud-based Customer Relationship Management (CRM) platform that helps businesses manage customers, sales, service, marketing, and business data in one place.

It helps organizations:

- Manage customer information
- Track sales and service activities
- Automate business processes
- Analyze data using reports and dashboards
- Connect with customers through digital platforms and AI

### **Creating Developer Account**

Creating a developer org in salesforce.

1. Go to <https://developer.salesforce.com/signup>
2. On the sign-up form, enter the following details:

← → ↻ salesforce.com/form/developer-signup/?d=pb



## Build enterprise-quality apps fast and get hands-on with Agentforce and Data Cloud.

Sign up for your Developer Edition.

- ✓ Build apps fast with drag-and-drop tools
- ✓ Go further with Apex code
- ✓ Build AI agents with Agentforce
- ✓ Harmonize your data with Data Cloud
- ✓ Ground Agentforce with structured and unstructured data
- ✓ Integrate with anything using APIs



### Sign up for your Developer Edition

A free Salesforce Platform environment with Agentforce and Data Cloud.

|                                              |                                                         |
|----------------------------------------------|---------------------------------------------------------|
| First name                                   | Last name                                               |
| <input type="text" value="Annapurna"/>       | <input type="text" value="Gunam"/>                      |
| Job title                                    | Work email                                              |
| <input type="text" value="Student"/>         | <input type="text" value="annapurnabethi.A@gmail.com"/> |
| Company                                      | Country/Region                                          |
| <input type="text" value="The SmartBridge"/> | <input type="text" value="India"/>                      |

Your org may be provisioned on or migrated to Hyperforce, Salesforce's public cloud infrastructure.

☐ I agree to the [Master Services Agreement - Developer Services](#) and [Salesforce Program Agreement](#). I acknowledge, as described in the [Developer Documentation](#): (1) the Developer Edition includes autonomous and other generative AI features, and (2) Salesforce may limit use of those features and the org, and may terminate any org that has been inactive for 180 days.

We value your privacy. To learn more, visit our [Privacy Statement](#).


☐ I'm not a robot 

[Sign Me Up](#)

- 1) First name & Last name
- 2) Email
- 3) Job Title: Developer
- 4) Company: College Name
- 5) Country: India

Click on sign me up after filling these.


1. Go to the inbox of the email that you used while signing up. Click on the verify account to activate your account. The email may take 10-30mins and sometimes 2 hours.



2. Click on Verify Account
3. Give a password and answer a security question and click on change password.

A screenshot of a 'Change Your Password' form. The form is titled 'Change Your Password' and asks to 'Enter a new password for lead@sb.com'. It lists requirements: 8 characters, 1 letter, and 1 number, all marked with green checkmarks. The form contains four input fields: 'New Password', 'Confirm New Password', 'Security Question' (a dropdown menu showing 'In what city were you born?'), and 'Answer' (containing 'asdfghjkl'). A blue 'Change Password' button is at the bottom. A red rectangle highlights the four input fields and the button.

4. Then you will redirect to your salesforce setup page.



## Milestone 2- Objects Creation

Creating the Parcel Custom Object:

The Parcel custom object was created in Salesforce to store and manage parcel-related information.

Steps:

1. Go to Setup → Object Manager.
2. Click Create → Custom Object.
3. Enter the Label as Parcel.
4. Enter the Plural Label as Parcels.
5. Set the Record Name as Parcel Name.
6. Select the Data Type as Text.
7. Enable Allow Reports.
8. Enable Allow Search.
9. Enable Allow Track Field History.
10. Click Save and New to create the object.
11. Follow the same steps from 1 – 10 to create (Delivery, Sender, Receiver).

Welcome to xLightning Ex xObject Mana xSalesforce\_D xSwift Ship Tr xSkillWallet xSwiftShip Tr x+Ask Gemini

orgfarm-e261cd6165-dev-ed.develop.my.salesforce-setup.com/lightning/setup/ObjectManager/home

Continue where you left off: Chrome can restore your tabs every time you restart. To turn this on, go to [Settings](#).

Developer Edition

Search Setup

SetupHomeObject Manager

SETUP

Object Manager

1 Items, Sorted by Label

Search: parcSchema BuilderCreate

| LABEL  | API NAME  | TYPE          | DESCRIPTION | LAST MODIFIED | DEPLOYED |
|--------|-----------|---------------|-------------|---------------|----------|
| Parcel | Parcel__c | Custom Object |             | 9/30/2026     | ✓        |

orgfarm-e261cd6165-dev-ed.develop.my.salesforce-setup.com/lightning/setup/ObjectManager/home

Continue where you left off: Chrome can restore your tabs every time you restart. To turn this on, go to [Settings](#).

Developer Edition

Search Setup

SetupHomeObject Manager

SETUP

Object Manager

5 Items, Sorted by Label

Search: deliverySchema BuilderCreate

| LABEL                                 | API NAME                   | TYPE            | DESCRIPTION | LAST MODIFIED | DEPLOYED |
|---------------------------------------|----------------------------|-----------------|-------------|---------------|----------|
| Cart Delivery Group                   | CartDeliveryGroup          | Standard Object |             |               |          |
| Cart Delivery Group Method            | CartDeliveryGroupMethod    | Standard Object |             |               |          |
| Cart Delivery Group Method Adjustment | CartDeliveryGroupMethodAdj | Standard Object |             |               |          |
| Delivery                              | Delivery__c                | Custom Object   |             | 9/30/2026     | ✓        |
| Delivery Estimation Setup             | DeliveryEstimationSetup    | Standard Object |             |               |          |

Welcome to x Lightning Ex x Object Mana x Salesforce\_C x Swift Ship Tr x SkillWallet x SwiftShip Tr x + Ask Gemini

orgfarm-e261cd6165-dev-ed.develop.my.salesforce-setup.com/lightning/setup/ObjectManager/home

Continue where you left off: Chrome can restore your tabs every time you restart. To turn this on, go to [Settings](#).

Developer Edition

Search Setup

Setup Home Object Manager

SETUP

Object Manager

1 Items, Sorted by Label

sender Schema Builder Create

| LABEL  | API NAME  | TYPE          | DESCRIPTION | LAST MODIFIED | DEPLOYED |
|--------|-----------|---------------|-------------|---------------|----------|
| Sender | Sender__c | Custom Object |             | 9/30/2026     | ✓        |

Welcome to x Lightning Ex x Object Mana x Salesforce\_C x Swift Ship Tr x SkillWallet x SwiftShip Tr x + Ask Gemini

orgfarm-e261cd6165-dev-ed.develop.my.salesforce-setup.com/lightning/setup/ObjectManager/home

Continue where you left off: Chrome can restore your tabs every time you restart. To turn this on, go to [Settings](#).

Developer Edition

Search Setup

Setup Home Object Manager

SETUP

Object Manager

1 Items, Sorted by Label

receiver Schema Builder Create

| LABEL    | API NAME    | TYPE          | DESCRIPTION | LAST MODIFIED | DEPLOYED |
|----------|-------------|---------------|-------------|---------------|----------|
| Receiver | Receiver__c | Custom Object |             | 9/30/2026     | ✓        |


## Milestone 3 - Tabs

### Creating Tabs for Custom Objects

Tabs were created for the Parcel, Delivery, Sender, and Receiver objects to provide easy access to these objects in Salesforce.

Steps:

1. Go to Setup → Tabs using the Quick Find box.
2. Click New under Custom Object Tabs.
3. Select the required object (Parcel, Delivery, Sender, or Receiver).
4. Select a suitable Tab Style.
5. Click Next and keep the profile settings as default.
6. Click Next and uncheck Include Tab under Custom Apps.
7. Make sure Append tab to the user's existing personal customizations is selected.
8. Click Save.
9. Repeat the same steps for the Delivery, Sender, and Receiver objects.



## Milestone 4- Fields & Relationships

Create fields and Relationships for the custom objects created in the previous milestone.

### Creating Fields and Relationships for Parcel Object

Beside the Quick Find box you have, Object Manager click on it.

1. Search for and select your Parcel object.

## Field 1: Parcel ID

- Go to Fields & Relationships → click New

Enter:

- Data type== auto number→P-{000}
- Click Next → Next → Save & New.

3. Follow step 1 and 2 to create the remaining fields(Status, Weight, Estimated Delivery, Sender) of the Parcel object mentioned in the table below.)

The screenshot shows the Salesforce Setup interface for the 'Parcel' object. The left sidebar contains a navigation menu with options: Details, Fields & Relationships (selected), Page Layouts, Lightning Record Pages, Buttons, Links, and Actions, Compact Layouts, Field Sets, and Object Limits. The main content area is titled 'Fields & Relationships' and shows a list of 9 items, sorted by Field Label. The list includes fields like 'Last Modified By', 'Owner', 'Parcel ID', 'Parcel Name', and 'Sender'. Each row shows the field name, its API name, data type, and a dropdown menu for field options.

| Field Name       | API Name         | Data Type          | Field Options |
|------------------|------------------|--------------------|---------------|
| Last Modified By | LastModifiedById | Lookup(User)       |               |
| Owner            | OwnerId          | Lookup(User,Group) | ✓             |
| Parcel ID        | Parcel_ID__c     | Auto Number        |               |
| Parcel Name      | Name             | Text(80)           | ✓             |
| Sender           | Sender__c        | Lookup(Sender)     | ✓             |

## 1. Parcel Object

- **API Name:** Parcel\_\_c
- **Purpose:** Store parcel information

| Field Name         | API Name                   | Data Type           | Description                                       |
|--------------------|----------------------------|---------------------|---------------------------------------------------|
| Parcel ID          | Parcel_ID__c               | Auto number         | Unique ID for each parcel                         |
| Status             | Status__c                  | Picklist            | [Booked, In Transit, Out for Delivery, Delivered] |
| Weight             | Weight__c                  | Number              | Weight of Parcel                                  |
| Estimated Delivery | Estimated_Delivery_Date__c | Date                | Expected Delivery Date                            |
| Sender             | Sender__c                  | Lookup Relationship | Gets Details from Sender                          |

## Creating Fields And Relationships For Delivery Object

Beside the Quick Find box you have, Object Manager click on it.

1. Search for and select your Delivery object.

Field 1: Current Location

- Go to Fields & Relationships → click New
- Choose Data Type: Geolocation → click Next.

Field Label: Current Location

2. Follow step 1 and 2 to create the remaining fields(Estimated Delivery, Sender, Parcel) of the Delivery object mentioned in the table below. Click Next → Next → Save & New.

orgfarm-e261cd6165-dev-ed.develop.my.salesforce-setup.com/lightning/setup/ObjectManager/011aj00000FTtOf/FieldsAndRelationships/view

Continue where you left off: Chrome can restore your tabs every time you restart. To turn this on, go to [Settings](#).

Developer Edition

Setup Home Object Manager

SETUP > OBJECT MANAGER  
**Delivery**

Details

**Fields & Relationships**  
8 Items, Sorted by Field Label

Quick Find New Deleted Fields Field Dependencies Set History Tracking

| FIELD LABEL        | FIELD NAME            | DATA TYPE          | CONTROLLING FIELD | INDEXED |
|--------------------|-----------------------|--------------------|-------------------|---------|
| Created By         | CreatedById           | Lookup(User)       |                   |         |
| Current Location   | Current_Location__c   | Geolocation        |                   |         |
| Delivery Name      | Name                  | Text(80)           |                   | ✓       |
| Estimated Delivery | Estimated_Delivery__c | Date               |                   |         |
| Last Modified By   | LastModifiedById      | Lookup(User)       |                   |         |
| Owner              | OwnerId               | Lookup(User.Group) |                   | ✓       |
| Parcel             | Parcel__c             | Lookup(Parcel)     |                   | ✓       |
| Sender             | Sender__c             | Lookup(Sender)     |                   | ✓       |

| Field Name         | API Name                   | Data Type           | Description                                  |
|--------------------|----------------------------|---------------------|----------------------------------------------|
| Current Location   | Current_Location__c        | Geolocation         | Location in terms of longitude and latitude. |
| Estimated Delivery | Estimated_Delivery_Date__c | Date                | Expected Delivery Date                       |
| Sender             | Sender__c                  | Lookup Relationship | Gets Details from Sender                     |
| Parcel             | Parcel__c                  | Lookup Relationship | Gets Details from Parcel                     |

## Creating Fields And Relationships For Sender Object


Beside the Quick Find box you have, Object Manager click on it.

1. Search for and select your Sender object. Field

2: Sender Address

- Go to Fields & Relationships → click New
  - Choose Data Type: Geolocation → click Next.
  - Field Label: Sender Address
  - Click Next → Next → Save & New.
  
- 3. Follow step 1 and 2 to create the remaining fields (Sender Contact, Sender Email) of the Sender object mentioned in the table below.

| Field Name     | API Name         | Data Type   | Description                                  |
|----------------|------------------|-------------|----------------------------------------------|
| Sender Address | Sender_Adress__c | Geolocation | Location in terms of longitude and latitude. |
| Sender Contact | Sende_Contact__c | Phone       | To contact the sender                        |
| Sender Email   | Sender_Email__c  | Email       | To send email Notification.                  |



## Creating Fields And Relationships For Receiver Object

Beside the Quick Find box you have, Object Manager click on it.

1. Search for and select your Receiver object.

Field 1: Receiver Address

- Go to Fields & Relationships → click New
- Choose Data Type: Geolocation → click Next.  
Field Label: Receiver's Address  
Click Next → Next → Save & New.
- 3. Follow step 1 and 2 to create the remaining fields (Receiver Contact, Receiver Email, Sender, Parcel) of the Receiver object mentioned in the table below.

| Field Name       | API Name            | Data Type           | Description                                  |
|------------------|---------------------|---------------------|----------------------------------------------|
| Receiver Address | Receiver_Adress__c  | Geolocation         | Location in terms of longitude and latitude. |
| Receiver Contact | Receiver_Contact__c | Phone               | To contact the Receiver                      |
| Receiver Email   | Receiver_Email__c   | Email               | To send email Notification.                  |
| Sender           | Sender__c           | Lookup Relationship | Gets Details from Sender                     |
| Parcel           | Parcel__c           | Lookup Relationship | Gets Details from Parcel                     |

Welcome to x | Lightning Ex x | Receiver | Sai x | Salesforce\_C x | Swift Ship Tr x | SkillWallet x | SwiftShip Tr x | +
Ask Gemini | — | □ | ×

orgfarm-e261cd6165-dev-ed.develop.my.salesforce-setup.com/lightning/setup/ObjectManager/011aj00000FTtgP/FieldsAndRelationships/view

Continue where you left off: Chrome can restore your tabs every time you restart. To turn this on, go to [Settings](#).

Developer Edition

Search Setup

Setup Home Object Manager

SETUP > OBJECT MANAGER  
**Receiver**

Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits

**Fields & Relationships**  
9 Items, Sorted by Field Label

Quick Find

New Deleted Fields Field Dependencies Set History Tracking

|                    |                       |                |   |
|--------------------|-----------------------|----------------|---|
| Receiver Contact   | Receiver_Contact__c   | Phone          |   |
| Receiver Email     | Receiver_Email__c     | Email          |   |
| Receiver Name      | Name                  | Text(80)       | ✓ |
| Receiver's Address | Receiver_s_Address__c | Geolocation    |   |
| Sender             | Sender__c             | Lookup(Sender) | ✓ |

## Milestone 5 - Prompt Builder

### Designing Prompts for Agent Building.

In Salesforce, go to Setup.

1. In the Quick Find box, type Prompt Templates (or in Agent Console, go to Agent Builder → Prompt Templates).
2. Click New Prompt Template.-- Record summary template
3. Enter the details

- Label: Retrieve Parcel Details
- API Name: Retrieve\_Parcel\_Details
- Description: Retrieves parcel details where Parcel\_ID matches the user input.

#### 4. Enter the Prompt Template Content

In the Prompt Template Text area, paste the following exactly:

Retrieve details from Parcel\_\_c where Parcel\_ID\_\_c matches user input. Return response in this format:

Parcel Tracking Update

🔍 Parcel Tracking Update

- Parcel Name:{{\$Input:Parcel\_\_c.Name}}
- Parcel ID:{{\$Input:Parcel\_\_c.Parcel\_ID\_\_c}}
- Status:{{\$Input:Parcel\_\_c.Status\_\_c}}
- Weight:{{\$Input:Parcel\_\_c.Weight\_\_c}}
- Estimated Delivery Date:{{\$Input:Parcel\_\_c.Estimated\_Delivery\_Date\_\_c}}

#### 5.Add Resource Mapping

#### 7.Scroll down to the Resources / Insert Resources section.



- Click Insert Resource → choose Object.
- Select Parcel\_\_c.
- Add the following fields:
- Name
- Parcel\_ID\_\_c

- Status\_\_c
  - Weight\_\_c
  - Estimated\_Delivery\_Date\_\_c
- Click Insert Resource (or Add) for each one.
  - Click Save.
  - Then click Activate to make this Prompt Template available for your agent or flow.

## Testing the Prompt

Test the Prompt:

- Open your Agent preview.
- Type: "Track parcel P-12345".
- It should return details from the Parcel record.





## Milestone 6 - Flows

### Creating a Flow for Parcel Details

An Auto-Launched Flow was created to retrieve parcel information and generate a response for the AI Agent.

Steps:

1. Go to Setup → Flows → New Flow.
2. Select Auto-Launched Flow (No Trigger) and click Create.
3. Create the input variable Ids with Data Type Text and enable Available for Input.
4. Create the output variable Output with Data Type Text and enable Available for Output.
5. Add a Get Records element:
  - Label: Get Parcel Records
  - Object: Parcel
  - Field: Parcel\_ID\_\_c
  - Operator: Equals
  - Value: Ids
6. Add an Action element and select Retrieve Parcel Details.
7. Set the label as Parcel Updates and provide the Parcel record obtained from Get Parcel Records.
8. Add an Assignment element:
  - Label: Assignment Outputs
  - Variable: Output
  - Operator: Equals
  - Value: Prompt Response from the Action
9. Connect the elements in this order: Start → Get Records → Action → Assignment → End.
10. Save the Flow with the name Parcel Details.
11. Activate the Flow.
12. Open the Flow details, select Edit Access, and assign the required profiles under Flow User Access.
13. Click Save.



## Phase 3: UI/UX Development & Customization

### Milestone 1 – Creating Permission Sets

A Permission Set was created to provide agents with the required access to manage parcel operations securely.


Steps:

1. Go to Setup → Permission Sets.
2. Click New.

3. Enter the following details:
  - Label: Swift Ship
  - API Name: Automatically generated
  - License: Einstein Agent
4. Click Save.
5. Under Apps → Object Settings, click Object Settings.
6. Search and select each required object.
7. Click Edit and enable:
  - Read
  - Create
  - Edit
  - Delete (optional)
8. Under Field Permissions, ensure the required fields are Visible.
9. Click Save after configuring each object.

The permission set was configured for:

- Parcel\_\_c
- Delivery\_\_c
- Sender\_\_c
- Receiver\_\_c



## Milestone - 2 Assigning Permissions to your Agent user

## Assigning Permission Set to Agent User

The SwiftShip permission set was assigned to the Agent User to provide the required access for parcel operations.

Steps:

1. Go to Setup → Users.
2. Click Users under the Users section.
3. Find the Einstein Service Agent user (for example, SwiftShip Agent).
4. Click the user's Full Name to open the user record.
5. Scroll down to Permission Set Assignments.
6. Click Edit Assignments.
7. Under Available Permission Sets, select SwiftShip.
8. Click Add → to move it to Enabled Permission Sets.
9. Click Save.

The screenshot shows the Salesforce Setup interface. The left sidebar contains the navigation menu with 'Users' highlighted. The main content area displays the 'All Users' page. A table of users is shown, with the 'EinsteinServiceAgent User' row highlighted in blue. A red box highlights the 'EinsteinServiceAgent User' row in the table.

| Action                        | Full Name                 | Alias    | Username                                                    | Role              | Active | Profile                          |
|-------------------------------|---------------------------|----------|-------------------------------------------------------------|-------------------|--------|----------------------------------|
| <input type="checkbox"/> Edit | Account Customer          | carco    | customeracco@gmail.com                                      |                   | ✓      | System Administrator             |
| <input type="checkbox"/> Edit | Angelo, Marc              | mange    | maeco@blue.com                                              | Manager           | ✓      | Standard Platform User           |
| <input type="checkbox"/> Edit | Chatter Expert            | Chatter  | chatty.00d9k0000bea3tuar.tho0ekhb33y@chatter.salesforce.com |                   | ✓      | Chatter Free User                |
| <input type="checkbox"/> Edit | EinsteinServiceAgent User | einstein | swift_ship_tracker@00d9k0000bea3t ext                       |                   | ✓      | Einstein Agent User              |
| <input type="checkbox"/> Edit | EPIC Corp Farm            | oLEPIC   | proic.e7cafa1actad@orgfarm.salesforce.com                   |                   | ✓      | System Administrator             |
| <input type="checkbox"/> Edit | T. Sanjana                | sl       | sanju@blue.com                                              | Software Engineer | ✓      | Standard Platform User           |
| <input type="checkbox"/> Edit | Tunk, Sanjana             | san      | sanjanatunk526@agentforce.com                               |                   | ✓      | System Administrator             |
| <input type="checkbox"/> Edit | User Integration          | integ    | integration@00d9k0000bea3tuar.com                           |                   | ✓      | Analytics Cloud Integration User |
| <input type="checkbox"/> Edit | User Security             | sec      | insightssecurity@00d9k0000bea3tuar.com                      |                   | ✓      | Analytics Cloud Security User    |

The screenshot shows the 'Permission Sets' configuration page in Salesforce. At the top, there's a 'SETUP' header with a user icon and the text 'Permission Sets'. Below this, the page title is 'EinsteinServiceAgent User'. A 'Help for this Page' link is visible on the right. The main content area is divided into two sections: 'Available Permission Sets' and 'Enabled Permission Sets'. The 'Available' list includes roles like 'Sales Cloud User', 'Sales Engagement Basic User', 'Salesforce Apex Guru', 'Salesforce CMS Integration Admin', 'Salesforce Console User', 'Salesforce Scheduler Greeter', 'SeaS Indexing C2C User Perm', 'Security Center Integration User', 'Segment Intelligence User', and 'Seller-Focused Sales Mobile Experience'. The 'Enabled' list currently contains 'Agentforce Service Agent Secure Base' and 'Swift Ship'. Between the lists are 'Add' and 'Remove' buttons. 'Save' and 'Cancel' buttons are located at the top and bottom of the configuration area.



## Milestone -3 Org Setup for AgentForce

### Enabling Einstein and Agentforce

Einstein and Agentforce services were enabled to support AI-powered parcel tracking and customer assistance.

Steps:

1. Go to Setup → Einstein Setup.
2. Click Get Started if prompted.
3. Enable the following services:
  - Turn On Einstein
  - Global Languages
  - Deploy Prompt Template
4. Refresh the browser page.
5. Go to Setup → Agentforce Agents.
6. Enable:
  - Agentforce
  - Agentforce Default Agent



## Milestone - 4 Building The Agent

### Creating and Configuring the SwiftShip Tracker Agent

An Agentforce Service Agent named SwiftShip Tracker was created to provide AI-based parcel tracking and assistance.

Steps:


1. Go to Setup → Agentforce Agents.



2. Click + New Agent → Create Agent.
3. Select Agentforce Service Agent.
4. Enter the following details:
  - Label: SwiftShip Tracker
  - Developer Name: Automatically generated
5. Open Agent Builder and go to Topics → Topic Actions.
6. Click New Agent Action.
7. Select Flow as the Action Type and click Next.
8. Select the recently created Parcel Details Flow as the Reference Flow.
9. Configure the Agent Action as required.
10. Under Subagents, click New.
11. Add the following instruction:


“When the user asks for parcel details and provides a Parcel ID, show all the available parcel information.”

12. Click + next to Subagents and select Agent → New Action.
13. From the Asset Library, select Parcel Details.
14. Click Save.

The SwiftShip Tracker Agent is now configured to retrieve and display parcel details using the Parcel ID.







## Milestone - 5 Assigning Permissions to your Agent user

. In the Quick Find box on the left, type Permission set.

1. Click Letter S

2. Find Swift Ship Permission set

3. Click Shift Ship.

4. Click Manage Assignments


5. Click Add assignments

6. Check EinsteinAgentUser

7. Assign and Done

Come Back to the Agent SwiftShip Tracker

8. Click on Commit Version and Activate, then Activate




## Phase 4: Data Migration, Testing & Security

To validate the functionality and reliability of the Parcel Tracking Agent created in Agent Builder. This phase ensures that the agent correctly recognizes topics, triggers the assigned Flow (SwiftShip Tracker ), retrieves or updates parcel data, and performs all intended actions without access or permission issues. The goal is to confirm that the AI-driven agent operates seamlessly within Salesforce and provides accurate, real-time responses to parcel management queries.

### Verify Agent

Go to Setup → Agentforce Agents.

1. Open the Agents list and confirm that your agent  
Name: Parcel Tracking Agent, appears



SETUP > AGENTFORCE STUDIO

### Agentforce Agents

Agentforce ☒ On [+ New Agent](#)

**Try the new Agentforce Builder!**  
The new Agentforce Builder is our AI-first experience for building, testing, and deploying enterprise-grade agents in Agent Script for more consistent behavior.  
[Let's Go](#)

| Agent Name          | Type     | Description                                | Created By | Active | Last Modified |
|---------------------|----------|--------------------------------------------|------------|--------|---------------|
| > SwiftShip Tracker | Employee | An AI assistant for in-org business tasks. | Sanjana T  | ✓      |               |

### Validate Assigned Topic

In Agent Builder → SubAgent, confirm that the SubAgent you created (e.g., *Parcel Tracking* or *SwiftShip Tracker*) is listed.

Open the topic to verify:

- It contains a prompt or description related to parcel management.
- The Action/Flow (SwiftShip Tracker) is linked to this topic.

2. Click Save and ensure the topic is Active.

≡

Developer Edition

←

Agentforce Builder

SwiftShip Tracker

Version 1 (Active) ▾

#

Subagents

←

Subagent Details

⌵ ⌵ ⌵

Subagent Configuration

This Subagent's Actions

You're customizing

# Parcel Details Inquiry

\* Name  
Parcel Details Inquiry

\* API Name  
Parcel\_Details\_Inquiry\_16jff000002sRwX

\* Classification Description ⓘ  
Handles user requests to retrieve parcel details by asking for the parcel ID.

\* Scope ⓘ  
Your job is only to provide parcel details by obtaining the parcel ID from the user and retrieving the relevant information.

Instructions ⓘ

Put your subagents to the test

Start a conversation to preview how your agent builds a plan and executes actions based on user interactions.

≡

Developer Edition

←

Agentforce Builder

SwiftShip Tracker

Version 1 (Active) ▾

#

Subagents

←

Subagent Details

⌵ ⌵ ⌵

Subagent Configuration

This Subagent's Actions

Manage the actions assigned to your subagent. To add or remove actions, your agent must be deactivated.

🔍 Search actions... 🔄

1 items • Sorted by Agent Action Label(asc)

Agent Action Label ↑ ▾

📄

Parcel Details

⌵


Put your subagents to the test

Start a conversation to preview how your agent builds a plan and executes actions based on user interactions.

## Check the Flow Association

Go to Setup → Flows.

1. Locate the Flow named SwiftShip Tracker.
2. Confirm:
  - The Flow is Activated.
  - The Flow includes screens or actions that handle:
    - Parcel ID input
    - Parcel details retrieval
    - Status update or confirmation message
3. Open the Flow's Advanced Settings → ensure Run in System Context (Without Sharing) if data access is restricted.



## Activate and Test the Agent

1. Return to Setup → Agent Builder → Parcel Tracking Agent.
2. Click Activate (if not already activated).
3. Once active, test using Preview / Try it Out mode:  
Type a query such as:  
"Track parcel ID P12345" or  
"Update delivery status for parcel P67890 to Delivered."
4. Observe the agent's response.

Batch test
Deactivate

✓ "sure my parcel ID is P-123" Plan ID: 42103d1fafa5

**User Prompt**

sure my parcel ID is P-123

**Reasoning: Topic Selection** ⌚ 0.22 sec

> Prompt Used

**# Topic Selected: Parcel Details** (*Parcel\_Details*)

Handles user inquiries related to parcel details, including tracking, delivery status, and parcel specifications.

> Instructions 5

> Actions 1

**Reasoning: Action Selection** ⌚ 0.38 sec

> Prompt Used

**Conversation Preview**

hi

Hello! How can I assist you today?

👍 🗑️

can I get my parcel details.

Could you please provide your parcel ID so I can retrieve the details for you?

👍 🗑️

sure my parcel ID is P-123

Here are the details of your parcel. Let me know if you need further assistance!

Parcel Tracking Update

- Parcel Name: Sanjana
- Parcel ID: P-123
- Status: Booked
- Weight: 10

Describe your task or ask a question...

## Validate Data in Salesforce

1. After the agent runs the Flow:
  - Go to App Launcher → Parcels (Parcel\_\_c).

Search for the Parcel ID you used during testing.

Verify:

- The Status or related field is updated.
- Any Flow-created records (bookings, updates) appear correctly.

## PHASE 5: DEPLOYMENT, DOCUMENTATION & MAINTENANCE

The SwiftShip Tracker (Agentforce) project was tested in a Salesforce Developer Org to verify parcel tracking, Flow execution, data retrieval, permissions, and AI agent interactions.

## Maintenance and Troubleshooting

- Monitored Parcel, Customer, and Delivery data.
- Checked Flow execution and Agentforce responses.
- Fixed configuration and automation issues.
- Updated agent topics, prompts, and Flow logic when required.
- Ensured the system remains reliable and easy to maintain.

## 6. FUNCTIONAL & PERFORMANCE TESTING

The project was tested to verify:

- Parcel creation and data retrieval.
- Parcel status updates.
- Flow execution.
- Agentforce parcel tracking.
- Permission and security settings.
- Email notifications.
- Reports and dashboards.

All major features were tested successfully in the Salesforce Developer Org.

## 7. ADVANTAGES & DISADVANTAGES

### Advantages

- Centralized parcel and customer information.
- Real-time parcel tracking and status updates.
- Automation using Salesforce Flows.
- AI-powered customer assistance through Agentforce.
- Automated notifications and emails.
- Secure role-based access.
- Reports and dashboards for monitoring.
- Scalable for future logistics operations.

### Disadvantages

- Requires accurate and updated data.
- Depends on Salesforce configuration and automation.
- Agentforce responses depend on proper prompts and available data.
- External integrations may increase complexity.
- Regular maintenance is required.

- Initial configuration requires time and effort.

## 8. CONCLUSION

The SwiftShip Tracker demonstrates how Salesforce can be used to build a centralized parcel management and tracking system. The project combines Custom Objects, Flows, Apex, Email Alerts, Agentforce AI, Prompt Builder, Experience Cloud, Security, Reports, and Dashboards to manage parcel operations efficiently.

The Agentforce integration provides conversational parcel tracking, allowing customers to get shipment information using their Parcel ID.

## 9. FUTURE SCOPE

- Enhance Agentforce for more parcel-related queries.
- Add advanced real-time delivery tracking.
- Improve Experience Cloud customer services.
- Add advanced delivery analytics.
- Integrate external logistics systems.
- Improve AI prompts and conversations.
- Introduce Sandbox and CI/CD deployment.
- Expand automation for additional parcel operations.

## 10. APPENDIX

- A. Custom Objects: Parcel, Delivery, Sender, Receiver
- B. Standard Objects: Account, Contact, Case, Task, EmailMessage, User
- C. Automation: Flows, Approval Processes, Email Alerts
- D. Apex: Apex Classes, Batch Apex
- E. AI: Agentforce AI, Prompt Builder
- F. UI: Lightning App, Lightning Record Pages, Experience Cloud
- G. Security: Profiles, Roles, Permission Sets, Sharing Rules, Field-Level Security
- H. Analytics: Reports and Dashboards
- I. Testing: Flows, Agentforce, Data Retrieval, Security and Permissions

**Thank you**

