1. **Define Function F(x)**
   - Input: A number `x`
   - Output: Return the value of the expression `x^2 - 4x - 10`
2. **Define Rearranged Function G(x)**
   - Input: A number `x`
   - Output: Return the value of the rearranged equation `G(x) = (x^2 - 10) / 4`, which is used for the fixed point iteration.
3. **Define Procedure for Fixed Point Iteration**
   - Input: `x0` (initial guess for the root), `noit` (maximum number of iterations), `acc` (acceptable accuracy)
   - **Check if the initial guess is already a root**
     - If `|F(x0)|` is less than or equal to `acc`, print that `x0` is the root and stop the program.
   - **Initialize variables**
     - Set `xm` (updated guess using `G(x0)`)
     - Set iteration counter `n` to 0.
   - **Loop until root is found or max iterations reached**
     - Repeat:
       - Compute new guess `xm = G(x0)` using the function `G(x)` to approximate the root.
       - If `|F(xm)|` is less than or equal to the acceptable accuracy (`acc`), stop the loop.
       - Update `x0` to `xm` (use the new guess for the next iteration).
       - Increment the iteration counter `n`.
     - Continue the loop until either `|F(xm)|` is less than `acc` or the number of iterations reaches the limit `noit`.
   - **Print the result**
     - Output the root `xm` and the number of iterations `n`.
4. **Main Program**
   - Set the initial guess `x0 = 5.0`
   - Set accuracy `acc = 0.00001`
   - Set maximum iterations `noit = 30`
   - Call the Fixed Point Iteration procedure with these inputs.