🎬 Define Function F(x)

- Input: A number `x`
- Output: Return the value of the expression `x^2 - 4x - 10`

🎬 Define Procedure for Regula Falsi Method

- Input: `a`, `b` (initial guesses), `noit` (maximum number of iterations), `acc` (acceptable accuracy)
- **Check if the root is bracketed**
  - If `F(a) * F(b)` is positive, print "Roots are not bracketed by a and b" and stop the program.
- **Initialize variables**
  - Set `xm` (initial guess for root using Regula Falsi formula)
  - Set iteration counter `n` to 0.
- **Loop until root is found or max iterations reached**
  - Repeat:
    - Compute `xm` (the approximate root) using the formula:
      `xm = (a+b)/2`
    - If `|F(xm)|` is less than or equal to the acceptable accuracy (`acc`), stop the loop.
    - Check the sign of `F(xm) * F(a)`:
      - If it's negative, the root lies between `a` and `xm`, so set `b = xm`.
      - Otherwise, set `a = xm`.
    - Increment the iteration counter `n`.
  - Continue the loop until either `|F(xm)|` is less than `acc` or the number of iterations reaches the limit `noit`.
- **Print the result**
  - Output the root `xm` and the number of iterations `n`.

🎬 Main Program

- Set initial guesses `a = 4.0`, `b = 6.0`
- Set accuracy `acc = 0.00001`
- Set maximum iterations `noit = 30`
- Call the Regula Falsi procedure with these inputs.