


--	--	--	--	--	--	--	--




B.Tech. Degree III Semester Regular/Supplementary Examination
February 2022

ME 19-205-0306 MACHINE DRAWING
(2019 Scheme)

Time: 4 Hours

Maximum Marks: 60

(Missing dimensions if any may be assumed)



- I. (a) Sketch the internal and external ACME thread profile of nominal size of 25 mm and pitch of 3 mm. (5)
(b) Draw a Lewis foundation bolt $\Phi 20$ mm and indicate all the proportions on the drawing. (10)
- OR**
- II. Draw the sectional view from the front, and view from the side of a cotter joint with sleeve used to connect two rods of 30 mm diameter each. (15)
- III. Draw (i) half sectional view from the front, top half in section (ii) view from the side of a bushed pin type flange coupling (fig.1), indicating proportions to connect two shafts, each of diameter 30 mm. (20)
- OR**
- IV. Draw the following views of a Plummer block (fig.2), suitable for supporting a shaft of diameter 50mm: (i) half sectional view from the front, with left half in section (ii) sectional view from the side. (20)
- V. Figure 3 shows the details of Rams bottom safety valve. Assemble and draw (i) Sectional view from the front (ii) View from the right. (25)
- OR**
- VI. Figure 4 shows the details of steam engine crosshead. Assemble the parts and draw (i) half sectional view from the front. (25)

(P.T.O.)




Fig. 1




Fig. 2

(Continued to 3)





Fig. 3

BTS-III(R/S)-02.22-0026




Fig. 4
