

STRAIGHT BILL OF LADING - SHORT FORM
ORIGINAL - NOT NEGOTIABLE

Trailer No:
Load No: 391137
BOL No: 327874

Carrier: CLASSIC TRANSPORT LLC

RECEIVED, Subject to the classifications and tariffs in effect on the date of the issue of this Bill of Lading.

From: Delta Steel - CEDAR HILL
1548 EDGEFIELD WAY
CEDAR HILL, TX 75104
Phone: 972-299-6497

Date: 08/18/2026

Page 1 of 3

The property described below, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated below, which said carrier (the word carrier being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery to said destination, if on its route, otherwise to deliver to another carrier on the route to said destination. It is mutually agreed, as to each carrier of all or any of said property, that every service to be performed hereunder shall be subject to all the terms and conditions of the Uniform Domestic Straight Bill of Lading set forth in (1) in Official Southern, Western and Illinois Freight Classifications in effect on the date hereof, if this is a rail or a rail-water shipment, or (2) in the applicable motor carrier classification or tariff if this is a motor carrier shipment. Shipper hereby certifies that he is familiar with all terms and conditions of the said bill of lading, including those on the back thereof, set forth in the classification or tariff which governs the transportation of this shipment, and the said terms and conditions are hereby agreed to by the shipper and accepted for himself and his assigns.

Sold To: NUCOR BUILDING SYSTEMS
accountspayable@nbstx.com
A DIV. OF NUCOR CORP.
TERRELL, TX 75160

Phone: 972-551-5691
Contact: REVISED

Ship To: NUCOR BUILDING SYSTEMS
600 APACHE TRAIL
A DIV. OF NUCOR CORP.
TERRELL, TX 75160

Phone: 972-551-5691

Quantity	Description	Width	Length	Weight
Cust PO: TX-0016400		Sales Order: 663644		Inside Salesperson: Alex Martinez
1	TUBING 12 X 8 X 3/8 ASTM - A500 GR C Heat Numbers: 18720D (1); DOMESTIC MATERIAL ONLY SAW CUT CUT 1 @ 48' TO 1 @ 28' AND 1 @ 20' SHIP 1 @ 28' AND RESTOCK 1 @ 20' TOLERANCE: STOCK CUT	CC# 161792	28' 0"	1,341 Net Wt.: 1,341
Shipping Instructions:				Sales Order Total 1,341
Receiving Hours: APPOINTMENT ONLY Max Bundle Weight: 0 Spacers: 4" MIN Fork Lift Unloading Test Certificates Required				
Messages: **** DOMESTIC MATERIAL ONLY ON ALL ORDERS! **** CALL 972-551-5691 FOR DELIVERY APPT. -band only plates of the same kind in each stack -it's okay to band separate bundles together for safety purposes "In regard to random pieces of tube, where there may be more than 1 or 2 different sizes on a load, band them together on the load." ALL MATERIAL MUST BE BANDED BUNDLES MUST BE BANDED W/ 4" MINIMUM DUNNAGE UNDERNEATH AND BETWEEN ALL MATERIAL MUST BE M&M USA				
9.30AM 8.18.2026 TX YARD				

Trailer No:

Load No: 391137

BOL No: 327874

STRAIGHT BILL OF LADING - SHORT FORM
ORIGINAL - NOT NEGOTIABLE

Trailer No:
Load No: 391137
BOL No: 327874

Carrier: CLASSIC TRANSPORT LLC

RECEIVED, Subject to the classifications and tariffs in effect on the date of the issue of this Bill of Lading.

From: Delta Steel - CEDAR HILL
1548 EDGEFIELD WAY
CEDAR HILL, TX 75104
Phone: 972-299-6497

Date: 08/18/2026

Page 2 of 3

The property described below, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated below, which said carrier (the word carrier being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery to said destination, if on its route, otherwise to deliver to another carrier on the route to said destination. It is mutually agreed, as to each carrier of all or any of said property, that every service to be performed hereunder shall be subject to all the terms and conditions of the Uniform Domestic Straight Bill of Lading set forth in (1) in Official Southern, Western and Illinois Freight Classifications in effect on the date hereof. If this is a rail or a rail-water shipment, or (2) in the applicable motor carrier classification or tariff if this is a motor carrier shipment. Shipper hereby certifies that he is familiar with all terms and conditions of the said bill of lading, including those on the back thereof, set forth in the classification or tariff which governs the transportation of this shipment, and the said terms and conditions are hereby agreed to by the shipper and accepted for himself and his assigns.

Sold To: NUCOR BUILDING SYSTEMS
accountspayable@nbstx.com
A DIV. OF NUCOR CORP.
TERRELL, TX 75160

Phone: 972-551-5691
Contact: REVISED

Ship To: NUCOR BUILDING SYSTEMS
600 APACHE TRAIL
A DIV. OF NUCOR CORP.
TERRELL, TX 75160

Phone: 972-551-5691

Quantity	Description	Width	Length	Weight
Cust PO: TX-0016400 Sales Order: 663646 Inside Salesperson: Alex Martinez				
1	TUBING 6 X 6 X 3/8 ASTM - A500 GR C Heat Numbers: 19163D (1); DOMESTIC MATERIAL ONLY	CC# 161793	24' 0"	660 Net Wt.: 660
Cust PO: TX-0016400 Sales Order: 663646 Inside Salesperson: Alex Martinez				
2	WIDE FLANGE 18 X 40# ASTM - A992 Heat Numbers: 627667 (2); DOMESTIC MATERIAL ONLY	CC# 161794	50' 0"	4,000 Net Wt.: 4,000
Cust PO: TX-0016400 Sales Order: 663646 Inside Salesperson: Alex Martinez				
1	CHANNEL 8 X 18.75# ASTM - A572 GR 50 Heat Numbers: b270501 (1); DOMESTIC MATERIAL ONLY OFFERING AS 2 @ 30'	CC# 161795	30' 0"	563 Net Wt.: 563

Trailer No:

Load No: 391137

BOL No: 327874

Customer Name

NUCOR BUILDING SYSTEMS

Customer PO#

TX-0016400

Shipper No

663644

Heat Number

18720D

HANNA

MATERIAL TEST REPORT

7/07/26

Page 2

Submitted By: Hanna Steel Corporation
 Tuscaloosa Division
 1701 Boone Blvd
 P O Box 428
 Northport AL 35476
 (205) 820-5200 ADMIN@HANNASTEEL.COM

Load Tally: 5-61282
 Date Shipped: 7/07/2026

Send To: Delta Steel
 Attn: Acct. Payable
 7355 Roundhouse Lane
 Houston TX 77055

Ship To: Delta Steel
 1585 Edgefield Way
 Cedar Hill TX 75104

Material: 8 X12 .375 A500 GR B 48.000FT Sales Order: 214200-01 PO#: DFW-125144 S26
 Hot rolled carbon steel cold formed ERW rectangular tubing

Heat#: 18720D		ASTM A500 2023					Grade B/C Type 1									
C	Mn	P	S	Si	Al	Cb	Cr	Cu	Mo	Ni	V	N	Nb	Ti	B	
.188	.832	.005	.006	.007	.036	.000	.043	.030	.002	.011	.000	.0055		.0010		
Yield(psi)		Tensile(psi)		Y/T	%E	Rock	PCM		CEV							
72,210		74,782		.966	32.0	B87	.234		.338							

Melted and manufactured in the USA

LEED Information

Year 2023 Recycled Content 12.4% Scrap 2.2% Post consumer 10.2% Pre consumer
 Exact scrap% per heat is unknown; LEED data is an average for that mill/production year.

Products manufactured to this specification may not be suitable for those applications such as dynamically loaded elements in welded structures, etc., where low-temperature notch-toughness properties (Charpy impact testing) may be important.

Repair welding of ASTM A500-23 tubing is allowed under certain conditions as described in Section 16.2.1. However, Hanna Steel does not currently perform any repair welding on our tubing.

Bundle#	Heat#	Pieces	Feet	Weight
5441886	18720D	4	192	9,197

Sales order total:

8 18,394

The above results are a true and correct copy of physical tests performed to the ASTM A370 standard by Hanna Steel Corporation and contained in the records of Hanna Steel Corporation. Chemical tests are from records maintained by Hanna Steel Corporation as supplied by our mill sources.

Hanna Steel Corporation



William Blade
 Tuscaloosa Quality Assurance Technician

Customer Name

NUCOR BUILDING SYSTEMS

Customer PO#

TX-0016400

Shipper No

663644

Heat Number

18720D

HANNA

MATERIAL TEST REPORT

7/07/26

Page 3

Submitted Hanna Steel Corporation
 By: Tuscaloosa Division
 1701 Boone Blvd
 P O Box 428
 Northport AL 35476
 (205) 820-5200 ADMIN@HANNASTEEL.COM

Load
 Tally: 5-61282
 Date
 Shipped: 7/07/2026

Send Delta Steel
 To: Attn: Acct. Payable
 7355 Roundhouse Lane
 Houston TX 77055

Ship Delta Steel
 To: 1585 Edgefield Way
 Cedar Hill TX 75104

Material: 8 X12 .375 A500 GR B 48.000FT Sales Order: 214417-03 PO#: DFW-125254 S26
 Hot rolled carbon steel cold formed ERW rectangular tubing

Heat#:		18720D		ASTM A500 2023		Grade B/C Type 1									
C	Mn	P	S	Si	Al	Cb	Cr	Cu	Mo	Ni	V	N	Nb	Ti	B
.188	.832	.005	.006	.007	.036	.000	.043	.030	.002	.011	.000	.0055		.0010	
Yield(psi)		Tensile(psi)		Y/T	%E	Rock	PCM		CEV						
72,210		74,782		.966	32.0	B87	.234		.338						

Melted and manufactured in the USA

LEED Information

Year 2023 Recycled Content 12.4% Scrap 2.2% Post consumer 10.2% Pre consumer
 Exact scrap% per heat is unknown; LEED data is an average for that mill/production year.

Products manufactured to this specification may not be suitable for those applications such as dynamically loaded elements in welded structures, etc., where low-temperature notch-toughness properties (Charpy impact testing) may be important.

Repair welding of ASTM A500-23 tubing is allowed under certain conditions as described in Section 16.2.1. However, Hanna Steel does not currently perform any repair welding on our tubing.

Bundle#	Heat#	Pieces	Feet	Weight
5441884	18720D	4	192	9,197
5441885	18720D	4	192	9,197

Sales order total:	8	18,394
Load total:	24	49,318

The above results are a true and correct copy of physical tests performed to the ASTM A370 standard by Hanna Steel Corporation and contained in the records of Hanna Steel Corporation. Chemical tests are from records maintained by Hanna Steel Corporation as supplied by our mill sources.

Hanna Steel Corporation



William Blade
 Tuscaloosa Quality Assurance Technician

Customer Name

NUCOR BUILDING SYSTEMS

Customer PO#

TX-0016400

Shipper No

663646

Heat Number

19163D

HANNA**MATERIAL TEST REPORT**

8/09/26

Page 1

Submitted Hanna Steel Corporation
 By: Tuscaloosa Division
 1701 Boone Blvd
 P O Box 428
 Northport AL 35476
 (205) 820-5200 ADMIN@HANNASTEEL.COM

Load
 Tally: 5-62204
 Date
 Shipped: 8/09/2026

Send Delta Steel
 To: Attn: Acct. Payable
 7355 Roundhouse Lane
 Houston TX 77055

Ship Delta Steel
 To: 1585 Edgefield Way
 Cedar Hill TX 75104

Material: 6 X 6 .375 A500 GR B 24.000FT Sales Order: 214298-02 PO#: DFW-125190 S26
 Hot rolled carbon steel cold formed ERW square tubing

Heat#:		ASTM A500 2023					Grade B/C Type 1								
C	Mn	P	S	Si	Al	Cb	Cr	Cu	Mo	Ni	V	N	Nb	Ti	B
.201	.870	.004	.006	.012	.042	.000	.033	.035	.002	.010	.000	.0030		.0010	
Yield(psi)		Tensile(psi)		Y/T	%E	Rock	PCM		CEV						
68,290		76,015		.898	31.2	B86	.249		.356						

Melted and manufactured in the USA

LEED Information
 Year 2023 Recycled Content 12.4% Scrap 2.2% Post consumer 10.2% Pre consumer
 Exact scrap% per heat is unknown; LEED data is an average for that mill/production year.

Products manufactured to this specification may not be suitable for those applications such as dynamically loaded elements in welded structures, etc., where low-temperature notch-toughness properties (Charpy impact testing) may be important.

Repair welding of ASTM A500-23 tubing is allowed under certain conditions as described in Section 16.2.1. However, Hanna Steel does not currently perform any repair welding on our tubing.

Bundle#	Heat#	Pieces	Feet	Weight
5446926	19163D	9	216	5,936
5446927	19163D	9	216	5,936
5446928	19163D	9	216	5,936
5446932	19163D	9	216	5,936

Sales order total: 36 23,744

The above results are a true and correct copy of physical tests performed to the ASTM A370 standard by Hanna Steel Corporation and contained in the records of Hanna Steel Corporation. Chemical tests are from records maintained by Hanna Steel Corporation as supplied by our mill sources.

Hanna Steel Corporation



William Blade
 Tuscaloosa Quality Assurance Technician

Customer Name
NUCOR BUILDING SYSTEMS

Customer PO#
TX-0016400

Shipper No
663646

Heat Number
627667

Invoice No. 467864
Bill of Lading 761317
Customer No. 4755
Customer PO DFW-125104 ROM

NUCOR-YAMATO STEEL CO.
P.O. BOX 1228, BLTHERVILLE, AR 72316

CERTIFIED MILL TEST REPORT
100% Melted and Manufactured in U.S.A
All Shapes produced by Nucor-Yamato Steel are cast and rolled to
a fully killed and fine grain practice

Date 06/27/2026

DELTA STEEL INC.
ATTN: ACCT'S PAYABLE
7355 ROUNDHOUSE LN
HOUSTON TX 77078-4528
USA

DELTA STEEL INC. - CEDAR HILL
1548 EGDEFIELD WAY
CEDAR HILL TX 75104
USA

ASTM A992/A992M-22 A572/A572M GR50-21
ASTM A709/A709M-21 GR50 (A45)
ASTM A709/A709M-21 GR50S (A45S)
CSA G40.21-13 50WM (345WN)
ASTM A563/A563M-22

Item/Item Description	QTY	Heat#	Mechanical Properties										Chemical Properties														
			Yield to Tensile Ratio	Tensile Strength		Elong		Charpy Impact		C	Mn	P	S	Si	Cu	Ni	Cr	Mo	V	Cb	Sn	CE	Perm	CI			
				KSI	MPa	KSI	MPa	%	Temp ° F																Impact Energy ft-lbf	J	
																											MPa
1	W18X040.0 50 R 0 in W460X 60 (15.24 m)	10	627657	0.81	55 58 383 400	69 72 475 494	22 24							.05	1.00	.014	.015	.25	.29	.13	.13	.04	.02	.008	.01	.29	.14
2	W18X040.0 60 R 0 in W460X 60 (18.29 m)	2	627671	0.82 0.80	57 56 395 388	70 70 482 483	28 28							.06	1.02	.016	.011	.25	.27	.13	.18	.04	.02	.008	.01	.30	.15
3	W18X040.0 60 R 0 in W460X 60 (18.29 m)	4	627676	0.80 0.81	58 58 397 398	72 72 495 493	28 26							.06	1.02	.017	.014	.25	.32	.15	.14	.04	.02	.008	.01	.30	.15
4	W18X040.0 50 R 0 in W460X 60 (15.24 m)	2	627680	0.80 0.81	56 57 388 396	71 71 487 491	26 28							.06	1.02	.017	.021	.23	.29	.14	.14	.03	.02	.007	.01	.29	.14

ELONGATION BASED ON 8.00 INCH GAUGE LENGTH
Prms C4S/30+44n/20+CU/20+H/60+C/70+Mn/15+V/10+5B/8+Apmax.0005)
Corrosion Index= 26.01(%Cu)+3.88(%Ni)+1.21(%Cr)+1.49(%Si)+7.28(%P)+7.29(%Cu)(%Ni)+9.10(%Mn)(%P)+3.39(%Cu)^2
ISO 9001:2015 certified (Registration # 0985-07)
Meets mechanical lab independence requirements of EN10204 type 3.1.
The Charpy machine striker geometry used by Nucor-Yamato Steel is the 8 mm (0.315") striker (KV₂) per ASTM A370 Section 22.1.2 and ISO 148-1 Section 7.3.

CARBON EQUIVALENT CE= C+Mn/6+(Cr+Mo+V)/5+(Ni+Cu)/15
Mercury has not been used in the direct manufacturing of this material
Boron has not been intentionally added and will not exceed 0.0008%
This material was produced in accordance with the Nucor-Yamato Steel Quality Manual.

I hereby certify that the contents of this report are accurate and correct. All test results and operations performed by this material manufacturer are in compliance with the requirements of the material specifications, and when designated by the purchaser, meet the applicable specifications.

Chief Metallurgist

State of Arkansas
County of Mississippi
Sworn to and subscribed before me
on 2026-06-27

AYANDA STOKER
NOTARY PUBLIC-ARIZONA
My Commission Expires 06/28/2026

Aminda Spelman

Heat Number
b270501



Printed: 02 / 08 / 2026
Produced: 01 / 07 / 2026

2601 S. County Road 100 East
Columbia City, Indiana 46725
(260) 625-8100 (260) 625-8955 FAX
Quality Steel 100% EAF Melted and
ISO 9001:2015 and ABS Certified
CMTR complies with EN 10204 3.1.

Delta Steel, Inc.
1548 Edgelyd Way
Track # 3182 BNSF
Cedar Hill TX, 75104 US
Attn: Katie Robertson

Della Steel, Inc.
7355 Roundhouse Lane
Houston TX, 77078 US
Attn: Judy Foster

GENERAL INFORMATION

Product	American Standard C
Size	C8X18.75

Heat Number	B270504
Condition(s)	As-Received

Fine Grained
 Fully Killed
 No-Void Repair

SPECIFICATIONS

* ASTM A392/A392M - 22	A392 / A392M
ASTM A66M - 26	
ASTM A572/A572M - 25	A572 gr 50/Gr 54
ASTM A399/A399M - 24	A399 950/Gr 34
ASTM A270/A270M - 23	A270 975/50-Gr 34
CSA C40.21-13	550M/CSA 550M
ASTM A36/A36M - 19	A36 / A36M

SHIPMENT DETAILS

Bundle / ASN #	Length	pcs	Cust PO	Job/Ref	Part/Ref
062288616	60 0"	12	DFW-120187	PCRD0394	

CHEMICAL ANALYSIS (weight percent)

	C	Mn	P	S	Si	Cu	Ni	Cr	Mo	Sn	V	Nb/Cb	Al	N	B	*CE1	*CE2	*CE3	*I	Analysis Type
	.09	1.26	.012	.023	.23	.29	.10	.16	.03	.012	.043	.003	.002	.0119	.0004	.37	.411	.35	5.61	Heat

MECHANICAL TESTING

Test	Yield (fy) Strongin	Tensile (fu) Strongin	fy / fu ratio	% Elong. (ft gage)
1	ksi / MPa 60 / 415	ksi / MPa 77 / 530	.78	28
2	\$60 / 415	77 / 530	.79	27
3				
4				

CHARPY IMPACT TESTS (available only when specified at time of order)

	Temp F / C	Absorbed Energy Specimen 1	It-kill / J Specimen 2	Specimen 3	Average	Minimum
Test						
1						
2						
3						
4						
5						
6						
7						

NOTES: * Calculated Density Values (Carbon Equivalent) (C1, C2, C3, P-01, Comparison with ASTM C617 (C1, C2, C3, P-01, C4, C5, C6, C7, C8, C9, C10, C11, C12, C13, C14, C15, C16, C17, C18, C19, C20, C21, C22, C23, C24, C25, C26, C27, C28, C29, C30, C31, C32, C33, C34, C35, C36, C37, C38, C39, C40, C41, C42, C43, C44, C45, C46, C47, C48, C49, C50, C51, C52, C53, C54, C55, C56, C57, C58, C59, C60, C61, C62, C63, C64, C65, C66, C67, C68, C69, C70, C71, C72, C73, C74, C75, C76, C77, C78, C79, C80, C81, C82, C83, C84, C85, C86, C87, C88, C89, C90, C91, C92, C93, C94, C95, C96, C97, C98, C99, C100, C101, C102, C103, C104, C105, C106, C107, C108, C109, C110, C111, C112, C113, C114, C115, C116, C117, C118, C119, C120, C121, C122, C123, C124, C125, C126, C127, C128, C129, C130, C131, C132, C133, C134, C135, C136, C137, C138, C139, C140, C141, C142, C143, C144, C145, C146, C147, C148, C149, C150, C151, C152, C153, C154, C155, C156, C157, C158, C159, C160, C161, C162, C163, C164, C165, C166, C167, C168, C169, C170, C171, C172, C173, C174, C175, C176, C177, C178, C179, C180, C181, C182, C183, C184, C185, C186, C187, C188, C189, C190, C191, C192, C193, C194, C195, C196, C197, C198, C199, C200, C201, C202, C203, C204, C205, C206, C207, C208, C209, C210, C211, C212, C213, C214, C215, C216, C217, C218, C219, C220, C221, C222, C223, C224, C225, C226, C227, C228, C229, C230, C231, C232, C233, C234, C235, C236, C237, C238, C239, C240, C241, C242, C243, C244, C245, C246, C247, C248, C249, C250, C251, C252, C253, C254, C255, C256, C257, C258, C259, C260, C261, C262, C263, C264, C265, C266, C267, C268, C269, C270, C271, C272, C273, C274, C275, C276, C277, C278, C279, C280, C281, C282, C283, C284, C285, C286, C287, C288, C289, C290, C291, C292, C293, C294, C295, C296, C297, C298, C299, C300, C301, C302, C303, C304, C305, C306, C307, C308, C309, C310, C311, C312, C313, C314, C315, C316, C317, C318, C319, C320, C321, C322, C323, C324, C325, C326, C327, C328, C329, C330, C331, C332, C333, C334, C335, C336, C337, C338, C339, C340, C341, C342, C343, C344, C345, C346, C347, C348, C349, C350, C351, C352, C353, C354, C355, C356, C357, C358, C359, C360, C361, C362, C363, C364, C365, C366, C367, C368, C369, C370, C371, C372, C373, C374, C375, C376, C377, C378, C379, C380, C381, C382, C383, C384, C385, C386, C387, C388, C389, C390, C391, C392, C393, C394, C395, C396, C397, C398, C399, C400, C401, C402, C403, C404, C405, C406, C407, C408, C409, C410, C411, C412, C413, C414, C415, C416, C417, C418, C419, C420, C421, C422, C423, C424, C425, C426, C427, C428, C429, C430, C431, C432, C433, C434, C435, C436, C437, C438, C439, C440, C441, C442, C443, C444, C445, C446, C447, C448, C449, C450, C451, C452, C453, C454, C455, C456, C457, C458, C459, C460, C461, C462, C463, C464, C465, C466, C467, C468, C469, C470, C471, C472, C473, C474, C475, C476, C477, C478, C479, C480, C481, C482, C483, C484, C485, C486, C487, C488, C489, C490, C491, C492, C493, C494, C495, C496, C497, C498, C499, C500, C501, C502, C503, C504, C505, C506, C507, C508, C509, C510, C511, C512, C513, C514, C515, C516, C517, C518, C519, C520, C521, C522, C523, C524, C525, C526, C527, C528, C529, C530, C531, C532, C533, C534, C535, C536, C537, C538, C539, C540, C541, C542, C543, C544, C545, C546, C547, C548, C549, C550, C551, C552, C553, C554, C555, C556, C557, C558, C559, C560, C561, C562, C563, C564, C565, C566, C567, C568, C569, C570, C571, C572, C573, C574, C575, C576, C577, C578, C579, C580, C581, C582, C583, C584, C585, C586, C587, C588, C589, C590, C591, C592, C593, C594, C595, C596, C597, C598, C599, C600, C601, C602, C603, C604, C605, C606, C607, C608, C609, C610, C611, C612, C613, C614, C615, C616, C617, C618, C619, C620, C621, C622, C623, C624, C625, C626, C627, C628, C629, C630, C631, C632, C633, C634, C635, C636, C637, C638, C639, C640, C641, C642, C643, C644, C645, C646, C647, C648, C649, C650, C651, C652, C653, C654, C655, C656, C657, C658, C659, C660, C661, C662, C663, C664, C665, C666, C667, C668, C669, C670, C671, C672, C673, C674, C675, C676, C677, C678, C679, C680, C681, C682, C683, C684, C685, C686, C687, C688, C689, C690, C691, C692, C693, C694, C695, C696, C697, C698, C699, C700, C701, C702, C703, C704, C705, C706, C707, C708, C709, C710, C711, C712, C713, C714, C715, C716, C717, C718, C719, C720, C721, C722, C723, C724, C725, C726, C727, C728, C729, C730, C731, C732, C733, C734, C735, C736, C737, C738, C739, C740, C741, C742, C743, C744, C745, C746, C747, C748, C749, C750, C751, C752, C753, C754, C755, C756, C757, C758, C759, C760, C761, C762, C763, C764, C765, C766, C767, C768, C769, C770, C771, C772, C773, C774, C775, C776, C777, C778, C779, C780, C781, C782, C783, C784, C785, C786, C787, C788, C789, C790, C791, C792, C793, C794, C795, C796, C797, C798, C799, C800, C801, C802, C803, C804, C805, C806, C807, C808, C809, C810, C811, C812, C813, C814, C815, C816, C817, C818, C819, C820, C821, C822, C823, C824, C825, C826, C827, C828, C829, C830, C831, C83

ABS CERTIFICATION

I hereby certify that the content of this report are accurate and correct. All tests and operations performed by this material manufacturer are in compliance with the requirements of the material specifications and applicable purchaser designated requirements.

Signed: **Doug Blomeke**

Signed:

NOTES

My commission expires:

Form F1010-002 04/19/15	Quality Manager	Nightly Public
7/5/16 15:14	A signature is not required on the test report. However, the document shall clearly identify the organization submitting the report.	
	Notwithstanding the absence of a signature, the organization submitting the report is responsible for the content of the report.	

PURCHASE ORDER



PO Number: TX-0016400

Date: 08/16/2026

This Purchase Order Number must appear on all Packages, Invoices and Packing Slips.

Nucor Building Systems Texas
600 Apache Trail
Terrell, TX 75160
USA

PH: Sales Tax Exempt
No.:

Vendor: V002201
DELTA STEEL INC
PO BOX 849086, 5TH FLOOR
DALLAS, TX 75284-9086
USA

Vendor

Contact:

PH: FAX:

Ship To: Nucor Building Systems

600 Apache Trail
Terrell, TX 75160
USA

Job ID:

Job Name:

Deliveries to NBGTx are by appointment only

Phone: (972) 210-4941

Email: nbgtx.receiving@nucor.onmicrosoft.com

Hours: Monday - Friday from 6:00am - 2:00pm CST

"Hot-Rolled Material (Wide Flange sections, Channels, & Angles): Application-Structural Steel Buildings; ASTM A572-07 (or latest edition) Grade 50 (or A992-06a for "W" shapes only): Minimum Yield Strength (Fy) = 50 ksi; Minimum Tensile Strength (Fu min) = 65 ksi; Dimensional Tolerances per ASTM A6-08a (or latest edition).

Shaped Structural Tube Material: Application-Structural Steel Buildings; ASTM A500-07 (or latest edition) Grade B, Cold-Formed Welded with the following properties: Minimum Yield Strength (Fy) = 46 ksi; Minimum Tensile Strength (Fu min) = 58 ksi; Dimensional Tolerances per ASTM A500-07 (or latest edition).

Loading Instructions: Bundles must be banded with 4" minimum dunnage underneath and 4" minimum dunnage between bundles. Bundles not to exceed 10,000 lbs.

****MUST BE MELTED AND MANUFACTURED IN USA****

Buyer:	Payment Terms:	Delivery Terms:	Shipping Method:	Cash discount
ANGELA COOK	Net30			1% 10

L/N	Item Number	Description	Req. Date	U/M	Ordered	Unit Price	Ext. Price
1	ST6060375	6 x 6 x 3/8 TUBE (27.48 lbs) ~1 PC @ 24' For T26X0099	9/16/2026	LBS	660.00	1.17700	776.82

Account: 130013

PURCHASE ORDER

L/N	Item Number	Description	Req. Date	U/M	Ordered	Unit Price	Ext. Price
2	ST1280375	12 X 8 X 3/8 TUBE (47.90 LBS) ~1 PC @ 28' For T26X0099 Account: 130013	9/16/2026	LBS	1,341.00	1.26700	1,699.05
4	SH18400	W18 X 40.0 BEAM ~2 PCS @ 50' For T26M0259 Account: 130013	9/30/2026	LBS	4,000.00	1.01700	4,068.00
5	SC081375	SC 8" X 13.75" STANDARD CHANNEL ~1 PC @ 40' For T26K0247 Account: 130013	10/7/2026	LBS	550.00	0.83700	460.35
6	SC08187	SC 8" X 18.75" STANDARD CHANNEL ~2 PCS @ 30' For T26K0247 Account: 130013	10/7/2026	LBS	1,125.00	0.86700	975.38
8	SH21480	W21 X 48.0 BEAM ~6 PCS @ 55' For E26L0168 Account: 130013	9/2/2026	LBS	15,840.00	1.14700	18,168.48
9	ST1240188	12 x 4 x 3/16 TUBE (19.63 lbs) ~7 PCS @ 48' For E26B0170 Account: 130013	9/2/2026	LBS	6,606.00	1.22700	8,105.56
10	ST1280313	12 X 8 X 5/16 TUBE (40.35 LBS) ~1 PC @ 48' For T26A0147 Account: 130013	9/2/2026	LBS	1,938.00	1.35000	2,616.30

PURCHASE ORDER

L/N	Item Number	Description	Req. Date	U/M	Ordered	Unit Price	Ext. Price
11	ST1280313	12 X 8 X 5/16 TUBE (40.35 LBS) ~1 PC @ 24' For T26A0147	9/2/2026	LBS	969.00	1.35000	1,308.15
Account: 130013							

Shipper to ensure all products are properly packaged, loaded and blocked to prevent any movement or shifting during transit and unloading. Delivering driver is responsible for safely removing straps, tie-down, etc. and following all Division safety rules and procedures.



Authorized Signature

Order Total (USD):	38,178.09
--------------------	-----------

By acceptance and acknowledgement of this order, vendor agrees to furnish materials and/or services in accordance with all terms and conditions provided.

BUILDING SYSTEMS GROUP

Beam, Channel and Angle Inspection Sheet

Receiving/Quality Control TX-77.104

Date: 8-18-26

[illegible]

10
 11
 12
 13
 14
 15
 16
 17
 18
 19
 20
 21
 22
 23
 24
 25
 26
 27
 28
 29
 30
 31
 32
 33
 34
 35
 36
 37
 38
 39
 40
 41
 42
 43
 44
 45
 46
 47
 48
 49
 50
 51
 52
 53
 54
 55
 56
 57
 58
 59
 60
 61
 62
 63
 64
 65
 66
 67
 68
 69
 70
 71
 72
 73
 74
 75
 76
 77
 78
 79
 80
 81
 82
 83
 84
 85
 86
 87
 88
 89
 90
 91
 92
 93
 94
 95
 96
 97
 98
 99
 100
 101
 102
 103
 104
 105
 106
 107
 108
 109
 110
 111
 112
 113
 114
 115
 116
 117
 118
 119
 120
 121
 122
 123
 124
 125
 126
 127
 128
 129
 130
 131
 132
 133
 134
 135
 136
 137
 138
 139
 140
 141
 142
 143
 144
 145
 146
 147
 148
 149
 150
 151
 152
 153
 154
 155
 156
 157
 158
 159
 160
 161
 162
 163
 164
 165
 166
 167
 168
 169
 170
 171
 172
 173
 174
 175
 176
 177
 178
 179
 180
 181
 182
 183
 184
 185
 186
 187
 188
 189
 190
 191
 192
 193
 194
 195
 196
 197
 198
 199
 200
 201
 202
 203
 204
 205
 206
 207
 208
 209
 210
 211
 212
 213
 214
 215
 216
 217
 218
 219
 220
 221
 222
 223
 224
 225
 226
 227
 228
 229
 230
 231
 232
 233
 234
 235
 236
 237
 238
 239
 240
 241
 242
 243
 244
 245
 246
 247
 248
 249
 250
 251
 252
 253
 254
 255
 256
 257
 258
 259
 260
 261
 262
 263
 264
 265
 266
 267
 268
 269
 270
 271
 272
 273
 274
 275
 276
 277
 278
 279
 280
 281
 282
 283
 284
 285
 286
 287
 288
 289
 290
 291
 292
 293
 294
 295
 296
 297
 298
 299
 300
 301
 302
 303
 304
 305
 306
 307
 308
 309
 310
 311
 312
 313
 314
 315
 316
 317
 318
 319
 320
 321
 322
 323
 324
 325
 326
 327
 328
 329
 330
 331
 332
 333
 334
 335
 336
 337
 338
 339
 340
 341
 342
 343
 344
 345
 346
 347
 348
 349
 350
 351
 352
 353
 354
 355
 356
 357
 358
 359
 360
 361
 362
 363
 364
 365
 366
 367
 368
 369
 370
 371
 372
 373
 374
 375
 376
 377
 378
 379
 380
 381
 382
 383
 384
 385
 386
 387
 388
 389
 390
 391
 392
 393
 394
 395
 396
 397
 398
 399
 400
 401
 402
 403
 404
 405
 406
 407
 408
 409
 410
 411
 412
 413
 414
 415
 416
 417
 418
 419
 420
 421
 422
 423
 424
 425
 426
 427
 428
 429
 430
 431
 432
 433
 434
 435
 436
 437
 438
 439
 440
 441
 442
 443
 444
 445
 446
 447
 448
 449
 450
 451
 452
 453
 454
 455
 456
 457
 458
 459
 460
 461
 462
 463
 464
 465
 466
 467
 468
 469
 470
 471
 472
 473
 474
 475
 476
 477
 478
 479
 480
 481
 482
 483
 484
 485
 486
 487
 488
 489
 490
 491
 492
 493
 494
 495
 496
 497
 498
 499
 500
 501
 502
 503
 504
 505
 506
 507
 508
 509
 510
 511
 512
 513
 514
 515
 516
 517
 518
 519
 520
 521
 522
 523
 524
 525
 526
 527
 528
 529
 530
 531
 532

Letter 10225

1906 10 14 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300 301 302 303 304 305 306 307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400 401 402 403 404 405 406 407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459 460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476 477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 500 501 502 503 504 505 506 507 508 509 510 511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527 528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561 562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578 579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595 596 597 598 599 600 601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646 647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663 664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680 681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697 698 699 700 701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731 732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827 828 829 830 831 832 833 834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 850 851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867 868 869 870 871 872 873 874 875 876 877 878 879 880 881 882 883 884 885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 900 901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 935 936 937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952 953 954 955 956 957 958 959 960 961 962 963 964 965 966 967 968 969 970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986 987 988 989 990 991 992 993 994 995 996 997 998 999 1000 1001 1002 1003 1004 1005 1006 1007 1008 1009 1010 1011 1012 1013 1014 1015 1016 1017 1018 1019 1020 1021 1022 1023 1024 1025 1026 1027 1028 1029 1030 1031 1032 1033 1034 1035 1036 1037 1038 1039 1040 1041 1042 1

Receivable Payables Control - 22 77-000

1959-60

TX-0016400

Yemen: Delta

三、

8-18-26

[illegible][illegible]

Ref	Order Dia.	Ytd.	Max.	Round
5/8	PD0625	0.5615	0.569	0.010
3/4	PD0750	0.6800	0.688	0.012
7/8	PD0875	0.7970	0.805	0.014