







46





```
from extra import print_something

sep = '*' * 20

print(sep)
print_something('Fine, thanks')

print(sep)
print_something()

print(sep)
print_something("Can't talk. Doing Python")
```

```
def print_something(arg = 'great'):  
    print('Hello, how are you?')  
    print( arg )  
  
# Testing my code  
print_something( 'Good, and you?' )
```





```
$ python code.py
```

```
Hello, how are you?
```

```
Good, and you?
```

```
*****
```

```
Hello, how are you?
```

```
Fine, thanks
```

```
*****
```

```
Hello, how are you?
```

```
great
```

```
*****
```

```
Hello, how are you?
```

```
Can't talk. Doing Python
```

```
$
```

\$ python

Python 3.5.0 (default, Sep 25 2015, 16:02:14)

[GCC 4.2.1 Compatible Apple LLVM 6.1.0 (clang-602.0.53)] on darwin

Type "help", "copyright", "credits" or "license" for more information.

>>> import code

Hello, how are you?

Good, and you?

\*\*\*\*\*

Hello, how are you?

Fine, thanks

\*\*\*\*\*

Hello, how are you?

great

\*\*\*\*\*

Hello, how are you?

Can't talk. Doing Python

>>>

```

$ python
Python 3.5.0 (default, Sep 25 2015, 16:02:14)
[GCC 4.2.1 Compatible Apple LLVM 6.1.0 (clang-602.0.53)] on darwin
Type "help", "copyright", "credits" or "license" for more information.
>>> import code
Hello, how are you?
Good, and you?
*****
Hello, how are you?
Fine, thanks
*****
Hello, how are you?
great
*****
Hello, how are you?
Can't talk. Doing Python
>>>
```

code.py

```
code.py

from extra import print_something

sep = '*' * 20

print(sep)
print_something('Fine, thanks')

print(sep)
print_something()

print(sep)
print_something("Can't talk. Doing Python")

--:-- code.py All L18 (Python +3 MMM) 02:02 1.51
End of buffer
```

\_\_name\_\_

extra.py

```
extra.py

def print_something(arg = 'great'):
    print('Hello, how are you?')
    print( arg )

# Testing my code
print_something( 'Good, and you?' )

--:-- extra.py All L18 (Python +3 MMM) 01:53 1.38
```

\_\_name\_\_