

Broliden_5325

09 October, 2020

Contents

Loading data and metadata	1
Merging microbiome datasets	2
Organise the datasets	2
Organise the datasets	2
Computing a SNN graph from sample correlations	3
Visualise the data	4
Computing differential expression across clusters	5
Plotting the most significant bacteria across clusters	9
#Load libraries and other scripts	
#Defining some variables for the analysis	


Loading data and metadata

```
## $ASV_tissue_V3_normalized_batch_corrected.csv
## [1] 767 96
##
## $ASV_CVL_V3_normalized_batch_corrected.csv
## [1] 767 111
##
## $ASV_CVL_V2_normalized_batch_corrected.csv
## [1] 767 111
```

Organise the datasets




Computing a SNN graph from sample correlations




Visualise the data

Louvain clusters



- 1
- 2
- 3
- 4
- 5
- 6
- 7

dataset







- ASV_CVL_1


Computing differential expression across clusters

```
## [1] 130 8
```


```
#Plotting the most significant bacteria across clusters
```





#Plotting the most significant bacteria across PREVIOUS ANNOTATION





Plotting the most significant bacteria across clusters








#Plotting bacteria across clusters



```
## [1] -0.01463636
```

#Plotting bacteria across clusters



##	.2						
##	.1	Gard	Lacto	Oth	Patho	Prev	
##	1	0	0	0	0	15	
##	2	0	0	0	0	11	
##	3	0	4	0	0	13	
##	4	0	2	8	0	0	
##	5	0	1	9	0	0	
##	6	0	0	16	0	0	
##	7	0	0	8	0	2	
##	8	0	14	1	2	5	

```
#Plotting bacteria across clusters  
#Dataset integration
```