

ARCHITECTURE — SUMMARYDOCS Web Reader

Overview

Next.js 14 (App Router) application for browsing and editing canonical application documentation within the Balloo monorepo.

Structure

```
SUMMARY_DOCS/
├── src/
│   ├── app/
│   │   ├── layout.tsx           ← Root layout with Header/Footer
│   │   ├── page.tsx            ← Home page with navigation
│   │   ├── not-found.tsx       ← 404 page
│   │   ├── error.tsx           ← Error page
│   │   ├── globals.css         ← Global styles
│   │   ├── api/
│   │   │   └── appdocs/
│   │   │       └── route.ts     ← Unified API for appdocs
│   │   ├── docs/
│   │   │   ├── app-canonical/
│   │   │   │   ├── [nodeId]/
│   │   │   │   │   └── [appId]/
│   │   │   │   │       └── page.tsx ← App docs viewer page
│   │   │   └── appdocs/
│   │   │       ├── components/
│   │   │       │   ├── AppDocsViewer.tsx ← Linked view viewer
│   │   │       │   └── PrivilegedEditor.tsx ← Privileged editor
│   │   └── components/
│   │       ├── Header.tsx       ← Global header navigation
│   │       ├── Footer.tsx      ← Global footer
│   │       ├── DocumentCatalog.tsx ← Document catalog browser
│   │       └── DocumentViewer.tsx ← Generic document viewer
│   └── docs/
│       ├── app-canonical/
│       │   └── working/
│       │       └── messenger/
│       │           ├── screens/
│       │           ├── transitions/
│       │           ├── scenarios/
│       │           ├── integrations/
│       │           └── maps/
```

```

├── appdocs/
│   ├── APPDOCINDEX.md
│   ├── APPDOCVIEWERMODEL.md
│   ├── APPDOCEDITPOLICY.md
│   ├── APPDOCCODEGENINSTRUCTIONS.md
│   └── contracts/
│       ├── AppScreenContract.md
│       ├── AppTransitionContract.md
│       ├── AppScenarioContract.md
│       ├── AppIntegrationContract.md
│       ├── AppDocLinkedViewContract.md
│       └── AppDocEditContract.md
├── schemas/
│   ├── app-screen.schema.json
│   ├── app-transition.schema.json
│   ├── app-scenario.schema.json
│   ├── app-integration.schema.json
│   └── app-doc-linked-view.schema.json
├── state/
│   ├── app-doc-nodes.json
│   ├── app-doc-apps.json
│   ├── app-doc-objects.json
│   ├── app-doc-links.json
│   └── app-doc-view-index.json
├── MANIFEST.json
└── ROUTING.json

```

Key Rules

1. **All pages MUST have Header and Footer** — enforced via root layout
2. **All pages MUST have Error handling** — enforced via error.tsx
3. **All pages MUST follow DESIGN.md** — mandatory design system for all screens
4. **Legacy docs are immutable** — canonical layer only writes to docs/app-canonical/**
5. **Privileged edit requires general password** — server-side verification only
6. **Audit all changes** — every write logged with timestamp and actor
7. **All new screens MUST reference DESIGN.md** — required before creating any new page

Design System

- **DESIGN.md** — Complete design system (colors, typography, spacing, components, layouts)
- **DESIGN_POLICY.md** — Mandatory compliance policy for all screens
- All pages MUST use defined design tokens, no custom colors or spacing
- Header and Footer are enforced via root layout for ALL pages

API Endpoints

- **GET /api/appdocs?action=linked-view&nodeId=X&appId=Y** — Get linked view

- `GET /api/appdocs?action=object&type=X&id=Y&nodeId=X&appId=Y` — Get single object
- `POST /api/appdocs?action=verify-privilege` — Verify superadmin password
- `POST /api/appdocs?action=save` — Save object (privileged)

Document Types

Type	Description	Contract
Application	Top-level container for docs	MANIFEST.json
Screen	UI surface	AppScreenContract.md
Transition	Navigation between screens	AppTransitionContract.md
Scenario	User workflow	AppScenarioContract.md
Integration	External system connection	AppIntegrationContract.md