



MODULE SUMMARY: Core Types

Module ID: core-types

Module Type: package

Status: active

Version: 1.0.0

1. ☒ ЧТО ЭТО ЗА МОДУЛЬ

Core Types — центральный пакет общих TypeScript типов для всего Balloo monorepo.

Назначение:

- Единый источник истины для типов данных
 - Переиспользуемые type definitions
 - Типизация для всех пакетов и приложений
-

2. ☒ ЗАЧЕМ ОН НУЖЕН

Проблемы которые решает:

1. **Дублирование типов** — типы не дублируются в разных пакетах
2. **Консистентность** — все используют одинаковые определения
3. **Поддержка** — изменения в одном месте
4. **Type safety** — строгая типизация во всём проекте

Value Proposition:

- ☒ Single source of truth for types
 - ☒ Reduced code duplication
 - ☒ Improved type safety
 - ☒ Easier maintenance
-

3. ☒ КАКОГО ОН ТИПА

Module Type: package

Characteristics:

- ☒ Library package (npm)
- ☒ TypeScript types and interfaces
- ☒ No runtime code
- ☒ Import/export surface only

Authority Type: code

Source of Truth:

- ☒ TypeScript source files
- ☒ package.json
- ☒ Published npm package

4. ☒ ГДЕ ОН ЖИВЁТ В РЕПО

Repository Paths:

```
packages/core-types/  
├── src/  
│   ├── index.ts  
│   ├── types/  
│   │   ├── common.ts  
│   │   ├── node.ts  
│   │   ├── messenger.ts  
│   │   └── ...  
│   └── interfaces/  
├── package.json  
├── tsconfig.json  
└── README.md
```

Package Name: @ballooo/core-types

Import Pattern:

```
import { MessageType, NodeConfig } from '@ballooo/core-types';
```

5. ☒ КАКИЕ У НЕГО ЕСТЬ ИНТЕРФЕЙСЫ

Public Interfaces:

Type Exports:

```
// Common types  
export type ID = string;  
export type Timestamp = number;  
export type Status = 'active' | 'inactive' | 'pending';  
  
// Node types  
export interface NodeConfig { ... }  
export interface NodeState { ... }  
  
// Messenger types
```

```
export interface Message { ... }  
export interface Conversation { ... }
```

Import Surface:

Used By:

- ☒ All core-* packages
- ☒ messenger app
- ☒ admin-portal app
- ☒ desktop app
- ☒ mobile app
- ☒ android-service

6. ☒ ГДЕ ОН ПРОЯВЛЯЕТСЯ В СИСТЕМЕ

Node Presence:

Node	Presence Type	Description
laptop_control	import	Used in development
work_server	import	Used in build/deployment

Domain Exposure:

None — package module, no domain exposure.

Distribution:

- ☒ npm package (@balloo/core-types)
- ☒ Importable from any module

7. ☒ С ЧЕМ ОН СВЯЗАН

Dependencies:

Upstream (depends on):

- ☐ None — base types package

Downstream (used by):

- ☒ core-config
- ☒ core-i18n
- ☒ core-theme
- ☒ core-brand
- ☒ core-ui

- ☒ core-docs-schema
- ☒ messenger
- ☒ admin-portal
- ☒ desktop
- ☒ mobile
- ☒ android-service

Related Modules:

Module	Relationship
core-config	provides types
core-i18n	provides types
core-theme	provides types
core-ui	provides types
messenger	provides types

8. ☒ НАСКОЛЬКО ОН РЕАЛИЗОВАН

Implementation Status: ☒ Implemented

Evidence:

- ☒ Package exists in packages/core-types/
- ☒ package.json present
- ☒ Source files present
- ☒ Imported by multiple modules
- ☒ Published to npm (or local registry)

Completeness:

- ☒ Core types defined
- ☒ Node types defined
- ☒ Messenger types defined
- ☒ Admin types defined
- ☐ Some domain types may be incomplete

9. ☒ ПОЧЕМУ ОН ВАЖЕН ДЛЯ AI/РАЗРАБОТКИ

For AI Codegen:

HIGH Relevance:

- ☒ Primary source for type generation
- ☒ Used in all codegen templates
- ☒ Type definitions drive scaffolding

- ☒ Contract-based type generation

Codegen Usage:

```
// AI reads MODULE_CONTRACT_core-types.md
// Generates type definitions
export interface <TypeName> {
  // From contract spec
}
```

For Developers:

Quick Reference:

- ☒ All types in one place
- ☒ Easy to find and import
- ☒ Well-documented
- ☒ Type hints in IDE

 METRICS

Metric	Value	Updated
Type Count	80+	☒ 2026-06-14
Interface Count	45+	☒ 2026-06-14
Type Utilities	10	☒ 2026-06-14
Dependent Modules	11	—
Import Count	100+	—
Codegen Relevance	HIGH	—
Docgen Relevance	HIGH	—

Type Categories:

Category	Count	Status
Common	5	☒ Complete
User	1	☒ Complete
Chat	3	☒ Complete
Message	4	☒ Complete
Node	6	☒ Added 2026-06-14

Category	Count	Status
Invitation	1	☑ Complete
Notification	1	☑ Complete
Feature	1	☑ Complete
Page	2	☑ Complete
Report	1	☑ Complete
Auth	3	☑ Complete
API	2	☑ Complete
Platform	3	☑ Complete
Admin	5	☑ Added 2026-06-14
Type Utilities	10	☑ Added 2026-06-14

CHANGELOG

Version 1.0.0 (2026-06-14)

Added:

- ☑ Node types (NodeConfig, NodeState, NodeTree, NodeType, NodeRole, NodeDeploymentTarget)
- ☑ Admin types (AdminUser, AdminRole, AdminPermission, AuditLogEntry, SystemMetrics)
- ☑ Common types (ID, Timestamp, Status, Result)
- ☑ Type utilities (Partial, Required, Readonly, Keys, PickByValue, OmitByValue, DeepPartial, Nullable, AsyncFunction)
- ☑ ID type aliases (UserId, ChatId, MessageId, NodeId, ConversationId, AnyID)

Updated:

- ☑ AppConfig extended with featureFlags and metadata
- ☑ Enhanced JSDoc documentation for all types

LINKS

- **Contract:** [MODULE_CONTRACT_core-types.md](#)
- **Package:** [packages/core-types/](#)
- **Module Index:** [MODULE_INDEX.md](#)

Создано: 2026-06-13

Версия: 1.0.0

Статус: Active

Автор: Koda (NLP-Core-Team)

