



NODE_SUMMARY_work_server

Canonical Name: work_server

Aliases: work, production-server, main-server

1. NODE IDENTITY

- **Canonical Name:** work_server
 - **Aliases:** work, production-server, main-server
 - **OS Target:** Linux (Ubuntu 22.04 LTS / Debian 12)
 - **Role Class:** production-node
 - **Criticality:** CRITICAL
 - **Always-On:** YES
-

2. RESPONSIBILITIES

Main Functions:

- MUST быть primary host для production приложений
- MUST выполнять backend/API сервисы
- MUST хранить production database (PostgreSQL)
- MUST выполнять websocket/realtime сервисы
- MUST выполнять reverse proxy (Nginx/Caddy)

Project Bindings:

- **Balloo Messenger:** balloo.su ecosystem

Services Expected:

- API Server (Express.js)
 - PostgreSQL database (port 5432)
 - Redis cache (port 6379)
 - WebSocket server
 - Reverse proxy (Nginx/Caddy)
 - Messenger production app
 - Admin Portal production app
 - Ollama (heavy AI models) - MAY
 - Open WebUI - MAY
-

3. BOUNDARIES

MUST NEVER DO:

- MUST NOT выполнять local dev environments
- MUST NOT хранить personal files
- MUST NOT хранить unencrypted sensitive data
- MUST NOT быть единственным местом (backup required)

NOT AUTHORITATIVE FOR:

- Not authoritative for backup (home_nas is)
- Not authoritative for source code (GitHub is)

4. NETWORK & ACCESS

Private Access:

- Tailscale IP: dynamic from Tailscale
- Internal Docker network: 172.x.x.x

Public Exposure:

- ONLY через reverse proxy
- ONLY необходимые сервисы (balloo.su)
- ALL через self-hosted reverse proxy

Ingress/Egress:

- Ingress: HTTP/HTTPS через reverse proxy
- Egress: Internet (npm, Docker Hub, APIs)

5. DEPLOYMENT ROLE

- **Dev:** NO
- **Stage:** MAY (изолированные preview)
- **Prod:** YES (единственный production host)
- **Can initiate rollout:** NO (принимает команды)
- **Can host production:** YES

6. RECOVERY ROLE

- **Recovery Priority:** CRITICAL (самый важный)
- **Must be restored before:** Nothing (first priority)
- **What breaks if absent:** BCE production падает

Recovery Method:

1. Provision new node
2. Restore from home_nas backup
3. Restore PostgreSQL backup

4. Update DNS if needed
 5. Verify services
-

7. SOURCE INPUTS

- Migration docs
 - Infrastructure docs
 - Existing code structure
 - Previously stated architecture
-

8. RECREATION GUIDANCE

How AI Should Recreate:

1. Install Linux (Ubuntu 22.04 LTS)
2. Install Docker + Docker Compose
3. Install Tailscale
4. Clone git repositories
5. Restore .env from encrypted backup
6. Run docker-compose up
7. Verify health endpoints

Minimal Required Services:

- PostgreSQL
- Redis
- API Server
- Reverse proxy
- Messenger app
- Admin Portal

Optional Enhancements:

- Ollama
- Open WebUI
- Monitoring (Prometheus/Grafana)

Exact Caution:

- NEVER expose database ports publicly
 - ALWAYS use encrypted backups
 - ALWAYS have home_nas sync
 - NEVER store secrets unencrypted
-

Создано: 2026-06-13

Версия: 1.0.0

