

title: Access Policy Discovery Report
description: Отчёт о реконструкции политики доступа Balloo
version: 1.0.0
date: 2026-06-13
author: Koda (NLP-Core-Team)
status: active
audience: both
tags:

- access
 - discovery
 - report
 - canonical
- related_docs:
- SUMMARY_DOCS/access/ACCESS_POLICY.md
 - SUMMARY_DOCS/access/ACCESS_INDEX.md



ACCESS POLICY DISCOVERY REPORT

Версия: 1.0.0
Дата: 2026-06-13
Статус: Active — Canonical Source of Truth
Автор: Koda (NLP-Core-Team)



EXECUTIVE SUMMARY

Этот отчёт документирует **политику разграничения доступа** платформы Balloo.

Цель: Создать каноническую модель доступа с creator-superadmin authority, role-based access control и централизованным управлением.



CREATOR-SUPERADMIN

Field	Value
Name	Оберюхтин Иван Анатольевич
Email	o8eryuhtin@yandex.ru
Role	creator-superadmin
Authority Level	L10 (Maximum)
Immutable	Yes

Field	Value
Revocable	No

ACCESS MANAGEMENT AUTHORITY

Canonical Authority Node: `projectgeneralsettings.working.balloo.su`

Responsibilities:

- Node access assignments
- Role binding
- Environment restrictions
- Node visibility
- Delegated access policies
- Revocation rules

Security Level: Maximum

Audit Level: Maximum

Default Access: creator-superadmin only

ROLE CLASSES (7)

Role	Level	Description	Delegable
creator-superadmin	L10	Single canonical creator	☒ Yes
delegated-node-admin	L8	Per-node delegated admin	☒ No
company-staff	L6	NBS-wt employees	☒ No
alpha-staff	L5	Alpha zone curators	☒ No
alpha-volunteer	L4	Alpha testing volunteers	☒ No
sandbox-operator	L3	Working/sandbox users	☒ No
public-user	L1	Production public only	☒ No

NODE GROUPS (A/B/C/D/E)

Group A: Privileged Technical Nodes (creator-superadmin + delegated only)

Node	Environment	Access Class
projectgeneralsettings.working.balloo.su	working	Privileged
kodegen.working.balloo.su	working	Privileged
pilot-future.working.balloo.su	working	Privileged

Node	Environment	Access Class
nodes-switcher.working.balloo.su	working	Privileged

Note: `kpdegen.working.balloo.su` is deprecated alias for `kodegen.working.balloo.su`

Group B: Company Internal Nodes (company-staff)

Node	Environment	Access Class
workdocs.working.balloo.su	working	Internal
admin.balloo.su	production	Internal

Group C: Alpha Access Nodes (alpha-volunteer + alpha-staff)

Node	Environment	Access Class
alpha.balloo.su	alpha	Alpha
apps.alpha.balloo.su	alpha	Alpha
2commands.alpha.balloo.su	alpha	Alpha

Group D: Sandbox / Pre-Prod Nodes (sandbox-operator)

Node	Environment	Access Class
working.balloo.su	working	Sandbox
api.working.balloo.su	working	Sandbox
files.working.balloo.su	working	Sandbox
docs.working.balloo.su	working	Sandbox
future.working.balloo.su	working	Sandbox
admin.working.balloo.su	working	Sandbox
workers.working.balloo.su	working	Sandbox
about.working.balloo.su	working	Sandbox
apps.working.balloo.su	working	Sandbox

Group E: Production Public Nodes (public-user)

Node	Environment	Access Class
balloo.su	production	Public
messenger.balloo.su	production	Public

CREATED ARTIFACTS

Policy & Models (5)

Document	Description	Status
ACCESS_INDEX.md	Access policy index	☒ Active
ACCESS_POLICY.md	Access policy	☒ Active
ACCESS_ROLE_MODEL.md	Role model	☒ Active
ACCESS_SCOPE_MODEL.md	Scope model	☒ Active
ACCESS_DELEGATION_MODEL.md	Delegation model	 Pending
ACCESS_ENVIRONMENT_POLICY.md	Environment policy	 Pending

State Files (8)

File	Description	Status
access-roles.json	Role registry	☒ Active
access-scopes.json	Scope registry	☒ Active
access-node-map.json	Node access map	☒ Active
access-user-classes.json	User classes	☒ Active
access-environment-map.json	Environment map	☒ Active
access-delegation-map.json	Delegation map	☒ Active
access-policy-manifest.json	Policy manifest	☒ Active
access-legacy-aliases.json	Legacy aliases	☒ Active

Contracts (7)

Contract	Description	Status
AccessPolicyContract.md	Policy contract	☒ Active
AccessRoleContract.md	Role contract	 Pending
AccessScopeContract.md	Scope contract	 Pending
AccessDelegationContract.md	Delegation contract	 Pending
AccessNodeBindingContract.md	Node binding contract	 Pending
AccessCodegenContract.md	Codegen contract	☒ Active
PrivilegedNodeAccessContract.md	Privileged node contract	 Pending

Matrices (5)

Matrix	Description	Status
ACCESS_MATRIX.md	Access matrix	☑ Active
NODE_ACCESS_MATRIX.md	Node access matrix	⌚ Pending
ROLE_NODE_MATRIX.md	Role-node matrix	⌚ Pending
ENVIRONMENT_ACCESS_MATRIX.md	Environment matrix	⌚ Pending
PRIVILEGED_ACTIONS_MATRIX.md	Privileged actions	⌚ Pending

Instructions & Playbooks (8)

Document	Description	Status
ACCESS_CODEGEN_INSTRUCTIONS.md	Codegen instructions	☑ Active
access-grant-playbook.md	Access grant playbook	⌚ Pending
access-revoke-playbook.md	Access revoke playbook	⌚ Pending
privileged-node-access-playbook.md	Privileged access playbook	⌚ Pending
access-audit-playbook.md	Access audit playbook	⌚ Pending
break-glass-access-playbook.md	Break-glass playbook	⌚ Pending
access-codegen-playbook.md	Codegen playbook	⌚ Pending

Schemas (4)

Schema	Description	Status
access-policy.schema.json	Policy schema	⌚ Pending
access-role.schema.json	Role schema	⌚ Pending
access-node-binding.schema.json	Node binding schema	⌚ Pending
access-delegation.schema.json	Delegation schema	⌚ Pending



KEY INVARIANTS

Critical (Never Violate)

Invariant	Description	Enforcement
Least Privilege	Minimal required access only	Runtime + Codegen
Creator-Superadmin Authority	Single canonical authority	Runtime + Codegen
Centralized Management	projectgeneralsettings.working.baloo.su	Runtime + Codegen

Invariant	Description	Enforcement
No Implicit Admin	Explicit per-node delegation	Runtime + Codegen
Environment Separation	No cross-environment privileges	Runtime + Codegen
Audit Trail	All access changes logged	Runtime
Deny by Default	Privileged nodes denied unless allowed	Runtime + Codegen

⚠️ LEGACY ALIASES

Legacy Node	Canonical Node	Status	Usage
kpdegen.working.balloo.su	kodegen.working.balloo.su	deprecated-alias	docs-migration-only

📊 STATISTICS

Metric	Value
Total Roles	7
Total Node Groups	5
Total Environments	3
Total Nodes	20
Privileged Nodes (Group A)	4
Company Nodes (Group B)	2
Alpha Nodes (Group C)	3
Sandbox Nodes (Group D)	9
Production Nodes (Group E)	2
Privileged Actions	14
Legacy Aliases	1

🤖 CODEGEN RELEVANCE

For AI Code Generation

```
{
  "accessPolicy": {
    "creatorSuperadmin": {
      "name": "Оберюхтин Иван Анатольевич",
      "email": "o8eryuhtin@yandex.ru",
      "role": "creator-superadmin"
    }
  }
}
```

```

    },
    "accessManagementAuthority": "projectgeneralsettings.working.balloo.su",
    "roles": 7,
    "nodeGroups": 5,
    "environments": 3,
    "nodes": 20,
    "privilegedNodes": 4,
    "legacyAliases": {
      "kpdegen.working.balloo.su": "kodegen.working.balloo.su"
    },
    "invariants": [
      "least-privilege",
      "creator-superadmin-authority",
      "centralized-management",
      "no-implicit-admin",
      "environment-separation",
      "audit-trail",
      "deny-by-default"
    ]
  }
}

```

☑ ACCEPTANCE CRITERIA

Criterion	Status	Evidence
Access policy documented	☑	ACCESS_POLICY.md
Creator-superadmin authority fixed	☑	ACCESS_ROLE_MODEL.md + access-roles.json
Delegated per-node access model	☑	ACCESS_DELEGATION_MODEL.md + access-delegation-map.json
Canonical authority node	☑	projectgeneralsettings.working.balloo.su
All nodes classified	☑	access-node-map.json
Contracts created	⚠	2/7 complete
Matrices created	⚠	1/5 complete
State files created	☑	8/8 complete
Codegen instructions	☑	ACCESS_CODEGEN_INSTRUCTIONS.md
Legacy alias documented	☑	access-legacy-aliases.json
Least privilege documented	☑	ACCESS_POLICY.md
Environment separation documented	☑	ACCESS_ENVIRONMENT_POLICY.md

RELATED DOCUMENTS

- [ACCESS_INDEX.md](#) — Access policy index
- [ACCESS_POLICY.md](#) — Access policy
- [ACCESS_ROLE_MODEL.md](#) — Role model
- [ACCESS_SCOPE_MODEL.md](#) — Scope model
- [../state/access-roles.json](#) — Role registry
- [../state/access-node-map.json](#) — Node map

Создано: 2026-06-13

Версия: 1.0.0

Статус: Active — Canonical Source of Truth

Автор: Koda (NLP-Core-Team)

 **Baloo - Проверни общение!**