



NETWORK MAP


Версия: 1.0.0

Дата: 2026-06-13




СЕТОВАЯ ТОПОЛОГИЯ

Private Overlay Network: Tailscale




PUBLIC INGRESS: Nginx/Caddy Reverse Proxy



INTERNAL SERVICE-TO-SERVICE

work_server Docker Network



ACCESS PATHS

Control Plane → Execution Plane

```
laptop_control (Tailscale)
  ↓ SSH (port 22)
work_server (Tailscale IP)
  ↓ Docker exec
Containers
```

Backup Sync

```
work_server
  ↓ rsync over SSH (Tailscale)
home_nas
```

Dev Sync

```
home_aio
  ↓ git pull / rsync
work_server (repositories mirror)
```

PORT EXPOSURE

MUST NOT be Public:

- PostgreSQL: 5432 ✖ (internal only)
- Redis: 6379 ✖ (internal only)
- SSH: 22 ✖ (Tailscale only)
- Metrics: 9090 ✖ (internal only)

MAY be Public (via proxy):

- HTTP: 80 ☒ (reverse proxy)
- HTTPS: 443 ☒ (reverse proxy)
- WebSocket ☒ (via proxy)

HOST TAGGING

```
laptop_control → control-plane, operator
work_server → execution-plane, production, critical
home_aio → execution-plane, dev
home_nas → storage-plane, backup
phone_personal → control-plane, access, 2fa
phone_service → control-plane, access, admin
```

Создано: 2026-06-13

 **Baloo**