



RESTORE PLAYBOOK

Версия: 1.0.0

Дата: 2026-06-13



EMERGENCY RESTORATION PROCEDURES

Scenario 1: Loss of work_server (CRITICAL)

Impact: Production DOWN

Steps:

1. Provision new node

```
# Install Ubuntu 22.04 LTS
# Configure hostname: work_server
# Set up user with sudo
```

2. Install base software

```
# Docker
curl -fsSL https://get.docker.com | sh

# Docker Compose
sudo apt install docker-compose

# Tailscale
curl -fsSL https://tailscale.com/install.sh | sh
sudo tailscale up

# Git
sudo apt install git
```

3. Restore configuration

```
# Clone repositories
git clone https://github.com/NBS-wt-Director/Messenger_Balloo_next_ts.git
cd Messenger_Balloo_next_ts

# Restore .env from encrypted backup (storage node or password manager)
# Copy to /opt/balloo/prod/.env
```

4. Restore database

```
# Connect to storage node
ssh home_nas

# Find latest backup
ls -lt /backups/postgres/

# Restore
pg_restore -U balloo -d balloo latest_backup.dump

# Or from remote backup
gsutil cp gs://balloo-backups/postgres/latest.dump .
pg_restore -U balloo -d balloo latest.dump
```

5. Start services

```
cd /opt/balloo/prod
docker-compose pull
docker-compose up -d

# Verify
docker-compose ps
curl http://localhost:3000/health
```

6. Update DNS (if IP changed)

```
# Update DNS records
# balloo.su → new work_server IP via reverse proxy
```

Scenario 2: Loss of laptop_control

Impact: Cannot manage system

Steps:

1. Setup new node

```
# Install OS (Windows 11 / Linux)

# Install VS Code / Koda
# Install Git
# Install SSH client
# Install Tailscale
```

2. Restore access

```
# Restore SSH keys from password manager
# Clone git repositories
git clone https://github.com/NBS-wt-Director/Messenger_Balloo_next_ts.git

# Configure Tailscale
tailscale up

# Test SSH access to work_server
ssh work_server
```

Scenario 3: Loss of storage node (home_nas)

Impact: No backups

Steps:

1. Setup new storage node

```
# Install NAS OS (TrueNAS / OpenMediaVault)
# Configure storage pool
# Set up SMB/NFS sharing
```

2. Configure access

```
# Install Tailscale
tailscale up

# Configure backup sync from work_server
# Edit /etc/cron.daily/backup-sync
```

3. Restore from remote backup (if available)

```
# Download from encrypted cloud storage
# Restore to NAS
```

☒ VERIFICATION CHECKLIST

After any restoration:

- ☐ All nodes visible in Tailscale
 - ☐ SSH access from laptop_control to all nodes
 - ☐ Docker containers running on work_server
 - ☐ Database accessible
 - ☐ DNS records pointing correctly
 - ☐ Reverse proxy active
 - ☐ Health endpoints responding
 - ☐ 2FA working on phones
 - ☐ Backup sync configured
-

REQUIRED DOCUMENTS

Must have for recovery:

- NodeTreeContract.md
- NodeRecoveryContract.md
- docker-compose.yml
- database schema
- .env template
- SSH keys backup
- Recovery codes

Locations:

- Primary: work_server
 - Backup: home_nas
 - Offsite: encrypted cloud storage
-

Создано: 2026-06-13

 **Balloo**