



Examples

Ehmm



```
```mermaid
graph TD
 B["fa:fa-car for peace"]
 B-->C["fa:fa-ban forbidden"]
 B-->D("fa:fa-spinner");
 B-->E(A fa:fa-camera-retro perhaps?);
```
```

sequenceDiagram (svg)



```

```{.mermaid im_opt="-H 300" im_fmt="svg"}
sequenceDiagram
 Alice ->> Bob: Hello Bob, how are you?
 Bob-->>John: How about you John?
 Bob--x Alice: I am good thanks!
 Bob-x John: I am good thanks!
 Note right of John: Bob thinks a long
long time, so long
that the text does

 Bob-->>Alice: Checking with John...
 Alice->>John: Yes... John, how are you?
```
  
```

Documentation

mmdc -h

Usage: mmdc [options]

Options:

| | |
|--|--|
| -V, --version | output the version number |
| -t, --theme [theme] | Theme of the chart, could be default, forest, dark or neutral. Optional. Default: default (default: "default") |
| -w, --width [width] | Width of the page. Optional. Default: 800 (default: "800") |
| -H, --height [height] | Height of the page. Optional. Default: 600 (default: "600") |
| -i, --input <input> | Input mermaid file. Required. |
| -o, --output [output] | Output file. It should be either svg, png or pdf. Optional. Default: input + ".svg" |
| -b, --backgroundColor [backgroundColor] | Background color. Example: transparent, red, '#F0F0F0'. Optional. Default: white |
| -c, --configFile [configFile] | JSON configuration file for mermaid. Optional |
| -C, --cssFile [cssFile] | CSS file for the page. Optional |
| -p --puppeteerConfigFile [puppeteerConfigFile] | JSON configuration file for puppeteer. Optional |
| -h, --help | output usage information |