

LANDSCAPE RESILIENCE CONCEPTS & SCORE

THIS IS NOT AN OVERVIEW OF THE LANSCAPE RESILIENCE TOOL

Dan Wismer

Conservation Data Specialist

What is Landscape Resilience?

- NCC infers the term **Landscape Resilience** as the capacity for biodiversity to recover from local losses and persist at the landscape scale.
- For a landscape to be resilient, it must be able to adapt to pressures over time in a way that supports the long-term survival of biodiversity and ecosystems.
- Landscape Resilience within this context considers ecological variables and aligns more closely with Ecological Resilience defined in the academic literature.
- NCC measures Landscape Resilience at the 1km x 1km pixel scale



How can NCC Contribute to Landscape Resilience?

• Addressing the existing protected area **gaps** to better **represent** ecosystems, increase **connectivity** and promote species **persistence**.

 By building a system of protected areas with a diverse ecological portfolio to help mitigate the risk of biodiversity loss.

 Adding redundancy of species and their habitat through protection supports persistence of biodiversity at the landscape level (Peterson, Allen & Holling, 1998).

Why is a Score Needed?

- To **scope** and **compare** areas based on Landscape Resilience.
- To consolidate conservation variables that align with the definition of Landscape Resilience into a single composite metric.
- To **support** securement and stewardship by assessing a project's contribution to Landscape Resilience.
- Provide basis for directing limited resources to those areas on the landscape where they are likely to have the greatest benefit.

How will the Score be used?

- 1. Enhance Where To Work site selection outputs
 - Extracting the Landscape Resilience Score to Where To Work outputs provides a continuous variable to assess Landscape Resilience between planning units.
- Support project management plans, securement and stewardship
 - Extracting the Landscape Resilience Score to parcel boundaries provides a means to assess a projects contribution to Landscape Resilience.

Landscape Resilience Tool is the interface to extract the score



What makes up the Score?

NCC valued conservation themes that capture concepts of Landscape Resilience

- 1. Protection: existing conservation
- 2. Biodiversity: richness, adequacy, key biodiversity areas, critical habitat
- 3. Connectivity: current density
- 4. Climate: centrality, refugia
- 5. Habitat: forest, wetland, grassland, rivers, shoreline
- 6. Threats: human disturbance, climate extremes



Protection

- Protected areas contribute to Landscape Resilience by safeguarding species from threats of biodiversity loss.
- Protected areas that intersect other themes of Biodiversity, Connectivity and Climate with less influence of Threats are more resilient.

Variable(s) that capture Protection:

- Existing conservation from <u>Canadian Protected and Conserved Areas Database</u>
- NCC fee simple and conservation agreement achievements
- All classes of protections is considered equal



Biodiversity

- Biodiversity theme is captured by mapping species data and calculating cumulative adequacy goals for each individual species.
- The adequacy goal explains the required protection needed to ensure species persistence throughout time; where some species need more conservation than others.

Variable(s) that capture Biodiversity:

- Species at risk: richness & cumulative adequacy goal (<u>ECCC</u>)
- Endemic species: richness & cumulative adequacy goal (NSC)
- Common species: richness & cumulative adequacy goal (IUCN & NSC)
- Key biodiversity areas (<u>IBA Canada</u>)
- Critical habitat for species at risk (<u>ECCC</u>)



Connectivity

- Landscapes that are connected promote the movement of species among habitat patches
- High connectivity values favor biological flows and represent movement and dispersal patterns of species.

Variable(s) that capture Connectivity:

- Current density (<u>Pither et al, 2023</u>)
 - Considered anthropogenic and natural features and their know effects on the movement of terrestrial non-volant fauna to predict connectivity.



Climate

- Related to connectivity, it is important to adjust for the effects of climate change and give species the opportunity to move as climate conditions change.
- Areas that provide climate resiliency increase the Landscape Resilience Score

Variable(s) that capture Climate:

- Climate refugia (Stralberg et al. 2021; <u>AdaptWest</u>)
 - Locations with rare climatic conditions that are likely to facilitate species persistence under climate change
- Climate centrality (Carroll et al. 2018; <u>AdaptWest</u>)
 - Represents connectivity between current and future climate analogs



Habitat

- By securing a diverse portfolio of habitat types ensures redundancy is built into the protected area network.
- Habitat types reflect NCC impact metrics.

Variable(s) that capture Habitat:

- Forest landcover hectares (<u>VLCE2</u> and <u>AFFC LUTS</u>)
- Wetland hectares (<u>CanVec</u>)
- Grassland hectares (<u>AAFC LU</u>)
- River kilometers (NRCan)
- Shoreline kilometers (<u>CanVec</u>)



Threats

- Habitat pressures pose a negative impact on Landscape Resilience.
- Protected areas decreases the threat of biodiversity loss from anthropogenic pressures.

Variable(s) that capture Threats:

- Human footprint index (<u>UNBC</u>)
 - considers built environments, population density, nighttime lights, crop lands, pasture lands, forestry, railways, roads dams, reservoirs, navigable waterways, mining and oil and gas disturbances.
- Climate extremes (<u>La Sorte et al. 2021</u>)
 - Useful way to capture extreme stressors on biodiversity



Landscape Resilience Score Details

Each variable is **scaled** between **0** and **1** before the score is executed. This step is required to combine features that have different units of measurement.

For variables that have **extreme** concentration of high or low values, a **log** transformation is applied before scaling.

Scaling equation:

Normalized feature = (feature - min value) / (max value - min value)



Landscape Resilience Score Details

Landscape Resilience Score =

```
(protection * value) +
(key biodiversity area * value) + (critical habitat * value) + (SAR richness * value) + (END richness * value) +
(common richness * value) + (SAR goal * value) + (END goal * value) + (common goal * value) +
(connectivity * value) +
(climate centrality * value) + (climate refugia * value) +
(forest landcover * value) + (wetland * value) + (grassland * value) + (rivers * value) + (shoreline * value)
- (human footprint index * value) - (climate extremes * value)
```

Value represents the relative importance in rank with other variables in the equation.

Each 1km x 1km pixel has a score.

All pixels make up the Base layer.



Landscape Resilience Score Details

- For now, each variable gets an equal value of 1.
- Eventually, we will need to decide **IF** variables **should** or **should not** be influenced by a "**relative importance value**".
- This decision should align with what NCC infers as Landscape Resilience.
- There is no **right** or **wrong** approach, as argument could be made for many different combinations.

Example of importance broken down by Impact and Risk:





LANDSCAPE RESILIENCE BUILDER

THIS IS NOT THE LANSCAPE RESILIENCE TOOL

Dan Wismer

Conservation Data Specialist


Landscape Resilience Builder

- Designed as an **engagement** tool that shows transparency in the make-up of the Landscape Resilience (LR) Score.
- Provides a proto-type of Landscape Resilience, where each pixel has a score

Users can change values and update the LR score in real time.
 This provides a means to reason with the relative importance of layers that comprise the score.




Landscape Resilience Builder



NEXT STEPS

- Extending the prototype Landscape
 Resilience area to all of Canada
- Deciding if variables require a relative value.
- Begin building the tool that will host the Landscape Resilience Baselayer and extract Landscape Resilience Scores.





References

Ecological Resilience, Biodiversity and Scale

https://link.springer.com/article/10.1007/s100219900002

Resilience and stability of ecological systems:

https://www.annualreviews.org/doi/abs/10.1146/annurev.es.04.110173.000245

Metrics and Models for Quantifying Ecological Resilience at Landscape Scales:

https://www.frontiersin.org/articles/10.3389/fevo.2019.00440/full

Wild, connected, and diverse: building a more resilient system of protected areas:

https://esajournals.onlinelibrary.wiley.com/doi/full/10.1002/eap.1527

Understanding protected area resilience: a multi-scale, social-ecological approach:

https://esajournals.onlinelibrary.wiley.com/doi/abs/10.1890/13-2113.1?casa token=a5GUcC01mnsAAAAA:dsV4tSiXnHfhPwnCutvAEmA-FGFrxO40JND730ft-nI6Oq Eqe6GlarmzasTqznSmhyP1B2BW-0UNNq5

Landscape ecological concepts in planning: review of recent developments:

https://link.springer.com/article/10.1007/s10980-021-01193-y

Managing Rather Than Avoiding "Difficulties" in Building Landscape Resilience:

https://www.mdpi.com/2071-1050/13/5/2629

Quantifying spatial resilience:

https://besjournals.onlinelibrary.wiley.com/doi/full/10.1111/1365-2664.12634

Resilience in the Studies of Biodiversity-Ecosystem Functioning:

https://www.cell.com/trends/ecology-evolution/fulltext/S0169-5347(15)00321-3

Perspectives for ecosystem management based on ecosystem resilience and ecological thresholds against multiple and stochastic disturbances: https://www.sciencedirect.com/science/article/pii/S1470160X15002411

A riparian conservation network for ecological resilience:

https://www.sciencedirect.com/science/article/pii/S0006320715002529#bb0155

A resilient and connected network of sites to sustain biodiversity under a changing climate https://www.pnas.org/doi/10.1073/pnas.2204434119

Biodiversity, ecosystem function, and resilience: ten guiding principles for commodity production landscapes https://esajournals.onlinelibrary.wiley.com/doi/full/10.1890/1540-

