

Muss_PCA_GLM_DM_X_Benthic

Rachael Blake

September 16, 2016

Regional Scale Analyses

H1: Mussel recruitment (via abundance) is associated with strong wind stress periods (monthly average - and some metric of oscillations? freq?).

H2: Mussel recruitment (via abundance) is associated with high Chl years - specifically the spring bloom.

H3: Mussel recruitment (via abundance) is driven by extreme air temperatures – meaning degree heating days type of threshold plus time (needs to include tidal threshold).


Importance of components:

##	PC1	PC2	PC3	PC4	PC5	PC6
## Standard deviation	2.7750	2.4142	2.1503	1.69243	1.64942	1.45696
## Proportion of Variance	0.2406	0.1821	0.1445	0.08951	0.08502	0.06634
## Cumulative Proportion	0.2406	0.4228	0.5673	0.65678	0.74180	0.80813


##	PC7	PC8	PC9	PC10	PC11	PC12
## Standard deviation	1.32199	1.21262	0.98046	0.91070	0.57210	0.52208
## Proportion of Variance	0.05461	0.04595	0.03004	0.02592	0.01023	0.00852
## Cumulative Proportion	0.86275	0.90870	0.93874	0.96466	0.97489	0.98340


##	PC13	PC14	PC15	PC16	PC17
## Standard deviation	0.46590	0.40358	0.31085	0.2335	4.259e-16
## Proportion of Variance	0.00678	0.00509	0.00302	0.0017	0.000e+00
## Cumulative Proportion	0.99019	0.99528	0.99830	1.0000	1.000e+00

everything



everything





Scenario 1 - Region

chose to retain Spring Freshwater over LAG Annual Freshwater
 chose to retain PDO over ENSO
 chose to retain log Chla spring over PDO Winter
 chose to retain Freshwater Yearly over Neo-Odon algae
 chose to retain Upwelling Annual over Water Temp (buoys)
 chose to retain Fucus over BLOY Adults, Upwelling spring, Red algae perennial, and Red algae TOTAL
 Then had to reduce to 17 variables, since we have only 17 observations at the Region level.

Scenario 2 - Region

Scenario 4 - Region

Scenario 6 - Region

Scenario 8 - Region

Scenario 9 - Region

Scenario 10 - Region

Scenario 11 - Region

Scenario 12 - Region

Scenario 13 - Region

Scenario 14 - Region

Scenario 15 - Region

Scenario 16 - Region

AIC values for all Regional models

```
##      Model      AIC
## 1  Sce_4 -42.250807
## 2  Sce_11 -27.189837
## 3  Sce_1  -8.063201
## 4  Sce_3  -7.330222
## 5  Sce_8  -3.619279
## 6  Sce_2  -2.667597
## 7  Sce_15  5.043078
## 8  Sce_16  7.039943
## 9  Sce_9   17.811782
## 10 Sce_13  18.220283
## 11 Sce_12  19.332962
## 12 Sce_10  19.932915
## 13 Sce_7   22.402045
## 14 Sce_14  23.140452
## 15 Sce_5   25.586733
## 16 Sce_6   25.616772
```

Coefficients for model(s) with lowest AIC scores

```
##
## Call:
## glm(formula = mussel_Anom ~ ., family = gaussian, data = BN_reg_sub_df)
##
## Deviance Residuals:
##      1      2      3      4      5      6
## -0.011458  0.017121 -0.017631  0.033480 -0.028880 -0.007644
##      7      8      9     10     11     12
```

```
## 0.009384 -0.014288 0.021616 0.021407 -0.037159 -0.009105
##      13      14      15      16      17
## 0.001735 0.043250 0.057698 -0.025575 -0.053948
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    0.674279   0.514566   1.310  0.28136
## log_TotChlA_micgL_AnnMn 0.585141   0.111815   5.233  0.01358 *
## FWDisc_MeanYearly_ft3s1 0.045352   0.007061   6.423  0.00765 **
## ENSO_anul_mn    -0.274059   0.052309  -5.239  0.01353 *
## NPGO_anul_mn    -0.073817   0.052785  -1.398  0.25643
## UpWelAnom_anul_mn -0.026043   0.003219  -8.089  0.00395 **
## Hobo_WaterTemp_AnnMn -0.208477   0.023969  -8.698  0.00320 **
## Bare_Sub_Per_Cov   0.010559   0.012090   0.873  0.44674
## Whelk_Sum_n_m2    -0.002969   0.002585  -1.148  0.33404
## S0tt_AnnMnEngRec  -0.015802   0.018342  -0.862  0.45231
## barnacle_Per_Cov   0.007455   0.004630   1.610  0.20577
## Fuc_dist_Per_Cov   0.014268   0.005876   2.428  0.09348 .
## Brwn_alg_ann_Per_Cov -0.027166   0.008636  -3.146  0.05144 .
## Green_alg_ann_Per_Cov -0.016807   0.004887  -3.439  0.04126 *
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## (Dispersion parameter for gaussian family taken to be 0.004732397)
##
##      Null deviance: 2.902831  on 16  degrees of freedom
## Residual deviance: 0.014197  on  3  degrees of freedom
## AIC: -42.251
##
## Number of Fisher Scoring iterations: 2
```

NOTE: If other scales come up with other “best” models, test it all all scale levels.

Also, test scenario 13 at other scales.

Test model performance of the “best” model at each level on all levels.


Test all scenarios from Region data at lower scales.

Scenario WINNER of the Site-level analysis





```
## [1] 3.583126
```

Scenario WINNER from the Transect-level analysis



```
## [1] -3.868123
```




```
##      mussel_Anom
## [1,]  0.9975516
## Warning in sqrt(crit * p * (1 - hh)/hh): NaNs produced
## Warning in sqrt(crit * p * (1 - hh)/hh): NaNs produced
```



Warning: Removed 8 rows containing missing values (geom_point).





Site-level Analysis

Importance of components:

	PC1	PC2	PC3	PC4	PC5	PC6
## Standard deviation	2.4326	2.3555	1.9987	1.72857	1.56065	1.41809
## Proportion of Variance	0.1793	0.1681	0.1211	0.09054	0.07381	0.06094
## Cumulative Proportion	0.1793	0.3475	0.4685	0.55906	0.63286	0.69380



	PC7	PC8	PC9	PC10	PC11	PC12
## Standard deviation	1.34953	1.21544	1.17473	1.0655	0.98443	0.8768
## Proportion of Variance	0.05519	0.04477	0.04182	0.0344	0.02937	0.0233
## Cumulative Proportion	0.74899	0.79376	0.83558	0.8700	0.89935	0.9226


	PC13	PC14	PC15	PC16	PC17	PC18
## Standard deviation	0.78482	0.68975	0.60441	0.5233	0.49164	0.46059
## Proportion of Variance	0.01866	0.01442	0.01107	0.0083	0.00732	0.00643
## Cumulative Proportion	0.94131	0.95572	0.96679	0.9751	0.98242	0.98885

	PC19	PC20	PC21	PC22	PC23	PC24
## Standard deviation	0.33346	0.30367	0.26417	0.22011	0.15256	0.13393
## Proportion of Variance	0.00337	0.00279	0.00211	0.00147	0.00071	0.00054
## Cumulative Proportion	0.99221	0.99501	0.99712	0.99859	0.99930	0.99984

	PC25	PC26	PC27	PC28	PC29	PC30
## Standard deviation	0.06460	0.03278	1.169e-15	3.407e-16	3e-16	2.46e-16
## Proportion of Variance	0.00013	0.00003	0.000e+00	0.000e+00	0e+00	0.00e+00
## Cumulative Proportion	0.99997	1.00000	1.000e+00	1.000e+00	1e+00	1.00e+00

	PC31	PC32	PC33
## Standard deviation	2.382e-16	2.036e-16	1.722e-16
## Proportion of Variance	0.000e+00	0.000e+00	0.000e+00
## Cumulative Proportion	1.000e+00	1.000e+00	1.000e+00





Scenario 1 - Site

*NOTE:

- chose Sea Otter eng rec over barnacles and bare substrate
- chose NPGO annual over ENSO fall
- chose Water temp buoys over Neo-Odon algae and Red annual algae
- chose Freshwater Yearly over LAG Freshwater Yearly
- chose Fucus over Red algae TOTAL and Upwelling fall and Freshwater Fall
- chose HOBO Water temp over Brown algae
- chose PDO annual over PDO Winter

Also removed ENSO Spring, ENSO Annual, PDO Annual and PDO Spring due to singularities

Scenario 2 - Site

Scenario 3 - Site

Scenario 4 - Site

Scenario 5 - Site

Scenario 6 - Site

Scenario 7 - Site

Scenario 8 - Site

Scenario 9 - Site

Scenario 10 - Site

Scenario 11 - Site

Scenario 12 - Site

Scenario 13

Scenario 14 - Site

Scenario 15 - Site

Scenario 16 - Site

Scenario 17 - Site

Scenario 18 - Site

Scenario 19 - Site

Scenario 20 - Site

Scenario 21 - Site

Scenario 22 - Site

Scenario 23 - Site

Scenario 24 - Site

Scenario 25 - Site

Scenario 26 - Site

Scenario 27 - Site

Scenario 28 - Site

AIC values for all Site models

```
##      Model      AIC
## 1  Sce_28_s 71.84565
## 2  Sce_27_s 75.69550
## 3  Sce_24_s 75.88648
## 4  Sce_18_s 77.83488
## 5  Sce_26_s 79.30016
## 6  Sce_25_s 79.53424
## 7  Sce_15_s 80.17677
## 8  Sce_13_s 80.92781
## 9  Sce_14_s 81.19983
## 10 Sce_17_s 81.83946
## 11 Sce_22_s 81.89060
## 12 Sce_16_s 82.10818
## 13  Sce_7_s 82.12386
## 14  Sce_8_s 82.15145
## 15 Sce_23_s 82.17674
## 16 Sce_12_s 82.33071
## 17 Sce_11_s 82.40448
## 18 Sce_21_s 82.47318
## 19  Sce_9_s 83.81996
## 20 Sce_19_s 84.21813
## 21 Sce_10_s 86.58349
## 22  Sce_2_s 90.31254
## 23  Sce_6_s 93.21779
## 24  Sce_5_s 93.31026
## 25 Sce_20_s 93.77724
## 26  Sce_3_s 95.30850
## 27  Sce_1_s 95.67174
## 28  Sce_4_s 97.50154
```

Coefficients for model(s) with lowest AIC scores

```
##
## Call:
## glm(formula = mussel_Anom ~ ., family = gaussian, data = BN_reg_sub_df)
##
## Deviance Residuals:
##      Min       1Q   Median       3Q      Max
## -0.96008  -0.31516   0.06693   0.40606   0.96437
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    -3.49332    0.92487  -3.777 0.000493 ***
## log_TotChlA_micgL_AnnMn  0.74706    0.30031   2.488 0.016913 *
## WaterTmp_C_AnnMn        0.24357    0.09192   2.650 0.011303 *
## SOtt_AnnMnEngRec        0.15546    0.03605   4.312 9.59e-05 ***
## Brwn_alg_ann_Per_Cov    -0.02810    0.01413  -1.988 0.053363 .
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
```


```
## (Dispersion parameter for gaussian family taken to be 0.2340812)
##
## Null deviance: 17.7483 on 46 degrees of freedom
## Residual deviance: 9.8314 on 42 degrees of freedom
## AIC: 71.846
##
## Number of Fisher Scoring iterations: 2
```

Scenario WINNER from Region-level analysis





```
## [1] 79.35655
```

Scenario WINNER from the Transect-level analysis

```
## [1] 67.49646
```



```
## mussel_Anom
## [1,] 0.6678819
```



Warning: Removed 49 rows containing missing values (geom_point).




Transect-level Analyses (Within-Site)

```
## Importance of components:
##
##          PC1      PC2      PC3      PC4      PC5      PC6      PC7
## Standard deviation  2.3243  2.2666  1.880  1.75237  1.51768  1.40138  1.28093
## Proportion of Variance 0.1589  0.1511  0.104  0.09032  0.06775  0.05776  0.04826
## Cumulative Proportion 0.1589  0.3100  0.414  0.50430  0.57204  0.62980  0.67806
##
##          PC8      PC9      PC10     PC11     PC12     PC13
## Standard deviation  1.17652  1.16452  1.09472  1.00543  0.94818  0.92039
## Proportion of Variance 0.04071  0.03989  0.03525  0.02973  0.02644  0.02492
## Cumulative Proportion 0.71877  0.75866  0.79391  0.82364  0.85008  0.87500
##
##          PC14     PC15     PC16     PC17     PC18     PC19
## Standard deviation  0.8668  0.82128  0.80497  0.75685  0.69455  0.57301
## Proportion of Variance 0.0221  0.01984  0.01906  0.01685  0.01419  0.00966
## Cumulative Proportion 0.8971  0.91693  0.93599  0.95284  0.96703  0.97669
##
##          PC20     PC21     PC22     PC23     PC24     PC25
## Standard deviation  0.56059  0.42225  0.34843  0.30241  0.25208  0.14636
## Proportion of Variance 0.00924  0.00524  0.00357  0.00269  0.00187  0.00063
## Cumulative Proportion 0.98593  0.99117  0.99474  0.99743  0.99930  0.99993
##
##          PC26     PC27     PC28     PC29     PC30
## Standard deviation  0.04792  1.119e-14  6.301e-15  4.905e-15  4.007e-15
## Proportion of Variance 0.00007  0.000e+00  0.000e+00  0.000e+00  0.000e+00
## Cumulative Proportion 1.00000  1.000e+00  1.000e+00  1.000e+00  1.000e+00
##
##          PC31     PC32     PC33     PC34
## Standard deviation  3.353e-15  3.338e-15  4.985e-16  2.289e-16
```




```
## Proportion of Variance 0.000e+00 0.000e+00 0.000e+00 0.000e+00
## Cumulative Proportion  1.000e+00 1.000e+00 1.000e+00 1.000e+00
```

everything



everything



Scenario 6 - Transect

Scenario 7 - Transect

Scenario 8 - Transect

Scenario 9 - Transect

Scenario 10 - Transect

Scenario 11 - Transect

Scenario 12 - Transect

Scenario 13 - Transect

Scenario 14 - Transect

Scenario 15 - Transect

Scenario 16 - Transect

Scenario 17 - Transect

Scenario 18 - Transect

Scenario 19 - Transect

Scenario 20 - Transect

Scenario 21 - Transect

Scenario 22 - Transect

Scenario 23 - Transect

Scenario 24 - Transect

Scenario 25 - Transect

Scenario 26 - Transect

Scenario 27 - Transect

Scenario 28 - Transect

Scenario 29 - Transect

```
##      Model      AIC
## 1  Sce_22_t 1894.785
## 2   Sce_4_t 1906.363
## 3  Sce_25_t 1909.536
## 4  Sce_24_t 1911.617
## 5   Sce_2_t 1912.064
## 6  Sce_23_t 1913.050
## 7   Sce_3_t 1914.627
## 8  Sce_21_t 1915.102
## 9   Sce_1_t 1915.375
## 10 Sce_19_t 1928.582
## 11 Sce_20_t 1928.722
## 12 Sce_29_t 1930.670
## 13 Sce_14_t 1932.327
## 14 Sce_16_t 1935.349
## 15 Sce_18_t 1939.148
## 16 Sce_10_t 1939.583
## 17 Sce_13_t 1943.470
## 18  Sce_9_t 1954.246
## 19 Sce_28_t 1961.932
## 20 Sce_27_t 1962.033
## 21 Sce_26_t 1963.111
## 22 Sce_12_t 1963.636
## 23  Sce_5_t 1966.002
## 24 Sce_17_t 1966.002
## 25  Sce_7_t 1966.490
## 26 Sce_11_t 1968.511
## 27 Sce_15_t 1970.527
## 28  Sce_6_t 1991.004
## 29  Sce_8_t 1992.993
```

Coefficients for model(s) with lowest AIC scores

```
##
## Call:
## glm(formula = mussel_Anom ~ ., family = gaussian, data = BN_reg_sub_df)
##
## Deviance Residuals:
##      Min       1Q   Median       3Q      Max
## -2.75951  -0.75829  -0.00292   0.73898   3.06782
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    0.966532   0.197848   4.885 1.30e-06 ***
## UpWelAnom_fal_mn  0.007773   0.002285   3.401 0.000711 ***
## UpWelAnom_anul_mn -0.028077   0.003029  -9.269 < 2e-16 ***
## Hobo_WaterTemp_AnnMn -0.064289   0.024489  -2.625 0.008862 **
```


```
## Bare_Sub_Per_Cov      -0.007725    0.002375   -3.253 0.001203 **
## Red_alg_TOT_Per_Cov   0.001950    0.001201    1.624 0.104928
## Brwn_alg_ann_Per_Cov  -0.020686    0.004148   -4.988 7.85e-07 ***
## Green_alg_ann_Per_Cov -0.003052    0.001658   -1.841 0.066133 .
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## (Dispersion parameter for gaussian family taken to be 1.018094)
##
## Null deviance: 805.11  on 659  degrees of freedom
## Residual deviance: 663.80  on 652  degrees of freedom
## AIC: 1894.8
##
## Number of Fisher Scoring iterations: 2
```

Scenario Winner from Region-level analysis above





```
## [1] 1906.746
```

Scenario Winner from Site-level analysis above

```
## [1] 1929.439
```



```
##      mussel_Anom
## [1,]    0.4189486
```



Warning: Removed 588 rows containing missing values (geom_point).

