Scalable and Computationally Reproducible Approaches to Arctic Research

Matt Jones, Bryce Mecum, Jeanette Clark, Sam Csik

September 19, 2022

Table of contents

Preface **5**
About . . . 5
Schedule . . . 5
Code of Conduct . . . 5
Setting Up . . . 7
Download VS Code and Extensions . . . 7
Set up VS Code . . . 8
Test your local setup (Optional) . . . 8
About this book . . . 9

1 Welcome and Introductions **10**

2 Remote Computing **13**
2.1 Introduction . . . 13
2.2 Servers & Networking . . . 13
2.3 IP addressing . . . 14
2.4 Bash Shell Programming . . . 15
2.5 Some group exercise: . . . 15
2.6 Connecting to a remote computer via a shell . . . 16
2.7 Exercise: . . . 16

3 Python Programming on Clusters **18**
3.1 Introduction . . . 18
3.2 Starting a project . . . 18
3.3 Virtual Environments . . . 19
3.4 Brief overview of python syntax . . . 20
3.5 Jupyter notebooks . . . 24
3.5.1 Load libraries . . . 24
3.5.2 Read in a csv . . . 25
3.6 Functions . . . 30
3.7 Resources . . . 32

4 Pleasingly Parallel Programming **33**
4.1 Introduction . . . 33

4.2 Why parallelism? 35
4.3 Processors (CPUs) and Cores 35
4.4 Modes of parallelization 37
4.5 Task parallelism with `concurrent.futures` . . . 38
4.6 Approaches to parallelization 39
4.7 concurrent.futures 39
4.8 parsl 39
4.9 When to parallelize 40

5 Parallel Pitfalls and their solutions 42
5.1 Summary 42
5.2 Further Reading 42

6 Documenting and Publishing Data 43
6.1 Introduction 43

7 Data Structures and Formats for Large Data 44
7.1 Introduction 44
7.2 Working with Large Data 44
7.2.1 Exercise 44
7.3 NetCDF/HDF Overview 45
7.4 Introduction to Xarray 45
7.5 Exercise 45

8 Parallelization with Dask 46
8.1 Introduction 46
8.1.1 Notes 46
8.2 Dask Tutorial 47

9 Group Project: Staging and Preprocessing 48

10 Spatial and Image Data Using GeoPandas 49
10.1 Introduction 49
10.2 Pre-processing raster data 49
10.2.1 Check extents 53
10.3 Calculate total distance per fishing area 54

11 Data Futures: Parquet and Arrow 101
11.1 Introduction 101
11.2 Row major vs column major 101
11.2.1 File formats 102
11.3 Parquet 103

11.4 Arrow 104
11.5 Example 104

12 Group Project: Data Processing 105

13 Google Earth Engine 106
13.1 Introduction (15-20min) 106
13.2 Getting started with Google Earth Engine (GEE) on your own machine (40 min) 107
13.3 Visualize global precipitation data using Google Earth Engine 109
13.4 INGMAR'S DEMONSTRATION HERE?(30-40 min) 111
13.5 Conclusion/Summary 111
13.6 Other Resources 112

14 Group Project: Visualization 113

15 Workflows for data staging and publishing 114
15.1 NSF policy for large datasets 114
15.2 Data transfer tools 115
15.3 Documenting large datasets 117

16 Reproducibility and Containers 118
16.1 Outline 118
16.2 Hands-off Demo 119

References 120

Preface

About

This 5-day in-person workshop will provide researchers with an introduction to advanced topics in computationally reproducible research in python and R, including software and techniques for working with very large datasets. This includes working in cloud computing environments, docker containers, and parallel processing using tools like parsl and dask. The workshop will also cover concrete methods for documenting and uploading data to the Arctic Data Center, advanced approaches to tracking data provenance, responsible research and data management practices including data sovereignty and the CARE principles, and ethical concerns with data-intensive modeling and analysis.

Schedule

Code of Conduct

Please note that by participating in this activity you agree to abide by the NCEAS Code of Conduct.

	Monday	Tuesday	Wednesday	Thursday	Friday
08:00-08:30	Coffee (optional)	Coffee (optional)	Coffee (optional)	Coffee (optional)	Coffee (optional)
08:30-09:00 09:00-09:30	**1. Welcome and Course Overview** (Jeanette)	**6. Data structures and formats for large data** (Bryce)	**10. Spatial and Image Data using GeoPandas** (Jeanette)	**15. Google Earth Engine** (Ingmar, Sam)	**19. What is cloud computing anyways?** (Matt)
09:30-10:00 10:00-10:30	**2. Remote computing** (Sam)		**11. Data futures: Parquet and Arrow** (Jeanette)		
10:30-11:00	BREAK	BREAK	BREAK	BREAK	BREAK
11:00-11:30 11:30-12:00	**3. Python programming on clusters** (Jeanette)	**7. Parallelization with Dask** (Bryce)	**12. Software Design II** (Bryce)	**16. Billions of Ice Wedge Polygons** (Chandi)	**20. Reproducibility redux via containers** (Bryce) **Survey Feedback Q & A**
12:00-12:30 12:30-13:00	Lunch	Lunch	Lunch	Lunch	Adjourn
13:00-13:30 13:30-14:00 14:00-14:30 14:30-15:00	**4. Pleasingly Parallel Programming** (Matt)	**8. Group project I Data staging and pre-processing** (Jeanette)	**13. Group project II Parallel data processing** (Jeanette)	**17. Group project III Visualizing big geospatial data** (Jeanette)	
15:00-15:30	Break	Break	Break	Break	
15:30-16:00 16:00-16:30	**5. Documenting and Publishing Data** (Daphne)	**9. Software design I** (Bryce)	**14. Data Ethics** (Matt) **Breather** Catch-up	**18. Workflows for data staging and publishing** (Jeanette)	
16:30-17:00	Q&A	Q&A	Q&A	Q&A	

Setting Up

In this course, we will be using Python (> 3.0) as our primary language, and VS Code as our IDE. Below are instructions on how to get VS Code set up to work for the course. If you are already a regular Python user, you may already have another IDE set up. We strongly encourage you to set up VS Code with us, because we will use your local VS Code instance to write and execute code on one of the NCEAS servers.

Download VS Code and Extensions

First, download VS Code if you do not already have it installed.

Check to make sure you have Python installed if you aren't sure you do. To do this, from the terminal run:

```
python3 --version
```

If you get an error, it means you need to install Python. Here are instructions for getting installed, depending on your operating system. Note: There are many ways to install and manage your Python installations, and advantages and drawbacks to each. If you are unsure about how to proceed, feel free to reach out to the instructor team for guidance.

- Windows: Download and run an installer from Python.org.
- Mac: Install using homebrew. If you don't have homebrew installed, follow the instructions from their webpage.
  - `brew install python3`

After you run your install, make sure you check that the install is on your system PATH by running `python3 --version` again.

You'll also need to download the Remote - SSH extension to use later.

Set up VS Code

This section summarizes the official VS Code tutorial. For more detailed instructions and screenshots, see the source material. If you already use VS Code for Python you can skip this.

First, install the Python extension for VS Code.

Open a terminal window in VS Code from the Terminal drop down in the main window. Run the following commands to initialize a project workspace in a directory called `training`. This example will show you how to do this locally. Later, we will show you how to set it up on the remote server with only one additional step.

```
mkdir training
cd training
code .
```

Next, we will select the Python interpreter for the project. Open the **Command Palette** using Command + Shift + P (Control + Shift + P for windows). The Command Palette is a handy tool in VS Code that allows you to quickly find commands to VS Code, like editor commands, file edit and open commands, settings, etc. In the Command Palette, type "Python: Select Interpreter." Push return to select the command, and then select the interpreter you want to use (your Python 3.X installation).

Finally, download the Jupyter extension. You can create a test Jupyter Notebook document from the command pallete by typing "Create: New Jupyter Notebook" and selecting the command. This will open up a code editor pane with a notebook that you can test.

Test your local setup (Optional)

To make sure you can write and execute code in your project, create a Hello World test file.

- From the File Explorer toolbar, or using the terminal, create a file called `hello.py`
- Add some test code to the file, and save

```
msg = "Hello World"
print(msg)
```

- Execute the script using either the Play button in the upper-right hand side of your window, or by running `python3 hello.py` in the terminal.
  - For more ways to run code in VS Code, see the tutorial

About this book

These written materials reflect the continuous development of learning materials at the Arctic Data Center and NCEAS to support individuals to understand, adopt, and apply ethical open science practices. In bringing these materials together we recognize that many individuals have contributed to their development. The primary authors are listed alphabetically in the citation below, with additional contributors recognized for their role in developing previous iterations of these or similar materials.

This work is licensed under a Creative Commons Attribution 4.0 International License.

Citation: Matthew B. Jones, Bryce Mecum, S. Jeanette Clark, Samantha Csik. 2022. Scalable and Computationally Reproducible Approaches to Arctic Research.

Additional contributors: Amber E. Budden, Natasha Haycock-Chavez, Noor Johnson, Stephanie Hampton, Jim Regetz, Bryce Mecum, Julien Brun, Julie Lowndes, Erin McLean, Andrew Barrett, David LeBauer, Jessica Guo.

This is a Quarto book. To learn more about Quarto books visit https://quarto.org/docs/books.

1 Welcome and Introductions

This course is one of three that we are currently offering, covering fundamentals of open data sharing, reproducible research, ethical data use and reuse, and scalable computing for reusing large data sets.

Reproducible Practices for Arctic Research Using R
February 14th - February 18th, 2022
This course will be taught virtually

Scalable and Computationally Reproducible Approaches to Arctic Research
March 21st - March 25th
Located at the National Center for Ecological Analysis and Synthesis in Santa Barbara, CA

2 Remote Computing

Notes from Google Sheet (DELETE LATER)
- Servers & Networking
- IP addressing
- Bash shell programming
- SSH
- Remote session in VS Code

- Understand the basic architecture of computer networks
- Become familiarized with Bash Shell programming to navigate your computer's file system **(??)**
- Learn how to connect to a remote computer via a shell

2.1 Introduction

- Scientific synthesis and our ability to effectively and efficiently work with big data depends on the use of computers & the internet
- VS Code + remote development on a cluster is easy and way faster than your local machine

2.2 Servers & Networking

- Host computers connect via networking equipment and can send messages to each other over communication protocols (aka internet protocols)

- UPDATE: these are roles (not inherent properties of a host; same machine can play both roles); hosts typically have one network address but can have many different ones; sometimes on big servers we give them multiple network cards so that they have more bandwidth (to send more data); differentiate VM (guests operating systems on a host server) vs. host
- UPDATE: add visuals
  - **Client:** the host *initiating* the request
  - **Server:** the host *responding* to a request
- UPDATE with different configurations: show 1 laptop sshing into server; show 1 laptop to a cluster w/ multiple nodes but a gateway node (still in the physical world); show same thing, but instead of being physical server, they're VM; show kubernetes

2.3 IP addressing

- Hosts are assigned a **unique numerical address** used for all communication and routing called an Internet Protocol Address (IP Address). They look something like this: 128.111.220.7
- Each IP Address can be used to communicate over various "ports", which allows multiple applications to communicate with a host without mixing up traffic
- IP addresses can be difficult to remember, so they are also assigned **hostnames**
  - Hostnames are handled through the global Domain Name System (DNS)
  - Clients first look up a hostname in DNS to find the IP address, then they open a connection the the IP address

    * aurora.nceas.ucsb.edu == 128.111.220.46 **(UPDATE THIS WITH SERVER USED FOR COURSE?)**
    * UPDATE NOTE: e.g. aurora has multiple network cards

2.4 Bash Shell Programming

- *What is a shell?* From Wikipedia

  "a computer program which exposes an operating system's services to a human user or other programs. In general, operating system shells use either a command-line interface (CLI) or graphical user interface (GUI), depending on a computer's role and particular operation."

- *What is Bash Shell?* A command line tool (language) commonly used to manipulate files and directories
  - **Mac:** bash via the Terminal **(QUESTION: Mac users may have to switch from zsh to bash? `exec bash`? or `exec zsh` to switch back)**
  - **Windows:** bash via Git Bash

2.5 Some group exercise:

- Navigate file system (show that this is equivalent to using Finder/Windows version), create a file, edit file, etc.
  - `pwd`
  - `cd`
  - `ls`
  - `tree` visualize directory structures
  - `touch`
  - `mkdir`
  - `grep`
  - `auk`, `sed`, `cut`, `join` useful for manipuating files

- `top`, `htop`
- (**Queston:** Do we want/need to show all of these? Missing any important ones?)

2.6 Connecting to a remote computer via a shell

- You can use a shell to gain accesss to and remotely control (manage/transfer files/etc) other computers. To do so, you'll need the following:
  - remote computer (e.g. server) turned on
  - IP address or name of remote computer
  - necessary permissions to access the remote computer
- Secure Shell, or SSH, is often used for securely connecting to and running shell commands on a remote host
  - Tremendously simplifies remote computing
  - Supported out-of-the-box on Linux and Macs

2.7 Exercise:

1. Launch your Terimal program:
   - **MacOS:** navigate to `Applications | Utilities` and open `Terminal`
   - **Windows:** Navigate to `Windows Start | Git` and open `Git Bash` UPDATE: see if this still stands
   - **ALTERNATIVELY, from VS Code:** Two options to open a terminal program
     a) Click on `Terminal | New Terminal` in top menu bar

b) Click on the `+ (dropdown menu) | bash` in the bottom right corner **(QUESTION: Not sure that is always open/available depending on user configurations??)**

2. Connect to a remote server **(UPDATE THIS SECTION)**

```
jones@powder:~$ ssh jones@aurora.nceas.ucsb.edu
jones@aurora.nceas.ucsb.edu's password:
jones@aurora:~$
```

3. Change your password **(UPDATE THIS SECTION)**

```
jones@aurora:~$ passwd
Changing password for jones.
(current) UNIX password:
Enter new UNIX password:
Retype new UNIX password:
```

4. **create python script on server | write/execute some code | etc**

UPDATE: write a simple shell script that does something – e.g. renaming files with bash loop (e.g. change extension, add date, move them around)

UPDATE: `nohup`, `screen`, `tmux` for starting remote job that you can come back to later; look for tmux lesson in oss training

3 Python Programming on Clusters

- Basic Python review
- Using virtual environments
- Writing in Jupyter notebooks
- Writing functions in Python

3.1 Introduction

- VS Code + remote development on a cluster is easy and way faster than your local machine
- Jupyter is a great way to do literate analysis
- Functions provide ways to reuse your code across notebooks/projects

3.2 Starting a project

- Connect to the server - open the command pallette (Cmd + Shift + P) - enter "Remote SSH: Connect to Host" - select "Add New SSH Host" - enter the ssh command to connect to the host as if in a terminal (`ssh username@included-crab.nceas.ucsb.edu`) - select the SSH config file to update with the name of the host (if prompted) - click "Connect" in the popup in the lower right hand corner - enter your password in the dialog box that pops up
- Clone your fork of the `scalable-computing-examples` repo
- Open the folder into your workspace - File > Open Folder - Enter password again if prompted

3.3 Virtual Environments

Why virtual environments? We'll answer this.

First we will create `.bash_profile` file to create variables that point to the install locations of python and `virtualenvwrapper`. `.bash_profile` is just a text file that contains bash commands that are run every time you start up a new terminal. Although setting up this file is not required to use `virtualenvwrapper`, it is convenient because it allows you to set up some reasonable defaults to the commands (meaning less typing, overall), and it makes sure that the package is available every time you start a new terminal.

To set up the `.bash_profile`. In VS Code, select 'File > New Text File' then paste this into the file:

```
export VIRTUALENVWRAPPER_VIRTUAWORKON_HOME=$HOME/.virtualenvs
source /usr/share/virtualenvwrapper/virtualenvwrapper.sh
```

The first line points `virtualenvwrapper` to the directory where your virtual environments will be stored. We point it to a hidden directory (`.virtualenvs`) in your home directory. The last line sources a bash script that ships with `virtualenvwrapper`, which makes all of `virtualenvwrapper` commands available in your terminal session.

Save the file in the top of your home directory as `.bash_profile`.

Restart your terminal, then check to make sure it was installed and configured correctly

```
mkvirtualenv --version
```

It should return something like this:

```
virtualenv 20.13.0+ds from /usr/lib/python3/dist-packages/virtualenv/__init__.py
```

Now we can create the virtual environment we will use for the course

```
mkvirtualenv -p python3.9 scomp
```

Here, we've specified explicitly which python version to use by using the `-p` flag, and the path to the python 3.9 installation on the server. After making a virtual environment, it will automatically be activated. You'll see the name of the env you are working in on the left side of your terminal prompt in parentheses. To deactivate your environment (like if you want to work on a different project), just run `deactivate`. To activate it again, run

```
workon scomp
```

You can get a list of all available environments by just running:

```
workon
```

Now let's install the dependencies for this course into that environment. (Note: need to figure out how to get them this file)

```
python3 -m pip install -r requirements.txt
```

3.3.0.1 Installing locally (optional)

`virtualenvwrapper` was already installed on the server we are working on. To install on your local computer, run:

```
pip3 install virtualenvwrapper
```

And then follow the instructions as described above, making sure that you have the correct paths set when you edit your `.bash_profile`.

3.4 Brief overview of python syntax

Assign values to variables using `=`

```
x = 4
print(x)
```

```
4
```

There are 5 standard data types in python

- Number (int, long, float, complex)
- String
- List
- Tuple
- Dictionary

We already saw a number type, here is a string:

```
str = 'Hello World!'
print(str)
```

```
Hello World!
```

Lists in python are very versatile, and are created using square brackets `[]`. Items in a list can be of different data types.

```
list = [100, 50, -20, 'text']
print(list)
```

```
[100, 50, -20, 'text']
```

You can access items in a list by index using the square brackets. Note indexing starts with 0 in python. The slice operator enables you to easily access a portion of the list without needing to specify every index.

```
list[0] # print first element
list[1:3] # print 2nd until 4th elements
list[:2] # print first until the 3rd
list[2:] # print last elements from 3rd
```

```
100
```

```
[50, -20]
```

```
[100, 50]
```

```
[-20, 'text']
```

The + and * operators work on lists by creating a new list using either concatenation (+) or repetition (*).

```
list2 = ['more', 'things']

list + list2
list * 3
```

```
[100, 50, -20, 'text', 'more', 'things']
```

```
[100, 50, -20, 'text', 100, 50, -20, 'text', 100, 50, -20, 'text']
```

Tuples are similar to lists, except the values cannot be changed in place. They are constructed with parentheses.

```
tuple = ('a', 'b', 'c', 'd')
tuple[0]
tuple * 3
tuple + tuple
```

```
'a'
```

```
('a', 'b', 'c', 'd', 'a', 'b', 'c', 'd', 'a', 'b', 'c', 'd')
```

```
('a', 'b', 'c', 'd', 'a', 'b', 'c', 'd')
```

Observe the difference when we try to change the first value. It works for a list:

```
list[0] = 'new value'
list
```

```
['new value', 50, -20, 'text']
```

…and errors for a tuple.

```
tuple[0] = 'new value'
```

```
TypeError: 'tuple' object does not support item assignment
```

Dictionaries consist of key-value pairs, and are created using the syntax `{key: value}`. Keys are usually numbers or strings, and values can be any data type.

```
dict = {'name': ['Jeanette', 'Matt'],
        'location': ['Tucson', 'Juneau']}

dict['name']
dict.keys()
```

```
['Jeanette', 'Matt']
```

```
dict_keys(['name', 'location'])
```

To determine the type of an object, you can use the `type()` method.

```
type(list)
type(tuple)
type(dict)
```

```
list
```

```
tuple
```

```
dict
```

3.5 Jupyter notebooks

To create a new notebook, from the file menu select File > New File > Jupyter Notebook

At the top of your notebook, add a first level header using a single hash. Practice some markdown text by creating:

- a list
- **bold** text
- a link

Use the Markdown cheat sheet if needed.

To open a chunk of code, type three backticks (‘), curly braces, and then the word python. Close the code chunk using three more backticks.

3.5.1 Load libraries

In your first code chunk, lets load in some modules. We'll use `pandas`, `numpy`, `matplotlib.pyplot`, `requests`, `skimpy`, and `exists` from `os.path`.

```
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
import requests
import skimpy
from os.path import exists
```

A note on style: There are a few ways to construct import statements. The above code uses three of the most common:

```
import module
import module as m
from module import function
```

The first way of importing will make the module a function comes from more explicitly clear, and is the simplest. However

for very long module names, or ones that are used very frequently (like `pandas`, `numpy`, and `matplotlib.plot`), the code in the notebook will be more cluttered with constant calls to longer module names. So `module.function()` instead is written as `m.function()`

The second way of importing a module is a good style to use in cases where modules are used frequently, or have extremely long names. If you import every single module with a short name, however, you might have a hard time remembering which modules are named what, and it might be more confusing for others trying to read your code. Many of the most commonly used libraries for python data science have community-driven styling for how they are abbreviated in import statements, and these community norms are generally best followed.

Finally, the last way to import a single object from a module can be helpful if you only need that one piece from a larger module, but again, like the first case, results in less explicit code and therefore runs the risk of your or someone else misremembering the usage and source.

3.5.2 Read in a csv

Create a new code chunk that will download the csv that we are going to use for this tutorial.

- Navigate to Rohi Muthyala, Åsa Rennermalm, Sasha Leidman, Matthew Cooper, Sarah Cooley, et al. 2022. 62 days of Supraglacial streamflow from June-August, 2016 over southwest Greenland. Arctic Data Center. doi:10.18739/A2XW47X5F.
- Right click the download button for 'Discharge_timeseries.csv'
- Click 'copy link address'

Create a variable called URL and assign it the link copied to your clipboard. Then use `requests.get` to download the file, and `open` to write it to disk, to a directory called `data/`. We'll write this bundled in an `if` statement so that we only download the file if it doesn't yet exist.

```
if not exists('data/discharge_timeseries.csv'):

        url = 'https://arcticdata.io/metacat/d1/mn/v2/object/urn%3Auuid%3Ae248467d-e1f9-4a32

        data = requests.get(url)
        a = open('data/discharge_timeseries.csv', 'wb').write(data.content)
```

Now we can read in the data from the file.

```
df = pd.read_csv('data/discharge_timeseries.csv')
df.head()
```

```
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/IPython/core/formatters.py:3
  return method()
```

	Date	Total Pressure [m]	Air Pressure [m]	Stage [m]	Discharge [m3/s]	temperature [degree
0	6/13/2016 0:00	9.816	9.609775	0.206225	0.083531	
1	6/13/2016 0:05	9.810	9.609715	0.200285	0.077785	
2	6/13/2016 0:10	9.804	9.609656	0.194344	0.072278	
3	6/13/2016 0:15	9.800	9.609596	0.190404	0.068756	
4	6/13/2016 0:20	9.793	9.609537	0.183463	0.062804	

The column names are a bit messy so we can use `clean_columns` from `skimpy` to make them cleaner for programming very quickly. We can also use the `skim` function to get a quick summary of the data.

We can see that the `date` column is classed as a string, and not a date, so let's fix that.

If we wanted to calculate the daily mean flow (as opposed to the flow every 5 minutes), we need to:

- create a new column with only the date
- group by that variable
- summarize over it by taking the mean of the discharge variable

First we should probably rename our existing date/time column to prevent from getting confused.

```python
clean_df = skimpy.clean_columns(df)
skimpy.skim(clean_df)
```

```
6 column names have been cleaned
                          skimpy summary
        Data Summary                Data Types

   dataframe           Values    Column Type   Count

   Number of rows      17856     float64       5
   Number of columns   6         string        1

                                                number

   column_name                NA    NA %      mean       sd       p0          p25      p75     p10

   total_pressure_m            0        0       9.9     0.12        9.6      9.8      10
   air_pressure_m              0        0       9.6     0.06        9.5      9.6     9.7     9
   stage_m                     0        0      0.28     0.12    0.00056     0.17    0.37    0.
   discharge_m_3_s             0        0      0.22     0.19    4.7e-08    0.055    0.35    0.
   temperature_degrees_        8    0.045    -0.034    0.053       -0.1     -0.1       0     0

                                                string

   column_name                 NA        NA %         words per row                  total words

   date                              0            0                              2

                               End
```

```python
clean_df['date'] = pd.to_datetime(clean_df['date'])
skimpy.skim(clean_df)
```

```
                        skimpy summary
        Data Summary                Data Types

 dataframe           Values    Column Type   Count

 Number of rows      17856     float64       5
 Number of columns   6         datetime64    1

                                                   number

 column_name                NA    NA %      mean       sd       p0          p25      p75     p10

 total_pressure_m             0        0       9.9     0.12        9.6      9.8      10
 air_pressure_m               0        0       9.6     0.06        9.5      9.6     9.7     9
 stage_m                      0        0      0.28     0.12    0.00056     0.17    0.37    0.
 discharge_m_3_s              0        0      0.22     0.19    4.7e-08    0.055    0.35    0.
 temperature_degrees_         8    0.045    -0.034    0.053       -0.1     -0.1       0     0

                                                  datetime

 column_name          NA      NA %       first              last                              fr

 date                      0          0      2016-06-13          2016-08-13 23:55:00        5T

                            End
```

```
clean_df = clean_df.rename(columns = {'date': 'datetime'})
```

Now create the new date column

```
clean_df['date'] = clean_df['datetime'].dt.date
```

Finally, we use group by to split the data into groups according to the date, apply a function (`mean`) to each group, and then combine the results in a single data table.

```
daily_flow = clean_df.groupby('date', as_index = False).mean()
```

- create a simple plot

```
var = 'discharge_m_3_s'
var_labs = {'discharge_m_3_s': 'Total Discharge'}

fig, ax = plt.subplots(figsize=(7, 7))
plt.style.use("seaborn-talk")
plt.plot(daily_flow['date'], daily_flow[var]);
plt.xticks(rotation = 45);
ax.set_ylabel(var_labs.get('discharge_m_3_s'));
```

3.6 Functions

The plot we made above is great, but what if we wanted to make it for each variable? We could copy paste it and replace some things, but this violates a core tenet of programming: Don't Repeat Yourself! Instead, we'll create a function called `myplot` that accepts the data frame and variable as arguments.

- create `myplot.py`

```
def myplot(df, var):

        var_labs = {'discharge_m_3_s': 'Total Discharge (m^3/s)',
                    'total_pressure_m': 'Total Pressure (m)',
                    'air_pressure_m': 'Air Pressure (m)',
                    'stage_m': 'Stage (m)',
```

```
                    'temperature_degrees_c': 'Temperature (C)'}

        fig, ax = plt.subplots(figsize=(7, 7))
        plt.style.use("seaborn-talk")
        plt.plot(df['date'], df[var]);
        plt.xticks(rotation = 45);
        ax.set_ylabel(var_labs.get(var));
```

- load myplot into jupyter notebook (`from myplot.py import myplot`)
- replace old plot method with new function

```
myplot(daily_flow, 'temperature_degrees_c')
```

- more to come in Bryce's section

3.7 Resources

4 Pleasingly Parallel Programming

- Understand what parallel computing is and when it may be useful
- Understand how parallelism can work
- Review sequential loops and map functions
- Build a parallel program using `concurrent.futures`
- Build a parallel program using `parsl`
- Understand Thread Pools and Process pools

4.1 Introduction

Processing large amounts of data with complex models can be time consuming. New types of sensing means the scale of data collection today is massive. And modeled outputs can be large as well. For example, here's a 2 TB (that's Terabyte) set of modeled output data from Ofir Levy et al. 2016 that models 15 environmental variables at hourly time scales for hundreds of years across a regular grid spanning a good chunk of North America:

There are over 400,000 individual netCDF files in the Levy et al. microclimate data set. Processing them would benefit massively from parallelization.

Alternatively, think of remote sensing data. Processing airborne hyperspectral data can involve processing each of hundreds of bands of data for each image in a flight path that is repeated many times over months and years.

Figure 4.1: Levy et al. 2016. doi:10.5063/F1Z899CZ

Figure 4.2: NEON Data Cube

4.2 Why parallelism?

Much R code runs fast and fine on a single processor. But at times, computations can be:

- **cpu-bound**: Take too much cpu time
- **memory-bound**: Take too much memory
- **I/O-bound**: Take too much time to read/write from disk
- **network-bound**: Take too much time to transfer

To help with **cpu-bound** computations, one can take advantage of modern processor architectures that provide multiple cores on a single processor, and thereby enable multiple computations to take place at the same time. In addition, some machines ship with multiple processors, allowing large computations to occur across the entire cluster of those computers. Plus, these machines also have large amounts of memory to avoid **memory-bound** computing jobs.

4.3 Processors (CPUs) and Cores

A modern CPU (Central Processing Unit) is at the heart of every computer. While traditional computers had a single CPU, modern computers can ship with mutliple processors, which in turn can each contain multiple cores. These processors and cores are available to perform computations.

A computer with one processor may still have 4 cores (quad-core), allowing 4 computations to be executed at the same time.

A typical modern computer has multiple cores, ranging from one or two in laptops to thousands in high performance compute clusters. Here we show four quad-core processors for a total of 16 cores in this machine.

You can think of this as allowing 16 computations to happen at the same time. Theroetically, your computation would take 1/16 of the time (but only theoretically, more on that later).

Historically, R has only utilized one processor, which makes it single-threaded. Which is a shame, because the 2017 MacBook Pro that I am writing this on is much more powerful than that:

```
{bash eval=FALSE} jones@powder:~$ sysctl hw.ncpu
hw.physicalcpu hw.ncpu: 8 hw.physicalcpu: 4
```

To interpret that output, this machine `powder` has 4 physical CPUs, each of which has two processing cores, for a total of 8 cores for computation. I'd sure like my R computations to use all of that processing power. Because its all on one machine, we can easily use *multicore* processing tools to make use of those cores. Now let's look at the computational server `aurora` at NCEAS:

```
{bash eval=FALSE} jones@included-crab:~$ lscpu
| egrep 'CPU\(s\)|per core|per socket' CPU(s):
88 On-line CPU(s) list:   0-87 Thread(s) per core:
2 Core(s) per socket:    22 NUMA node0 CPU(s):
```

```
0,2,4,6,8,10,12,14,16,18,20,22,24,26,28,30,32,34,36,38,40,42,44,46,48,50,52,54,56,58,60,62,64,6
NUMA node1 CPU(s):     1,3,5,7,9,11,13,15,17,19,21,23,25,27,29,31,33,35,37,39,41,43,45,47,49,51
```

Now that's more compute power! `included-crab` has 384 GB of RAM, and ample storage. All still under the control of a single operating system.

However, maybe one of these NSF-sponsored high performance computing clusters (HPC) is looking attractive about now:

- JetStream
  - 640 nodes, 15,360 cores, 80TB RAM
- Stampede2 at TACC is coming online in 2017
  - 4200 nodes, 285,600 cores
- TODO: update with modern cluster sizes

Note that these clusters have multiple nodes (hosts), and each host has multiple cores. So this is really multiple computers clustered together to act in a coordinated fashion, but each node runs its own copy of the operating system, and is in many ways independent of the other nodes in the cluster. One way to use such a cluster would be to use just one of the nodes, and use a multi-core approach to parallelization to use all of the cores on that single machine. But to truly make use of the whole cluster, one must use parallelization tools that let us spread out our computations across multiple host nodes in the cluster.

4.4 Modes of parallelization

- TODO: develop diagram(s) showing
  - Single memory image task parallelization

Serial `Launch tasks --> Task 1 --> Task 2 --> Task 3 --> Task 4 --> Task 5 --> Finish`

```
Parallel   Launch tasks -->                     Task 1
--\                    Task 2 ---\                    Task
3 -----> Finish                     Task 4 ---/
Task 5 --/
```

- Cluster task parallelization

```
Cluster    parallel   Show dispatch to cluster nodes and
reassembly of data   Launch tasks -->                     Marshal
--> Task 1 --> Unmarshal --\                    Marshal
--> Task 2 --> Unmarshal ---\                    Marshal
--> Task 3 --> Unmarshal -----> Finish                      Marshal
--> Task 4 --> Unmarshal ---/                     Marshal
--> Task 5 --> Unmarshal --/
```

- TODO: Should we also include figure with data or functional dependencies?

4.5 Task parallelism with `concurrent.futures`

When you have a list of repetitive tasks, you may be able to speed it up by adding more computing power. If each task is completely independent of the others, then it is a prime candidate for executing those tasks in parallel, each on its own core. For example, let's build a simple loop that downloads the data files that we need for an analysis. First, we start with the serial implementation.

```
# Use loop for serial execution of tasks

# Tasks are to download data from a dataset
```

The issue with this loop is that we execute each trial sequentially, which means that only one of our 8 processors on this machine are in use. In order to exploit parallelism, we need to be able to dispatch our tasks as functions, with one task going to each processor. To do that, we need to convert our task to a function, and then use the `map()` function to apply that function to all of the members of a set. Here's the same code rewritten to use `map()`, which applies a function to each of the members of a list (in this case the files we want to download):

```
# Use `map` for serial execution of tasks

# Tasks are to download data from a dataset
```

4.6 Approaches to parallelization

When parallelizing jobs, one can:

- Use the multiple cores on a local computer through `mclapply`
- Use multiple processors on local (and remote) machines using `makeCluster` and `clusterApply`
  - In this approach, one has to manually copy data and code to each cluster member using `clusterExport`
  - This is extra work, but sometimes gaining access to a large cluster is worth it

4.7 concurrent.futures

```
# Loop versus map for parallel execution of tasks

# Using concurrent.futures and ThreadPool

# Tasks are to download data from a dataset
```

4.8 parsl

- Overview of parsl and it's use of python decorators.

```
# Loop versus map for parallel execution of tasks

# Using parsl decorators and ThreadPool

# Tasks are to download data from a dataset
```

- Configurable Executors in parsl
  - HightThroughputExecutor for cluster jobs

```
# Loop versus map for parallel execution of tasks

# Using parsl decorators and ThreadPool

# Tasks are to download data from a dataset
```

4.9 When to parallelize

It's not as simple as it may seem. While in theory each added processor would linearly increase the throughput of a computation, there is overhead that reduces that efficiency. For example, the code and, importantly, the data need to be copied to each additional CPU, and this takes time and bandwidth. Plus, new processes and/or threads need to be created by the operating system, which also takes time. This overhead reduces the efficiency enough that realistic performance gains are much less than theoretical, and usually do not scale linearly as a function of processing power. For example, if the time that a computation takes is short, then the overhead of setting up these additional resources may actually overwhelm any advantages of the additional processing power, and the computation could potentially take longer!

In addition, not all of a task can be parallelized. Depending on the proportion, the expected speedup can be significantly reduced. Some propose that this may follow Amdahl's Law, where the speedup of the computation (y-axis) is a function of both the number of cores (x-axis) and the proportion of the computation that can be parallelized (see colored lines):

```
#| eval: false
library(ggplot2)
library(tidyr)
amdahl <- function(p, s) {
  return(1 / ( (1-p) + p/s  ))
}
```

```
doubles <- 2^(seq(0,16))
cpu_perf <- cbind(cpus = doubles, p50 = amdahl(.5, doubles))
cpu_perf <- cbind(cpu_perf, p75 = amdahl(.75, doubles))
cpu_perf <- cbind(cpu_perf, p85 = amdahl(.85, doubles))
cpu_perf <- cbind(cpu_perf, p90 = amdahl(.90, doubles))
cpu_perf <- cbind(cpu_perf, p95 = amdahl(.95, doubles))
#cpu_perf <- cbind(cpu_perf, p99 = amdahl(.99, doubles))
cpu_perf <- as.data.frame(cpu_perf)
cpu_perf <- cpu_perf %>% gather(prop, speedup, -cpus)
ggplot(cpu_perf, aes(cpus, speedup, color=prop)) +
  geom_line() +
  scale_x_continuous(trans='log2') +
  theme_bw() +
  labs(title = "Amdahl's Law")
```

So, its important to evaluate the computational efficiency of requests, and work to ensure that additional compute resources brought to bear will pay off in terms of increased work being done. With that, let's do some parallel computing…

5 Parallel Pitfalls and their solutions

- Race conditions
- Deadlocks

5.1 Summary

In this lesson, we showed examples of computing tasks that are likely limited by the number of CPU cores that can be applied, and we reviewed the architecture of computers to understand the relationship between CPU processors and cores. Next, we reviewed the way in which traditional `for` loops in R can be rewritten as functions that are applied to a list serially using `lapply`, and then how the `parallel` package `mclapply` function can be substituted in order to utilize multiple cores on the local computer to speed up computations. Finally, we installed and reviewed the use of the `foreach` package with the `%dopar` operator to accomplish a similar parallelization using multiple cores.

5.2 Further Reading

Ryan Abernathey & Joe Hamman. 2020. Closed Platforms vs. Open Architectures for Cloud-Native Earth System Analytics. Medium.

6 Documenting and Publishing Data

6.1 Introduction

7 Data Structures and Formats for Large Data

- Become familiar with the NetCDF format
- Understand the advantages of random-access formats such as NetCDF
- Become familiar with the `xarray` package for working with N-Dimensional datasets

7.1 Introduction

TODO

[Insert amazing image representing "large scale" and "multidimensional"]

7.2 Working with Large Data

TODO

- Size & Dimension, "N-D"
- Data Organization / File Naming?
  - Using hierarchical folder structures
  - Encoding hierarchy into filenames
  - File naming for natural ordering
  - Setting things up for Dask multi-file support

7.2.1 Exercise

[Short (5-10min) exercise identifying well-structured data storage]

7.3 NetCDF/HDF Overview

TODO

Overview major functionality of NetCDF:

- Multidimensional / N-Dimensional
- Self-describing
- Random access
- Remote access

Other topics:

- Describe available tooling (python packages, Panoply, others?)
- Talk about CF conventions?
- Talk about NetCDF and data archival

7.4 Introduction to Xarray

TODO: Base on https://docs.xarray.dev/en/stable/getting-started-guide/quick-overview.html but with a course-appropriate dataset.

I want students to both be able to create a NetCDF and work with them.

7.5 Exercise

(30-45min)

TODO: Students work on their own or in pairs to write a script to analyze a NetCDF dataset

8 Parallelization with Dask

- Learn about the split-apply-combine strategy
- Learn how to use Dask

8.1 Introduction

TODO

8.1.1 Notes

- https://www.dask.org/
- https://docs.xarray.dev/en/stable/user-guide/dask.html#dask
- https://stephanhoyer.com/2015/06/11/xray-dask-out-of-core-labeled-arrays/
- https://examples.dask.org/xarray.html
- Good example to base exercise on: https://examples.dask.org/applications/image-processing.html
- Split-apply-combine
- Dask stuff
  - Lazy eval (compute())
    - Grouping compute() calls versus calling compute() multiple times
  - Dask Array
  - Dask DataFrame
  - Skip or just mention Bag, Delayed, Futures? Not sure yet.
  - visualize()
  - Choosing how many chunks to divide work into

    - Task overhead
    - Distributed dask?
        * Persist > Dask is convenient on a laptop. It installs trivially with conda or pip and extends the size of convenient datasets from “fits in memory” to “fits on disk”.

- From https://docs.dask.org/en/stable/

8.2 Dask Tutorial

TODO ## Exercise

TODO (50min)

9 Group Project: Staging and Preprocessing

-Start with a subset of PDG vector data that is untiled/unstaged -Data will need to be preprocessed - staging simplifies polygons, ensures projections are correct, and breaks the input file into tiled sections

Groups will:

- design a high level workflow for the steps? or maybe we give them this
  - workflow should include where inputs, outputs, and scripts will be stored/run
- run the tile staging on one file to estimate how long it would take in series
- write a script that runs the tiling function in parallel (using parsl)

We will give them:

- the data subset (stored on one of the servers in a shared dir)
- the methods and setup parameters to do the tile staging

10 Spatial and Image Data Using GeoPandas

- Reading raster data with rasterasterio
- Using geopandas and rasterasterio to process raster data
- Working with raster and vector data together

10.1 Introduction

- Raster vs vector data
- What is a projection
- Processing overview
  - goal is to calculate vessel distance per commercial fishing area

10.2 Pre-processing raster data

This is a test to make sure we can run some code in this notebook.

```
import geopandas as gpd
import rasterio
import rasterio.mask
import rasterio.warp
import rasterio.plot
from rasterio import features
from shapely.geometry import box
from shapely.geometry import Polygon
import requests
import matplotlib.pyplot as plt
```

```
from matplotlib import style
import pandas as pd
import numpy as np
```

Download the ship traffic raster from Kapsar et al.. We grab a one month slice from December, 2020 of a coastal subset of data with 1km resolution.

```
url_sf = 'https://cn.dataone.org/cn/v2/resolve/urn:uuid:dd61089d-f50e-4d87-9b75-6b4e2bd24776

response_sf = requests.get(url_sf)
open("Coastal_2020_12.tif", "wb").write(response_sf.content)
```

```
1132748
```

Open the raster file, plot it, and look at the metadata.

```
with rasterio.open("Coastal_2020_12.tif") as dem_src:
    ships = dem_src.read(1)
    ships_meta = dem_src.profile

plt.imshow(ships)
print(ships_meta)
```

```
{'driver': 'GTiff', 'dtype': 'float32', 'nodata': -3.3999999521443642e+38, 'width': 3087, 'heig
       0.0, -999.9687691991521, 2711703.104608573), 'tiled': False, 'compress': 'lzw', 'interle
```

Now download a vector shapefile of commercial fishing districts in Alaska.

```
url = 'https://knb.ecoinformatics.org/knb/d1/mn/v2/object/urn%3Auuid%3A7c942c45-1539-4d47-b4

response = requests.get(url)
open("Alaska_Commercial_Salmon_Boundaries.gpkg", "wb").write(response.content)
```

```
36544512
```

Read in the data

```
comm = gpd.read_file("Alaska_Commercial_Salmon_Boundaries.gpkg")
```

The raster data is in 3338, so we need to reproject this.

```
comm.crs
comm_3338 = comm.to_crs("EPSG:3338")

comm_3338.plot()
```

```
<AxesSubplot:>
```

We can extract the bounding box for the area of interest, and use that to clip the original raster data to just the extent we need. We use the `box` function from `shapely` to create the bounding box, then create a `geoDataFrame` from them and convert the WGS84 coordinates to the Alaska Albers projection.

todo: explain the warp transform thing here

```
coords = rasterio.warp.transform_bounds('EPSG:4326',
                                        'EPSG:3338',
                                         -159.5,
                                         55,
                                         -144.5,
                                         62)
coord_list = list(coords)

coord_box = box(coord_list[0],coord_list[1], coord_list[2], coord_list[3])

bbox_crop = gpd.GeoDataFrame(
    crs = 'EPSG:3338',
    geometry = [coord_box])
```

Read in raster again cropped to bounding box.

```
with rasterio.open("Coastal_2020_12.tif") as src:
    out_image, out_transform = rasterio.mask.mask(src, bbox_crop["geometry"], crop=True)
    out_meta = src.meta

out_meta.update({"driver": "GTiff",
                 "height": out_image.shape[1],
                 "width": out_image.shape[2],
                 "transform": out_transform,
                 "compress": "lzw"})

with rasterio.open("Coastal_2020_12_masked.tif", "w", **out_meta) as dest:
    dest.write(out_image)
```

We can also clip the shapefile data to the same bounding box

```
comm_clip = comm_3338.clip(bbox_crop['geometry'])
```

10.2.1 Check extents

Quick plot to ensure they are in the same extent, and look as expected.

```
with rasterio.open('Coastal_2020_12_masked.tif') as src:
    r = src.read(1)

r[r == src.nodata] = np.nan

fig, ax = plt.subplots(figsize=(15, 15))

rasterio.plot.show(r,
                   ax=ax,
                   vmin = 0,
                   vmax = 6000,
                   transform = src.transform)

comm_clip.plot(ax=ax, facecolor='none', edgecolor='red')
```

```
<AxesSubplot:>
```

10.3 Calculate total distance per fishing area

Rasterize each polygon in the shapefile that falls within the bounds of the raster data we are calculating statistics for.

We return a dictionary of indexed arrays, where each item corresponds to one polygon (fishing area). The array contains the indices of the original raster that fall within that fishing area.

```
with rasterio.open('Coastal_2020_12_masked.tif') as src:
    shape = src.shape
    transform = src.transform
    # read in the cropped raster
    r_array = src.read(1)
    # turn no data values into actual NaNs
    r_array[r_array == src.nodata] = np.nan
```

```
comm_3338['id'] = range(0,len(comm_3338))
```

```
crosswalk_dict = {}
for geom, idx in zip(comm_3338.geometry, comm_3338['id']):
    rasterized = features.rasterize(geom,
                                    out_shape=shape,
                                    transform=transform,
                                    all_touched=True,
                                    fill=0,
                                    dtype='uint8')
    # only save polygons that have a non-zero value
    if any(np.unique(rasterized)) == 1:
        crosswalk_dict[idx] = np.where(rasterized == 1)
```

```
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
```

```
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):

/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
```

```
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):

/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):

/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
```

```
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):

/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
```

```
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):

/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
```

```
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):

/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
```

```
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):

/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):

/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
```

```
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):

/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
```

```
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):

/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
```

```
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):

/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
```

```
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):

/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):

/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
```

```
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):

/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
```

```
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):

/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
```

```
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):

/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):

/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
```

```
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):

/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
```

```
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):

/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
```

```
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):

/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
```

```
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):

/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
```

```
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):

/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):

/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
```

```
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):

/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
```

```
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):

/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
```

```
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):

/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
```

```
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):

/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
```

```
  for index, item in enumerate(shapes):

/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):

/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
```

```
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):

/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
```

```
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):

/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
```

```
  for index, item in enumerate(shapes):

/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
```

```
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):

/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
```

```
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
```

```
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):

/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
```

```
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):

/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
```

```
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):

/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):

/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
```

```
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):

/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: S
  for index, item in enumerate(shapes):
```

```
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):

/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
```

```
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):

/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
```

```
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):

/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
```

```
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):

/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
```

```
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):

/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):

/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
```

```
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):

/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):

/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
```

```
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):

/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):

/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
```

```
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):

/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
```

```
  for index, item in enumerate(shapes):

/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):

/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
```

```
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):

/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
```

```
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):

/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
```

```
  for index, item in enumerate(shapes):
```

```
/opt/hostedtoolcache/Python/3.9.13/x64/lib/python3.9/site-packages/rasterio/features.py:288: SI
  for index, item in enumerate(shapes):
```

Now we use the dictionary to calculate the sum of all of the pixels in the original raster that fall within each fishing area.

```
mean_dict = {}
# for each item in the dictionary
for key, value in crosswalk_dict.items():
    # save the sum of the indices of the raster to a new dictionary
    mean_dict[key] = np.nansum(r_array[value])
# create a data frame from the result
df = pd.DataFrame.from_dict(mean_dict,
    orient='index',
    columns=['distance'])
# extract the index of the data frame as a column to use in a join
df['id'] = df.index
```

Now we join the result to the original geodataframe.

```
# join the sums to the original data frame
res_full = comm_3338.merge(df, on = "id", how = 'inner')
```

todo: Group by/summarize across another variable

```
fig, ax = plt.subplots(figsize=(7, 7))
plt.style.use("seaborn-talk")
ax = res_full.plot(column = "distance", legend = True, ax = ax)
fig = ax.figure
cb_ax = fig.axes[1]
cb_ax.set_yticklabels(["0", "2,000", "4,000", "6,000", "8,000", "10,000", "12,000", "14,000"
ax.set_axis_off()
ax.set_title("Distance Traveled by Ships in Kilometers")
plt.show()
```

```
/tmp/ipykernel_53101/3303410610.py:6: UserWarning: FixedFormatter should only be used together
  cb_ax.set_yticklabels(["0", "2,000", "4,000", "6,000", "8,000", "10,000", "12,000", "14,000"
```

Distance Traveled by Ships in Kilometers
16,000
14,000
12,000
10,000
8,000
6,000
4,000
2,000
0

11 Data Futures: Parquet and Arrow

- The difference between column major and row major data
- Speed advantages to columnnar data storage
- How `arrow` enables faster processing

11.1 Introduction

- open, seek, read, write, close - ways to access data
- difference between parquet and arrow
  - how paging and memory management works, blocks are organized by pages
  - on disk and in memory representation are the same
- column (parquet) vs row (csv) data example
- why column can give faster read speeds
- how arrow interacts with columnar data formats (like parquet)

11.2 Row major vs column major

The difference between row major and column major is the ordering of the objects.

Take the array:

```
a11 a12 a13

a21 a22 a23
```

This array in a row-major order would be read in as:

`a11, a12, a13, a21, a22, a23`

You could also read it in column-major order as:

`a11, a21, a12, a22, a13, a33`

By default, C and SAS use row major order for arrays, and column major is used by Fortran, MATLAB, R, and Julia.

Python uses neither, instead representing arrays as lists of lists, though `numpy` uses row-major order.

11.2.1 File formats

The same concept can be applied to file formats as the example with arrays above. In row-major file formats, the values (bytes) of each record are read sequentially.

Name	Location	Age
John	Washington	40
Mariah	Texas	21
Allison	Oregon	57

In the above row major example, data are read in the order: `John, Washingon, 40, [new line], Mariah, Texas, 21`.

This means that getting a subset of all columns would be easy; you can specify to read in only the first X rows. However, if we are only interested in Name and Location, we would still have to read in all of the rows before discarding the Age column.

If these data were organized in a column major format, they might look like this:

```
Name: John, Mariah, Allison
Location: Washington, Texas, Oregon
Age: 40, 21, 57
```

And the read order would first be the names, then the locations, then the age. This means that selecting all values from a set of columns is quite easy (all of the Names and Ages, or all Names and Locations), but reading in only the first few records from each column would require reading in the entire dataset. Another advantage to column major formats is that compression is more efficient since compression can be done across each column, where the data type is uniform, as opposed to across rows with many data types.

11.3 Parquet

Parquet is an open-source file format that stores data in a column-major format. The format contains several key components:

- row group
- column
- page
- footer

Row groups are blocks of data over a set number of rows that contain data from the same columns. Within each row group, data are organized in column-major format, and within each column are pages that are typically 1MB. The footer of the file contains metaata like the schema, encodings, unique values in each column, etc.

The parquet format has many tricks to to increase storage efficiency, and is increasingly being used to handle large datasets.

11.4 Arrow

So far, we have discussed the difference between organizing information in row-major and column-major format, how that applies to arrays, and how it applies to data storage on disk using Parquet.

Arrow is a language-agnostic specification that enables representation of column-major information **in memory**. The Arrow project provides implementation of this specification in a number of languages, including Python.

Let's say that you have utilized the Parquet data format for more efficient storage of your data on disk. At some point, you'll need to read that data into memory in order to do analysis on it. Arrow enables data transfer between the on disk Parquet files and in-memory Python computations, via the `PyArrow` library.

`PyArrow` is great, but relatively low level. It supports basic group by and aggregate functions, as well as table and dataset joins, but it does not support the full operations that `pandas` does.

11.5 Example

- show a read write example and benchmark maybe

12 Group Project: Data Processing

Groups will start with the tiled output that they made from last session. The main objective in this lesson is to have them rasterize the tiled shapfiles, which we need to do for visualization (and would also be a useful thing to know how to do in an analysis workflow as well).

The groups will need to:

- run the rasterizer method on one file
- write a parsl app that will run it on all of the files

13 Google Earth Engine

SAM NOTES, DELETE LATER - need to make sure that .ipynb that student's will work out of are running in same virutal enviroment as everything else - embed .ipynb into quarto notebook (get book to build from those examples) - use Ryan Abernathey's post to help frame introduction

- Understand what Google Earth Engine provides and its applications
- Learn about some real-world applications of Google Earth Engine
- Learn how to get started using Google Earth Engine on your own computer
- Learn how to find and access Google Earth Engine Data

13.1 Introduction (15-20min)

SAM NOTES, DELETE LATER - have Ingmar help frame utility of GEE in intro

Google Earth Engine is a geospatial processing platform powered by Google Cloud Platform. It contains over 30 years of satellite imagery and geospatial datasets that are continually updated and available instantly. The Earth Engine API is available in Python (and JavaScript) for anyone with an account to access and analyze data.

ADD SOME COOL IMAGERY HERE

Explore the public Earth Engine Data Catalog which includes a variety of standard Earth science raster datasets. Browse by dataset tags or by satellites (Landsat, MODIS, Sentinel).

SAM NOTES, DELETE LATER - typical: download data and work locally - new way:"Moving compute to data" – GEE is a great example of this

13.2 Getting started with Google Earth Engine (GEE) on your own machine (40 min)

SAM NOTES, DELETE LATER

- remove `#| eval: false` once code actually runs to embed outputs
- don't really have time to actually do this in class? include instructions for those who want to try it out on their own later?
- Content borrowed from Dr. Samantha Stevenson's guide to installling Jupyter/Google Earth Engine onyour personal laptop.
- PREREQUISITE: need conda (see Earth Engine API installion instructions here) – haven't added these instructions below yet
- also, not working on my machine at the moment. issue with library installs? starts with `earthengine authenticate`

1. Install the Google Earth Engine API

SAM NOTES, DELETE LATER - MOVE MOST OF THIS TO COURSE SETUP (not using conda) BUT KEEP GEE ACTIVATION STEP HERE

- Create an environment where the Google Earth Engine API will live. This ensures that it and it's dependent packages will not cause versioning issues with your base environment (or other environments). We'll call our environment `gee_env`.

```
#| eval: false
conda create --name gee_env
```

- Activate your environment so your machine knows where to store subsequent installs.

```
#| eval: false
conda activate gee_env
```

You'll know your environment is activated successfully when `(gee_env)` appears before the prompt in your terminal window (as opposed to `(base)`, for example).

- Install the Google Earth Engine API in your `gee_env`

```
#| eval: false
conda install -c conda-forge earthengine-api
```

2. Sign up for a GEE Account

GEE is currently free for educational use. Sign up for an account at https://signup.earthengine.google.com (you'll need this to authenticate in the next step).

3. Set up GEE Authentication

In order to begin using GEE, you'll need to connect your GEE envionment (`gee_env`) to the authentication credentials associated with your Google account. This will need to be done each time you connect to GEE, but should only be done once per session.

- On the command line, type:

```
#| eval: false
earthengine authenticate
```

This should launch a browser window where you can login with your Google account to the Google Earth Engine Authenticator. Following the prompts will generate a code, which you'll then need to copy and paste back onto the command line. This will be saved as an authentication token so you won't need to go through this process again until the next time you start a new session.

4. Install necessary packages (if you don't already have them)

```
#| eval: false
pip install ee # Earth Engine API package
pip install geemap # package for interactive maping with GEE
pip install pandas # contains useful tools for data manipulation (may not need this)
```

13.3 Visualize global precipitation data using Google Earth Engine

Content for this section was adapted from Dr. Sam Stevenson's Visualizing global precipitation using Google Earth Engine lesson, given in her EDS 220 course in Fall 2021.

1. Import necessary packages

```
import ee # MODULENOTFOUNDERROR
import geemap
import pandas as pd
```

2. Create an interactive basemap

The default basemap is (you guessed it) Google Maps. The following code displays an empty Google Map that you can manipulate just like you would in the typical Google Maps interface. Do this using the `Map` method from the `geemap` library. We'll also center the map at a specified latitude and longitude (here, 40N, 100E), set a zoom level, and save our map as an object called `myMap`.

```
myMap = geemap.Map(center = [40, -100], zoom = 2)
myMap
```

3. Load ERA5 Image Collections from GEE

- NOTE: ADC has worked with these data – took 3 weeks to download

- EE colleciton is all you need to load and analyze imgage collection
- precursor to Ingmar's stuff

We'll be using the ERA5 daily aggregates reanalysis dataset, produced by the European Centre for Medium-Range Weather Forecasts (ECMWF), found here, which models atmospheric weather observations. We'll load the `total_precipitation` field (check out the dataset metadata on here).

The `ImageCollection` method extracts a set of individual images that satisfies some criterion that you pass to GEE through the `ee` package. This is stored as an **ImageCollection** object which can be filtered and processed in various ways. We can pass the `ImageCollction` method agruments to tell GEE which data we want to retrieve. Below, we retrieve all daily ERA5 data (so we can see individual rain events).

```
weatherData = ee.ImageCollection('ECMWF/ERA5/DAILY')
```

4. Select an image to plot

To plot a map over our Google Maps basemap, we need an "Image" rather than an "ImageCollection." ERA5 contains many different climate variables, so we need to pick what we'd like to plot. We'll use the `.select` method to choose the parameter(s) we're interested in from our `weatherData` object.

```
precip = weatherData.select("total_precipitation")
```

We can look at our `precip` object using the `print` method to see that it's still an "ImageCollection" which contains daily infomration from 1979 to 2020.

```
print(precip)
```

We want to filter it down to a single field for a time of interest – let's say December 1-2, 2019. We apply the `.filter` method to our `precip` object and apply the `ee.Filter.date` method (from the `ee` package) to filter for data from our chosen date range. We also apply the `.mean` method, which takes whatever precedes it and calculates the average.

```
precip_filtered = precip.filter(ee.Filter.date('2019-12-01', '2019-12-02')).mean()
```

5. Add data to map

We can fist use the `setCenter` method to tell the map where to center itself. It takes the longitude and latitude as the first two coordinates, followed by the zoom level.

```
Map.setCenter(-152.505706, 59.432367, 2) # Cook Inlet, Alaska (WE CAN CHANGE THIS LOCATION)
```

Next, set a color palette to use when plotting the data layer. The following is a palette specified for precipitation in the GEE description page for ERA5. GEE has lots of color tables like this that you can look up.

```
precip_palette = {
    'min':0,
    'max':0.1,
    'palette': ['#FFFFFF', '#00FFFF', '#0080FF', '#DA00FF', '#FFA400', '#FF0000']
}
```

Finally, plot our filtered data, `precip_filtered` on top of our basemap using the `.addLayer` method. We'll aslo pass it our visualization parameters (colors and ranges stored in `precip_palette`, the name of the data field `total precipitation`, and opacity so that we can see the basemap underneath)

```
Map.addLayer(precip_filtered, precip_palette, 'total precipitation', opacity = 0.3)
```

13.4 INGMAR'S DEMONSTRATION HERE?(30-40 min)

13.5 Conclusion/Summary

- lessons learned
- utilities
- etc.

13.6 Other Resources

- GEE Code Editor is a web-based IDE for using GEE (JavaScript)

14 Group Project: Visualization

Groups will start with razertized tiles from the second group project lesson.

- again, implement the PDG method
- display using either leaflet (folium) or cesium?
- not sure where cesium will be deployed

15 Workflows for data staging and publishing

- NSF archival policies for large datasets
- Data transfer tools
- How to manage co-locating data and code
  - eg: where model runs only has 1 TB of storage but model outputs 10 TB of data
  - workflow tools (pegasus, condor, slurm, snakemake)
- Uploading large datasets to the Arctic Data Center

15.1 NSF policy for large datasets

- there are many different research methods that can generate large volumes of data. Numerical modeling (such as climate or ocean models) and anything generating high resolution imagery are two examples we see very commonly.

  The Office of Polar Programs policy requires that metadata files, full data sets, and derived data products, must be deposited in a long-lived and publicly accessible archive.

  Metadata for all Arctic supported data sets must be submitted to the NSF Arctic Data Center (https://arcticdata.io).

  Exceptions to the above data reporting requirements may be granted for social science and indigenous knowledge data, where privacy or intellectual property rights might take precedence.

Such requested exceptions must be documented in the Data Management Plan.

- datasets that are already published on a long lived archive do not need to be replicated to the Arctic Data Center
  - example: a research project accesses many terabytes of VIIRS satellite data. The original satellite data does not need to be published on the Arctic Data Center, but the code that accessed it, and derived products, can be published
- for some numerical models, if the model results can be faithfully reproduced from code, the code that generates the models can be a sufficient archival product, as opposed to the code and the model output
  - if the model is difficult to set up, or takes a very long time to run, we would probably reccommend publishing the output as well as code
- the Arctic Data Center is committed to archiving data of any volume

15.2 Data transfer tools

- scenario: you need to send a bunch of data to the Arctic Data Center. after getting the credentials, you use `scp` to start the transfer. You know this typically takes around 12 hours so you start it at 5pm right when you leave the office expecting it to be done when you get back. When you arrive, you see there was a short network outage in the middle of the night. The whole job failed so you have to start it again…

There is a better way!

Three key elements to data transfer

```
- endpoints
- network
- transfer tool
```

15.2.0.1 Endpoints

The from and to locations of the transfer, an endpoint is a remote computing device that can communicate back and forth with the network to which it is connected. The speed with which an endpoint can communicate with the network varies depending on how it is configured. Performance depends on the CPU, RAM, OS, and disk configuration. Examples:

- NCEAS `datateam` server:
- Standard laptop

15.2.0.2 Network speed

Determines how quickly information can be sent between endpoints, largely dependent on what you pay for. Wired networks get significantly more speed than wireless.

- not all networks are created equal
- server to server (north hall to san diego) versus server to your house

15.2.0.3 Transfer tools

- scp
  - uses `ssh` for authentication and transfer
  - if you can `ssh` to a server, you can probably use `scp` to move files without any other setup
  - copies all files linearly and simply. if a transfer fails in the middle, difficult to know exactly what files didn't make it, so you have to start the whole thing over and re-transfer all the files
- rsync
  - similar to `scp` but syncs files/directories as opposed to copying
  - if the file already exists on the other side, it is skipped
- globus

  - parellelizes transfers by utilizing multiple network sockets simultaneously
  - is able to fail and restart itself efficiently
  - requires more setup, endpoints need to be configured as globus nodes

15.2.0.4 Globus

- easy to use, as long as your data are accessible via an endpoint configured as a Globus node
- leverage your institutions computing resources! they may be able to help get you access to a data transfer node already configured correctly
- there are paid options to set up a node from your own workstation (Globus Connect Personal - check the naming here, and feature list)
  - remember the other factors though! Globus won't help you overcome a 1 Gb/s laptop connection speed, or a 50 Mb/s network speed

15.3 Documenting large datasets

- the Arctic Data Center is working to support large datasets, but we have performance considerations as well
- self documenting file formats are preferred, to prevent us from needing to document thousands-millions of files in a single metadata document
  - netcdf
  - geotiff, geopackage
- regular, parseable filenames and consistent file formatting is key
- communicate early and often with the Arctic Data Center staff

16 Reproducibility and Containers

TODO: Decide about if/how to talk about WholeTale

- Learn about software versioning
- Become familiar with Docker as a tool to improve computational reproducibility

16.1 Outline

- Introduce software reproducibility
  - Motivate the idea with examples and data
  - Talk about software collapse
    - http://blog.khinsen.net/posts/2017/01/13/sustainable-software-and-reproducible-research-dealing-with-software-collapse/
    - https://xkcd.com/2347/
- Semantic versioning and the reality of it e.g., https://pandas.pydata.org/docs/development/policies.html#version-policy
- MyBinder
- WholeTale?

Examples to look at including:

- https://numpy.org/neps/nep-0023-backwards-compatibility.html#example-cases
- https://github.com/scipy/scipy/issues/16418 > https://pandas.pydata.org/docs/whatsnew/v1.4.0.html#de DataFrame.append() and Series.append() have been deprecated and will be removed in a future version. Use pandas.concat() instead (GH35407).

Principles to get across:

1. You probably should be thinking about software versioning
    - Know which version of versions of Python your code was written/tested under and keep track of that in a machine-readable way
    - Know the specific versions, of at least the specific MAJOR.MINOR of the packages your code was written+tested under and keep track of them in a machine-readable way (ie requirements.txt)

16.2 Hands-off Demo

Show students an example of containerizing a workflow so it runs using a past version of Python and pinned versions of packages. Ideally find an example where behavior changes based on the Python or one or more package versions.

References