

C141663	A4STR1TC	4-Stair Ascend Functional Test Test Code	4-Stair Ascend test code.	No
C141662	A4STR1TN	4-Stair Ascend Functional Test Test Name	4-Stair Ascend test name.	No
C103459	ACGC01TC	Alzheimer's Disease Cooperative Study-Clinical Global Impression of Change Questionnaire Test Code	Alzheimer's Disease Cooperative Study-Clinical Global Impression of Change test code.	No
C103458	ACGC01TN	Alzheimer's Disease Cooperative Study-Clinical Global Impression of Change Questionnaire Test Name	Alzheimer's Disease Cooperative Study-Clinical Global Impression of Change test name.	No
C100132	ADCTC	Alzheimer's Disease Assessment Scale - Cognitive CDISC Version Questionnaire Test Code	ADAS-Cog CDISC Version test code.	No
C100131	ADCTN	Alzheimer's Disease Assessment Scale - Cognitive CDISC Version Questionnaire Test Name	ADAS-Cog CDISC Version test name.	No
C105140	ADL01TC	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory Questionnaire Test Code	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory test code.	No
C105139	ADL01TN	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory Questionnaire Test Name	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory test name.	No
C106653	ADL02TC	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory Severe Dementia Version Questionnaire Test Code	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory Severe Dementia Version test code.	No
C106652	ADL02TN	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory Severe Dementia Version Questionnaire Test Name	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory Severe Dementia Version test name.	No
C106651	ADL03TC	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory MCI Version Questionnaire Test Code	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory MCI Version test code.	No
C106650	ADL03TN	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory MCI Version Questionnaire Test Name	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory MCI Version test name.	No
C163385	ADSD01TC	Asthma Daytime Symptom Diary v1.0 Questionnaire Test Code	Asthma Daytime Symptom Diary v1.0 test code.	No
C163384	ADSD01TN	Asthma Daytime Symptom Diary v1.0 Questionnaire Test Name	Asthma Daytime Symptom Diary v1.0 test name.	No
C119060	ADT01TC	Alcohol Use Disorder Identification Test: Self-Report Version Questionnaire Test Code	Alcohol Use Disorder Identification Test: Self-Report Version test code.	No

C119059	ADT01TN	Alcohol Use Disorder Identification Test: Self-Report Version Questionnaire Test Name	Alcohol Use Disorder Identification Test: Self-Report Version test name.	No
C119062	ADTC01TC	Alcohol Use Disorder Identification Test-Consumption Questions Questionnaire Test Code	Alcohol Use Disorder Identification Test-Consumption Questions test code.	No
C119061	ADTC01TN	Alcohol Use Disorder Identification Test-Consumption Questions Questionnaire Test Name	Alcohol Use Disorder Identification Test-Consumption Questions test name.	No
C182464	AIMS0101T07OR	Abnormal Involuntary Movement Scale Clinical Classification ORRES for AIMS0101 Through AIMS0107 TN/TC	Abnormal Involuntary Movement Scale original result for AIMS0101 through AIMS0107 test and test code.	No
C182502	AIMS0101T07STR	Abnormal Involuntary Movement Scale Clinical Classification STRESC for AIMS0101 Through AIMS0107 TN/TC	Abnormal Involuntary Movement Scale standardized character result for AIMS0101 through AIMS0107 test and test code.	No
C182465	AIMS0108T09OR	Abnormal Involuntary Movement Scale Clinical Classification ORRES for AIMS0108 Through AIMS0109 TN/TC	Abnormal Involuntary Movement Scale original result for AIMS0108 through AIMS0109 test and test code.	No
C182503	AIMS0108T09STR	Abnormal Involuntary Movement Scale Clinical Classification STRESC for AIMS0108 Through AIMS0109 TN/TC	Abnormal Involuntary Movement Scale standardized character result for AIMS0108 through AIMS0109 test and test code.	No
C182466	AIMS0110OR	Abnormal Involuntary Movement Scale Clinical Classification ORRES for AIMS0110 TN/TC	Abnormal Involuntary Movement Scale original result for AIMS0110 test and test code.	No
C182504	AIMS0110STR	Abnormal Involuntary Movement Scale Clinical Classification STRESC for AIMS0110 TN/TC	Abnormal Involuntary Movement Scale standardized character result for AIMS0110 test and test code.	No
C182467	AIMS0111T12OR	Abnormal Involuntary Movement Scale Clinical Classification ORRES for AIMS0111 Through AIMS0112 TN/TC	Abnormal Involuntary Movement Scale original result for AIMS0111 through AIMS0112 test and test code.	No
C182505	AIMS0111T12STR	Abnormal Involuntary Movement Scale Clinical Classification STRESC for AIMS0111 Through AIMS0112 TN/TC	Abnormal Involuntary Movement Scale standardized character result for AIMS0111 through AIMS0112 test and test code.	No
C101805	AIMS01TC	Abnormal Involuntary Movement Scale Clinical Classification Test Code	Abnormal Involuntary Movement Scale test code.	No
C101806	AIMS01TN	Abnormal Involuntary Movement Scale Clinical Classification Test Name	Abnormal Involuntary Movement Scale test name.	No
C141655	AJCC1TC	AJCC TNM Staging System 7th Edition Clinical Classification Test Code	AJCC TNM Staging System 7th Edition test code.	No
C141654	AJCC1TN	AJCC TNM Staging System 7th Edition Clinical Classification Test Name	AJCC TNM Staging System 7th Edition test name.	No
C163387	ANSO1TC	Asthma Nighttime Symptom Diary v1.0 Questionnaire Test Code	Asthma Nighttime Symptom Diary v1.0 test code.	No

C163386	ANS01TN	Asthma Nighttime Symptom Diary v1.0 Questionnaire Test Name	Asthma Nighttime Symptom Diary v1.0 test name.	No
C182484	APCH101OR	Acute Physiology and Chronic Health Evaluation II Clinical Classification ORRES for APCH101 TN/TC	Acute Physiology and Chronic Health Evaluation II original result for APCH101 test and test code.	No
C182522	APCH101STR	Acute Physiology and Chronic Health Evaluation II Clinical Classification STRESC for APCH101 TN/TC	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH101 test and test code.	No
C182485	APCH102OR	Acute Physiology and Chronic Health Evaluation II Clinical Classification ORRES for APCH102 TN/TC	Acute Physiology and Chronic Health Evaluation II original result for APCH102 test and test code.	No
C182523	APCH102STR	Acute Physiology and Chronic Health Evaluation II Clinical Classification STRESC for APCH102 TN/TC	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH102 test and test code.	No
C182486	APCH103OR	Acute Physiology and Chronic Health Evaluation II Clinical Classification ORRES for APCH103 TN/TC	Acute Physiology and Chronic Health Evaluation II original result for APCH103 test and test code.	No
C182524	APCH103STR	Acute Physiology and Chronic Health Evaluation II Clinical Classification STRESC for APCH103 TN/TC	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH103 test and test code.	No
C182487	APCH104OR	Acute Physiology and Chronic Health Evaluation II Clinical Classification ORRES for APCH104 TN/TC	Acute Physiology and Chronic Health Evaluation II original result for APCH104 test and test code.	No
C182525	APCH104STR	Acute Physiology and Chronic Health Evaluation II Clinical Classification STRESC for APCH104 TN/TC	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH104 test and test code.	No
C182488	APCH105AOR	Acute Physiology and Chronic Health Evaluation II Clinical Classification ORRES for APCH105A TN/TC	Acute Physiology and Chronic Health Evaluation II original result for APCH105A test and test code.	No
C182526	APCH105ASTR	Acute Physiology and Chronic Health Evaluation II Clinical Classification STRESC for APCH105A TN/TC	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH105A test and test code.	No
C182489	APCH105BOR	Acute Physiology and Chronic Health Evaluation II Clinical Classification ORRES for APCH105B TN/TC	Acute Physiology and Chronic Health Evaluation II original result for APCH105B test and test code.	No
C182527	APCH105BSTR	Acute Physiology and Chronic Health Evaluation II Clinical Classification STRESC for APCH105B TN/TC	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH105B test and test code.	No
C182490	APCH106AOR	Acute Physiology and Chronic Health Evaluation II Clinical Classification ORRES for APCH106A TN/TC	Acute Physiology and Chronic Health Evaluation II original result for APCH106A test and test code.	No
C182528	APCH106ASTR	Acute Physiology and Chronic Health Evaluation II Clinical Classification STRESC for APCH106A TN/TC	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH106A test and test code.	No

C182491	APCH106BOR	Acute Physiology and Chronic Health Evaluation II Clinical Classification ORRES for APCH106B TN/TC	Acute Physiology and Chronic Health Evaluation II original result for APCH106B test and test code.	No
C182529	APCH106BSTR	Acute Physiology and Chronic Health Evaluation II Clinical Classification STRESC for APCH106B TN/TC	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH106B test and test code.	No
C182492	APCH107OR	Acute Physiology and Chronic Health Evaluation II Clinical Classification ORRES for APCH107 TN/TC	Acute Physiology and Chronic Health Evaluation II original result for APCH107 test and test code.	No
C182530	APCH107STR	Acute Physiology and Chronic Health Evaluation II Clinical Classification STRESC for APCH107 TN/TC	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH107 test and test code.	No
C182493	APCH108OR	Acute Physiology and Chronic Health Evaluation II Clinical Classification ORRES for APCH108 TN/TC	Acute Physiology and Chronic Health Evaluation II original result for APCH108 test and test code.	No
C182531	APCH108STR	Acute Physiology and Chronic Health Evaluation II Clinical Classification STRESC for APCH108 TN/TC	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH108 test and test code.	No
C182494	APCH109OR	Acute Physiology and Chronic Health Evaluation II Clinical Classification ORRES for APCH109 TN/TC	Acute Physiology and Chronic Health Evaluation II original result for APCH109 test and test code.	No
C182532	APCH109STR	Acute Physiology and Chronic Health Evaluation II Clinical Classification STRESC for APCH109 TN/TC	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH109 test and test code.	No
C182495	APCH110OR	Acute Physiology and Chronic Health Evaluation II Clinical Classification ORRES for APCH110 TN/TC	Acute Physiology and Chronic Health Evaluation II original result for APCH110 test and test code.	No
C182533	APCH110STR	Acute Physiology and Chronic Health Evaluation II Clinical Classification STRESC for APCH110 TN/TC	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH110 test and test code.	No
C182496	APCH111OR	Acute Physiology and Chronic Health Evaluation II Clinical Classification ORRES for APCH111 TN/TC	Acute Physiology and Chronic Health Evaluation II original result for APCH111 test and test code.	No
C182534	APCH111STR	Acute Physiology and Chronic Health Evaluation II Clinical Classification STRESC for APCH111 TN/TC	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH111 test and test code.	No
C182497	APCH114OR	Acute Physiology and Chronic Health Evaluation II Clinical Classification ORRES for APCH114 TN/TC	Acute Physiology and Chronic Health Evaluation II original result for APCH114 test and test code.	No
C182535	APCH114STR	Acute Physiology and Chronic Health Evaluation II Clinical Classification STRESC for APCH114 TN/TC	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH114 test and test code.	No
C182498	APCH115OR	Acute Physiology and Chronic Health Evaluation II Clinical Classification ORRES for APCH115 TN/TC	Acute Physiology and Chronic Health Evaluation II original result for APCH115 test and test code.	No

C182536	APCH115STR	Acute Physiology and Chronic Health Evaluation II Clinical Classification STRESC for APCH115 TN/TC	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH115 test and test code.	No
C120985	APCH1TC	Acute Physiology and Chronic Health Evaluation II Clinical Classification Test Code	Acute Physiology and Chronic Health Evaluation II test code.	No
C120984	APCH1TN	Acute Physiology and Chronic Health Evaluation II Clinical Classification Test Name	Acute Physiology and Chronic Health Evaluation II test name.	No
C176047	APGR01TC	Apgar Score V1 Clinical Classification Test Code	Apgar Score V1 test code.	No
C176046	APGR01TN	Apgar Score V1 Clinical Classification Test Name	Apgar Score V1 test name.	No
C112435	AQ01TC	Airway Questionnaire 20 Questionnaire Test Code	Airway Questionnaire 20 test code.	No
C112434	AQ01TN	Airway Questionnaire 20 Questionnaire Test Name	Airway Questionnaire 20 test name.	No
C124666	ASCVD1TC	Atherosclerotic Cardiovascular Disease 10-Year Risk Estimator Clinical Classification Test Code	Atherosclerotic Cardiovascular Disease 10-Year Risk Estimator test code.	No
C124665	ASCVD1TN	Atherosclerotic Cardiovascular Disease 10-Year Risk Estimator Clinical Classification Test Name	Atherosclerotic Cardiovascular Disease 10-Year Risk Estimator test name.	No
C125741	ASEX01TC	Arizona Sexual Experiences Scale - Female Questionnaire Test Code	Arizona Sexual Experiences Scale - Female test code.	No
C125740	ASEX01TN	Arizona Sexual Experiences Scale - Female Questionnaire Test Name	Arizona Sexual Experiences Scale - Female test name.	No
C125743	ASEX02TC	Arizona Sexual Experiences Scale - Male Questionnaire Test Code	Arizona Sexual Experiences Scale - Male test code.	No
C125742	ASEX02TN	Arizona Sexual Experiences Scale - Male Questionnaire Test Name	Arizona Sexual Experiences Scale - Male test name.	No
C124668	ASSG01TC	ASSIGN Cardiovascular Disease 10-Year Risk Score Clinical Classification Test Code	ASSIGN Cardiovascular Disease 10-Year Risk Score test code.	No
C124667	ASSG01TN	ASSIGN Cardiovascular Disease 10-Year Risk Score Clinical Classification Test Name	ASSIGN Cardiovascular Disease 10-Year Risk Score test name.	No
C182470	ATLAS101OR	ATLAS Clinical Classification ORRES for ATLAS101 TN/TC	ATLAS original result for ATLAS101 test and test code.	No
C182508	ATLAS101STR	ATLAS Clinical Classification STRESC for ATLAS101 TN/TC	ATLAS standardized character result for ATLAS101 test and test code.	No
C182471	ATLAS102OR	ATLAS Clinical Classification ORRES for ATLAS102 TN/TC	ATLAS original result for ATLAS102 test and test code.	No
C182509	ATLAS102STR	ATLAS Clinical Classification STRESC for ATLAS102 TN/TC	ATLAS standardized character result for ATLAS102 test and test code.	No

C182472	ATLAS103OR	ATLAS Clinical Classification ORRES for ATLAS103 TN/TC	ATLAS original result for ATLAS103 test and test code.
C182510	ATLAS103STR	ATLAS Clinical Classification STRESC for ATLAS103 TN/TC	ATLAS standardized character result for ATLAS103 test and test code.
C182473	ATLAS104OR	ATLAS Clinical Classification ORRES for ATLAS104 TN/TC	ATLAS original result for ATLAS104 test and test code.
C182511	ATLAS104STR	ATLAS Clinical Classification STRESC for ATLAS104 TN/TC	ATLAS standardized character result for ATLAS104 test and test code.
C182474	ATLAS105OR	ATLAS Clinical Classification ORRES for ATLAS105 TN/TC	ATLAS original result for ATLAS105 test and test code.
C182512	ATLAS105STR	ATLAS Clinical Classification STRESC for ATLAS105 TN/TC	ATLAS standardized character result for ATLAS105 test and test code.
C147538	ATLAS1TC	ATLAS Clinical Classification Test Code	ATLAS test code.
C147537	ATLAS1TN	ATLAS Clinical Classification Test Name	ATLAS test name.
C101807	AVL01TC	ADNI Auditory Verbal Learning Functional Test Test Code	ADNI AVLT test code.
C101808	AVL01TN	ADNI Auditory Verbal Learning Functional Test Test Name	ADNI AVLT test name.
C123655	AVL02TC	Rey Auditory Verbal Learning Test Functional Test Test Code	Rey Auditory Verbal Learning Test test code.
C123654	AVL02TN	Rey Auditory Verbal Learning Test Functional Test Test Name	Rey Auditory Verbal Learning Test test name.
C161623	AVPU01TC	Alert Verbal Painful Unresponsive Scale Clinical Classification Test Code	Alert Verbal Painful Unresponsive Scale test code.
C161622	AVPU01TN	Alert Verbal Painful Unresponsive Scale Clinical Classification Test Name	Alert Verbal Painful Unresponsive Scale test name.
C120983	BACS1TC	Brief Assessment of Cognition in Schizophrenia Functional Test Test Code	Brief Assessment of Cognition in Schizophrenia test code.
C120982	BACS1TN	Brief Assessment of Cognition in Schizophrenia Functional Test Test Name	Brief Assessment of Cognition in Schizophrenia test name.
C101809	BARS01TC	Barnes Akathisia Rating Scale Clinical Classification Test Code	Barnes Akathisia Rating Scale test code.
C101810	BARS01TN	Barnes Akathisia Rating Scale Clinical Classification Test Name	Barnes Akathisia Rating Scale test name.
C113846	BCR101TC	Borg CR10 Scale Questionnaire Test Code	Borg CR10 scale test code.
C113845	BCR101TN	Borg CR10 Scale Questionnaire Test Name	Borg CR10 scale test name.
C106655	BDI01TC	Baseline Dyspnea Index Clinical Classification Test Code	Baseline Dyspnea Index test code.
C106654	BDI01TN	Baseline Dyspnea Index Clinical Classification Test Name	Baseline Dyspnea Index test name.

C135680	BEBQ01TC	Baby Eating Behaviour Questionnaire Concurrent Version Questionnaire Test Code	Baby Eating Behaviour Questionnaire Concurrent Version test code.	No
C135679	BEBQ01TN	Baby Eating Behaviour Questionnaire Concurrent Version Questionnaire Test Name	Baby Eating Behaviour Questionnaire Concurrent Version test name.	No
C135682	BEBQ02TC	Baby Eating Behaviour Questionnaire Retrospective Version Questionnaire Test Code	Baby Eating Behaviour Questionnaire Retrospective Version test code.	No
C135681	BEBQ02TN	Baby Eating Behaviour Questionnaire Retrospective Version Questionnaire Test Name	Baby Eating Behaviour Questionnaire Retrospective Version test name.	No
C113852	BLCS01TC	Bladder Control Scale Questionnaire Test Code	Bladder Control Scale test code.	No
C113851	BLCS01TN	Bladder Control Scale Questionnaire Test Name	Bladder Control Scale test name.	No
C120987	BODE01TC	The Body-Mass Index, Airflow Obstruction, Dyspnea, and Exercise Capacity Index Clinical Classification Test Code	The Body-Mass Index, Airflow Obstruction, Dyspnea, and Exercise Capacity Index test code.	No
C120986	BODE01TN	The Body-Mass Index, Airflow Obstruction, Dyspnea, and Exercise Capacity Index Clinical Classification Test Name	The Body-Mass Index, Airflow Obstruction, Dyspnea, and Exercise Capacity Index test name.	No
C100162	BPI1TC	Brief Pain Inventory Questionnaire Test Code	Brief Pain Inventory test code.	No
C100161	BPI1TN	Brief Pain Inventory Questionnaire Test Name	Brief Pain Inventory test name.	No
C100164	BPI2TC	Brief Pain Inventory Short Form Questionnaire Test Code	Brief Pain Inventory Short Form test code.	No
C100163	BPI2TN	Brief Pain Inventory Short Form Questionnaire Test Name	Brief Pain Inventory Short Form test name.	No
C161625	BPRS01TC	Brief Psychiatric Rating Scale 1988 Version Clinical Classification Test Code	Brief Psychiatric Rating Scale 1988 Version test code.	No
C161624	BPRS01TN	Brief Psychiatric Rating Scale 1988 Version Clinical Classification Test Name	Brief Psychiatric Rating Scale 1988 Version test name.	No
C100134	BPRSA1TC	Brief Psychiatric Rating Scale-A Clinical Classification Test Code	The Brief Psychiatric Rating Scale-A test code.	No
C100133	BPRSA1TN	Brief Psychiatric Rating Scale-A Clinical Classification Test Name	The Brief Psychiatric Rating Scale-A test name.	No
C130239	BUERS1TC	Brooke Upper Extremity Rating Scale Clinical Classification Test Code	Brooke Upper Extremity Rating Scale test code.	No
C130238	BUERS1TN	Brooke Upper Extremity Rating Scale Clinical Classification Test Name	Brooke Upper Extremity Rating Scale test name.	No
C113854	BWCS01TC	Bowel Control Scale Questionnaire Test Code	Bowel Control Scale test code.	No

C113853	BWCS01TN	Bowel Control Scale Questionnaire Test Name	Bowel Control Scale test name.	No
C119076	CADG01TC	Coronary Artery Dissection NHLBI Grade Clinical Classification Test Code	Coronary Artery Dissection NHLBI Grade test code.	No
C119075	CADG01TN	Coronary Artery Dissection NHLBI Grade Clinical Classification Test Name	Coronary Artery Dissection NHLBI Grade test name.	No
C118971	CCCAT	Category of Clinical Classification	A grouping of observations within the Disease Response and Clin Classification domain.	Yes
C119064	CCQ01TC	Clinical COPD Questionnaire 24 Hour Version Questionnaire Test Code	Clinical COPD Questionnaire 24 Hour Version test code.	No
C119063	CCQ01TN	Clinical COPD Questionnaire 24 Hour Version Questionnaire Test Name	Clinical COPD Questionnaire 24 Hour Version test name.	No
C119066	CCQ02TC	Clinical COPD Questionnaire 1 Week Version Questionnaire Test Code	Clinical COPD Questionnaire 1 Week Version test code.	No
C119065	CCQ02TN	Clinical COPD Questionnaire 1 Week Version Questionnaire Test Name	Clinical COPD Questionnaire 1 Week Version test name.	No
C176049	CDAI01TC	Crohn's Disease Activity Index Version 1 Clinical Classification Test Code	Crohn's Disease Activity Index Version 1 test code.	No
C176048	CDAI01TN	Crohn's Disease Activity Index Version 1 Clinical Classification Test Name	Crohn's Disease Activity Index Version 1 test name.	No
C101811	CDR01TC	Clinical Dementia Rating Questionnaire Test Code	Clinical Dementia Rating test code.	No
C101812	CDR01TN	Clinical Dementia Rating Questionnaire Test Name	Clinical Dementia Rating test name.	No
C154447	CDRS1TC	Children's Depression Rating Scale, Revised Clinical Classification Test Code	Children's Depression Rating Scale, Revised test code.	No
C154446	CDRS1TN	Children's Depression Rating Scale, Revised Clinical Classification Test Name	Children's Depression Rating Scale, Revised test name.	No
C179945	CES0101OR	Combat Exposure Scale Questionnaire ORRES for CES0101 TN/TC	Combat Exposure Scale original result for CES0101 test and test code.	No
C179950	CES0101STR	Combat Exposure Scale Questionnaire STRESC for CES0101 TN/TC	Combat Exposure Scale standardized character result for CES0101 test and test code.	No
C179946	CES0102OR	Combat Exposure Scale Questionnaire ORRES for CES0102 TN/TC	Combat Exposure Scale original result for CES0102 test and test code.	No
C179951	CES0102STR	Combat Exposure Scale Questionnaire STRESC for CES0102 TN/TC	Combat Exposure Scale standardized character result for CES0102 test and test code.	No
C179947	CES0103OR	Combat Exposure Scale Questionnaire ORRES for CES0103 TN/TC	Combat Exposure Scale original result for CES0103 test and test code.	No
C179952	CES0103STR	Combat Exposure Scale Questionnaire STRESC for CES0103 TN/TC	Combat Exposure Scale standardized character result for CES0103 test and test code.	No

C179948	CES0104OR	Combat Exposure Scale Questionnaire ORRES for CES0104 TN/TC	Combat Exposure Scale original result for CES0104 test and test code.	No
C179953	CES0104STR	Combat Exposure Scale Questionnaire STRESC for CES0104 TN/TC	Combat Exposure Scale standardized character result for CES0104 test and test code.	No
C179949	CES0105T07OR	Combat Exposure Scale Questionnaire ORRES for CES0105 Through CES0107 TN/TC	Combat Exposure Scale original result for CES0105 through CES0107 test and test code.	No
C179954	CES0105T07STR	Combat Exposure Scale Questionnaire STRESC for CES0105 Through CES0107 TN/TC	Combat Exposure Scale standardized character result for CES0105 through CES0107 test and test code.	No
C132519	CES01TC	Combat Exposure Scale Questionnaire Test Code	Combat Exposure Scale test code.	No
C132518	CES01TN	Combat Exposure Scale Questionnaire Test Name	Combat Exposure Scale test name.	No
C135686	CGI02TC	Clinical Global Impression Generic Modification Version Questionnaire Test Code	Clinical Global Impression Generic Modification Version test code.	No
C135685	CGI02TN	Clinical Global Impression Generic Modification Version Questionnaire Test Name	Clinical Global Impression Generic Modification Version test name.	No
C124678	CHIVC1TC	CDC Classification System for HIV-Infected Adults and Adolescents Clinical Classification Test Code	CDC Classification System for HIV-Infected Adults and Adolescents test code.	No
C124677	CHIVC1TN	CDC Classification System for HIV-Infected Adults and Adolescents Clinical Classification Test Name	CDC Classification System for HIV-Infected Adults and Adolescents test name.	No
C117987	CHSF1TC	Craig Handicap Assessment and Reporting Technique - Short Form Interview Version Questionnaire Test Code	Craig Handicap Assessment and Reporting Technique - Short Form Interview Version test code.	No
C117986	CHSF1TN	Craig Handicap Assessment and Reporting Technique - Short Form Interview Version Questionnaire Test Name	Craig Handicap Assessment and Reporting Technique - Short Form Interview Version test name.	No
C119068	CHSF2TC	Craig Handicap Assessment and Reporting Technique - Short Form Paper Version Questionnaire Test Code	Craig Handicap Assessment and Reporting Technique - Short Form Paper Version test code.	No
C119067	CHSF2TN	Craig Handicap Assessment and Reporting Technique - Short Form Paper Version Questionnaire Test Name	Craig Handicap Assessment and Reporting Technique - Short Form Paper Version test name.	No
C100158	COMM1TC	Current Opioid Misuse Measure Questionnaire Test Code	Current Opioid Misuse Measure test code.	No
C100157	COMM1TN	Current Opioid Misuse Measure Questionnaire Test Name	Current Opioid Misuse Measure test name.	No
C156673	COVI01TC	Covi Anxiety Scale Clinical Classification Test Code	Covi Anxiety Scale test code.	No

C156672	COVI01TN	Covi Anxiety Scale Clinical Classification Test Name	Covi Anxiety Scale test name.	No
C150766	COWAT1TC	Controlled Oral Word Association Test Functional Test Test Code	Controlled Oral Word Association Test test code.	No
C150765	COWAT1TN	Controlled Oral Word Association Test Functional Test Test Name	Controlled Oral Word Association Test test name.	No
C101813	COWS1TC	Clinical Opiate Withdrawal Scale Questionnaire Test Code	Clinical Opiate Withdrawal Scale test code.	No
C101814	COWS1TN	Clinical Opiate Withdrawal Scale Questionnaire Test Name	Clinical Opiate Withdrawal Scale test name.	No
C120989	CPS01TC	Child-Pugh Classification Clinical Classification Test Code	Child-Pugh Classification test code.	No
C120988	CPS01TN	Child-Pugh Classification Clinical Classification Test Name	Child-Pugh Classification test name.	No
C120979	CRQ01TC	Chronic Respiratory Questionnaire Self-Administered Standardized Format First Administration Version Questionnaire Test Code	Chronic Respiratory Questionnaire Self-Administered Standardized Format First Administration Version test code.	No
C120978	CRQ01TN	Chronic Respiratory Questionnaire Self-Administered Standardized Format First Administration Version Questionnaire Test Name	Chronic Respiratory Questionnaire Self-Administered Standardized Format First Administration Version test name.	No
C120981	CRQ02TC	Chronic Respiratory Questionnaire Self-Administered Standardized Format Follow-Up Administration Version Questionnaire Test Code	Chronic Respiratory Questionnaire Self-Administered Standardized Format Follow-Up Administration Version test code.	No
C120980	CRQ02TN	Chronic Respiratory Questionnaire Self-Administered Standardized Format Follow-Up Administration Version Questionnaire Test Name	Chronic Respiratory Questionnaire Self-Administered Standardized Format Follow-Up Administration Version test name.	No
C124684	CRSR01TC	JFK Coma Recovery Scale-Revised Clinical Classification Test Code	JFK Coma Recovery Scale-Revised test code.	No
C124683	CRSR01TN	JFK Coma Recovery Scale-Revised Clinical Classification Test Name	JFK Coma Recovery Scale-Revised test name.	No
C100168	CSS01TC	Columbia-Suicide Severity Rating Scale Baseline Questionnaire Test Code	Columbia-Suicide Severity Rating Scale Baseline test code.	No
C100167	CSS01TN	Columbia-Suicide Severity Rating Scale Baseline Questionnaire Test Name	Columbia-Suicide Severity Rating Scale Baseline test name.	No
C103461	CSS02TC	Columbia-Suicide Severity Rating Scale Since Last Visit Questionnaire Test Code	Columbia-Suicide Severity Rating Scale Since Last Visit test code.	No

C103460	CSS02TN	Columbia-Suicide Severity Rating Scale Since Last Visit Questionnaire Test Name	Columbia-Suicide Severity Rating Scale Since Last Visit test name.	No
C105132	CSS03TC	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study Questionnaire Test Code	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study Version 1/14/2009 Questionnaire test code.	No
C105131	CSS03TN	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study Questionnaire Test Name	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study Version 1/14/2009 test name.	No
C106661	CSS04TC	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Questionnaire Test Code	Columbia-Suicide Severity Rating Scale Baseline/Screening Version test code.	No
C106660	CSS04TN	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Questionnaire Test Name	Columbia-Suicide Severity Rating Scale Baseline/Screening Version test name.	No
C106659	CSS05TC	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects Questionnaire Test Code	Columbia-Suicide Severity Rating Scale Already Enrolled Subject test code.	No
C106658	CSS05TN	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects Questionnaire Test Name	Columbia-Suicide Severity Rating Scale Already Enrolled Subject test name.	No
C111336	CSS06TC	Columbia-Suicide Severity Rating Scale Children's Baseline Questionnaire Test Code	Columbia-Suicide Severity Rating Scale Children's Baseline test code.	No
C111335	CSS06TN	Columbia-Suicide Severity Rating Scale Children's Baseline Questionnaire Test Name	Columbia-Suicide Severity Rating Scale Children's Baseline test name.	No
C111338	CSS07TC	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening Questionnaire Test Code	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening test code.	No
C111337	CSS07TN	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening Questionnaire Test Name	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening test name.	No
C111340	CSS08TC	Columbia-Suicide Severity Rating Scale Children's Since Last Visit Questionnaire Test Code	Columbia-Suicide Severity Rating Scale Children's Since Last Visit test code.	No
C111339	CSS08TN	Columbia-Suicide Severity Rating Scale Children's Since Last Visit Questionnaire Test Name	Columbia-Suicide Severity Rating Scale Children's Since Last Visit test name.	No
C111342	CSS09TC	Columbia-Suicide Severity Rating Scale Screening Questionnaire Test Code	Columbia-Suicide Severity Rating Scale Screening test code.	No
C111341	CSS09TN	Columbia-Suicide Severity Rating Scale Screening Questionnaire Test Name	Columbia-Suicide Severity Rating Scale Screening test name.	No

C113848	CSS10TC	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent Questionnaire Test Code	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent test code.	No
C113847	CSS10TN	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent Questionnaire Test Name	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent test name.	No
C117989	CSS11TC	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version Questionnaire Test Code	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version test code.	No
C117988	CSS11TN	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version Questionnaire Test Name	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version test name.	No
C141661	D4STR1TC	4-Stair Descend Functional Test Test Code	4-Stair Descend test code.	No
C141660	D4STR1TN	4-Stair Descend Functional Test Test Name	4-Stair Descend test name.	No
C105130	DAD01TC	Disability Assessment for Dementia Questionnaire Test Code	Disability Assessment for Dementia test code.	No
C105129	DAD01TN	Disability Assessment for Dementia Questionnaire Test Name	Disability Assessment for Dementia test name.	No
C161621	DDS01TC	Diabetes Distress Scale for Adults with Type 1 Diabetes Questionnaire Test Code	Diabetes Distress Scale for Adults with Type 1 Diabetes test code.	No
C161620	DDS01TN	Diabetes Distress Scale for Adults with Type 1 Diabetes Questionnaire Test Name	Diabetes Distress Scale for Adults with Type 1 Diabetes test name.	No
C163395	DDS02TC	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes Questionnaire Test Code	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes test code.	No
C163394	DDS02TN	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes Questionnaire Test Name	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes test name.	No
C163397	DDS03TC	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes Questionnaire Test Code	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes test code.	No
C163396	DDS03TN	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes Questionnaire Test Name	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes test name.	No
C183549	DIBC01TC	Diary for Irritable Bowel Syndrome Symptoms-Constipation v1.0 Questionnaire Test Code	Diary for Irritable Bowel Syndrome Symptoms-Constipation v1.0 test code.	No
C183548	DIBC01TN	Diary for Irritable Bowel Syndrome Symptoms-Constipation v1.0 Questionnaire Test Name	Diary for Irritable Bowel Syndrome Symptoms-Constipation v1.0 test name.	No
C119070	DLQI1TC	Dermatology Life Quality Index Questionnaire Test Code	Dermatology Life Quality Index test code.	No

C119069	DLQI1TN	Dermatology Life Quality Index Questionnaire Test Name	Dermatology Life Quality Index test name.	No
C141673	DRRI1TC	Deployment Risk and Resilience Inventory-2 Questionnaire Test Code	Deployment Risk and Resilience Inventory-2 test code.	No
C141672	DRRI1TN	Deployment Risk and Resilience Inventory-2 Questionnaire Test Name	Deployment Risk and Resilience Inventory-2 test name.	No
C115402	DRS01TC	Disability Rating Scale Clinical Classification Test Code	Disability Rating Scale test code.	No
C115401	DRS01TN	Disability Rating Scale Clinical Classification Test Name	Disability Rating Scale test name.	No
C112437	DS01TC	Disease Steps Clinical Classification Test Code	Disease Steps test code.	No
C112436	DS01TN	Disease Steps Clinical Classification Test Name	Disease Steps test name.	No
C179943	ECOG101OR	Eastern Cooperative Oncology Group Performance Status Clinical Classification ORRES for ECOG101 TN/TC	Eastern Cooperative Oncology Group Performance Status original result for ECOG101 test and test code.	No
C179944	ECOG101STR	Eastern Cooperative Oncology Group Performance Status Clinical Classification STRESC for ECOG101 TN/TC	Eastern Cooperative Oncology Group Performance Status standardized character result for ECOG101 test and test code.	No
C101815	ECOG1TC	Eastern Cooperative Oncology Group Performance Status Clinical Classification Test Code	Eastern Cooperative Oncology Group Performance Status test code.	No
C101816	ECOG1TN	Eastern Cooperative Oncology Group Performance Status Clinical Classification Test Name	Eastern Cooperative Oncology Group Performance Status test name.	No
C125745	ED1TC	Expanded Disability Rating Scale - Postacute Interview Caregiver Version Questionnaire Test Code	Expanded Disability Rating Scale - Postacute Interview Caregiver Version test code.	No
C125744	ED1TN	Expanded Disability Rating Scale - Postacute Interview Caregiver Version Questionnaire Test Name	Expanded Disability Rating Scale - Postacute Interview Caregiver Version test name.	No
C125747	ED2TC	Expanded Disability Rating Scale - Postacute Interview Survivor Version Questionnaire Test Code	Expanded Disability Rating Scale - Postacute Interview Survivor Version test code.	No
C125746	ED2TN	Expanded Disability Rating Scale - Postacute Interview Survivor Version Questionnaire Test Name	Expanded Disability Rating Scale - Postacute Interview Survivor Version test name.	No
C112439	EDSS01TC	Kurtzke Expanded Disability Status Scale Clinical Classification Test Code	Kurtzke Expanded Disability Status Scale test code.	No
C112438	EDSS01TN	Kurtzke Expanded Disability Status Scale Clinical Classification Test Name	Kurtzke Expanded Disability Status Scale test name.	No

C150768	EMO1TC	Emotion Recognition Functional Test Test Code	Emotion Recognition test code.	No
C150767	EMO1TN	Emotion Recognition Functional Test Test Name	Emotion Recognition test name.	No
C161619	EOR01TC	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 Questionnaire Test Code	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 test code.	No
C161618	EOR01TN	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 Questionnaire Test Name	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 test name.	No
C161617	EOR02TC	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Palliative Care Version 1.0 Questionnaire Test Code	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Palliative Care Version 1.0 test code.	No
C161616	EOR02TN	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Palliative Care Version 1.0 Questionnaire Test Name	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Palliative Care Version 1.0 test name.	No
C170525	EOR06TC	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 Questionnaire Test Code	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 test code.	No
C170524	EOR06TN	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 Questionnaire Test Name	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 test name.	No
C172400	EOR18TC	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Lung Cancer Module Questionnaire Test Code	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Lung Cancer Module test code.	No
C172399	EOR18TN	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Lung Cancer Module Questionnaire Test Name	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Lung Cancer Module test name.	No
C132521	EPDS01TC	Edinburgh Postnatal Depression Scale Questionnaire Test Code	Edinburgh Postnatal Depression Scale test code.	No
C132520	EPDS01TN	Edinburgh Postnatal Depression Scale Questionnaire Test Name	Edinburgh Postnatal Depression Scale test name.	No
C127350	EPIC1TC	The Expanded Prostate Cancer Index Composite Short Form Questionnaire Test Code	The Expanded Prostate Cancer Index Composite Short Form test code.	No

C127349	EPIC1TN	The Expanded Prostate Cancer Index Composite Short Form Questionnaire Test Name	The Expanded Prostate Cancer Index Composite Short Form test name.	No
C127352	EPIC2TC	The Expanded Prostate Cancer Index Composite for Clinical Practice Questionnaire Test Code	The Expanded Prostate Cancer Index Composite for Clinical Practice test code.	No
C127351	EPIC2TN	The Expanded Prostate Cancer Index Composite for Clinical Practice Questionnaire Test Name	The Expanded Prostate Cancer Index Composite for Clinical Practice test name.	No
C100136	EQ5D01TC	European Quality of Life Five Dimension Three Level Scale Questionnaire Test Code	European Quality of Life Five Dimension Three Level Scale test code.	No
C100135	EQ5D01TN	European Quality of Life Five Dimension Three Level Scale Questionnaire Test Name	European Quality of Life Five Dimension Three Level Scale test name.	No
C101817	EQ5D02TC	European Quality of Life Five Dimension Five Level Scale Questionnaire Test Code	European Quality of Life Five Dimension Five Level Scale test code.	No
C101818	EQ5D02TN	European Quality of Life Five Dimension Five Level Scale Questionnaire Test Name	European Quality of Life Five Dimension Five Level Scale test name.	No
C117991	ESRSA1TC	Extrapyramidal Symptom Rating Scale- Abbreviated Clinical Classification Test Code	Extrapyramidal Symptom Rating Scale-Abbreviated test code.	No
C117990	ESRSA1TN	Extrapyramidal Symptom Rating Scale- Abbreviated Clinical Classification Test Name	Extrapyramidal Symptom Rating Scale-Abbreviated test name.	No
C103463	ESS01TC	Epworth Sleepiness Scale Questionnaire Test Code	Epworth Sleepiness Scale test code.	No
C103462	ESS01TN	Epworth Sleepiness Scale Questionnaire Test Name	Epworth Sleepiness Scale test name.	No
C161627	ETRP01TC	Emory Treatment Resistance Interview for PTSD Clinical Classification Test Code	Emory Treatment Resistance Interview for PTSD test code.	No
C161626	ETRP01TN	Emory Treatment Resistance Interview for PTSD Clinical Classification Test Name	Emory Treatment Resistance Interview for PTSD test name.	No
C123653	EXACT1TC	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome Test Code	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome test code.	No
C123652	EXACT1TN	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome Test Name	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome test name.	No
C127354	FAC001TC	The Functional Assessment of Cancer Therapy-General Version 4 Questionnaire Test Code	The Functional Assessment of Cancer Therapy-General Version 4 test code.	No

C127353	FAC001TN	The Functional Assessment of Cancer Therapy-General Version 4 Questionnaire Test Name	The Functional Assessment of Cancer Therapy-General Version 4 test name.	No
C129094	FAC005TC	Functional Assessment of Cancer Therapy-Breast Version 4 Questionnaire Test Code	Functional Assessment of Cancer Therapy-Breast Version 4 test code.	No
C129093	FAC005TN	Functional Assessment of Cancer Therapy-Breast Version 4 Questionnaire Test Name	Functional Assessment of Cancer Therapy-Breast Version 4 test name.	No
C154453	FAC006TC	Functional Assessment of Cancer Therapy-Bladder Version 4 Questionnaire Test Code	Functional Assessment of Cancer Therapy-Bladder Version 4 test code.	No
C154452	FAC006TN	Functional Assessment of Cancer Therapy-Bladder Version 4 Questionnaire Test Name	Functional Assessment of Cancer Therapy-Bladder Version 4 test name.	No
C150774	FAC008TC	Functional Assessment of Cancer Therapy-Colorectal Version 4 Questionnaire Test Code	Functional Assessment of Cancer Therapy-Colorectal Version 4 test code.	No
C150773	FAC008TN	Functional Assessment of Cancer Therapy-Colorectal Version 4 Questionnaire Test Name	Functional Assessment of Cancer Therapy-Colorectal Version 4 test name.	No
C130255	FAC015TC	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 Questionnaire Test Code	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 test code.	No
C130254	FAC015TN	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 Questionnaire Test Name	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 test name.	No
C150782	FAC016TC	Functional Assessment of Cancer Therapy-Lung Version 4 Questionnaire Test Code	Functional Assessment of Cancer Therapy-Lung Version 4 test code.	No
C150781	FAC016TN	Functional Assessment of Cancer Therapy-Lung Version 4 Questionnaire Test Name	Functional Assessment of Cancer Therapy-Lung Version 4 test name.	No
C130253	FAC017TC	Functional Assessment of Cancer Therapy-Leukemia Version 4 Questionnaire Test Code	Functional Assessment of Cancer Therapy-Leukemia Version 4 test code.	No
C130252	FAC017TN	Functional Assessment of Cancer Therapy-Leukemia Version 4 Questionnaire Test Name	Functional Assessment of Cancer Therapy-Leukemia Version 4 test name.	No
C130257	FAC018TC	Functional Assessment of Cancer Therapy-Lymphoma Version 4 Questionnaire Test Code	Functional Assessment of Cancer Therapy-Lymphoma Version 4 test code.	No
C130256	FAC018TN	Functional Assessment of Cancer Therapy-Lymphoma Version 4 Questionnaire Test Name	Functional Assessment of Cancer Therapy-Lymphoma Version 4 test name.	No
C127358	FAC023TC	The Functional Assessment of Cancer Therapy-Prostate Version 4 Questionnaire Test Code	The Functional Assessment of Cancer Therapy-Prostate Version 4 test code.	No

C127357	FAC023TN	The Functional Assessment of Cancer Therapy-Prostate Version 4 Questionnaire Test Name	The Functional Assessment of Cancer Therapy-Prostate Version 4 test name.	No
C129092	FAC028TC	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 Questionnaire Test Code	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy- Bladder Symptom Index-18 Version 2 test code.	No
C129091	FAC028TN	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 Questionnaire Test Name	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy- Bladder Symptom Index-18 Version 2 test name.	No
C138221	FAC029TC	Functional Assessment of Cancer Therapy-Brain Symptom Index Questionnaire Test Code	Functional Assessment of Cancer Therapy-Brain Symptom Index test code.	No
C138220	FAC029TN	Functional Assessment of Cancer Therapy-Brain Symptom Index Questionnaire Test Name	Functional Assessment of Cancer Therapy-Brain Symptom Index test name.	No
C150786	FAC030TC	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Brain Symptom Index-24 Version 2 Questionnaire Test Code	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy- Brain Symptom Index-24 Version 2 test code.	No
C150785	FAC030TN	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy- Brain Symptom Index-24 Version 2 Questionnaire Test Name	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy- Brain Symptom Index-24 Version 2 test name.	No
C150788	FAC036TC	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy- Head & Neck Symptom Index-22 Version 2 Questionnaire Test Code	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy- Head & Neck Symptom Index-22 Version 2 test code.	No
C150787	FAC036TN	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy- Head & Neck Symptom Index-22 Version 2 Questionnaire Test Name	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy- Head & Neck Symptom Index-22 Version 2 test name.	No
C138223	FAC039TC	Functional Assessment of Cancer Therapy- Kidney Symptom Index-15 Questionnaire Test Code	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 test code.	No
C138222	FAC039TN	Functional Assessment of Cancer Therapy- Kidney Symptom Index-15 Questionnaire Test Name	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 test name.	No
C150784	FAC041TC	Functional Assessment of Cancer Therapy- Kidney Symptom Index- Disease-Related Symptoms Version 4 Questionnaire Test Code	Functional Assessment of Cancer Therapy-Kidney Symptom Index-Disease-Related Symptoms Version 4 test code.	No

C150783	FAC041TN	Functional Assessment of Cancer Therapy-Kidney Symptom Index-Disease-Related Symptoms Version 4 Questionnaire Test Name	Functional Assessment of Cancer Therapy-Kidney Symptom Index-Disease-Related Symptoms Version 4 test name.	No
C129090	FAC042TC	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 Questionnaire Test Code	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 test code.	No
C129089	FAC042TN	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 Questionnaire Test Name	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 test name.	No
C138225	FAC043TC	Functional Assessment of Cancer Therapy-Lung Symptom Index Questionnaire Test Code	Functional Assessment of Cancer Therapy-Lung Symptom Index test code.	No
C138224	FAC043TN	Functional Assessment of Cancer Therapy-Lung Symptom Index Questionnaire Test Name	Functional Assessment of Cancer Therapy-Lung Symptom Index test name.	No
C129096	FAC049TC	Functional Assessment of Cancer Therapy-Ovarian Symptom Index Questionnaire Test Code	Functional Assessment of Cancer Therapy-Ovarian Symptom Index test code.	No
C129095	FAC049TN	Functional Assessment of Cancer Therapy-Ovarian Symptom Index Questionnaire Test Name	Functional Assessment of Cancer Therapy-Ovarian Symptom Index test name.	No
C129098	FAC050TC	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 Questionnaire Test Code	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 test code.	No
C129097	FAC050TN	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 Questionnaire Test Name	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 test name.	No
C127356	FAC052TC	The National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 Questionnaire Test Code	The National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 test code.	No
C127355	FAC052TN	The National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 Questionnaire Test Name	The National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 test name.	No

C150780	FAC057TC	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 Questionnaire Test Code	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 test code.
C150779	FAC057TN	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 Questionnaire Test Name	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 test name.
C147540	FAC061TC	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 Questionnaire Test Code	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 test code.
C147539	FAC061TN	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 Questionnaire Test Name	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 test name.
C150778	FAC062TC	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 Questionnaire Test Code	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 test code.
C150777	FAC062TN	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 Questionnaire Test Name	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 test name.
C150776	FAC063TC	Functional Assessment of Cancer Therapy-Taxane Version 4 Questionnaire Test Code	Functional Assessment of Cancer Therapy-Taxane Version 4 test code.
C150775	FAC063TN	Functional Assessment of Cancer Therapy-Taxane Version 4 Questionnaire Test Name	Functional Assessment of Cancer Therapy-Taxane Version 4 test name.
C179938	FAC065TC	Functional Assessment of Anorexia/Cachexia Treatment Version 4 Questionnaire Test Code	Functional Assessment of Anorexia/Cachexia Treatment Version 4 test code.
C179937	FAC065TN	Functional Assessment of Anorexia/Cachexia Treatment Version 4 Questionnaire Test Name	Functional Assessment of Anorexia/Cachexia Treatment Version 4 test name.
C147544	FAC070TC	Functional Assessment of Chronic Illness Therapy-Fatigue 13-Item Scale Version 4 Questionnaire Test Code	Functional Assessment of Chronic Illness Therapy-Fatigue 13-Item Scale Version 4 test code.
C147543	FAC070TN	Functional Assessment of Chronic Illness Therapy-Fatigue 13-Item Scale Version 4 Questionnaire Test Name	Functional Assessment of Chronic Illness Therapy-Fatigue 13-Item Scale Version 4 test name.
C129088	FAC071TC	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 Questionnaire Test Code	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 test code.
C129087	FAC071TN	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 Questionnaire Test Name	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 test name.

C179940	FAC074TC	Functional Assessment of Cancer Therapy-Bone Pain Version 4 Questionnaire Test Code	Functional Assessment of Cancer Therapy-Bone Pain Version 4 test code.	No
C179939	FAC074TN	Functional Assessment of Cancer Therapy-Bone Pain Version 4 Questionnaire Test Name	Functional Assessment of Cancer Therapy-Bone Pain Version 4 test name.	No
C166184	FAC075TC	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 Questionnaire Test Code	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 test code.	No
C166183	FAC075TN	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 Questionnaire Test Name	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 test name.	No
C147542	FAC084TC	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form test code.	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form test code.	No
C147541	FAC084TN	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form Questionnaire Test Name	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form test name.	No
C147546	FAC099TC	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue Questionnaire Test Code	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue test code.	No
C147545	FAC099TN	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue Questionnaire Test Name	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue test name.	No
C154451	FAC100TC	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank test code.	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank test code.	No
C154450	FAC100TN	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank Questionnaire Test Name	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank test name.	No
C112441	FAMS01TC	Functional Assessment of Multiple Sclerosis Version 4 Questionnaire Test Code	Functional Assessment of Multiple Sclerosis Version 4 test code.	No
C112440	FAMS01TN	Functional Assessment of Multiple Sclerosis Version 4 Questionnaire Test Name	Functional Assessment of Multiple Sclerosis Version 4 test name.	No
C111344	FAQ01TC	Functional Activities Questionnaire Clinical Classification Test Code	Functional Activities Questionnaire test code.	No
C111343	FAQ01TN	Functional Activities Questionnaire Clinical Classification Test Name	Functional Activities Questionnaire test name.	No
C111346	FAQNA1TC	Functional Assessment Questionnaire-NACC UDS V2.0 Clinical Classification Test Code	Functional Assessment Questionnaire-NACC UDS V2.0 test code.	No
C111345	FAQNA1TN	Functional Assessment Questionnaire-NACC UDS V2.0 Clinical Classification Test Name	Functional Assessment Questionnaire-NACC UDS V2.0 test name.	No

C170523	FASNA1TC	Functional Assessment Scale-NACC UDS Version 3.0 Clinical Classification Test Code	Functional Assessment Scale-NACC UDS Version 3.0 test code.	No
C170522	FASNA1TN	Functional Assessment Scale-NACC UDS Version 3.0 Clinical Classification Test Name	Functional Assessment Scale-NACC UDS Version 3.0 test name.	No
C124670	FCVD1TC	Framingham Heart Study Cardiovascular Disease 10-Year Risk Score Clinical Classification Test Code	Framingham Heart Study Cardiovascular Disease 10-Year Risk Score test code.	No
C124669	FCVD1TN	Framingham Heart Study Cardiovascular Disease 10-Year Risk Score Clinical Classification Test Name	Framingham Heart Study Cardiovascular Disease 10-Year Risk Score test name.	No
C103465	FIQR01TC	Revised Fibromyalgia Impact Questionnaire Test Code	Revised Fibromyalgia Impact Questionnaire test code.	No
C103464	FIQR01TN	Revised Fibromyalgia Impact Questionnaire Test Name	Revised Fibromyalgia Impact Questionnaire test name.	No
C100154	FPSR1TC	Faces Pain Scale - Revised Questionnaire Test Code	Faces Pain Scale - Revised test code.	No
C100153	FPSR1TN	Faces Pain Scale - Revised Questionnaire Test Name	Faces Pain Scale - Revised test name.	No
C183551	FSILTC	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult Questionnaire Test Code	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult test code.	No
C183550	FSILTN	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult Questionnaire Test Name	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult test name.	No
C113850	FSS01TC	Fatigue Severity Scale Questionnaire Test Code	Fatigue Severity Scale test code.	No
C113849	FSS01TN	Fatigue Severity Scale Questionnaire Test Name	Fatigue Severity Scale test name.	No
C115304	FTCAT	Category of Functional Test	A grouping of observations within the Functional Tests domain.	Yes
C103467	GAD01TC	Generalized Anxiety Disorder - 7 Questionnaire Test Code	Generalized Anxiety Disorder - 7 test code.	No
C103466	GAD01TN	Generalized Anxiety Disorder - 7 Questionnaire Test Name	Generalized Anxiety Disorder - 7 test name.	No
C163389	GAD02TC	Generalized Anxiety Disorder - 7 Version 2 Questionnaire Test Code	Generalized Anxiety Disorder - 7 Version 2 test code.	No
C163388	GAD02TN	Generalized Anxiety Disorder - 7 Version 2 Questionnaire Test Name	Generalized Anxiety Disorder - 7 Version 2 test name.	No
C105138	GCGI01TC	General Clinical Global Impressions Questionnaire Test Code	General Clinical Global Impressions test code.	No
C105137	GCGI01TN	General Clinical Global Impressions Questionnaire Test Name	General Clinical Global Impressions test name.	No

C124682	GCS01TC	Glasgow Coma Scale NINDS Version Clinical Classification Test Code	Glasgow Coma Scale NINDS Version test code.	No
C124681	GCS01TN	Glasgow Coma Scale NINDS Version Clinical Classification Test Name	Glasgow Coma Scale NINDS Version test name.	No
C106663	GDS01TC	Geriatric Depression Scale Questionnaire Test Code	Geriatric Depression Scale test code.	No
C106662	GDS01TN	Geriatric Depression Scale Questionnaire Test Name	Geriatric Depression Scale test name.	No
C106665	GDS02TC	Geriatric Depression Scale Short Form Questionnaire Test Code	Geriatric Depression Scale Short Form test code.	No
C106664	GDS02TN	Geriatric Depression Scale Short Form Questionnaire Test Name	Geriatric Depression Scale Short Form test name.	No
C163391	GMSS01TC	The Glucose Monitoring System Satisfaction Survey Version: Type 1 Diabetes Questionnaire Test Code	The Glucose Monitoring System Satisfaction Survey Version: Type 1 Diabetes test code.	No
C163390	GMSS01TN	The Glucose Monitoring System Satisfaction Survey Version: Type 1 Diabetes Questionnaire Test Name	The Glucose Monitoring System Satisfaction Survey Version: Type 1 Diabetes test name.	No
C115404	GOSE1TC	Extended Glasgow Outcome Scale Questionnaire Test Code	Extended Glasgow Outcome Scale test code.	No
C115403	GOSE1TN	Extended Glasgow Outcome Scale Questionnaire Test Name	Extended Glasgow Outcome Scale test name.	No
C103469	HADS01TC	Hospital Anxiety and Depression Scale Questionnaire Test Code	Hospital Anxiety and Depression Scale test code.	No
C103468	HADS01TN	Hospital Anxiety and Depression Scale Questionnaire Test Name	Hospital Anxiety and Depression Scale test name.	No
C115390	HAI01TC	Hauser Ambulation Index Functional Test Test Code	Hauser Ambulation Index test code.	No
C115389	HAI01TN	Hauser Ambulation Index Functional Test Test Name	Hauser Ambulation Index test name.	No
C182468	HAMA101T14OR	Hamilton Anxiety Rating Scale Clinical Classification ORRES for HAMA101 Through HAMA114 TN/TC	Hamilton Anxiety Rating Scale original result for HAMA101 through HAMA114 test and test code.	No
C182506	HAMA101T14STR	Hamilton Anxiety Rating Scale Clinical Classification STRESC for HAMA101 Through HAMA114 TN/TC	Hamilton Anxiety Rating Scale standardized character result for HAMA101 through HAMA114 test and test code.	No
C101819	HAMA1TC	Hamilton Anxiety Rating Scale Clinical Classification Test Code	Hamilton Anxiety Rating Scale test code.	No
C101820	HAMA1TN	Hamilton Anxiety Rating Scale Clinical Classification Test Name	Hamilton Anxiety Rating Scale test name.	No
C100138	HAMD1TC	Hamilton Depression Rating Scale - 17 Item Clinical Classification Test Code	The Hamilton Depression Rating Scale - 17 Item test code.	No

C100137	HAMD1TN	Hamilton Depression Rating Scale - 17 Item Clinical Classification Test Name	The Hamilton Depression Rating Scale - 17 Item test name.	No
C101821	HAMD2TC	Hamilton Depression Rating Scale 21-Item Clinical Classification Test Code	Hamilton Depression Rating Scale 21-Item test code.	No
C101822	HAMD2TN	Hamilton Depression Rating Scale 21-Item Clinical Classification Test Name	Hamilton Depression Rating Scale 21-Item test name.	No
C130245	HAMD3TC	Hamilton Depression Rating Scale - 24 Item Clinical Classification Test Code	Hamilton Depression Rating Scale - 24 Item test code.	No
C130244	HAMD3TN	Hamilton Depression Rating Scale - 24 Item Clinical Classification Test Name	Hamilton Depression Rating Scale - 24 Item test name.	No
C130243	HAMD4TC	Hamilton Depression Rating Scale - 6 Clinician Version Clinical Classification Test Code	Hamilton Depression Rating Scale - 6 Clinician Version test code.	No
C130242	HAMD4TN	Hamilton Depression Rating Scale - 6 Clinician Version Clinical Classification Test Name	Hamilton Depression Rating Scale - 6 Clinician Version test name.	No
C130259	HAMDS1TC	Hamilton Depression Rating Scale - 6 Self-Report Questionnaire Test Code	Hamilton Depression Rating Scale - 6 Self-Report test code.	No
C130258	HAMDS1TN	Hamilton Depression Rating Scale - 6 Self-Report Questionnaire Test Name	Hamilton Depression Rating Scale - 6 Self-Report test name.	No
C106667	HAQ01TC	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale Questionnaire Test Code	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale test code.	No
C106666	HAQ01TN	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale Questionnaire Test Name	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale test name.	No
C132523	HAQ02TC	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale Questionnaire Test Code	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale test code.	No
C132522	HAQ02TN	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale Questionnaire Test Name	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale test name.	No
C163393	HCS01TC	Hypoglycemic Confidence Scale Questionnaire Test Code	Hypoglycemic Confidence Scale test code.	No
C163392	HCS01TN	Hypoglycemic Confidence Scale Questionnaire Test Name	Hypoglycemic Confidence Scale test name.	No
C166188	HDCAB1TC	Huntington's Disease Cognitive Assessment Battery Functional Test Test Code	Huntington's Disease Cognitive Assessment Battery test code.	No

C166187	HDCAB1TN	Huntington's Disease Cognitive Assessment Battery Functional Test Test Name	Huntington's Disease Cognitive Assessment Battery test name.	No
C138213	HSB01TC	HAS-BLED Bleeding Risk Score Clinical Classification Test Code	HAS-BLED Bleeding Risk Score test code.	No
C138212	HSB01TN	HAS-BLED Bleeding Risk Score Clinical Classification Test Name	HAS-BLED Bleeding Risk Score test name.	No
C174052	IBDQ01TC	Quality of Life in Inflammatory Bowel Disease Questionnaire Test Code	Quality of Life in Inflammatory Bowel Disease Questionnaire test code.	No
C174051	IBDQ01TN	Quality of Life in Inflammatory Bowel Disease Questionnaire Test Name	Quality of Life in Inflammatory Bowel Disease Questionnaire test name.	No
C130247	IDSC1TC	Inventory of Depressive Symptomatology Clinician-Rated Version Clinical Classification Test Code	Inventory of Depressive Symptomatology Clinician-Rated Version test code.	No
C130246	IDSC1TN	Inventory of Depressive Symptomatology Clinician-Rated Version Clinical Classification Test Name	Inventory of Depressive Symptomatology Clinician-Rated Version test name.	No
C130261	IDSR1TC	Inventory of Depressive Symptomatology Self-Report Version Questionnaire Test Code	Inventory of Depressive Symptomatology Self-Report Version test code.	No
C130260	IDSR1TN	Inventory of Depressive Symptomatology Self-Report Version Questionnaire Test Name	Inventory of Depressive Symptomatology Self-Report Version test name.	No
C103471	IIEF01TC	International Index of Erectile Function Questionnaire Test Code	International Index of Erectile Function test code.	No
C103470	IIEF01TN	International Index of Erectile Function Questionnaire Test Name	International Index of Erectile Function test name.	No
C141671	IPAQ01TC	International Physical Activity Questionnaire (August 2002) Short Last 7 Days Telephone Format Test Code	International Physical Activity Questionnaire (August 2002) Short Last 7 Days Telephone Format test code.	No
C141670	IPAQ01TN	International Physical Activity Questionnaire (August 2002) Short Last 7 Days Telephone Format Questionnaire Test Name	International Physical Activity Questionnaire (August 2002) Short Last 7 Days Telephone Format test name.	No
C141669	IPAQ02TC	International Physical Activity Questionnaire (November 2002) Long Last 7 Days Telephone Format Questionnaire Test Code	International Physical Activity Questionnaire (November 2002) Long Last 7 Days Telephone Format test code.	No
C141668	IPAQ02TN	International Physical Activity Questionnaire (November 2002) Long Last 7 Days Telephone Format Questionnaire Test Name	International Physical Activity Questionnaire (November 2002) Long Last 7 Days Telephone Format test name.	No
C141667	IPAQ03TC	International Physical Activity Questionnaire (October 2002) Long Last 7 Days Self-Administered Format Questionnaire Test Code	International Physical Activity Questionnaire (October 2002) Long Last 7 Days Self-Administered Format test code.	No

C141666	IPAQ03TN	International Physical Activity Questionnaire (October 2002) Long Last 7 Days Self-Administered Format Questionnaire Test Name	International Physical Activity Questionnaire (October 2002) Long Last 7 Days Self-Administered Format test name.	No
C141665	IPAQ04TC	International Physical Activity Questionnaire (August 2002) Short Last 7 Days Self-Administered Format Questionnaire Test Code	International Physical Activity Questionnaire (August 2002) Short Last 7 Days Self-Administered Format test code.	No
C141664	IPAQ04TN	International Physical Activity Questionnaire (August 2002) Short Last 7 Days Self-Administered Format Questionnaire Test Name	International Physical Activity Questionnaire (August 2002) Short Last 7 Days Self-Administered Format test name.	No
C182461	IPS0101T06OR	International Prostate Symptom Score Questionnaire ORRES for IPS0101 Through IPS0106 TN/TC	International Prostate Symptom Score original result for IPS0101 through IPS0106 test and test code.	No
C182499	IPS0101T06STR	International Prostate Symptom Score Questionnaire STRESC for IPS0101 Through IPS0106 TN/TC	International Prostate Symptom Score standardized character result for IPS0101 Through IPS0106 test and test code.	No
C182462	IPS0107OR	International Prostate Symptom Score Questionnaire ORRES for IPS0107 TN/TC	International Prostate Symptom Score original result for IPS0107 test and test code.	No
C182500	IPS0107STR	International Prostate Symptom Score Questionnaire STRESC for IPS0107 TN/TC	International Prostate Symptom Score standardized character result for IPS0107 test and test code.	No
C182463	IPS0109OR	International Prostate Symptom Score Questionnaire ORRES for IPS0109 TN/TC	International Prostate Symptom Score original result for IPS0109 test and test code.	No
C182501	IPS0109STR	International Prostate Symptom Score Questionnaire STRESC for IPS0109 TN/TC	International Prostate Symptom Score standardized character result for IPS0109 test and test code.	No
C183547	IPS01TC	International Prostate Symptom Score Questionnaire Test Code	International Prostate Symptom Score test code.	No
C183546	IPS01TN	International Prostate Symptom Score Questionnaire Test Name	International Prostate Symptom Score test name.	No
C113856	IVIS01TC	Impact of Visual Impairment Scale Questionnaire Test Code	Impact of Visual Impairment Scale test code.	No
C113855	IVIS01TN	Impact of Visual Impairment Scale Questionnaire Test Name	Impact of Visual Impairment Scale test name.	No
C170529	KDIGO1TC	Kidney Disease Improving Global Outcomes Staging For Acute Kidney Injury Clinical Classification Test Code	Kidney Disease Improving Global Outcomes Staging For Acute Kidney Injury test code.	No
C170528	KDIGO1TN	Kidney Disease Improving Global Outcomes Staging For Acute Kidney Injury Clinical Classification Test Name	Kidney Disease Improving Global Outcomes Staging For Acute Kidney Injury test name.	No
C130251	KDPI01TC	Kidney Donor Profile Index Clinical Classification Test Code	Kidney Donor Profile Index test code.	No

C130250	KDPI01TN	Kidney Donor Profile Index Clinical Classification Test Name	Kidney Donor Profile Index test name.	No
C182475	KFSS101OR	Kurtzke Functional System Scores Clinical Classification ORRES for KFSS101 TN/TC	Kurtzke Functional System Scores original result for KFSS101 test and test code.	No
C182513	KFSS101STR	Kurtzke Functional System Scores Clinical Classification STRESC for KFSS101 TN/TC	Kurtzke Functional System Scores standardized character result for KFSS101 test and test code.	No
C182477	KFSS102A&6AOR	Kurtzke Functional System Scores Clinical Classification ORRES for KFSS102A and KFSS106A TN/TC	Kurtzke Functional System Scores original result for KFSS102A and KFSS106A test and test code.	No
C182515	KFSS102A&6ASTR	Kurtzke Functional System Scores Clinical Classification STRESC for KFSS102A and KFSS106A TN/TC	Kurtzke Functional System Scores standardized character result for KFSS102A and KFSS106A test and test code.	No
C182476	KFSS102OR	Kurtzke Functional System Scores Clinical Classification ORRES for KFSS102 TN/TC	Kurtzke Functional System Scores original result for KFSS102 test and test code.	No
C182514	KFSS102STR	Kurtzke Functional System Scores Clinical Classification STRESC for KFSS102 TN/TC	Kurtzke Functional System Scores standardized character result for KFSS102 test and test code.	No
C182478	KFSS103OR	Kurtzke Functional System Scores Clinical Classification ORRES for KFSS103 TN/TC	Kurtzke Functional System Scores original result for KFSS103 test and test code.	No
C182516	KFSS103STR	Kurtzke Functional System Scores Clinical Classification STRESC for KFSS103 TN/TC	Kurtzke Functional System Scores standardized character result for KFSS103 test and test code.	No
C182479	KFSS104OR	Kurtzke Functional System Scores Clinical Classification ORRES for KFSS104 TN/TC	Kurtzke Functional System Scores original result for KFSS104 test and test code.	No
C182517	KFSS104STR	Kurtzke Functional System Scores Clinical Classification STRESC for KFSS104 TN/TC	Kurtzke Functional System Scores standardized character result for KFSS104 test and test code.	No
C182480	KFSS105OR	Kurtzke Functional System Scores Clinical Classification ORRES for KFSS105 TN/TC	Kurtzke Functional System Scores original result for KFSS105 test and test code.	No
C182518	KFSS105STR	Kurtzke Functional System Scores Clinical Classification STRESC for KFSS105 TN/TC	Kurtzke Functional System Scores standardized character result for KFSS105 test and test code.	No
C182481	KFSS106OR	Kurtzke Functional System Scores Clinical Classification ORRES for KFSS106 TN/TC	Kurtzke Functional System Scores original result for KFSS106 test and test code.	No
C182519	KFSS106STR	Kurtzke Functional System Scores Clinical Classification STRESC for KFSS106 TN/TC	Kurtzke Functional System Scores standardized character result for KFSS106 test and test code.	No
C182482	KFSS107OR	Kurtzke Functional System Scores Clinical Classification ORRES for KFSS107 TN/TC	Kurtzke Functional System Scores original result for KFSS107 test and test code.	No
C182520	KFSS107STR	Kurtzke Functional System Scores Clinical Classification STRESC for KFSS107 TN/TC	Kurtzke Functional System Scores standardized character result for KFSS107 test and test code.	No

C182483	KFSS108OR	Kurtzke Functional System Scores Clinical Classification ORRES for KFSS108 TN/TC	Kurtzke Functional System Scores original result for KFSS108 test and test code.	No
C182521	KFSS108STR	Kurtzke Functional System Scores Clinical Classification STRESC for KFSS108 TN/TC	Kurtzke Functional System Scores standardized character result for KFSS108 test and test code.	No
C112443	KFSS1TC	Kurtzke Functional Systems Scores Clinical Classification Test Code	Kurtzke Functional Systems Scores test code.	No
C112442	KFSS1TN	Kurtzke Functional Systems Scores Clinical Classification Test Name	Kurtzke Functional Systems Scores test name.	No
C182469	KPSS0101OR	Karnofsky Performance Status Scale Clinical Classification ORRES for KPSS0101 TN/TC	Karnofsky Performance Status Scale original result for KPSS0101 test and test code.	No
C182507	KPSS0101STR	Karnofsky Performance Status Scale Clinical Classification STRESC for KPSS0101 TN/TC	Karnofsky Performance Status Scale standardized character result for KPSS0101 test and test code.	No
C100170	KPSS01TC	Karnofsky Performance Status Scale Clinical Classification Test Code	Karnofsky Performance Status Scale test code.	No
C100169	KPSS01TN	Karnofsky Performance Status Scale Clinical Classification Test Name	Karnofsky Performance Status Scale test name.	No
C135690	LEC01TC	Life Events Checklist for DSM-5 Standard Version Questionnaire Test Code	Life Events Checklist for DSM-5 Standard Version test code.	No
C135689	LEC01TN	Life Events Checklist for DSM-5 Standard Version Questionnaire Test Name	Life Events Checklist for DSM-5 Standard Version test name.	No
C138215	LPPSS1TC	Lansky Play-Performance Status Scale Clinical Classification Test Code	Lansky Play-Performance Status Scale test code.	No
C138214	LPPSS1TN	Lansky Play-Performance Status Scale Clinical Classification Test Name	Lansky Play-Performance Status Scale test name.	No
C120991	MELD01TC	Model for End Stage Liver Disease Clinical Classification Test Code	Model for End Stage Liver Disease test code.	No
C120990	MELD01TN	Model for End Stage Liver Disease Clinical Classification Test Name	Model for End Stage Liver Disease test name.	No
C113858	MFIS01TC	Modified Fatigue Impact Scale Questionnaire Test Code	Modified Fatigue Impact Scale test code.	No
C113857	MFIS01TN	Modified Fatigue Impact Scale Questionnaire Test Name	Modified Fatigue Impact Scale test name.	No
C112445	MHIS01TC	Modified Hachinski Ischemic Scale-NACC Version Questionnaire Test Code	Modified Hachinski Ischemic Scale-NACC Version test code.	No
C112444	MHIS01TN	Modified Hachinski Ischemic Scale-NACC Version Questionnaire Test Name	Modified Hachinski Ischemic Scale-NACC Version test name.	No
C106669	MMRC01TC	Modified Medical Research Council Dyspnea Scale Questionnaire Test Code	Modified Medical Research Council Dyspnea Scale test code.	No

C106668	MMRC01TN	Modified Medical Research Council Dyspnea Scale Questionnaire Test Name	Modified Medical Research Council Dyspnea Scale test name.	No
C100142	MMS1TC	Mini-Mental State Examination Functional Test Test Code	Mini-Mental State Examination test code.	No
C100141	MMS1TN	Mini-Mental State Examination Functional Test Test Name	Mini-Mental State Examination test name.	No
C150770	MMS2TC	Mini-Mental State Examination 2 Standard Version Functional Test Test Code	Mini-Mental State Examination 2 Standard Version test code.	No
C150769	MMS2TN	Mini-Mental State Examination 2 Standard Version Functional Test Test Name	Mini-Mental State Examination 2 Standard Version test name.	No
C100152	MNSI1TC	Michigan Neuropathy Screening Instrument Questionnaire Test Code	Michigan Neuropathy Screening Instrument test code.	No
C100151	MNSI1TN	Michigan Neuropathy Screening Instrument Questionnaire Test Name	Michigan Neuropathy Screening Instrument test name.	No
C115406	MPAI1TC	Mayo-Portland Adaptability Inventory-4 Questionnaire Test Code	Mayo-Portland Adaptability Inventory-4 test code.	No
C115405	MPAI1TN	Mayo-Portland Adaptability Inventory-4 Questionnaire Test Name	Mayo-Portland Adaptability Inventory-4 test name.	No
C111348	MRS01TC	Modified Rankin Scale Questionnaire Test Code	Modified Rankin Scale test code.	No
C111347	MRS01TN	Modified Rankin Scale Questionnaire Test Name	Modified Rankin Scale test name.	No
C113860	MSQL1TC	Multiple Sclerosis Quality of Life-54 Instrument Questionnaire Test Code	Multiple Sclerosis Quality of Life-54 Instrument test code.	No
C113859	MSQL1TN	Multiple Sclerosis Quality of Life-54 Instrument Questionnaire Test Name	Multiple Sclerosis Quality of Life-54 Instrument test name.	No
C171355	NEWS1TC	National Early Warning Score 2 Clinical Classification Test Code	National Early Warning Score 2 test code.	No
C171354	NEWS1TN	National Early Warning Score 2 Clinical Classification Test Name	National Early Warning Score 2 test name.	No
C115392	NHPT01TC	Nine-Hole Peg Test Functional Test Test Code	Nine-Hole Peg Test test code.	No
C115391	NHPT01TN	Nine-Hole Peg Test Functional Test Test Name	Nine-Hole Peg Test test name.	No
C100144	NPI1TC	Neuropsychiatric Inventory Questionnaire Test Code	The Neuropsychiatric Inventory test code.	No
C100143	NPI1TN	Neuropsychiatric Inventory Questionnaire Test Name	The Neuropsychiatric Inventory test name.	No
C103473	NPS01TC	Neuropathic Pain Scale Questionnaire Test Code	Neuropathic Pain Scale test code.	No
C103472	NPS01TN	Neuropathic Pain Scale Questionnaire Test Name	Neuropathic Pain Scale test name.	No

C120993	NSA01TC	Negative Symptom Assessment-16 Clinical Classification Test Code	Negative Symptom Assessment-16 test code.	No
C120992	NSA01TN	Negative Symptom Assessment-16 Clinical Classification Test Name	Negative Symptom Assessment-16 test name.	No
C132517	NSAA1TC	North Star Ambulatory Assessment Clinical Classification Test Code	North Star Ambulatory Assessment test code.	No
C132516	NSAA1TN	North Star Ambulatory Assessment Clinical Classification Test Name	North Star Ambulatory Assessment test name.	No
C154455	NSCLC1TC	Non-Small Cell Lung Cancer Symptom Assessment Questionnaire v1.0 Questionnaire Test Code	Non-Small Cell Lung Cancer Symptom Assessment Questionnaire v1.0 test code.	No
C154454	NSCLC1TN	Non-Small Cell Lung Cancer Symptom Assessment Questionnaire v1.0 Questionnaire Test Name	Non-Small Cell Lung Cancer Symptom Assessment Questionnaire v1.0 test name.	No
C103475	OABQ01TC	The Overactive Bladder Questionnaire Questionnaire Test Code	The Overactive Bladder Questionnaire test code.	No
C103474	OABQ01TN	The Overactive Bladder Questionnaire Questionnaire Test Name	The Overactive Bladder Questionnaire test name.	No
C103477	OABQ02TC	The Overactive Bladder Questionnaire Short Form Questionnaire Test Code	The Overactive Bladder Questionnaire Short Form test code.	No
C103476	OABQ02TN	The Overactive Bladder Questionnaire Short Form Questionnaire Test Name	The Overactive Bladder Questionnaire Short Form test name.	No
C103479	ODI01TC	The Oswestry Disability Index Version 2.1a Questionnaire Test Code	The Oswestry Disability Index Version 2.1a test code.	No
C103478	ODI01TN	The Oswestry Disability Index Version 2.1a Questionnaire Test Name	The Oswestry Disability Index Version 2.1a test name.	No
C124686	PANSS1TC	Positive and Negative Syndrome Scale Clinical Classification Test Code	Positive and Negative Syndrome Scale test code.	No
C124685	PANSS1TN	Positive and Negative Syndrome Scale Clinical Classification Test Name	Positive and Negative Syndrome Scale test name.	No
C115394	PASAT1TC	Paced Auditory Serial Addition Test Functional Test Test Code	Paced Auditory Serial Addition Test test code.	No
C115393	PASAT1TN	Paced Auditory Serial Addition Test Functional Test Test Name	Paced Auditory Serial Addition Test test name.	No
C135678	PASI01TC	Psoriasis Area and Severity Index Clinical Classification Test Code	Psoriasis Area and Severity Index test code.	No
C135677	PASI01TN	Psoriasis Area and Severity Index Clinical Classification Test Name	Psoriasis Area and Severity Index test name.	No
C179936	PASI02TC	Psoriasis Area and Severity Index Version 2 Clinical Classification Test Code	Psoriasis Area and Severity Index Version 2 test code.	No

C179935	PASI02TN	Psoriasis Area and Severity Index Version 2 Clinical Classification Test Name	Psoriasis Area and Severity Index Version 2 test name.	No
C135692	PCL01TC	The PTSD Checklist for DSM-5 Questionnaire Test Code	The PTSD Checklist for DSM-5 test code.	No
C135691	PCL01TN	The PTSD Checklist for DSM-5 Questionnaire Test Name	The PTSD Checklist for DSM-5 test name.	No
C112447	PDDS01TC	Patient Determined Disease Steps Questionnaire Test Code	Patient Determined Disease Steps test code.	No
C112446	PDDS01TN	Patient Determined Disease Steps Questionnaire Test Name	Patient Determined Disease Steps test name.	No
C135688	PGI01TC	Patient Global Impression Generic Modification Version Questionnaire Test Code	Patient Global Impression Generic Modification Version test code.	No
C135687	PGI01TN	Patient Global Impression Generic Modification Version Questionnaire Test Name	Patient Global Impression Generic Modification Version test name.	No
C103481	PHQ01TC	Patient Health Questionnaire - 9 Item Questionnaire Test Code	Patient Health Questionnaire - 9 test code.	No
C103480	PHQ01TN	Patient Health Questionnaire - 9 Item Questionnaire Test Name	Patient Health Questionnaire - 9 test name.	No
C103483	PHQ02TC	Patient Health Questionnaire - 15 Item Questionnaire Test Code	Patient Health Questionnaire - 15 test code.	No
C103482	PHQ02TN	Patient Health Questionnaire - 15 Item Questionnaire Test Name	Patient Health Questionnaire - 15 test name.	No
C125749	PHQ03TC	Patient Health Questionnaire Screener Version Questionnaire Test Code	Patient Health Questionnaire Screener Version test code.	No
C125748	PHQ03TN	Patient Health Questionnaire Screener Version Questionnaire Test Name	Patient Health Questionnaire Screener Version test name.	No
C157727	PHQ04TC	Patient Health Questionnaire - 2 Item Questionnaire Test Code	Patient Health Questionnaire - 2 test code.	No
C157726	PHQ04TN	Patient Health Questionnaire - 2 Item Questionnaire Test Name	Patient Health Questionnaire - 2 test name.	No
C105134	PI01TC	Pain Intensity Questionnaire Test Code	Pain Intensity test code.	No
C105133	PI01TN	Pain Intensity Questionnaire Test Name	Pain Intensity test name.	No
C135694	PODCI1TC	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported Version Questionnaire Test Code	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported Version test code.	No

C135693	PODCI1TN	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported Version Questionnaire Test Name	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported Version test name.	No
C135696	PODCI2TC	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported Version Questionnaire Test Code	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported Version test code.	No
C135695	PODCI2TN	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported Version Questionnaire Test Name	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported Version test name.	No
C135698	PODCI3TC	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported Version Questionnaire Test Code	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported Version test code.	No
C135697	PODCI3TN	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported Version Questionnaire Test Name	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported Version test name.	No
C138259	PQL01TC	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Questionnaire Test Code	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult test code.	No
C138258	PQL01TN	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Questionnaire Test Name	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult test name.	No
C138253	PQL02TC	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report Questionnaire Test Code	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report test code.	No
C138252	PQL02TN	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report Questionnaire Test Name	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report test name.	No
C138257	PQL03TC	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Questionnaire Test Code	Pediatric Quality of Life Neuromuscular Module Version 3 Teen test code.	No
C138256	PQL03TN	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Questionnaire Test Name	Pediatric Quality of Life Neuromuscular Module Version 3 Teen test name.	No
C138251	PQL04TC	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report Questionnaire Test Code	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report test code.	No
C138250	PQL04TN	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report Questionnaire Test Name	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report test name.	No
C138245	PQL05TC	Pediatric Quality of Life Neuromuscular Module Version 3 Child Questionnaire Test Code	Pediatric Quality of Life Neuromuscular Module Version 3 Child test code.	No

C138244	PQL05TN	Pediatric Quality of Life Neuromuscular Module Version 3 Child Questionnaire Test Name	Pediatric Quality of Life Neuromuscular Module Version 3 Child test name.	No
C138249	PQL06TC	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report Questionnaire Test Code	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report test code.	No
C138248	PQL06TN	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report Questionnaire Test Name	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report test name.	No
C138261	PQL07TC	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Questionnaire Test Code	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child test code.	No
C138260	PQL07TN	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Questionnaire Test Name	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child test name.	No
C138255	PQL08TC	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report Questionnaire Test Code	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report test code.	No
C138254	PQL08TN	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report Questionnaire Test Name	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report test name.	No
C138247	PQL09TC	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report Questionnaire Test Code	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report test code.	No
C138246	PQL09TN	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report Questionnaire Test Name	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report test name.	No
C138241	PQL10TC	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Questionnaire Test Code	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult test code.	No
C138240	PQL10TN	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Questionnaire Test Name	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult test name.	No
C138235	PQL11TC	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report Questionnaire Test Code	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report test code.	No
C138234	PQL11TN	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report Questionnaire Test Name	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report test name.	No
C138239	PQL12TC	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Questionnaire Test Code	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen test code.	No
C138238	PQL12TN	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Questionnaire Test Name	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen test name.	No

C138233	PQL13TC	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report Questionnaire Test Code	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report test code.	No
C138232	PQL13TN	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report Questionnaire Test Name	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report test name.	No
C138227	PQL14TC	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Questionnaire Test Code	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child test code.	No
C138226	PQL14TN	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Questionnaire Test Name	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child test name.	No
C138231	PQL15TC	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report Questionnaire Test Code	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report test code.	No
C138230	PQL15TN	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report Questionnaire Test Name	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report test name.	No
C138243	PQL16TC	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Questionnaire Test Code	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child test code.	No
C138242	PQL16TN	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Questionnaire Test Name	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child test name.	No
C138237	PQL17TC	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report Questionnaire Test Code	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report test code.	No
C138236	PQL17TN	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report Questionnaire Test Name	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report test name.	No
C138229	PQL18TC	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report Questionnaire Test Code	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report test code.	No
C138228	PQL18TN	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report Questionnaire Test Name	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report test name.	No
C105136	PR01TC	Pain Relief Questionnaire Test Code	Pain Relief test code.	No
C105135	PR01TN	Pain Relief Questionnaire Test Name	Pain Relief test name.	No
C127360	PROS01TC	The Prostate Cancer Specific Quality of Life Instrument Questionnaire Test Code	The Prostate Cancer Specific Quality of Life Instrument test code.	No

C127359	PROS01TN	The Prostate Cancer Specific Quality of Life Instrument Questionnaire Test Name	The Prostate Cancer Specific Quality of Life Instrument test name.	No
C179942	PT01TC	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 Questionnaire Test Code	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 test code.	No
C179941	PT01TN	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 Questionnaire Test Name	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 test name.	No
C150772	PTAP1TC	Paced Tapping Functional Test Test Code	Paced Tapping test code.	No
C150771	PTAP1TN	Paced Tapping Functional Test Test Name	Paced Tapping test name.	No
C138217	PUL01TC	Performance of the Upper Limb Module for DMD Version 1.2 Functional Test Test Code	Performance of the Upper Limb Module for DMD Version 1.2 test code.	No
C138216	PUL01TN	Performance of the Upper Limb Module for DMD Version 1.2 Functional Test Test Name	Performance of the Upper Limb Module for DMD Version 1.2 test name.	No
C138219	PUL02TC	Performance of the Upper Limb Module for DMD Version 2.0 Functional Test Test Code	Performance of the Upper Limb Module for DMD Version 2.0 test code.	No
C138218	PUL02TN	Performance of the Upper Limb Module for DMD Version 2.0 Functional Test Test Name	Performance of the Upper Limb Module for DMD Version 2.0 test name.	No
C130249	QIDSC1TC	Quick Inventory of Depressive Symptomatology Clinician-Rated Version Clinical Classification Test Code	Quick Inventory of Depressive Symptomatology Clinician-Rated Version test code.	No
C130248	QIDSC1TN	Quick Inventory of Depressive Symptomatology Clinician-Rated Version Clinical Classification Test Name	Quick Inventory of Depressive Symptomatology Clinician-Rated Version test name.	No
C130263	QIDSR1TC	Quick Inventory of Depressive Symptomatology Self-Report Version Questionnaire Test Code	Quick Inventory of Depressive Symptomatology Self-Report Version test code.	No
C130262	QIDSR1TN	Quick Inventory of Depressive Symptomatology Self-Report Version Questionnaire Test Name	Quick Inventory of Depressive Symptomatology Self-Report Version test name.	No
C130265	QLES1TC	Quality Of Life Enjoyment And Satisfaction Questionnaire Test Code	Quality Of Life Enjoyment And Satisfaction Questionnaire test code.	No

C130264	QLES1TN	Quality Of Life Enjoyment And Satisfaction Questionnaire Test Name	Quality Of Life Enjoyment And Satisfaction Questionnaire test name.	No
C130267	QLES2TC	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form Test Code	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form test code.	No
C130266	QLES2TN	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form Test Name	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form test name.	No
C100129	QSCAT	Category of Questionnaire	A grouping of observations within the Questionnaires domain.	Yes
C113862	R3601TC	RAND 36-Item Health Survey 1.0 Questionnaire Test Code	RAND 36-Item Health Survey 1.0 test code.	No
C113861	R3601TN	RAND 36-Item Health Survey 1.0 Questionnaire Test Name	RAND 36-Item Health Survey 1.0 test name.	No
C171409	RASS01TC	Richmond Agitation-Sedation Scale Clinical Classification Test Code	Richmond Agitation-Sedation Scale test code.	No
C171408	RASS01TN	Richmond Agitation-Sedation Scale Clinical Classification Test Name	Richmond Agitation-Sedation Scale test name.	No
C124672	RCVD01TC	Reynolds Cardiovascular Disease 10-Year Risk Score Clinical Classification Test Code	Reynolds Cardiovascular Disease 10-Year Risk Score test code.	No
C124671	RCVD01TN	Reynolds Cardiovascular Disease 10-Year Risk Score Clinical Classification Test Name	Reynolds Cardiovascular Disease 10-Year Risk Score test name.	No
C100166	RDQ01TC	Roland Morris Disability Questionnaire Test Code	Roland Morris Disability Questionnaire test code.	No
C100165	RDQ01TN	Roland Morris Disability Questionnaire Test Name	Roland Morris Disability Questionnaire test name.	No
C141659	RISEF1TC	Rising From Floor Functional Test Test Code	Rising From Floor test code.	No
C141658	RISEF1TN	Rising From Floor Functional Test Test Name	Rising From Floor test name.	No
C166190	ROCK01TC	Rockport One Mile Walk Test Version 1.0 Functional Test Test Code	Rockport One Mile Walk Test Version 1.0 test code.	No
C166189	ROCK01TN	Rockport One Mile Walk Test Version 1.0 Functional Test Test Name	Rockport One Mile Walk Test Version 1.0 test name.	No
C119072	RPQ01TC	Rivermead Post Concussion Symptoms Questionnaire Test Code	Rivermead Post Concussion Symptoms Questionnaire test code.	No
C119071	RPQ01TN	Rivermead Post Concussion Symptoms Questionnaire Test Name	Rivermead Post Concussion Symptoms Questionnaire test name.	No
C135700	RSSS01TC	RAND Social Support Survey Instrument Questionnaire Test Code	RAND Social Support Survey Instrument test code.	No

C135699	RSSS01TN	RAND Social Support Survey Instrument Questionnaire Test Name	RAND Social Support Survey Instrument test name.	No
C171413	SAS01TC	Riker Sedation-Agitation Scale Clinical Classification Test Code	Riker Sedation-Agitation Scale test code.	No
C171412	SAS01TN	Riker Sedation-Agitation Scale Clinical Classification Test Name	Riker Sedation-Agitation Scale test name.	No
C115396	SDMT01TC	Symbol Digit Modalities Test Functional Test Code	Symbol Digit Modalities Test test code.	No
C115395	SDMT01TN	Symbol Digit Modalities Test Functional Test Name	Symbol Digit Modalities Test test name.	No
C111350	SDS01TC	Sheehan Disability Scale Questionnaire Test Code	Sheehan Disability Scale test code.	No
C111349	SDS01TN	Sheehan Disability Scale Questionnaire Test Name	Sheehan Disability Scale test name.	No
C176051	SES01TC	Simple Endoscopic Score for Crohn's Disease Version 1 Clinical Classification Test Code	Simple Endoscopic Score for Crohn's Disease Version 1 test code.	No
C176050	SES01TN	Simple Endoscopic Score for Crohn's Disease Version 1 Clinical Classification Test Name	Simple Endoscopic Score for Crohn's Disease Version 1 test name.	No
C177712	SF101TC	Short Form 10 Health Survey for Children Standard, US Version 1.0 Questionnaire Test Code	Short Form 10 Health Survey for Children Standard, US Version 1.0 test code.	No
C177711	SF101TN	Short Form 10 Health Survey for Children Standard, US Version 1.0 Questionnaire Test Name	Short Form 10 Health Survey for Children Standard, US Version 1.0 test name.	No
C177710	SF102TC	Short Form 10 Health Survey for Children Acute, US Version 1.0 Questionnaire Test Code	Short Form 10 Health Survey for Children Acute, US Version 1.0 test code.	No
C177709	SF102TN	Short Form 10 Health Survey for Children Acute, US Version 1.0 Questionnaire Test Name	Short Form 10 Health Survey for Children Acute, US Version 1.0 test name.	No
C177716	SF121TC	Short Form 12 Health Survey Standard, US Version 1.0 Questionnaire Test Code	Short Form 12 Health Survey Standard, US Version 1.0 test code.	No
C177715	SF121TN	Short Form 12 Health Survey Standard, US Version 1.0 Questionnaire Test Name	Short Form 12 Health Survey Standard, US Version 1.0 test name.	No
C177714	SF122TC	Short Form 12 Health Survey Acute, US Version 1.0 Questionnaire Test Code	Short Form 12 Health Survey Acute, US Version 1.0 test code.	No
C177713	SF122TN	Short Form 12 Health Survey Acute, US Version 1.0 Questionnaire Test Name	Short Form 12 Health Survey Acute, US Version 1.0 test name.	No

C177720	SF123TC	Short Form 12 Health Survey Standard, US Version 2.0 Questionnaire Test Code	Short Form 12 Health Survey Standard, US Version 2.0 test code.	No
C177719	SF123TN	Short Form 12 Health Survey Standard, US Version 2.0 Questionnaire Test Name	Short Form 12 Health Survey Standard, US Version 2.0 test name.	No
C177718	SF124TC	Short Form 12 Health Survey Acute, US Version 2.0 Questionnaire Test Code	Short Form 12 Health Survey Acute, US Version 2.0 test code.	No
C177717	SF124TN	Short Form 12 Health Survey Acute, US Version 2.0 Questionnaire Test Name	Short Form 12 Health Survey Acute, US Version 2.0 test name.	No
C100174	SF361TC	The Short Form 36 Health Survey Standard, US Version 1.0 Questionnaire Test Code	The Short Form 36 Health Survey Standard, US Version 1.0 test code.	No
C100173	SF361TN	The Short Form 36 Health Survey Standard, US Version 1.0 Questionnaire Test Name	The Short Form 36 Health Survey Standard, US Version 1.0 test name.	No
C101823	SF362TC	The Short Form 36 Health Survey Acute, US Version 1.0 Questionnaire Test Code	The Short Form 36 Health Survey Acute, US Version 1.0 test code.	No
C101824	SF362TN	The Short Form 36 Health Survey Acute, US Version 1.0 Questionnaire Test Name	The Short Form 36 Health Survey Acute, US Version 1.0 test name.	No
C101826	SF363TC	The Short Form 36 Health Survey Standard, US Version 2.0 Questionnaire Test Code	The Short Form 36 Health Survey Standard, US Version 2.0 test code.	No
C101827	SF363TN	The Short Form 36 Health Survey Standard, US Version 2.0 Questionnaire Test Name	The Short Form 36 Health Survey Standard, US Version 2.0 test name.	No
C101884	SF364TC	The Short Form 36 Health Survey Acute, US Version 2.0 Questionnaire Test Code	The Short Form 36 Health Survey Acute, US Version 2.0 test code.	No
C101825	SF364TN	The Short Form 36 Health Survey Acute, US Version 2.0 Questionnaire Test Name	The Short Form 36 Health Survey Acute, US Version 2.0 test name.	No
C185742	SF6D1TC	SF-6Dv2 Health Utility Survey Standard, English Version 2.0 Questionnaire Test Code	SF-6Dv2 Health Utility Survey Standard, English Version 2.0 test code.	No
C185741	SF6D1TN	SF-6Dv2 Health Utility Survey Standard, English Version 2.0 Questionnaire Test Name	SF-6Dv2 Health Utility Survey Standard, English Version 2.0 test name.	No
C185740	SF6D2TC	SF-6Dv2 Health Utility Survey Acute, English Version 2.0 Questionnaire Test Code	SF-6Dv2 Health Utility Survey Acute, English Version 2.0 test code.	No
C185739	SF6D2TN	SF-6Dv2 Health Utility Survey Acute, English Version 2.0 Questionnaire Test Name	SF-6Dv2 Health Utility Survey Acute, English Version 2.0 test name.	No

C177708	SF81TC	Short Form 8 Health Survey Standard, US Version 1.0 Questionnaire Test Code	Short Form 8 Health Survey Standard, US Version 1.0 test code.	No
C177707	SF81TN	Short Form 8 Health Survey Standard, US Version 1.0 Questionnaire Test Name	Short Form 8 Health Survey Standard, US Version 1.0 test name.	No
C177706	SF82TC	Short Form 8 Health Survey Acute, US Version 1.0 Questionnaire Test Code	Short Form 8 Health Survey Acute, US Version 1.0 test code.	No
C177705	SF82TN	Short Form 8 Health Survey Acute, US Version 1.0 Questionnaire Test Name	Short Form 8 Health Survey Acute, US Version 1.0 test name.	No
C100156	SFMP2TC	Short-Form McGill Pain Questionnaire-2 Questionnaire Test Code	Short-Form McGill Pain Questionnaire-2 test code.	No
C100155	SFMP2TN	Short-Form McGill Pain Questionnaire-2 Questionnaire Test Name	Short-Form McGill Pain Questionnaire-2 test name.	No
C112449	SGRQ01TC	St. George's Respiratory Questionnaire Past 3 Months Version Questionnaire Test Code	St. George's Respiratory Questionnaire Past 3 Months Version test code.	No
C112448	SGRQ01TN	St. George's Respiratory Questionnaire Past 3 Months Version Questionnaire Test Name	St. George's Respiratory Questionnaire Past 3 Months Version test name.	No
C112451	SGRQ02TC	St. George's Respiratory Questionnaire Past 4 Weeks Version Questionnaire Test Code	St. George's Respiratory Questionnaire Past 4 Weeks Version test code.	No
C112450	SGRQ02TN	St. George's Respiratory Questionnaire Past 4 Weeks Version Questionnaire Test Name	St. George's Respiratory Questionnaire Past 4 Weeks Version test name.	No
C106671	SGRQC1TC	St. George's Respiratory Questionnaire for COPD Patients Questionnaire Test Code	St. George's Respiratory Questionnaire for COPD Patients test code.	No
C106670	SGRQC1TN	St. George's Respiratory Questionnaire for COPD Patients Questionnaire Test Name	St. George's Respiratory Questionnaire for COPD Patients test name.	No
C150790	SIQ01TC	Suicidal Ideation Questionnaire Test Code	Suicidal Ideation Questionnaire test code.	No
C150789	SIQ01TN	Suicidal Ideation Questionnaire Test Name	Suicidal Ideation Questionnaire test name.	No
C150792	SIQ02TC	Suicidal Ideation Questionnaire-JR Questionnaire Test Code	Suicidal Ideation Questionnaire-JR test code.	No
C150791	SIQ02TN	Suicidal Ideation Questionnaire-JR Questionnaire Test Name	Suicidal Ideation Questionnaire-JR test name.	No
C103485	SIQR01TC	Symptom Impact Questionnaire Questionnaire Test Code	Symptom Impact Questionnaire test code.	No
C103484	SIQR01TN	Symptom Impact Questionnaire Questionnaire Test Name	Symptom Impact Questionnaire test name.	No

C115388	SIXMW1TC	6 Minute Walk Functional Test Test Code	6 Minute Walk Test test code.
C115387	SIXMW1TN	6 Minute Walk Functional Test Test Name	6 Minute Walk Test test name.
C154457	SMDDS1TC	Symptoms of Major Depressive Disorder Scale v1.0 Questionnaire Test Code	Symptoms of Major Depressive Disorder Scale v1.0 test code.
C154456	SMDDS1TN	Symptoms of Major Depressive Disorder Scale v1.0 Questionnaire Test Name	Symptoms of Major Depressive Disorder Scale v1.0 test name.
C100160	SOAPR1TC	Screener and Opioid Assessment for Patients with Pain - Revised Questionnaire Test Code	Screener and Opioid Assessment for Patients with Pain - Revised test code.
C100159	SOAPR1TN	Screener and Opioid Assessment for Patients with Pain - Revised Questionnaire Test Name	Screener and Opioid Assessment for Patients with Pain - Revised test name.
C101828	SOWSA1TC	Subjective Opiate Withdrawal Scale Questionnaire Test Code	Subjective Opiate Withdrawal Scale test code.
C101829	SOWSA1TN	Subjective Opiate Withdrawal Scale Questionnaire Test Name	Subjective Opiate Withdrawal Scale test name.
C170527	SPPB1TC	Short Physical Performance Battery Version 1.2 Functional Test Test Code	Short Physical Performance Battery Version 1.2 test code.
C170526	SPPB1TN	Short Physical Performance Battery Version 1.2 Functional Test Test Name	Short Physical Performance Battery Version 1.2 test name.
C119080	STCG01TC	Stent Thrombosis Coronary ARC Grade Clinical Classification Test Code	Stent Thrombosis Coronary ARC Grade test code.
C119079	STCG01TN	Stent Thrombosis Coronary ARC Grade Clinical Classification Test Name	Stent Thrombosis Coronary ARC Grade test name.
C115408	SWLS01TC	Satisfaction With Life Scale Questionnaire Test Code	Satisfaction With Life Scale test code.
C115407	SWLS01TN	Satisfaction With Life Scale Questionnaire Test Name	Satisfaction With Life Scale test name.
C115398	T25FW1TC	Timed 25-Foot Walk Test Functional Test Test Code	Timed 25-Foot Walk Test test code.
C115397	T25FW1TN	Timed 25-Foot Walk Test Functional Test Test Name	Timed 25-Foot Walk Test test name.
C124664	TANN01TC	Tanner Scale Girl Clinical Classification Test Code	Tanner Scale Girl test code.
C124663	TANN01TN	Tanner Scale Girl Clinical Classification Test Name	Tanner Scale Girl test name.
C124662	TANN02TC	Tanner Scale Boy Clinical Classification Test Code	Tanner Scale Boy test code.
C124661	TANN02TN	Tanner Scale Boy Clinical Classification Test Name	Tanner Scale Boy test name.

C106657	TDI01TC	Transition Dyspnea Index Clinical Classification Test Code	Transition Dyspnea Index test code.	No
C106656	TDI01TN	Transition Dyspnea Index Clinical Classification Test Name	Transition Dyspnea Index test name.	No
C141657	TENMW1TC	10-Meter Walk/Run Functional Test Test Code	10-Meter Walk/Run test code.	No
C141656	TENMW1TN	10-Meter Walk/Run Functional Test Test Name	10-Meter Walk/Run test name.	No
C119074	TIMG01TC	Coronary Thrombus TIMI Grade Clinical Classification Test Code	Coronary Thrombus TIMI Grade test code.	No
C119073	TIMG01TN	Coronary Thrombus TIMI Grade Clinical Classification Test Name	Coronary Thrombus TIMI Grade test name.	No
C124688	TMT01TC	Trail Making Test Functional Test Test Code	Trail Making Test test code.	No
C124687	TMT01TN	Trail Making Test Functional Test Test Name	Trail Making Test test name.	No
C147548	TSCC01TC	Trauma Symptom Checklist for Children Questionnaire Test Code	Trauma Symptom Checklist for Children test code.	No
C147547	TSCC01TN	Trauma Symptom Checklist for Children Questionnaire Test Name	Trauma Symptom Checklist for Children test name.	No
C147550	TSCYC1TC	Trauma Symptom Checklist for Young Children Questionnaire Test Code	Trauma Symptom Checklist for Young Children test code.	No
C147549	TSCYC1TN	Trauma Symptom Checklist for Young Children Questionnaire Test Name	Trauma Symptom Checklist for Young Children test name.	No
C132525	TSQM01TC	Treatment Satisfaction Questionnaire for Medication Version 1.4 Questionnaire Test Code	Treatment Satisfaction Questionnaire for Medication Version 1.4 test code.	No
C132524	TSQM01TN	Treatment Satisfaction Questionnaire for Medication Version 1.4 Questionnaire Test Name	Treatment Satisfaction Questionnaire for Medication Version 1.4 test name.	No
C115400	TUG01TC	Timed Up and Go Test Functional Test Test Code	Timed Up and Go Test test code.	No
C115399	TUG01TN	Timed Up and Go Test Functional Test Test Name	Timed Up and Go Test test name.	No
C154449	UHDR1TC	Unified Huntington's Disease Rating Scale '99 Clinical Classification Test Code	Unified Huntington's Disease Rating Scale '99 test code.	No
C154448	UHDR1TN	Unified Huntington's Disease Rating Scale '99 Clinical Classification Test Name	Unified Huntington's Disease Rating Scale '99 test name.	No
C100148	UPD1TC	Unified Parkinson's Disease Rating Scale Clinical Classification Test Code	Unified Parkinson's Disease Rating Scale test code.	No

C100147	UPD1TN	Unified Parkinson's Disease Rating Scale Clinical Classification Test Name	Unified Parkinson's Disease Rating Scale test name.	No
C100140	UPD2TC	Movement Disorder Society Unified Parkinson's Disease Rating Scale Questionnaire Test Code	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale test code.	No
C100139	UPD2TN	Movement Disorder Society Unified Parkinson's Disease Rating Scale Questionnaire Test Name	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale test name.	No
C103489	UPS01TC	Urgency Perception Scale Questionnaire Test Code	Urgency Perception Scale test code.	No
C103488	UPS01TN	Urgency Perception Scale Questionnaire Test Name	Urgency Perception Scale test name.	No
C141653	VALG01TC	Veterans Administration Lung Study Group Clinical Classification Test Code	Veterans Administration Lung Study Group test code.	No
C141652	VALG01TN	Veterans Administration Lung Study Group Clinical Classification Test Name	Veterans Administration Lung Study Group test name.	No
C112453	VFQ1TC	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format Questionnaire Test Code	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer- Administered Format test code.	No
C112452	VFQ1TN	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format Questionnaire Test Name	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer- Administered Format test name.	No
C112455	VFQ2TC	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format Questionnaire Test Code	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self- Administered Format test code.	No
C112454	VFQ2TN	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format Questionnaire Test Name	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self- Administered Format test name.	No
C130241	VLERS1TC	Vignos Lower Extremity Rating Scale Clinical Classification Test Code	Vignos Lower Extremity Rating Scale test code.	No
C130240	VLERS1TN	Vignos Lower Extremity Rating Scale Clinical Classification Test Name	Vignos Lower Extremity Rating Scale test name.	No
C130275	WD1TC	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer Questionnaire Test Code	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer test code.	No
C130274	WD1TN	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer Questionnaire Test Name	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer test name.	No

C130277	WD2TC	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy Questionnaire Test Code	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy test code.	No
C130276	WD2TN	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy Questionnaire Test Name	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy test name.	No
C130279	WD3TC	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self Questionnaire Test Code	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self test code.	No
C130278	WD3TN	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self Questionnaire Test Name	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self test name.	No
C130281	WD4TC	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer Questionnaire Test Code	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer test code.	No
C130280	WD4TN	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer Questionnaire Test Name	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer test name.	No
C130269	WD5TC	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer Questionnaire Test Code	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer test code.	No
C130268	WD5TN	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer Questionnaire Test Name	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer test name.	No
C130271	WD6TC	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy Questionnaire Test Code	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy test code.	No
C130270	WD6TN	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy Questionnaire Test Name	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy test name.	No
C130273	WD7TC	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self Questionnaire Test Code	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self test code.	No
C130272	WD7TN	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self Questionnaire Test Name	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self test name.	No
C124680	WHEG01TC	West Haven Hepatic Encephalopathy Grade Clinical Classification Test Code	West Haven Hepatic Encephalopathy Grade test code.	No
C124679	WHEG01TN	West Haven Hepatic Encephalopathy Grade Clinical Classification Test Name	West Haven Hepatic Encephalopathy Grade test name.	No

C124674	WHIVS1TC	WHO Clinical Staging of HIV/AIDS for Adults and Adolescents Clinical Classification Test Code	WHO Clinical Staging of HIV/AIDS for Adults and Adolescents test code.	No
C124673	WHIVS1TN	WHO Clinical Staging of HIV/AIDS for Adults and Adolescents Clinical Classification Test Name	WHO Clinical Staging of HIV/AIDS for Adults and Adolescents test name.	No
C124676	WHIVS2TC	WHO Clinical Staging of HIV/AIDS for Children Clinical Classification Test Code	WHO Clinical Staging of HIV/AIDS for Children test code.	No
C124675	WHIVS2TN	WHO Clinical Staging of HIV/AIDS for Children Clinical Classification Test Name	WHO Clinical Staging of HIV/AIDS for Children test name.	No
C100176	WPAI01TC	Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 Questionnaire Test Code	Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 test code.	No
C100175	WPAI01TN	Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 Questionnaire Test Name	Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 test name.	No
C166186	WPAI02TC	The Work Productivity and Activity Impairment - General Health Version 2.0 Questionnaire Test Code	The Work Productivity and Activity Impairment - General Health Version 2.0 test code.	No
C166185	WPAI02TN	The Work Productivity and Activity Impairment - General Health Version 2.0 Questionnaire Test Name	The Work Productivity and Activity Impairment - General Health Version 2.0 test name.	No

C174103	A4STR101	A4STR1-Was 4-Stair Ascend Performed	4-Stair Ascend - Was the 4-stair ascend performed?	4-Stair Ascend - Was 4-Stair Ascend Performed
C141706	A4STR102	A4STR1-Time to Do 4-Stair Ascend	4-Stair Ascend - If yes, time taken to do 4-stair ascend.	4-Stair Ascend - Time to Do 4-Stair Ascend
C147590	A4STR103	A4STR1-Wear Orthoses	4-Stair Ascend - If yes, did subject wear orthoses?	4-Stair Ascend - Wear Orthoses
C141707	A4STR104	A4STR1-Test Grade	4-Stair Ascend - Test grade.	4-Stair Ascend - Test Grade

C141707	A4STR1-Test Grade	A4STR1-Test Grade	4-Stair Ascend - Test grade.	4-Stair Ascend - Test Grade
C141706	A4STR1-Time to Do 4-Stair Ascend	A4STR1-Time to Do 4-Stair Ascend	4-Stair Ascend - If yes, time taken to do 4-stair ascend.	4-Stair Ascend - Time to Do 4-Stair Ascend
C174103	A4STR1-Was 4-Stair Ascend Performed	A4STR1-Was 4-Stair Ascend Performed	4-Stair Ascend - Was the 4-stair ascend performed?	4-Stair Ascend - Was 4-Stair Ascend Performed
C147590	A4STR1-Wear Orthoses	A4STR1-Wear Orthoses	4-Stair Ascend - If yes, did subject wear orthoses?	4-Stair Ascend - Wear Orthoses

C103531	ACGC0101	ACGC01-Clinical Impression of Change	Alzheimer's Disease Cooperative Study-Clinical Global Impression of Change - Clinical impression of change from baseline.	ADCS-CGIC - Clinical Impression of Change from Baseline
---------	----------	--------------------------------------	---------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------

C103531	ACGC01-Clinical Impression of Change	ACGC01-Clinical Impression of Change	Alzheimer's Disease Cooperative Study-Clinical Global Impression of Change - Clinical impression of change from baseline.	ADCS-CGIC - Clinical Impression of Change from Baseline
---------	--------------------------------------	--------------------------------------	---------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------

C100209	ADCCMD	Commands	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Summary score for commands.	CDISC ADAS-Cog - Commands Summary Score
C100210	ADCCMD01	Commands: Fist	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Commands task for making a fist.	CDISC ADAS-Cog - Commands: Fist
C100211	ADCCMD02	Commands: Ceiling	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Commands task for pointing to the ceiling then to the floor.	CDISC ADAS-Cog - Commands: Ceiling
C100212	ADCCMD03	Commands: Pencil	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Commands task for put the pencil on top of the card and then put it back.	CDISC ADAS-Cog - Commands: Pencil
C100213	ADCCMD04	Commands: Watch	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Commands task for put the watch on the other side of the pencil and then turn over the card.	CDISC ADAS-Cog - Commands: Watch
C100214	ADCCMD05	Commands: Shoulder	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Commands task for tap each shoulder twice with two fingers keeping your eyes shut.	CDISC ADAS-Cog - Commands: Shoulder
C100278	ADCCMP	Comprehension	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Ability to comprehend speech.	CDISC ADAS-Cog - Comprehension
C100279	ADCCON	Concentration/Distractibility	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Ability to concentrate or easily be distracted.	CDISC ADAS-Cog - Concentration/Distractibility
C100226	ADCCP	Constructional Praxis	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Summary score for constructional praxis.	CDISC ADAS-Cog - Constructional Praxis Summary Score
C100227	ADCCP01	Constructional Praxis: Circle	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Constructional praxis task for copying a circle.	CDISC ADAS-Cog - Constructional Praxis: Circle
C100228	ADCCP02	Constructional Praxis: 2 Rectangles	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Constructional praxis task for copying two overlapping rectangles.	CDISC ADAS-Cog - Constructional Praxis: 2 Rectangles
C100229	ADCCP03	Constructional Praxis: Diamond	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Constructional praxis task for copying a diamond.	CDISC ADAS-Cog - Constructional Praxis: Diamond
C100230	ADCCP04	Constructional Praxis: Cube	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Constructional praxis task for copying a cube.	CDISC ADAS-Cog - Constructional Praxis: Cube
C100231	ADCCPS	Attempt to Draw	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Constructional praxis attempted to draw, but drew no forms correctly.	CDISC ADAS-Cog - Attempt to Draw
C100277	ADCDIF	Word Finding Difficulty in Spont Speech	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Difficulty finding the desired word in spontaneous speech.	CDISC ADAS-Cog - Word Difficulty in Spontaneous Speech
C100215	ADCDRL	Delayed Word Recall	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Summary score for delayed word recall.	CDISC ADAS-Cog - Delayed Word Recall Summary Score
C100216	ADCDRL01	Delayed Word Recall: Word [1]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 1.	CDISC ADAS-Cog - Delayed Word Recall: Word 1
C100217	ADCDRL02	Delayed Word Recall: Word [2]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 2.	CDISC ADAS-Cog - Delayed Word Recall: Word 2
C100218	ADCDRL03	Delayed Word Recall: Word [3]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 3.	CDISC ADAS-Cog - Delayed Word Recall: Word 3
C100219	ADCDRL04	Delayed Word Recall: Word [4]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 4.	CDISC ADAS-Cog - Delayed Word Recall: Word 4
C100220	ADCDRL05	Delayed Word Recall: Word [5]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 5.	CDISC ADAS-Cog - Delayed Word Recall: Word 5
C100221	ADCDRL06	Delayed Word Recall: Word [6]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 6.	CDISC ADAS-Cog - Delayed Word Recall: Word 6
C100222	ADCDRL07	Delayed Word Recall: Word [7]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 7.	CDISC ADAS-Cog - Delayed Word Recall: Word 7
C100223	ADCDRL08	Delayed Word Recall: Word [8]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 8.	CDISC ADAS-Cog - Delayed Word Recall: Word 8

ADAS-Cog - Delayed Word Recall: Word 9					
C100224	ADCDRL09	Delayed Word Recall: Word [9]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 9.	CDISC ADAS-Cog - Delayed Word Recall: Word 9	
C100225	ADCDRL10	Delayed Word Recall: Word [10]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 10.	CDISC ADAS-Cog - Delayed Word Recall: Word 10	
C100232	ADCIP	Ideational Praxis	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Summary score for ideational praxis.	CDISC ADAS-Cog - Ideational Praxis Summary Score	
C100233	ADCIP01	Ideational Praxis: Fold	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Ideational praxis task for folding the paper.	CDISC ADAS-Cog - Ideational Praxis: Fold	
C100234	ADCIP02	Ideational Praxis: Insert	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Ideational praxis task for put the paper in the envelop.	CDISC ADAS-Cog - Ideational Praxis: Insert	
C100235	ADCIP03	Ideational Praxis: Seal	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Ideational praxis task for seal the envelop.	CDISC ADAS-Cog - Ideational Praxis: Seal	
C100236	ADCIP04	Ideational Praxis: Address	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Ideational praxis task for address the envelop to yourself.	CDISC ADAS-Cog - Ideational Praxis: Address	
C100237	ADCIP05	Ideational Praxis: Stamp	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Ideational praxis task for showing where the stamp goes.	CDISC ADAS-Cog - Ideational Praxis: Stamp	
C100284	ADCMZ	Executive Function Maze	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Summary score for the executive function maze tasks.	CDISC ADAS-Cog - Executive Function Maze Summary Score	
C100285	ADCMZ01	Executive Function Maze: Errors	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Number of errors during the executive function maze task.	CDISC ADAS-Cog - Executive Function Maze: Errors	
C100286	ADCMZ02	Executive Function Maze: Time	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - The time in seconds stored in ISO 8601 time for the executive function maze task.	CDISC ADAS-Cog - Executive Function Maze: Time	
C100280	ADCNC	Number Cancellation	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Summary score for the number cancellation tasks.	CDISC ADAS-Cog - Number Cancellation Summary Score	
C100281	ADCNC01	Number Cancellation: Correct	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Number of targets hit during the number cancellation task.	CDISC ADAS-Cog - Number Cancellation: Correct	
C100282	ADCNC02	Number Cancellation: Errors	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Number of errors during the number cancellation task.	CDISC ADAS-Cog - Number Cancellation: Errors	
C100283	ADCNC03	Number Cancellation: Remind	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Number of times reminded for the number cancellation task.	CDISC ADAS-Cog - Number Cancellation: Remind	
C100191	ADCOF	Naming Objects and Fingers	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task summary score for object and fingers.	CDISC ADAS-Cog - Naming Objects and Fingers Summary Score	
C100204	ADCOFF01	Naming Objects and Fingers: Thumb	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for fingers of the dominant hand, thumb.	CDISC ADAS-Cog - Naming Objects and Fingers: Thumb	
C100205	ADCOFF02	Naming Objects and Fingers: Pointer	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for fingers of the dominant hand, index, or pointer finger.	CDISC ADAS-Cog - Naming Objects and Fingers: Pointer	
C100206	ADCOFF03	Naming Objects and Fingers: Middle	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for fingers of the dominant hand, middle finger.	CDISC ADAS-Cog - Naming Objects and Fingers: Middle	
C100207	ADCOFF04	Naming Objects and Fingers: Ring	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for fingers of the dominant hand, ring finger.	CDISC ADAS-Cog - Naming Objects and Fingers: Ring	
C100208	ADCOFF05	Naming Objects and Fingers: Pinky	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for fingers of the dominant hand, little finger or pinky.	CDISC ADAS-Cog - Naming Objects and Fingers: Pinky	
C100192	ADCOFO01	Naming Objects and Fingers: 1	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 1.	CDISC ADAS-Cog - Naming Objects and Fingers: 1	
C100193	ADCOFO02	Naming Objects and Fingers: 2	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 2.	CDISC ADAS-Cog - Naming Objects and Fingers: 2	
C100194	ADCOFO03	Naming Objects and Fingers: 3	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 3.	CDISC ADAS-Cog - Naming Objects and Fingers: 3	
C100195	ADCOFO04	Naming Objects and Fingers: 4	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 4.	CDISC ADAS-Cog - Naming Objects and Fingers: 4	
C100196	ADCOFO05	Naming Objects and Fingers: 5	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 5.	CDISC ADAS-Cog - Naming Objects and Fingers: 5	

ADAS-Cog Sub-Score Definitions				
Item ID	Code	Description	Definition	CDISC ADAS-Cog - Sub-Score
C100197	ADCOFO06	Naming Objects and Fingers:	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version 6 - Naming task for object 6.	CDISC ADAS-Cog - Naming Objects and Fingers: 6
C100198	ADCOFO07	Naming Objects and Fingers:	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version 7 - Naming task for object 7.	CDISC ADAS-Cog - Naming Objects and Fingers: 7
C100199	ADCOFO08	Naming Objects and Fingers:	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version 8 - Naming task for object 8.	CDISC ADAS-Cog - Naming Objects and Fingers: 8
C100200	ADCOFO09	Naming Objects and Fingers:	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version 9 - Naming task for object 9.	CDISC ADAS-Cog - Naming Objects and Fingers: 9
C100201	ADCOFO10	Naming Objects and Fingers:	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version 10 - Naming task for object 10.	CDISC ADAS-Cog - Naming Objects and Fingers: 10
C100202	ADCOFO11	Naming Objects and Fingers:	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version 11 - Naming task for object 11.	CDISC ADAS-Cog - Naming Objects and Fingers: 11
C100203	ADCOFO12	Naming Objects and Fingers:	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version 12 - Naming task for object 12.	CDISC ADAS-Cog - Naming Objects and Fingers: 12
C100238	ADCOR	Orientation	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Summary score for orientation.	CDISC ADAS-Cog - Orientation Summary Score
C100239	ADCOR01	Orientation: Full Name	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Orientation task for knowing one's own full name.	CDISC ADAS-Cog - Orientation: Full Name
C100240	ADCOR02	Orientation: Month	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Orientation task for knowing the current month.	CDISC ADAS-Cog - Orientation: Month
C100241	ADCOR03	Orientation: Date	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Orientation task for knowing the current day.	CDISC ADAS-Cog - Orientation: Date
C100242	ADCOR04	Orientation: Year	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Orientation task for knowing the current year.	CDISC ADAS-Cog - Orientation: Year
C100243	ADCOR05	Orientation: Day of Week	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Orientation task for knowing the current day of the week.	CDISC ADAS-Cog - Orientation: Day of Week
C100244	ADCOR06	Orientation: Season	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Orientation task for knowing the current season.	CDISC ADAS-Cog - Orientation: Season
C100245	ADCOR07	Orientation: Place	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Orientation task for knowing the current place.	CDISC ADAS-Cog - Orientation: Place
C100246	ADCOR08	Orientation: Time	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Orientation task for knowing the approximate current clock time.	CDISC ADAS-Cog - Orientation: Time
C100247	ADCRG	Word Recognition	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Summary score for word recognition across trials 1-3.	CDISC ADAS-Cog - Word Recognition Summary Score
C100248	ADCRGT01	Word Recognition Trial 1	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Sub-score for word recognition trial 1.	CDISC ADAS-Cog - Word Recognition Trial 1 Summary Score
C100249	ADCRGT02	Word Recognition Trial 2	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Sub-score for word recognition trial 2.	CDISC ADAS-Cog - Word Recognition Trial 2 Summary Score
C100250	ADCRGT03	Word Recognition Trial 3	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Sub-score for word recognition trial 3.	CDISC ADAS-Cog - Word Recognition Trial 3 Summary Score
C100251	ADCRGW01	Word Recognition: Word [1]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 1 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 1
C100252	ADCRGW02	Word Recognition: Word [2]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 2 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 2
C100253	ADCRGW03	Word Recognition: Word [3]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 3 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 3
C100254	ADCRGW04	Word Recognition: Word [4]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 4 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 4
C100255	ADCRGW05	Word Recognition: Word [5]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 5 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 5
C100256	ADCRGW06	Word Recognition: Word [6]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 6 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 6
C100257	ADCRGW07	Word Recognition: Word [7]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 7 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 7

CDISC ADAS-Cog - Word Recognition				
C100258	ADCRGW08	Word Recognition: Word [8]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 8 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 8
C100259	ADCRGW09	Word Recognition: Word [9]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 9 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 9
C100260	ADCRGW10	Word Recognition: Word [10]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 10 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 10
C100261	ADCRGW11	Word Recognition: Word [11]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 11 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 11
C100262	ADCRGW12	Word Recognition: Word [12]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 12 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 12
C100263	ADCRGW13	Word Recognition: Word [13]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 13 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 13
C100264	ADCRGW14	Word Recognition: Word [14]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 14 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 14
C100265	ADCRGW15	Word Recognition: Word [15]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 15 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 15
C100266	ADCRGW16	Word Recognition: Word [16]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 16 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 16
C100267	ADCRGW17	Word Recognition: Word [17]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 17 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 17
C100268	ADCRGW18	Word Recognition: Word [18]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 18 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 18
C100269	ADCRGW19	Word Recognition: Word [19]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 19 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 19
C100270	ADCRGW20	Word Recognition: Word [20]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 20 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 20
C100271	ADCRGW21	Word Recognition: Word [21]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 21 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 21
C100272	ADCRGW22	Word Recognition: Word [22]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 22 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 22
C100273	ADCRGW23	Word Recognition: Word [23]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 23 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 23
C100274	ADCRGW24	Word Recognition: Word [24]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 24 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 24
C100275	ADCRI	Remembering Test Instructions	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Remembering test instructions.	CDISC ADAS-Cog - Remembering Test Instructions
C100177	ADCRL	Word Recall	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word average score of trials 1, 2, 3.	CDISC ADAS-Cog - Word Recall Average Score
C100178	ADCRLT01	Word Recall Trial 1	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Sub-score for word recall task trial 1.	CDISC ADAS-Cog - Word Recall Trial 1 Subscore
C100179	ADCRLT02	Word Recall Trial 2	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Sub-score for word recall task trial 2.	CDISC ADAS-Cog - Word Recall Trial 2 Subscore
C100180	ADCRLT03	Word Recall Trial 3	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Sub-score for word recall task trial 3.	CDISC ADAS-Cog - Word Recall Trial 3 Subscore
C100181	ADCRLW01	Word Recall: Word [1]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word 1 for trial 1, 2, 3.	CDISC ADAS-Cog - Word Recall: Word 1
C100182	ADCRLW02	Word Recall: Word [2]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word 2 for trial 1, 2, 3.	CDISC ADAS-Cog - Word Recall: Word 2
C100183	ADCRLW03	Word Recall: Word [3]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word 3 for trial 1, 2, 3.	CDISC ADAS-Cog - Word Recall: Word 3
C100184	ADCRLW04	Word Recall: Word [4]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word 4 for trial 1, 2, 3.	CDISC ADAS-Cog - Word Recall: Word 4
C100185	ADCRLW05	Word Recall: Word [5]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word 5 for trial 1, 2, 3.	CDISC ADAS-Cog - Word Recall: Word 5
C100186	ADCRLW06	Word Recall: Word [6]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word 6 for trial 1, 2, 3.	CDISC ADAS-Cog - Word Recall: Word 6

CDISC ADAS-Cog - Word Recall				
C100187	ADCRLW07	Word Recall: Word [7]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word 7 for trial 1, 2, 3.	CDISC ADAS-Cog - Word Recall: Word 7
C100188	ADCRLW08	Word Recall: Word [8]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word 8 for trial 1, 2, 3.	CDISC ADAS-Cog - Word Recall: Word 8
C100189	ADCRLW09	Word Recall: Word [9]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word 9 for trial 1, 2, 3.	CDISC ADAS-Cog - Word Recall: Word 9
C100190	ADCRLW10	Word Recall: Word [10]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word 10 for trial 1, 2, 3.	CDISC ADAS-Cog - Word Recall: Word 10
C100276	ADCSL	Spoken Language Ability	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Global rating of the quality of speech, or difficulty in making oneself understood.	CDISC ADAS-Cog - Spoken Language Ability

Alzheimer's Disease Assessment Scale-Cognitive CDISC Version				
C100231	Attempt to Draw	Attempt to Draw	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Constructional praxis attempted to draw, but drew no forms correctly.	CDISC ADAS-Cog - Attempt to Draw
C100209	Commands	Commands	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Summary score for commands.	CDISC ADAS-Cog - Commands Summary Score
C100211	Commands: Ceiling	Commands: Ceiling	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Commands task for pointing to the ceiling then to the floor.	CDISC ADAS-Cog - Commands: Ceiling
C100210	Commands: Fist	Commands: Fist	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Commands task for making a fist.	CDISC ADAS-Cog - Commands: Fist
C100212	Commands: Pencil	Commands: Pencil	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Commands task for put the pencil on top of the card and then put it back.	CDISC ADAS-Cog - Commands: Pencil
C100214	Commands: Shoulder	Commands: Shoulder	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Commands task for tap each shoulder twice with two fingers keeping your eyes shut.	CDISC ADAS-Cog - Commands: Shoulder
C100213	Commands: Watch	Commands: Watch	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Commands task for put the watch on the other side of the pencil and then turn over the card.	CDISC ADAS-Cog - Commands: Watch
C100278	Comprehension	Comprehension	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Ability to comprehend speech.	CDISC ADAS-Cog - Comprehension
C100279	Concentration/Distractibility	Concentration/Distractibility	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Ability to concentrate or easily be distracted.	CDISC ADAS-Cog - Concentration/Distractibility
C100226	Constructional Praxis	Constructional Praxis	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Summary score for constructional praxis.	CDISC ADAS-Cog - Constructional Praxis Summary Score
C100228	Constructional Praxis: 2 Rectangles	Constructional Praxis: 2 Rectangles	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Constructional praxis task for copying two overlapping rectangles.	CDISC ADAS-Cog - Constructional Praxis: 2 Rectangles
C100227	Constructional Praxis: Circle	Constructional Praxis: Circle	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Constructional praxis task for copying a circle.	CDISC ADAS-Cog - Constructional Praxis: Circle
C100230	Constructional Praxis: Cube	Constructional Praxis: Cube	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Constructional praxis task for copying a cube.	CDISC ADAS-Cog - Constructional Praxis: Cube
C100229	Constructional Praxis: Diamond	Constructional Praxis: Diamond	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Constructional praxis task for copying a diamond.	CDISC ADAS-Cog - Constructional Praxis: Diamond
C100215	Delayed Word Recall	Delayed Word Recall	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Summary score for delayed word recall.	CDISC ADAS-Cog - Delayed Word Recall Summary Score
C100225	Delayed Word Recall: Word [10]	Delayed Word Recall: Word [10]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 10.	CDISC ADAS-Cog - Delayed Word Recall: Word 10
C100216	Delayed Word Recall: Word [1]	Delayed Word Recall: Word [1]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 1.	CDISC ADAS-Cog - Delayed Word Recall: Word 1
C100217	Delayed Word Recall: Word [2]	Delayed Word Recall: Word [2]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 2.	CDISC ADAS-Cog - Delayed Word Recall: Word 2
C100218	Delayed Word Recall: Word [3]	Delayed Word Recall: Word [3]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 3.	CDISC ADAS-Cog - Delayed Word Recall: Word 3
C100219	Delayed Word Recall: Word [4]	Delayed Word Recall: Word [4]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 4.	CDISC ADAS-Cog - Delayed Word Recall: Word 4
C100220	Delayed Word Recall: Word [5]	Delayed Word Recall: Word [5]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 5.	CDISC ADAS-Cog - Delayed Word Recall: Word 5
C100221	Delayed Word Recall: Word [6]	Delayed Word Recall: Word [6]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 6.	CDISC ADAS-Cog - Delayed Word Recall: Word 6
C100222	Delayed Word Recall: Word [7]	Delayed Word Recall: Word [7]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 7.	CDISC ADAS-Cog - Delayed Word Recall: Word 7
C100223	Delayed Word Recall: Word [8]	Delayed Word Recall: Word [8]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 8.	CDISC ADAS-Cog - Delayed Word Recall: Word 8
C100224	Delayed Word Recall: Word [9]	Delayed Word Recall: Word [9]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 9.	CDISC ADAS-Cog - Delayed Word Recall: Word 9

CDISC ADAS-Cog - Executive Function Maze Summary Score					
C100284	Executive Function Maze	Executive Function Maze	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Summary score for the executive function maze tasks.	CDISC ADAS-Cog - Executive Function Maze Summary Score	
C100285	Executive Function Maze: Errors	Executive Function Maze: Errors	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Number of errors during the executive function maze task.	CDISC ADAS-Cog - Executive Function Maze: Errors	
C100286	Executive Function Maze: Time	Executive Function Maze: Time	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - The time in seconds stored in ISO 8601 time for the executive function maze task.	CDISC ADAS-Cog - Executive Function Maze: Time	
C100232	Ideational Praxis	Ideational Praxis	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Summary score for ideational praxis.	CDISC ADAS-Cog - Ideational Praxis Summary Score	
C100236	Ideational Praxis: Address	Ideational Praxis: Address	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Ideational praxis task for address the envelop to yourself.	CDISC ADAS-Cog - Ideational Praxis: Address	
C100233	Ideational Praxis: Fold	Ideational Praxis: Fold	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Ideational praxis task for folding the paper.	CDISC ADAS-Cog - Ideational Praxis: Fold	
C100234	Ideational Praxis: Insert	Ideational Praxis: Insert	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Ideational praxis task for put the paper in the envelop.	CDISC ADAS-Cog - Ideational Praxis: Insert	
C100235	Ideational Praxis: Seal	Ideational Praxis: Seal	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Ideational praxis task for seal the envelop.	CDISC ADAS-Cog - Ideational Praxis: Seal	
C100237	Ideational Praxis: Stamp	Ideational Praxis: Stamp	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Ideational praxis task for showing where the stamp goes.	CDISC ADAS-Cog - Ideational Praxis: Stamp	
C100191	Naming Objects and Fingers	Naming Objects and Fingers	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task summary score for object and fingers.	CDISC ADAS-Cog - Naming Objects and Fingers Summary Score	
C100192	Naming Objects and Fingers: 1	Naming Objects and Fingers: 1	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 1.	CDISC ADAS-Cog - Naming Objects and Fingers: 1	
C100201	Naming Objects and Fingers: 10	Naming Objects and Fingers: 10	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 10.	CDISC ADAS-Cog - Naming Objects and Fingers: 10	
C100202	Naming Objects and Fingers: 11	Naming Objects and Fingers: 11	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 11.	CDISC ADAS-Cog - Naming Objects and Fingers: 11	
C100203	Naming Objects and Fingers: 12	Naming Objects and Fingers: 12	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 12.	CDISC ADAS-Cog - Naming Objects and Fingers: 12	
C100193	Naming Objects and Fingers: 2	Naming Objects and Fingers: 2	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 2.	CDISC ADAS-Cog - Naming Objects and Fingers: 2	
C100194	Naming Objects and Fingers: 3	Naming Objects and Fingers: 3	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 3.	CDISC ADAS-Cog - Naming Objects and Fingers: 3	
C100195	Naming Objects and Fingers: 4	Naming Objects and Fingers: 4	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 4.	CDISC ADAS-Cog - Naming Objects and Fingers: 4	
C100196	Naming Objects and Fingers: 5	Naming Objects and Fingers: 5	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 5.	CDISC ADAS-Cog - Naming Objects and Fingers: 5	
C100197	Naming Objects and Fingers: 6	Naming Objects and Fingers: 6	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 6.	CDISC ADAS-Cog - Naming Objects and Fingers: 6	
C100198	Naming Objects and Fingers: 7	Naming Objects and Fingers: 7	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 7.	CDISC ADAS-Cog - Naming Objects and Fingers: 7	
C100199	Naming Objects and Fingers: 8	Naming Objects and Fingers: 8	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 8.	CDISC ADAS-Cog - Naming Objects and Fingers: 8	
C100200	Naming Objects and Fingers: 9	Naming Objects and Fingers: 9	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 9.	CDISC ADAS-Cog - Naming Objects and Fingers: 9	
C100206	Naming Objects and Fingers: Middle	Naming Objects and Fingers: Middle	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for fingers of the dominant hand, middle finger.	CDISC ADAS-Cog - Naming Objects and Fingers: Middle	
C100208	Naming Objects and Fingers: Pinky	Naming Objects and Fingers: Pinky	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for fingers of the dominant hand, little finger or pinky.	CDISC ADAS-Cog - Naming Objects and Fingers: Pinky	
C100205	Naming Objects and Fingers: Pointer	Naming Objects and Fingers: Pointer	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for fingers of the dominant hand, index, or pointer finger.	CDISC ADAS-Cog - Naming Objects and Fingers: Pointer	
C100207	Naming Objects and Fingers: Ring	Naming Objects and Fingers: Ring	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for fingers of the dominant hand, ring finger.	CDISC ADAS-Cog - Naming Objects and Fingers: Ring	

CDISC ADAS-Cog - Naming Objects and Fingers: Thumb					
C100204	Naming Objects and Fingers: Thumb	Naming Objects and Fingers: Thumb	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for fingers of the dominant hand, thumb.	CDISC ADAS-Cog - Naming Objects and Fingers: Thumb	
C100280	Number Cancellation	Number Cancellation	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Summary score for the number cancellation tasks.	CDISC ADAS-Cog - Number Cancellation Summary Score	
C100281	Number Cancellation: Correct	Number Cancellation: Correct	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Number of targets hit during the number cancellation task.	CDISC ADAS-Cog - Number Cancellation: Correct	
C100282	Number Cancellation: Errors	Number Cancellation: Errors	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Number of errors during the number cancellation task.	CDISC ADAS-Cog - Number Cancellation: Errors	
C100283	Number Cancellation: Remind	Number Cancellation: Remind	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Number of times reminded for the number cancellation task.	CDISC ADAS-Cog - Number Cancellation: Remind	
C100238	Orientation	Orientation	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Summary score for orientation.	CDISC ADAS-Cog - Orientation Summary Score	
C100241	Orientation: Date	Orientation: Date	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Orientation task for knowing the current day.	CDISC ADAS-Cog - Orientation: Date	
C100243	Orientation: Day of Week	Orientation: Day of Week	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Orientation task for knowing the current day of the week.	CDISC ADAS-Cog - Orientation: Day of Week	
C100239	Orientation: Full Name	Orientation: Full Name	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Orientation task for knowing one's own full name.	CDISC ADAS-Cog - Orientation: Full Name	
C100240	Orientation: Month	Orientation: Month	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Orientation task for knowing the current month.	CDISC ADAS-Cog - Orientation: Month	
C100245	Orientation: Place	Orientation: Place	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Orientation task for knowing the current place.	CDISC ADAS-Cog - Orientation: Place	
C100244	Orientation: Season	Orientation: Season	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Orientation task for knowing the current season.	CDISC ADAS-Cog - Orientation: Season	
C100246	Orientation: Time	Orientation: Time	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Orientation task for knowing the approximate current clock time.	CDISC ADAS-Cog - Orientation: Time	
C100242	Orientation: Year	Orientation: Year	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Orientation task for knowing the current year.	CDISC ADAS-Cog - Orientation: Year	
C100275	Remembering Test Instructions	Remembering Test Instructions	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Remembering test instructions.	CDISC ADAS-Cog - Remembering Test Instructions	
C100276	Spoken Language Ability	Spoken Language Ability	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Global rating of the quality of speech, or difficulty in making oneself understood.	CDISC ADAS-Cog - Spoken Language Ability	
C100277	Word Finding Difficulty in Spont Speech	Word Finding Difficulty in Spont Speech	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Difficulty finding the desired word in spontaneous speech.	CDISC ADAS-Cog - Word Difficulty in Spontaneous Speech	
C100178	Word Recall Trial 1	Word Recall Trial 1	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Sub-score for word recall task trial 1.	CDISC ADAS-Cog - Word Recall Trial 1 Subscore	
C100179	Word Recall Trial 2	Word Recall Trial 2	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Sub-score for word recall task trial 2.	CDISC ADAS-Cog - Word Recall Trial 2 Subscore	
C100180	Word Recall Trial 3	Word Recall Trial 3	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Sub-score for word recall task trial 3.	CDISC ADAS-Cog - Word Recall Trial 3 Subscore	
C100177	Word Recall	Word Recall	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word average score of trials 1, 2, 3.	CDISC ADAS-Cog - Word Recall Average Score	
C100190	Word Recall: Word [10]	Word Recall: Word [10]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word 10 for trial 1, 2, 3.	CDISC ADAS-Cog - Word Recall: Word 10	
C100181	Word Recall: Word [1]	Word Recall: Word [1]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word 1 for trial 1, 2, 3.	CDISC ADAS-Cog - Word Recall: Word 1	
C100182	Word Recall: Word [2]	Word Recall: Word [2]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word 2 for trial 1, 2, 3.	CDISC ADAS-Cog - Word Recall: Word 2	
C100183	Word Recall: Word [3]	Word Recall: Word [3]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word 3 for trial 1, 2, 3.	CDISC ADAS-Cog - Word Recall: Word 3	
C100184	Word Recall: Word [4]	Word Recall: Word [4]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word 4 for trial 1, 2, 3.	CDISC ADAS-Cog - Word Recall: Word 4	
C100185	Word Recall: Word [5]	Word Recall: Word [5]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word 5 for trial 1, 2, 3.	CDISC ADAS-Cog - Word Recall: Word 5	

Alzheimer's Disease Assessment Scale-Cognitive CDISC Version					
	CDISC ADAS-Cog - Word Recognition: Word 5	CDISC ADAS-Cog - Word Recognition: Word 6	CDISC ADAS-Cog - Word Recognition: Word 7	CDISC ADAS-Cog - Word Recognition: Word 8	CDISC ADAS-Cog - Word Recognition: Word 9
C100255	Word Recognition: Word [5]	Word Recognition: Word [5]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 5 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 5	
C100256	Word Recognition: Word [6]	Word Recognition: Word [6]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 6 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 6	
C100257	Word Recognition: Word [7]	Word Recognition: Word [7]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 7 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 7	
C100258	Word Recognition: Word [8]	Word Recognition: Word [8]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 8 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 8	
C100259	Word Recognition: Word [9]	Word Recognition: Word [9]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 9 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 9	

Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Regarding eating: which best describes {S} usual performance during the past 4 weeks?				
C105283	ADL0101	ADL01-Usual Eating Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Regarding eating: which best describes {S} usual performance during the past 4 weeks?	ADCS-ADL - Description of Usual Performance of Eating
C105284	ADL0102	ADL01-Optimal Walking Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Regarding walking (or getting around in a wheelchair), in the past 4 weeks, which best describes his/her optimal performance.	ADCS-ADL - Description of Optimal Performance of Walking
C105285	ADL0103	ADL01-Usual Bowel/Bladder Function	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Regarding bowel and bladder function at the toilet, which best describes his/her usual performance in the past 4 weeks.	ADCS-ADL - Usual Bowel and Bladder Function at Toilet
C105286	ADL0104	ADL01-Usual Bathing Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Regarding bathing, in the past 4 weeks, which best describes his/her usual performance.	ADCS-ADL - Description of Usual Performance of Bathing
C105287	ADL0105	ADL01-Optimal Grooming Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Regarding grooming, in the past 4 weeks, which best describes his/her optimal performance.	ADCS-ADL - Description of Optimal Performance of Grooming
C105288	ADL0106	ADL01-Select First Clothes for the Day	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Regarding dressing in the past 4 weeks: Did {S} select his/her first set of clothes for the day?	ADCS-ADL - Select First Clothes for the Day
C105289	ADL0106A	ADL01-Usual Dressing Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes usual performance.	ADCS-ADL - Description of Usual Performance of Dressing
C105290	ADL0106B	ADL01-Usual Physically Dressing Perform	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Regarding physically getting dressed, which best describes his/her usual performance in the past 4 weeks.	ADCS-ADL - Description of Usual Performance of Physically Getting Dressed
C105291	ADL0107	ADL01-Use a Telephone	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} use a telephone?	ADCS-ADL - Use a Telephone
C105292	ADL0107A	ADL01-Highest Telephone Use Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes his/her highest level of performance.	ADCS-ADL - Description of Highest Performance of Telephone Use
C105293	ADL0108	ADL01-Watch Television	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} watch television?	ADCS-ADL - Watch Television
C105294	ADL0108A	ADL01-Select Television Program	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} usually select or ask for different programs or his/her favorite show?	ADCS-ADL - Select or Ask for Television Program
C105295	ADL0108B	ADL01-Talk About TV Content While Watch	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} usually talk about the content of a program while watching it?	ADCS-ADL - Talk About TV Content While Watching
C105296	ADL0108C	ADL01-Talk About TV Content Within a Day	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} talk about the content of a program within a day (24 hours) after watching it?	ADCS-ADL - Talk About TV Content Within a Day After Watching
C105297	ADL0109	ADL01-Pay Attention to Conversation	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} ever appear to pay attention to conversation or small talk for at least 5 minutes?	ADCS-ADL - Pay Attention to Conversation
C105298	ADL0109A	ADL01-Usual Conversation Participation	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes his/her usual degree of participation.	ADCS-ADL - Usual Conversation Participation
C105299	ADL0110	ADL01-Clear Dishes	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} clear the dishes from the table after a meal or snack?	ADCS-ADL - Clear Dishes After Meal or Snack
C105300	ADL0110A	ADL01-Clear Dishes Usual Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes how he/she usually performed.	ADCS-ADL - Description of Usual Performance of Clearing Dishes
C105301	ADL0111	ADL01-Find Belongings	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} usually manage to find his/her personal belongings at home?	ADCS-ADL - Find Personal Belongings at Home
C105302	ADL0111A	ADL01-Find Belongings Usual Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes how he/she usually performed.	ADCS-ADL - Description of Usual Performance of Finding Personal Belonging at Home

ADL Item				
C105303	ADL0112	ADL01-Obtain Beverage	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} obtain a hot or cold beverage for him/herself?	ADCS-ADL - Obtain Beverage for Self
C105304	ADL0112A	ADL01-Obtain Beverage Highest Perform	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes his/her highest level of performance.	ADCS-ADL - Description of Highest Performance of Obtaining Beverage
C105305	ADL0113	ADL01-Make a Meal	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} make him/herself a meal or snack at home?	ADCS-ADL - Make a Meal or Snack at Home
C105306	ADL0113A	ADL01-Highest Level of Food Preparation	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes his/her highest level of food preparation.	ADCS-ADL - Highest Level of Food Preparation
C105307	ADL0114	ADL01-Dispose of Garbage	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} dispose of garbage or litter in an appropriate place or container at home?	ADCS-ADL - Dispose of Garbage in Appropriate Place at Home
C105308	ADL0114A	ADL01-Dispose Garbage Usual Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes how he/she usually performed.	ADCS-ADL - Description of Usual Performance of Garbage Disposal
C105309	ADL0115	ADL01-Get Around Outside Home	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} get around (or travel) outside of his/her home?	ADCS-ADL - Get Around Outside Home
C105310	ADL0115A	ADL01-Get Around Optimal Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes his/her optimal performance.	ADCS-ADL - Description of Optimal Performance of Getting Around Outside of Home
C105311	ADL0116	ADL01-Go Shopping	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} ever go shopping?	ADCS-ADL - Go Shopping
C105312	ADL0116A	ADL01-How Usually Selects Items	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which one best describes how {S} usually selects items.	ADCS-ADL - How Subject Usually Selects Items
C105313	ADL0116B	ADL01-Pay Without Supervision	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} usually pay for items without supervision or physical help?	ADCS-ADL - Pay for Items Without Supervision or Physical Help
C105314	ADL0117	ADL01-Keep Appointments	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} keep appointments or meetings with other people, such as relatives, a doctor, the hairdresser, etc.?	ADCS-ADL - Keep Appointments or Meetings with Others
C105315	ADL0117A	ADL01-Aware of Appointment Ahead of Time	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes his/her awareness of the meeting ahead of time.	ADCS-ADL - Description of Awareness of Appointment Ahead of Time
C105316	ADL0118	ADL01-Left On His/Her Own	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, was {S} ever left on his/her own?	ADCS-ADL - Subject Left on Their Own
C105317	ADL0118A	ADL01-Left Away From Home	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Was {S} left away from home, for 15 minutes or longer, during the day?	ADCS-ADL - Left Away From Home for Fifteen Minutes or Longer
C105318	ADL0118B	ADL01-Left at Home for 1 Hour or Longer	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Was {S} left at home, for an hour or longer, during the day?	ADCS-ADL - Left at Home for One Hour or Longer
C105319	ADL0118C	ADL01-Left at Home for Less Than 1 Hour	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Was {S} left at home, for less than 1 hour, during the day?	ADCS-ADL - Left at Home for Less Than One Hour
C105320	ADL0119	ADL01-Talk About Current Events	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} talk about current events?	ADCS-ADL - Talk About Current Events
C105321	ADL0119A	ADL01-Talk About Events Heard/Read About	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} talk about events that he/she heard or read about or saw on TV but did not take part in?	ADCS-ADL - Talk About Events on TV that Subject Did not Take Part In
C105322	ADL0119B	ADL01-Talk About Outside Events	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} talk about events that he/she took part in outside home involving family, friends, or neighbors?	ADCS-ADL - Talk About Events Outside of Home that Subject Took Part In
C105323	ADL0119C	ADL01-Talk About at Home Events	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} talk about events that occurred at home that he/she took part in or watched?	ADCS-ADL - Talk About Events at Home that Subject Took Part in or Watched

Activities of Daily Living Inventory				
Item ID	Code	Description	Text	Label
C105324	ADL0120	ADL01-Read More Than 5 Minutes	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} read a magazine, newspaper or book for more than 5 minutes at a time?	ADCS-ADL - Read for More Than Five Minutes
C105325	ADL0120A	ADL01-Talk Within 1 Hour After Reading	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} usually talk about details of what he/she read while or shortly (less than 1 hour) after reading?	ADCS-ADL - Talk About What Subject Read Less Than One Hour After Reading
C105326	ADL0120B	ADL01-Talk 1 Hour or More After Reading	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} usually talk about what he/she read 1 hour or longer after reading?	ADCS-ADL - Talk About What Subject Read More Than One Hour After Reading
C105327	ADL0121	ADL01-Write Things Down	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} ever write things down?	ADCS-ADL - Write Things Down
C105328	ADL0121A	ADL01-Most Complicated Writings	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes the most complicated things that he/she wrote.	ADCS-ADL - Description of Most Complicated Writings
C105329	ADL0122	ADL01-Perform Pastime	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} perform a pastime, hobby or game?	ADCS-ADL - Perform Pastime, Hobby or Game
C105330	ADL0122A	ADL01-Pastime: Card or Board Games	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: Card or board games.	ADCS-ADL - Pastime: Card or Board Games
C105331	ADL0122B	ADL01-Pastime: Bingo	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: bingo.	ADCS-ADL - Pastime: Bingo
C105332	ADL0122C	ADL01-Pastime: Crosswords	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: crosswords.	ADCS-ADL - Pastime: Crosswords
C105333	ADL0122D	ADL01-Pastime: Art	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: art.	ADCS-ADL - Pastime: Art
C105334	ADL0122E	ADL01-Pastime: Musical Instrument	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: musical instrument.	ADCS-ADL - Pastime: Musical Instrument
C105335	ADL0122F	ADL01-Pastime: Knitting	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: knitting.	ADCS-ADL - Pastime: Knitting
C105336	ADL0122G	ADL01-Pastime: Sewing	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: sewing.	ADCS-ADL - Pastime: Sewing
C105337	ADL0122H	ADL01-Pastime: Reading	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: reading.	ADCS-ADL - Pastime: Reading
C105338	ADL0122I	ADL01-Pastime: Gardening	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: gardening.	ADCS-ADL - Pastime: Gardening
C105339	ADL0122J	ADL01-Pastime: Golf	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: golf.	ADCS-ADL - Pastime: Golf
C105340	ADL0122K	ADL01-Pastime: Tennis	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: tennis.	ADCS-ADL - Pastime: Tennis
C105341	ADL0122L	ADL01-Pastime: Workshop	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: workshop.	ADCS-ADL - Pastime: Workshop
C105342	ADL0122M	ADL01-Pastime: Fishing	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: fishing.	ADCS-ADL - Pastime: Fishing
C105343	ADL0122N	ADL01-Pastime: Other	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: other.	ADCS-ADL - Pastime: Other
C105344	ADL0122O	ADL01-Pastime: Other Specify	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: other specify.	ADCS-ADL - Pastime: Other Specify
C105345	ADL0122P	ADL01-Hobbies Only at Day Care	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If {S} performs hobbies/pastimes only at day care, check here.	ADCS-ADL - Performed Hobbies Only at Day Care
C105346	ADL0122Q	ADL01-Usual Common Pastimes Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, how did {S} usually perform his/her most common pastimes.	ADCS-ADL - Description of Usual Performance of Common Pastimes
C105347	ADL0123	ADL01-Use Household Appliance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} use a household appliance to do chores?	ADCS-ADL - Use Household Appliance to do Chores

ADCS-ADL - Activities of Daily Living Inventory				
C105348	ADL0123A	ADL01-Appliance: Washer	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: washer.	ADCS-ADL - Appliance: Washer
C105349	ADL0123B	ADL01-Appliance: Dryer	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: dryer.	ADCS-ADL - Appliance: Dryer
C105350	ADL0123C	ADL01-Appliance: Vacuum	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: vacuum.	ADCS-ADL - Appliance: Vacuum
C105351	ADL0123D	ADL01-Appliance: Dishwasher	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: dishwasher.	ADCS-ADL - Appliance: Dishwasher
C105352	ADL0123E	ADL01-Appliance: Toaster	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: toaster.	ADCS-ADL - Appliance: Toaster
C105353	ADL0123F	ADL01-Appliance: Toaster Oven	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: toaster oven.	ADCS-ADL - Appliance: Toaster Oven
C105354	ADL0123G	ADL01-Appliance: Range	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: range.	ADCS-ADL - Appliance: Range
C105355	ADL0123H	ADL01-Appliance: Microwave	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: microwave.	ADCS-ADL - Appliance: Microwave
C105356	ADL0123I	ADL01-Appliance: Food Processor	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: food processor.	ADCS-ADL - Appliance: Food Processor
C105357	ADL0123J	ADL01-Appliance: Other	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: other.	ADCS-ADL - Appliance: Other
C105358	ADL0123K	ADL01-Appliance: Other Specify	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: other specify.	ADCS-ADL - Appliance: Other Specify
C105359	ADL0123L	ADL01-Use Common Used Appliances	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, for the most commonly used appliances, which best describes how {S} usually used them.	ADCS-ADL - Description of Usual Use of Commonly Used Appliances
C105360	ADL0124	ADL01-Total ADCS-ADL Score	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Total Score.	ADCS-ADL - Total Score
C105361	ADL0125	ADL01-Number Don't Know Responses	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Number of 'Don't Know' Responses.	ADCS-ADL - Number of 'Don't Know' Responses

Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used:				
C105351	ADL01-Appliance: Dishwasher	ADL01-Appliance: Dishwasher	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: dishwasher.	ADCS-ADL - Appliance: Dishwasher
C105349	ADL01-Appliance: Dryer	ADL01-Appliance: Dryer	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: dryer.	ADCS-ADL - Appliance: Dryer
C105356	ADL01-Appliance: Food Processor	ADL01-Appliance: Food Processor	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: food processor.	ADCS-ADL - Appliance: Food Processor
C105355	ADL01-Appliance: Microwave	ADL01-Appliance: Microwave	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: microwave.	ADCS-ADL - Appliance: Microwave
C105358	ADL01-Appliance: Other Specify	ADL01-Appliance: Other Specify	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: other specify.	ADCS-ADL - Appliance: Other Specify
C105357	ADL01-Appliance: Other	ADL01-Appliance: Other	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: other.	ADCS-ADL - Appliance: Other
C105354	ADL01-Appliance: Range	ADL01-Appliance: Range	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: range.	ADCS-ADL - Appliance: Range
C105353	ADL01-Appliance: Toaster Oven	ADL01-Appliance: Toaster Oven	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: toaster oven.	ADCS-ADL - Appliance: Toaster Oven
C105352	ADL01-Appliance: Toaster	ADL01-Appliance: Toaster	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: toaster.	ADCS-ADL - Appliance: Toaster
C105350	ADL01-Appliance: Vacuum	ADL01-Appliance: Vacuum	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: vacuum.	ADCS-ADL - Appliance: Vacuum
C105348	ADL01-Appliance: Washer	ADL01-Appliance: Washer	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: washer.	ADCS-ADL - Appliance: Washer
C105315	ADL01-Aware of Appointment Ahead of Time	ADL01-Aware of Appointment Ahead of Time	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes his/her awareness of the meeting ahead of time.	ADCS-ADL - Description of Awareness of Appointment Ahead of Time
C105300	ADL01-Clear Dishes Usual Performance	ADL01-Clear Dishes Usual Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes how he/she usually performed.	ADCS-ADL - Description of Usual Performance of Clearing Dishes
C105299	ADL01-Clear Dishes	ADL01-Clear Dishes	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} clear the dishes from the table after a meal or snack?	ADCS-ADL - Clear Dishes After Meal or Snack
C105308	ADL01-Dispose Garbage Usual Performance	ADL01-Dispose Garbage Usual Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes how he/she usually performed.	ADCS-ADL - Description of Usual Performance of Garbage Disposal
C105307	ADL01-Dispose of Garbage	ADL01-Dispose of Garbage	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} dispose of garbage or litter in an appropriate place or container at home?	ADCS-ADL - Dispose of Garbage in Appropriate Place at Home
C105302	ADL01-Find Belongings Usual Performance	ADL01-Find Belongings Usual Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes how he/she usually performed.	ADCS-ADL - Description of Usual Performance of Finding Personal Belonging at Home
C105301	ADL01-Find Belongings	ADL01-Find Belongings	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} usually manage to find his/her personal belongings at home?	ADCS-ADL - Find Personal Belongings at Home
C105310	ADL01-Get Around Optimal Performance	ADL01-Get Around Optimal Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes his/her optimal performance.	ADCS-ADL - Description of Optimal Performance of Getting Around Outside of Home
C105309	ADL01-Get Around Outside Home	ADL01-Get Around Outside Home	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} get around (or travel) outside of his/her home?	ADCS-ADL - Get Around Outside Home
C105311	ADL01-Go Shopping	ADL01-Go Shopping	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} ever go shopping?	ADCS-ADL - Go Shopping
C105306	ADL01-Highest Level of Food Preparation	ADL01-Highest Level of Food Preparation	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes his/her highest level of food preparation.	ADCS-ADL - Highest Level of Food Preparation
C105292	ADL01-Highest Telephone Use Performance	ADL01-Highest Telephone Use Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes his/her highest level of performance.	ADCS-ADL - Description of Highest Performance of Telephone Use

Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory					
C105345	ADL01-Hobbies Only at Day Care	ADL01-Hobbies Only at Day Care	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If {S} performs hobbies/pastimes only at day care, check here.	ADCS-ADL - Performed Hobbies Only at Day Care	
C105312	ADL01-How Usually Selects Items	ADL01-How Usually Selects Items	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which one best describes how {S} usually selects items.	ADCS-ADL - How Subject Usually Selects Items	
C105314	ADL01-Keep Appointments	ADL01-Keep Appointments	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} keep appointments or meetings with other people, such as relatives, a doctor, the hairdresser, etc.?	ADCS-ADL - Keep Appointments or Meetings with Others	
C105318	ADL01-Left at Home for 1 Hour or Longer	ADL01-Left at Home for 1 Hour or Longer	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Was {S} left at home, for an hour or longer, during the day?	ADCS-ADL - Left at Home for One Hour or Longer	
C105319	ADL01-Left at Home for Less Than 1 Hour	ADL01-Left at Home for Less Than 1 Hour	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Was {S} left at home, for less than 1 hour, during the day?	ADCS-ADL - Left at Home for Less Than One Hour	
C105317	ADL01-Left Away From Home	ADL01-Left Away From Home	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Was {S} left away from home, for 15 minutes or longer, during the day?	ADCS-ADL - Left Away From Home for Fifteen Minutes or Longer	
C105316	ADL01-Left On His/Her Own	ADL01-Left On His/Her Own	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, was {S} ever left on his/her own?	ADCS-ADL - Subject Left on Their Own	
C105305	ADL01-Make a Meal	ADL01-Make a Meal	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} make him/herself a meal or snack at home?	ADCS-ADL - Make a Meal or Snack at Home	
C105328	ADL01-Most Complicated Writings	ADL01-Most Complicated Writings	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes the most complicated things that he/she wrote.	ADCS-ADL - Description of Most Complicated Writings	
C105361	ADL01-Number Don't Know Responses	ADL01-Number Don't Know Responses	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Number of 'Don't Know' Responses.	ADCS-ADL - Number of 'Don't Know' Responses	
C105304	ADL01-Obtain Beverage Highest Perform	ADL01-Obtain Beverage Highest Perform	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes his/her highest level of performance.	ADCS-ADL - Description of Highest Performance of Obtaining Beverage	
C105303	ADL01-Obtain Beverage	ADL01-Obtain Beverage	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} obtain a hot or cold beverage for him/herself?	ADCS-ADL - Obtain Beverage for Self	
C105287	ADL01-Optimal Grooming Performance	ADL01-Optimal Grooming Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Regarding grooming, in the past 4 weeks, which best describes his/her optimal performance.	ADCS-ADL - Description of Optimal Performance of Grooming	
C105284	ADL01-Optimal Walking Performance	ADL01-Optimal Walking Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Regarding walking (or getting around in a wheelchair), in the past 4 weeks, which best describes his/her optimal performance.	ADCS-ADL - Description of Optimal Performance of Walking	
C105333	ADL01-Pastime: Art	ADL01-Pastime: Art	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: art.	ADCS-ADL - Pastime: Art	
C105331	ADL01-Pastime: Bingo	ADL01-Pastime: Bingo	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: bingo.	ADCS-ADL - Pastime: Bingo	
C105330	ADL01-Pastime: Card or Board Games	ADL01-Pastime: Card or Board Games	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: Card or board games.	ADCS-ADL - Pastime: Card or Board Games	
C105332	ADL01-Pastime: Crosswords	ADL01-Pastime: Crosswords	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: crosswords.	ADCS-ADL - Pastime: Crosswords	
C105342	ADL01-Pastime: Fishing	ADL01-Pastime: Fishing	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: fishing.	ADCS-ADL - Pastime: Fishing	
C105338	ADL01-Pastime: Gardening	ADL01-Pastime: Gardening	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: gardening.	ADCS-ADL - Pastime: Gardening	
C105339	ADL01-Pastime: Golf	ADL01-Pastime: Golf	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: golf.	ADCS-ADL - Pastime: Golf	
C105335	ADL01-Pastime: Knitting	ADL01-Pastime: Knitting	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: knitting.	ADCS-ADL - Pastime: Knitting	
C105334	ADL01-Pastime: Musical Instrument	ADL01-Pastime: Musical Instrument	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: musical instrument.	ADCS-ADL - Pastime: Musical Instrument	

ADCS-ADL - Activities of Daily Living Inventory				
Code	Description	Question	Inventory Description	ADCS-ADL Label
C105344	ADL01-Pastime: Other Specify	ADL01-Pastime: Other Specify	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: other specify.	ADCS-ADL - Pastime: Other Specify
C105343	ADL01-Pastime: Other	ADL01-Pastime: Other	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: other.	ADCS-ADL - Pastime: Other
C105337	ADL01-Pastime: Reading	ADL01-Pastime: Reading	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: reading.	ADCS-ADL - Pastime: Reading
C105336	ADL01-Pastime: Sewing	ADL01-Pastime: Sewing	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: sewing.	ADCS-ADL - Pastime: Sewing
C105340	ADL01-Pastime: Tennis	ADL01-Pastime: Tennis	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: tennis.	ADCS-ADL - Pastime: Tennis
C105341	ADL01-Pastime: Workshop	ADL01-Pastime: Workshop	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: workshop.	ADCS-ADL - Pastime: Workshop
C105297	ADL01-Pay Attention to Conversation	ADL01-Pay Attention to Conversation	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} ever appear to pay attention to conversation or small talk for at least 5 minutes?	ADCS-ADL - Pay Attention to Conversation
C105313	ADL01-Pay Without Supervision	ADL01-Pay Without Supervision	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} usually pay for items without supervision or physical help?	ADCS-ADL - Pay for Items Without Supervision or Physical Help
C105329	ADL01-Perform Pastime	ADL01-Perform Pastime	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} perform a pastime, hobby or game?	ADCS-ADL - Perform Pastime, Hobby or Game
C105324	ADL01-Read More Than 5 Minutes	ADL01-Read More Than 5 Minutes	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} read a magazine, newspaper or book for more than 5 minutes at a time?	ADCS-ADL - Read for More Than Five Minutes
C105288	ADL01-Select First Clothes for the Day	ADL01-Select First Clothes for the Day	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Regarding dressing in the past 4 weeks: Did {S} select his/her first set of clothes for the day?	ADCS-ADL - Select First Clothes for the Day
C105294	ADL01-Select Television Program	ADL01-Select Television Program	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} usually select or ask for different programs or his/her favorite show?	ADCS-ADL - Select or Ask for Television Program
C105326	ADL01-Talk 1 Hour or More After Reading	ADL01-Talk 1 Hour or More After Reading	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} usually talk about what he/she read 1 hour or longer after reading?	ADCS-ADL - Talk About What Subject Read More Than One Hour After Reading
C105323	ADL01-Talk About at Home Events	ADL01-Talk About at Home Events	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} talk about events that occurred at home that he/she took part in or watched?	ADCS-ADL - Talk About Events at Home that Subject Took Part In or Watched
C105320	ADL01-Talk About Current Events	ADL01-Talk About Current Events	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} talk about current events?	ADCS-ADL - Talk About Current Events
C105321	ADL01-Talk About Events Heard/Read About	ADL01-Talk About Events Heard/Read About	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} talk about events that he/she heard or read about or saw on TV but did not take part in?	ADCS-ADL - Talk About Events on TV that Subject Did not Take Part In
C105322	ADL01-Talk About Outside Events	ADL01-Talk About Outside Events	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} talk about events that he/she took part in outside home involving family, friends, or neighbors?	ADCS-ADL - Talk About Events Outside of Home that Subject Took Part In
C105295	ADL01-Talk About TV Content While Watch	ADL01-Talk About TV Content While Watch	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} usually talk about the content of a program while watching it?	ADCS-ADL - Talk About TV Content While Watching
C105296	ADL01-Talk About TV Content Within a Day	ADL01-Talk About TV Content Within a Day	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} talk about the content of a program within a day (24 hours) after watching it?	ADCS-ADL - Talk About TV Content Within a Day After Watching
C105325	ADL01-Talk Within 1 Hour After Reading	ADL01-Talk Within 1 Hour After Reading	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} usually talk about details of what he/she read while or shortly (less than 1 hour) after reading?	ADCS-ADL - Talk About What Subject Read Less Than One Hour After Reading
C105360	ADL01-Total ADCS-ADL Score	ADL01-Total ADCS-ADL Score	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Total Score.	ADCS-ADL - Total Score
C105291	ADL01-Use a Telephone	ADL01-Use a Telephone	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} use a telephone?	ADCS-ADL - Use a Telephone
C105359	ADL01-Use Common Used Appliances	ADL01-Use Common Used Appliances	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, for the most commonly used appliances, which best describes how {S} usually used them.	ADCS-ADL - Description of Usual Use of Commonly Used Appliances

Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} use a household appliance to do chores?				
C105347	ADL01-Use Household Appliance	ADL01-Use Household Appliance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} use a household appliance to do chores?	ADCS-ADL - Use Household Appliance to do Chores
C105286	ADL01-Usual Bathing Performance	ADL01-Usual Bathing Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Regarding bathing, in the past 4 weeks, which best describes his/her usual performance.	ADCS-ADL - Description of Usual Performance of Bathing
C105285	ADL01-Usual Bowel/Bladder Function	ADL01-Usual Bowel/Bladder Function	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Regarding bowel and bladder function at the toilet, which best describes his/her usual performance in the past 4 weeks.	ADCS-ADL - Usual Bowel and Bladder Function at Toilet
C105346	ADL01-Usual Common Pastimes Performance	ADL01-Usual Common Pastimes Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, how did {S} usually perform his/her most common pastimes.	ADCS-ADL - Description of Usual Performance of Common Pastimes
C105298	ADL01-Usual Conversation Participation	ADL01-Usual Conversation Participation	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes his/her usual degree of participation.	ADCS-ADL - Usual Conversation Participation
C105289	ADL01-Usual Dressing Performance	ADL01-Usual Dressing Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes usual performance.	ADCS-ADL - Description of Usual Performance of Dressing
C105283	ADL01-Usual Eating Performance	ADL01-Usual Eating Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Regarding eating: which best describes {S} usual performance during the past 4 weeks?	ADCS-ADL - Description of Usual Performance of Eating
C105290	ADL01-Usual Physically Dressing Perform	ADL01-Usual Physically Dressing Perform	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Regarding physically getting dressed, which best describes his/her usual performance in the past 4 weeks.	ADCS-ADL - Description of Usual Performance of Physically Getting Dressed
C105293	ADL01-Watch Television	ADL01-Watch Television	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} watch television?	ADCS-ADL - Watch Television
C105327	ADL01-Write Things Down	ADL01-Write Things Down	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} ever write things down?	ADCS-ADL - Write Things Down

C106979	ADL0201	ADL02-Usual Eating Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Regarding eating, which best describes {S} usual performance during the last 4 weeks?	ADCS-ADL Severe Dementia - Description of Usual Performance of Eating
C106980	ADL0202	ADL02-Optimal Walking Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Regarding walking (or getting around in a wheelchair) in the past 4 weeks, which best describes {S} optimal performance?	ADCS-ADL Severe Dementia - Description of Optimal Performance of Walking
C106981	ADL0203	ADL02-Usual Bowel/Bladder Function	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Regarding bowel and bladder function at the toilet, which best describes {S} usual performance during the past 4 weeks?	ADCS-ADL Severe Dementia - Usual Bowel and Bladder Function at Toilet
C106982	ADL0204	ADL02-Usual Bathing Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Regarding bathing, in the past 4 weeks, which best describes {S} usual performance?	ADCS-ADL Severe Dementia - Description of Usual Performance of Bathing
C106983	ADL0205	ADL02-Optimal Grooming Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Regarding grooming, in the past 4 weeks, which best describes {S} optimal performance?	ADCS-ADL Severe Dementia - Description of Optimal Performance of Grooming
C106984	ADL0206	ADL02-Usual Physically Dressing Perform	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Regarding physically getting dressed, which best describes {S} usual performance in the past 4 weeks?	ADCS-ADL Severe Dementia - Description of Usual Performance of Physically Getting Dressed
C106985	ADL0207	ADL02-Use a Telephone	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} use a telephone?	ADCS-ADL Severe Dementia - Use a Telephone
C106986	ADL0207A	ADL02-Highest Telephone Use Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - If yes, which best describes {S} highest level of performance.	ADCS-ADL Severe Dementia - Description of Highest Performance of Telephone Use
C106987	ADL0208	ADL02-Watch Television	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} watch television?	ADCS-ADL Severe Dementia - Watch Television
C106988	ADL0208A	ADL02-Select Television Program	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Did {S} usually select or ask for different programs or {S} favorite show?	ADCS-ADL Severe Dementia - Select or Ask for Television Program
C106989	ADL0208B	ADL02-Talk About TV Content While Watch	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Did {S} usually talk about the content of a program while watching it?	ADCS-ADL Severe Dementia - Talk About TV Content While Watching
C106990	ADL0208C	ADL02-Talk About TV Content Within a Day	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Did {S} talk about the content of a program within a day (24 hours) after watching it?	ADCS-ADL Severe Dementia - Talk About TV Content Within a Day After Watching
C106991	ADL0209	ADL02-Pay Attention to Conversation	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} ever appear to pay attention to conversation or small talk for at least 5 minutes?	ADCS-ADL Severe Dementia - Pay Attention to Conversation
C106992	ADL0209A	ADL02-Usual Conversation Participation	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - If yes, which best describes {S} usual degree of participation.	ADCS-ADL Severe Dementia - Usual Conversation Participation
C106993	ADL0210	ADL02-Clear Dishes	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Did {S} clear the dishes from the table after a meal or snack?	ADCS-ADL Severe Dementia - Clear Dishes After Meal or Snack
C106994	ADL0210A	ADL02-Clear Dishes Usual Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - If yes, which best describes how {S} usually performed.	ADCS-ADL Severe Dementia - Description of Usual Performance of Clearing Dishes
C106995	ADL0211	ADL02-Find Belongings	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} usually manage to find his/her personal belongings at home?	ADCS-ADL Severe Dementia - Find Personal Belongings at Home
C106996	ADL0211A	ADL02-Find Belongings Usual Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - If yes, which best describes how {S} usually performed.	ADCS-ADL Severe Dementia - Description of Usual Performance of Finding Personal Belonging at Home
C106997	ADL0212	ADL02-Obtain Beverage	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} obtain a hot or cold beverage for him/herself?	ADCS-ADL Severe Dementia - Obtain Beverage for Self

ADCS-ADL Severe Dementia				
C106998	ADL0212A	ADL02-Obtain Beverage Highest Perform	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - If yes, which best describes {S} highest level of performance.	ADCS-ADL Severe Dementia - Description of Highest Performance of Obtaining Beverage
C106999	ADL0213	ADL02-Dispose of Garbage	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} dispose of garbage or litter in an appropriate place or container at home?	ADCS-ADL Severe Dementia - Dispose of Garbage in Appropriate Place at Home
C107000	ADL0213A	ADL02-Dispose Garbage Usual Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - If yes, which best describes how {S} usually performed.	ADCS-ADL Severe Dementia - Description of Usual Performance of Garbage Disposal
C107001	ADL0214	ADL02-Get Around Outside Home	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} get around (or travel) outside of his/her home?	ADCS-ADL Severe Dementia - Get Around Outside Home
C107002	ADL0214A	ADL02-Get Around Optimal Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - If yes, which best describes {S} optimal performance.	ADCS-ADL Severe Dementia - Description of Optimal Performance of Getting Around Outside of Home
C107003	ADL0215	ADL02-Left On His/Her Own	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, was {S} ever left on his/her own?	ADCS-ADL Severe Dementia - Subject Left on Their Own
C107004	ADL0215A	ADL02-Left Away From Home	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Was {S} left: away from home for 15 minutes or longer, during the day?	ADCS-ADL Severe Dementia - Alone Away From Home for Fifteen Minutes or Longer
C107005	ADL0215B	ADL02-Left at Home for 1 Hour or Longer	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Was {S} left: at home for an hour or longer during the day?	ADCS-ADL Severe Dementia - Alone at Home for One Hour or Longer
C107006	ADL0215C	ADL02-Left at Home for Less Than 1 Hour	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Was {S} left: at home for less than 1 hour during the day?	ADCS-ADL Severe Dementia - Alone at Home for Less Than One Hour
C107007	ADL0216	ADL02-Run Water Faucet to Wash	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} usually run water from a faucet to wash {S} hands or face without help?	ADCS-ADL Severe Dementia - Turn On Faucet to Wash Without Help
C107008	ADL0217	ADL02-Turn Off Faucet	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} usually turn off the faucet after finishing running water without help?	ADCS-ADL Severe Dementia - Turn Off Faucet After Wash Without Help
C107009	ADL0218	ADL02-Turn On Light	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} usually turn on a light without help when entering a dark room or area?	ADCS-ADL Severe Dementia - Turn On Light Without Help Entering Room
C107010	ADL0219	ADL02-Turn Off Light	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} usually turn off lights without help when leaving a room or going to sleep?	ADCS-ADL Severe Dementia - Turn Off Light Without Help Leaving Room
C107011	ADL0220	ADL02-Sum 1 to 5	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Sum of Items 1-5.	ADCS-ADL Severe Dementia - Sum of Items 1-5
C107012	ADL0221	ADL02-Sum 6 to 8	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Sum of Items 6-8.	ADCS-ADL Severe Dementia - Sum of Items 6-8
C107013	ADL0222	ADL02-Sum 9 to 12	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Sum of Items 9-12.	ADCS-ADL Severe Dementia - Sum of Items 9-12
C107014	ADL0223	ADL02-Sum 13 to 15	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Sum of Items 13-15.	ADCS-ADL Severe Dementia - Sum of Items 13-15
C107015	ADL0224	ADL02-Sum 16 to 19	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Sum of Items 16-19.	ADCS-ADL Severe Dementia - Sum of Items 16-19
C107016	ADL0225	ADL02-Total ADCS-ADL Score	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Total Score.	ADCS-ADL Severe Dementia - Total Score

C106994	ADL02-Clear Dishes Usual Performance	ADL02-Clear Dishes Usual Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - If yes, which best describes how {S} usually performed.	ADCS-ADL Severe Dementia - Description of Usual Performance of Clearing Dishes
C106993	ADL02-Clear Dishes	ADL02-Clear Dishes	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Did {S} clear the dishes from the table after a meal or snack?	ADCS-ADL Severe Dementia - Clear Dishes After Meal or Snack
C107000	ADL02-Dispose Garbage Usual Performance	ADL02-Dispose Garbage Usual Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - If yes, which best describes how {S} usually performed.	ADCS-ADL Severe Dementia - Description of Usual Performance of Garbage Disposal
C106999	ADL02-Dispose of Garbage	ADL02-Dispose of Garbage	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} dispose of garbage or litter in an appropriate place or container at home?	ADCS-ADL Severe Dementia - Dispose of Garbage in Appropriate Place at Home
C106996	ADL02-Find Belongings Usual Performance	ADL02-Find Belongings Usual Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - If yes, which best describes how {S} usually performed.	ADCS-ADL Severe Dementia - Description of Usual Performance of Finding Personal Belonging at Home
C106995	ADL02-Find Belongings	ADL02-Find Belongings	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} usually manage to find his/her personal belongings at home?	ADCS-ADL Severe Dementia - Find Personal Belongings at Home
C107002	ADL02-Get Around Optimal Performance	ADL02-Get Around Optimal Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - If yes, which best describes {S} optimal performance.	ADCS-ADL Severe Dementia - Description of Optimal Performance of Getting Around Outside of Home
C107001	ADL02-Get Around Outside Home	ADL02-Get Around Outside Home	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} get around (or travel) outside of his/her home?	ADCS-ADL Severe Dementia - Get Around Outside Home
C106986	ADL02-Highest Telephone Use Performance	ADL02-Highest Telephone Use Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - If yes, which best describes {S} highest level of performance.	ADCS-ADL Severe Dementia - Description of Highest Performance of Telephone Use
C107005	ADL02-Left at Home for 1 Hour or Longer	ADL02-Left at Home for 1 Hour or Longer	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Was {S} left: at home for an hour or longer during the day?	ADCS-ADL Severe Dementia - Alone at Home for One Hour or Longer
C107006	ADL02-Left at Home for Less Than 1 Hour	ADL02-Left at Home for Less Than 1 Hour	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Was {S} left: at home for less than 1 hour during the day?	ADCS-ADL Severe Dementia - Alone at Home for Less Than One Hour
C107004	ADL02-Left Away From Home	ADL02-Left Away From Home	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Was {S} left: away from home for 15 minutes or longer, during the day?	ADCS-ADL Severe Dementia - Alone Away From Home for Fifteen Minutes or Longer
C107003	ADL02-Left On His/Her Own	ADL02-Left On His/Her Own	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, was {S} ever left on his/her own?	ADCS-ADL Severe Dementia - Subject Left on Their Own
C106998	ADL02-Obtain Beverage Highest Perform	ADL02-Obtain Beverage Highest Perform	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - If yes, which best describes {S} highest level of performance.	ADCS-ADL Severe Dementia - Description of Highest Performance of Obtaining Beverage
C106997	ADL02-Obtain Beverage	ADL02-Obtain Beverage	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} obtain a hot or cold beverage for him/herself?	ADCS-ADL Severe Dementia - Obtain Beverage for Self
C106983	ADL02-Optimal Grooming Performance	ADL02-Optimal Grooming Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Regarding grooming, in the past 4 weeks, which best describes {S} optimal performance?	ADCS-ADL Severe Dementia - Description of Optimal Performance of Grooming
C106980	ADL02-Optimal Walking Performance	ADL02-Optimal Walking Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Regarding walking (or getting around in a wheelchair) in the past 4 weeks, which best describes {S} optimal performance?	ADCS-ADL Severe Dementia - Description of Optimal Performance of Walking
C106991	ADL02-Pay Attention to Conversation	ADL02-Pay Attention to Conversation	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} ever appear to pay attention to conversation or small talk for at least 5 minutes?	ADCS-ADL Severe Dementia - Pay Attention to Conversation

ADL02 Activities of Daily Living Inventory - Severe Dementia Version					
C107007	ADL02-Run Water Faucet to Wash	ADL02-Run Water Faucet to Wash	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} usually run water from a faucet to wash {S} hands or face without help?		ADCS-ADL Severe Dementia - Turn On Faucet to Wash Without Help
C106988	ADL02-Select Television Program	ADL02-Select Television Program	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Did {S} usually select or ask for different programs or {S} favorite show?		ADCS-ADL Severe Dementia - Select or Ask for Television Program
C107011	ADL02-Sum 1 to 5	ADL02-Sum 1 to 5	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Sum of Items 1-5.		ADCS-ADL Severe Dementia - Sum of Items 1-5
C107014	ADL02-Sum 13 to 15	ADL02-Sum 13 to 15	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Sum of Items 13-15.		ADCS-ADL Severe Dementia - Sum of Items 13-15
C107015	ADL02-Sum 16 to 19	ADL02-Sum 16 to 19	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Sum of Items 16-19.		ADCS-ADL Severe Dementia - Sum of Items 16-19
C107012	ADL02-Sum 6 to 8	ADL02-Sum 6 to 8	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Sum of Items 6-8.		ADCS-ADL Severe Dementia - Sum of Items 6-8
C107013	ADL02-Sum 9 to 12	ADL02-Sum 9 to 12	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Sum of Items 9-12.		ADCS-ADL Severe Dementia - Sum of Items 9-12
C106989	ADL02-Talk About TV Content While Watch	ADL02-Talk About TV Content While Watch	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Did {S} usually talk about the content of a program while watching it?		ADCS-ADL Severe Dementia - Talk About TV Content While Watching
C106990	ADL02-Talk About TV Content Within a Day	ADL02-Talk About TV Content Within a Day	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Did {S} talk about the content of a program within a day (24 hours) after watching it?		ADCS-ADL Severe Dementia - Talk About TV Content Within a Day After Watching
C107016	ADL02-Total ADCS-ADL Score	ADL02-Total ADCS-ADL Score	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Total Score.		ADCS-ADL Severe Dementia - Total Score
C107008	ADL02-Turn Off Faucet	ADL02-Turn Off Faucet	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} usually turn off the faucet after finishing running water without help?		ADCS-ADL Severe Dementia - Turn Off Faucet After Wash Without Help
C107010	ADL02-Turn Off Light	ADL02-Turn Off Light	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} usually turn off lights without help when leaving a room or going to sleep?		ADCS-ADL Severe Dementia - Turn Off Light Without Help Leaving Room
C107009	ADL02-Turn On Light	ADL02-Turn On Light	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} usually turn on a light without help when entering a dark room or area?		ADCS-ADL Severe Dementia - Turn On Light Without Help Entering Room
C106985	ADL02-Use a Telephone	ADL02-Use a Telephone	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} use a telephone?		ADCS-ADL Severe Dementia - Use a Telephone
C106982	ADL02-Usual Bathing Performance	ADL02-Usual Bathing Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Regarding bathing, in the past 4 weeks, which best describes {S} usual performance?		ADCS-ADL Severe Dementia - Description of Usual Performance of Bathing
C106981	ADL02-Usual Bowel/Bladder Function	ADL02-Usual Bowel/Bladder Function	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Regarding bowel and bladder function at the toilet, which best describes {S} usual performance during the past 4 weeks?		ADCS-ADL Severe Dementia - Usual Bowel and Bladder Function at Toilet
C106992	ADL02-Usual Conversation Participation	ADL02-Usual Conversation Participation	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - If yes, which best describes {S} usual degree of participation.		ADCS-ADL Severe Dementia - Usual Conversation Participation
C106979	ADL02-Usual Eating Performance	ADL02-Usual Eating Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Regarding eating, which best describes {S} usual performance during the last 4 weeks?		ADCS-ADL Severe Dementia - Description of Usual Performance of Eating
C106984	ADL02-Usual Physically Dressing Perform	ADL02-Usual Physically Dressing Perform	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Regarding physically getting dressed, which best describes {S} usual performance in the past 4 weeks?		ADCS-ADL Severe Dementia - Description of Usual Performance of Physically Getting Dressed
C106987	ADL02-Watch Television	ADL02-Watch Television	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} watch television?		ADCS-ADL Severe Dementia - Watch Television

Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} usually manage to find his/her personal belongings at home?				
C106891	ADL0301	ADL03-Find Personal Belongings	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} usually manage to find his/her personal belongings at home?	ADCS-ADL MCI - Find Personal Belongings
C106892	ADL0301A	ADL03-Find Belongings Usual Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes how he /she usually performed.	ADCS-ADL MCI - Description of Usual Performance of Finding Belongings
C106893	ADL0302	ADL03-Select First Clothes for the Day	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} select his/her first set of clothes for the day?	ADCS-ADL MCI - Select First Clothes for the Day
C106894	ADL0302A	ADL03-Usual Dressing Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes his/her usual performance.	ADCS-ADL MCI - Description of Usual Performance of Selecting First Clothes for the Day
C106895	ADL0303	ADL03-Usual Physically Dressing Perform	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Regarding physically getting dressed, which best describes his/her usual performance in the past 4 weeks.	ADCS-ADL MCI - Description of Usual Performance of Physically Getting Dressed
C106896	ADL0304	ADL03-Clean Room	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} clean a living-, sitting-, or family room?	ADCS-ADL MCI - Clean Room
C106897	ADL0304A	ADL03-Clean Room Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes how he/she usually performed.	ADCS-ADL MCI - Description of Usual Performance of Cleaning Room
C106898	ADL0305	ADL03-Balance Checkbook	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} balance his/her checkbook or credit card statement?	ADCS-ADL MCI - Balance Checkbook
C106899	ADL0305A	ADL03-Balance Checkbook Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes how he/she usually performed.	ADCS-ADL MCI - Description of Usual Performance of Balancing Checkbook
C106900	ADL0306	ADL03-Write Things Down	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} ever write things down?	ADCS-ADL MCI - Write Things Down
C106901	ADL0306A	ADL03-Most Complicated Writings	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes the most complicated things that he/she wrote.	ADCS-ADL MCI - Description of Usual Performance of Most Complicated Things Written
C106902	ADL0307	ADL03-Clean Laundry	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} clean a load of laundry?	ADCS-ADL MCI - Clean Laundry
C106903	ADL0307A	ADL03-Laundry Cleaning Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes how he/she usually performed.	ADCS-ADL MCI - Description of Usual Performance of Clean Laundry
C106904	ADL0308	ADL03-Keep Appointments	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} keep appointments or meetings with other people, such as relatives, a doctor, the hairdresser, etc.?	ADCS-ADL MCI - Keep Appointments
C106905	ADL0308A	ADL03-Aware of Appointment Ahead of Time	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes his/her awareness of the meeting ahead of time.	ADCS-ADL MCI - Description of Awareness of the Meeting Ahead of Time
C106906	ADL0309	ADL03-Use a Telephone	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} use a telephone?	ADCS-ADL MCI - Use a Telephone
C106907	ADL0309A	ADL03-Highest Telephone Use Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes his/her highest level of performance.	ADCS-ADL MCI - Description of Highest Level of Performance of Telephone Use
C106908	ADL0310	ADL03-Make a Meal	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} make him/herself a meal or snack at home?	ADCS-ADL MCI - Make a Meal or Snack
C106909	ADL0310A	ADL03-Highest Level of Food Preparation	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes his/her highest level of food preparation.	ADCS-ADL MCI - Description of Highest Level of Food Preparation

Activities of Daily Living Inventory, MCI Version				
C106910	ADL0311	ADL03-Get Around Outside Home	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} get around (or travel) outside of his/her home?	ADCS-ADL MCI - Travel Outside Home
C106911	ADL0311A	ADL03-Get Around Optimal Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes his/her optimal performance.	ADCS-ADL MCI - Description of Optimal Performance of Travelling Outside Home
C106912	ADL0312	ADL03-Talk About Current Events	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} talk about current events?	ADCS-ADL MCI - Talk About Current Events
C106913	ADL0312A	ADL03-Regional, National, International	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, did {S} talk about regional, national or international events?	ADCS-ADL MCI - Talk About Regional, National or International Events
C106914	ADL0312B	ADL03-Talk About Outside Events	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} talk about events outside home involving family, friends, or neighbors?	ADCS-ADL MCI - Talk About Outside Home Events
C106915	ADL0312C	ADL03-Talk About at Home Events	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} talk about events that occurred at home that he/she took part in or watched?	ADCS-ADL MCI - Talk About at Home Events
C106916	ADL0312D	ADL03-Talk Without Repeating	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} converse without repeating him/herself, or asking the same questions repeatedly?	ADCS-ADL MCI - Converse Without Repeating
C106917	ADL0313	ADL03-Read More Than 5 Minutes	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} read a magazine, newspaper or book for more than 5 minutes at a time?	ADCS-ADL MCI - Read More Than 5 Minutes
C106918	ADL0313A	ADL03-Select/Ask for Something to Read	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} usually select or ask for something to read?	ADCS-ADL MCI - Select or Ask for Something to Read
C106919	ADL0313B	ADL03-Talk Within 1 Hour After Reading	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} usually talk about what he/she read while or shortly after reading (less than 1 hour)?	ADCS-ADL MCI - Talk Within 1 Hour After Reading
C106920	ADL0313C	ADL03-Talk Within 1 Day After Reading	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} usually talk about what he/she read 1-24 hours after reading?	ADCS-ADL MCI - Talk Within 24 Hours After Reading
C106921	ADL0314	ADL03-Watch Television	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} watch television?	ADCS-ADL MCI - Watch Television
C106922	ADL0314A	ADL03-Select Television Program	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} usually select or ask for different programs or his/her favorite show?	ADCS-ADL MCI - Select or Ask for Programs or Show
C106923	ADL0314B	ADL03-Talk About TV Content While Watch	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} usually talk about the content of a program while watching it?	ADCS-ADL MCI - Talk About Content of Program While Watching
C106924	ADL0314C	ADL03-Talk About TV Content Within a Day	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} talk about the content of a program within a day (24 hours) after watching it?	ADCS-ADL MCI - Talk About Content of Program After Watching Within a Day
C106925	ADL0315	ADL03-Go Shopping	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} ever go shopping at a store?	ADCS-ADL MCI - Go Shopping At a Store
C106926	ADL0315A	ADL03-Select Items Without Help	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} usually select correct items without supervision or help?	ADCS-ADL MCI - Select Correct Items Without Help
C106927	ADL0315B	ADL03-Pay Items On His/Her Own	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} usually pay for items on his/her own?	ADCS-ADL MCI - Pay for Items on His or Her Own
C106928	ADL0316	ADL03-Left On His/Her Own	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, was {S} ever left on his/her own?	ADCS-ADL MCI - Left on His or Her Own
C106929	ADL0316A	ADL03-Left Away From Home	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Was {S} left away from home, for 15 minutes or longer, during the day?	ADCS-ADL MCI - Left Away From Home Longer Than 15 Minutes
C106930	ADL0316B	ADL03-Left at Home for 1 Hour or Longer	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Was {S} left at home, for an hour or longer, during the day?	ADCS-ADL MCI - Left at Home Longer Than an Hour

ADL03-Activities of Daily Living				
C106931	ADL0316C	ADL03-Left at Home for Less Than 1 Hour	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Was {S} left at home, for less than 1 hour, during the day?	ADCS-ADL MCI - Left at Home Less Than an Hour
C106932	ADL0317	ADL03-Use Household Appliance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} use a household appliance to do chores?	ADCS-ADL MCI - Use Household Appliance
C107089	ADL0317A	ADL03-Appliance: Washer	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: washer.	ADCS-ADL MCI - Use Household Appliance: Washer
C107090	ADL0317B	ADL03-Appliance: Dryer	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: dryer.	ADCS-ADL MCI - Use Household Appliance: Dryer
C107091	ADL0317C	ADL03-Appliance: Vacuum	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: vacuum.	ADCS-ADL MCI - Use Household Appliance: Vacuum
C106933	ADL0317D	ADL03-Appliance: Dishwasher	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: dishwasher.	ADCS-ADL MCI - Use Household Appliance: Dishwasher
C106934	ADL0317E	ADL03-Appliance: Power Tools	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: power tool (s).	ADCS-ADL MCI - Use Household Appliance: Power Tools
C106935	ADL0317F	ADL03-Appliance: Toaster Oven	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: toaster oven.	ADCS-ADL MCI - Use Household Appliance: Toaster Oven
C106936	ADL0317G	ADL03-Appliance: Range	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: range.	ADCS-ADL MCI - Use Household Appliance: Range
C106937	ADL0317H	ADL03-Appliance: Microwave	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: microwave.	ADCS-ADL MCI - Use Household Appliance: Microwave
C106938	ADL0317I	ADL03-Appliance: Food Processor	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: food processor.	ADCS-ADL MCI - Use Household Appliance: Food Processor
C106939	ADL0317J	ADL03-Appliance: Other	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: other.	ADCS-ADL MCI - Use Household Appliance: Other
C106940	ADL0317K	ADL03-Appliance: Other Specify	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: other specify.	ADCS-ADL MCI - Use Household Appliance: Other Specify
C106941	ADL0317L	ADL03-Use Common Used Appliances (q17a)	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - For the 1 or 2 most commonly used appliances, which best describes how {S} usually used them.	ADCS-ADL MCI - Description of Usual Use of Commonly Used Appliances
C106942	ADL0318	ADL03-Perform Pastime	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} perform a pastime, hobby or game?	ADCS-ADL MCI - Perform Pastime, Hobby or Game
C106943	ADL0318A	ADL03-Pastime: Card or Board Games	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: card or board games.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Card or Board Games
C106944	ADL0318B	ADL03-Pastime: Bingo	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: bingo.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Bingo
C106945	ADL0318C	ADL03-Pastime: Crosswords	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: crosswords.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Crosswords
C106946	ADL0318D	ADL03-Pastime: Art	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: art.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Art
C106947	ADL0318E	ADL03-Pastime: Musical Instrument	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: musical instrument.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Musical Instrument
C106948	ADL0318F	ADL03-Pastime: Knitting	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: knitting.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Knitting
C106949	ADL0318G	ADL03-Pastime: Sewing	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: sewing.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Sewing

ADL03 - Activities of Daily Living				
Item ID	Item Label	Item Description	Definition	Category
C106950	ADL0318H	ADL03-Pastime: Reading	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: reading.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Reading
C106951	ADL0318I	ADL03-Pastime: Gardening	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: gardening.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Gardening
C106952	ADL0318J	ADL03-Pastime: Golf	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: golf.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Golf
C106953	ADL0318K	ADL03-Pastime: Tennis	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: tennis.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Tennis
C106954	ADL0318L	ADL03-Pastime: Workshop	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: workshop.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Workshop
C106955	ADL0318M	ADL03-Pastime: Fishing	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: fishing.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Fishing
C106956	ADL0318N	ADL03-Pastime: Other	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: other.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Other
C106957	ADL0318O	ADL03-Pastime: Other Specify	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: other specify.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Other Specify
C106958	ADL0318P	ADL03-Hobbies Needed Help (Q18a)	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} require supervision, or help, to perform any of these hobbies?	ADCS-ADL MCI - Require Help to Perform Hobbies
C106959	ADL0318Q	ADL03-Hobbies Unable to Perform (Q18b)	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - List any hobby (ies) that the subject has lost the ability to perform.	ADCS-ADL MCI - List Hobbies Lost Ability to Perform
C106960	ADL0319	ADL03-Drive Car	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} drive a car?	ADCS-ADL MCI - Drive a Car
C106961	ADL0319A	ADL03-Drive Car Optimal Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes his/her optimal performance.	ADCS-ADL MCI - Description of Optimal Performance of Driving Car
C106962	ADL0320	ADL03-Take Medications Regularly	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - During the past 4 weeks, did {S} take his/her medications regularly?	ADCS-ADL MCI - Take Medications Regularly
C106963	ADL0320A	ADL03-Take Medications Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, was this.	ADCS-ADL MCI - Description of Taking Medications Regularly
C106964	ADL0321	ADL03-Complete Complex Activities	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - During the past 4 weeks, did {S} usually carry through complex or time-consuming activities to completion?	ADCS-ADL MCI - Carry Through Complex Activities to Completion
C106965	ADL0321A	ADL03-Extent Needed Reminders	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes extent to which he/she needed reminders.	ADCS-ADL MCI - Description of Extent Needing Reminder
C106966	ADL0322	ADL03-Initiate Complex Activities	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - During the past 4 weeks, to what extent did {S} initiate complex daily activities or projects (e.g., hobbies, travel)?	ADCS-ADL MCI - Initiate Complex Daily Activities
C106967	ADL0323	ADL03-Time to Complete Complex Tasks	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - During the past 4 weeks, how long did it usually take {S} to complete complex or time-consuming tasks or activities?	ADCS-ADL MCI - Time Taken to Complete Complex Activities
C106968	ADL0324	ADL03-Extenuating Circumstances	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Has an extenuating circumstance (such as a physical health problem, change in residence, change in support network, death of a family member, etc.) contributed to a recent alteration in the subject's activities of daily living?	ADCS-ADL MCI - Extenuating Circumstance
C106969	ADL0324A	ADL03-Explain Circumstance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, explain.	ADCS-ADL MCI - Explain Extenuating Circumstance
C107092	ADL0325	ADL03-Total Points for 'Don't Know'	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Were any questions (1-18) answered 'Don't Know'? If yes, calculate total points for 'Don't Know'.	ADCS-ADL MCI - Points for Questions (1-18) Answered 'Don't Know'

ADCS-ADL MCI - Subscore for Items 1 to 3				
C106970	ADL0326	ADL03-Subscore for Items 1 to 3	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Subscore for Page 1.	ADCS-ADL MCI - Subscore for Items 1 to 3
C106971	ADL0327	ADL03-Subscore for Items 4 to 7	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Subscore for Page 2.	ADCS-ADL MCI - Subscore for Items 4 to 7
C106972	ADL0328	ADL03-Subscore for Items 8 to 10	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Subscore for Page 3.	ADCS-ADL MCI - Subscore for Items 8 to 10
C106973	ADL0329	ADL03-Subscore for Items 11 to 12d	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Subscore for Page 4.	ADCS-ADL MCI - Subscore for Items 11 to 12
C106974	ADL0330	ADL03-Subscore for Items 13 to 14c	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Subscore for Page 5.	ADCS-ADL MCI - Subscore for Items 13 to 14
C106975	ADL0331	ADL03-Subscore for Items 15 to 16c	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Subscore for Page 6.	ADCS-ADL MCI - Subscore for Items 15 to 16
C106976	ADL0332	ADL03-Subscore for Item 17	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Subscore for Page 7.	ADCS-ADL MCI - Subscore for Item 17
C106977	ADL0333	ADL03-Subscore for Item 18	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Subscore for Page 8.	ADCS-ADL MCI - Subscore for Item 18
C106978	ADL0334	ADL03-Total ADCS-ADL Score	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Total Score.	ADCS-ADL MCI - ADL Total Score

C106933	ADL03-Appliance: Dishwasher	ADL03-Appliance: Dishwasher	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: dishwasher.	ADCS-ADL MCI - Use Household Appliance: Dishwasher
C107090	ADL03-Appliance: Dryer	ADL03-Appliance: Dryer	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: dryer.	ADCS-ADL MCI - Use Household Appliance: Dryer
C106938	ADL03-Appliance: Food Processor	ADL03-Appliance: Food Processor	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: food processor.	ADCS-ADL MCI - Use Household Appliance: Food Processor
C106937	ADL03-Appliance: Microwave	ADL03-Appliance: Microwave	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: microwave.	ADCS-ADL MCI - Use Household Appliance: Microwave
C106940	ADL03-Appliance: Other Specify	ADL03-Appliance: Other Specify	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: other specify.	ADCS-ADL MCI - Use Household Appliance: Other Specify
C106939	ADL03-Appliance: Other	ADL03-Appliance: Other	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: other.	ADCS-ADL MCI - Use Household Appliance: Other
C106934	ADL03-Appliance: Power Tools	ADL03-Appliance: Power Tools	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: power tool (s).	ADCS-ADL MCI - Use Household Appliance: Power Tools
C106936	ADL03-Appliance: Range	ADL03-Appliance: Range	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: range.	ADCS-ADL MCI - Use Household Appliance: Range
C106935	ADL03-Appliance: Toaster Oven	ADL03-Appliance: Toaster Oven	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: toaster oven.	ADCS-ADL MCI - Use Household Appliance: Toaster Oven
C107091	ADL03-Appliance: Vacuum	ADL03-Appliance: Vacuum	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: vacuum.	ADCS-ADL MCI - Use Household Appliance: Vacuum
C107089	ADL03-Appliance: Washer	ADL03-Appliance: Washer	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: washer.	ADCS-ADL MCI - Use Household Appliance: Washer
C106905	ADL03-Aware of Appointment Ahead of Time	ADL03-Aware of Appointment Ahead of Time	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes his/her awareness of the meeting ahead of time.	ADCS-ADL MCI - Description of Awareness of the Meeting Ahead of Time
C106899	ADL03-Balance Checkbook Performance	ADL03-Balance Checkbook Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes how he/she usually performed.	ADCS-ADL MCI - Description of Usual Performance of Balancing Checkbook
C106898	ADL03-Balance Checkbook	ADL03-Balance Checkbook	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} balance his/her checkbook or credit card statement?	ADCS-ADL MCI - Balance Checkbook
C106902	ADL03-Clean Laundry	ADL03-Clean Laundry	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} clean a load of laundry?	ADCS-ADL MCI - Clean Laundry
C106897	ADL03-Clean Room Performance	ADL03-Clean Room Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes how he/she usually performed.	ADCS-ADL MCI - Description of Usual Performance of Cleaning Room
C106896	ADL03-Clean Room	ADL03-Clean Room	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} clean a living-, sitting-, or family room?	ADCS-ADL MCI - Clean Room
C106964	ADL03-Complete Complex Activities	ADL03-Complete Complex Activities	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - During the past 4 weeks, did {S} usually carry through complex or time-consuming activities to completion?	ADCS-ADL MCI - Carry Through Complex Activities to Completion
C106961	ADL03-Drive Car Optimal Performance	ADL03-Drive Car Optimal Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes his/her optimal performance.	ADCS-ADL MCI - Description of Optimal Performance of Driving Car
C106960	ADL03-Drive Car	ADL03-Drive Car	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} drive a car?	ADCS-ADL MCI - Drive a Car
C106969	ADL03-Explain Circumstance	ADL03-Explain Circumstance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, explain.	ADCS-ADL MCI - Explain Extenuating Circumstance
C106965	ADL03-Extent Needed Reminders	ADL03-Extent Needed Reminders	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes extent to which he/she needed reminders.	ADCS-ADL MCI - Description of Extent Needing Reminder

ADL03 Activities of Daily Living				
C106968	ADL03-Extenuating Circumstances	ADL03-Extenuating Circumstances	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Has an extenuating circumstance (such as a physical health problem, change in residence, change in support network, death of a family member, etc.) contributed to a recent alteration in the subject's activities of daily living?	ADCS-ADL MCI - Extenuating Circumstance
C106892	ADL03-Find Belongings Usual Performance	ADL03-Find Belongings Usual Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes how he /she usually performed.	ADCS-ADL MCI - Description of Usual Performance of Finding Belongings
C106891	ADL03-Find Personal Belongings	ADL03-Find Personal Belongings	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} usually manage to find his/her personal belongings at home?	ADCS-ADL MCI - Find Personal Belongings
C106911	ADL03-Get Around Optimal Performance	ADL03-Get Around Optimal Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes his/her optimal performance.	ADCS-ADL MCI - Description of Optimal Performance of Travelling Outside Home
C106910	ADL03-Get Around Outside Home	ADL03-Get Around Outside Home	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} get around (or travel) outside of his/her home?	ADCS-ADL MCI - Travel Outside Home
C106925	ADL03-Go Shopping	ADL03-Go Shopping	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} ever go shopping at a store?	ADCS-ADL MCI - Go Shopping At a Store
C106909	ADL03-Highest Level of Food Preparation	ADL03-Highest Level of Food Preparation	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes his/her highest level of food preparation.	ADCS-ADL MCI - Description of Highest Level of Food Preparation
C106907	ADL03-Highest Telephone Use Performance	ADL03-Highest Telephone Use Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes his/her highest level of performance.	ADCS-ADL MCI - Description of Highest Level of Performance of Telephone Use
C106958	ADL03-Hobbies Needed Help (Q18a)	ADL03-Hobbies Needed Help (Q18a)	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} require supervision, or help, to perform any of these hobbies?	ADCS-ADL MCI - Require Help to Perform Hobbies
C106959	ADL03-Hobbies Unable to Perform (Q18b)	ADL03-Hobbies Unable to Perform (Q18b)	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - List any hobby (ies) that the subject has lost the ability to perform.	ADCS-ADL MCI - List Hobbies Lost Ability to Perform
C106966	ADL03-Initiate Complex Activities	ADL03-Initiate Complex Activities	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - During the past 4 weeks, to what extent did {S} initiate complex daily activities or projects (e.g., hobbies, travel)?	ADCS-ADL MCI - Initiate Complex Daily Activities
C106904	ADL03-Keep Appointments	ADL03-Keep Appointments	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} keep appointments or meetings with other people, such as relatives, a doctor, the hairdresser, etc.?	ADCS-ADL MCI - Keep Appointments
C106903	ADL03-Laundry Cleaning Performance	ADL03-Laundry Cleaning Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes how he/she usually performed.	ADCS-ADL MCI - Description of Usual Performance of Clean Laundry
C106930	ADL03-Left at Home for 1 Hour or Longer	ADL03-Left at Home for 1 Hour or Longer	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Was {S} left at home, for an hour or longer, during the day?	ADCS-ADL MCI - Left at Home Longer Than an Hour
C106931	ADL03-Left at Home for Less Than 1 Hour	ADL03-Left at Home for Less Than 1 Hour	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Was {S} left at home, for less than 1 hour, during the day?	ADCS-ADL MCI - Left at Home Less Than an Hour
C106929	ADL03-Left Away From Home	ADL03-Left Away From Home	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Was {S} left away from home, for 15 minutes or longer, during the day?	ADCS-ADL MCI - Left Away From Home Longer Than 15 Minutes
C106928	ADL03-Left On His/Her Own	ADL03-Left On His/Her Own	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, was {S} ever left on his/her own?	ADCS-ADL MCI - Left on His or Her Own
C106908	ADL03-Make a Meal	ADL03-Make a Meal	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} make him/herself a meal or snack at home?	ADCS-ADL MCI - Make a Meal or Snack
C106901	ADL03-Most Complicated Writings	ADL03-Most Complicated Writings	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes the most complicated things that he/she wrote.	ADCS-ADL MCI - Description of Usual Performance of Most Complicated Things Written
C106946	ADL03-Pastime: Art	ADL03-Pastime: Art	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: art.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Art

ADCS-ADL MCI - Perform Pastime, Hobby or Game				
C106944	ADL03-Pastime: Bingo	ADL03-Pastime: Bingo	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: bingo.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Bingo
C106943	ADL03-Pastime: Card or Board Games	ADL03-Pastime: Card or Board Games	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: card or board games.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Card or Board Games
C106945	ADL03-Pastime: Crosswords	ADL03-Pastime: Crosswords	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: crosswords.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Crosswords
C106955	ADL03-Pastime: Fishing	ADL03-Pastime: Fishing	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: fishing.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Fishing
C106951	ADL03-Pastime: Gardening	ADL03-Pastime: Gardening	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: gardening.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Gardening
C106952	ADL03-Pastime: Golf	ADL03-Pastime: Golf	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: golf.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Golf
C106948	ADL03-Pastime: Knitting	ADL03-Pastime: Knitting	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: knitting.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Knitting
C106947	ADL03-Pastime: Musical Instrument	ADL03-Pastime: Musical Instrument	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: musical instrument.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Musical Instrument
C106957	ADL03-Pastime: Other Specify	ADL03-Pastime: Other Specify	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: other specify.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Other Specify
C106956	ADL03-Pastime: Other	ADL03-Pastime: Other	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: other.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Other
C106950	ADL03-Pastime: Reading	ADL03-Pastime: Reading	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: reading.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Reading
C106949	ADL03-Pastime: Sewing	ADL03-Pastime: Sewing	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: sewing.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Sewing
C106953	ADL03-Pastime: Tennis	ADL03-Pastime: Tennis	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: tennis.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Tennis
C106954	ADL03-Pastime: Workshop	ADL03-Pastime: Workshop	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: workshop.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Workshop
C106927	ADL03-Pay Items On His/Her Own	ADL03-Pay Items On His/Her Own	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} usually pay for items on his/her own?	ADCS-ADL MCI - Pay for Items on His or Her Own
C106942	ADL03-Perform Pastime	ADL03-Perform Pastime	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} perform a pastime, hobby or game?	ADCS-ADL MCI - Perform Pastime, Hobby or Game
C106917	ADL03-Read More Than 5 Minutes	ADL03-Read More Than 5 Minutes	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} read a magazine, newspaper or book for more than 5 minutes at a time?	ADCS-ADL MCI - Read More Than 5 Minutes
C106913	ADL03-Regional, National, International	ADL03-Regional, National, International	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, did {S} talk about regional, national or international events?	ADCS-ADL MCI - Talk About Regional, National or International Events
C106893	ADL03-Select First Clothes for the Day	ADL03-Select First Clothes for the Day	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} select his/her first set of clothes for the day?	ADCS-ADL MCI - Select First Clothes for the Day
C106926	ADL03-Select Items Without Help	ADL03-Select Items Without Help	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} usually select correct items without supervision or help?	ADCS-ADL MCI - Select Correct Items Without Help
C106922	ADL03-Select Television Program	ADL03-Select Television Program	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} usually select or ask for different programs or his/her favorite show?	ADCS-ADL MCI - Select or Ask for Programs or Show

ADCS-ADL MCI - Activities of Daily Living Inventory, MCI Version				
C106918	ADL03-Select/Ask for Something to Read	ADL03-Select/Ask for Something to Read	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} usually select or ask for something to read?	ADCS-ADL MCI - Select or Ask for Something to Read
C106976	ADL03-Subscore for Item 17	ADL03-Subscore for Item 17	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Subscore for Page 7.	ADCS-ADL MCI - Subscore for Item 17
C106977	ADL03-Subscore for Item 18	ADL03-Subscore for Item 18	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Subscore for Page 8.	ADCS-ADL MCI - Subscore for Item 18
C106970	ADL03-Subscore for Items 1 to 3	ADL03-Subscore for Items 1 to 3	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Subscore for Page 1.	ADCS-ADL MCI - Subscore for Items 1 to 3
C106973	ADL03-Subscore for Items 11 to 12d	ADL03-Subscore for Items 11 to 12d	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Subscore for Page 4.	ADCS-ADL MCI - Subscore for Items 11 to 12
C106974	ADL03-Subscore for Items 13 to 14c	ADL03-Subscore for Items 13 to 14c	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Subscore for Page 5.	ADCS-ADL MCI - Subscore for Items 13 to 14
C106975	ADL03-Subscore for Items 15 to 16c	ADL03-Subscore for Items 15 to 16c	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Subscore for Page 6.	ADCS-ADL MCI - Subscore for Items 15 to 16
C106971	ADL03-Subscore for Items 4 to 7	ADL03-Subscore for Items 4 to 7	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Subscore for Page 2.	ADCS-ADL MCI - Subscore for Items 4 to 7
C106972	ADL03-Subscore for Items 8 to 10	ADL03-Subscore for Items 8 to 10	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Subscore for Page 3.	ADCS-ADL MCI - Subscore for Items 8 to 10
C106963	ADL03-Take Medications Performance	ADL03-Take Medications Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, was this.	ADCS-ADL MCI - Description of Taking Medications Regularly
C106962	ADL03-Take Medications Regularly	ADL03-Take Medications Regularly	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - During the past 4 weeks, did {S} take his/her medications regularly?	ADCS-ADL MCI - Take Medications Regularly
C106915	ADL03-Talk About at Home Events	ADL03-Talk About at Home Events	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} talk about events that occurred at home that he/she took part in or watched?	ADCS-ADL MCI - Talk About at Home Events
C106912	ADL03-Talk About Current Events	ADL03-Talk About Current Events	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} talk about current events?	ADCS-ADL MCI - Talk About Current Events
C106914	ADL03-Talk About Outside Events	ADL03-Talk About Outside Events	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} talk about events outside home involving family, friends, or neighbors?	ADCS-ADL MCI - Talk About Outside Home Events
C106923	ADL03-Talk About TV Content While Watch	ADL03-Talk About TV Content While Watch	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} usually talk about the content of a program while watching it?	ADCS-ADL MCI - Talk About Content of Program While Watching
C106924	ADL03-Talk About TV Content Within a Day	ADL03-Talk About TV Content Within a Day	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} talk about the content of a program within a day (24 hours) after watching it?	ADCS-ADL MCI - Talk About Content of Program After Watching Within a Day
C106920	ADL03-Talk Within 1 Day After Reading	ADL03-Talk Within 1 Day After Reading	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} usually talk about what he/she read 1-24 hours after reading?	ADCS-ADL MCI - Talk Within 24 Hours After Reading
C106919	ADL03-Talk Within 1 Hour After Reading	ADL03-Talk Within 1 Hour After Reading	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} usually talk about what he/she read while or shortly after reading (less than 1 hour)?	ADCS-ADL MCI - Talk Within 1 Hour After Reading
C106916	ADL03-Talk Without Repeating	ADL03-Talk Without Repeating	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} converse without repeating him/herself, or asking the same questions repeatedly?	ADCS-ADL MCI - Converse Without Repeating
C106967	ADL03-Time to Complete Complex Tasks	ADL03-Time to Complete Complex Tasks	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - During the past 4 weeks, how long did it usually take {S} to complete complex or time-consuming tasks or activities?	ADCS-ADL MCI - Time Taken to Complete Complex Activities
C106978	ADL03-Total ADCS-ADL Score	ADL03-Total ADCS-ADL Score	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Total Score.	ADCS-ADL MCI - ADL Total Score
C107092	ADL03-Total Points for 'Don't Know'	ADL03-Total Points for 'Don't Know'	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Were any questions (1-18) answered 'Don't Know'? If yes, calculate total points for 'Don't Know'.	ADCS-ADL MCI - Points for Questions (1-18) Answered 'Don't Know'
C106906	ADL03-Use a Telephone	ADL03-Use a Telephone	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} use a telephone?	ADCS-ADL MCI - Use a Telephone

ADL MCI - Activities of Daily Living				
C106941	ADL03-Use Common Used Appliances (q17a)	ADL03-Use Common Used Appliances (q17a)	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - For the 1 or 2 most commonly used appliances, which best describes how {S} usually used them.	ADCS-ADL MCI - Description of Usual Use of Commonly Used Appliances
C106932	ADL03-Use Household Appliance	ADL03-Use Household Appliance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} use a household appliance to do chores?	ADCS-ADL MCI - Use Household Appliance
C106894	ADL03-Usual Dressing Performance	ADL03-Usual Dressing Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes his/her usual performance.	ADCS-ADL MCI - Description of Usual Performance of Selecting First Clothes for the Day
C106895	ADL03-Usual Physically Dressing Perform	ADL03-Usual Physically Dressing Perform	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Regarding physically getting dressed, which best describes his/her usual performance in the past 4 weeks.	ADCS-ADL MCI - Description of Usual Performance of Physically Getting Dressed
C106921	ADL03-Watch Television	ADL03-Watch Television	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} watch television?	ADCS-ADL MCI - Watch Television
C106900	ADL03-Write Things Down	ADL03-Write Things Down	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} ever write things down?	ADCS-ADL MCI - Write Things Down

C163818	ADSD0101	ADSD01-Rate Breathing at Its Worst	Asthma Daytime Symptom Diary v1.0 - Please rate your difficulty breathing at its worst since you got up this morning.	ADSD Version 1.0 - Rate Breathing at Its Worst
C163819	ADSD0102	ADSD01-Rate Wheezing at Its Worst	Asthma Daytime Symptom Diary v1.0 - Please rate your wheezing at its worst since you got up this morning.	ADSD Version 1.0 - Rate Wheezing at Its Worst
C163820	ADSD0103	ADSD01-Rate Shortness of Breath at Worst	Asthma Daytime Symptom Diary v1.0 - Please rate your shortness of breath at its worst since you got up this morning.	ADSD Version 1.0 - Rate Shortness of Breath at Worst
C163821	ADSD0104	ADSD01-Rate Chest Tightness at Its Worst	Asthma Daytime Symptom Diary v1.0 - Please rate your chest tightness at its worst since you got up this morning.	ADSD Version 1.0 - Rate Chest Tightness at Its Worst
C163822	ADSD0105	ADSD01-Rate Chest Pain at Its Worst	Asthma Daytime Symptom Diary v1.0 - Please rate your chest pain at its worst since you got up this morning.	ADSD Version 1.0 - Rate Chest Pain at Its Worst
C163823	ADSD0106	ADSD01-Rate Cough at Its Worst	Asthma Daytime Symptom Diary v1.0 - Please rate your cough at its worst since you got up this morning.	ADSD Version 1.0 - Rate Cough at Its Worst
C163824	ADSD0107	ADSD01-Total Score	Asthma Daytime Symptom Diary v1.0 - Total score.	ADSD Version 1.0 - Total Score

C163818	ADSD01-Rate Breathing at Its Worst	ADSD01-Rate Breathing at Its Worst	Asthma Daytime Symptom Diary v1.0 - Please rate your difficulty breathing at its worst since you got up this morning.	ADSD Version 1.0 - Rate Breathing at Its Worst
C163822	ADSD01-Rate Chest Pain at Its Worst	ADSD01-Rate Chest Pain at Its Worst	Asthma Daytime Symptom Diary v1.0 - Please rate your chest pain at its worst since you got up this morning.	ADSD Version 1.0 - Rate Chest Pain at Its Worst
C163821	ADSD01-Rate Chest Tightness at Its Worst	ADSD01-Rate Chest Tightness at Its Worst	Asthma Daytime Symptom Diary v1.0 - Please rate your chest tightness at its worst since you got up this morning.	ADSD Version 1.0 - Rate Chest Tightness at Its Worst
C163823	ADSD01-Rate Cough at Its Worst	ADSD01-Rate Cough at Its Worst	Asthma Daytime Symptom Diary v1.0 - Please rate your cough at its worst since you got up this morning.	ADSD Version 1.0 - Rate Cough at Its Worst
C163820	ADSD01-Rate Shortness of Breath at Worst	ADSD01-Rate Shortness of Breath at Worst	Asthma Daytime Symptom Diary v1.0 - Please rate your shortness of breath at its worst since you got up this morning.	ADSD Version 1.0 - Rate Shortness of Breath at Worst
C163819	ADSD01-Rate Wheezing at Its Worst	ADSD01-Rate Wheezing at Its Worst	Asthma Daytime Symptom Diary v1.0 - Please rate your wheezing at its worst since you got up this morning.	ADSD Version 1.0 - Rate Wheezing at Its Worst
C163824	ADSD01-Total Score	ADSD01-Total Score	Asthma Daytime Symptom Diary v1.0 - Total score.	ADSD Version 1.0 - Total Score

Alcohol Use Disorder Identification Test: Self-Report Version - How often do you have a drink containing alcohol?				
C119108	ADT0101	ADT01-How Often Drink Alcohol	Alcohol Use Disorder Identification Test: Self-Report Version - How often do you have a drink containing alcohol?	AUDIT - How Often Have Alcohol Drink
C119109	ADT0102	ADT01-Alcohol Drinks on a Typical Day	Alcohol Use Disorder Identification Test: Self-Report Version - How many drinks containing alcohol do you have on a typical day when you are drinking?	AUDIT - How Many Alcohol Drinks on a Typical Day
C119110	ADT0103	ADT01-Six or More Drinks One Occasion	Alcohol Use Disorder Identification Test: Self-Report Version - How often do you have six or more drinks on one occasion?	AUDIT - How Often Have Six or More Drinks
C119111	ADT0104	ADT01-Not Able Stop Drinking Once Start	Alcohol Use Disorder Identification Test: Self-Report Version - How often during the last year have you found that you were not able to stop drinking once you had started?	AUDIT - How Often Last Year You Found Not Able to Stop Drinking
C119112	ADT0105	ADT01-Failed to Do as Expected	Alcohol Use Disorder Identification Test: Self-Report Version - How often during the last year have you failed to do what was normally expected of you because of drinking?	AUDIT - How Often Last Year You Failed to Do Normally Expected of You
C119113	ADT0106	ADT01-Need Drink Morning After Drinking	Alcohol Use Disorder Identification Test: Self-Report Version - How often during the last year have you needed a first drink in the morning to get yourself going after a heavy drinking session?	AUDIT - How Often Last Year Need a Drink in the Morning to Get Going
C119114	ADT0107	ADT01-Feeling of Guilt or Remorse	Alcohol Use Disorder Identification Test: Self-Report Version - How often during the last year have you had a feeling of guilt or remorse after drinking?	AUDIT - How Often Last Year You Feel Guilt or Remorse After Drinking
C119115	ADT0108	ADT01-Unable to Remember What Happened	Alcohol Use Disorder Identification Test: Self-Report Version - How often during the last year have you been unable to remember what happened the night before because of your drinking?	AUDIT - How Often Last Year You Unable to Remember What Happened the Night Before
C119116	ADT0109	ADT01-Injured Because of Your Drinking	Alcohol Use Disorder Identification Test: Self-Report Version - Have you or someone else been injured because of your drinking?	AUDIT - Injured Because of Drinking
C119117	ADT0110	ADT01-Suggested to Cut Down	Alcohol Use Disorder Identification Test: Self-Report Version - Has a relative, friend, doctor, or other health care worker been concerned about your drinking or suggested you cut down?	AUDIT - Concerned About Your Drinking
C119118	ADT0111	ADT01-Total	Alcohol Use Disorder Identification Test: Self-Report Version - Total.	AUDIT - Total

C119109	ADT01-Alcohol Drinks on a Typical Day	ADT01-Alcohol Drinks on a Typical Day	Alcohol Use Disorder Identification Test: Self-Report Version - How many drinks containing alcohol do you have on a typical day when you are drinking?	AUDIT - How Many Alcohol Drinks on a Typical Day
C119112	ADT01-Failed to Do as Expected	ADT01-Failed to Do as Expected	Alcohol Use Disorder Identification Test: Self-Report Version - How often during the last year have you failed to do what was normally expected of you because of drinking?	AUDIT - How Often Last Year You Failed to Do Normally Expected of You
C119114	ADT01-Feeling of Guilt or Remorse	ADT01-Feeling of Guilt or Remorse	Alcohol Use Disorder Identification Test: Self-Report Version - How often during the last year have you had a feeling of guilt or remorse after drinking?	AUDIT - How Often Last Year You Feel Guilt or Remorse After Drinking
C119108	ADT01-How Often Drink Alcohol	ADT01-How Often Drink Alcohol	Alcohol Use Disorder Identification Test: Self-Report Version - How often do you have a drink containing alcohol?	AUDIT - How Often Have Alcohol Drink
C119116	ADT01-Injured Because of Your Drinking	ADT01-Injured Because of Your Drinking	Alcohol Use Disorder Identification Test: Self-Report Version - Have you or someone else been injured because of your drinking?	AUDIT - Injured Because of Drinking
C119113	ADT01-Need Drink Morning After Drinking	ADT01-Need Drink Morning After Drinking	Alcohol Use Disorder Identification Test: Self-Report Version - How often during the last year have you needed a first drink in the morning to get yourself going after a heavy drinking session?	AUDIT - How Often Last Year Need a Drink in the Morning to Get Going
C119111	ADT01-Not Able Stop Drinking Once Start	ADT01-Not Able Stop Drinking Once Start	Alcohol Use Disorder Identification Test: Self-Report Version - How often during the last year have you found that you were not able to stop drinking once you had started?	AUDIT - How Often Last Year You Found Not Able to Stop Drinking
C119110	ADT01-Six or More Drinks One Occasion	ADT01-Six or More Drinks One Occasion	Alcohol Use Disorder Identification Test: Self-Report Version - How often do you have six or more drinks on one occasion?	AUDIT - How Often Have Six or More Drinks
C119117	ADT01-Suggested to Cut Down	ADT01-Suggested to Cut Down	Alcohol Use Disorder Identification Test: Self-Report Version - Has a relative, friend, doctor, or other health care worker been concerned about your drinking or suggested you cut down?	AUDIT - Concerned About Your Drinking
C119118	ADT01-Total	ADT01-Total	Alcohol Use Disorder Identification Test: Self-Report Version - Total.	AUDIT - Total
C119115	ADT01-Unable to Remember What Happened	ADT01-Unable to Remember What Happened	Alcohol Use Disorder Identification Test: Self-Report Version - How often during the last year have you been unable to remember what happened the night before because of your drinking?	AUDIT - How Often Last Year You Unable to Remember What Happened the Night Before

C119119	ADTC0101	ADTC01-How Often Drink Alcohol	Alcohol Use Disorder Identification Test-Consumption questions - How often do you have a drink containing alcohol?	AUDIT-C - How Often Have Alcohol Drink
C119120	ADTC0102	ADTC01-Alcohol Drinks on a Typical Day	Alcohol Use Disorder Identification Test-Consumption questions - How many standard drinks containing alcohol do you have on a typical day?	AUDIT-C - How Many Alcohol Drinks on a Typical Day
C119121	ADTC0103	ADTC01-Six or More Drinks One Occasion	Alcohol Use Disorder Identification Test-Consumption questions - How often do you have six or more drinks on one occasion?	AUDIT-C - How Often Have Six or More Drinks

C119120	ADTC01-Alcohol Drinks on a Typical Day	ADTC01-Alcohol Drinks on a Typical Day	Alcohol Use Disorder Identification Test-Consumption questions - How many standard drinks containing alcohol do you have on a typical day?	AUDIT-C - How Many Alcohol Drinks on a Typical Day
C119119	ADTC01-How Often Drink Alcohol	ADTC01-How Often Drink Alcohol	Alcohol Use Disorder Identification Test-Consumption questions - How often do you have a drink containing alcohol?	AUDIT-C - How Often Have Alcohol Drink
C119121	ADTC01-Six or More Drinks One Occasion	ADTC01-Six or More Drinks One Occasion	Alcohol Use Disorder Identification Test-Consumption questions - How often do you have six or more drinks on one occasion?	AUDIT-C - How Often Have Six or More Drinks

C182674	Mild	AIMS0101 through AIMS0107-Mild	Abnormal Involuntary Movement Scale original result for AIMS0101 through AIMS0107-Mild.	Abnormal Involuntary Movement Scale AIMS0101 Through AIMS0107 Original Result - Mild
C182673	Minimal, may be extreme normal	AIMS0101 through AIMS0107-Minimal, may be extreme normal	Abnormal Involuntary Movement Scale original result for AIMS0101 through AIMS0107-Minimal, may be extreme normal.	Abnormal Involuntary Movement Scale AIMS0101 Through AIMS0107 Original Result - Minimal, may be extreme normal
C182675	Moderate	AIMS0101 through AIMS0107-Moderate	Abnormal Involuntary Movement Scale original result for AIMS0101 through AIMS0107-Moderate.	Abnormal Involuntary Movement Scale AIMS0101 Through AIMS0107 Original Result - Moderate
C182672	None	AIMS0101 through AIMS0107-None	Abnormal Involuntary Movement Scale original result for AIMS0101 through AIMS0107-None.	Abnormal Involuntary Movement Scale AIMS0101 Through AIMS0107 Original Result - None
C182676	Severe	AIMS0101 through AIMS0107-Severe	Abnormal Involuntary Movement Scale original result for AIMS0101 through AIMS0107-Severe.	Abnormal Involuntary Movement Scale AIMS0101 Through AIMS0107 Original Result - Severe

C182677	0	AIMS0101 through AIMS0107-0	Abnormal Involuntary Movement Scale standardized character result for AIMS0101 through AIMS0107-None.	Abnormal Involuntary Movement Scale AIMS0101 Through AIMS0107 Standardized Character Result 0
C182678	1	AIMS0101 through AIMS0107-1	Abnormal Involuntary Movement Scale standardized character result for AIMS0101 through AIMS0107-Minimal, may be extreme normal .	Abnormal Involuntary Movement Scale AIMS0101 Through AIMS0107 Standardized Character Result 1
C182679	2	AIMS0101 through AIMS0107-2	Abnormal Involuntary Movement Scale standardized character result for AIMS0101 through AIMS0107-Mild.	Abnormal Involuntary Movement Scale AIMS0101 Through AIMS0107 Standardized Character Result 2
C182680	3	AIMS0101 through AIMS0107-3	Abnormal Involuntary Movement Scale standardized character result for AIMS0101 through AIMS0107-Moderate.	Abnormal Involuntary Movement Scale AIMS0101 Through AIMS0107 Standardized Character Result 3
C182681	4	AIMS0101 through AIMS0107-4	Abnormal Involuntary Movement Scale standardized character result for AIMS0101 through AIMS0107-Severe.	Abnormal Involuntary Movement Scale AIMS0101 Through AIMS0107 Standardized Character Result 4

C182684	Mild	AIMS0108 through AIMS0109-Mild	Abnormal Involuntary Movement Scale original result for AIMS0108 through AIMS0109-Mild.	Abnormal Involuntary Movement Scale AIMS0108 Through AIMS0109 Original Result - Mild
C182683	Minimal	AIMS0108 through AIMS0109-Minimal	Abnormal Involuntary Movement Scale original result for AIMS0108 through AIMS0109-Minimal.	Abnormal Involuntary Movement Scale AIMS0108 Through AIMS0109 Original Result - Minimal
C182685	Moderate	AIMS0108 through AIMS0109-Moderate	Abnormal Involuntary Movement Scale original result for AIMS0108 through AIMS0109-Moderate.	Abnormal Involuntary Movement Scale AIMS0108 Through AIMS0109 Original Result - Moderate
C182682	None, normal	AIMS0108 through AIMS0109-None, normal	Abnormal Involuntary Movement Scale original result for AIMS0108 through AIMS0109-None, normal.	Abnormal Involuntary Movement Scale AIMS0108 Through AIMS0109 Original Result - None, normal
C182686	Severe	AIMS0108 through AIMS0109-Severe	Abnormal Involuntary Movement Scale original result for AIMS0108 through AIMS0109-Severe.	Abnormal Involuntary Movement Scale AIMS0108 Through AIMS0109 Original Result - Severe

C182687	0	AIMS0108 through AIMS0109-0	Abnormal Involuntary Movement Scale standardized character result for AIMS0108 through AIMS0109-None, normal.	Abnormal Involuntary Movement Scale AIMS0108 Through AIMS0109 Standardized Character Result 0
C182688	1	AIMS0108 through AIMS0109-1	Abnormal Involuntary Movement Scale standardized character result for AIMS0108 through AIMS0109-Minimal.	Abnormal Involuntary Movement Scale AIMS0108 Through AIMS0109 Standardized Character Result 1
C182689	2	AIMS0108 through AIMS0109-2	Abnormal Involuntary Movement Scale standardized character result for AIMS0108 through AIMS0109-Mild.	Abnormal Involuntary Movement Scale AIMS0108 Through AIMS0109 Standardized Character Result 2
C182690	3	AIMS0108 through AIMS0109-3	Abnormal Involuntary Movement Scale standardized character result for AIMS0108 through AIMS0109-Moderate.	Abnormal Involuntary Movement Scale AIMS0108 Through AIMS0109 Standardized Character Result 3
C182691	4	AIMS0108 through AIMS0109-4	Abnormal Involuntary Movement Scale standardized character result for AIMS0108 through AIMS0109-Severe.	Abnormal Involuntary Movement Scale AIMS0108 Through AIMS0109 Standardized Character Result 4

C182694	Aware, mild distress	AIMS0110-Aware, mild distress	Abnormal Involuntary Movement Scale original result for AIMS0110-Aware, mild distress.	Abnormal Involuntary Movement Scale AIMS0110 Original Result - Aware, mild distress
C182695	Aware, moderate distress	AIMS0110-Aware, moderate distress	Abnormal Involuntary Movement Scale original result for AIMS0110-Aware, moderate distress.	Abnormal Involuntary Movement Scale AIMS0110 Original Result - Aware, moderate distress
C182693	Aware, no distress	AIMS0110-Aware, no distress	Abnormal Involuntary Movement Scale original result for AIMS0110-Aware, no distress.	Abnormal Involuntary Movement Scale AIMS0110 Original Result - Aware, no distress
C182696	Aware, severe distress	AIMS0110-Aware, severe distress	Abnormal Involuntary Movement Scale original result for AIMS0110-Aware, severe distress.	Abnormal Involuntary Movement Scale AIMS0110 Original Result - Aware, severe distress
C182692	No awareness	AIMS0110-No awareness	Abnormal Involuntary Movement Scale original result for AIMS0110-No awareness.	Abnormal Involuntary Movement Scale AIMS0110 Original Result - No awareness

C182697	0	AIMS0110-0	Abnormal Involuntary Movement Scale standardized character result for AIMS0110-No awareness.	Abnormal Involuntary Movement Scale AIMS0110 Standardized Character Result 0
C182698	1	AIMS0110-1	Abnormal Involuntary Movement Scale standardized character result for AIMS0110-Aware, no distress.	Abnormal Involuntary Movement Scale AIMS0110 Standardized Character Result 1
C182699	2	AIMS0110-2	Abnormal Involuntary Movement Scale standardized character result for AIMS0110-Aware, mild distress.	Abnormal Involuntary Movement Scale AIMS0110 Standardized Character Result 2
C182700	3	AIMS0110-3	Abnormal Involuntary Movement Scale standardized character result for AIMS0110-Aware, moderate distress.	Abnormal Involuntary Movement Scale AIMS0110 Standardized Character Result 3
C182701	4	AIMS0110-4	Abnormal Involuntary Movement Scale standardized character result for AIMS0110-Aware, severe distress.	Abnormal Involuntary Movement Scale AIMS0110 Standardized Character Result 4

C182702	No	AIMS0111 through AIMS0112-No	Abnormal Involuntary Movement Scale original result for AIMS0111 through AIMS0112-No.	Abnormal Involuntary Movement Scale AIMS0111 Through AIMS0112 Original Result - No
C182703	Yes	AIMS0111 through AIMS0112-Yes	Abnormal Involuntary Movement Scale original result for AIMS0111 through AIMS0112-Yes.	Abnormal Involuntary Movement Scale AIMS0111 Through AIMS0112 Original Result - Yes

C182704	0	AIMS0111 through AIMS0112-0	Abnormal Involuntary Movement Scale standardized character result for AIMS0111 through AIMS0112-No.	Abnormal Involuntary Movement Scale AIMS0111 through AIMS0112 Standardized Character Result 0
C182705	1	AIMS0111 through AIMS0112-1	Abnormal Involuntary Movement Scale standardized character result for AIMS0111 through AIMS0112-Yes.	Abnormal Involuntary Movement Scale AIMS0111 through AIMS0112 Standardized Character Result 1

C102034	AIMS0101	AIMS01-Muscles of Facial Expression	Abnormal Involuntary Movement Scale - Facial and Oral Movements, Muscles of facial expression, e.g., movements of forehead, eyebrows, periorbital area, cheeks. Include frowning, blinking, grimacing of upper face.	AIMS - Muscles of Facial Expression
C102035	AIMS0102	AIMS01-Lips and Perioral Area	Abnormal Involuntary Movement Scale - Facial and Oral Movements, Lips and perioral area, e.g., puckering, pouting, smacking.	AIMS - Lips and Perioral Area
C102036	AIMS0103	AIMS01-Jaw	Abnormal Involuntary Movement Scale - Facial and Oral Movements, Jaw, e.g., biting, clenching, chewing, mouth opening, lateral movement.	AIMS - Jaw
C102037	AIMS0104	AIMS01-Tongue	Abnormal Involuntary Movement Scale - Facial and Oral Movements, Tongue. Rate only increase in movement both in and out of mouth, not inability to sustain movement.	AIMS - Tongue
C102038	AIMS0105	AIMS01-Upper Extremities	Abnormal Involuntary Movement Scale - Extremity Movements, Upper (arms, wrists, hands, fingers). Include movements that are choreic (rapid, objectively purposeless, irregular, spontaneous) or athetoid (slow, irregular, complex, serpentine). Do not include tremor (repetitive, regular, rhythmic movements).	AIMS - Upper Extremities
C102039	AIMS0106	AIMS01-Lower Extremities	Abnormal Involuntary Movement Scale - Extremity Movements, Lower (legs, knees, ankles, toes), e.g., lateral knee movement, foot tapping, heel dropping, foot squirming, inversion and eversion of foot.	AIMS - Lower Extremities
C102040	AIMS0107	AIMS01-Neck, Shoulders, Hips	Abnormal Involuntary Movement Scale - Trunk Movements, Neck, shoulders, hips, e.g., rocking, twisting, squirming, pelvic gyrations. Include diaphragmatic movements.	AIMS - Neck, Shoulders, Hips
C102041	AIMS0108	AIMS01-Severity of Abnormal Movements	Abnormal Involuntary Movement Scale - Global Judgments, Severity of abnormal movements, based on the highest single score on the above items.	AIMS - Severity of Abnormal Movements
C102042	AIMS0109	AIMS01-Incapacitation due Abn Movements	Abnormal Involuntary Movement Scale - Global Judgments, Incapacitation due to abnormal movements.	AIMS - Incapacitation Due to Abnormal Movements
C102043	AIMS0110	AIMS01-Patient Awareness Abn Movements	Abnormal Involuntary Movement Scale - Global Judgments, Patient's awareness of abnormal movements.	AIMS - Patient's Awareness of Abnormal Movements
C102044	AIMS0111	AIMS01-Current Problems Teeth/Dentures	Abnormal Involuntary Movement Scale - Dental Status, Current problems with teeth and/or dentures.	AIMS - Current Teeth/Dentures Problems
C102045	AIMS0112	AIMS01-Patient Usually Wear Dentures	Abnormal Involuntary Movement Scale - Dental Status, Does patient usually wear dentures?	AIMS - Patient Usually Wears Dentures

C102044	AIMS01-Current Problems Teeth/Dentures	AIMS01-Current Problems Teeth/Dentures	Abnormal Involuntary Movement Scale - Dental Status, Current problems with teeth and/or dentures.	AIMS - Current Teeth/Dentures Problems
C102042	AIMS01-Incapacitation due Abn Movements	AIMS01-Incapacitation due Abn Movements	Abnormal Involuntary Movement Scale - Global Judgments, Incapacitation due to abnormal movements.	AIMS - Incapacitation Due to Abnormal Movements
C102036	AIMS01-Jaw	AIMS01-Jaw	Abnormal Involuntary Movement Scale - Facial and Oral Movements, Jaw, e.g., biting, clenching, chewing, mouth opening, lateral movement.	AIMS - Jaw
C102035	AIMS01-Lips and Perioral Area	AIMS01-Lips and Perioral Area	Abnormal Involuntary Movement Scale - Facial and Oral Movements, Lips and perioral area, e.g., puckering, pouting, smacking.	AIMS - Lips and Perioral Area
C102039	AIMS01-Lower Extremities	AIMS01-Lower Extremities	Abnormal Involuntary Movement Scale - Extremity Movements, Lower (legs, knees, ankles, toes), e.g., lateral knee movement, foot tapping, heel dropping, foot squirming, inversion and eversion of foot.	AIMS - Lower Extremities
C102034	AIMS01-Muscles of Facial Expression	AIMS01-Muscles of Facial Expression	Abnormal Involuntary Movement Scale - Facial and Oral Movements, Muscles of facial expression, e.g., movements of forehead, eyebrows, periorbital area, cheeks. Include frowning, blinking, grimacing of upper face.	AIMS - Muscles of Facial Expression
C102040	AIMS01-Neck, Shoulders, Hips	AIMS01-Neck, Shoulders, Hips	Abnormal Involuntary Movement Scale - Trunk Movements, Neck, shoulders, hips, e.g., rocking, twisting, squirming, pelvic gyrations. Include diaphragmatic movements.	AIMS - Neck, Shoulders, Hips
C102043	AIMS01-Patient Awareness Abn Movements	AIMS01-Patient Awareness Abn Movements	Abnormal Involuntary Movement Scale - Global Judgments, Patient's awareness of abnormal movements.	AIMS - Patient's Awareness of Abnormal Movements
C102045	AIMS01-Patient Usually Wear Dentures	AIMS01-Patient Usually Wear Dentures	Abnormal Involuntary Movement Scale - Dental Status, Does patient usually wear dentures?	AIMS - Patient Usually Wears Dentures
C102041	AIMS01-Severity of Abnormal Movements	AIMS01-Severity of Abnormal Movements	Abnormal Involuntary Movement Scale - Global Judgments, Severity of abnormal movements, based on the highest single score on the above items.	AIMS - Severity of Abnormal Movements
C102037	AIMS01-Tongue	AIMS01-Tongue	Abnormal Involuntary Movement Scale - Facial and Oral Movements, Tongue. Rate only increase in movement both in and out of mouth, not inability to sustain movement.	AIMS - Tongue
C102038	AIMS01-Upper Extremities	AIMS01-Upper Extremities	Abnormal Involuntary Movement Scale - Extremity Movements, Upper (arms, wrists, hands, fingers). Include movements that are choreic (rapid, objectively purposeless, irregular, spontaneous) or athetoid (slow, irregular, complex, serpentine). Do not include tremor (repetitive, regular, rhythmic movements).	AIMS - Upper Extremities

C141696	AJCC101	AJCC1-Primary Tumor (T)	AJCC TNM Staging System 7th Edition - Primary tumor (T).	AJCC v7 - Primary Tumor (T)
C141697	AJCC102	AJCC1-Regional Lymph Nodes (N)	AJCC TNM Staging System 7th Edition - Regional lymph nodes (N).	AJCC v7 - Regional Lymph Nodes (N)
C141698	AJCC103	AJCC1-Distant Metastasis (M)	AJCC TNM Staging System 7th Edition - Distant metastasis (M).	AJCC v7 - Distant Metastasis (M)
C141699	AJCC104	AJCC1-Anatomic Stage	AJCC TNM Staging System 7th Edition - Anatomic stage.	AJCC v7 - Anatomic Stage
C176205	AJCC105	AJCC1-Residual Tumor (R)	AJCC TNM Staging System 7th Edition - Residual tumor (R).	AJCC v7 - Residual Tumor (R)

C141699	AJCC1-Anatomic Stage	AJCC1-Anatomic Stage	AJCC TNM Staging System 7th Edition - Anatomic stage.	AJCC v7 - Anatomic Stage
C141698	AJCC1-Distant Metastasis (M)	AJCC1-Distant Metastasis (M)	AJCC TNM Staging System 7th Edition - Distant metastasis (M).	AJCC v7 - Distant Metastasis (M)
C141696	AJCC1-Primary Tumor (T)	AJCC1-Primary Tumor (T)	AJCC TNM Staging System 7th Edition - Primary tumor (T).	AJCC v7 - Primary Tumor (T)
C141697	AJCC1-Regional Lymph Nodes (N)	AJCC1-Regional Lymph Nodes (N)	AJCC TNM Staging System 7th Edition - Regional lymph nodes (N).	AJCC v7 - Regional Lymph Nodes (N)
C176205	AJCC1-Residual Tumor (R)	AJCC1-Residual Tumor (R)	AJCC TNM Staging System 7th Edition - Residual tumor (R).	AJCC v7 - Residual Tumor (R)

C163825	ANS0101	ANS01-Rate Breathing at Its Worst	Asthma Nighttime Symptom Diary v1.0 - Please rate your difficulty breathing at its worst since you went to bed last night.	ANS01 Version 1.0 - Rate Breathing at Its Worst
C163826	ANS0102	ANS01-Rate Wheezing at Its Worst	Asthma Nighttime Symptom Diary v1.0 - Please rate your wheezing at its worst since you went to bed last night.	ANS01 Version 1.0 - Rate Wheezing at Its Worst
C163827	ANS0103	ANS01-Rate Shortness of Breath at Worst	Asthma Nighttime Symptom Diary v1.0 - Please rate your shortness of breath at its worst since you went to bed last night.	ANS01 Version 1.0 - Rate Shortness of Breath at Worst
C163828	ANS0104	ANS01-Rate Chest Tightness at Its Worst	Asthma Nighttime Symptom Diary v1.0 - Please rate your chest tightness at its worst since you went to bed last night.	ANS01 Version 1.0 - Rate Chest Tightness at Its Worst
C163829	ANS0105	ANS01-Rate Chest Pain at Its Worst	Asthma Nighttime Symptom Diary v1.0 - Please rate your chest pain at its worst since you went to bed last night.	ANS01 Version 1.0 - Rate Chest Pain at Its Worst
C163830	ANS0106	ANS01-Rate Cough at Its Worst	Asthma Nighttime Symptom Diary v1.0 - Please rate your cough at its worst since you went to bed last night.	ANS01 Version 1.0 - Rate Cough at Its Worst
C163831	ANS0107	ANS01-Total Score	Asthma Nighttime Symptom Diary v1.0 - Total score.	ANS01 Version 1.0 - Total Score

C163825	ANSO01-Rate Breathing at Its Worst	ANSO01-Rate Breathing at Its Worst	Asthma Nighttime Symptom Diary v1.0 - Please rate your difficulty breathing at its worst since you went to bed last night.	ANSO Version 1.0 - Rate Breathing at Its Worst
C163829	ANSO01-Rate Chest Pain at Its Worst	ANSO01-Rate Chest Pain at Its Worst	Asthma Nighttime Symptom Diary v1.0 - Please rate your chest pain at its worst since you went to bed last night.	ANSO Version 1.0 - Rate Chest Pain at Its Worst
C163828	ANSO01-Rate Chest Tightness at Its Worst	ANSO01-Rate Chest Tightness at Its Worst	Asthma Nighttime Symptom Diary v1.0 - Please rate your chest tightness at its worst since you went to bed last night.	ANSO Version 1.0 - Rate Chest Tightness at Its Worst
C163830	ANSO01-Rate Cough at Its Worst	ANSO01-Rate Cough at Its Worst	Asthma Nighttime Symptom Diary v1.0 - Please rate your cough at its worst since you went to bed last night.	ANSO Version 1.0 - Rate Cough at Its Worst
C163827	ANSO01-Rate Shortness of Breath at Worst	ANSO01-Rate Shortness of Breath at Worst	Asthma Nighttime Symptom Diary v1.0 - Please rate your shortness of breath at its worst since you went to bed last night.	ANSO Version 1.0 - Rate Shortness of Breath at Worst
C163826	ANSO01-Rate Wheezing at Its Worst	ANSO01-Rate Wheezing at Its Worst	Asthma Nighttime Symptom Diary v1.0 - Please rate your wheezing at its worst since you went to bed last night.	ANSO Version 1.0 - Rate Wheezing at Its Worst
C163831	ANSO01-Total Score	ANSO01-Total Score	Asthma Nighttime Symptom Diary v1.0 - Total score.	ANSO Version 1.0 - Total Score

C182888	30-31.9	APCH101-30-31.9	Acute Physiology and Chronic Health Evaluation II original result for APCH101-30-31.9.	Acute Physiology and Chronic Health Evaluation II APCH101 Original Result - 30-31.9
C182887	32-33.9	APCH101-32-33.9	Acute Physiology and Chronic Health Evaluation II original result for APCH101-32-33.9.	Acute Physiology and Chronic Health Evaluation II APCH101 Original Result - 32-33.9
C182886	34-35.9	APCH101-34-35.9	Acute Physiology and Chronic Health Evaluation II original result for APCH101-34-35.9.	Acute Physiology and Chronic Health Evaluation II APCH101 Original Result - 34-35.9
C182885	36-38.4	APCH101-36-38.4	Acute Physiology and Chronic Health Evaluation II original result for APCH101-36-38.4.	Acute Physiology and Chronic Health Evaluation II APCH101 Original Result - 36-38.4
C182884	38.5-38.9	APCH101-38.5-38.9	Acute Physiology and Chronic Health Evaluation II original result for APCH101-38.5-38.9.	Acute Physiology and Chronic Health Evaluation II APCH101 Original Result - 38.5-38.9
C182883	39-40.9	APCH101-39-40.9	Acute Physiology and Chronic Health Evaluation II original result for APCH101-39-40.9.	Acute Physiology and Chronic Health Evaluation II APCH101 Original Result - 39-40.9
C182889	<=29.9	APCH101-<=29.9	Acute Physiology and Chronic Health Evaluation II original result for APCH101-Less than or equal to 29.9.	Acute Physiology and Chronic Health Evaluation II APCH101 Original Result - <=29.9
C182882	>=41	APCH101->=41	Acute Physiology and Chronic Health Evaluation II original result for APCH101-Greater than or equal to 41.	Acute Physiology and Chronic Health Evaluation II APCH101 Original Result - >=41

C182894	0	APCH101-0	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH101-36-38.4.	Acute Physiology and Chronic Health Evaluation II APCH101 Standardized Character Result 0
C182893	1	APCH101-1	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH101-38.5-38.9; 34-35.9.	Acute Physiology and Chronic Health Evaluation II APCH101 Standardized Character Result 1
C182892	2	APCH101-2	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH101-32-33.9.	Acute Physiology and Chronic Health Evaluation II APCH101 Standardized Character Result 2
C182891	3	APCH101-3	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH101-39-40.9; 30-31.9.	Acute Physiology and Chronic Health Evaluation II APCH101 Standardized Character Result 3
C182890	4	APCH101-4	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH101-Greater than or equal to 41; Less than or equal to 29.9.	Acute Physiology and Chronic Health Evaluation II APCH101 Standardized Character Result 4

C182897	110-129	APCH102-110-129	Acute Physiology and Chronic Health Evaluation II original result for APCH102-110-129.	Acute Physiology and Chronic Health Evaluation II APCH102 Original Result - 110-129
C182896	130-159	APCH102-130-159	Acute Physiology and Chronic Health Evaluation II original result for APCH102-130-159.	Acute Physiology and Chronic Health Evaluation II APCH102 Original Result - 130-159
C182899	50-69	APCH102-50-69	Acute Physiology and Chronic Health Evaluation II original result for APCH102-50-69.	Acute Physiology and Chronic Health Evaluation II APCH102 Original Result - 50-69
C182898	70-109	APCH102-70-109	Acute Physiology and Chronic Health Evaluation II original result for APCH102-70-109.	Acute Physiology and Chronic Health Evaluation II APCH102 Original Result - 70-109
C182900	<=49	APCH102-<=49	Acute Physiology and Chronic Health Evaluation II original result for APCH102-Less than or equal to 49.	Acute Physiology and Chronic Health Evaluation II APCH102 Original Result - <=49
C182895	>=160	APCH102->=160	Acute Physiology and Chronic Health Evaluation II original result for APCH102-Greater than or equal to 160.	Acute Physiology and Chronic Health Evaluation II APCH102 Original Result - >=160

C182904	0	APCH102-0	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH102-70-109.	Acute Physiology and Chronic Health Evaluation II APCH102 Standardized Character Result 0
C182903	2	APCH102-2	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH102-110-129; 50-69.	Acute Physiology and Chronic Health Evaluation II APCH102 Standardized Character Result 2
C182902	3	APCH102-3	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH102-130-159.	Acute Physiology and Chronic Health Evaluation II APCH102 Standardized Character Result 3
C182901	4	APCH102-4	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH102-Greater than or equal to 160; less than or equal to 49.	Acute Physiology and Chronic Health Evaluation II APCH102 Standardized Character Result 4

C182907	110-139	APCH103-110-139	Acute Physiology and Chronic Health Evaluation II original result for APCH103-110-139.	Acute Physiology and Chronic Health Evaluation II APCH103 Original Result - 110-139
C182906	140-179	APCH103-140-179	Acute Physiology and Chronic Health Evaluation II original result for APCH103-140-179.	Acute Physiology and Chronic Health Evaluation II APCH103 Original Result - 140-179
C182910	40-54	APCH103-40-54	Acute Physiology and Chronic Health Evaluation II original result for APCH103-40-54.	Acute Physiology and Chronic Health Evaluation II APCH103 Original Result - 40-54
C182909	55-69	APCH103-55-69	Acute Physiology and Chronic Health Evaluation II original result for APCH103-55-69.	Acute Physiology and Chronic Health Evaluation II APCH103 Original Result - 55-69
C182908	70-109	APCH103-70-109	Acute Physiology and Chronic Health Evaluation II original result for APCH103-70-109.	Acute Physiology and Chronic Health Evaluation II APCH103 Original Result - 70-109
C182911	<=39	APCH103-<=39	Acute Physiology and Chronic Health Evaluation II original result for APCH103-Less than or equal to 39.	Acute Physiology and Chronic Health Evaluation II APCH103 Original Result - <=39
C182905	>=180	APCH103->=180	Acute Physiology and Chronic Health Evaluation II original result for APCH103-Greater than or equal to 180.	Acute Physiology and Chronic Health Evaluation II APCH103 Original Result - >=180

C182915	0	APCH103-0	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH103-70-109.	Acute Physiology and Chronic Health Evaluation II APCH103 Standardized Character Result 0
C182914	2	APCH103-2	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH103-110-139; 55-69.	Acute Physiology and Chronic Health Evaluation II APCH103 Standardized Character Result 2
C182913	3	APCH103-3	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH103-140-179; 40-54.	Acute Physiology and Chronic Health Evaluation II APCH103 Standardized Character Result 3
C182912	4	APCH103-4	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH103-Greater than or equal to 180; Less than or equal 39.	Acute Physiology and Chronic Health Evaluation II APCH103 Standardized Character Result 4

C182920	10-11	APCH104-10-11	Acute Physiology and Chronic Health Evaluation II original result for APCH104-10-11.	Acute Physiology and Chronic Health Evaluation II APCH104 Original Result - 10-11
C182919	12-24	APCH104-12-24	Acute Physiology and Chronic Health Evaluation II original result for APCH104-12-24.	Acute Physiology and Chronic Health Evaluation II APCH104 Original Result - 12-24
C182918	25-34	APCH104-25-34	Acute Physiology and Chronic Health Evaluation II original result for APCH104-25-34.	Acute Physiology and Chronic Health Evaluation II APCH104 Original Result - 25-34
C182917	35-49	APCH104-35-49	Acute Physiology and Chronic Health Evaluation II original result for APCH104-35-49.	Acute Physiology and Chronic Health Evaluation II APCH104 Original Result - 35-49
C182921	6-9	APCH104-6-9	Acute Physiology and Chronic Health Evaluation II original result for APCH104-6-9.	Acute Physiology and Chronic Health Evaluation II APCH104 Original Result - 6-9
C182922	<=5	APCH104-<=5	Acute Physiology and Chronic Health Evaluation II original result for APCH104-Less than or equal to 5.	Acute Physiology and Chronic Health Evaluation II APCH104 Original Result - <=5
C182916	>=50	APCH104->=50	Acute Physiology and Chronic Health Evaluation II original result for APCH104-Greater than or equal to 50.	Acute Physiology and Chronic Health Evaluation II APCH104 Original Result - >=50

C182927	0	APCH104-0	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH104-12-24.	Acute Physiology and Chronic Health Evaluation II APCH104 Standardized Character Result 0
C182926	1	APCH104-1	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH104-25-34; 10-11.	Acute Physiology and Chronic Health Evaluation II APCH104 Standardized Character Result 1
C182925	2	APCH104-2	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH104-6-9.	Acute Physiology and Chronic Health Evaluation II APCH104 Standardized Character Result 2
C182924	3	APCH104-3	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH104-35-49.	Acute Physiology and Chronic Health Evaluation II APCH104 Standardized Character Result 3
C182923	4	APCH104-4	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH104-Greater than or equal to 50; Less than or equal to 5.	Acute Physiology and Chronic Health Evaluation II APCH104 Standardized Character Result 4

C182930	200-349	APCH105A-200-349	Acute Physiology and Chronic Health Evaluation II original result for APCH105A-200-349.	Acute Physiology and Chronic Health Evaluation II APCH105A Original Result - 200-349
C182929	350-499	APCH105A-350-499	Acute Physiology and Chronic Health Evaluation II original result for APCH105A-350-499.	Acute Physiology and Chronic Health Evaluation II APCH105A Original Result - 350-499
C182931	<200	APCH105A-<200	Acute Physiology and Chronic Health Evaluation II original result for APCH105A-Less than 200.	Acute Physiology and Chronic Health Evaluation II APCH105A Original Result - <200
C182928	>=500	APCH105A->=500	Acute Physiology and Chronic Health Evaluation II original result for APCH105A-Greater than or equal to 500.	Acute Physiology and Chronic Health Evaluation II APCH105A Original Result - >=500

C182935	0	APCH105A-0	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH105A-Less than 200.	Acute Physiology and Chronic Health Evaluation II APCH105A Standardized Character Result 0
C182934	2	APCH105A-2	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH105A-200-349.	Acute Physiology and Chronic Health Evaluation II APCH105A Standardized Character Result 2
C182933	3	APCH105A-3	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH105A-350-499.	Acute Physiology and Chronic Health Evaluation II APCH105A Standardized Character Result 3
C182932	4	APCH105A-4	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH105A-Greater than or equal to 500.	Acute Physiology and Chronic Health Evaluation II APCH105A Standardized Character Result 4

C182938	55-60	APCH105B-55-60	Acute Physiology and Chronic Health Evaluation II original result for APCH105B-55-60.	Acute Physiology and Chronic Health Evaluation II APCH105B Original Result - 55-60
C182937	61-70	APCH105B-61-70	Acute Physiology and Chronic Health Evaluation II original result for APCH105B-61-70.	Acute Physiology and Chronic Health Evaluation II APCH105B Original Result - 61-70
C182939	<55	APCH105B-<55	Acute Physiology and Chronic Health Evaluation II original result for APCH105B-Less than 55.	Acute Physiology and Chronic Health Evaluation II APCH105B Original Result - <55
C182936	>70	APCH105B->70	Acute Physiology and Chronic Health Evaluation II original result for APCH105B-Greater than 70.	Acute Physiology and Chronic Health Evaluation II APCH105B Original Result - >70

C182940	0	APCH105B-0	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH105B-Greater than 70.	Acute Physiology and Chronic Health Evaluation II APCH105B Standardized Character Result 0
C182941	1	APCH105B-1	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH105B-61-70.	Acute Physiology and Chronic Health Evaluation II APCH105B Standardized Character Result 1
C182942	3	APCH105B-3	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH105B-55-60.	Acute Physiology and Chronic Health Evaluation II APCH105B Standardized Character Result 3
C182943	4	APCH105B-4	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH105B-Less than 55.	Acute Physiology and Chronic Health Evaluation II APCH105B Standardized Character Result 4

C182949	7.15-7.24	APCH106A-7.15-7.24	Acute Physiology and Chronic Health Evaluation II original result for APCH106A-7.15-7.24.	Acute Physiology and Chronic Health Evaluation II APCH106A Original Result - 7.15-7.24
C182948	7.25-7.32	APCH106A-7.25-7.32	Acute Physiology and Chronic Health Evaluation II original result for APCH106A-7.25-7.32.	Acute Physiology and Chronic Health Evaluation II APCH106A Original Result - 7.25-7.32
C182947	7.33-7.49	APCH106A-7.33-7.49	Acute Physiology and Chronic Health Evaluation II original result for APCH106A-7.33-7.49.	Acute Physiology and Chronic Health Evaluation II APCH106A Original Result - 7.33-7.49
C182946	7.5-7.59	APCH106A-7.5-7.59	Acute Physiology and Chronic Health Evaluation II original result for APCH106A-7.5-7.59.	Acute Physiology and Chronic Health Evaluation II APCH106A Original Result - 7.5-7.59
C182945	7.6-7.69	APCH106A-7.6-7.69	Acute Physiology and Chronic Health Evaluation II original result for APCH106A-7.6-7.69.	Acute Physiology and Chronic Health Evaluation II APCH106A Original Result - 7.6-7.69
C182950	<7.15	APCH106A-<7.15	Acute Physiology and Chronic Health Evaluation II original result for APCH106A-Less than 7.15.	Acute Physiology and Chronic Health Evaluation II APCH106A Original Result - <7.15
C182944	>=7.7	APCH106A->=7.7	Acute Physiology and Chronic Health Evaluation II original result for APCH106A-Greater than or equal to 7.7.	Acute Physiology and Chronic Health Evaluation II APCH106A Original Result - >=7.7

C182955	0	APCH106A-0	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH106A-7.33-7.49.	Acute Physiology and Chronic Health Evaluation II APCH106A Standardized Character Result 0
C182954	1	APCH106A-1	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH106A-7.5-7.59.	Acute Physiology and Chronic Health Evaluation II APCH106A Standardized Character Result 1
C182953	2	APCH106A2	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH106A-7.25-7.32.	Acute Physiology and Chronic Health Evaluation II APCH106A Standardized Character Result 2
C182952	3	APCH106A-3	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH106A-7.6-7.69; 7.15-7.24.	Acute Physiology and Chronic Health Evaluation II APCH106A Standardized Character Result 3
C182951	4	APCH106A-4	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH106A-Greater than or equal to 7.7; Less than 7.15.	Acute Physiology and Chronic Health Evaluation II APCH106A Standardized Character Result 4

C182961	15-17.9	APCH106B-15-17.9	Acute Physiology and Chronic Health Evaluation II original result for APCH106B-15-17.9.	Acute Physiology and Chronic Health Evaluation II APCH106B Original Result - 15-17.9
C182960	18-21.9	APCH106B-18-21.9	Acute Physiology and Chronic Health Evaluation II original result for APCH106B-18-21.9.	Acute Physiology and Chronic Health Evaluation II APCH106B Original Result - 18-21.9
C182959	22-31.9	APCH106B-22-31.9	Acute Physiology and Chronic Health Evaluation II original result for APCH106B-22-31.9.	Acute Physiology and Chronic Health Evaluation II APCH106B Original Result - 22-31.9
C182958	32-40.9	APCH106B-32-40.9	Acute Physiology and Chronic Health Evaluation II original result for APCH106B-32-40.9.	Acute Physiology and Chronic Health Evaluation II APCH106B Original Result - 32-40.9
C182957	41-51.9	APCH106B-41-51.9	Acute Physiology and Chronic Health Evaluation II original result for APCH106B-41-51.9.	Acute Physiology and Chronic Health Evaluation II APCH106B Original Result - 41-51.9
C182962	<15	APCH106B-<15	Acute Physiology and Chronic Health Evaluation II original result for APCH106B-Less than 15.	Acute Physiology and Chronic Health Evaluation II APCH106B Original Result - <15
C182956	>=52	APCH106B->=52	Acute Physiology and Chronic Health Evaluation II original result for APCH106B-Greater than or equal to 52.	Acute Physiology and Chronic Health Evaluation II APCH106B Original Result - >=52

C182967	0	APCH106B-0	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH106B-22-31.9.	Acute Physiology and Chronic Health Evaluation II APCH106B Standardized Character Result 0
C182966	1	APCH106B-1	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH106B-32-40.9.	Acute Physiology and Chronic Health Evaluation II APCH106B Standardized Character Result 1
C182965	2	APCH106B-2	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH106B-18-21.9.	Acute Physiology and Chronic Health Evaluation II APCH106B Standardized Character Result 2
C182964	3	APCH106B-3	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH106B-41-51.9; 15-17.9.	Acute Physiology and Chronic Health Evaluation II APCH106B Standardized Character Result 3
C182963	4	APCH106B-4	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH106B-Greater than or equal to 52; Less than 15.	Acute Physiology and Chronic Health Evaluation II APCH106B Standardized Character Result 4

C182974	111-119	APCH107-111-119	Acute Physiology and Chronic Health Evaluation II original result for APCH107-111-119.	Acute Physiology and Chronic Health Evaluation II APCH107 Original Result - 111-119
C182973	120-129	APCH107-120-129	Acute Physiology and Chronic Health Evaluation II original result for APCH107-120-129.	Acute Physiology and Chronic Health Evaluation II APCH107 Original Result - 120-129
C182972	130-149	APCH107-130-149	Acute Physiology and Chronic Health Evaluation II original result for APCH107-130-149.	Acute Physiology and Chronic Health Evaluation II APCH107 Original Result - 130-149
C182971	150-154	APCH107-150-154	Acute Physiology and Chronic Health Evaluation II original result for APCH107-150-154.	Acute Physiology and Chronic Health Evaluation II APCH107 Original Result - 150-154
C182970	155-159	APCH107-155-159	Acute Physiology and Chronic Health Evaluation II original result for APCH107-155-159.	Acute Physiology and Chronic Health Evaluation II APCH107 Original Result - 155-159
C182969	160-179	APCH107-160-179	Acute Physiology and Chronic Health Evaluation II original result for APCH107-160-179.	Acute Physiology and Chronic Health Evaluation II APCH107 Original Result - 160-179
C182975	<=110	APCH107-<=110	Acute Physiology and Chronic Health Evaluation II original result for APCH107-Less than or equal to 110.	Acute Physiology and Chronic Health Evaluation II APCH107 Original Result - <=110
C182968	>=180	APCH107->=180	Acute Physiology and Chronic Health Evaluation II original result for APCH107-Greater than or equal to 180.	Acute Physiology and Chronic Health Evaluation II APCH107 Original Result - >=180

C182980	0	APCH107-0	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH107-130-149.	Acute Physiology and Chronic Health Evaluation II APCH107 Standardized Character Result 0
C182979	1	APCH107-1	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH107-150-154.	Acute Physiology and Chronic Health Evaluation II APCH107 Standardized Character Result 1
C182978	2	APCH107-2	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH107-155-159; 120-129.	Acute Physiology and Chronic Health Evaluation II APCH107 Standardized Character Result 2
C182977	3	APCH107-3	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH107-160-179; 111-119.	Acute Physiology and Chronic Health Evaluation II APCH107 Standardized Character Result 3
C182976	4	APCH107-4	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH107-Greater than or equal to 180; Less than or equal to 110.	Acute Physiology and Chronic Health Evaluation II APCH107 Standardized Character Result 4

C182986	2.5-2.9	APCH108-2.5-2.9	Acute Physiology and Chronic Health Evaluation II original result for APCH108-2.5-2.9.	Acute Physiology and Chronic Health Evaluation II APCH108 Original Result - 2.5-2.9
C182985	3-3.4	APCH108-3-3.4	Acute Physiology and Chronic Health Evaluation II original result for APCH108-3-3.4.	Acute Physiology and Chronic Health Evaluation II APCH108 Original Result - 3-3.4
C182984	3.5-5.4	APCH108-3.5-5.4	Acute Physiology and Chronic Health Evaluation II original result for APCH108-3.5-5.4.	Acute Physiology and Chronic Health Evaluation II APCH108 Original Result - 3.5-5.4
C182983	5.5-5.9	APCH108-5.5-5.9	Acute Physiology and Chronic Health Evaluation II original result for APCH108-5.5-5.9.	Acute Physiology and Chronic Health Evaluation II APCH108 Original Result - 5.5-5.9
C182982	6-6.9	APCH108-6-6.9	Acute Physiology and Chronic Health Evaluation II original result for APCH108-6-6.9.	Acute Physiology and Chronic Health Evaluation II APCH108 Original Result - 6-6.9
C182987	<2.5	APCH108-<2.5	Acute Physiology and Chronic Health Evaluation II original result for APCH108-Less than 2.5.	Acute Physiology and Chronic Health Evaluation II APCH108 Original Result - <2.5
C182981	>=7	APCH108->=7	Acute Physiology and Chronic Health Evaluation II original result for APCH108-Greater than or equal to 7.	Acute Physiology and Chronic Health Evaluation II APCH108 Original Result - >=7

C182992	0	APCH108-0	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH108-3.5-5.4.	Acute Physiology and Chronic Health Evaluation II APCH108 Standardized Character Result 0
C182991	1	APCH108-1	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH108-5.5-5.9; 3-3.4.	Acute Physiology and Chronic Health Evaluation II APCH108 Standardized Character Result 1
C182990	2	APCH108-2	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH108-2.5-2.9.	Acute Physiology and Chronic Health Evaluation II APCH108 Standardized Character Result 2
C182989	3	APCH108-3	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH108-6-6.9.	Acute Physiology and Chronic Health Evaluation II APCH108 Standardized Character Result 3
C182988	4	APCH108-4	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH108-Greater than or equal to 7; Less than 2.5.	Acute Physiology and Chronic Health Evaluation II APCH108 Standardized Character Result 4

C182999	0.6-1.4	APCH109-0.6-1.4	Acute Physiology and Chronic Health Evaluation II original result for APCH109-0.6-1.4.	Acute Physiology and Chronic Health Evaluation II APCH109 Original Result - 0.6-1.4
C182995	1.5-1.9 and acute renal failure	APCH109-1.5-1.9 and acute renal failure	Acute Physiology and Chronic Health Evaluation II original result for APCH109-1.5-1.9 and acute renal failure.	Acute Physiology and Chronic Health Evaluation II APCH109 Original Result - 1.5-1.9 and acute renal failure
C182998	1.5-1.9	APCH109-1.5-1.9	Acute Physiology and Chronic Health Evaluation II original result for APCH109-1.5-1.9.	Acute Physiology and Chronic Health Evaluation II APCH109 Original Result - 1.5-1.9
C182994	2-3.4 and acute renal failure	APCH109-2-3.4 and acute renal failure	Acute Physiology and Chronic Health Evaluation II original result for APCH109-2-3.4 and acute renal failure.	Acute Physiology and Chronic Health Evaluation II APCH109 Original Result - 2-3.4 and acute renal failure
C182997	2-3.4	APCH109-2-3.4	Acute Physiology and Chronic Health Evaluation II original result for APCH109-2-3.4.	Acute Physiology and Chronic Health Evaluation II APCH109 Original Result - 2-3.4
C183000	<0.6	APCH109-<0.6	Acute Physiology and Chronic Health Evaluation II original result for APCH109-Less than 0.6.	Acute Physiology and Chronic Health Evaluation II APCH109 Original Result - <0.6
C182993	>=3.5 and acute renal failure	APCH109->=3.5 and acute renal failure	Acute Physiology and Chronic Health Evaluation II original result for APCH109-Greater than or equal to 3.5 and acute renal failure.	Acute Physiology and Chronic Health Evaluation II APCH109 Original Result - >=3.5 and acute renal failure
C182996	>=3.5	APCH109->=3.5	Acute Physiology and Chronic Health Evaluation II original result for APCH109-Greater than or equal to 3.5.	Acute Physiology and Chronic Health Evaluation II APCH109 Original Result - >=3.5

C183006	0	APCH109-0	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH109-0.6-1.4.	Acute Physiology and Chronic Health Evaluation II APCH109 Standardized Character Result 0
C183005	2	APCH109-2	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH109-1.5-1.9; Less than 0.6.	Acute Physiology and Chronic Health Evaluation II APCH109 Standardized Character Result 2
C183004	3	APCH109-3	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH109-2-3.4.	Acute Physiology and Chronic Health Evaluation II APCH109 Standardized Character Result 3
C183003	4	APCH109-4	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH109-1.5-1.9 and acute renal failure; Greater than or equal to 3.5.	Acute Physiology and Chronic Health Evaluation II APCH109 Standardized Character Result 4
C183002	6	APCH109-6	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH109-2-3.4 and acute renal failure.	Acute Physiology and Chronic Health Evaluation II APCH109 Standardized Character Result 6
C183001	8	APCH109-8	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH109-Greater than or equal to 3.5 and acute renal failure.	Acute Physiology and Chronic Health Evaluation II APCH109 Standardized Character Result 8

C183011	20-29.9	APCH110-20-29.9	Acute Physiology and Chronic Health Evaluation II original result for APCH110-20-29.9.	Acute Physiology and Chronic Health Evaluation II APCH110 Original Result - 20-29.9
C183010	30-45.9	APCH110-30-45.9	Acute Physiology and Chronic Health Evaluation II original result for APCH110-30-45.9.	Acute Physiology and Chronic Health Evaluation II APCH110 Original Result - 30-45.9
C183009	46-49.9	APCH110-46-49.9	Acute Physiology and Chronic Health Evaluation II original result for APCH110-46-49.9.	Acute Physiology and Chronic Health Evaluation II APCH110 Original Result - 46-49.9
C183008	50-59.9	APCH110-50-59.9	Acute Physiology and Chronic Health Evaluation II original result for APCH110-50-59.9.	Acute Physiology and Chronic Health Evaluation II APCH110 Original Result - 50-59.9
C183012	<20	APCH110-<20	Acute Physiology and Chronic Health Evaluation II original result for APCH110-Less than 20.	Acute Physiology and Chronic Health Evaluation II APCH110 Original Result - <20
C183007	>=60	APCH110->=60	Acute Physiology and Chronic Health Evaluation II original result for APCH110-Greater than or equal to 60.	Acute Physiology and Chronic Health Evaluation II APCH110 Original Result - >=60

C183016	0	APCH110-0	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH110-30-45.9.	Acute Physiology and Chronic Health Evaluation II APCH110 Standardized Character Result 0
C183015	1	APCH110-1	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH110-46-49.9.	Acute Physiology and Chronic Health Evaluation II APCH110 Standardized Character Result 1
C183014	2	APCH110-2	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH110-50-59.9; 20-29.9.	Acute Physiology and Chronic Health Evaluation II APCH110 Standardized Character Result 2
C183013	4	APCH110-4	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH110-Greater than or equal to 60; Less than 20.	Acute Physiology and Chronic Health Evaluation II APCH110 Standardized Character Result 4

C183021	1-2.9	APCH111-1-2.9	Acute Physiology and Chronic Health Evaluation II original result for APCH111-1-2.9.	Acute Physiology and Chronic Health Evaluation II APCH111 Original Result - 1-2.9
C183019	15-19.9	APCH111-15-19.9	Acute Physiology and Chronic Health Evaluation II original result for APCH111-15-19.9.	Acute Physiology and Chronic Health Evaluation II APCH111 Original Result - 15-19.9
C183018	20-39.9	APCH111-20-39.9	Acute Physiology and Chronic Health Evaluation II original result for APCH111-20-39.9.	Acute Physiology and Chronic Health Evaluation II APCH111 Original Result - 20-39.9
C183020	3-14.9	APCH111-3-14.9	Acute Physiology and Chronic Health Evaluation II original result for APCH111-3-14.9.	Acute Physiology and Chronic Health Evaluation II APCH111 Original Result - 3-14.9
C183022	<1	APCH111-<1	Acute Physiology and Chronic Health Evaluation II original result for APCH111-Less than 1.	Acute Physiology and Chronic Health Evaluation II APCH111 Original Result - <1
C183017	>=40	APCH111->=40	Acute Physiology and Chronic Health Evaluation II original result for APCH111-Greater than or equal to 40.	Acute Physiology and Chronic Health Evaluation II APCH111 Original Result - >=40

C183026	0	APCH111-0	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH111-3-14.9.	Acute Physiology and Chronic Health Evaluation II APCH111 Standardized Character Result 0
C183025	1	APCH111-1	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH111-15-19.9.	Acute Physiology and Chronic Health Evaluation II APCH111 Standardized Character Result 1
C183024	2	APCH111-2	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH111-20-39.9; 1-2.9.	Acute Physiology and Chronic Health Evaluation II APCH111 Standardized Character Result 2
C183023	4	APCH111-4	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH111-Greater than or equal to 40; Less than 1.	Acute Physiology and Chronic Health Evaluation II APCH111 Standardized Character Result 4

C183028	45-54	APCH114-45-54	Acute Physiology and Chronic Health Evaluation II original result for APCH114-45-54.	Acute Physiology and Chronic Health Evaluation II APCH114 Original Result - 45-54
C183029	55-64	APCH114-55-64	Acute Physiology and Chronic Health Evaluation II original result for APCH114-55-64.	Acute Physiology and Chronic Health Evaluation II APCH114 Original Result - 55-64
C183030	65-74	APCH114-65-74	Acute Physiology and Chronic Health Evaluation II original result for APCH114-65-74.	Acute Physiology and Chronic Health Evaluation II APCH114 Original Result - 65-74
C183027	<=44	APCH114-<=44	Acute Physiology and Chronic Health Evaluation II original result for APCH114-Less than or equal to 44.	Acute Physiology and Chronic Health Evaluation II APCH114 Original Result - <=44
C183031	>=75	APCH114->=75	Acute Physiology and Chronic Health Evaluation II original result for APCH114-Greater than or equal to 75.	Acute Physiology and Chronic Health Evaluation II APCH114 Original Result - >=75

C183032	0	APCH114-0	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH114-Less than or equal to 44.	Acute Physiology and Chronic Health Evaluation II APCH114 Standardized Character Result 0
C183033	2	APCH114-2	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH114-45-54.	Acute Physiology and Chronic Health Evaluation II APCH114 Standardized Character Result 2
C183034	3	APCH114-3	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH114-55-64.	Acute Physiology and Chronic Health Evaluation II APCH114 Standardized Character Result 3
C183035	5	APCH114-5	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH114-65-74.	Acute Physiology and Chronic Health Evaluation II APCH114 Standardized Character Result 5
C183036	6	APCH114-6	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH114-Greater than or equal to 75.	Acute Physiology and Chronic Health Evaluation II APCH114 Standardized Character Result 6

C183038	for elective postoperative patients	APCH115-for elective postoperative patients	Acute Physiology and Chronic Health Evaluation II original result for APCH115-for elective postoperative patients.	Acute Physiology and Chronic Health Evaluation II APCH115 Original Result - for elective postoperative patients
C183037	for nonoperative or emergency postoperative patients	APCH115-for nonoperative or emergency postoperative patients	Acute Physiology and Chronic Health Evaluation II original result for APCH115-for nonoperative or emergency postoperative patients.	Acute Physiology and Chronic Health Evaluation II APCH115 Original Result - for nonoperative or emergency postoperative patients

C183040	2	APCH115-2	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH115-for elective postoperative patients.	Acute Physiology and Chronic Health Evaluation II APCH115 Standardized Character Result 2
C183039	5	APCH115-5	Acute Physiology and Chronic Health Evaluation II standardized character result for APCH115-for nonoperative or emergency postoperative patients.	Acute Physiology and Chronic Health Evaluation II APCH115 Standardized Character Result 5

C121096	APCH101	APCH1-Temperature - Rectal	Acute Physiology and Chronic Health Evaluation II - Temperature - rectal (degree C).	APACHE II - Temperature, Rectal
C121097	APCH102	APCH1-Mean Arterial Pressure	Acute Physiology and Chronic Health Evaluation II - Mean arterial pressure - mmHg.	APACHE II - Mean Arterial Pressure
C121098	APCH103	APCH1-Heart Rate	Acute Physiology and Chronic Health Evaluation II - Heart rate (ventricular response).	APACHE II - Heart Rate
C121099	APCH104	APCH1-Respiratory Rate	Acute Physiology and Chronic Health Evaluation II - Respiratory rate (non-ventilated or ventilated).	APACHE II - Respiratory Rate
C121100	APCH105A	APCH1-Oxygenation: A-aDO ₂	Acute Physiology and Chronic Health Evaluation II - Oxygenation (mmHg): FIO ₂ greater than or equal to 0.5 record A-aDO ₂ .	APACHE II - Oxygenation, A-aDO ₂
C121101	APCH105B	APCH1-Oxygenation: PaO ₂	Acute Physiology and Chronic Health Evaluation II - Oxygenation (mmHg): FIO ₂ less than 0.5 record only PaO ₂ .	APACHE II - Oxygenation, PaO ₂
C121102	APCH106A	APCH1-Arterial pH	Acute Physiology and Chronic Health Evaluation II - Arterial pH (preferred).	APACHE II - Arterial pH
C121103	APCH106B	APCH1-Serum HCO ₃	Acute Physiology and Chronic Health Evaluation II - Serum HCO ₃ (venous mMol/L) (Not preferred, use if no ABGs).	APACHE II - Serum HCO ₃
C121104	APCH107	APCH1-Serum Sodium	Acute Physiology and Chronic Health Evaluation II - Serum sodium (mMol/L).	APACHE II - Serum Sodium
C121105	APCH108	APCH1-Serum Potassium	Acute Physiology and Chronic Health Evaluation II - Serum potassium (mMol/L).	APACHE II - Serum Potassium
C121106	APCH109	APCH1-Serum Creatinine	Acute Physiology and Chronic Health Evaluation II - Serum creatinine (mg/100 mL) (double point score for acute renal failure).	APACHE II - Serum Creatinine
C121107	APCH110	APCH1-Hematocrit	Acute Physiology and Chronic Health Evaluation II - Hematocrit (%).	APACHE II - Hematocrit
C121108	APCH111	APCH1-White Blood Count	Acute Physiology and Chronic Health Evaluation II - White blood count (total/mm ³) (in 1,000s).	APACHE II - White Blood Count
C121109	APCH112	APCH1-15 Minus Glasgow Coma Score	Acute Physiology and Chronic Health Evaluation II - Glasgow coma score: Score equals 15 minus actual GCS.	APACHE II - 15 Minus Glasgow Coma Score
C121110	APCH113	APCH1-A: Total Acute Physiology Score	Acute Physiology and Chronic Health Evaluation II - A: Total acute physiology score.	APACHE II - A, Total Acute Physiology Score
C121111	APCH114	APCH1-B: Age Points	Acute Physiology and Chronic Health Evaluation II - B: Age points (years).	APACHE II - B, Age Points
C121112	APCH115	APCH1-C: Chronic Health Points	Acute Physiology and Chronic Health Evaluation II - C: Chronic health points.	APACHE II - C, Chronic Health Points
C121113	APCH116	APCH1-Total APACHE II Score	Acute Physiology and Chronic Health Evaluation II - Total APACHE II score.	APACHE II - Total APACHE II Score

C121109	APCH1-15 Minus Glasgow Coma Score	APCH1-15 Minus Glasgow Coma Score	Acute Physiology and Chronic Health Evaluation II - Glasgow coma score: Score equals 15 minus actual GCS.	APACHE II - 15 Minus Glasgow Coma Score
C121110	APCH1-A: Total Acute Physiology Score	APCH1-A: Total Acute Physiology Score	Acute Physiology and Chronic Health Evaluation II - A: Total acute physiology score.	APACHE II - A, Total Acute Physiology Score
C121102	APCH1-Arterial pH	APCH1-Arterial pH	Acute Physiology and Chronic Health Evaluation II - Arterial pH (preferred).	APACHE II - Arterial pH
C121111	APCH1-B: Age Points	APCH1-B: Age Points	Acute Physiology and Chronic Health Evaluation II - B: Age points (years).	APACHE II - B, Age Points
C121112	APCH1-C: Chronic Health Points	APCH1-C: Chronic Health Points	Acute Physiology and Chronic Health Evaluation II - C: Chronic health points.	APACHE II - C, Chronic Health Points
C121098	APCH1-Heart Rate	APCH1-Heart Rate	Acute Physiology and Chronic Health Evaluation II - Heart rate (ventricular response).	APACHE II - Heart Rate
C121107	APCH1-Hematocrit	APCH1-Hematocrit	Acute Physiology and Chronic Health Evaluation II - Hematocrit (%).	APACHE II - Hematocrit
C121097	APCH1-Mean Arterial Pressure	APCH1-Mean Arterial Pressure	Acute Physiology and Chronic Health Evaluation II - Mean arterial pressure - mmHg.	APACHE II - Mean Arterial Pressure
C121100	APCH1-Oxygenation: A-aDO2	APCH1-Oxygenation: A-aDO2	Acute Physiology and Chronic Health Evaluation II - Oxygenation (mmHg): FIO2 greater than or equal to 0.5 record A-aDO2.	APACHE II - Oxygenation, A-aDO2
C121101	APCH1-Oxygenation: PaO2	APCH1-Oxygenation: PaO2	Acute Physiology and Chronic Health Evaluation II - Oxygenation (mmHg): FIO2 less than 0.5 record only PaO2.	APACHE II - Oxygenation, PaO2
C121099	APCH1-Respiratory Rate	APCH1-Respiratory Rate	Acute Physiology and Chronic Health Evaluation II - Respiratory rate (non-ventilated or ventilated).	APACHE II - Respiratory Rate
C121106	APCH1-Serum Creatinine	APCH1-Serum Creatinine	Acute Physiology and Chronic Health Evaluation II - Serum creatinine (mg/100 mL) (double point score for acute renal failure).	APACHE II - Serum Creatinine
C121103	APCH1-Serum HCO3	APCH1-Serum HCO3	Acute Physiology and Chronic Health Evaluation II - Serum HCO3 (venous mMol/L) (Not preferred, use if no ABGs).	APACHE II - Serum HCO3
C121105	APCH1-Serum Potassium	APCH1-Serum Potassium	Acute Physiology and Chronic Health Evaluation II - Serum potassium (mMol/L).	APACHE II - Serum Potassium
C121104	APCH1-Serum Sodium	APCH1-Serum Sodium	Acute Physiology and Chronic Health Evaluation II - Serum sodium (mMol/L).	APACHE II - Serum Sodium
C121096	APCH1-Temperature - Rectal	APCH1-Temperature - Rectal	Acute Physiology and Chronic Health Evaluation II - Temperature - rectal (degree C).	APACHE II - Temperature, Rectal
C121113	APCH1-Total APACHE II Score	APCH1-Total APACHE II Score	Acute Physiology and Chronic Health Evaluation II - Total APACHE II score.	APACHE II - Total APACHE II Score
C121108	APCH1-White Blood Count	APCH1-White Blood Count	Acute Physiology and Chronic Health Evaluation II - White blood count (total/mm3) (in 1,000s).	APACHE II - White Blood Count

Apgar Score Version 1 - Total Apgar Score				
C176061	APGR0101	APGR01-Appearance/Color	Apgar Score V1 - Appearance, skin color, or color score.	Apgar Score Version 1 - Appearance or Color
C176062	APGR0102	APGR01-Pulse/Heart Rate	Apgar Score V1 - Pulse or heart rate score.	Apgar Score Version 1 - Pulse or Heart Rate
C176063	APGR0103	APGR01-Grimace/Reflex Irritability	Apgar Score V1 - Grimace or reflex irritability score.	Apgar Score Version 1 - Grimace or Reflex Irritability
C176064	APGR0104	APGR01-Activity/Muscle Tone	Apgar Score V1 - Activity or muscle tone score.	Apgar Score Version 1 - Activity or Muscle Tone
C176065	APGR0105	APGR01-Respiration/Respiratory Effort	Apgar Score V1 - Respiration or respiratory effort score.	Apgar Score Version 1 - Respiration or Respiratory Effort
C176066	APGR0106	APGR01-Total Apgar Score	Apgar Score V1 - Total Apgar score.	Apgar Score Version 1 - Total Apgar Score

C176064	APGR01-Activity/Muscle Tone	APGR01-Activity/Muscle Tone	Apgar Score V1 - Activity or muscle tone score.	Apgar Score Version 1 - Activity or Muscle Tone
C176061	APGR01-Appearance/Color	APGR01-Appearance/Color	Apgar Score V1 - Appearance, skin color, or color score.	Apgar Score Version 1 - Appearance or Color
C176063	APGR01-Grimace/Reflex Irritability	APGR01-Grimace/Reflex Irritability	Apgar Score V1 - Grimace or reflex irritability score.	Apgar Score Version 1 - Grimace or Reflex Irritability
C176062	APGR01-Pulse/Heart Rate	APGR01-Pulse/Heart Rate	Apgar Score V1 - Pulse or heart rate score.	Apgar Score Version 1 - Pulse or Heart Rate
C176065	APGR01-Respiration/Respiratory Effort	APGR01-Respiration/Respiratory Effort	Apgar Score V1 - Respiration or respiratory effort score.	Apgar Score Version 1 - Respiration or Respiratory Effort
C176066	APGR01-Total Apgar Score	APGR01-Total Apgar Score	Apgar Score V1 - Total Apgar score.	Apgar Score Version 1 - Total Apgar Score

C112529	AQ0101	AQ01-Cough Often During Day	Airway Questionnaire 20 - Do you cough often during the day?	AQ20 - Cough Often During the Day
C112530	AQ0102	AQ01-Feel Restless Due to Chest Trouble	Airway Questionnaire 20 - Does your chest trouble often make you feel restless?	AQ20 - Chest Trouble Make You Feel Restless
C112531	AQ0103	AQ01-Gardening Make You Breathless	Airway Questionnaire 20 - Does gardening make you breathless?	AQ20 - Gardening Make You Breathless
C112532	AQ0104	AQ01-Chest Upset at Friend House	Airway Questionnaire 20 - Do you worry when going to a friend's house that there might be something there that will upset your chest?	AQ20 - Worry When Going to Friend House Something Will Upset Your Chest
C112533	AQ0105	AQ01-Chest Prob Smell/Fume/Smoke/P Perfume	Airway Questionnaire 20 - Do you get chest problems when you come into contact with strong smells, exhaust fumes, cigarette smoke, perfume etc?	AQ20 - Get Chest Problems When Contact With Strong Smells
C112534	AQ0106	AQ01-Partner Upset by Your Chest Trouble	Airway Questionnaire 20 - Does your partner find your chest trouble upsetting?	AQ20 - Partner Find Your Chest Trouble Upsetting
C112535	AQ0107	AQ01-Breathless When Trying to Sleep	Airway Questionnaire 20 - Do you feel breathless when trying to sleep?	AQ20 - Feel Breathless When Trying to Sleep
C112536	AQ0108	AQ01-Long Term Effects of Drugs	Airway Questionnaire 20 - Do you worry about the long term effects of the drugs you take for your chest trouble?	AQ20 - Worry About Long Term Effects of Drugs for Chest Trouble
C112537	AQ0109	AQ01-Emotional Upset Worse Chest Trouble	Airway Questionnaire 20 - Does getting emotionally upset make your chest trouble worse?	AQ20 - Getting Emotionally Upset Make Chest Trouble Worse
C112538	AQ0110	AQ01-Difficulty Getting Around the House	Airway Questionnaire 20 - Are there times when you have difficulty getting around the house because of your chest trouble?	AQ20 - Difficulty Getting Around the House Because of Chest Trouble
C112539	AQ0111	AQ01-Breathless Carry out Work Activity	Airway Questionnaire 20 - Does your chest problem make you breathless when you do things at work? (paid employment).	AQ20 - Chest Problem Make You Breathless at Work
C112540	AQ0112	AQ01-Breathless Walking Upstairs	Airway Questionnaire 20 - Does walking upstairs make you breathless?	AQ20 - Walking Upstairs Make You Breathless
C112541	AQ0113	AQ01-Get Breathless Doing Housework	Airway Questionnaire 20 - Do you get breathless doing housework?	AQ20 - Get Breathless Doing Housework
C112542	AQ0114	AQ01-Go Home Sooner Than Others	Airway Questionnaire 20 - Does your chest trouble make you go home sooner than others after a night out?	AQ20 - Chest Trouble Make You Go Home Sooner Than Others
C112543	AQ0115	AQ01-Breathlessness When Laugh	Airway Questionnaire 20 - Do you suffer from breathlessness when you laugh?	AQ20 - Suffer From Breathlessness When Laugh
C112544	AQ0116	AQ01-Impatient Due to Chest Trouble	Airway Questionnaire 20 - Does your chest trouble often make you feel impatient?	AQ20 - Chest Trouble Make You Feel Impatient
C112545	AQ0117	AQ01-Full Life Limited by Chest Trouble	Airway Questionnaire 20 - Do you think the fullness of your life is limited by your chest trouble?	AQ20 - Fullness of Life is Limited by Chest Trouble
C112546	AQ0118	AQ01-Drained After a Cold	Airway Questionnaire 20 - Do you feel drained after a cold because of your chest trouble?	AQ20 - Feel Drained After a Cold Because of Chest Trouble
C112547	AQ0119	AQ01-Feeling of Chest Heaviness	Airway Questionnaire 20 - Do you have a feeling of chest heaviness?	AQ20 - Feeling of Chest Heaviness
C112548	AQ0120	AQ01-Worry About Chest Trouble	Airway Questionnaire 20 - Do you worry a lot about your chest trouble?	AQ20 - Worry a Lot About Chest Trouble

C112539	AQ01-Breathless Carry out Work Activity	AQ01-Breathless Carry out Work Activity	Airway Questionnaire 20 - Does your chest problem make you breathless when you do things at work? (paid employment).	AQ20 - Chest Problem Make You Breathless at Work
C112540	AQ01-Breathless Walking Upstairs	AQ01-Breathless Walking Upstairs	Airway Questionnaire 20 - Does walking upstairs make you breathless?	AQ20 - Walking Upstairs Make You Breathless
C112535	AQ01-Breathless When Trying to Sleep	AQ01-Breathless When Trying to Sleep	Airway Questionnaire 20 - Do you feel breathless when trying to sleep?	AQ20 - Feel Breathless When Trying to Sleep
C112543	AQ01-Breathlessness When Laugh	AQ01-Breathlessness When Laugh	Airway Questionnaire 20 - Do you suffer from breathlessness when you laugh?	AQ20 - Suffer From Breathlessness When Laugh
C112533	AQ01-Chest Prob Smell/Fume/Smoke/Perfume	AQ01-Chest Prob Smell/Fume/Smoke/Perfume	Airway Questionnaire 20 - Do you get chest problems when you come into contact with strong smells, exhaust fumes, cigarette smoke, perfume etc?	AQ20 - Get Chest Problems When Contact With Strong Smells
C112532	AQ01-Chest Upset at Friend House	AQ01-Chest Upset at Friend House	Airway Questionnaire 20 - Do you worry when going to a friend's house that there might be something there that will upset your chest?	AQ20 - Worry When Going to Friend House Something Will Upset Your Chest
C112529	AQ01-Cough Often During Day	AQ01-Cough Often During Day	Airway Questionnaire 20 - Do you cough often during the day?	AQ20 - Cough Often During the Day
C112538	AQ01-Difficulty Getting Around the House	AQ01-Difficulty Getting Around the House	Airway Questionnaire 20 - Are there times when you have difficulty getting around the house because of your chest trouble?	AQ20 - Difficulty Getting Around the House Because of Chest Trouble
C112546	AQ01-Drained After a Cold	AQ01-Drained After a Cold	Airway Questionnaire 20 - Do you feel drained after a cold because of your chest trouble?	AQ20 - Feel Drained After a Cold Because of Chest Trouble
C112537	AQ01-Emotional Upset Worse Chest Trouble	AQ01-Emotional Upset Worse Chest Trouble	Airway Questionnaire 20 - Does getting emotionally upset make your chest trouble worse?	AQ20 - Getting Emotionally Upset Make Chest Trouble Worse
C112530	AQ01-Feel Restless Due to Chest Trouble	AQ01-Feel Restless Due to Chest Trouble	Airway Questionnaire 20 - Does your chest trouble often make you feel restless?	AQ20 - Chest Trouble Make You Feel Restless
C112547	AQ01-Feeling of Chest Heaviness	AQ01-Feeling of Chest Heaviness	Airway Questionnaire 20 - Do you have a feeling of chest heaviness?	AQ20 - Feeling of Chest Heaviness
C112545	AQ01-Full Life Limited by Chest Trouble	AQ01-Full Life Limited by Chest Trouble	Airway Questionnaire 20 - Do you think the fullness of your life is limited by your chest trouble?	AQ20 - Fullness of Life is Limited by Chest Trouble
C112531	AQ01-Gardening Make You Breathless	AQ01-Gardening Make You Breathless	Airway Questionnaire 20 - Does gardening make you breathless?	AQ20 - Gardening Make You Breathless
C112541	AQ01-Get Breathless Doing Housework	AQ01-Get Breathless Doing Housework	Airway Questionnaire 20 - Do you get breathless doing housework?	AQ20 - Get Breathless Doing Housework
C112542	AQ01-Go Home Sooner Than Others	AQ01-Go Home Sooner Than Others	Airway Questionnaire 20 - Does your chest trouble make you go home sooner than others after a night out?	AQ20 - Chest Trouble Make You Go Home Sooner Than Others
C112544	AQ01-Impatient Due to Chest Trouble	AQ01-Impatient Due to Chest Trouble	Airway Questionnaire 20 - Does your chest trouble often make you feel impatient?	AQ20 - Chest Trouble Make You Feel Impatient
C112536	AQ01-Long Term Effects of Drugs	AQ01-Long Term Effects of Drugs	Airway Questionnaire 20 - Do you worry about the long term effects of the drugs you take for your chest trouble?	AQ20 - Worry About Long Term Effects of Drugs for Chest Trouble
C112534	AQ01-Partner Upset by Your Chest Trouble	AQ01-Partner Upset by Your Chest Trouble	Airway Questionnaire 20 - Does your partner find your chest trouble upsetting?	AQ20 - Partner Find Your Chest Trouble Upsetting
C112548	AQ01-Worry About Chest Trouble	AQ01-Worry About Chest Trouble	Airway Questionnaire 20 - Do you worry a lot about your chest trouble?	AQ20 - Worry a Lot About Chest Trouble

NCI Code: C124666, Codelist extensible: No

C124720	ASCVD101	ASCVD1-ASCVD 10-Year Risk Score	Atherosclerotic Cardiovascular Disease 10-Year Risk Estimator - Risk score.	ASCVD 10-Year Risk Estimator - Risk Score
---------	----------	---------------------------------	-----------------------------------------------------------------------------	-------------------------------------------

NCI Code: C124665, Codelist extensible: No

C124720	ASCVD1-ASCVD 10-Year Risk Score	ASCVD1-ASCVD 10-Year Risk Score	Atherosclerotic Cardiovascular Disease 10-Year Risk Estimator - Risk score.	ASCVD 10-Year Risk Estimator - Risk Score
---------	---------------------------------	---------------------------------	-----------------------------------------------------------------------------	-------------------------------------------

C125763	ASEX0101	ASEX01-Sex Drive	Arizona Sexual Experiences Scale Female - How strong is your sex drive?	ASEX-Female Version - Sex Drive
C125764	ASEX0102	ASEX01-Sexually Aroused	Arizona Sexual Experiences Scale Female - How easily are you sexually aroused (turned on)?	ASEX-Female Version - Sexually Aroused
C125765	ASEX0103	ASEX01-Vagina Become Moist	Arizona Sexual Experiences Scale Female - How easily does your vagina become moist or wet during sex?	ASEX-Female Version - Vagina Become Moist
C125766	ASEX0104	ASEX01-Reach Orgasm	Arizona Sexual Experiences Scale Female - How easily can you reach an orgasm?	ASEX-Female Version - Reach Orgasm
C125767	ASEX0105	ASEX01-Orgasms Satisfying	Arizona Sexual Experiences Scale Female - Are your orgasms satisfying?	ASEX-Female Version - Orgasms Satisfying
C129254	ASEX0106	ASEX01-Comments	Arizona Sexual Experiences Scale Female - Comments.	ASEX-Female Version - Comments

C129254	ASEX01-Comments	ASEX01-Comments	Arizona Sexual Experiences Scale Female - Comments.	ASEX-Female Version - Comments
C125767	ASEX01-Orgasms Satisfying	ASEX01-Orgasms Satisfying	Arizona Sexual Experiences Scale Female - Are your orgasms satisfying?	ASEX-Female Version - Orgasms Satisfying
C125766	ASEX01-Reach Orgasm	ASEX01-Reach Orgasm	Arizona Sexual Experiences Scale Female - How easily can you reach an orgasm?	ASEX-Female Version - Reach Orgasm
C125763	ASEX01-Sex Drive	ASEX01-Sex Drive	Arizona Sexual Experiences Scale Female - How strong is your sex drive?	ASEX-Female Version - Sex Drive
C125764	ASEX01-Sexually Aroused	ASEX01-Sexually Aroused	Arizona Sexual Experiences Scale Female - How easily are you sexually aroused (turned on)?	ASEX-Female Version - Sexually Aroused
C125765	ASEX01-Vagina Become Moist	ASEX01-Vagina Become Moist	Arizona Sexual Experiences Scale Female - How easily does your vagina become moist or wet during sex?	ASEX-Female Version - Vagina Become Moist

C125768	ASEX0201	ASEX02-Sex Drive	Arizona Sexual Experiences Scale Male - How strong is your sex drive?	ASEX-Male Version - Sex Drive
C125769	ASEX0202	ASEX02-Sexually Aroused	Arizona Sexual Experiences Scale Male - How easily are you sexually aroused (turned on)?	ASEX-Male Version - Sexually Aroused
C125770	ASEX0203	ASEX02-Keep Erection	Arizona Sexual Experiences Scale Male - Can you easily get and keep an erection?	ASEX-Male Version - Keep Erection
C125771	ASEX0204	ASEX02-Reach Orgasm	Arizona Sexual Experiences Scale Male - How easily can you reach an orgasm?	ASEX-Male Version - Reach Orgasm
C125772	ASEX0205	ASEX02-Orgasms Satisfying	Arizona Sexual Experiences Scale Male - Are your orgasms satisfying?	ASEX-Male Version - Orgasms Satisfying
C129256	ASEX0206	ASEX02-Comments	Arizona Sexual Experiences Scale Male - Comments.	ASEX-Male Version - Comments

C129256	ASEX02-Comments	ASEX02-Comments	Arizona Sexual Experiences Scale Male - Comments.	ASEX-Male Version - Comments
C125770	ASEX02-Keep Erection	ASEX02-Keep Erection	Arizona Sexual Experiences Scale Male - Can you easily get and keep an erection?	ASEX-Male Version - Keep Erection
C125772	ASEX02-Orgasms Satisfying	ASEX02-Orgasms Satisfying	Arizona Sexual Experiences Scale Male - Are your orgasms satisfying?	ASEX-Male Version - Orgasms Satisfying
C125771	ASEX02-Reach Orgasm	ASEX02-Reach Orgasm	Arizona Sexual Experiences Scale Male - How easily can you reach an orgasm?	ASEX-Male Version - Reach Orgasm
C125768	ASEX02-Sex Drive	ASEX02-Sex Drive	Arizona Sexual Experiences Scale Male - How strong is your sex drive?	ASEX-Male Version - Sex Drive
C125769	ASEX02-Sexually Aroused	ASEX02-Sexually Aroused	Arizona Sexual Experiences Scale Male - How easily are you sexually aroused (turned on)?	ASEX-Male Version - Sexually Aroused

NCI Code: C124668, Codelist extensible: No

C124721	ASSG0101	ASSG01-ASSIGN Score	ASSIGN Cardiovascular Disease 10-Year Risk Score - ASSIGN score.	ASSIGN Score - Risk Score
---------	----------	---------------------	------------------------------------------------------------------	---------------------------

NCI Code: C124667, Codelist extensible: No

C124721	ASSG01-ASSIGN Score	ASSG01-ASSIGN Score	ASSIGN Cardiovascular Disease 10-Year Risk Score - ASSIGN score.	ASSIGN Score - Risk Score
---------	---------------------	---------------------	------------------------------------------------------------------	---------------------------

C182739	60-79	ATLAS101-60-79	ATLAS original result for ATLAS101-60-79.	ATLAS Score ATLAS101 Original Result - 60-79
C182738	<60	ATLAS101-<60	ATLAS original result for ATLAS101-Less than 60.	ATLAS Score ATLAS101 Original Result - <60
C182740	>=80	ATLAS101->=80	ATLAS original result for ATLAS101-Greater than or equal to 80.	ATLAS Score ATLAS101 Original Result - >=80

ATLAS Score ATLAS101 Standardized Character Result				
C182741	0	ATLAS101-0	ATLAS standardized character result for ATLAS101-Less than 60.	ATLAS Score ATLAS101 Standardized Character Result 0
C182742	1	ATLAS101-1	ATLAS standardized character result for ATLAS101-60-79.	ATLAS Score ATLAS101 Standardized Character Result 1
C182743	2	ATLAS101-2	ATLAS standardized character result for ATLAS101-Greater than or equal to 80.	ATLAS Score ATLAS101 Standardized Character Result 2

C182744	No	ATLAS102-No	ATLAS original result for ATLAS102-No.	ATLAS Score ATLAS102 Original Result - No
C182745	Yes	ATLAS102-Yes	ATLAS original result for ATLAS102-Yes.	ATLAS Score ATLAS102 Original Result - Yes

C182746	0	ATLAS102-0	ATLAS standardized character result for ATLAS102-No.	ATLAS Score ATLAS102 Standardized Character Result 0
C182747	2	ATLAS102-2	ATLAS standardized character result for ATLAS102-Yes.	ATLAS Score ATLAS102 Standardized Character Result 2

C182749	16,000-25,000	ATLAS103-16,000-25,000	ATLAS original result for ATLAS103-16,000-25,000.	ATLAS Score ATLAS103 Original Result - 16,000- 25,000
C182748	<16,000	ATLAS103-<16,000	ATLAS original result for ATLAS103-Less than16,000.	ATLAS Score ATLAS103 Original Result - <16,000
C182750	>25,000	ATLAS103->25,000	ATLAS original result for ATLAS103-Greater than 25,000.	ATLAS Score ATLAS103 Original Result - >25,000

C182751	0	ATLAS103-0	ATLAS standardized character result for ATLAS103-Less than 16,000.	ATLAS Score ATLAS103 Standardized Character Result 0
C182752	1	ATLAS103-1	ATLAS standardized character result for ATLAS103-16,000-25,000.	ATLAS Score ATLAS103 Standardized Character Result 1
C182753	2	ATLAS103-2	ATLAS standardized character result for ATLAS103-Greater than 25,000.	ATLAS Score ATLAS103 Standardized Character Result 2

C182755	26-35	ATLAS104-26-35	ATLAS original result for ATLAS104-26-35.	ATLAS Score ATLAS104 Original Result - 26-35
C182756	<=25	ATLAS104-<=25	ATLAS original result for ATLAS104-Less than or equal to 25.	ATLAS Score ATLAS104 Original Result - <=25
C182754	>35	ATLAS104->35	ATLAS original result for ATLAS104-Greater than 35.	ATLAS Score ATLAS104 Original Result - >35

C182757	0	ATLAS104-0	ATLAS standardized character result for ATLAS104-Greater than 35.	ATLAS Score ATLAS104 Standardized Character Result 0
C182758	1	ATLAS104-1	ATLAS standardized character result for ATLAS104-26-35.	ATLAS Score ATLAS104 Standardized Character Result 1
C182759	2	ATLAS104-2	ATLAS standardized character result for ATLAS104-Less than or equal to 25.	ATLAS Score ATLAS104 Standardized Character Result 2

C182761	121-179	ATLAS105-121-179	ATLAS original result for ATLAS105-121-179.	ATLAS Score ATLAS105 Original Result - 121-179
C182760	<=120	ATLAS105-<=120	ATLAS original result for ATLAS105-Less than or equal to 120.	ATLAS Score ATLAS105 Original Result - <=120
C182762	>=180	ATLAS105->=180	ATLAS original result for ATLAS105-Greater than or equal to 180.	ATLAS Score ATLAS105 Original Result - >=180

C182763	0	ATLAS105-0	ATLAS standardized character result for ATLAS105-Less than or equal to 120.	ATLAS Score ATLAS105 Standardized Character Result 0
C182764	1	ATLAS105-1	ATLAS standardized character result for ATLAS105-121-179.	ATLAS Score ATLAS105 Standardized Character Result 1
C182765	2	ATLAS105-2	ATLAS standardized character result for ATLAS105-Greater than or equal to 180.	ATLAS Score ATLAS105 Standardized Character Result 2

ATLAS1 Variables					
Code	Variable	Label	Description	ATLAS Variable	ATLAS Label
C147843	ATLAS101	ATLAS1-Age	Age, treatment with systemic antibiotics, leukocyte count, serum albumin, and serum creatinine as a measure of renal function - Age.		ATLAS - Age
C147844	ATLAS102	ATLAS1-Treatment With Antibiotics	Age, treatment with systemic antibiotics, leukocyte count, serum albumin, and serum creatinine as a measure of renal function - Treatment with systemic antibiotics during CDI therapy (>= 1 day).		ATLAS - Treatment With Antibiotics
C147845	ATLAS103	ATLAS1-Leukocyte Count	Age, treatment with systemic antibiotics, leukocyte count, serum albumin, and serum creatinine as a measure of renal function - Leukocyte count (total).		ATLAS - Leukocyte Count
C147846	ATLAS104	ATLAS1-Albumin	Age, treatment with systemic antibiotics, leukocyte count, serum albumin, and serum creatinine as a measure of renal function - Albumin (serum).		ATLAS - Albumin
C147847	ATLAS105	ATLAS1-Serum Creatinine	Age, treatment with systemic antibiotics, leukocyte count, serum albumin, and serum creatinine as a measure of renal function - Serum creatinine (as a measure of renal function).		ATLAS - Serum Creatinine
C147848	ATLAS106	ATLAS1-Score	Age, treatment with systemic antibiotics, leukocyte count, serum albumin, and serum creatinine as a measure of renal function - Score.		ATLAS - Score

ATLAS1 Variables					
C147843	ATLAS1-Age	ATLAS1-Age	Age, treatment with systemic antibiotics, leukocyte count, serum albumin, and serum creatinine as a measure of renal function - Age.	ATLAS - Age	
C147846	ATLAS1-Albumin	ATLAS1-Albumin	Age, treatment with systemic antibiotics, leukocyte count, serum albumin, and serum creatinine as a measure of renal function - Albumin (serum).	ATLAS - Albumin	
C147845	ATLAS1-Leukocyte Count	ATLAS1-Leukocyte Count	Age, treatment with systemic antibiotics, leukocyte count, serum albumin, and serum creatinine as a measure of renal function - Leukocyte count (total).	ATLAS - Leukocyte Count	
C147848	ATLAS1-Score	ATLAS1-Score	Age, treatment with systemic antibiotics, leukocyte count, serum albumin, and serum creatinine as a measure of renal function - Score.	ATLAS - Score	
C147847	ATLAS1-Serum Creatinine	ATLAS1-Serum Creatinine	Age, treatment with systemic antibiotics, leukocyte count, serum albumin, and serum creatinine as a measure of renal function - Serum creatinine (as a measure of renal function).	ATLAS - Serum Creatinine	
C147844	ATLAS1-Treatment With Antibiotics	ATLAS1-Treatment With Antibiotics	Age, treatment with systemic antibiotics, leukocyte count, serum albumin, and serum creatinine as a measure of renal function - Treatment with systemic antibiotics during CDI therapy (>= 1 day).	ATLAS - Treatment With Antibiotics	

Codelist details for NCI Code: C101807				
Code	Description	Definition	Unit	Category
C101896	AVL01001	AVL01-List A Recall 1 Word 1	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 1.	ADNI AVLT - List A Recall 1 Word 1
C101897	AVL01002	AVL01-List A Recall 1 Word 2	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 2.	ADNI AVLT - List A Recall 1 Word 2
C101898	AVL01003	AVL01-List A Recall 1 Word 3	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 3.	ADNI AVLT - List A Recall 1 Word 3
C101899	AVL01004	AVL01-List A Recall 1 Word 4	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 4.	ADNI AVLT - List A Recall 1 Word 4
C101900	AVL01005	AVL01-List A Recall 1 Word 5	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 5.	ADNI AVLT - List A Recall 1 Word 5
C101901	AVL01006	AVL01-List A Recall 1 Word 6	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 6.	ADNI AVLT - List A Recall 1 Word 6
C101902	AVL01007	AVL01-List A Recall 1 Word 7	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 7.	ADNI AVLT - List A Recall 1 Word 7
C101903	AVL01008	AVL01-List A Recall 1 Word 8	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 8.	ADNI AVLT - List A Recall 1 Word 8
C101904	AVL01009	AVL01-List A Recall 1 Word 9	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 9.	ADNI AVLT - List A Recall 1 Word 9
C101905	AVL01010	AVL01-List A Recall 1 Word 10	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 10.	ADNI AVLT - List A Recall 1 Word 10
C101906	AVL01011	AVL01-List A Recall 1 Word 11	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 11.	ADNI AVLT - List A Recall 1 Word 11
C101907	AVL01012	AVL01-List A Recall 1 Word 12	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 12.	ADNI AVLT - List A Recall 1 Word 12
C101908	AVL01013	AVL01-List A Recall 1 Word 13	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 13.	ADNI AVLT - List A Recall 1 Word 13
C101909	AVL01014	AVL01-List A Recall 1 Word 14	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 14.	ADNI AVLT - List A Recall 1 Word 14
C101910	AVL01015	AVL01-List A Recall 1 Word 15	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 15.	ADNI AVLT - List A Recall 1 Word 15
C101911	AVL01016	AVL01-List A Recall 1 Total	Auditory Verbal Learning Test Version A - The number of words recalled from List A, first attempt.	ADNI AVLT - List A Recall 1 Total
C101912	AVL01017	AVL01-List A Intrusions 1	Auditory Verbal Learning Test Version A - The number of intrusions while recalling List A, first attempt.	ADNI AVLT - List A Intrusions 1
C101913	AVL01018	AVL01-List A Recall 2 Word 1	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 1.	ADNI AVLT - List A Recall 2 Word 1
C101914	AVL01019	AVL01-List A Recall 2 Word 2	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 2.	ADNI AVLT - List A Recall 2 Word 2
C101915	AVL01020	AVL01-List A Recall 2 Word 3	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 3.	ADNI AVLT - List A Recall 2 Word 3
C101916	AVL01021	AVL01-List A Recall 2 Word 4	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 4.	ADNI AVLT - List A Recall 2 Word 4
C101917	AVL01022	AVL01-List A Recall 2 Word 5	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 5.	ADNI AVLT - List A Recall 2 Word 5
C101918	AVL01023	AVL01-List A Recall 2 Word 6	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 6.	ADNI AVLT - List A Recall 2 Word 6
C101919	AVL01024	AVL01-List A Recall 2 Word 7	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 7.	ADNI AVLT - List A Recall 2 Word 7
C101920	AVL01025	AVL01-List A Recall 2 Word 8	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 8.	ADNI AVLT - List A Recall 2 Word 8
C101921	AVL01026	AVL01-List A Recall 2 Word 9	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 9.	ADNI AVLT - List A Recall 2 Word 9
C101922	AVL01027	AVL01-List A Recall 2 Word 10	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 10.	ADNI AVLT - List A Recall 2 Word 10

ADNI AVLT - List A Recall 2				
C101923	AVL01028	AVL01-List A Recall 2 Word 11	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 11.	ADNI AVLT - List A Recall 2 Word 11
C101924	AVL01029	AVL01-List A Recall 2 Word 12	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 12.	ADNI AVLT - List A Recall 2 Word 12
C101925	AVL01030	AVL01-List A Recall 2 Word 13	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 13.	ADNI AVLT - List A Recall 2 Word 13
C101926	AVL01031	AVL01-List A Recall 2 Word 14	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 14.	ADNI AVLT - List A Recall 2 Word 14
C101927	AVL01032	AVL01-List A Recall 2 Word 15	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 15.	ADNI AVLT - List A Recall 2 Word 15
C101928	AVL01033	AVL01-List A Recall 2 Total	Auditory Verbal Learning Test Version A - The number of words recalled from List A, second attempt.	ADNI AVLT - List A Recall 2 Total
C101929	AVL01034	AVL01-List A Intrusions 2	Auditory Verbal Learning Test Version A - The number of intrusions while recalling List A, second attempt.	ADNI AVLT - List A Intrusions 2
C101930	AVL01035	AVL01-List A Recall 3 Word 1	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 1.	ADNI AVLT - List A Recall 3 Word 1
C101931	AVL01036	AVL01-List A Recall 3 Word 2	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 2.	ADNI AVLT - List A Recall 3 Word 2
C101932	AVL01037	AVL01-List A Recall 3 Word 3	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 3.	ADNI AVLT - List A Recall 3 Word 3
C101933	AVL01038	AVL01-List A Recall 3 Word 4	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 4.	ADNI AVLT - List A Recall 3 Word 4
C101934	AVL01039	AVL01-List A Recall 3 Word 5	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 5.	ADNI AVLT - List A Recall 3 Word 5
C101935	AVL01040	AVL01-List A Recall 3 Word 6	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 6.	ADNI AVLT - List A Recall 3 Word 6
C101936	AVL01041	AVL01-List A Recall 3 Word 7	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 7.	ADNI AVLT - List A Recall 3 Word 7
C101937	AVL01042	AVL01-List A Recall 3 Word 8	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 8.	ADNI AVLT - List A Recall 3 Word 8
C101938	AVL01043	AVL01-List A Recall 3 Word 9	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 9.	ADNI AVLT - List A Recall 3 Word 9
C101939	AVL01044	AVL01-List A Recall 3 Word 10	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 10.	ADNI AVLT - List A Recall 3 Word 10
C101940	AVL01045	AVL01-List A Recall 3 Word 11	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 11.	ADNI AVLT - List A Recall 3 Word 11
C101941	AVL01046	AVL01-List A Recall 3 Word 12	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 12.	ADNI AVLT - List A Recall 3 Word 12
C101942	AVL01047	AVL01-List A Recall 3 Word 13	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 13.	ADNI AVLT - List A Recall 3 Word 13
C101943	AVL01048	AVL01-List A Recall 3 Word 14	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 14.	ADNI AVLT - List A Recall 3 Word 14
C101944	AVL01049	AVL01-List A Recall 3 Word 15	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 15.	ADNI AVLT - List A Recall 3 Word 15
C101945	AVL01050	AVL01-List A Recall 3 Total	Auditory Verbal Learning Test Version A - The number of words recalled from List A, third attempt.	ADNI AVLT - List A Recall 3 Total
C101946	AVL01051	AVL01-List A Intrusions 3	Auditory Verbal Learning Test Version A - The number of intrusions while recalling List A, third attempt.	ADNI AVLT - List A Intrusions 3
C101947	AVL01052	AVL01-List A Recall 4 Word 1	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 1.	ADNI AVLT - List A Recall 4 Word 1
C101948	AVL01053	AVL01-List A Recall 4 Word 2	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 2.	ADNI AVLT - List A Recall 4 Word 2
C101949	AVL01054	AVL01-List A Recall 4 Word 3	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 3.	ADNI AVLT - List A Recall 4 Word 3
C101950	AVL01055	AVL01-List A Recall 4 Word 4	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 4.	ADNI AVLT - List A Recall 4 Word 4

ADNI AVLT - List A Recall 4 Word 5				
C101951	AVL01056	AVL01-List A Recall 4 Word 5	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 5.	ADNI AVLT - List A Recall 4 Word 5
C101952	AVL01057	AVL01-List A Recall 4 Word 6	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 6.	ADNI AVLT - List A Recall 4 Word 6
C101953	AVL01058	AVL01-List A Recall 4 Word 7	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 7.	ADNI AVLT - List A Recall 4 Word 7
C101954	AVL01059	AVL01-List A Recall 4 Word 8	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 8.	ADNI AVLT - List A Recall 4 Word 8
C101955	AVL01060	AVL01-List A Recall 4 Word 9	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 9.	ADNI AVLT - List A Recall 4 Word 9
C101956	AVL01061	AVL01-List A Recall 4 Word 10	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 10.	ADNI AVLT - List A Recall 4 Word 10
C101957	AVL01062	AVL01-List A Recall 4 Word 11	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 11.	ADNI AVLT - List A Recall 4 Word 11
C101958	AVL01063	AVL01-List A Recall 4 Word 12	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 12.	ADNI AVLT - List A Recall 4 Word 12
C101959	AVL01064	AVL01-List A Recall 4 Word 13	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 13.	ADNI AVLT - List A Recall 4 Word 13
C101960	AVL01065	AVL01-List A Recall 4 Word 14	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 14.	ADNI AVLT - List A Recall 4 Word 14
C101961	AVL01066	AVL01-List A Recall 4 Word 15	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 15.	ADNI AVLT - List A Recall 4 Word 15
C101962	AVL01067	AVL01-List A Recall 4 Total	Auditory Verbal Learning Test Version A - The number of words recalled from List A, fourth attempt.	ADNI AVLT - List A Recall 4 Total
C101963	AVL01068	AVL01-List A Intrusions 4	Auditory Verbal Learning Test Version A - The number of intrusions while recalling List A, fourth attempt.	ADNI AVLT - List A Intrusions 4
C101964	AVL01069	AVL01-List A Recall 5 Word 1	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 1.	ADNI AVLT - List A Recall 5 Word 1
C101965	AVL01070	AVL01-List A Recall 5 Word 2	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 2.	ADNI AVLT - List A Recall 5 Word 2
C101966	AVL01071	AVL01-List A Recall 5 Word 3	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 3.	ADNI AVLT - List A Recall 5 Word 3
C101967	AVL01072	AVL01-List A Recall 5 Word 4	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 4.	ADNI AVLT - List A Recall 5 Word 4
C101968	AVL01073	AVL01-List A Recall 5 Word 5	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 5.	ADNI AVLT - List A Recall 5 Word 5
C101969	AVL01074	AVL01-List A Recall 5 Word 6	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 6.	ADNI AVLT - List A Recall 5 Word 6
C101970	AVL01075	AVL01-List A Recall 5 Word 7	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 7.	ADNI AVLT - List A Recall 5 Word 7
C101971	AVL01076	AVL01-List A Recall 5 Word 8	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 8.	ADNI AVLT - List A Recall 5 Word 8
C101972	AVL01077	AVL01-List A Recall 5 Word 9	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 9.	ADNI AVLT - List A Recall 5 Word 9
C101973	AVL01078	AVL01-List A Recall 5 Word 10	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 10.	ADNI AVLT - List A Recall 5 Word 10
C101974	AVL01079	AVL01-List A Recall 5 Word 11	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 11.	ADNI AVLT - List A Recall 5 Word 11
C101975	AVL01080	AVL01-List A Recall 5 Word 12	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 12.	ADNI AVLT - List A Recall 5 Word 12
C101976	AVL01081	AVL01-List A Recall 5 Word 13	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 13.	ADNI AVLT - List A Recall 5 Word 13
C101977	AVL01082	AVL01-List A Recall 5 Word 14	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 14.	ADNI AVLT - List A Recall 5 Word 14
C101978	AVL01083	AVL01-List A Recall 5 Word 15	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 15.	ADNI AVLT - List A Recall 5 Word 15

C101979	AVL01084	AVL01-List A Recall 5 Total	Auditory Verbal Learning Test Version A - The number of words recalled from List A, fifth attempt.	ADNI AVLT - List A Recall 5 Total
C101980	AVL01085	AVL01-List A Intrusions 5	Auditory Verbal Learning Test Version A - The number of intrusions while recalling List A, fifth attempt.	ADNI AVLT - List A Intrusions 5
C101981	AVL01086	AVL01-List A Recall 6 (After B) Word 1	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 1.	ADNI AVLT - List A Recall 6 (After B) Word 1
C101982	AVL01087	AVL01-List A Recall 6 (After B) Word 2	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 2.	ADNI AVLT - List A Recall 6 (After B) Word 2
C101983	AVL01088	AVL01-List A Recall 6 (After B) Word 3	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 3.	ADNI AVLT - List A Recall 6 (After B) Word 3
C101984	AVL01089	AVL01-List A Recall 6 (After B) Word 4	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 4.	ADNI AVLT - List A Recall 6 (After B) Word 4
C101985	AVL01090	AVL01-List A Recall 6 (After B) Word 5	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 5.	ADNI AVLT - List A Recall 6 (After B) Word 5
C101986	AVL01091	AVL01-List A Recall 6 (After B) Word 6	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 6.	ADNI AVLT - List A Recall 6 (After B) Word 6
C101987	AVL01092	AVL01-List A Recall 6 (After B) Word 7	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 7.	ADNI AVLT - List A Recall 6 (After B) Word 7
C101988	AVL01093	AVL01-List A Recall 6 (After B) Word 8	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 8.	ADNI AVLT - List A Recall 6 (After B) Word 8
C101989	AVL01094	AVL01-List A Recall 6 (After B) Word 9	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 9.	ADNI AVLT - List A Recall 6 (After B) Word 9
C101990	AVL01095	AVL01-List A Recall 6 (After B) Word 10	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 10.	ADNI AVLT - List A Recall 6 (After B) Word 10
C101991	AVL01096	AVL01-List A Recall 6 (After B) Word 11	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 11.	ADNI AVLT - List A Recall 6 (After B) Word 11
C101992	AVL01097	AVL01-List A Recall 6 (After B) Word 12	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 12.	ADNI AVLT - List A Recall 6 (After B) Word 12
C101993	AVL01098	AVL01-List A Recall 6 (After B) Word 13	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 13.	ADNI AVLT - List A Recall 6 (After B) Word 13
C101994	AVL01099	AVL01-List A Recall 6 (After B) Word 14	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 14.	ADNI AVLT - List A Recall 6 (After B) Word 14
C101995	AVL01100	AVL01-List A Recall 6 (After B) Word 15	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 15.	ADNI AVLT - List A Recall 6 (After B) Word 15
C101996	AVL01101	AVL01-List A Recall 6 (After B) Total	Auditory Verbal Learning Test Version A - The number of words recalled from List A, sixth attempt (after List B recall).	ADNI AVLT - List A Recall 6 (After B) Total
C101997	AVL01102	AVL01-List A Intrusions 6	Auditory Verbal Learning Test Version A - The number of intrusions while recalling List A, sixth attempt (after List B recall).	ADNI AVLT - List A Intrusions 6
C101998	AVL01103	AVL01-List B Recall Word 1	Auditory Verbal Learning Test Version A - List B, Word 1.	ADNI AVLT - List B Recall Word 1
C101999	AVL01104	AVL01-List B Recall Word 2	Auditory Verbal Learning Test Version A - List B, Word 2.	ADNI AVLT - List B Recall Word 2
C102000	AVL01105	AVL01-List B Recall Word 3	Auditory Verbal Learning Test Version A - List B, Word 3.	ADNI AVLT - List B Recall Word 3
C102001	AVL01106	AVL01-List B Recall Word 4	Auditory Verbal Learning Test Version A - List B, Word 4.	ADNI AVLT - List B Recall Word 4
C102002	AVL01107	AVL01-List B Recall Word 5	Auditory Verbal Learning Test Version A - List B, Word 5.	ADNI AVLT - List B Recall Word 5
C102003	AVL01108	AVL01-List B Recall Word 6	Auditory Verbal Learning Test Version A - List B, Word 6.	ADNI AVLT - List B Recall Word 6
C102004	AVL01109	AVL01-List B Recall Word 7	Auditory Verbal Learning Test Version A - List B, Word 7.	ADNI AVLT - List B Recall Word 7
C102005	AVL01110	AVL01-List B Recall Word 8	Auditory Verbal Learning Test Version A - List B, Word 8.	ADNI AVLT - List B Recall Word 8
C102006	AVL01111	AVL01-List B Recall Word 9	Auditory Verbal Learning Test Version A - List B, Word 9.	ADNI AVLT - List B Recall Word 9

ADNI AVLT - List A Recognition Intrusions				
C102007	AVL01112	AVL01-List B Recall Word 10	Auditory Verbal Learning Test Version A - List B, Word 10.	ADNI AVLT - List B Recall Word 10
C102008	AVL01113	AVL01-List B Recall Word 11	Auditory Verbal Learning Test Version A - List B, Word 11.	ADNI AVLT - List B Recall Word 11
C102009	AVL01114	AVL01-List B Recall Word 12	Auditory Verbal Learning Test Version A - List B, Word 12.	ADNI AVLT - List B Recall Word 12
C102010	AVL01115	AVL01-List B Recall Word 13	Auditory Verbal Learning Test Version A - List B, Word 13.	ADNI AVLT - List B Recall Word 13
C102011	AVL01116	AVL01-List B Recall Word 14	Auditory Verbal Learning Test Version A - List B, Word 14.	ADNI AVLT - List B Recall Word 14
C102012	AVL01117	AVL01-List B Recall Word 15	Auditory Verbal Learning Test Version A - List B, Word 15.	ADNI AVLT - List B Recall Word 15
C102013	AVL01118	AVL01-List B Recall Total	Auditory Verbal Learning Test Version A - The number of words recalled from List B.	ADNI AVLT - List B Recall Total
C102014	AVL01119	AVL01-List B Intrusions	Auditory Verbal Learning Test Version A - The number of intrusions while recalling List B.	ADNI AVLT - List B Intrusions
C102015	AVL01120	AVL01-List A 30 Min Delay Recall Word 1	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 1.	ADNI AVLT - List A 30 Min Delay Recall Word 1
C102016	AVL01121	AVL01-List A 30 Min Delay Recall Word 2	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 2.	ADNI AVLT - List A 30 Min Delay Recall Word 2
C102017	AVL01122	AVL01-List A 30 Min Delay Recall Word 3	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 3.	ADNI AVLT - List A 30 Min Delay Recall Word 3
C102018	AVL01123	AVL01-List A 30 Min Delay Recall Word 4	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 4.	ADNI AVLT - List A 30 Min Delay Recall Word 4
C102019	AVL01124	AVL01-List A 30 Min Delay Recall Word 5	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 5.	ADNI AVLT - List A 30 Min Delay Recall Word 5
C102020	AVL01125	AVL01-List A 30 Min Delay Recall Word 6	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 6.	ADNI AVLT - List A 30 Min Delay Recall Word 6
C102021	AVL01126	AVL01-List A 30 Min Delay Recall Word 7	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 7.	ADNI AVLT - List A 30 Min Delay Recall Word 7
C102022	AVL01127	AVL01-List A 30 Min Delay Recall Word 8	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 8.	ADNI AVLT - List A 30 Min Delay Recall Word 8
C102023	AVL01128	AVL01-List A 30 Min Delay Recall Word 9	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 9.	ADNI AVLT - List A 30 Min Delay Recall Word 9
C102024	AVL01129	AVL01-List A 30 Min Delay Recall Word 10	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 10.	ADNI AVLT - List A 30 Min Delay Recall Word 10
C102025	AVL01130	AVL01-List A 30 Min Delay Recall Word 11	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 11.	ADNI AVLT - List A 30 Min Delay Recall Word 11
C102026	AVL01131	AVL01-List A 30 Min Delay Recall Word 12	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 12.	ADNI AVLT - List A 30 Min Delay Recall Word 12
C102027	AVL01132	AVL01-List A 30 Min Delay Recall Word 13	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 13.	ADNI AVLT - List A 30 Min Delay Recall Word 13
C102028	AVL01133	AVL01-List A 30 Min Delay Recall Word 14	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 14.	ADNI AVLT - List A 30 Min Delay Recall Word 14
C102029	AVL01134	AVL01-List A 30 Min Delay Recall Word 15	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 15.	ADNI AVLT - List A 30 Min Delay Recall Word 15
C102030	AVL01135	AVL01-List A 30 Min Delay Recall Total	Auditory Verbal Learning Test Version A - The number of words recalled from List A, 30 Minute Delay recall.	ADNI AVLT - List A 30 Min Delay Recall Total
C102031	AVL01136	AVL01-List A 30 Min Delay Intrusions	Auditory Verbal Learning Test Version A - The number of intrusions while recalling List A, 30 Minute Delay.	ADNI AVLT - List A 30 Min Delay Intrusions
C102032	AVL01137	AVL01-List A Recognition Total	Auditory Verbal Learning Test Version A - The number of words correct on recognition test.	ADNI AVLT - List A Recognition Total
C102033	AVL01138	AVL01-List A Recognition Intrusions	Auditory Verbal Learning Test Version A - The number of intrusions on recognition test.	ADNI AVLT - List A Recognition Intrusions

C102031	AVL01-List A 30 Min Delay Intrusions	AVL01-List A 30 Min Delay Intrusions	Auditory Verbal Learning Test Version A - The number of intrusions while recalling List A, 30 Minute Delay.	ADNI AVLT - List A 30 Min Delay Intrusions
C102030	AVL01-List A 30 Min Delay Recall Total	AVL01-List A 30 Min Delay Recall Total	Auditory Verbal Learning Test Version A - The number of words recalled from List A, 30 Minute Delay recall.	ADNI AVLT - List A 30 Min Delay Recall Total
C102015	AVL01-List A 30 Min Delay Recall Word 1	AVL01-List A 30 Min Delay Recall Word 1	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 1.	ADNI AVLT - List A 30 Min Delay Recall Word 1
C102024	AVL01-List A 30 Min Delay Recall Word 10	AVL01-List A 30 Min Delay Recall Word 10	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 10.	ADNI AVLT - List A 30 Min Delay Recall Word 10
C102025	AVL01-List A 30 Min Delay Recall Word 11	AVL01-List A 30 Min Delay Recall Word 11	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 11.	ADNI AVLT - List A 30 Min Delay Recall Word 11
C102026	AVL01-List A 30 Min Delay Recall Word 12	AVL01-List A 30 Min Delay Recall Word 12	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 12.	ADNI AVLT - List A 30 Min Delay Recall Word 12
C102027	AVL01-List A 30 Min Delay Recall Word 13	AVL01-List A 30 Min Delay Recall Word 13	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 13.	ADNI AVLT - List A 30 Min Delay Recall Word 13
C102028	AVL01-List A 30 Min Delay Recall Word 14	AVL01-List A 30 Min Delay Recall Word 14	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 14.	ADNI AVLT - List A 30 Min Delay Recall Word 14
C102029	AVL01-List A 30 Min Delay Recall Word 15	AVL01-List A 30 Min Delay Recall Word 15	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 15.	ADNI AVLT - List A 30 Min Delay Recall Word 15
C102016	AVL01-List A 30 Min Delay Recall Word 2	AVL01-List A 30 Min Delay Recall Word 2	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 2.	ADNI AVLT - List A 30 Min Delay Recall Word 2
C102017	AVL01-List A 30 Min Delay Recall Word 3	AVL01-List A 30 Min Delay Recall Word 3	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 3.	ADNI AVLT - List A 30 Min Delay Recall Word 3
C102018	AVL01-List A 30 Min Delay Recall Word 4	AVL01-List A 30 Min Delay Recall Word 4	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 4.	ADNI AVLT - List A 30 Min Delay Recall Word 4
C102019	AVL01-List A 30 Min Delay Recall Word 5	AVL01-List A 30 Min Delay Recall Word 5	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 5.	ADNI AVLT - List A 30 Min Delay Recall Word 5
C102020	AVL01-List A 30 Min Delay Recall Word 6	AVL01-List A 30 Min Delay Recall Word 6	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 6.	ADNI AVLT - List A 30 Min Delay Recall Word 6
C102021	AVL01-List A 30 Min Delay Recall Word 7	AVL01-List A 30 Min Delay Recall Word 7	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 7.	ADNI AVLT - List A 30 Min Delay Recall Word 7
C102022	AVL01-List A 30 Min Delay Recall Word 8	AVL01-List A 30 Min Delay Recall Word 8	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 8.	ADNI AVLT - List A 30 Min Delay Recall Word 8
C102023	AVL01-List A 30 Min Delay Recall Word 9	AVL01-List A 30 Min Delay Recall Word 9	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 9.	ADNI AVLT - List A 30 Min Delay Recall Word 9
C101912	AVL01-List A Intrusions 1	AVL01-List A Intrusions 1	Auditory Verbal Learning Test Version A - The number of intrusions while recalling List A, first attempt.	ADNI AVLT - List A Intrusions 1
C101929	AVL01-List A Intrusions 2	AVL01-List A Intrusions 2	Auditory Verbal Learning Test Version A - The number of intrusions while recalling List A, second attempt.	ADNI AVLT - List A Intrusions 2
C101946	AVL01-List A Intrusions 3	AVL01-List A Intrusions 3	Auditory Verbal Learning Test Version A - The number of intrusions while recalling List A, third attempt.	ADNI AVLT - List A Intrusions 3
C101963	AVL01-List A Intrusions 4	AVL01-List A Intrusions 4	Auditory Verbal Learning Test Version A - The number of intrusions while recalling List A, fourth attempt.	ADNI AVLT - List A Intrusions 4
C101980	AVL01-List A Intrusions 5	AVL01-List A Intrusions 5	Auditory Verbal Learning Test Version A - The number of intrusions while recalling List A, fifth attempt.	ADNI AVLT - List A Intrusions 5
C101997	AVL01-List A Intrusions 6	AVL01-List A Intrusions 6	Auditory Verbal Learning Test Version A - The number of intrusions while recalling List A, sixth attempt (after List B recall).	ADNI AVLT - List A Intrusions 6
C101911	AVL01-List A Recall 1 Total	AVL01-List A Recall 1 Total	Auditory Verbal Learning Test Version A - The number of words recalled from List A, first attempt.	ADNI AVLT - List A Recall 1 Total
C101896	AVL01-List A Recall 1 Word 1	AVL01-List A Recall 1 Word 1	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 1.	ADNI AVLT - List A Recall 1 Word 1
C101905	AVL01-List A Recall 1 Word 10	AVL01-List A Recall 1 Word 10	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 10.	ADNI AVLT - List A Recall 1 Word 10
C101906	AVL01-List A Recall 1 Word 11	AVL01-List A Recall 1 Word 11	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 11.	ADNI AVLT - List A Recall 1 Word 11

ADNI AVLT - List A Recall 1				
C101907	AVL01-List A Recall 1 Word 12	AVL01-List A Recall 1 Word 12	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 12.	ADNI AVLT - List A Recall 1 Word 12
C101908	AVL01-List A Recall 1 Word 13	AVL01-List A Recall 1 Word 13	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 13.	ADNI AVLT - List A Recall 1 Word 13
C101909	AVL01-List A Recall 1 Word 14	AVL01-List A Recall 1 Word 14	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 14.	ADNI AVLT - List A Recall 1 Word 14
C101910	AVL01-List A Recall 1 Word 15	AVL01-List A Recall 1 Word 15	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 15.	ADNI AVLT - List A Recall 1 Word 15
C101897	AVL01-List A Recall 1 Word 2	AVL01-List A Recall 1 Word 2	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 2.	ADNI AVLT - List A Recall 1 Word 2
C101898	AVL01-List A Recall 1 Word 3	AVL01-List A Recall 1 Word 3	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 3.	ADNI AVLT - List A Recall 1 Word 3
C101899	AVL01-List A Recall 1 Word 4	AVL01-List A Recall 1 Word 4	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 4.	ADNI AVLT - List A Recall 1 Word 4
C101900	AVL01-List A Recall 1 Word 5	AVL01-List A Recall 1 Word 5	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 5.	ADNI AVLT - List A Recall 1 Word 5
C101901	AVL01-List A Recall 1 Word 6	AVL01-List A Recall 1 Word 6	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 6.	ADNI AVLT - List A Recall 1 Word 6
C101902	AVL01-List A Recall 1 Word 7	AVL01-List A Recall 1 Word 7	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 7.	ADNI AVLT - List A Recall 1 Word 7
C101903	AVL01-List A Recall 1 Word 8	AVL01-List A Recall 1 Word 8	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 8.	ADNI AVLT - List A Recall 1 Word 8
C101904	AVL01-List A Recall 1 Word 9	AVL01-List A Recall 1 Word 9	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 9.	ADNI AVLT - List A Recall 1 Word 9
C101928	AVL01-List A Recall 2 Total	AVL01-List A Recall 2 Total	Auditory Verbal Learning Test Version A - The number of words recalled from List A, second attempt.	ADNI AVLT - List A Recall 2 Total
C101913	AVL01-List A Recall 2 Word 1	AVL01-List A Recall 2 Word 1	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 1.	ADNI AVLT - List A Recall 2 Word 1
C101922	AVL01-List A Recall 2 Word 10	AVL01-List A Recall 2 Word 10	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 10.	ADNI AVLT - List A Recall 2 Word 10
C101923	AVL01-List A Recall 2 Word 11	AVL01-List A Recall 2 Word 11	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 11.	ADNI AVLT - List A Recall 2 Word 11
C101924	AVL01-List A Recall 2 Word 12	AVL01-List A Recall 2 Word 12	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 12.	ADNI AVLT - List A Recall 2 Word 12
C101925	AVL01-List A Recall 2 Word 13	AVL01-List A Recall 2 Word 13	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 13.	ADNI AVLT - List A Recall 2 Word 13
C101926	AVL01-List A Recall 2 Word 14	AVL01-List A Recall 2 Word 14	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 14.	ADNI AVLT - List A Recall 2 Word 14
C101927	AVL01-List A Recall 2 Word 15	AVL01-List A Recall 2 Word 15	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 15.	ADNI AVLT - List A Recall 2 Word 15
C101914	AVL01-List A Recall 2 Word 2	AVL01-List A Recall 2 Word 2	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 2.	ADNI AVLT - List A Recall 2 Word 2
C101915	AVL01-List A Recall 2 Word 3	AVL01-List A Recall 2 Word 3	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 3.	ADNI AVLT - List A Recall 2 Word 3
C101916	AVL01-List A Recall 2 Word 4	AVL01-List A Recall 2 Word 4	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 4.	ADNI AVLT - List A Recall 2 Word 4
C101917	AVL01-List A Recall 2 Word 5	AVL01-List A Recall 2 Word 5	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 5.	ADNI AVLT - List A Recall 2 Word 5
C101918	AVL01-List A Recall 2 Word 6	AVL01-List A Recall 2 Word 6	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 6.	ADNI AVLT - List A Recall 2 Word 6
C101919	AVL01-List A Recall 2 Word 7	AVL01-List A Recall 2 Word 7	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 7.	ADNI AVLT - List A Recall 2 Word 7
C101920	AVL01-List A Recall 2 Word 8	AVL01-List A Recall 2 Word 8	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 8.	ADNI AVLT - List A Recall 2 Word 8
C101921	AVL01-List A Recall 2 Word 9	AVL01-List A Recall 2 Word 9	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 9.	ADNI AVLT - List A Recall 2 Word 9

ADNI AVLT - List A Recall 3 Total				
C101945	AVL01-List A Recall 3 Total	AVL01-List A Recall 3 Total	Auditory Verbal Learning Test Version A - The number of words recalled from List A, third attempt.	ADNI AVLT - List A Recall 3 Total
C101930	AVL01-List A Recall 3 Word 1	AVL01-List A Recall 3 Word 1	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 1.	ADNI AVLT - List A Recall 3 Word 1
C101939	AVL01-List A Recall 3 Word 10	AVL01-List A Recall 3 Word 10	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 10.	ADNI AVLT - List A Recall 3 Word 10
C101940	AVL01-List A Recall 3 Word 11	AVL01-List A Recall 3 Word 11	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 11.	ADNI AVLT - List A Recall 3 Word 11
C101941	AVL01-List A Recall 3 Word 12	AVL01-List A Recall 3 Word 12	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 12.	ADNI AVLT - List A Recall 3 Word 12
C101942	AVL01-List A Recall 3 Word 13	AVL01-List A Recall 3 Word 13	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 13.	ADNI AVLT - List A Recall 3 Word 13
C101943	AVL01-List A Recall 3 Word 14	AVL01-List A Recall 3 Word 14	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 14.	ADNI AVLT - List A Recall 3 Word 14
C101944	AVL01-List A Recall 3 Word 15	AVL01-List A Recall 3 Word 15	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 15.	ADNI AVLT - List A Recall 3 Word 15
C101931	AVL01-List A Recall 3 Word 2	AVL01-List A Recall 3 Word 2	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 2.	ADNI AVLT - List A Recall 3 Word 2
C101932	AVL01-List A Recall 3 Word 3	AVL01-List A Recall 3 Word 3	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 3.	ADNI AVLT - List A Recall 3 Word 3
C101933	AVL01-List A Recall 3 Word 4	AVL01-List A Recall 3 Word 4	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 4.	ADNI AVLT - List A Recall 3 Word 4
C101934	AVL01-List A Recall 3 Word 5	AVL01-List A Recall 3 Word 5	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 5.	ADNI AVLT - List A Recall 3 Word 5
C101935	AVL01-List A Recall 3 Word 6	AVL01-List A Recall 3 Word 6	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 6.	ADNI AVLT - List A Recall 3 Word 6
C101936	AVL01-List A Recall 3 Word 7	AVL01-List A Recall 3 Word 7	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 7.	ADNI AVLT - List A Recall 3 Word 7
C101937	AVL01-List A Recall 3 Word 8	AVL01-List A Recall 3 Word 8	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 8.	ADNI AVLT - List A Recall 3 Word 8
C101938	AVL01-List A Recall 3 Word 9	AVL01-List A Recall 3 Word 9	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 9.	ADNI AVLT - List A Recall 3 Word 9
C101962	AVL01-List A Recall 4 Total	AVL01-List A Recall 4 Total	Auditory Verbal Learning Test Version A - The number of words recalled from List A, fourth attempt.	ADNI AVLT - List A Recall 4 Total
C101947	AVL01-List A Recall 4 Word 1	AVL01-List A Recall 4 Word 1	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 1.	ADNI AVLT - List A Recall 4 Word 1
C101956	AVL01-List A Recall 4 Word 10	AVL01-List A Recall 4 Word 10	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 10.	ADNI AVLT - List A Recall 4 Word 10
C101957	AVL01-List A Recall 4 Word 11	AVL01-List A Recall 4 Word 11	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 11.	ADNI AVLT - List A Recall 4 Word 11
C101958	AVL01-List A Recall 4 Word 12	AVL01-List A Recall 4 Word 12	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 12.	ADNI AVLT - List A Recall 4 Word 12
C101959	AVL01-List A Recall 4 Word 13	AVL01-List A Recall 4 Word 13	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 13.	ADNI AVLT - List A Recall 4 Word 13
C101960	AVL01-List A Recall 4 Word 14	AVL01-List A Recall 4 Word 14	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 14.	ADNI AVLT - List A Recall 4 Word 14
C101961	AVL01-List A Recall 4 Word 15	AVL01-List A Recall 4 Word 15	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 15.	ADNI AVLT - List A Recall 4 Word 15
C101948	AVL01-List A Recall 4 Word 2	AVL01-List A Recall 4 Word 2	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 2.	ADNI AVLT - List A Recall 4 Word 2
C101949	AVL01-List A Recall 4 Word 3	AVL01-List A Recall 4 Word 3	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 3.	ADNI AVLT - List A Recall 4 Word 3
C101950	AVL01-List A Recall 4 Word 4	AVL01-List A Recall 4 Word 4	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 4.	ADNI AVLT - List A Recall 4 Word 4
C101951	AVL01-List A Recall 4 Word 5	AVL01-List A Recall 4 Word 5	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 5.	ADNI AVLT - List A Recall 4 Word 5

ADNI AVLT - List A Recall 4 Word 6				
C101952	AVL01-List A Recall 4 Word 6	AVL01-List A Recall 4 Word 6	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 6.	ADNI AVLT - List A Recall 4 Word 6
C101953	AVL01-List A Recall 4 Word 7	AVL01-List A Recall 4 Word 7	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 7.	ADNI AVLT - List A Recall 4 Word 7
C101954	AVL01-List A Recall 4 Word 8	AVL01-List A Recall 4 Word 8	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 8.	ADNI AVLT - List A Recall 4 Word 8
C101955	AVL01-List A Recall 4 Word 9	AVL01-List A Recall 4 Word 9	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 9.	ADNI AVLT - List A Recall 4 Word 9
C101979	AVL01-List A Recall 5 Total	AVL01-List A Recall 5 Total	Auditory Verbal Learning Test Version A - The number of words recalled from List A, fifth attempt.	ADNI AVLT - List A Recall 5 Total
C101964	AVL01-List A Recall 5 Word 1	AVL01-List A Recall 5 Word 1	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 1.	ADNI AVLT - List A Recall 5 Word 1
C101973	AVL01-List A Recall 5 Word 10	AVL01-List A Recall 5 Word 10	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 10.	ADNI AVLT - List A Recall 5 Word 10
C101974	AVL01-List A Recall 5 Word 11	AVL01-List A Recall 5 Word 11	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 11.	ADNI AVLT - List A Recall 5 Word 11
C101975	AVL01-List A Recall 5 Word 12	AVL01-List A Recall 5 Word 12	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 12.	ADNI AVLT - List A Recall 5 Word 12
C101976	AVL01-List A Recall 5 Word 13	AVL01-List A Recall 5 Word 13	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 13.	ADNI AVLT - List A Recall 5 Word 13
C101977	AVL01-List A Recall 5 Word 14	AVL01-List A Recall 5 Word 14	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 14.	ADNI AVLT - List A Recall 5 Word 14
C101978	AVL01-List A Recall 5 Word 15	AVL01-List A Recall 5 Word 15	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 15.	ADNI AVLT - List A Recall 5 Word 15
C101965	AVL01-List A Recall 5 Word 2	AVL01-List A Recall 5 Word 2	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 2.	ADNI AVLT - List A Recall 5 Word 2
C101966	AVL01-List A Recall 5 Word 3	AVL01-List A Recall 5 Word 3	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 3.	ADNI AVLT - List A Recall 5 Word 3
C101967	AVL01-List A Recall 5 Word 4	AVL01-List A Recall 5 Word 4	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 4.	ADNI AVLT - List A Recall 5 Word 4
C101968	AVL01-List A Recall 5 Word 5	AVL01-List A Recall 5 Word 5	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 5.	ADNI AVLT - List A Recall 5 Word 5
C101969	AVL01-List A Recall 5 Word 6	AVL01-List A Recall 5 Word 6	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 6.	ADNI AVLT - List A Recall 5 Word 6
C101970	AVL01-List A Recall 5 Word 7	AVL01-List A Recall 5 Word 7	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 7.	ADNI AVLT - List A Recall 5 Word 7
C101971	AVL01-List A Recall 5 Word 8	AVL01-List A Recall 5 Word 8	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 8.	ADNI AVLT - List A Recall 5 Word 8
C101972	AVL01-List A Recall 5 Word 9	AVL01-List A Recall 5 Word 9	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 9.	ADNI AVLT - List A Recall 5 Word 9
C101996	AVL01-List A Recall 6 (After B) Total	AVL01-List A Recall 6 (After B) Total	Auditory Verbal Learning Test Version A - The number of words recalled from List A, sixth attempt (after List B recall).	ADNI AVLT - List A Recall 6 (After B) Total
C101981	AVL01-List A Recall 6 (After B) Word 1	AVL01-List A Recall 6 (After B) Word 1	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 1.	ADNI AVLT - List A Recall 6 (After B) Word 1
C101990	AVL01-List A Recall 6 (After B) Word 10	AVL01-List A Recall 6 (After B) Word 10	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 10.	ADNI AVLT - List A Recall 6 (After B) Word 10
C101991	AVL01-List A Recall 6 (After B) Word 11	AVL01-List A Recall 6 (After B) Word 11	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 11.	ADNI AVLT - List A Recall 6 (After B) Word 11
C101992	AVL01-List A Recall 6 (After B) Word 12	AVL01-List A Recall 6 (After B) Word 12	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 12.	ADNI AVLT - List A Recall 6 (After B) Word 12
C101993	AVL01-List A Recall 6 (After B) Word 13	AVL01-List A Recall 6 (After B) Word 13	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 13.	ADNI AVLT - List A Recall 6 (After B) Word 13
C101994	AVL01-List A Recall 6 (After B) Word 14	AVL01-List A Recall 6 (After B) Word 14	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 14.	ADNI AVLT - List A Recall 6 (After B) Word 14
C101995	AVL01-List A Recall 6 (After B) Word 15	AVL01-List A Recall 6 (After B) Word 15	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 15.	ADNI AVLT - List A Recall 6 (After B) Word 15

ADNI AVLT - List A Recall 6 (After B) Word 2				
C101982	AVL01-List A Recall 6 (After B) Word 2	AVL01-List A Recall 6 (After B) Word 2	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 2.	ADNI AVLT - List A Recall 6 (After B) Word 2
C101983	AVL01-List A Recall 6 (After B) Word 3	AVL01-List A Recall 6 (After B) Word 3	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 3.	ADNI AVLT - List A Recall 6 (After B) Word 3
C101984	AVL01-List A Recall 6 (After B) Word 4	AVL01-List A Recall 6 (After B) Word 4	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 4.	ADNI AVLT - List A Recall 6 (After B) Word 4
C101985	AVL01-List A Recall 6 (After B) Word 5	AVL01-List A Recall 6 (After B) Word 5	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 5.	ADNI AVLT - List A Recall 6 (After B) Word 5
C101986	AVL01-List A Recall 6 (After B) Word 6	AVL01-List A Recall 6 (After B) Word 6	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 6.	ADNI AVLT - List A Recall 6 (After B) Word 6
C101987	AVL01-List A Recall 6 (After B) Word 7	AVL01-List A Recall 6 (After B) Word 7	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 7.	ADNI AVLT - List A Recall 6 (After B) Word 7
C101988	AVL01-List A Recall 6 (After B) Word 8	AVL01-List A Recall 6 (After B) Word 8	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 8.	ADNI AVLT - List A Recall 6 (After B) Word 8
C101989	AVL01-List A Recall 6 (After B) Word 9	AVL01-List A Recall 6 (After B) Word 9	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 9.	ADNI AVLT - List A Recall 6 (After B) Word 9
C102033	AVL01-List A Recognition Intrusions	AVL01-List A Recognition Intrusions	Auditory Verbal Learning Test Version A - The number of intrusions on recognition test.	ADNI AVLT - List A Recognition Intrusions
C102032	AVL01-List A Recognition Total	AVL01-List A Recognition Total	Auditory Verbal Learning Test Version A - The number of words correct on recognition test.	ADNI AVLT - List A Recognition Total
C102014	AVL01-List B Intrusions	AVL01-List B Intrusions	Auditory Verbal Learning Test Version A - The number of intrusions while recalling List B.	ADNI AVLT - List B Intrusions
C102013	AVL01-List B Recall Total	AVL01-List B Recall Total	Auditory Verbal Learning Test Version A - The number of words recalled from List B.	ADNI AVLT - List B Recall Total
C101998	AVL01-List B Recall Word 1	AVL01-List B Recall Word 1	Auditory Verbal Learning Test Version A - List B, Word 1.	ADNI AVLT - List B Recall Word 1
C102007	AVL01-List B Recall Word 10	AVL01-List B Recall Word 10	Auditory Verbal Learning Test Version A - List B, Word 10.	ADNI AVLT - List B Recall Word 10
C102008	AVL01-List B Recall Word 11	AVL01-List B Recall Word 11	Auditory Verbal Learning Test Version A - List B, Word 11.	ADNI AVLT - List B Recall Word 11
C102009	AVL01-List B Recall Word 12	AVL01-List B Recall Word 12	Auditory Verbal Learning Test Version A - List B, Word 12.	ADNI AVLT - List B Recall Word 12
C102010	AVL01-List B Recall Word 13	AVL01-List B Recall Word 13	Auditory Verbal Learning Test Version A - List B, Word 13.	ADNI AVLT - List B Recall Word 13
C102011	AVL01-List B Recall Word 14	AVL01-List B Recall Word 14	Auditory Verbal Learning Test Version A - List B, Word 14.	ADNI AVLT - List B Recall Word 14
C102012	AVL01-List B Recall Word 15	AVL01-List B Recall Word 15	Auditory Verbal Learning Test Version A - List B, Word 15.	ADNI AVLT - List B Recall Word 15
C101999	AVL01-List B Recall Word 2	AVL01-List B Recall Word 2	Auditory Verbal Learning Test Version A - List B, Word 2.	ADNI AVLT - List B Recall Word 2
C102000	AVL01-List B Recall Word 3	AVL01-List B Recall Word 3	Auditory Verbal Learning Test Version A - List B, Word 3.	ADNI AVLT - List B Recall Word 3
C102001	AVL01-List B Recall Word 4	AVL01-List B Recall Word 4	Auditory Verbal Learning Test Version A - List B, Word 4.	ADNI AVLT - List B Recall Word 4
C102002	AVL01-List B Recall Word 5	AVL01-List B Recall Word 5	Auditory Verbal Learning Test Version A - List B, Word 5.	ADNI AVLT - List B Recall Word 5
C102003	AVL01-List B Recall Word 6	AVL01-List B Recall Word 6	Auditory Verbal Learning Test Version A - List B, Word 6.	ADNI AVLT - List B Recall Word 6
C102004	AVL01-List B Recall Word 7	AVL01-List B Recall Word 7	Auditory Verbal Learning Test Version A - List B, Word 7.	ADNI AVLT - List B Recall Word 7
C102005	AVL01-List B Recall Word 8	AVL01-List B Recall Word 8	Auditory Verbal Learning Test Version A - List B, Word 8.	ADNI AVLT - List B Recall Word 8
C102006	AVL01-List B Recall Word 9	AVL01-List B Recall Word 9	Auditory Verbal Learning Test Version A - List B, Word 9.	ADNI AVLT - List B Recall Word 9

AVL02 - Auditory Verbal Learning Test				
Code	Code Description	Definition	Definition Description	Value Domain
C123683	AVL0201	AVL02-List A Word 1	Auditory Verbal Learning Test - List A, Word 1.	AVLT-REY - List A Word 1
C123684	AVL0202	AVL02-List A Word 2	Auditory Verbal Learning Test - List A, Word 2.	AVLT-REY - List A Word 2
C123685	AVL0203	AVL02-List A Word 3	Auditory Verbal Learning Test - List A, Word 3.	AVLT-REY - List A Word 3
C123686	AVL0204	AVL02-List A Word 4	Auditory Verbal Learning Test - List A, Word 4.	AVLT-REY - List A Word 4
C123687	AVL0205	AVL02-List A Word 5	Auditory Verbal Learning Test - List A, Word 5.	AVLT-REY - List A Word 5
C123688	AVL0206	AVL02-List A Word 6	Auditory Verbal Learning Test - List A, Word 6.	AVLT-REY - List A Word 6
C123689	AVL0207	AVL02-List A Word 7	Auditory Verbal Learning Test - List A, Word 7.	AVLT-REY - List A Word 7
C123690	AVL0208	AVL02-List A Word 8	Auditory Verbal Learning Test - List A, Word 8.	AVLT-REY - List A Word 8
C123691	AVL0209	AVL02-List A Word 9	Auditory Verbal Learning Test - List A, Word 9.	AVLT-REY - List A Word 9
C123692	AVL0210	AVL02-List A Word 10	Auditory Verbal Learning Test - List A, Word 10.	AVLT-REY - List A Word 10
C123693	AVL0211	AVL02-List A Word 11	Auditory Verbal Learning Test - List A, Word 11.	AVLT-REY - List A Word 11
C123694	AVL0212	AVL02-List A Word 12	Auditory Verbal Learning Test - List A, Word 12.	AVLT-REY - List A Word 12
C123695	AVL0213	AVL02-List A Word 13	Auditory Verbal Learning Test - List A, Word 13.	AVLT-REY - List A Word 13
C123696	AVL0214	AVL02-List A Word 14	Auditory Verbal Learning Test - List A, Word 14.	AVLT-REY - List A Word 14
C123697	AVL0215	AVL02-List A Word 15	Auditory Verbal Learning Test - List A, Word 15.	AVLT-REY - List A Word 15
C123698	AVL0216	AVL02-List A Total	Auditory Verbal Learning Test - The number of List A words recalled from a trial.	AVLT-REY - List A Total
C123699	AVL0217	AVL02-List A Intrusions	Auditory Verbal Learning Test - The number of List A intrusions while recalling from a trial.	AVLT-REY - List A Intrusions
C123700	AVL0218	AVL02-List B Word 1	Auditory Verbal Learning Test - List B, Word 1.	AVLT-REY - List B Word 1
C123701	AVL0219	AVL02-List B Word 2	Auditory Verbal Learning Test - List B, Word 2.	AVLT-REY - List B Word 2
C123702	AVL0220	AVL02-List B Word 3	Auditory Verbal Learning Test - List B, Word 3.	AVLT-REY - List B Word 3
C123703	AVL0221	AVL02-List B Word 4	Auditory Verbal Learning Test - List B, Word 4.	AVLT-REY - List B Word 4
C123704	AVL0222	AVL02-List B Word 5	Auditory Verbal Learning Test - List B, Word 5.	AVLT-REY - List B Word 5
C123705	AVL0223	AVL02-List B Word 6	Auditory Verbal Learning Test - List B, Word 6.	AVLT-REY - List B Word 6
C123706	AVL0224	AVL02-List B Word 7	Auditory Verbal Learning Test - List B, Word 7.	AVLT-REY - List B Word 7
C123707	AVL0225	AVL02-List B Word 8	Auditory Verbal Learning Test - List B, Word 8.	AVLT-REY - List B Word 8
C123708	AVL0226	AVL02-List B Word 9	Auditory Verbal Learning Test - List B, Word 9.	AVLT-REY - List B Word 9
C123709	AVL0227	AVL02-List B Word 10	Auditory Verbal Learning Test - List B, Word 10.	AVLT-REY - List B Word 10
C123710	AVL0228	AVL02-List B Word 11	Auditory Verbal Learning Test - List B, Word 11.	AVLT-REY - List B Word 11
C123711	AVL0229	AVL02-List B Word 12	Auditory Verbal Learning Test - List B, Word 12.	AVLT-REY - List B Word 12
C123712	AVL0230	AVL02-List B Word 13	Auditory Verbal Learning Test - List B, Word 13.	AVLT-REY - List B Word 13
C123713	AVL0231	AVL02-List B Word 14	Auditory Verbal Learning Test - List B, Word 14.	AVLT-REY - List B Word 14
C123714	AVL0232	AVL02-List B Word 15	Auditory Verbal Learning Test - List B, Word 15.	AVLT-REY - List B Word 15
C123715	AVL0233	AVL02- List B Total	Auditory Verbal Learning Test - The number of words recalled from List B trial.	AVLT-REY - List B Total
C123716	AVL0234	AVL02-List B Intrusions	Auditory Verbal Learning Test - The number of intrusions while recalling from List B trial.	AVLT-REY - List B Intrusions
C123717	AVL0235	AVL02-Recognition Total	Auditory Verbal Learning Test - The number of words correct on recognition test.	AVLT-REY - Recognition Total
C123718	AVL0236	AVL02-Recognition Intrusions	Auditory Verbal Learning Test - The number of intrusions on recognition test.	AVLT-REY - Recognition Intrusions

C123715	AVL02- List B Total	AVL02- List B Total	Auditory Verbal Learning Test - The number of words recalled from List B trial.	AVLT-REY - List B Total
C123699	AVL02-List A Intrusions	AVL02-List A Intrusions	Auditory Verbal Learning Test - The number of List A intrusions while recalling from a trial.	AVLT-REY - List A Intrusions
C123698	AVL02-List A Total	AVL02-List A Total	Auditory Verbal Learning Test - The number of List A words recalled from a trial.	AVLT-REY - List A Total
C123683	AVL02-List A Word 1	AVL02-List A Word 1	Auditory Verbal Learning Test - List A, Word 1.	AVLT-REY - List A Word 1
C123692	AVL02-List A Word 10	AVL02-List A Word 10	Auditory Verbal Learning Test - List A, Word 10.	AVLT-REY - List A Word 10
C123693	AVL02-List A Word 11	AVL02-List A Word 11	Auditory Verbal Learning Test - List A, Word 11.	AVLT-REY - List A Word 11
C123694	AVL02-List A Word 12	AVL02-List A Word 12	Auditory Verbal Learning Test - List A, Word 12.	AVLT-REY - List A Word 12
C123695	AVL02-List A Word 13	AVL02-List A Word 13	Auditory Verbal Learning Test - List A, Word 13.	AVLT-REY - List A Word 13
C123696	AVL02-List A Word 14	AVL02-List A Word 14	Auditory Verbal Learning Test - List A, Word 14.	AVLT-REY - List A Word 14
C123697	AVL02-List A Word 15	AVL02-List A Word 15	Auditory Verbal Learning Test - List A, Word 15.	AVLT-REY - List A Word 15
C123684	AVL02-List A Word 2	AVL02-List A Word 2	Auditory Verbal Learning Test - List A, Word 2.	AVLT-REY - List A Word 2
C123685	AVL02-List A Word 3	AVL02-List A Word 3	Auditory Verbal Learning Test - List A, Word 3.	AVLT-REY - List A Word 3
C123686	AVL02-List A Word 4	AVL02-List A Word 4	Auditory Verbal Learning Test - List A, Word 4.	AVLT-REY - List A Word 4
C123687	AVL02-List A Word 5	AVL02-List A Word 5	Auditory Verbal Learning Test - List A, Word 5.	AVLT-REY - List A Word 5
C123688	AVL02-List A Word 6	AVL02-List A Word 6	Auditory Verbal Learning Test - List A, Word 6.	AVLT-REY - List A Word 6
C123689	AVL02-List A Word 7	AVL02-List A Word 7	Auditory Verbal Learning Test - List A, Word 7.	AVLT-REY - List A Word 7
C123690	AVL02-List A Word 8	AVL02-List A Word 8	Auditory Verbal Learning Test - List A, Word 8.	AVLT-REY - List A Word 8
C123691	AVL02-List A Word 9	AVL02-List A Word 9	Auditory Verbal Learning Test - List A, Word 9.	AVLT-REY - List A Word 9
C123716	AVL02-List B Intrusions	AVL02-List B Intrusions	Auditory Verbal Learning Test - The number of intrusions while recalling from List B trial.	AVLT-REY - List B Intrusions
C123700	AVL02-List B Word 1	AVL02-List B Word 1	Auditory Verbal Learning Test - List B, Word 1.	AVLT-REY - List B Word 1
C123709	AVL02-List B Word 10	AVL02-List B Word 10	Auditory Verbal Learning Test - List B, Word 10.	AVLT-REY - List B Word 10
C123710	AVL02-List B Word 11	AVL02-List B Word 11	Auditory Verbal Learning Test - List B, Word 11.	AVLT-REY - List B Word 11
C123711	AVL02-List B Word 12	AVL02-List B Word 12	Auditory Verbal Learning Test - List B, Word 12.	AVLT-REY - List B Word 12
C123712	AVL02-List B Word 13	AVL02-List B Word 13	Auditory Verbal Learning Test - List B, Word 13.	AVLT-REY - List B Word 13
C123713	AVL02-List B Word 14	AVL02-List B Word 14	Auditory Verbal Learning Test - List B, Word 14.	AVLT-REY - List B Word 14
C123714	AVL02-List B Word 15	AVL02-List B Word 15	Auditory Verbal Learning Test - List B, Word 15.	AVLT-REY - List B Word 15
C123701	AVL02-List B Word 2	AVL02-List B Word 2	Auditory Verbal Learning Test - List B, Word 2.	AVLT-REY - List B Word 2
C123702	AVL02-List B Word 3	AVL02-List B Word 3	Auditory Verbal Learning Test - List B, Word 3.	AVLT-REY - List B Word 3
C123703	AVL02-List B Word 4	AVL02-List B Word 4	Auditory Verbal Learning Test - List B, Word 4.	AVLT-REY - List B Word 4
C123704	AVL02-List B Word 5	AVL02-List B Word 5	Auditory Verbal Learning Test - List B, Word 5.	AVLT-REY - List B Word 5
C123705	AVL02-List B Word 6	AVL02-List B Word 6	Auditory Verbal Learning Test - List B, Word 6.	AVLT-REY - List B Word 6
C123706	AVL02-List B Word 7	AVL02-List B Word 7	Auditory Verbal Learning Test - List B, Word 7.	AVLT-REY - List B Word 7
C123707	AVL02-List B Word 8	AVL02-List B Word 8	Auditory Verbal Learning Test - List B, Word 8.	AVLT-REY - List B Word 8
C123708	AVL02-List B Word 9	AVL02-List B Word 9	Auditory Verbal Learning Test - List B, Word 9.	AVLT-REY - List B Word 9
C123718	AVL02-Recognition Intrusions	AVL02-Recognition Intrusions	Auditory Verbal Learning Test - The number of intrusions on recognition test.	AVLT-REY - Recognition Intrusions
C123717	AVL02-Recognition Total	AVL02-Recognition Total	Auditory Verbal Learning Test - The number of words correct on recognition test.	AVLT-REY - Recognition Total

NCI Code: C161623, Codelist extensible: No

C161740	AVPU0101	AVPU01-Responsiveness	Alert Verbal Painful Unresponsive Scale - Responsivenesss.	AVPU - Responsiveness
---------	----------	-----------------------	------------------------------------------------------------	-----------------------

NCI Code: C161622, Codelist extensible: No

C161740	AVPU01-Responsiveness	AVPU01-Responsiveness	Alert Verbal Painful Unresponsive Scale - Responsivenesss.	AVPU - Responsiveness
---------	-----------------------	-----------------------	------------------------------------------------------------	-----------------------

C121050	BACS101	BACS1-Number of Items Recalled	Brief Assessment of Cognition in Schizophrenia - Verbal Memory- Number of items recalled on each trial.	BACS - Number of Items Recalled
C121051	BACS101A	BACS1-Number of Items Recalled Total	Brief Assessment of Cognition in Schizophrenia - Verbal Memory- Total number of items recalled.	BACS - Number of Items Recalled Total
C121052	BACS102	BACS1-Number of Correct Sequences	Brief Assessment of Cognition in Schizophrenia - Digit Sequencing-Number of correct sequences.	BACS - Number of Correct Sequences
C121053	BACS103A	BACS1-Number of Tokens Left on the Table	Brief Assessment of Cognition in Schizophrenia - Token Motor Task-Total number of tokens left on the table.	BACS - Number of Tokens Left on the Table
C121054	BACS103B	BACS1-Total Number Tokens in Container	Brief Assessment of Cognition in Schizophrenia - Token Motor Task-Total number of tokens placed in the container.	BACS - Total Number Tokens in Container
C121055	BACS103C	BACS1-Number Tokens Incorrectly Placed	Brief Assessment of Cognition in Schizophrenia Questionnaire - Token Motor Task-Total number of tokens incorrectly placed in container.	BACS - Number Tokens Incorrectly Placed
C121056	BACS103D	BACS1-Number of Tokens Correctly Placed	Brief Assessment of Cognition in Schizophrenia Questionnaire - Token Motor Task-Number of tokens correctly placed.	BACS - Number of Tokens Correctly Placed
C121057	BACS104A	BACS1-Category Instances	Brief Assessment of Cognition in Schizophrenia Questionnaire - Verbal Fluency-Category instances.	BACS - Category Instances
C121058	BACS104B	BACS1-Letter Fluency 1	Brief Assessment of Cognition in Schizophrenia Questionnaire - Verbal Fluency-Letter fluency 1.	BACS - Letter Fluency 1
C121059	BACS104C	BACS1-Letter Fluency 2	Brief Assessment of Cognition in Schizophrenia Questionnaire - Verbal Fluency-Letter fluency 2.	BACS - Letter Fluency 2
C121060	BACS104D	BACS1-Verbal Fluency Total	Brief Assessment of Cognition in Schizophrenia Questionnaire - Verbal Fluency-Total number of Verbal Fluency items.	BACS - Verbal Fluency Total
C121061	BACS105	BACS1-Symbol Coding Raw Score	Brief Assessment of Cognition in Schizophrenia Questionnaire - Symbol Coding-Raw score.	BACS - Symbol Coding Raw Score
C121062	BACS106	BACS1-Tower of London Correct Responses	Brief Assessment of Cognition in Schizophrenia Questionnaire - Tower of London-Number of correct responses.	BACS - Tower of London Correct Responses

C121057	BACS1-Category Instances	BACS1-Category Instances	Brief Assessment of Cognition in Schizophrenia Questionnaire - Verbal Fluency-Category instances.	BACS - Category Instances
C121058	BACS1-Letter Fluency 1	BACS1-Letter Fluency 1	Brief Assessment of Cognition in Schizophrenia Questionnaire - Verbal Fluency-Letter fluency 1.	BACS - Letter Fluency 1
C121059	BACS1-Letter Fluency 2	BACS1-Letter Fluency 2	Brief Assessment of Cognition in Schizophrenia Questionnaire - Verbal Fluency-Letter fluency 2.	BACS - Letter Fluency 2
C121052	BACS1-Number of Correct Sequences	BACS1-Number of Correct Sequences	Brief Assessment of Cognition in Schizophrenia - Digit Sequencing-Number of correct sequences.	BACS - Number of Correct Sequences
C121051	BACS1-Number of Items Recalled Total	BACS1-Number of Items Recalled Total	Brief Assessment of Cognition in Schizophrenia - Verbal Memory- Total number of items recalled.	BACS - Number of Items Recalled Total
C121050	BACS1-Number of Items Recalled	BACS1-Number of Items Recalled	Brief Assessment of Cognition in Schizophrenia - Verbal Memory- Number of items recalled on each trial.	BACS - Number of Items Recalled
C121056	BACS1-Number of Tokens Correctly Placed	BACS1-Number of Tokens Correctly Placed	Brief Assessment of Cognition in Schizophrenia Questionnaire - Token Motor Task-Number of tokens correctly placed.	BACS - Number of Tokens Correctly Placed
C121053	BACS1-Number of Tokens Left on the Table	BACS1-Number of Tokens Left on the Table	Brief Assessment of Cognition in Schizophrenia - Token Motor Task-Total number of tokens left on the table.	BACS - Number of Tokens Left on the Table
C121055	BACS1-Number Tokens Incorrectly Placed	BACS1-Number Tokens Incorrectly Placed	Brief Assessment of Cognition in Schizophrenia Questionnaire - Token Motor Task-Total number of tokens incorrectly placed in container.	BACS - Number Tokens Incorrectly Placed
C121061	BACS1-Symbol Coding Raw Score	BACS1-Symbol Coding Raw Score	Brief Assessment of Cognition in Schizophrenia Questionnaire - Symbol Coding-Raw score.	BACS - Symbol Coding Raw Score
C121054	BACS1-Total Number Tokens in Container	BACS1-Total Number Tokens in Container	Brief Assessment of Cognition in Schizophrenia - Token Motor Task-Total number of tokens placed in the container.	BACS - Total Number Tokens in Container
C121062	BACS1-Tower of London Correct Responses	BACS1-Tower of London Correct Responses	Brief Assessment of Cognition in Schizophrenia Questionnaire - Tower of London-Number of correct responses.	BACS - Tower of London Correct Responses
C121060	BACS1-Verbal Fluency Total	BACS1-Verbal Fluency Total	Brief Assessment of Cognition in Schizophrenia Questionnaire - Verbal Fluency-Total number of Verbal Fluency items.	BACS - Verbal Fluency Total

C102046	BARS0101	BARS01-Objective	Barnes Akathisia Rating Scale - Objective.	BARS - Objective
C102047	BARS0102	BARS01-Subjective, Awareness	Barnes Akathisia Rating Scale - Subjective, awareness of restlessness.	BARS - Subjective, Awareness
C102048	BARS0103	BARS01-Subjective, Distress	Barnes Akathisia Rating Scale - Subjective, distress related to restlessness.	BARS - Subjective, Distress
C102049	BARS0104	BARS01-Global Clinical Assessment	Barnes Akathisia Rating Scale - Global clinical assessment of akathisia.	BARS - Global Clinical Assessment

C102049	BARS01-Global Clinical Assessment	BARS01-Global Clinical Assessment	Barnes Akathisia Rating Scale - Global clinical assessment of akathisia.	BARS - Global Clinical Assessment
C102046	BARS01-Objective	BARS01-Objective	Barnes Akathisia Rating Scale - Objective.	BARS - Objective
C102047	BARS01-Subjective, Awareness	BARS01-Subjective, Awareness	Barnes Akathisia Rating Scale - Subjective, awareness of restlessness.	BARS - Subjective, Awareness
C102048	BARS01-Subjective, Distress	BARS01-Subjective, Distress	Barnes Akathisia Rating Scale - Subjective, distress related to restlessness.	BARS - Subjective, Distress

NCI Code: C113846, Codelist extensible: No

C113888 BCR10101

BCR101-Rating

Borg CR10 Scale - Rating.

Borg CR10 - Rating

NCI Code: C113845, Codelist extensible: No

C113888 BCR101-Rating

BCR101-Rating

Borg CR10 Scale - Rating.

Borg CR10 - Rating

C106701	BDI0101	BDI01-Functional Impairment	Baseline Dyspnea Index - Functional impairment.	BDI - Functional Impairment
C106702	BDI0102	BDI01-Magnitude of Task	Baseline Dyspnea Index - Magnitude of task.	BDI - Magnitude of Task
C106703	BDI0103	BDI01-Magnitude of Effort	Baseline Dyspnea Index - Magnitude of effort.	BDI - Magnitude of Effort
C161764	BDI0104	BDI01-Baseline Focal Score	Baseline Dyspnea Index - Baseline focal score.	BDI - Baseline Focal Score

C161764	BDI01-Baseline Focal Score	BDI01-Baseline Focal Score	Baseline Dyspnea Index - Baseline focal score.	BDI - Baseline Focal Score
C106701	BDI01-Functional Impairment	BDI01-Functional Impairment	Baseline Dyspnea Index - Functional impairment.	BDI - Functional Impairment
C106703	BDI01-Magnitude of Effort	BDI01-Magnitude of Effort	Baseline Dyspnea Index - Magnitude of effort.	BDI - Magnitude of Effort
C106702	BDI01-Magnitude of Task	BDI01-Magnitude of Task	Baseline Dyspnea Index - Magnitude of task.	BDI - Magnitude of Task

Baby Eating Behaviour Questionnaire - Concurrent				
C135775	BEBQ0101	BEBQ01-Baby Seems Contented Feeding	Baby Eating Behaviour Questionnaire - Concurrent - My baby seems contented while feeding.	BEBQ Concurrent Version - Baby Seems Contented Feeding
C135776	BEBQ0102	BEBQ01-Baby Frequently Wants More Milk	Baby Eating Behaviour Questionnaire - Concurrent - My baby frequently wants more milk than I provide.	BEBQ Concurrent Version - Baby Frequently Wants More Milk
C135777	BEBQ0103	BEBQ01-Baby Loves Milk	Baby Eating Behaviour Questionnaire - Concurrent - My baby loves milk.	BEBQ Concurrent Version - Baby Loves Milk
C135778	BEBQ0104	BEBQ01-Baby Has a Big Appetite	Baby Eating Behaviour Questionnaire - Concurrent - My baby has a big appetite.	BEBQ Concurrent Version - Baby Has a Big Appetite
C135779	BEBQ0105	BEBQ01-Baby Finishes Feeding Quickly	Baby Eating Behaviour Questionnaire - Concurrent - My baby finishes feeding quickly.	BEBQ Concurrent Version - Baby Finishes Feeding Quickly
C135780	BEBQ0106	BEBQ01-Baby Becomes Distressed Feeding	Baby Eating Behaviour Questionnaire - Concurrent - My baby becomes distressed while feeding.	BEBQ Concurrent Version - Baby Becomes Distressed Feeding
C135781	BEBQ0107	BEBQ01-Baby Gets Full Up Easily	Baby Eating Behaviour Questionnaire - Concurrent - My baby gets full up easily.	BEBQ Concurrent Version - Baby Gets Full Up Easily
C135782	BEBQ0108	BEBQ01-Baby Would Take Too Much Milk	Baby Eating Behaviour Questionnaire - Concurrent - If allowed to, my baby would take too much milk.	BEBQ Concurrent Version - Baby Would Take Too Much Milk
C135783	BEBQ0109	BEBQ01-Baby Takes More Than 30 Minutes	Baby Eating Behaviour Questionnaire - Concurrent - My baby takes more than 30 minutes to finish feeding.	BEBQ Concurrent Version - Baby Takes More Than 30 Minutes
C135784	BEBQ0110	BEBQ01-Gets Full Before Taking All Milk	Baby Eating Behaviour Questionnaire - Concurrent - My baby gets full before taking all the milk I think he/she should have.	BEBQ Concurrent Version - Gets Full Before Taking All Milk
C135785	BEBQ0111	BEBQ01-Baby Feeds Slowly	Baby Eating Behaviour Questionnaire - Concurrent - My baby feeds slowly.	BEBQ Concurrent Version - Baby Feeds Slowly
C135786	BEBQ0112	BEBQ01-Just Eaten Is Happy to Feed Again	Baby Eating Behaviour Questionnaire - Concurrent - Even when my baby has just eaten well he/she is happy to feed again if offered.	BEBQ Concurrent Version - Just Eaten Is Happy to Feed Again
C135787	BEBQ0113	BEBQ01-Difficult Manage Complete Feed	Baby Eating Behaviour Questionnaire - Concurrent - My baby finds it difficult to manage a complete feed.	BEBQ Concurrent Version - Difficult Manage Complete Feed
C135788	BEBQ0114	BEBQ01-Baby Is Always Demanding a Feed	Baby Eating Behaviour Questionnaire - Concurrent - My baby is always demanding a feed.	BEBQ Concurrent Version - Baby Is Always Demanding a Feed
C135789	BEBQ0115	BEBQ01-Baby Sucks More and More Slowly	Baby Eating Behaviour Questionnaire - Concurrent - My baby sucks more and more slowly during the course of a feed.	BEBQ Concurrent Version - Baby Sucks More and More Slowly
C135790	BEBQ0116	BEBQ01-Baby Would Always Be Feeding	Baby Eating Behaviour Questionnaire - Concurrent - If given the chance, my baby would always be feeding.	BEBQ Concurrent Version - Baby Would Always Be Feeding
C135791	BEBQ0117	BEBQ01-Baby Enjoys Feeding Time	Baby Eating Behaviour Questionnaire - Concurrent - My baby enjoys feeding time.	BEBQ Concurrent Version - Baby Enjoys Feeding Time
C135792	BEBQ0118	BEBQ01-Take a Feed Within 30 Minutes	Baby Eating Behaviour Questionnaire - Concurrent - My baby can easily take a feed within 30 minutes of the last one.	BEBQ Concurrent Version - Take a Feed Within 30 Minutes

C135780	BEBQ01-Baby Becomes Distressed Feeding	BEBQ01-Baby Becomes Distressed Feeding	Baby Eating Behaviour Questionnaire - Concurrent - My baby becomes distressed while feeding.	BEBQ Concurrent Version - Baby Becomes Distressed Feeding
C135791	BEBQ01-Baby Enjoys Feeding Time	BEBQ01-Baby Enjoys Feeding Time	Baby Eating Behaviour Questionnaire - Concurrent - My baby enjoys feeding time.	BEBQ Concurrent Version - Baby Enjoys Feeding Time
C135785	BEBQ01-Baby Feeds Slowly	BEBQ01-Baby Feeds Slowly	Baby Eating Behaviour Questionnaire - Concurrent - My baby feeds slowly.	BEBQ Concurrent Version - Baby Feeds Slowly
C135779	BEBQ01-Baby Finishes Feeding Quickly	BEBQ01-Baby Finishes Feeding Quickly	Baby Eating Behaviour Questionnaire - Concurrent - My baby finishes feeding quickly.	BEBQ Concurrent Version - Baby Finishes Feeding Quickly
C135776	BEBQ01-Baby Frequently Wants More Milk	BEBQ01-Baby Frequently Wants More Milk	Baby Eating Behaviour Questionnaire - Concurrent - My baby frequently wants more milk than I provide.	BEBQ Concurrent Version - Baby Frequently Wants More Milk
C135781	BEBQ01-Baby Gets Full Up Easily	BEBQ01-Baby Gets Full Up Easily	Baby Eating Behaviour Questionnaire - Concurrent - My baby gets full up easily.	BEBQ Concurrent Version - Baby Gets Full Up Easily
C135778	BEBQ01-Baby Has a Big Appetite	BEBQ01-Baby Has a Big Appetite	Baby Eating Behaviour Questionnaire - Concurrent - My baby has a big appetite.	BEBQ Concurrent Version - Baby Has a Big Appetite
C135788	BEBQ01-Baby Is Always Demanding a Feed	BEBQ01-Baby Is Always Demanding a Feed	Baby Eating Behaviour Questionnaire - Concurrent - My baby is always demanding a feed.	BEBQ Concurrent Version - Baby Is Always Demanding a Feed
C135777	BEBQ01-Baby Loves Milk	BEBQ01-Baby Loves Milk	Baby Eating Behaviour Questionnaire - Concurrent - My baby loves milk.	BEBQ Concurrent Version - Baby Loves Milk
C135775	BEBQ01-Baby Seems Contented Feeding	BEBQ01-Baby Seems Contented Feeding	Baby Eating Behaviour Questionnaire - Concurrent - My baby seems contented while feeding.	BEBQ Concurrent Version - Baby Seems Contented Feeding
C135789	BEBQ01-Baby Sucks More and More Slowly	BEBQ01-Baby Sucks More and More Slowly	Baby Eating Behaviour Questionnaire - Concurrent - My baby sucks more and more slowly during the course of a feed.	BEBQ Concurrent Version - Baby Sucks More and More Slowly
C135783	BEBQ01-Baby Takes More Than 30 Minutes	BEBQ01-Baby Takes More Than 30 Minutes	Baby Eating Behaviour Questionnaire - Concurrent - My baby takes more than 30 minutes to finish feeding.	BEBQ Concurrent Version - Baby Takes More Than 30 Minutes
C135790	BEBQ01-Baby Would Always Be Feeding	BEBQ01-Baby Would Always Be Feeding	Baby Eating Behaviour Questionnaire - Concurrent - If given the chance, my baby would always be feeding.	BEBQ Concurrent Version - Baby Would Always Be Feeding
C135782	BEBQ01-Baby Would Take Too Much Milk	BEBQ01-Baby Would Take Too Much Milk	Baby Eating Behaviour Questionnaire - Concurrent - If allowed to, my baby would take too much milk.	BEBQ Concurrent Version - Baby Would Take Too Much Milk
C135787	BEBQ01-Difficult Manage Complete Feed	BEBQ01-Difficult Manage Complete Feed	Baby Eating Behaviour Questionnaire - Concurrent - My baby finds it difficult to manage a complete feed.	BEBQ Concurrent Version - Difficult Manage Complete Feed
C135784	BEBQ01-Gets Full Before Taking All Milk	BEBQ01-Gets Full Before Taking All Milk	Baby Eating Behaviour Questionnaire - Concurrent - My baby gets full before taking all the milk I think he/she should have.	BEBQ Concurrent Version - Gets Full Before Taking All Milk
C135786	BEBQ01-Just Eaten Is Happy to Feed Again	BEBQ01-Just Eaten Is Happy to Feed Again	Baby Eating Behaviour Questionnaire - Concurrent - Even when my baby has just eaten well he/she is happy to feed again if offered.	BEBQ Concurrent Version - Just Eaten Is Happy to Feed Again
C135792	BEBQ01-Take a Feed Within 30 Minutes	BEBQ01-Take a Feed Within 30 Minutes	Baby Eating Behaviour Questionnaire - Concurrent - My baby can easily take a feed within 30 minutes of the last one.	BEBQ Concurrent Version - Take a Feed Within 30 Minutes

C135793	BEBQ0201	BEBQ02-Baby Seemed Contented Feeding	Baby Eating Behaviour Questionnaire - Retrospective - My baby seemed contented while feeding.	BEBQ Retrospective Version - Baby Seemed Contented Feeding
C135794	BEBQ0202	BEBQ02-Baby Frequently Wanted More Milk	Baby Eating Behaviour Questionnaire - Retrospective - My baby frequently wanted more milk than I provided.	BEBQ Retrospective Version - Baby Frequently Wanted More Milk
C135795	BEBQ0203	BEBQ02-Baby Loved Milk	Baby Eating Behaviour Questionnaire - Retrospective - My baby loved milk.	BEBQ Retrospective Version - Baby Loved Milk
C135796	BEBQ0204	BEBQ02-Baby Had a Big Appetite	Baby Eating Behaviour Questionnaire - Retrospective - My baby had a big appetite.	BEBQ Retrospective Version - Baby Had a Big Appetite
C135797	BEBQ0205	BEBQ02-Baby Finished Feeding Quickly	Baby Eating Behaviour Questionnaire - Retrospective - My baby finished feeding quickly.	BEBQ Retrospective Version - Baby Finished Feeding Quickly
C135798	BEBQ0206	BEBQ02-Baby Became Distressed Feeding	Baby Eating Behaviour Questionnaire - Retrospective - My baby became distressed while feeding.	BEBQ Retrospective Version - Baby Became Distressed Feeding
C135799	BEBQ0207	BEBQ02-Baby Got Full Up Easily	Baby Eating Behaviour Questionnaire - Retrospective - My baby got full up easily.	BEBQ Retrospective Version - Baby Got Full Up Easily
C135800	BEBQ0208	BEBQ02-Baby Would Take Too Much Milk	Baby Eating Behaviour Questionnaire - Retrospective - If allowed to, my baby would take too much milk.	BEBQ Retrospective Version - Baby Would Take Too Much Milk
C135801	BEBQ0209	BEBQ02-Baby Took More Than 30 Minutes	Baby Eating Behaviour Questionnaire - Retrospective - My baby took more than 30 minutes to finish feeding.	BEBQ Retrospective Version - Baby Took More Than 30 Minutes
C135802	BEBQ0210	BEBQ02-Got Full Before Taking All Milk	Baby Eating Behaviour Questionnaire - Retrospective - My baby got full before taking all the milk I think he/she should have.	BEBQ Retrospective Version - Got Full Before Taking All Milk
C135803	BEBQ0211	BEBQ02-Baby Fed Slowly	Baby Eating Behaviour Questionnaire - Retrospective - My baby fed slowly.	BEBQ Retrospective Version - Baby Fed Slowly
C135804	BEBQ0212	BEBQ02-Just Eaten Happy to Feed Again	Baby Eating Behaviour Questionnaire - Retrospective - Even when my baby had just eaten well he/she was happy to feed again if offered.	BEBQ Retrospective Version - Just Eaten Happy to Feed Again
C135805	BEBQ0213	BEBQ02-Difficult Manage Complete Feed	Baby Eating Behaviour Questionnaire - Retrospective - My baby found it difficult to manage a complete feed.	BEBQ Retrospective Version - Difficult Manage Complete Feed
C135806	BEBQ0214	BEBQ02-Baby Was Always Demanding a Feed	Baby Eating Behaviour Questionnaire - Retrospective - My baby was always demanding a feed.	BEBQ Retrospective Version - Baby Was Always Demanding a Feed
C135807	BEBQ0215	BEBQ02-Baby Sucked More and More Slowly	Baby Eating Behaviour Questionnaire - Retrospective - My baby sucked more and more slowly during the course of a feed.	BEBQ Retrospective Version - Baby Sucked More and More Slowly
C135808	BEBQ0216	BEBQ02-Baby Would Always Be Feeding	Baby Eating Behaviour Questionnaire - Retrospective - If given the chance, my baby would always be feeding.	BEBQ Retrospective Version - Baby Would Always Be Feeding
C135809	BEBQ0217	BEBQ02-Baby Enjoyed Feeding Time	Baby Eating Behaviour Questionnaire - Retrospective - My baby enjoyed feeding time.	BEBQ Retrospective Version - Baby Enjoyed Feeding Time
C135810	BEBQ0218	BEBQ02-Take a Feed Within 30 Minutes	Baby Eating Behaviour Questionnaire - Retrospective - My baby could easily take a feed within 30 minutes of the last one.	BEBQ Retrospective Version - Take a Feed Within 30 Minutes

C135798	BEBQ02-Baby Became Distressed Feeding	BEBQ02-Baby Became Distressed Feeding	Baby Eating Behaviour Questionnaire - Retrospective - My baby became distressed while feeding.	BEBQ Retrospective Version - Baby Became Distressed Feeding
C135809	BEBQ02-Baby Enjoyed Feeding Time	BEBQ02-Baby Enjoyed Feeding Time	Baby Eating Behaviour Questionnaire - Retrospective - My baby enjoyed feeding time.	BEBQ Retrospective Version - Baby Enjoyed Feeding Time
C135803	BEBQ02-Baby Fed Slowly	BEBQ02-Baby Fed Slowly	Baby Eating Behaviour Questionnaire - Retrospective - My baby fed slowly.	BEBQ Retrospective Version - Baby Fed Slowly
C135797	BEBQ02-Baby Finished Feeding Quickly	BEBQ02-Baby Finished Feeding Quickly	Baby Eating Behaviour Questionnaire - Retrospective - My baby finished feeding quickly.	BEBQ Retrospective Version - Baby Finished Feeding Quickly
C135794	BEBQ02-Baby Frequently Wanted More Milk	BEBQ02-Baby Frequently Wanted More Milk	Baby Eating Behaviour Questionnaire - Retrospective - My baby frequently wanted more milk than I provided.	BEBQ Retrospective Version - Baby Frequently Wanted More Milk
C135799	BEBQ02-Baby Got Full Up Easily	BEBQ02-Baby Got Full Up Easily	Baby Eating Behaviour Questionnaire - Retrospective - My baby got full up easily.	BEBQ Retrospective Version - Baby Got Full Up Easily
C135796	BEBQ02-Baby Had a Big Appetite	BEBQ02-Baby Had a Big Appetite	Baby Eating Behaviour Questionnaire - Retrospective - My baby had a big appetite.	BEBQ Retrospective Version - Baby Had a Big Appetite
C135795	BEBQ02-Baby Loved Milk	BEBQ02-Baby Loved Milk	Baby Eating Behaviour Questionnaire - Retrospective - My baby loved milk.	BEBQ Retrospective Version - Baby Loved Milk
C135793	BEBQ02-Baby Seemed Contented Feeding	BEBQ02-Baby Seemed Contented Feeding	Baby Eating Behaviour Questionnaire - Retrospective - My baby seemed contented while feeding.	BEBQ Retrospective Version - Baby Seemed Contented Feeding
C135807	BEBQ02-Baby Sucked More and More Slowly	BEBQ02-Baby Sucked More and More Slowly	Baby Eating Behaviour Questionnaire - Retrospective - My baby sucked more and more slowly during the course of a feed.	BEBQ Retrospective Version - Baby Sucked More and More Slowly
C135801	BEBQ02-Baby Took More Than 30 Minutes	BEBQ02-Baby Took More Than 30 Minutes	Baby Eating Behaviour Questionnaire - Retrospective - My baby took more than 30 minutes to finish feeding.	BEBQ Retrospective Version - Baby Took More Than 30 Minutes
C135806	BEBQ02-Baby Was Always Demanding a Feed	BEBQ02-Baby Was Always Demanding a Feed	Baby Eating Behaviour Questionnaire - Retrospective - My baby was always demanding a feed.	BEBQ Retrospective Version - Baby Was Always Demanding a Feed
C135808	BEBQ02-Baby Would Always Be Feeding	BEBQ02-Baby Would Always Be Feeding	Baby Eating Behaviour Questionnaire - Retrospective - If given the chance, my baby would always be feeding.	BEBQ Retrospective Version - Baby Would Always Be Feeding
C135800	BEBQ02-Baby Would Take Too Much Milk	BEBQ02-Baby Would Take Too Much Milk	Baby Eating Behaviour Questionnaire - Retrospective - If allowed to, my baby would take too much milk.	BEBQ Retrospective Version - Baby Would Take Too Much Milk
C135805	BEBQ02-Difficult Manage Complete Feed	BEBQ02-Difficult Manage Complete Feed	Baby Eating Behaviour Questionnaire - Retrospective - My baby found it difficult to manage a complete feed.	BEBQ Retrospective Version - Difficult Manage Complete Feed
C135802	BEBQ02-Got Full Before Taking All Milk	BEBQ02-Got Full Before Taking All Milk	Baby Eating Behaviour Questionnaire - Retrospective - My baby got full before taking all the milk I think he/she should have.	BEBQ Retrospective Version - Got Full Before Taking All Milk
C135804	BEBQ02-Just Eaten Happy to Feed Again	BEBQ02-Just Eaten Happy to Feed Again	Baby Eating Behaviour Questionnaire - Retrospective - Even when my baby had just eaten well he/she was happy to feed again if offered.	BEBQ Retrospective Version - Just Eaten Happy to Feed Again
C135810	BEBQ02-Take a Feed Within 30 Minutes	BEBQ02-Take a Feed Within 30 Minutes	Baby Eating Behaviour Questionnaire - Retrospective - My baby could easily take a feed within 30 minutes of the last one.	BEBQ Retrospective Version - Take a Feed Within 30 Minutes

C113953	BLCS0101	BLCS01-Lost Control of Bladder	Bladder Control Scale - During the past 4 weeks, how often have you lost control of your bladder or had an accident?	BLCS - Lost Control of Your Bladder
C113954	BLCS0102	BLCS01-Almost Lost Control of Bladder	Bladder Control Scale - During the past 4 weeks, how often have you almost lost control of your bladder or had an accident?	BLCS - Almost Lost Control of Your Bladder
C113955	BLCS0103	BLCS01-Altered Activity Because Bladder	Bladder Control Scale - During the past 4 weeks, how often have you altered your activities because of bladder problems?	BLCS - Altered Activities Because Bladder Problems
C113956	BLCS0104	BLCS01-Bladder Restricted Lifestyle	Bladder Control Scale - During the past 4 weeks, how much have bladder problems restricted your overall lifestyle?	BLCS - Bladder Problems Restrict Overall Lifestyle

C113954	BLCS01-Almost Lost Control of Bladder	BLCS01-Almost Lost Control of Bladder	Bladder Control Scale - During the past 4 weeks, how often have you almost lost control of your bladder or had an accident?	BLCS - Almost Lost Control of Your Bladder	
C113955	BLCS01-Altered Activity Because Bladder	BLCS01-Altered Activity Because Bladder	Bladder Control Scale - During the past 4 weeks, how often have you altered your activities because of bladder problems?	BLCS - Altered Activities Because Bladder Problems	
C113956	BLCS01-Bladder Restricted Lifestyle	BLCS01-Bladder Restricted Lifestyle	Bladder Control Scale - During the past 4 weeks, how much have bladder problems restricted your overall lifestyle?	BLCS - Bladder Problems Restrict Overall Lifestyle	
C113953	BLCS01-Lost Control of Bladder	BLCS01-Lost Control of Bladder	Bladder Control Scale - During the past 4 weeks, how often have you lost control of your bladder or had an accident?	BLCS - Lost Control of Your Bladder	

C121063	BODE0101	BODE01-Body-mass Index	Body-Mass Index, Airflow Obstruction, Dyspnea, and Exercise Capacity Index - Body-mass index.	BODE Index - Body-mass Index
C121064	BODE0102	BODE01-FEV1 % Predicted	Body-Mass Index, Airflow Obstruction, Dyspnea, and Exercise Capacity Index - FEV1 (% of predicted).	BODE Index - FEV1 Percent Predicted
C121065	BODE0103	BODE01-MMRC Dyspnea Scale	Body-Mass Index, Airflow Obstruction, Dyspnea, and Exercise Capacity Index - MMRC dyspnea scale.	BODE Index - MMRC Dyspnea Scale
C121066	BODE0104	BODE01-Distance Walked in 6 Minutes	Body-Mass Index, Airflow Obstruction, Dyspnea, and Exercise Capacity Index - Distance walked in 6 min (in meter).	BODE Index - Distance Walked in 6 Minutes
C121067	BODE0105	BODE01-BODE Score	Body-Mass Index, Airflow Obstruction, Dyspnea, and Exercise Capacity Index - BODE score.	BODE Index - Score

C121067	BODE01-BODE Score	BODE01-BODE Score	Body-Mass Index, Airflow Obstruction, Dyspnea, and Exercise Capacity Index - BODE score.	BODE Index - Score
C121063	BODE01-Body-mass Index	BODE01-Body-mass Index	Body-Mass Index, Airflow Obstruction, Dyspnea, and Exercise Capacity Index - Body-mass index.	BODE Index - Body-mass Index
C121066	BODE01-Distance Walked in 6 Minutes	BODE01-Distance Walked in 6 Minutes	Body-Mass Index, Airflow Obstruction, Dyspnea, and Exercise Capacity Index - Distance walked in 6 min (in meter).	BODE Index - Distance Walked in 6 Minutes
C121064	BODE01-FEV1 % Predicted	BODE01-FEV1 % Predicted	Body-Mass Index, Airflow Obstruction, Dyspnea, and Exercise Capacity Index - FEV1 (% of predicted).	BODE Index - FEV1 Percent Predicted
C121065	BODE01-MMRC Dyspnea Scale	BODE01-MMRC Dyspnea Scale	Body-Mass Index, Airflow Obstruction, Dyspnea, and Exercise Capacity Index - MMRC dyspnea scale.	BODE Index - MMRC Dyspnea Scale

C100287	BPI101	BPI1-Marital Status	Brief Pain Inventory - Marital status.	BPI - Marital Status
C100288	BPI102	BPI1-Education	Brief Pain Inventory - Education.	BPI - Education
C100289	BPI102A	BPI1-Professional Degree	Brief Pain Inventory - Education. Professional degree.	BPI - Professional Degree
C100290	BPI103	BPI1-Current Occupation	Brief Pain Inventory - Current occupation.	BPI - Current Occupation
C100291	BPI104	BPI1-Spouse's Occupation	Brief Pain Inventory - Spouse's occupation.	BPI - Spouse's Occupation
C100292	BPI105	BPI1-Current Job Status	Brief Pain Inventory - Which of the following best describes your current job status?	BPI - Current Job Status
C100293	BPI106	BPI1-How Long Since Diagnosis	Brief Pain Inventory - How long has it been since you first learned your diagnosis?	BPI - How Long Since Diagnosis
C100294	BPI107	BPI1-Pain Due to Present Disease	Brief Pain Inventory - Have you ever had pain due to your present disease?	BPI - Pain Due to Present Disease
C100295	BPI108	BPI1-Pain One of Your Symptoms	Brief Pain Inventory - When you first received your diagnosis, was pain one of your symptoms?	BPI - Pain as a Symptom
C100296	BPI109	BPI1-Surgery in Past Month	Brief Pain Inventory - Have you had surgery in the past month?	BPI - Surgery in Past Month
C100297	BPI109A	BPI1-Kind of Surgery in Past Month	Brief Pain Inventory - What kind of surgery have you had in the past month?	BPI - Kind of Surgery in Past Month
C100298	BPI110	BPI1-Pain Other than Everyday Kinds	Brief Pain Inventory - Have you had pain other than these everyday kinds of pain during the last week?	BPI - Pain Other than Everyday Kinds
C100299	BPI110A	BPI1-Pain Medications in the Last 7 Days	Brief Pain Inventory - Did you take pain medications in the last 7 days?	BPI - Pain Medications in the Last 7 Days
C100300	BPI110B	BPI1-Pain Requires Medication Daily	Brief Pain Inventory - I feel I have some form of pain that requires medication each and every day.	BPI - Pain Requires Medication Daily
C100301	BPI111A	BPI1-Areas of Pain	Brief Pain Inventory - On the diagram, shade in the areas where you feel pain.	BPI - Areas of Pain
C100302	BPI111B	BPI1-Area Hurts Most	Brief Pain Inventory - On the diagram, put an X on the area that hurts the most.	BPI - Area Hurts Most
C100303	BPI112	BPI1-Pain at its Worst in Last Week	Brief Pain Inventory - Please rate your pain by circling the one number that best describes your pain at its worst in the last week.	BPI - Pain at its Worst in Last Week
C100304	BPI113	BPI1-Pain at its Least in Last Week	Brief Pain Inventory - Please rate your pain by circling the one number that best describes your pain at its least in the last week.	BPI - Pain at its Least in Last Week
C100305	BPI114	BPI1-Pain on the Average	Brief Pain Inventory - Please rate your pain by circling the one number that best describes your pain on the average.	BPI - Pain on the Average
C100306	BPI115	BPI1-Pain Right Now	Brief Pain Inventory - Please rate your pain by circling the one number that tells how much pain you have right now.	BPI - Pain Right Now
C100307	BPI116	BPI1-Things that Make Pain Feel Better	Brief Pain Inventory - What kinds of things make your pain feel better?	BPI - Things that Make Pain Feel Better
C100308	BPI117	BPI1-Things that Make your Pain Worse	Brief Pain Inventory - What kinds of things make your pain feel worse?	BPI - Things that Make your Pain Worse
C100309	BPI118	BPI1-Treatments Receiving for Pain	Brief Pain Inventory - What treatments or medications are you receiving for your pain?	BPI - Treatments Receiving for Pain
C100310	BPI119	BPI1-Relief Pain Treatments Provided	Brief Pain Inventory - In the last week, how much relief have pain treatments or medications provided? Please circle the one percentage that most shows how much relief you have received.	BPI - Relief Pain Treatments Provided
C100311	BPI120	BPI1-Hours before Pain Returns	Brief Pain Inventory - If you take pain medication, how many hours does it take before the pain returns?	BPI - Hours before Pain Returns
C100312	BPI1211	BPI1-Pain Due to Effects of Treatment	Brief Pain Inventory - I believe my pain is due to the effects of treatment.	BPI - Pain Due to Effects of Treatment
C100313	BPI1212	BPI1-Pain Due to Primary Disease	Brief Pain Inventory - I believe my pain is due to my primary disease.	BPI - Pain Due to Primary Disease
C100314	BPI1213	BPI1-Pain Due to Unrelated Med Condition	Brief Pain Inventory - I believe my pain is due to a medical condition unrelated to my primary disease.	BPI - Pain Due to Unrelated Medical Condition

Brief Pain Inventory - Version 1				
C100315	BPI1213A	BPI1-Describe Unrelated Med Condition	Brief Pain Inventory - I believe my pain is due to a medical condition unrelated to my primary disease. Please describe condition.	BPI - Describe Unrelated Medical Condition
C100316	BPI122A	BPI1-Aching	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: aching.	BPI - Aching
C100317	BPI122B	BPI1-Throbbing	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: throbbing.	BPI - Throbbing
C100318	BPI122C	BPI1-Shooting	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: shooting.	BPI - Shooting
C100319	BPI122D	BPI1-Stabbing	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: stabbing.	BPI - Stabbing
C100320	BPI122E	BPI1-Gnawing	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: gnawing.	BPI - Gnawing
C100321	BPI122F	BPI1-Sharp	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: sharp.	BPI - Sharp
C100322	BPI122G	BPI1-Tender	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: tender.	BPI - Tender
C100323	BPI122H	BPI1-Burning	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: burning.	BPI - Burning
C100324	BPI122I	BPI1-Exhausting	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: exhausting.	BPI - Exhausting
C100325	BPI122J	BPI1-Tiring	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: tiring.	BPI - Tiring
C100326	BPI122K	BPI1-Penetrating	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: penetrating.	BPI - Penetrating
C100327	BPI122L	BPI1-Nagging	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: nagging.	BPI - Nagging
C100328	BPI122M	BPI1-Numb	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: numb.	BPI - Numb
C100329	BPI122N	BPI1-Miserable	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: miserable.	BPI - Miserable
C100330	BPI122O	BPI1-Unbearable	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: unbearable.	BPI - Unbearable
C100331	BPI123A	BPI1-Pain Interfered General Activity	Brief Pain Inventory - Circle the one number that describes how, during the past week, pain has interfered with your general activity.	BPI - Pain Interfered with General Activity
C100332	BPI123B	BPI1-Pain Interfered with Mood	Brief Pain Inventory - Circle the one number that describes how, during the past week, pain has interfered with your mood.	BPI - Pain Interfered with Mood
C100333	BPI123C	BPI1-Pain Interfered Walking Ability	Brief Pain Inventory - Circle the one number that describes how, during the past week, pain has interfered with your walking ability.	BPI - Pain Interfered with Walking Ability
C100334	BPI123D	BPI1-Pain Interfered with Normal Work	Brief Pain Inventory - Circle the one number that describes how, during the past week, pain has interfered with your normal work.	BPI - Pain Interfered with Normal Work
C100335	BPI123E	BPI1-Pain Interfered with Relations	Brief Pain Inventory - Circle the one number that describes how, during the past week, pain has interfered with your relations with other people.	BPI - Pain Interfered with Relations
C100336	BPI123F	BPI1-Pain Interfered with Sleep	Brief Pain Inventory - Circle the one number that describes how, during the past week, pain has interfered with your sleep.	BPI - Pain Interfered with Sleep
C100337	BPI123G	BPI1-Pain Interfered Enjoyment of Life	Brief Pain Inventory - Circle the one number that describes how, during the past week, pain has interfered with your enjoyment of life.	BPI - Pain Interfered with Enjoyment of Life
C100338	BPI124	BPI1-Prefer to Take Pain Medicine	Brief Pain Inventory - I prefer to take my pain medicine.	BPI - Prefer to Take Pain Medicine
C100339	BPI125	BPI1-Take my Pain Medicine	Brief Pain Inventory - I take my pain medicine (in a 24 hour period).	BPI - Take my Pain Medicine
C100340	BPI126	BPI1-Need Stronger Type of Pain Med	Brief Pain Inventory - Do you feel you need a stronger type of pain medication?	BPI - Need Stronger Type of Pain Medication
C100341	BPI127	BPI1-Need more Pain Med than Prescribed	Brief Pain Inventory - Do you feel you need to take more of the pain medication than your doctor has prescribed?	BPI - Need more Pain Medication than Prescribed

BRIEF PAIN INVENTORY				
C100342	BPI128	BPI1-Concerned Use Too Much Pain Med	Brief Pain Inventory - Are you concerned that you use too much pain medication?	BPI - Concerned with Too Much Pain Medication Use
C100343	BPI128A	BPI1-Why Concerned Use Too Much Pain Med	Brief Pain Inventory - Are you concerned that you use too much pain medication? If Yes, why?	BPI - Why Concerned with Too Much Pain Medication Use
C100344	BPI129	BPI1-Problems with Side Effects Pain Med	Brief Pain Inventory - Are you having problems with side effects from your pain medication?	BPI - Problems with Side Effects Pain Medication
C100345	BPI129A	BPI1-Which Side Effects from Pain Med	Brief Pain Inventory - Are you having problems with side effects from your pain medication? Which side effects?	BPI - What Side Effects from Pain Medication
C100346	BPI130	BPI1-Need Further Info about Pain Med	Brief Pain Inventory - Do you feel you need to receive further information about your pain medication?	BPI - Need Further Information about Pain Medication
C100347	BPI131A	BPI1-Warm Compresses to Relieve Pain	Brief Pain Inventory - Other methods I use to relieve pain include: warm compresses.	BPI - Warm Compresses to Relieve Pain
C100348	BPI131B	BPI1-Cold Compresses to Relieve Pain	Brief Pain Inventory - Other methods I use to relieve pain include: cold compresses.	BPI - Cold Compresses to Relieve Pain
C100349	BPI131C	BPI1-Relaxation Techniques Relieve Pain	Brief Pain Inventory - Other methods I use to relieve pain include: relaxation techniques.	BPI - Relaxation Techniques Relieve Pain
C100350	BPI131D	BPI1-Distraction to Relieve Pain	Brief Pain Inventory - Other methods I use to relieve pain include: distraction.	BPI - Distraction to Relieve Pain
C100351	BPI131E	BPI1-Biofeedback to Relieve Pain	Brief Pain Inventory - Other methods I use to relieve pain include: biofeedback.	BPI - Biofeedback to Relieve Pain
C100352	BPI131F	BPI1-Hypnosis to Relieve Pain	Brief Pain Inventory - Other methods I use to relieve pain include: hypnosis.	BPI - Hypnosis to Relieve Pain
C100353	BPI131G	BPI1-Other to Relieve Pain	Brief Pain Inventory - Other methods I use to relieve pain include: other.	BPI - Other Methods to Relieve Pain
C100354	BPI131H	BPI1-Other specify to Relieve Pain	Brief Pain Inventory - Other methods I use to relieve pain include: other. Please specify.	BPI - Specified Other Method to Relieve Pain
C100355	BPI132	BPI1-Meds not Prescribed Taken for Pain	Brief Pain Inventory - Medications not prescribed by my doctor that I take for pain are.	BPI - Medications not Prescribed Taken for Pain

C100316	BPI1-Aching	BPI1-Aching	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: aching.	BPI - Aching
C100302	BPI1-Area Hurts Most	BPI1-Area Hurts Most	Brief Pain Inventory - On the diagram, put an X on the area that hurts the most.	BPI - Area Hurts Most
C100301	BPI1-Areas of Pain	BPI1-Areas of Pain	Brief Pain Inventory - On the diagram, shade in the areas where you feel pain.	BPI - Areas of Pain
C100351	BPI1-Biofeedback to Relieve Pain	BPI1-Biofeedback to Relieve Pain	Brief Pain Inventory - Other methods I use to relieve pain include: biofeedback.	BPI - Biofeedback to Relieve Pain
C100323	BPI1-Burning	BPI1-Burning	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: burning.	BPI - Burning
C100348	BPI1-Cold Compresses to Relieve Pain	BPI1-Cold Compresses to Relieve Pain	Brief Pain Inventory - Other methods I use to relieve pain include: cold compresses.	BPI - Cold Compresses to Relieve Pain
C100342	BPI1-Concerned Use Too Much Pain Med	BPI1-Concerned Use Too Much Pain Med	Brief Pain Inventory - Are you concerned that you use too much pain medication?	BPI - Concerned with Too Much Pain Medication Use
C100292	BPI1-Current Job Status	BPI1-Current Job Status	Brief Pain Inventory - Which of the following best describes your current job status?	BPI - Current Job Status
C100290	BPI1-Current Occupation	BPI1-Current Occupation	Brief Pain Inventory - Current occupation.	BPI - Current Occupation
C100315	BPI1-Describe Unrelated Med Condition	BPI1-Describe Unrelated Med Condition	Brief Pain Inventory - I believe my pain is due to a medical condition unrelated to my primary disease. Please describe condition.	BPI - Describe Unrelated Medical Condition
C100350	BPI1-Distraction to Relieve Pain	BPI1-Distraction to Relieve Pain	Brief Pain Inventory - Other methods I use to relieve pain include: distraction.	BPI - Distraction to Relieve Pain
C100288	BPI1-Education	BPI1-Education	Brief Pain Inventory - Education.	BPI - Education
C100324	BPI1-Exhausting	BPI1-Exhausting	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: exhausting.	BPI - Exhausting
C100320	BPI1-Gnawing	BPI1-Gnawing	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: gnawing.	BPI - Gnawing
C100311	BPI1-Hours before Pain Returns	BPI1-Hours before Pain Returns	Brief Pain Inventory - If you take pain medication, how many hours does it take before the pain returns?	BPI - Hours before Pain Returns
C100293	BPI1-How Long Since Diagnosis	BPI1-How Long Since Diagnosis	Brief Pain Inventory - How long has it been since you first learned your diagnosis?	BPI - How Long Since Diagnosis
C100352	BPI1-Hypnosis to Relieve Pain	BPI1-Hypnosis to Relieve Pain	Brief Pain Inventory - Other methods I use to relieve pain include: hypnosis.	BPI - Hypnosis to Relieve Pain
C100297	BPI1-Kind of Surgery in Past Month	BPI1-Kind of Surgery in Past Month	Brief Pain Inventory - What kind of surgery have you had in the past month?	BPI - Kind of Surgery in Past Month
C100287	BPI1-Marital Status	BPI1-Marital Status	Brief Pain Inventory - Marital status.	BPI - Marital Status
C100355	BPI1-Meds not Prescribed Taken for Pain	BPI1-Meds not Prescribed Taken for Pain	Brief Pain Inventory - Medications not prescribed by my doctor that I take for pain are.	BPI - Medications not Prescribed Taken for Pain
C100329	BPI1-Miserable	BPI1-Miserable	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: miserable.	BPI - Miserable
C100327	BPI1-Nagging	BPI1-Nagging	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: nagging.	BPI - Nagging
C100346	BPI1-Need Further Info about Pain Med	BPI1-Need Further Info about Pain Med	Brief Pain Inventory - Do you feel you need to receive further information about your pain medication?	BPI - Need Further Information about Pain Medication
C100341	BPI1-Need more Pain Med than Prescribed	BPI1-Need more Pain Med than Prescribed	Brief Pain Inventory - Do you feel you need to take more of the pain medication than your doctor has prescribed?	BPI - Need more Pain Medication than Prescribed
C100340	BPI1-Need Stronger Type of Pain Med	BPI1-Need Stronger Type of Pain Med	Brief Pain Inventory - Do you feel you need a stronger type of pain medication?	BPI - Need Stronger Type of Pain Medication
C100328	BPI1-Numb	BPI1-Numb	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: numb.	BPI - Numb
C100354	BPI1-Other specify to Relieve Pain	BPI1-Other specify to Relieve Pain	Brief Pain Inventory - Other methods I use to relieve pain include: other. Please specify.	BPI - Specified Other Method to Relieve Pain

Brief Pain Inventory - Other methods I use to relieve pain include:				
C100353	BPI1-Other to Relieve Pain	BPI1-Other to Relieve Pain	Brief Pain Inventory - Other methods I use to relieve pain include: other.	BPI - Other Methods to Relieve Pain
C100304	BPI1-Pain at its Least in Last Week	BPI1-Pain at its Least in Last Week	Brief Pain Inventory - Please rate your pain by circling the one number that best describes your pain at its least in the last week.	BPI - Pain at its Least in Last Week
C100303	BPI1-Pain at its Worst in Last Week	BPI1-Pain at its Worst in Last Week	Brief Pain Inventory - Please rate your pain by circling the one number that best describes your pain at its worst in the last week.	BPI - Pain at its Worst in Last Week
C100312	BPI1-Pain Due to Effects of Treatment	BPI1-Pain Due to Effects of Treatment	Brief Pain Inventory - I believe my pain is due to the effects of treatment.	BPI - Pain Due to Effects of Treatment
C100294	BPI1-Pain Due to Present Disease	BPI1-Pain Due to Present Disease	Brief Pain Inventory - Have you ever had pain due to your present disease?	BPI - Pain Due to Present Disease
C100313	BPI1-Pain Due to Primary Disease	BPI1-Pain Due to Primary Disease	Brief Pain Inventory - I believe my pain is due to my primary disease.	BPI - Pain Due to Primary Disease
C100314	BPI1-Pain Due to Unrelated Med Condition	BPI1-Pain Due to Unrelated Med Condition	Brief Pain Inventory - I believe my pain is due to a medical condition unrelated to my primary disease.	BPI - Pain Due to Unrelated Medical Condition
C100337	BPI1-Pain Interfered Enjoyment of Life	BPI1-Pain Interfered Enjoyment of Life	Brief Pain Inventory - Circle the one number that describes how, during the past week, pain has interfered with your enjoyment of life.	BPI - Pain Interfered with Enjoyment of Life
C100331	BPI1-Pain Interfered General Activity	BPI1-Pain Interfered General Activity	Brief Pain Inventory - Circle the one number that describes how, during the past week, pain has interfered with your general activity.	BPI - Pain Interfered with General Activity
C100333	BPI1-Pain Interfered Walking Ability	BPI1-Pain Interfered Walking Ability	Brief Pain Inventory - Circle the one number that describes how, during the past week, pain has interfered with your walking ability.	BPI - Pain Interfered with Walking Ability
C100332	BPI1-Pain Interfered with Mood	BPI1-Pain Interfered with Mood	Brief Pain Inventory - Circle the one number that describes how, during the past week, pain has interfered with your mood.	BPI - Pain Interfered with Mood
C100334	BPI1-Pain Interfered with Normal Work	BPI1-Pain Interfered with Normal Work	Brief Pain Inventory - Circle the one number that describes how, during the past week, pain has interfered with your normal work.	BPI - Pain Interfered with Normal Work
C100335	BPI1-Pain Interfered with Relations	BPI1-Pain Interfered with Relations	Brief Pain Inventory - Circle the one number that describes how, during the past week, pain has interfered with your relations with other people.	BPI - Pain Interfered with Relations
C100336	BPI1-Pain Interfered with Sleep	BPI1-Pain Interfered with Sleep	Brief Pain Inventory - Circle the one number that describes how, during the past week, pain has interfered with your sleep.	BPI - Pain Interfered with Sleep
C100299	BPI1-Pain Medications in the Last 7 Days	BPI1-Pain Medications in the Last 7 Days	Brief Pain Inventory - Did you take pain medications in the last 7 days?	BPI - Pain Medications in the Last 7 Days
C100305	BPI1-Pain on the Average	BPI1-Pain on the Average	Brief Pain Inventory - Please rate your pain by circling the one number that best describes your pain on the average.	BPI - Pain on the Average
C100295	BPI1-Pain One of Your Symptoms	BPI1-Pain One of Your Symptoms	Brief Pain Inventory - When you first received your diagnosis, was pain one of your symptoms?	BPI - Pain as a Symptom
C100298	BPI1-Pain Other than Everyday Kinds	BPI1-Pain Other than Everyday Kinds	Brief Pain Inventory - Have you had pain other than these everyday kinds of pain during the last week?	BPI - Pain Other than Everyday Kinds
C100300	BPI1-Pain Requires Medication Daily	BPI1-Pain Requires Medication Daily	Brief Pain Inventory - I feel I have some form of pain that requires medication each and every day.	BPI - Pain Requires Medication Daily
C100306	BPI1-Pain Right Now	BPI1-Pain Right Now	Brief Pain Inventory - Please rate your pain by circling the one number that tells how much pain you have right now.	BPI - Pain Right Now
C100326	BPI1-Penetrating	BPI1-Penetrating	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: penetrating.	BPI - Penetrating
C100338	BPI1-Prefer to Take Pain Medicine	BPI1-Prefer to Take Pain Medicine	Brief Pain Inventory - I prefer to take my pain medicine.	BPI - Prefer to Take Pain Medicine
C100344	BPI1-Problems with Side Effects Pain Med	BPI1-Problems with Side Effects Pain Med	Brief Pain Inventory - Are you having problems with side effects from your pain medication?	BPI - Problems with Side Effects Pain Medication
C100289	BPI1-Professional Degree	BPI1-Professional Degree	Brief Pain Inventory - Education. Professional degree.	BPI - Professional Degree
C100349	BPI1-Relaxation Techniques Relieve Pain	BPI1-Relaxation Techniques Relieve Pain	Brief Pain Inventory - Other methods I use to relieve pain include: relaxation techniques.	BPI - Relaxation Techniques Relieve Pain
C100310	BPI1-Relief Pain Treatments Provided	BPI1-Relief Pain Treatments Provided	Brief Pain Inventory - In the last week, how much relief have pain treatments or medications provided? Please circle the one percentage that most shows how much relief you have received.	BPI - Relief Pain Treatments Provided
C100321	BPI1-Sharp	BPI1-Sharp	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: sharp.	BPI - Sharp

Brief Pain Inventory - Check Yes or No if the adjective applies to your pain:				
C100318	BPI1-Shooting	BPI1-Shooting	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: shooting.	BPI - Shooting
C100291	BPI1-Spouse's Occupation	BPI1-Spouse's Occupation	Brief Pain Inventory - Spouse's occupation.	BPI - Spouse's Occupation
C100319	BPI1-Stabbing	BPI1-Stabbing	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: stabbing.	BPI - Stabbing
C100296	BPI1-Surgery in Past Month	BPI1-Surgery in Past Month	Brief Pain Inventory - Have you had surgery in the past month?	BPI - Surgery in Past Month
C100339	BPI1-Take my Pain Medicine	BPI1-Take my Pain Medicine	Brief Pain Inventory - I take my pain medicine (in a 24 hour period).	BPI - Take my Pain Medicine
C100322	BPI1-Tender	BPI1-Tender	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: tender.	BPI - Tender
C100307	BPI1-Things that Make Pain Feel Better	BPI1-Things that Make Pain Feel Better	Brief Pain Inventory - What kinds of things make your pain feel better?	BPI - Things that Make Pain Feel Better
C100308	BPI1-Things that Make your Pain Worse	BPI1-Things that Make your Pain Worse	Brief Pain Inventory - What kinds of things make your pain feel worse?	BPI - Things that Make your Pain Worse
C100317	BPI1-Throbbing	BPI1-Throbbing	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: throbbing.	BPI - Throbbing
C100325	BPI1-Tiring	BPI1-Tiring	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: tiring.	BPI - Tiring
C100309	BPI1-Treatments Receiving for Pain	BPI1-Treatments Receiving for Pain	Brief Pain Inventory - What treatments or medications are you receiving for your pain?	BPI - Treatments Receiving for Pain
C100330	BPI1-Unbearable	BPI1-Unbearable	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: unbearable.	BPI - Unbearable
C100347	BPI1-Warm Compresses to Relieve Pain	BPI1-Warm Compresses to Relieve Pain	Brief Pain Inventory - Other methods I use to relieve pain include: warm compresses.	BPI - Warm Compresses to Relieve Pain
C100345	BPI1-Which Side Effects from Pain Med	BPI1-Which Side Effects from Pain Med	Brief Pain Inventory - Are you having problems with side effects from your pain medication? Which side effects?	BPI - What Side Effects from Pain Medication
C100343	BPI1-Why Concerned Use Too Much Pain Med	BPI1-Why Concerned Use Too Much Pain Med	Brief Pain Inventory - Are you concerned that you use too much pain medication? If Yes, why?	BPI - Why Concerned with Too Much Pain Medication Use

Brief Pain Inventory Short Form - Instructions				
C100356	BPI201	BPI2-Pain Other Than Everyday Kinds	Brief Pain Inventory Short Form - Have you had pain other than these everyday kinds of pain today?	BPI Short Form - Pain Other Than Everyday Kinds
C100357	BPI202A	BPI2-Areas of Pain	Brief Pain Inventory Short Form - On the diagram, shade in the areas where you feel pain.	BPI Short Form - Areas of Pain
C100358	BPI202B	BPI2-Area Hurts Most	Brief Pain Inventory Short Form - On the diagram, put an X on the area that hurts the most.	BPI Short Form - Area that Hurts Most
C100359	BPI203	BPI2-Pain at its Worst in Last 24 Hours	Brief Pain Inventory Short Form - Please rate your pain by circling the one number that best describes your pain at its worst in the last 24 hours.	BPI Short Form - Pain at its Worst in Last 24 Hours
C100360	BPI204	BPI2-Pain at its Least in Last 24 Hours	Brief Pain Inventory Short Form - Please rate your pain by circling the one number that best describes your pain at its least in the last 24 hours.	BPI Short Form - Pain at its Least in Last 24 Hours
C100361	BPI205	BPI2-Pain on the Average	Brief Pain Inventory Short Form - Please rate your pain by circling the one number that best describes your pain on the average.	BPI Short Form - Pain on the Average
C100362	BPI206	BPI2-Pain Right Now	Brief Pain Inventory Short Form - Please rate your pain by circling the one number that tells how much pain you have right now.	BPI Short Form - Pain Right Now
C100363	BPI207	BPI2-Treatments Receiving for Pain	Brief Pain Inventory Short Form - What treatments or medications are you receiving for your pain?	BPI Short Form - Treatments or Medications Receiving for Pain
C100364	BPI208	BPI2-Relief Pain Treatments Provided	Brief Pain Inventory Short Form - In the last 24 hours, how much relief have pain treatments or medications provided? Please circle the one percentage that most shows how much relief you have received.	BPI Short Form - Relief from Pain Treatments Provided
C100365	BPI209A	BPI2-Pain Interfered General Activity	Brief Pain Inventory Short Form - Circle the one number that describes how, during the past 24 hours, pain has interfered with your general activity.	BPI Short Form - Pain Interfered with General Activity
C100366	BPI209B	BPI2-Pain Interfered with Mood	Brief Pain Inventory Short Form - Circle the one number that describes how, during the past 24 hours, pain has interfered with your mood.	BPI Short Form - Pain Interfered with Mood
C100367	BPI209C	BPI2-Pain Interfered Walking Ability	Brief Pain Inventory Short Form - Circle the one number that describes how, during the past 24 hours, pain has interfered with your walking ability.	BPI Short Form - Pain Interfered with Walking Ability
C100368	BPI209D	BPI2-Pain Interfered with Normal Work	Brief Pain Inventory Short Form - Circle the one number that describes how, during the past 24 hours, pain has interfered with your normal work.	BPI Short Form - Pain Interfered with Normal Work
C100369	BPI209E	BPI2-Pain Interfered with Relations	Brief Pain Inventory Short Form - Circle the one number that describes how, during the past 24 hours, pain has interfered with your relations with other people.	BPI Short Form - Pain Interfered with Relations
C100370	BPI209F	BPI2-Pain Interfered with Sleep	Brief Pain Inventory Short Form - Circle the one number that describes how, during the past 24 hours, pain has interfered with your sleep.	BPI Short Form - Pain Interfered with Sleep
C100371	BPI209G	BPI2-Pain Interfered Enjoyment of Life	Brief Pain Inventory Short Form - Circle the one number that describes how, during the past 24 hours, pain has interfered with your enjoyment of life.	BPI Short Form - Pain Interfered with Enjoyment of Life

C100358	BPI2-Area Hurts Most	BPI2-Area Hurts Most	Brief Pain Inventory Short Form - On the diagram, put an X on the area that hurts the most.	BPI Short Form - Area that Hurts Most
C100357	BPI2-Areas of Pain	BPI2-Areas of Pain	Brief Pain Inventory Short Form - On the diagram, shade in the areas where you feel pain.	BPI Short Form - Areas of Pain
C100360	BPI2-Pain at its Least in Last 24 Hours	BPI2-Pain at its Least in Last 24 Hours	Brief Pain Inventory Short Form - Please rate your pain by circling the one number that best describes your pain at its least in the last 24 hours.	BPI Short Form - Pain at its Least in Last 24 Hours
C100359	BPI2-Pain at its Worst in Last 24 Hours	BPI2-Pain at its Worst in Last 24 Hours	Brief Pain Inventory Short Form - Please rate your pain by circling the one number that best describes your pain at its worst in the last 24 hours.	BPI Short Form - Pain at its Worst in Last 24 Hours
C100371	BPI2-Pain Interfered Enjoyment of Life	BPI2-Pain Interfered Enjoyment of Life	Brief Pain Inventory Short Form - Circle the one number that describes how, during the past 24 hours, pain has interfered with your enjoyment of life.	BPI Short Form - Pain Interfered with Enjoyment of Life
C100365	BPI2-Pain Interfered General Activity	BPI2-Pain Interfered General Activity	Brief Pain Inventory Short Form - Circle the one number that describes how, during the past 24 hours, pain has interfered with your general activity.	BPI Short Form - Pain Interfered with General Activity
C100367	BPI2-Pain Interfered Walking Ability	BPI2-Pain Interfered Walking Ability	Brief Pain Inventory Short Form - Circle the one number that describes how, during the past 24 hours, pain has interfered with your walking ability.	BPI Short Form - Pain Interfered with Walking Ability
C100366	BPI2-Pain Interfered with Mood	BPI2-Pain Interfered with Mood	Brief Pain Inventory Short Form - Circle the one number that describes how, during the past 24 hours, pain has interfered with your mood.	BPI Short Form - Pain Interfered with Mood
C100368	BPI2-Pain Interfered with Normal Work	BPI2-Pain Interfered with Normal Work	Brief Pain Inventory Short Form - Circle the one number that describes how, during the past 24 hours, pain has interfered with your normal work.	BPI Short Form - Pain Interfered with Normal Work
C100369	BPI2-Pain Interfered with Relations	BPI2-Pain Interfered with Relations	Brief Pain Inventory Short Form - Circle the one number that describes how, during the past 24 hours, pain has interfered with your relations with other people.	BPI Short Form - Pain Interfered with Relations
C100370	BPI2-Pain Interfered with Sleep	BPI2-Pain Interfered with Sleep	Brief Pain Inventory Short Form - Circle the one number that describes how, during the past 24 hours, pain has interfered with your sleep.	BPI Short Form - Pain Interfered with Sleep
C100361	BPI2-Pain on the Average	BPI2-Pain on the Average	Brief Pain Inventory Short Form - Please rate your pain by circling the one number that best describes your pain on the average.	BPI Short Form - Pain on the Average
C100356	BPI2-Pain Other Than Everyday Kinds	BPI2-Pain Other Than Everyday Kinds	Brief Pain Inventory Short Form - Have you had pain other than these everyday kinds of pain today?	BPI Short Form - Pain Other Than Everyday Kinds
C100362	BPI2-Pain Right Now	BPI2-Pain Right Now	Brief Pain Inventory Short Form - Please rate your pain by circling the one number that tells how much pain you have right now.	BPI Short Form - Pain Right Now
C100364	BPI2-Relief Pain Treatments Provided	BPI2-Relief Pain Treatments Provided	Brief Pain Inventory Short Form - In the last 24 hours, how much relief have pain treatments or medications provided? Please circle the one percentage that most shows how much relief you have received.	BPI Short Form - Relief from Pain Treatments Provided
C100363	BPI2-Treatments Receiving for Pain	BPI2-Treatments Receiving for Pain	Brief Pain Inventory Short Form - What treatments or medications are you receiving for your pain?	BPI Short Form - Treatments or Medications Receiving for Pain

C161741	BPRS0101	BPRS01-Somatic Concern	Brief Psychiatric Rating Scale 1988 Version - Somatic concern.	BPRS 1988 Version - Somatic Concern
C161742	BPRS0102	BPRS01-Anxiety	Brief Psychiatric Rating Scale 1988 Version - Anxiety.	BPRS 1988 Version - Anxiety
C161743	BPRS0103	BPRS01-Emotional Withdrawal	Brief Psychiatric Rating Scale 1988 Version - Emotional withdrawal.	BPRS 1988 Version - Emotional Withdrawal
C161744	BPRS0104	BPRS01-Conceptual Disorganization	Brief Psychiatric Rating Scale 1988 Version - Conceptual disorganization.	BPRS 1988 Version - Conceptual Disorganization
C161745	BPRS0105	BPRS01-Guilt Feelings	Brief Psychiatric Rating Scale 1988 Version - Guilt feelings.	BPRS 1988 Version - Guilt Feelings
C161746	BPRS0106	BPRS01-Tension	Brief Psychiatric Rating Scale 1988 Version - Tension.	BPRS 1988 Version - Tension
C161747	BPRS0107	BPRS01-Mannerisms and Posturing	Brief Psychiatric Rating Scale 1988 Version - Mannerisms and posturing.	BPRS 1988 Version - Mannerisms and Posturing
C161748	BPRS0108	BPRS01-Grandiosity	Brief Psychiatric Rating Scale 1988 Version - Grandiosity.	BPRS 1988 Version - Grandiosity
C161749	BPRS0109	BPRS01-Depressive Mood	Brief Psychiatric Rating Scale 1988 Version - Depressive mood.	BPRS 1988 Version - Depressive Mood
C161750	BPRS0110	BPRS01-Hostility	Brief Psychiatric Rating Scale 1988 Version - Hostility.	BPRS 1988 Version - Hostility
C161751	BPRS0111	BPRS01-Suspiciousness	Brief Psychiatric Rating Scale 1988 Version - Suspiciousness.	BPRS 1988 Version - Suspiciousness
C161752	BPRS0112	BPRS01-Hallucinatory Behavior	Brief Psychiatric Rating Scale 1988 Version - Hallucinatory behavior.	BPRS 1988 Version - Hallucinatory Behavior
C161753	BPRS0113	BPRS01-Motor Retardation	Brief Psychiatric Rating Scale 1988 Version - Motor retardation.	BPRS 1988 Version - Motor Retardation
C161754	BPRS0114	BPRS01-Uncooperativeness	Brief Psychiatric Rating Scale 1988 Version - Uncooperativeness.	BPRS 1988 Version - Uncooperativeness
C161755	BPRS0115	BPRS01-Unusual Thought Content	Brief Psychiatric Rating Scale 1988 Version - Unusual thought content.	BPRS 1988 Version - Unusual Thought Content
C161756	BPRS0116	BPRS01-Blunted Affect	Brief Psychiatric Rating Scale 1988 Version - Blunted affect.	BPRS 1988 Version - Blunted Affect
C161757	BPRS0117	BPRS01-Excitement	Brief Psychiatric Rating Scale 1988 Version - Excitement.	BPRS 1988 Version - Excitement
C161758	BPRS0118	BPRS01-Disorientation	Brief Psychiatric Rating Scale 1988 Version - Disorientation.	BPRS 1988 Version - Disorientation
C161759	BPRS0119	BPRS01-Total Score	Brief Psychiatric Rating Scale 1988 Version - Total score.	BPRS 1988 Version - Total Score

C161742	BPRS01-Anxiety	BPRS01-Anxiety	Brief Psychiatric Rating Scale 1988 Version - Anxiety.	BPRS 1988 Version - Anxiety
C161756	BPRS01-Blunted Affect	BPRS01-Blunted Affect	Brief Psychiatric Rating Scale 1988 Version - Blunted affect.	BPRS 1988 Version - Blunted Affect
C161744	BPRS01-Conceptual Disorganization	BPRS01-Conceptual Disorganization	Brief Psychiatric Rating Scale 1988 Version - Conceptual disorganization.	BPRS 1988 Version - Conceptual Disorganization
C161749	BPRS01-Depressive Mood	BPRS01-Depressive Mood	Brief Psychiatric Rating Scale 1988 Version - Depressive mood.	BPRS 1988 Version - Depressive Mood
C161758	BPRS01-Disorientation	BPRS01-Disorientation	Brief Psychiatric Rating Scale 1988 Version - Disorientation.	BPRS 1988 Version - Disorientation
C161743	BPRS01-Emotional Withdrawal	BPRS01-Emotional Withdrawal	Brief Psychiatric Rating Scale 1988 Version - Emotional withdrawal.	BPRS 1988 Version - Emotional Withdrawal
C161757	BPRS01-Excitement	BPRS01-Excitement	Brief Psychiatric Rating Scale 1988 Version - Excitement.	BPRS 1988 Version - Excitement
C161748	BPRS01-Grandiosity	BPRS01-Grandiosity	Brief Psychiatric Rating Scale 1988 Version - Grandiosity.	BPRS 1988 Version - Grandiosity
C161745	BPRS01-Guilt Feelings	BPRS01-Guilt Feelings	Brief Psychiatric Rating Scale 1988 Version - Guilt feelings.	BPRS 1988 Version - Guilt Feelings
C161752	BPRS01-Hallucinatory Behavior	BPRS01-Hallucinatory Behavior	Brief Psychiatric Rating Scale 1988 Version - Hallucinatory behavior.	BPRS 1988 Version - Hallucinatory Behavior
C161750	BPRS01-Hostility	BPRS01-Hostility	Brief Psychiatric Rating Scale 1988 Version - Hostility.	BPRS 1988 Version - Hostility
C161747	BPRS01-Mannerisms and Posturing	BPRS01-Mannerisms and Posturing	Brief Psychiatric Rating Scale 1988 Version - Mannerisms and posturing.	BPRS 1988 Version - Mannerisms and Posturing
C161753	BPRS01-Motor Retardation	BPRS01-Motor Retardation	Brief Psychiatric Rating Scale 1988 Version - Motor retardation.	BPRS 1988 Version - Motor Retardation
C161741	BPRS01-Somatic Concern	BPRS01-Somatic Concern	Brief Psychiatric Rating Scale 1988 Version - Somatic concern.	BPRS 1988 Version - Somatic Concern
C161751	BPRS01-Suspiciousness	BPRS01-Suspiciousness	Brief Psychiatric Rating Scale 1988 Version - Suspiciousness.	BPRS 1988 Version - Suspiciousness
C161746	BPRS01-Tension	BPRS01-Tension	Brief Psychiatric Rating Scale 1988 Version - Tension.	BPRS 1988 Version - Tension
C161759	BPRS01-Total Score	BPRS01-Total Score	Brief Psychiatric Rating Scale 1988 Version - Total score.	BPRS 1988 Version - Total Score
C161754	BPRS01-Uncooperativeness	BPRS01-Uncooperativeness	Brief Psychiatric Rating Scale 1988 Version - Uncooperativeness.	BPRS 1988 Version - Uncooperativeness
C161755	BPRS01-Unusual Thought Content	BPRS01-Unusual Thought Content	Brief Psychiatric Rating Scale 1988 Version - Unusual thought content.	BPRS 1988 Version - Unusual Thought Content

C100372	BPRSA101	BPRSA1-Somatic Concern	Brief Psychiatric Rating Scale-A - Somatic Concern.	BPRS-A - Somatic Concern
C100373	BPRSA102	BPRSA1-Anxiety	Brief Psychiatric Rating Scale-A - Anxiety.	BPRS-A - Anxiety
C100374	BPRSA103	BPRSA1-Emotional Withdrawal	Brief Psychiatric Rating Scale-A - Emotional Withdrawal.	BPRS-A - Emotional Withdrawal
C100375	BPRSA104	BPRSA1-Conceptual Disorganization	Brief Psychiatric Rating Scale-A - Conceptual Disorganization.	BPRS-A - Conceptual Disorganization
C100376	BPRSA105	BPRSA1-Guilt Feelings	Brief Psychiatric Rating Scale-A - Guilt Feelings.	BPRS-A - Guilt Feelings
C100377	BPRSA106	BPRSA1-Tension	Brief Psychiatric Rating Scale-A - Tension.	BPRS-A - Tension
C100378	BPRSA107	BPRSA1-Mannerisms and Posturing	Brief Psychiatric Rating Scale-A - Mannerisms and Posturing.	BPRS-A - Mannerisms and Posturing
C100379	BPRSA108	BPRSA1-Grandiosity	Brief Psychiatric Rating Scale-A - Grandiosity.	BPRS-A - Grandiosity
C100380	BPRSA109	BPRSA1-Depressive Mood	Brief Psychiatric Rating Scale-A - Depressive Mood.	BPRS-A - Depressive Mood
C100381	BPRSA110	BPRSA1-Hostility	Brief Psychiatric Rating Scale-A - Hostility.	BPRS-A - Hostility
C100382	BPRSA111	BPRSA1-Suspiciousness	Brief Psychiatric Rating Scale-A - Suspiciousness.	BPRS-A - Suspiciousness
C100383	BPRSA112	BPRSA1-Hallucinatory Behavior	Brief Psychiatric Rating Scale-A - Hallucinatory Behavior.	BPRS-A - Hallucinatory Behavior
C100384	BPRSA113	BPRSA1-Motor Retardation	Brief Psychiatric Rating Scale-A - Motor Retardation.	BPRS-A - Motor Retardation
C100385	BPRSA114	BPRSA1-Uncooperativeness	Brief Psychiatric Rating Scale-A - Uncooperativeness.	BPRS-A - Uncooperativeness
C100386	BPRSA115	BPRSA1-Unusual Thought Content	Brief Psychiatric Rating Scale-A - Unusual Thought Content.	BPRS-A - Unusual Thought Content
C100387	BPRSA116	BPRSA1-Blunted Affect	Brief Psychiatric Rating Scale-A - Blunted Affect.	BPRS-A - Blunted Affect
C100388	BPRSA117	BPRSA1-Excitement	Brief Psychiatric Rating Scale-A - Excitement.	BPRS-A - Excitement
C100389	BPRSA118	BPRSA1-Disorientation	Brief Psychiatric Rating Scale-A - Disorientation.	BPRS-A - Disorientation

C100373	BPRSA1-Anxiety	BPRSA1-Anxiety	Brief Psychiatric Rating Scale-A - Anxiety.	BPRS-A - Anxiety
C100387	BPRSA1-Blunted Affect	BPRSA1-Blunted Affect	Brief Psychiatric Rating Scale-A - Blunted Affect.	BPRS-A - Blunted Affect
C100375	BPRSA1-Conceptual Disorganization	BPRSA1-Conceptual Disorganization	Brief Psychiatric Rating Scale-A - Conceptual Disorganization.	BPRS-A - Conceptual Disorganization
C100380	BPRSA1-Depressive Mood	BPRSA1-Depressive Mood	Brief Psychiatric Rating Scale-A - Depressive Mood.	BPRS-A - Depressive Mood
C100389	BPRSA1-Disorientation	BPRSA1-Disorientation	Brief Psychiatric Rating Scale-A - Disorientation.	BPRS-A - Disorientation
C100374	BPRSA1-Emotional Withdrawal	BPRSA1-Emotional Withdrawal	Brief Psychiatric Rating Scale-A - Emotional Withdrawal.	BPRS-A - Emotional Withdrawal
C100388	BPRSA1-Excitement	BPRSA1-Excitement	Brief Psychiatric Rating Scale-A - Excitement.	BPRS-A - Excitement
C100379	BPRSA1-Grandiosity	BPRSA1-Grandiosity	Brief Psychiatric Rating Scale-A - Grandiosity.	BPRS-A - Grandiosity
C100376	BPRSA1-Guilt Feelings	BPRSA1-Guilt Feelings	Brief Psychiatric Rating Scale-A - Guilt Feelings.	BPRS-A - Guilt Feelings
C100383	BPRSA1-Hallucinatory Behavior	BPRSA1-Hallucinatory Behavior	Brief Psychiatric Rating Scale-A - Hallucinatory Behavior.	BPRS-A - Hallucinatory Behavior
C100381	BPRSA1-Hostility	BPRSA1-Hostility	Brief Psychiatric Rating Scale-A - Hostility.	BPRS-A - Hostility
C100378	BPRSA1-Mannerisms and Posturing	BPRSA1-Mannerisms and Posturing	Brief Psychiatric Rating Scale-A - Mannerisms and Posturing.	BPRS-A - Mannerisms and Posturing
C100384	BPRSA1-Motor Retardation	BPRSA1-Motor Retardation	Brief Psychiatric Rating Scale-A - Motor Retardation.	BPRS-A - Motor Retardation
C100372	BPRSA1-Somatic Concern	BPRSA1-Somatic Concern	Brief Psychiatric Rating Scale-A - Somatic Concern.	BPRS-A - Somatic Concern
C100382	BPRSA1-Suspiciousness	BPRSA1-Suspiciousness	Brief Psychiatric Rating Scale-A - Suspiciousness.	BPRS-A - Suspiciousness
C100377	BPRSA1-Tension	BPRSA1-Tension	Brief Psychiatric Rating Scale-A - Tension.	BPRS-A - Tension
C100385	BPRSA1-Uncooperativeness	BPRSA1-Uncooperativeness	Brief Psychiatric Rating Scale-A - Uncooperativeness.	BPRS-A - Uncooperativeness
C100386	BPRSA1-Unusual Thought Content	BPRSA1-Unusual Thought Content	Brief Psychiatric Rating Scale-A - Unusual Thought Content.	BPRS-A - Unusual Thought Content

C130326	BUERS101	BUERS1-Brooke Upper Extremity Rating	Brooke Upper Extremity Rating Scale - Brooke upper extremity rating scale.	BUERS - Brooke Upper Extremity Rating Scale
---------	----------	--------------------------------------	----------------------------------------------------------------------------	---------------------------------------------

C130326	BUERS1-Brooke Upper Extremity Rating	BUERS1-Brooke Upper Extremity Rating	Brooke Upper Extremity Rating Scale - Brooke upper extremity rating scale.	BUERS - Brooke Upper Extremity Rating Scale
---------	--------------------------------------	--------------------------------------	----------------------------------------------------------------------------	---------------------------------------------

C113957	BWCS0101	BWCS01-Been Constipated	Bowel Control Scale - During the past 4 weeks, how often have you been constipated?	BWCS - Been Constipated
C113958	BWCS0102	BWCS01-Lost Control of Bowels	Bowel Control Scale - During the past 4 weeks, how often have you lost control of your bowels or had an accident?	BWCS - Lost Control of Your Bowels
C113959	BWCS0103	BWCS01-Almost Lost Control of Bowels	Bowel Control Scale - During the past 4 weeks, how often have you almost lost control of your bowels or almost had an accident?	BWCS - Almost Lost Control of Your Bowels
C113960	BWCS0104	BWCS01-Altered Activity Because Bowels	Bowel Control Scale - During the past 4 weeks, how often have you altered your activities because of bowel control problems?	BWCS - Altered Activities Because Bowel Control Problems
C113961	BWCS0105	BWCS01-Bowels Restricted Lifestyle	Bowel Control Scale - During the past 4 weeks, how much have bowel problems restricted your overall lifestyle?	BWCS - Bowel Problems Restrict Overall Lifestyle

C113959	BWCS01-Almost Lost Control of Bowels	BWCS01-Almost Lost Control of Bowels	Bowel Control Scale - During the past 4 weeks, how often have you almost lost control of your bowels or almost had an accident?	BWCS - Almost Lost Control of Your Bowels
C113960	BWCS01-Altered Activity Because Bowels	BWCS01-Altered Activity Because Bowels	Bowel Control Scale - During the past 4 weeks, how often have you altered your activities because of bowel control problems?	BWCS - Altered Activities Because Bowel Control Problems
C113957	BWCS01-Been Constipated	BWCS01-Been Constipated	Bowel Control Scale - During the past 4 weeks, how often have you been constipated?	BWCS - Been Constipated
C113961	BWCS01-Bowels Restricted Lifestyle	BWCS01-Bowels Restricted Lifestyle	Bowel Control Scale - During the past 4 weeks, how much have bowel problems restricted your overall lifestyle?	BWCS - Bowel Problems Restrict Overall Lifestyle
C113958	BWCS01-Lost Control of Bowels	BWCS01-Lost Control of Bowels	Bowel Control Scale - During the past 4 weeks, how often have you lost control of your bowels or had an accident?	BWCS - Lost Control of Your Bowels

C119196	CADG0101	CADG01-Coronary Dissection NHLBI Grade	Coronary Artery Dissection NHLBI Grade - A grading system to describe coronary artery dissection per the NHLBI, American College of Cardiology, American Heart Association.	NHLBI CAD Grade - Coronary Artery Dissection NHLBI Grade

C119196	CADG01-Coronary Dissection NHLBI Grade	CADG01-Coronary Dissection NHLBI Grade	Coronary Artery Dissection NHLBI Grade - A grading system to describe coronary artery dissection per the NHLBI, American College of Cardiology, American Heart Association.	NHLBI CAD Grade - Coronary Artery Dissection NHLBI Grade

C102111	AIMS	AIMS01	Abnormal Involuntary Movement Scale (AIMS) (Guy W. Ed. ECDEU Assessment Manual for Psychopharmacology. Rockville MD: US Dept of Health, Education and Welfare. 1976, Publication No. (ADM) 76-338). CDISC believes this instrument to be in the public domain, but you should perform your own assessment.
C125755	AJCC V7	AJCC1	AJCC TNM Staging System 7th Edition (AJCC V7) (Edge SB, Byrd DR, Compton CC, Fritz AG, Greene FL, Trotti A, editors. AJCC cancer staging manual (7th ed). New York, NY: Springer; 2010). No part of the AJCC V7 may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of Springer and payment of any applicable fees. Copyright Springer 2010. All rights reserved.
C146985	AJCC V8	AJCC2	AJCC TNM Staging System 8th Edition (AJCC V8) (Amin, M.B., Edge, S.B., Greene, F.L., et al. (Eds.) AJCC Cancer Staging Manual. 8th Ed. New York: Springer; 2017. AJCC Cancer Staging Manual, Eighth Edition. Copyright 2017 American College of Surgeons. All rights reserved). No part of the AJCC V8 may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of Springer and payment of any applicable fees. Copyright American College of Surgeons 2017. All rights reserved.
C121005	APACHE II	APCH1	Acute Physiology and Chronic Health Evaluation II (APACHE II) (Knaus WA, Draper EA, Wagner DP, Zimmerman JE. APACHE II: a severity of disease classification system. Critical Care Medicine 1985; 13(10):818-29). CDISC believes this instrument to be in the public domain, but you should perform your own assessment.
C176057	APGAR SCORE V1	APGR01	Apgar Score V1 (APGAR SCORE V1) (Apgar, Virginia 1953. A Proposal for a New Method of Evaluation of the Newborn Infant. Cur Res in Anesth Analg. 1953 Jul-Aug;32(4):260-7. Butterfield J, Covey MJ. Practical Epigram of the Apgar Score. JAMA. 1962; 181(4):353). CDISC believes this instrument to be in the public domain, but you should perform your own assessment.
C119107	ARC STC GRADE	STCG01	Stent Thrombosis Coronary ARC Grade (Cutlip DE, Windecker S, Mehran R, et al. Clinical End Points in Coronary Stent Trials : A Case for Standardized Definitions. Circulation. 2007;115:2344-2351). CDISC believes this instrument to be in the public domain, but you should perform your own assessment.
C124705	ASCVD 10-YEAR RISK	ASCDV1	Atherosclerotic Cardiovascular Disease 10-Year Risk Estimator (Goff Jr DC et al. 2013 ACC/AHA Guideline on the Assessment of Cardiovascular Risk: A Report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines. Circulation 2014; 129: S49-S73). CDISC believes this instrument to be in the public domain, but you should perform your own assessment.
C124706	ASSIGN CVD 10-YEAR RISK	ASSG01	ASSIGN Cardiovascular Disease 10-Year Risk Score (Woodward M, Brindle P, Tunstall-Pedoe H, for the SIGN group on risk estimation. Adding social deprivation and family history to cardiovascular risk assessment: the ASSIGN score from the Scottish Heart Health Extended Cohort (SHHEC). Heart 2007; 93: 172-176). CDISC believes this instrument to be in the public domain, but you should perform your own assessment.
C147589	ATLAS	ATLAS1	Age, treatment with systemic antibiotics, leukocyte count, serum albumin, and serum creatinine as a measure of renal function (ATLAS) (Miller, M.A., Louie,T., Mullane, K., Weiss, K., Lentnek, A., Golan, Y., et al. (2013). Derivation and validation of a simple clinical bedside score (ATLAS) for Clostridium difficile infection which predicts response to therapy. BMC Infectious Diseases, 13: 148). CDISC believes this instrument to be in the public domain, but you should perform your own assessment.
C161656	AVPU	AVPU01	Alert Verbal Painful Unresponsive (AVPU) Scale (American College of Surgeons Committee on Trauma. Advanced trauma life support course for physicians. Chicago, IL: American College of Surgeons; 1989. Kelly CA, Upex A, Bateman DN. Comparison of consciousness level assessment in the poisoned patient using the alert/verbal/painful/unresponsive scale and the Glasgow Coma Scale. Annals of Emergency Medicine 2004 Aug;44(2):108-13). CDISC believes this instrument to be in the public domain, but you should perform your own assessment.
C102113	BARS	BARS01	Barnes Akathisia Rating Scale (BARS) (Barnes TR: A Rating Scale for Drug-Induced Akathisia. British Journal of Psychiatry 154:672-676, 1989).
C106693	BDI	BDI01	Baseline Dyspnea Index (BDI) (Mahler DA, Weinberg DH, Wells CK, Feinstein AR. The measurement of dyspnea. Contents, interobserver agreement, and physiologic correlates of two new clinical indexes. Chest 1984, 85: 751-758). No part of the BDI may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of Donald A. Mahler, MD and payment of any applicable fees. Copyright Donald A. Mahler. All rights reserved.

CDISC Public Domain Instruments				
ID	Name	Code	Description	Citation / Reference
C121006	BODE INDEX	BODE01	The Body-Mass Index, Airflow Obstruction, Dyspnea, and Exercise Capacity Index (BODE Index) (Bartolome R. Celli, M.D., Claudia G. Cote, M.D., Jose M. Marin, M.D., Ciro Casanova, M.D., Maria Montes de Oca, M.D., Reina A. Mendez, M.D., Victor Pinto Plata, M.D., and Howard J. Cabral, Ph.D.; <i>N Engl J Med</i> 2004;350:1005-12). CDISC believes this instrument to be in the public domain, but you should perform your own assessment.	The Body-Mass Index, Airflow Obstruction, Dyspnea, and Exercise Capacity Index Clinical Classification
C161657	BPRS 1988 VERSION	BPRS01	Brief Psychiatric Rating Scale 1988 Version (BPRS 1988 VERSION) (Overall, JE, Gorham DR: The Brief Psychiatric Rating Scale (BPRS): recent developments in ascertainment and scaling. <i>Psychopharmacology Bulletin</i> 24:97-99, 1988). CDISC believes this instrument to be in the public domain, but you should perform your own assessment.	Brief Psychiatric Rating Scale 1988 Version Clinical Classification
C100761	BPRS-A	BPRSA1	Brief Psychiatric Rating Scale - Anchored (BPRS-A) (Woerner MB, Mannuzza S, and Kane JM. Anchoring the BPRS: An Aid to Improved Reliability. <i>Psychopharmacology Bulletin</i> 1988; 24(1):112-117). CDISC believes this instrument to be in the public domain, but you should perform your own assessment.	Brief Psychiatric Rating Scale A Clinical Classification
C130304	BUERS	BUERS1	Brooke Upper Extremity Rating Scale (BUERS) (Brooke MG, Griggs RC, Mendell JR, Fenichel, GM, Shumate JB and Peggegrino RJ (1981). Clinical trial in duchenne dystrophy. I The Design of the Protocol. <i>Muscle and Nerve</i> : 4:186-197). CDISC believes this instrument to be in the public domain, but you should perform your own assessment.	Brooke Upper Extremity Rating Scale Clinical Classification
C176059	CDAI V1	CDAI01	Crohn's Disease Activity Index Version 1 (CDAI V1) (Best WR, Becktel JM, Singleton JW, Kern F Jr. Development of a Crohn's disease activity index. National Cooperative Crohn's Disease Study. <i>Gastroenterology</i> . 1976 Mar;70(3):439-44). CDISC believes this instrument to be in the public domain, but you should perform your own assessment.	Crohn's Disease Activity Index Version 1 Clinical Classification
C124715	CDC HIV CLASSIFICATION FOR ADULTS AND ADOLESCENTS	CHIVC1	CDC Classification System for HIV-Infected Adults and Adolescents (Centers for Disease Control and Prevention. 1993 Revised Classification System for HIV Infection and Expanded Surveillance Case Definition for AIDS Among Adolescents and Adults. <i>MMWR Recomm Rep</i> . 1992 Dec 18;41(RR-17):1-19). CDISC believes this instrument to be in the public domain, but you should perform your own assessment.	Center for Disease Control and Prevention Classification System for HIV-Infected Adults and Adolescents Clinical Classification
C155323	CDRS-R	CDRS1	Children's Depression Rating Scale, Revised (CDRS-R) (Copyright 1995 by WESTERN PSYCHOLOGICAL SERVICES. Not to be reproduced in whole or in part without written permission. All rights reserved). No part of the CDRS-R may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of WESTERN PSYCHOLOGICAL SERVICES and payment of any applicable fees. Copyright WESTERN PSYCHOLOGICAL SERVICES. All rights reserved.	Children's Depression Rating Scale, Revised Clinical Classification
C121007	CHILD-PUGH CLASSIFICATION	CPS01	Child-Pugh Classification (Guidance for Industry Pharmacokinetics in Patients with Impaired Hepatic Function: Study Design, Data Analysis, and Impact on Dosing and Labeling. U.S. Department of Health and Human Services; Food and Drug Administration; Center for Drug Evaluation and Research (CDER); Center for Biologics Evaluation and Research (CBER). May 2003, Clinical Pharmacology. http://www.fda.gov/downloads/Drugs/GuidanceComplianceRegulatoryInformation/Guidances/UCM072123.pdf ; http://www.halaven.com/sites/default/files/ChildPugh_FlashCard.pdf). CDISC believes this instrument to be in the public domain, but you should perform your own assessment.	Child-Pugh Clinical Classification
C156675	COVI	COVI01	Covi Anxiety Scale (COVI) (Lipman RS. Differentiating anxiety and depression in anxiety disorders: use of rating scales. <i>Psychopharmacol Bull</i> 1982; 18(4):69-77). CDISC believes this instrument to be in the public domain, but you should perform your own assessment.	Covi Anxiety Scale Clinical Classification
C124711	CRS-R	CRSR01	JFK Coma Recovery Scale-Revised (CRS-R) (Joseph T. Giacino, Kathleen Kalmar, John Whyte. The JFK Coma Recovery Scale-Revised: Measurement Characteristics and Diagnostic Utility. <i>Arch Phys Med Rehabil</i> Vol 85, December 2004). CDISC believes this instrument to be in the public domain, but you should perform your own assessment.	JFK Coma Recovery Scale-Revised Clinical Classification
C112519	DISEASE STEPS	DS01	Disease Steps (DS) (Hohol MJ, Orav EJ, Weiner HL. Disease steps in multiple sclerosis: a simple approach to evaluate disease progression. <i>Neurology</i> . 1995 Feb;45(2):251-5). CDISC believes this instrument to be in the public domain, but you should perform your own assessment.	Disease Steps Clinical Classification
C115796	DRS	DRS01	Disability Rating Scale (DRS) (Rappaport et al. (1982) Disability Rating Scale for Severe Head Trauma Patients: Coma to Community. <i>Archives of Physical Medicine and Rehabilitation</i> , 63:118-123).	Disability Rating Scale Clinical Classification
C161658	E-TRIP	ETRP01	Emory Treatment Resistance Interview for PTSD (E-TRIP) (Dunlop BW, Kaye JL, Youngner C, Rothbaum B. Assessing Treatment-Resistant Posttraumatic Stress Disorder: The Emory Treatment Resistance Interview for PTSD (E-TRIP). <i>Behav Sci (Basel)</i> 2014; Dec 8; 4(4):511-527). No part of the E-TRIP may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of Boadie W. Dunlop, MD and payment of any applicable fees. Copyright Boadie W. Dunlop, MD, 2018. All rights reserved.	Emory Treatment Resistance Interview for PTSD Clinical Classification

C102116	ECOG	ECOG1	Eastern Cooperative Oncology Group (ECOG) Performance Status (Oken MM, Creech RH, Torney DC, Horton J, Davis TE, McFadden ET, Carbone PP. Toxicity and response criteria of the Eastern Cooperative Oncology Group. Am J Clin Oncol. 1982 Dec;5(6):649-55). CDISC believes this instrument to be in the public domain, but you should perform your own assessment.	Eastern Cooperative Oncology Group Performance Status Clinical Classification
C112520	EDSS	EDSS01	Kurtzke Expanded Disability Status Scale (EDSS) (Kurtzke JF. Rating neurologic impairment in multiple sclerosis: an expanded disability status scale (EDSS). Neurology. 1983 Nov;33(11):1444-52).	Kurtzke Expanded Disability Status Scale Clinical Classification
C117997	ESRSA	ESRSA1	Extrapyramidal Symptom Rating Scale-Abbreviated (ESRS-A) (Copyright 2006 Larry Alphs, MD, PhD, Guy Chouinard, MD, All Rights Reserved).	Extrapyramidal Symptom Rating Scale-Abbreviated Clinical Classification
C111381	FAQ	FAQ01	Functional Activities Questionnaire (FAQ) (Pfeiffer, RI.; Kurosaki, TT.; Harrah, CH. Jr.; Chance, JM.; and Filos, S. (1982). Measurement of functional activities in older adults in the community. Journal of Gerontology, 37(3), 323-329.). No part of the FAQ may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of Robert I Pfeffer and payment of any applicable fees. Copyright Robert I Pfeffer 1987. All rights reserved.	Functional Activities Questionnaire Clinical Classification
C111382	FAQ-NACC UDS V2.0	FAQNA1	Functional Assessment Questionnaire-NACC UDS V2.0 (FAQ-NACC UDS V2.0) (Pfeiffer, RI.; Kurosaki, TT.; Harrah, CH. Jr.; Chance, JM.; and Filos, S. (1982). Measurement of functional activities in older adults in the community. Journal of Gerontology, 37(3), 323-329.). (Reproduced with permission. Copyright 2011 University of Washington. Created and published by the ADC Clinical Task Force. John C. Morris, MD, Chair, and the National Alzheimer's Coordinating Center. U01 AG016976 - Walter A. Kukull, PhD, Director). No part of the FAQ-NACC UDS V2.0 may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the University of Washington and payment of any applicable fees. Copyright University of Washington 2011. All rights reserved.	Functional Assessment Questionnaire-NACC UDS Version 2.0 Clinical Classification
C170643	FAS-NACC UDS V3.0	FASNA1	Functional Assessment Scale-NACC UDS v3.0 (FAS-NACC UDS V3.0) (These materials discuss and/or include NACC Functional Assessment Scale (FAS) v3.0 which is owned exclusively by the University of Washington. Copyright Reproduced with permission. Copyright 2006, 2008, 2015, 2017 University of Washington. Created and published by the ADC Clinical Task Force (John C. Morris, MD, Chair) and the National Alzheimer's Coordinating Center (U01 AG016976 - Walter A. Kukull, PhD, Director). All rights reserved). No part of the FAS-NACC UDS V3.0 may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without prior written permission of the University of Washington and payment of any applicable fees. Copyright 2006, 2008, 2015, 2017 University of Washington. All rights reserved.	Functional Assessment Scale-NACC UDS Version 3.0 Clinical Classification
C124707	FHS CVD 10-YEAR RISK	FCVD1	Framingham Heart Study Cardiovascular Disease 10-Year Risk Score (D'Agostino Sr RB, Vasan RS, Pencina MJ, Wolf PA, Cobain M, Massaro JM, and Kannel WB. General Cardiovascular Risk Profile for Use in Primary Care: The Framingham Heart Study. Circulation 2008; 117: 743-753).	Framingham Heart Study Cardiovascular Disease 10-Year Risk Score Clinical Classification
C124710	GCS NINDS VERSION	GCS01	Glasgow Coma Scale (GCS) The National Institute of Neurological Disorders and Stroke (NINDS) Version (Graham Teasdale and Bryan Jennett. Assessment of coma and impaired consciousness. A practical scale. Lancet. 1974 Jul 13; 2(7872):81-4).	Glasgow Coma Scale-NINDS Version Clinical Classification
C102118	HAM-A	HAMA1	The Hamilton Anxiety Rating Scale (HAM-A) (Hamilton M. The assessment of anxiety states by rating. Br J Med Psychol 1959; 32:50-55).	Hamilton Anxiety Rating Scale Clinical Classification
C100767	HAMD 17	HAMD1	The Hamilton Depression Rating Scale 17-Item (HAMD 17) (Hamilton M. A rating scale for depression. J Neurol Neurosurg Psychiatry 1960; 23:56-62. Hamilton M. Development of a rating scale for primary depressive illness. Br J Soc Clin Psychol 1967; 6(4):278-96. Assessment Scales in Depression, Mania and Anxiety, Raymond W Lam, Erin E. Michalak, Richard P Swinson, Copyright 2005 Taylor & Francis, an imprint of the Taylor & Francis Group. Guy W, ECDEU Assessment Manual for Psychopharmacology. Rockville, MD: US Department of Health, Education, and Welfare, 1976. The Hamilton Rating Scale for Depression: The making of a "gold standard" and the unmaking of a chronic illness, 1960-1980).	Hamilton Depression Rating Scale 17 Item Clinical Classification
C102119	HAMD 21	HAMD2	The Hamilton Depression Rating Scale 21-Item (HAMD 21) (Hedlund and Vieweg, The Hamilton rating scale for depression. Journal of Operational Psychiatry, 1979;10(2):149-165).	Hamilton Depression Rating Scale 21-Item Clinical Classification
C130307	HAMD 24	HAMD3	The Hamilton Depression Rating Scale 24-Item (HAM-D24) (Clinical Psychometrics: Per Bech, MD; John Wiley & Sons, Ltd. 2012).	Hamilton Depression Rating Scale-24 Item Clinical Classification
C130306	HAMD 6 CLINICIAN VERSION	HAMD4	The Hamilton Depression Rating Scale 6 - Clinician Version (HAM-D6 - Clinician Version) (Clinical Research: Rating scales in depression: limitations and pitfalls; Per Bech, MD; Copyright 2006 LLS SAS. All rights reserved).	Hamilton Depression Rating Scale 6 Clinician Version Clinical Classification

CDISC Clinical Classification				
C138332	HAS-BLED	HSB01	HAS-BLED Bleeding Risk Score (HAS-BLED) (This image was published in Chest, 138 (5), Pisters R, Lane DA, Nieuwlaat R, de Vos CB, Crijns HJ, Lip GY, A Novel User-Friendly Score (HAS-BLED) To Assess 1-Year Risk of Major Bleeding in Patients With Atrial Fibrillation: The Euro Heart Survey, Copyright Elsevier (2010). http://www.sciencedirect.com/science/journal/00123692).	HAS-BLED Bleeding Risk Score Clinical Classification
C130308	IDS-C	IDSC1	Inventory of Depressive Symptomatology - Clinician-Rated (IDS-C) (Copyright UT Southwestern Medical Center at Dallas. Rush, A.J., Giles, D.E., Schlessser, M.A., Fulton, C.L., Weissenburger, J.E. and Burns, C.T. The Inventory of Depressive Symptomatology (IDS): Preliminary findings. Psychiatry Research, 18:65-87, 1986).	Inventory of Depressive Symptomatology Clinician-Rated Version Clinical Classification
C170645	KDIGO AKI	KDIGO1	Kidney Disease: Improving Global Outcomes Staging For Acute Kidney Injury (KDIGO AKI) (Kidney Disease: Improving Global Outcomes (KDIGO) Acute Kidney Injury Work Group. KDIGO Clinical Practice Guideline for Acute Kidney Injury. Kidney inter., Suppl. 2012; 2:1-138). CDISC believes this instrument to be in the public domain, but you should perform your own assessment.	Kidney Disease Improving Global Outcomes Staging For Acute Kidney Injury Clinical Classification
C130310	KDPI	KDPI01	Kidney Donor Profile Index (KDPI) (OPTN/UNOS. A guide to calculating and interpreting the Kidney Donor Profile Index (KDPI). [Accessed April 18, 2016]. Available at: https://optn.transplant.hrsa.gov/media/1512/guide_to_calculating_interpreting_kdpi.pdf . Rao PS, Schaubel DE, Guidinger MK, et al. A comprehensive risk quantification score for deceased donor kidneys: the kidney donor risk index. Transplantation 2009 Jul 27;88(2):231-6).	Kidney Donor Profile Index Clinical Classification
C112522	KFSS	KFSS1	Kurtzke Functional Systems Scores (FSS) (Kurtzke JF. Rating neurologic impairment in multiple sclerosis: an expanded disability status scale (EDSS). Neurology. 1983 Nov;33(11):1444-52).	Kurtzke Functional Systems Scores Clinical Classification
C100768	KPS SCALE	KPSS01	The Karnofsky Performance Status Scale (KPSS) (Karnofsky DA, Burchenal JH. (1949). "The Clinical Evaluation of Chemotherapeutic Agents in Cancer." In: MacLeod CM (Ed), Evaluation of Chemotherapeutic Agents. Columbia Univ Press. Page 196).	Karnofsky Performance Status Scale Clinical Classification
C138333	LPPS SCALE	LPPSS1	The Lansky Play-Performance Status Scale (LPSS) (Lansky SB, List MA, Lansky LL, Ritter-Stern C, Miller DR. The measurement of performance in childhood cancer patients. Cancer. 1987 Oct 1;60(7):1651-6).	The Lansky Play-Performance Status Scale Clinical Classification
C121008	MELD	MELD01	Model for End Stage Liver Disease (MELD) (Malinchoc M, Kamath PS, Gordon FD, Peine CJ, Rank J, ter Borg PC (April 2000). A model to predict poor survival in patients undergoing transjugular intrahepatic portosystemic shunts. Hepatology 31 (4): 864-71).	Model for End Stage Liver Disease Clinical Classification
C171357	NEWS2	NEWS1	National Early Warning Score 2 (NEWS2) (Royal College of Physicians. National Early Warning Score (NEWS) 2: Standardising the assessment of acute-illness severity in the NHS. Updated report of a working party. London: RCP, 2017).	National Early Warning Score 2 Clinical Classification
C119105	NHLBI CAD GRADE	CADG01	Coronary Artery Dissection NHLBI Grade (Coronary Artery angiographic changes after PTCA: Manual of Operations NHBLI PTCA Registry 1985-6:9).	Coronary Artery Dissection NHLBI Grade Clinical Classification
C121009	NSA-16	NSA01	Negative Symptom Assessment-16 (NSA-16) (Version 2.0, Copyright 2006, Larry Alphs, MD, PhD, All Right Reserved).	Negative Symptom Assessment-16 Clinical Classification
C132531	NSAA	NSAA1	North Star Ambulatory Assessment (NSAA) (Copyright the North Star Clinical Network UK. Scott E, Eagle M, Mayhew A, Freeman J, Main M, Sheehan J, Manzur A, Muntoni F; North Star Clinical Network for Paediatric Neuromuscular Disease. Development of a functional assessment scale for ambulatory boys with Duchenne muscular dystrophy. Physiother Res Int. 2012 Jun;17(2):101-9. The support of Muscular Dystrophy United Kingdom in developing the North Star Ambulatory Assessment is gratefully acknowledged).	North Star Ambulatory Assessment Clinical Classification
C124712	PANSS	PANSS1	Positive and Negative Syndrome Scale (PANSS) (Copyright 1992 Multi-Health Systems Inc. All rights reserved).	Positive and Negative Syndrome Scale Clinical Classification
C179972	PASI V2	PASI02	Psoriasis Area and Severity Index Version 2 (PASI V2) (Feldman SR, Krueger GG. Psoriasis assessment tools in clinical trials. Ann Rheum Dis. 2005;64(Suppl 2):ii65-ii73). CDISC believes this instrument to be in the public domain, but you should perform your own assessment.	Psoriasis Area and Severity Index Version 2 Clinical Classification
C135734	PASI	PASI01	Psoriasis Area and Severity Index (PASI) (Fredriksson T, Pettersson U. Severe psoriasis-Oral Therapy with a New Retinoid. Dermatologica. 1978;157(4):238-244. Feldman SR, Krueger GG. Psoriasis assessment tools in clinical trials. Ann Rheum Dis. 2005;64(Suppl 2):ii65-ii73).	Psoriasis Area and Severity Index Clinical Classification
C130309	QIDS-C	QIDSC1	Quick Inventory of Depressive Symptomatology - Clinician-Rated (QIDS-C) (Copyright UT Southwestern Medical Center at Dallas. Rush AJ, Trivedi MH, Ibrahim HM, Carmody TJ, Arnow B, Klein DN, Markowitz JC, Ninan PT, Kornstein S, Manber R, Thase ME, Kocsis JH, Keller MB. The 16-item Quick Inventory of Depressive Symptomatology (QIDS) Clinician Rating (QIDS-C) and Self-Report (QIDS-SR): A psychometric evaluation in patients with chronic major depression. Biological Psychiatry, 54:573-583, 2003).	Quick Inventory of Depressive Symptomatology Clinician-Rated Version Clinical Classification

Clinical Classification Details				
ID	Code	Code Name	Description	Clinical Classification
C171417	RASS	RASS01	Richmond Agitation-Sedation Scale (RASS) (Sessler CN, Gosnell M, Grap MJ, Brophy GT, O'Neal PV, Keane KA et al. The Richmond Agitation-Sedation Scale: validity and reliability in adult intensive care patients. Am J Respir Crit Care Med. 2002 Nov 15;166:1338-1344. Copyright Virginia Commonwealth University 2000. All Rights Reserved).	Richmond Agitation-Sedation Scale Clinical Classification
C124708	REYNOLDS CVD 10-YEAR RISK	RCVD01	Reynolds Cardiovascular Disease 10-Year Risk Score (Ridker PM, Buring JE, Rifai N, Cook NR. Development and Validation of Improved Algorithms for the Assessment of Global Cardiovascular Risk in Women: The Reynolds Risk Score. JAMA 2007; 297: 611-619), (Ridker PM, Paynter NP, Rifai N, Gaziano JM, Cook NR. C-Reactive Protein and Parental History Improve Global Cardiovascular Risk Prediction: The Reynolds Risk Score for Men. Circulation 2008; 118(22): 2243-2251).	Reynolds Cardiovascular Disease 10-Year Risk Score Clinical Classification
C174061	RSSS	RSSS01	Rett Syndrome Severity Scale (RSSS) (Kalkwarf HJ, Zemel BS, Gilsanz V, Lappe JM, Horlick M, Oberfield S, Mahboubi S, Fan B, Frederick MM, Winer K, Shepherd JA. The bone mineral density in childhood study: bone mineral content and density according to age, sex, and race. J Clin Endocrinol Metab. 2007 Jun;92(6):2087-99).	Rett Syndrome Severity Scale Clinical Classification
C171418	SAS	SAS01	Riker Sedation-Agitation Scale (SAS) (Riker, Richard R. MD, FCCP; Picard, Jean T. BSN, CCRN; Fraser, Gilles L. PharmD. Prospective evaluation of the Sedation-Agitation Scale for adult critically ill patients. Critical Care Medicine. July 1999; 27:7:1325-1329. Copyright Lippincott Williams & Wilkins, Inc. 1999. All Rights Reserved).	Riker Sedation-Agitation Scale Clinical Classification
C176060	SES-CD V1	SES01	Simple Endoscopic Score for Crohn's Disease Version 1 (SES-CD V1) (Daperno M, D'Haens G, Van Assche G, Baert F, Bulois P, Maounoury V, Sostegni R, Rocca R, Pera A, Gevers A, Mary JY, Colombel JF, Rutgeerts P. Development and validation of a new, simplified endoscopic activity score for Crohn's disease: the SES-CD. Gastrointest Endosc 2004; 60 (4): 505-512). CDISC believes this instrument to be in the public domain, but you should perform your own assessment.	Simple Endoscopic Score for Crohn's Disease Version 1 Clinical Classification
C124703	TANNER SCALE BOY	TANN02	Tanner Scale Boy (Marshall WA, Tanner JM. Variations in pattern of pubertal changes in boys. Arch Dis Child 1970 Feb;45(239):13-23).	Tanner Scale Boy Version
C124704	TANNER SCALE GIRL	TANN01	Tanner Scale Girl (Marshall WA, Tanner JM. Variations in pattern of pubertal changes in girls. Arch Dis Child 1969 Jun; 44(235): 291-303).	Tanner Scale Girl Version
C106694	TDI	TDI01	Transition Dyspnea Index (TDI) (Mahler DA, Weinberg DH, Wells CK, Feinstein AR. The measurement of dyspnea. Contents, interobserver agreement, and physiologic correlates of two new clinical indexes. Chest 1984, 85: 751-758).	Transition Dyspnea Index Clinical Classification
C119104	TIMI THROMBUS GRADE	TIMG01	Coronary Thrombus TIMI Grade (TIMI Definitions for Commonly Used Terms in Clinical Trials. Available at http://www.timi.org/wp-content/uploads/2010/10/TIMI-Definitions.pdf . Accessed November 30, 2013).	Coronary Thrombus TIMI Grade Clinical Classification
C155324	UHDRS 1999	UHDR1	Unified Huntington's Disease Rating Scale '99 (UHDRS 1999) (Huntington Study Group. (1996). Unified Huntington's Disease Rating Scale: Reliability and Consistency. Movement Disorders, 11(2), 136-142).	Unified Huntington's Disease Rating Scale 1999 Version Clinical Classification
C100778	UPDRS	UPD1	Unified Parkinson's Disease Rating Scale (UPDRS) (Fahn S, Marsden CD, Calne DB, Goldstein M, eds. Recent Developments in Parkinson's Disease, Vol 2. Florham Park, NJ. Macmillan Health Care Information 1987, pp 153-163, 293-304).	Unified Parkinson's Disease Rating Scale Clinical Classification
C141685	VALG	VALG01	Veterans Administration Lung Study Group (VALG) (Staging small cell lung cancer: Veterans Administration Lung Study Group versus International Association for the Study of Lung Cancer--what limits limited disease? Micke P, Falldum A, Metz T, Beoh K.-M, Bittinger F, Hengstler J.-G, Buhl R, Lung Cancer 2002;37:271-276).	Veterans Administration Lung Study Group Clinical Classification
C130305	VLERS	VLERS1	Vignos Lower Extremity Rating Scale (VLERS) (Vignos PJ, Spencer CE, Archibald KC. (1963) Management of progressive muscular dystrophy in childhood.JAMA 184:389-96. Brooke MG, Griggs RC, Mendell JR, Fenichel GM, Shumate JB and Peggegrino RJ (1981). Clinical trial in duchenne dystrophy. I The Design of the Protocol. Muscle and Nerve: 4:186-197).	Vignos Lower Extremity Rating Scale Clinical Classification
C124709	WEST HAVEN HEPATIC ENCEPHALOPATHY GRADE	WHEG01	West Haven Hepatic Encephalopathy Grade (Blei AT, Cordoba J. Hepatic Encephalopathy. Am J Gastroenterol. 2001 Jul. 96(7):1968-76).	West Haven Hepatic Encephalopathy Grade Clinical Classification
C124713	WHO HIV STAGING FOR ADULTS AND ADOLESCENTS	WHIVS1	WHO Clinical Staging of HIV/AIDS for Adults and Adolescents (Copyright World Health Organization 2007, World Health Organization. WHO case definitions of HIV for surveillance and revised clinical staging and immunological classification of HIV-related disease in adults and children; 2007. Retrieved from http://www.who.int/hiv/pub/vct/hivstaging/en/).	World Health Organization Clinical Staging of HIV/AIDS for Adults and Adolescents Clinical Classification
C124714	WHO HIV STAGING FOR CHILDREN	WHIVS2	WHO Clinical Staging of HIV/AIDS for Children (Copyright World Health Organization 2007, World Health Organization. WHO case definitions of HIV for surveillance and revised clinical staging and immunological classification of HIV-related disease in adults and children; 2007. Retrieved from http://www.who.int/hiv/pub/vct/hivstaging/en/).	World Health Organization Clinical Staging of HIV/AIDS for Children Clinical Classification

C119122	CCQ0101	CCQ01-Short of Breath at Rest	Clinical COPD Questionnaire 24 Hour Version - On average, during the past 24 hours, how often did you feel: Short of breath while at rest?	CCQ 24 Hour Version - Short of Breath at Rest
C119123	CCQ0102	CCQ01-Short of Breath Physical Activity	Clinical COPD Questionnaire 24 Hour Version - On average, during the past 24 hours, how often did you feel: Short of breath while doing physical activities?	CCQ 24 Hour Version - Short of Breath Doing Physical Activity
C119124	CCQ0103	CCQ01-Concern About Breathing Get Worse	Clinical COPD Questionnaire 24 Hour Version - On average, during the past 24 hours, how often did you feel: Concerned about getting a cold or your breathing getting worse?	CCQ 24 Hour Version - Concern About Breathing Get Worse
C119125	CCQ0104	CCQ01-Depressed for Breathing Problem	Clinical COPD Questionnaire 24 Hour Version - On average, during the past 24 hours, how often did you feel: Depressed because of your breathing problems?	CCQ 24 Hour Version - Depressed Because of Breathing Problem
C119126	CCQ0105	CCQ01-Cough	Clinical COPD Questionnaire 24 Hour Version - In general, during the past 24 hours, how much of the time: Did you cough?	CCQ 24 Hour Version - Did You Cough
C119127	CCQ0106	CCQ01-Produce Sputum or Phlegm	Clinical COPD Questionnaire 24 Hour Version - In general, during the past 24 hours, how much of the time: Did you produce sputum or phlegm?	CCQ 24 Hour Version - Produce Sputum or Phlegm
C119128	CCQ0107	CCQ01-Breathing Limit Strenuous Activity	Clinical COPD Questionnaire 24 Hour Version - On average, during the past 24 hours, how limited were you in these activities because of your breathing problems: Strenuous physical activities?	CCQ 24 Hour Version - Breathing Problems Limit Strenuous Activity
C119129	CCQ0108	CCQ01-Breathing Limit Moderate Activity	Clinical COPD Questionnaire 24 Hour Version - On average, during the past 24 hours, how limited were you in these activities because of your breathing problems: Moderate physical activities?	CCQ 24 Hour Version - Breathing Problems Limit Moderate Activity
C119130	CCQ0109	CCQ01-Breathing Limit Daily Activity	Clinical COPD Questionnaire 24 Hour Version - On average, during the past 24 hours, how limited were you in these activities because of your breathing problems: Daily activities at home?	CCQ 24 Hour Version - Breathing Problems Limit Daily Activity
C119131	CCQ0110	CCQ01-Breathing Limit Social Activity	Clinical COPD Questionnaire 24 Hour Version - On average, during the past 24 hours, how limited were you in these activities because of your breathing problems: Social activities?	CCQ 24 Hour Version - Breathing Problems Limit Social Activity

C119130	CCQ01-Breathing Limit Daily Activity	CCQ01-Breathing Limit Daily Activity	Clinical COPD Questionnaire 24 Hour Version - On average, during the past 24 hours, how limited were you in these activities because of your breathing problems: Daily activities at home?	CCQ 24 Hour Version - Breathing Problems Limit Daily Activity
C119129	CCQ01-Breathing Limit Moderate Activity	CCQ01-Breathing Limit Moderate Activity	Clinical COPD Questionnaire 24 Hour Version - On average, during the past 24 hours, how limited were you in these activities because of your breathing problems: Moderate physical activities?	CCQ 24 Hour Version - Breathing Problems Limit Moderate Activity
C119131	CCQ01-Breathing Limit Social Activity	CCQ01-Breathing Limit Social Activity	Clinical COPD Questionnaire 24 Hour Version - On average, during the past 24 hours, how limited were you in these activities because of your breathing problems: Social activities?	CCQ 24 Hour Version - Breathing Problems Limit Social Activity
C119128	CCQ01-Breathing Limit Strenuous Activity	CCQ01-Breathing Limit Strenuous Activity	Clinical COPD Questionnaire 24 Hour Version - On average, during the past 24 hours, how limited were you in these activities because of your breathing problems: Strenuous physical activities?	CCQ 24 Hour Version - Breathing Problems Limit Strenuous Activity
C119124	CCQ01-Concern About Breathing Get Worse	CCQ01-Concern About Breathing Get Worse	Clinical COPD Questionnaire 24 Hour Version - On average, during the past 24 hours, how often did you feel: Concerned about getting a cold or your breathing getting worse?	CCQ 24 Hour Version - Concern About Breathing Get Worse
C119126	CCQ01-Cough	CCQ01-Cough	Clinical COPD Questionnaire 24 Hour Version - In general, during the past 24 hours, how much of the time: Did you cough?	CCQ 24 Hour Version - Did You Cough
C119125	CCQ01-Depressed for Breathing Problem	CCQ01-Depressed for Breathing Problem	Clinical COPD Questionnaire 24 Hour Version - On average, during the past 24 hours, how often did you feel: Depressed because of your breathing problems?	CCQ 24 Hour Version - Depressed Because of Breathing Problem
C119127	CCQ01-Produce Sputum or Phlegm	CCQ01-Produce Sputum or Phlegm	Clinical COPD Questionnaire 24 Hour Version - In general, during the past 24 hours, how much of the time: Did you produce sputum or phlegm?	CCQ 24 Hour Version - Produce Sputum or Phlegm
C119122	CCQ01-Short of Breath at Rest	CCQ01-Short of Breath at Rest	Clinical COPD Questionnaire 24 Hour Version - On average, during the past 24 hours, how often did you feel: Short of breath while at rest?	CCQ 24 Hour Version - Short of Breath at Rest
C119123	CCQ01-Short of Breath Physical Activity	CCQ01-Short of Breath Physical Activity	Clinical COPD Questionnaire 24 Hour Version - On average, during the past 24 hours, how often did you feel: Short of breath while doing physical activities?	CCQ 24 Hour Version - Short of Breath Doing Physical Activity

C119132	CCQ0201	CCQ02-Short of Breath at Rest	Clinical COPD Questionnaire 1 Week Version - On average, during the past 7 days, how often did you feel: Short of breath while at rest?	CCQ 1 Week Version - Short of Breath at Rest
C119133	CCQ0202	CCQ02-Short of Breath Physical Activity	Clinical COPD Questionnaire 1 Week Version - On average, during the past 7 days, how often did you feel: Short of breath while doing physical activities?	CCQ 1 Week Version - Short of Breath Doing Physical Activity
C119134	CCQ0203	CCQ02-Concern About Breathing Get Worse	Clinical COPD Questionnaire 1 Week Version - On average, during the past 7 days, how often did you feel: Concerned about getting a cold or your breathing getting worse?	CCQ 1 Week Version - Concern About Breathing Get Worse
C119135	CCQ0204	CCQ02-Depressed for Breathing Problem	Clinical COPD Questionnaire 1 Week Version - On average, during the past 7 days, how often did you feel: Depressed because of your breathing problems?	CCQ 1 Week Version - Depressed Because of Breathing Problem
C119136	CCQ0205	CCQ02-Cough	Clinical COPD Questionnaire 1 Week Version - In general, during the past 7 days, how much of the time: Did you cough?	CCQ 1 Week Version - Did You Cough
C119137	CCQ0206	CCQ02-Produce Sputum or Phlegm	Clinical COPD Questionnaire 1 Week Version - In general, during the past 7 days, how much of the time: Did you produce sputum or phlegm?	CCQ 1 Week Version - Produce Sputum or Phlegm
C119138	CCQ0207	CCQ02-Breathing Limit Strenuous Activity	Clinical COPD Questionnaire 1 Week Version - On average, during the past 7 days, how limited were you in these activities because of your breathing problems: Strenuous physical activities?	CCQ 1 Week Version - Breathing Problems Limit Strenuous Activity
C119139	CCQ0208	CCQ02-Breathing Limit Moderate Activity	Clinical COPD Questionnaire 1 Week Version - On average, during the past 7 days, how limited were you in these activities because of your breathing problems: Moderate physical activities?	CCQ 1 Week Version - Breathing Problems Limit Moderate Activity
C119140	CCQ0209	CCQ02-Breathing Limit Daily Activity	Clinical COPD Questionnaire 1 Week Version - On average, during the past 7 days, how limited were you in these activities because of your breathing problems: Daily activities at home?	CCQ 1 Week Version - Breathing Problems Limit Daily Activity
C119141	CCQ0210	CCQ02-Breathing Limit Social Activity	Clinical COPD Questionnaire 1 Week Version - On average, during the past 7 days, how limited were you in these activities because of your breathing problems: Social activities?	CCQ 1 Week Version - Breathing Problems Limit Social Activity

C119140	CCQ02-Breathing Limit Daily Activity	CCQ02-Breathing Limit Daily Activity	Clinical COPD Questionnaire 1 Week Version - On average, during the past 7 days, how limited were you in these activities because of your breathing problems: Daily activities at home?	CCQ 1 Week Version - Breathing Problems Limit Daily Activity
C119139	CCQ02-Breathing Limit Moderate Activity	CCQ02-Breathing Limit Moderate Activity	Clinical COPD Questionnaire 1 Week Version - On average, during the past 7 days, how limited were you in these activities because of your breathing problems: Moderate physical activities?	CCQ 1 Week Version - Breathing Problems Limit Moderate Activity
C119141	CCQ02-Breathing Limit Social Activity	CCQ02-Breathing Limit Social Activity	Clinical COPD Questionnaire 1 Week Version - On average, during the past 7 days, how limited were you in these activities because of your breathing problems: Social activities?	CCQ 1 Week Version - Breathing Problems Limit Social Activity
C119138	CCQ02-Breathing Limit Strenuous Activity	CCQ02-Breathing Limit Strenuous Activity	Clinical COPD Questionnaire 1 Week Version - On average, during the past 7 days, how limited were you in these activities because of your breathing problems: Strenuous physical activities?	CCQ 1 Week Version - Breathing Problems Limit Strenuous Activity
C119134	CCQ02-Concern About Breathing Get Worse	CCQ02-Concern About Breathing Get Worse	Clinical COPD Questionnaire 1 Week Version - On average, during the past 7 days, how often did you feel: Concerned about getting a cold or your breathing getting worse?	CCQ 1 Week Version - Concern About Breathing Get Worse
C119136	CCQ02-Cough	CCQ02-Cough	Clinical COPD Questionnaire 1 Week Version - In general, during the past 7 days, how much of the time: Did you cough?	CCQ 1 Week Version - Did You Cough
C119135	CCQ02-Depressed for Breathing Problem	CCQ02-Depressed for Breathing Problem	Clinical COPD Questionnaire 1 Week Version - On average, during the past 7 days, how often did you feel: Depressed because of your breathing problems?	CCQ 1 Week Version - Depressed Because of Breathing Problem
C119137	CCQ02-Produce Sputum or Phlegm	CCQ02-Produce Sputum or Phlegm	Clinical COPD Questionnaire 1 Week Version - In general, during the past 7 days, how much of the time: Did you produce sputum or phlegm?	CCQ 1 Week Version - Produce Sputum or Phlegm
C119132	CCQ02-Short of Breath at Rest	CCQ02-Short of Breath at Rest	Clinical COPD Questionnaire 1 Week Version - On average, during the past 7 days, how often did you feel: Short of breath while at rest?	CCQ 1 Week Version - Short of Breath at Rest
C119133	CCQ02-Short of Breath Physical Activity	CCQ02-Short of Breath Physical Activity	Clinical COPD Questionnaire 1 Week Version - On average, during the past 7 days, how often did you feel: Short of breath while doing physical activities?	CCQ 1 Week Version - Short of Breath Doing Physical Activity

C176067	CDAI0101	CDAI01-Weight	Crohn's Disease Activity Index Version 1 - Weight.	CDAI Version 1 - Weight
C176068	CDAI0102	CDAI01-Standard Body Weight	Crohn's Disease Activity Index Version 1 - Standard body weight.	CDAI Version 1 - Standard Body Weight
C176069	CDAI0103	CDAI01-Daily Number of Stools	Crohn's Disease Activity Index Version 1 - Daily number of very soft/liquid stools in the last 7 days.	CDAI Version 1 - Daily Number of Stools
C176070	CDAI0104	CDAI01-Daily Average Abdominal Pain	Crohn's Disease Activity Index Version 1 - Daily average abdominal pain (average daily rating for each of the past 7 days).	CDAI Version 1 - Daily Average Abdominal Pain
C176071	CDAI0105	CDAI01-Daily Average General Well-being	Crohn's Disease Activity Index Version 1 - Daily average general well-being (average daily rating for each of the past 7 days).	CDAI Version 1 - Daily Average General Well-being
C176072	CDAI0106	CDAI01-Anti-diarrhea/Opiate Use	Crohn's Disease Activity Index Version 1 - Anti-diarrhea/opiate use during past 7 days.	CDAI Version 1 - Anti-diarrhea/Opiate Use
C176073	CDAI0107	CDAI01-Abdominal Mass	Crohn's Disease Activity Index Version 1 - Abdominal mass.	CDAI Version 1 - Abdominal Mass
C176074	CDAI0108	CDAI01-Hematocrit	Crohn's Disease Activity Index Version 1 - Hematocrit.	CDAI Version 1 - Hematocrit
C176075	CDAI0109	CDAI01-Arthritis/Arthralgia	Crohn's Disease Activity Index Version 1 - Arthritis/arthralgia.	CDAI Version 1 - Arthritis/Arthralgia
C176076	CDAI0110	CDAI01-Iritis/Uveitis	Crohn's Disease Activity Index Version 1 - Iritis/uveitis.	CDAI Version 1 - Iritis/Uveitis
C176077	CDAI0111	CDAI01-Erythema Nodosum	Crohn's Disease Activity Index Version 1 - Erythema nodosum, pyoderma gangrenosum, or aphthous stomatitis.	CDAI Version 1 - Erythema Nodosum
C176078	CDAI0112	CDAI01-Anal Fissure/Fistula/Abscess	Crohn's Disease Activity Index Version 1 - Anal fissure, fistula, or abscess.	CDAI Version 1 - Anal Fissure, Fistula or Abscess
C176079	CDAI0113	CDAI01-Other Fistula	Crohn's Disease Activity Index Version 1 - Other fistula.	CDAI Version 1 - Other Fistula
C176080	CDAI0114	CDAI01-Fever	Crohn's Disease Activity Index Version 1 - Fever/temperature > 100F/37.8C during the past 7 days.	CDAI Version 1 - Fever
C176081	CDAI0115	CDAI01-Weight Subscore	Crohn's Disease Activity Index Version 1 - Weight subscore.	CDAI Version 1 - Weight Subscore
C176082	CDAI0116	CDAI01-Total Number Stools Subscore	Crohn's Disease Activity Index Version 1 - Total number of very soft/liquid stools in the last 7 days: Subscore.	CDAI Version 1 - Total Number Stools Subscore
C176083	CDAI0117	CDAI01-Abdominal Pain Subscore	Crohn's Disease Activity Index Version 1 - Abdominal pain (daily rating for the past 7 days): Subscore.	CDAI Version 1 - Abdominal Pain Subscore
C176084	CDAI0118	CDAI01-General Well-being Subscore	Crohn's Disease Activity Index Version 1 - General well-being (daily rating for the past 7 days): Subscore.	CDAI Version 1 - General Well-being Subscore
C176085	CDAI0119	CDAI01-Anti-diarrhea/Opiate Use Subscore	Crohn's Disease Activity Index Version 1 - Anti-diarrhea/opiate use subscore.	CDAI Version 1 - Anti-diarrhea/Opiate Use Subscore
C176086	CDAI0120	CDAI01-Abdominal Mass Subscore	Crohn's Disease Activity Index Version 1 - Abdominal mass subscore.	CDAI Version 1 - Abdominal Mass Subscore
C176087	CDAI0121	CDAI01-Hematocrit Subscore	Crohn's Disease Activity Index Version 1 - Hematocrit subscore.	CDAI Version 1 - Hematocrit Subscore
C176088	CDAI0122	CDAI01-Symptoms Manifested Subscore	Crohn's Disease Activity Index Version 1 - Arthritis/arthralgia; iritis/uveitis; erythema nodosum, pyoderma gangrenosum, or aphthous stomatitis; anal fissure, fistula, or abscess; other fistula; fever subscore.	CDAI Version 1 - Symptoms Manifested Subscore
C176089	CDAI0123	CDAI01-CDAI Total Score	Crohn's Disease Activity Index Version 1 - CDAI total score.	CDAI Version 1 - CDAI Total Score

C176086	CDAI01-Abdominal Mass Subscore	CDAI01-Abdominal Mass Subscore	Crohn's Disease Activity Index Version 1 - Abdominal mass subscore.	CDAI Version 1 - Abdominal Mass Subscore
C176073	CDAI01-Abdominal Mass	CDAI01-Abdominal Mass	Crohn's Disease Activity Index Version 1 - Abdominal mass.	CDAI Version 1 - Abdominal Mass
C176083	CDAI01-Abdominal Pain Subscore	CDAI01-Abdominal Pain Subscore	Crohn's Disease Activity Index Version 1 - Abdominal pain (daily rating for the past 7 days): Subscore.	CDAI Version 1 - Abdominal Pain Subscore
C176078	CDAI01-Anal Fissure/Fistula/Abscess	CDAI01-Anal Fissure/Fistula/Abscess	Crohn's Disease Activity Index Version 1 - Anal fissure, fistula, or abscess.	CDAI Version 1 - Anal Fissure, Fistula or Abscess
C176085	CDAI01-Anti-diarrhea/Opiate Use Subscore	CDAI01-Anti-diarrhea/Opiate Use Subscore	Crohn's Disease Activity Index Version 1 - Anti-diarrhea/opiate use subscore.	CDAI Version 1 - Anti-diarrhea/Opiate Use Subscore
C176072	CDAI01-Anti-diarrhea/Opiate Use	CDAI01-Anti-diarrhea/Opiate Use	Crohn's Disease Activity Index Version 1 - Anti-diarrhea/opiate use during past 7 days.	CDAI Version 1 - Anti-diarrhea/Opiate Use
C176075	CDAI01-Arthritis/Arthralgia	CDAI01-Arthritis/Arthralgia	Crohn's Disease Activity Index Version 1 - Arthritis/arthralgia.	CDAI Version 1 - Arthritis/Arthralgia
C176089	CDAI01-CDAI Total Score	CDAI01-CDAI Total Score	Crohn's Disease Activity Index Version 1 - CDAI total score.	CDAI Version 1 - CDAI Total Score
C176070	CDAI01-Daily Average Abdominal Pain	CDAI01-Daily Average Abdominal Pain	Crohn's Disease Activity Index Version 1 - Daily average abdominal pain (average daily rating for each of the past 7 days).	CDAI Version 1 - Daily Average Abdominal Pain
C176071	CDAI01-Daily Average General Well-being	CDAI01-Daily Average General Well-being	Crohn's Disease Activity Index Version 1 - Daily average general well-being (average daily rating for each of the past 7 days).	CDAI Version 1 - Daily Average General Well-being
C176069	CDAI01-Daily Number of Stools	CDAI01-Daily Number of Stools	Crohn's Disease Activity Index Version 1 - Daily number of very soft/liquid stools in the last 7 days.	CDAI Version 1 - Daily Number of Stools
C176077	CDAI01-Erythema Nodosum	CDAI01-Erythema Nodosum	Crohn's Disease Activity Index Version 1 - Erythema nodosum, pyoderma gangrenosum, or aphthous stomatitis.	CDAI Version 1 - Erythema Nodosum
C176080	CDAI01-Fever	CDAI01-Fever	Crohn's Disease Activity Index Version 1 - Fever/temperature > 100F/37.8C during the past 7 days.	CDAI Version 1 - Fever
C176084	CDAI01-General Well-being Subscore	CDAI01-General Well-being Subscore	Crohn's Disease Activity Index Version 1 - General well-being (daily rating for the past 7 days): Subscore.	CDAI Version 1 - General Well-being Subscore
C176087	CDAI01-Hematocrit Subscore	CDAI01-Hematocrit Subscore	Crohn's Disease Activity Index Version 1 - Hematocrit subscore.	CDAI Version 1 - Hematocrit Subscore
C176074	CDAI01-Hematocrit	CDAI01-Hematocrit	Crohn's Disease Activity Index Version 1 - Hematocrit.	CDAI Version 1 - Hematocrit
C176076	CDAI01-Iritis/Uveitis	CDAI01-Iritis/Uveitis	Crohn's Disease Activity Index Version 1 - Iritis/uveitis.	CDAI Version 1 - Iritis/Uveitis
C176079	CDAI01-Other Fistula	CDAI01-Other Fistula	Crohn's Disease Activity Index Version 1 - Other fistula.	CDAI Version 1 - Other Fistula
C176068	CDAI01-Standard Body Weight	CDAI01-Standard Body Weight	Crohn's Disease Activity Index Version 1 - Standard body weight.	CDAI Version 1 - Standard Body Weight
C176088	CDAI01-Symptoms Manifested Subscore	CDAI01-Symptoms Manifested Subscore	Crohn's Disease Activity Index Version 1 - Arthritis/arthralgia; iritis/uveitis; erythema nodosum, pyoderma gangrenosum, or aphthous stomatitis; anal fissure, fistula, or abscess; other fistula; fever subscore.	CDAI Version 1 - Symptoms Manifested Subscore
C176082	CDAI01-Total Number Stools Subscore	CDAI01-Total Number Stools Subscore	Crohn's Disease Activity Index Version 1 - Total number of very soft/liquid stools in the last 7 days: Subscore.	CDAI Version 1 - Total Number Stools Subscore
C176081	CDAI01-Weight Subscore	CDAI01-Weight Subscore	Crohn's Disease Activity Index Version 1 - Weight subscore.	CDAI Version 1 - Weight Subscore
C176067	CDAI01-Weight	CDAI01-Weight	Crohn's Disease Activity Index Version 1 - Weight.	CDAI Version 1 - Weight

CDR01 Sub-Scales				
C102050	CDR0101	CDR01-Memory	Clinical Dementia Rating - Memory.	CDR - Memory
C102051	CDR0102	CDR01-Orientation	Clinical Dementia Rating - Orientation.	CDR - Orientation
C102052	CDR0103	CDR01-Judgment and Problem Solving	Clinical Dementia Rating - Judgment and problem solving.	CDR - Judgment and Problem Solving
C102053	CDR0104	CDR01-Community Affairs	Clinical Dementia Rating - Community affairs.	CDR - Community Affairs
C102054	CDR0105	CDR01-Home and Hobbies	Clinical Dementia Rating - Home and hobbies.	CDR - Home and Hobbies
C102055	CDR0106	CDR01-Personal Care	Clinical Dementia Rating - Personal care.	CDR - Personal Care
C113880	CDR0107	CDR01-Sum of Boxes	Clinical Dementia Rating - Sum of Boxes.	CDR - Sum of Boxes
C113881	CDR0108	CDR01-Global CDR	Clinical Dementia Rating - Global CDR.	CDR - Global CDR

C102053	CDR01-Community Affairs	CDR01-Community Affairs	Clinical Dementia Rating - Community affairs.	CDR - Community Affairs
C113881	CDR01-Global CDR	CDR01-Global CDR	Clinical Dementia Rating - Global CDR.	CDR - Global CDR
C102054	CDR01-Home and Hobbies	CDR01-Home and Hobbies	Clinical Dementia Rating - Home and hobbies.	CDR - Home and Hobbies
C102052	CDR01-Judgment and Problem Solving	CDR01-Judgment and Problem Solving	Clinical Dementia Rating - Judgment and problem solving.	CDR - Judgment and Problem Solving
C102050	CDR01-Memory	CDR01-Memory	Clinical Dementia Rating - Memory.	CDR - Memory
C102051	CDR01-Orientation	CDR01-Orientation	Clinical Dementia Rating - Orientation.	CDR - Orientation
C102055	CDR01-Personal Care	CDR01-Personal Care	Clinical Dementia Rating - Personal care.	CDR - Personal Care
C113880	CDR01-Sum of Boxes	CDR01-Sum of Boxes	Clinical Dementia Rating - Sum of Boxes.	CDR - Sum of Boxes

C155329	CDRS101	CDRS1-Impaired Schoolwork	Children's Depression Rating Scale, Revised - Impaired schoolwork.	CDRS-R - Impaired Schoolwork
C155330	CDRS101A	CDRS1-Impaired Schoolwork Comment	Children's Depression Rating Scale, Revised - Impaired schoolwork comment.	CDRS-R - Impaired Schoolwork Comment
C155331	CDRS102	CDRS1-Difficulty Having Fun	Children's Depression Rating Scale, Revised - Difficulty having fun.	CDRS-R - Difficulty Having Fun
C155332	CDRS102A	CDRS1-Difficulty Having Fun Comment	Children's Depression Rating Scale, Revised - Difficulty having fun comment.	CDRS-R - Difficulty Having Fun Comment
C155333	CDRS103	CDRS1-Social Withdrawal	Children's Depression Rating Scale, Revised - Social withdrawal.	CDRS-R - Social Withdrawal
C155334	CDRS103A	CDRS1-Social Withdrawal Comment	Children's Depression Rating Scale, Revised - Social withdrawal comment.	CDRS-R - Social Withdrawal Comment
C155335	CDRS104	CDRS1-Sleep Disturbance	Children's Depression Rating Scale, Revised - Sleep disturbance.	CDRS-R - Sleep Disturbance
C155336	CDRS104A	CDRS1-Sleep Disturbance Comment	Children's Depression Rating Scale, Revised - Sleep disturbance comment.	CDRS-R - Sleep Disturbance Comment
C155337	CDRS105	CDRS1-Appetite Disturbance	Children's Depression Rating Scale, Revised - Appetite disturbance.	CDRS-R - Appetite Disturbance
C155338	CDRS105A	CDRS1-Appetite Disturbance Comment	Children's Depression Rating Scale, Revised - Appetite disturbance comment.	CDRS-R - Appetite Disturbance Comment
C155339	CDRS106	CDRS1-Excessive Fatigue	Children's Depression Rating Scale, Revised - Excessive fatigue.	CDRS-R - Excessive Fatigue
C155340	CDRS106A	CDRS1-Excessive Fatigue Comment	Children's Depression Rating Scale, Revised - Excessive fatigue comment.	CDRS-R - Excessive Fatigue Comment
C155341	CDRS107	CDRS1-Physical Complaints	Children's Depression Rating Scale, Revised - Physical complaints.	CDRS-R - Physical Complaints
C155342	CDRS107A	CDRS1-Physical Complaints Comment	Children's Depression Rating Scale, Revised - Physical complaints comment.	CDRS-R - Physical Complaints Comment
C155343	CDRS108	CDRS1-Irritability	Children's Depression Rating Scale, Revised - Irritability.	CDRS-R - Irritability
C155344	CDRS108A	CDRS1-Irritability Comment	Children's Depression Rating Scale, Revised - Irritability comment.	CDRS-R - Irritability Comment
C155345	CDRS109	CDRS1-Excessive Guilt	Children's Depression Rating Scale, Revised - Excessive guilt.	CDRS-R - Excessive Guilt
C155346	CDRS109A	CDRS1-Excessive Guilt Comment	Children's Depression Rating Scale, Revised - Excessive guilt comment.	CDRS-R - Excessive Guilt Comment
C155347	CDRS110	CDRS1-Low Self-esteem	Children's Depression Rating Scale, Revised - Low self-esteem.	CDRS-R - Low Self-esteem
C155348	CDRS110A	CDRS1-Low Self-esteem Comment	Children's Depression Rating Scale, Revised - Low self-esteem comment.	CDRS-R - Low Self-esteem Comment
C155349	CDRS111	CDRS1-Depressed Feelings	Children's Depression Rating Scale, Revised - Depressed feelings.	CDRS-R - Depressed Feelings
C155350	CDRS111A	CDRS1-Depressed Feelings Comment	Children's Depression Rating Scale, Revised - Depressed feelings comment.	CDRS-R - Depressed Feelings Comment
C155351	CDRS112	CDRS1-Morbid Ideation	Children's Depression Rating Scale, Revised - Morbid ideation.	CDRS-R - Morbid Ideation
C155352	CDRS112A	CDRS1-Morbid Ideation Comment	Children's Depression Rating Scale, Revised - Morbid ideation comment.	CDRS-R - Morbid Ideation Comment
C155353	CDRS113	CDRS1-Suicidal Ideation	Children's Depression Rating Scale, Revised - Suicidal ideation.	CDRS-R - Suicidal Ideation
C155354	CDRS113A	CDRS1-Suicidal Ideation Comment	Children's Depression Rating Scale, Revised - Suicidal ideation comment.	CDRS-R - Suicidal Ideation Comment
C155355	CDRS114	CDRS1-Excessive Weeping	Children's Depression Rating Scale, Revised - Excessive weeping.	CDRS-R - Excessive Weeping
C155356	CDRS114A	CDRS1-Excessive Weeping Comment	Children's Depression Rating Scale, Revised - Excessive weeping comment.	CDRS-R - Excessive Weeping Comment
C155357	CDRS115	CDRS1-Depressed Facial Affect	Children's Depression Rating Scale, Revised - Depressed facial affect.	CDRS-R - Depressed Facial Affect

CDRS-R Item Descriptions				
C155358	CDRS115A	CDRS1-Depressed Facial Affect Comment	Children's Depression Rating Scale, Revised - Depressed facial affect comment.	CDRS-R - Depressed Facial Affect Comment
C155359	CDRS116	CDRS1-Listless Speech	Children's Depression Rating Scale, Revised - Listless speech.	CDRS-R - Listless Speech
C155360	CDRS116A	CDRS1-Listless Speech Comment	Children's Depression Rating Scale, Revised - Listless speech comment.	CDRS-R - Listless Speech Comment
C155361	CDRS117	CDRS1-Hypoactivity	Children's Depression Rating Scale, Revised - Hypoactivity.	CDRS-R - Hypoactivity
C155362	CDRS117A	CDRS1-Hypoactivity Comment	Children's Depression Rating Scale, Revised - Hypoactivity comment.	CDRS-R - Hypoactivity Comment
C155363	CDRS118	CDRS1-Subtotal 1	Children's Depression Rating Scale, Revised - Subtotal 1 - sum of questions 1 to 6.	CDRS-R - Subtotal 1
C155364	CDRS119	CDRS1-Subtotal 2	Children's Depression Rating Scale, Revised - Subtotal 2 - sum of questions 7 to 14.	CDRS-R - Subtotal 2
C155365	CDRS120	CDRS1-Subtotal 3	Children's Depression Rating Scale, Revised - Subtotal 3 - sum of questions 15 to 17.	CDRS-R - Subtotal 3
C155366	CDRS121	CDRS1-CDRS-R Raw Summary Score	Children's Depression Rating Scale, Revised - CDRS-R raw summary score.	CDRS-R - CDRS-R Raw Summary Score
C155367	CDRS122	CDRS1-CDRS-R T-Score	Children's Depression Rating Scale, Revised - CDRS-R T-score.	CDRS-R - CDRS-R T-Score
C155368	CDRS123	CDRS1-CDRS-R Percentile	Children's Depression Rating Scale, Revised - CDRS-R Percentile.	CDRS-R - CDRS-R Percentile
C155369	CDRS124	CDRS1-CDRS-R T-Score Range	Children's Depression Rating Scale, Revised - CDRS-R T-score range.	CDRS-R - CDRS-R T-Score Range

C155338	CDRS1-Appetite Disturbance Comment	CDRS1-Appetite Disturbance Comment	Children's Depression Rating Scale, Revised - Appetite disturbance comment.	CDRS-R - Appetite Disturbance Comment
C155337	CDRS1-Appetite Disturbance	CDRS1-Appetite Disturbance	Children's Depression Rating Scale, Revised - Appetite disturbance.	CDRS-R - Appetite Disturbance
C155368	CDRS1-CDRS-R Percentile	CDRS1-CDRS-R Percentile	Children's Depression Rating Scale, Revised - CDRS-R Percentile.	CDRS-R - CDRS-R Percentile
C155366	CDRS1-CDRS-R Raw Summary Score	CDRS1-CDRS-R Raw Summary Score	Children's Depression Rating Scale, Revised - CDRS-R raw summary score.	CDRS-R - CDRS-R Raw Summary Score
C155369	CDRS1-CDRS-R T-Score Range	CDRS1-CDRS-R T-Score Range	Children's Depression Rating Scale, Revised - CDRS-R T-score range.	CDRS-R - CDRS-R T-Score Range
C155367	CDRS1-CDRS-R T-Score	CDRS1-CDRS-R T-Score	Children's Depression Rating Scale, Revised - CDRS-R T-score.	CDRS-R - CDRS-R T-Score
C155358	CDRS1-Depressed Facial Affect Comment	CDRS1-Depressed Facial Affect Comment	Children's Depression Rating Scale, Revised - Depressed facial affect comment.	CDRS-R - Depressed Facial Affect Comment
C155357	CDRS1-Depressed Facial Affect	CDRS1-Depressed Facial Affect	Children's Depression Rating Scale, Revised - Depressed facial affect.	CDRS-R - Depressed Facial Affect
C155350	CDRS1-Depressed Feelings Comment	CDRS1-Depressed Feelings Comment	Children's Depression Rating Scale, Revised - Depressed feelings comment.	CDRS-R - Depressed Feelings Comment
C155349	CDRS1-Depressed Feelings	CDRS1-Depressed Feelings	Children's Depression Rating Scale, Revised - Depressed feelings.	CDRS-R - Depressed Feelings
C155332	CDRS1-Difficulty Having Fun Comment	CDRS1-Difficulty Having Fun	Children's Depression Rating Scale, Revised - Difficulty having fun comment.	CDRS-R - Difficulty Having Fun Comment
C155331	CDRS1-Difficulty Having Fun	CDRS1-Difficulty Having Fun	Children's Depression Rating Scale, Revised - Difficulty having fun.	CDRS-R - Difficulty Having Fun
C155340	CDRS1-Excessive Fatigue Comment	CDRS1-Excessive Fatigue Comment	Children's Depression Rating Scale, Revised - Excessive fatigue comment.	CDRS-R - Excessive Fatigue Comment
C155339	CDRS1-Excessive Fatigue	CDRS1-Excessive Fatigue	Children's Depression Rating Scale, Revised - Excessive fatigue.	CDRS-R - Excessive Fatigue
C155346	CDRS1-Excessive Guilt Comment	CDRS1-Excessive Guilt Comment	Children's Depression Rating Scale, Revised - Excessive guilt comment.	CDRS-R - Excessive Guilt Comment
C155345	CDRS1-Excessive Guilt	CDRS1-Excessive Guilt	Children's Depression Rating Scale, Revised - Excessive guilt.	CDRS-R - Excessive Guilt
C155356	CDRS1-Excessive Weeping Comment	CDRS1-Excessive Weeping Comment	Children's Depression Rating Scale, Revised - Excessive weeping comment.	CDRS-R - Excessive Weeping Comment
C155355	CDRS1-Excessive Weeping	CDRS1-Excessive Weeping	Children's Depression Rating Scale, Revised - Excessive weeping.	CDRS-R - Excessive Weeping
C155362	CDRS1-Hypoactivity Comment	CDRS1-Hypoactivity	Children's Depression Rating Scale, Revised - Hypoactivity comment.	CDRS-R - Hypoactivity Comment
C155361	CDRS1-Hypoactivity	CDRS1-Hypoactivity	Children's Depression Rating Scale, Revised - Hypoactivity.	CDRS-R - Hypoactivity
C155330	CDRS1-Impaired Schoolwork Comment	CDRS1-Impaired Schoolwork	Children's Depression Rating Scale, Revised - Impaired schoolwork comment.	CDRS-R - Impaired Schoolwork Comment
C155329	CDRS1-Impaired Schoolwork	CDRS1-Impaired Schoolwork	Children's Depression Rating Scale, Revised - Impaired schoolwork.	CDRS-R - Impaired Schoolwork
C155344	CDRS1-Irritability Comment	CDRS1-Irritability Comment	Children's Depression Rating Scale, Revised - Irritability comment.	CDRS-R - Irritability Comment
C155343	CDRS1-Irritability	CDRS1-Irritability	Children's Depression Rating Scale, Revised - Irritability.	CDRS-R - Irritability
C155360	CDRS1-Listless Speech Comment	CDRS1-Listless Speech	Children's Depression Rating Scale, Revised - Listless speech comment.	CDRS-R - Listless Speech Comment
C155359	CDRS1-Listless Speech	CDRS1-Listless Speech	Children's Depression Rating Scale, Revised - Listless speech.	CDRS-R - Listless Speech
C155348	CDRS1-Low Self-esteem Comment	CDRS1-Low Self-esteem	Children's Depression Rating Scale, Revised - Low self-esteem comment.	CDRS-R - Low Self-esteem Comment
C155347	CDRS1-Low Self-esteem	CDRS1-Low Self-esteem	Children's Depression Rating Scale, Revised - Low self-esteem.	CDRS-R - Low Self-esteem
C155352	CDRS1-Morbid Ideation Comment	CDRS1-Morbid Ideation	Children's Depression Rating Scale, Revised - Morbid ideation comment.	CDRS-R - Morbid Ideation Comment

CDRS-R - Children's Depression Rating Scale, Revised				
C155351	CDRS1-Morbid Ideation	CDRS1-Morbid Ideation	Children's Depression Rating Scale, Revised - Morbid ideation.	CDRS-R - Morbid Ideation
C155342	CDRS1-Physical Complaints Comment	CDRS1-Physical Complaints Comment	Children's Depression Rating Scale, Revised - Physical complaints comment.	CDRS-R - Physical Complaints Comment
C155341	CDRS1-Physical Complaints	CDRS1-Physical Complaints	Children's Depression Rating Scale, Revised - Physical complaints.	CDRS-R - Physical Complaints
C155336	CDRS1-Sleep Disturbance Comment	CDRS1-Sleep Disturbance Comment	Children's Depression Rating Scale, Revised - Sleep disturbance comment.	CDRS-R - Sleep Disturbance Comment
C155335	CDRS1-Sleep Disturbance	CDRS1-Sleep Disturbance	Children's Depression Rating Scale, Revised - Sleep disturbance.	CDRS-R - Sleep Disturbance
C155334	CDRS1-Social Withdrawal Comment	CDRS1-Social Withdrawal Comment	Children's Depression Rating Scale, Revised - Social withdrawal comment.	CDRS-R - Social Withdrawal Comment
C155333	CDRS1-Social Withdrawal	CDRS1-Social Withdrawal	Children's Depression Rating Scale, Revised - Social withdrawal.	CDRS-R - Social Withdrawal
C155363	CDRS1-Subtotal 1	CDRS1-Subtotal 1	Children's Depression Rating Scale, Revised - Subtotal 1 - sum of questions 1 to 6.	CDRS-R - Subtotal 1
C155364	CDRS1-Subtotal 2	CDRS1-Subtotal 2	Children's Depression Rating Scale, Revised - Subtotal 2 - sum of questions 7 to 14.	CDRS-R - Subtotal 2
C155365	CDRS1-Subtotal 3	CDRS1-Subtotal 3	Children's Depression Rating Scale, Revised - Subtotal 3 - sum of questions 15 to 17.	CDRS-R - Subtotal 3
C155354	CDRS1-Suicidal Ideation Comment	CDRS1-Suicidal Ideation Comment	Children's Depression Rating Scale, Revised - Suicidal ideation comment.	CDRS-R - Suicidal Ideation Comment
C155353	CDRS1-Suicidal Ideation	CDRS1-Suicidal Ideation	Children's Depression Rating Scale, Revised - Suicidal ideation.	CDRS-R - Suicidal Ideation

C180262	1-3 times	CES0101-1-3 times	Combat Exposure Scale original result for CES0101-1-3 times.	Combat Exposure Scale CES0101 Original Result - 1-3 Times
C180264	13-50 times	CES0101-13-50 times	Combat Exposure Scale original result for CES0101-13-50 times.	Combat Exposure Scale CES0101 Original Result - 13-50 Times
C180263	4-12 times	CES0101-4-12 times	Combat Exposure Scale original result for CES0101-4-12 times.	Combat Exposure Scale CES0101 Original Result - 4-12 Times
C180265	51+ times	CES0101-51+times	Combat Exposure Scale original result for CES0101-51+times.	Combat Exposure Scale CES0101 Original Result - 51+ Times
C180261	No	CES0101-No	Combat Exposure Scale original result for CES0101-No.	Combat Exposure Scale CES0101 Original Result - No

C180286	1	CES0101-1	Combat Exposure Scale standardized character result for CES0101-No.	Combat Exposure Scale CES0101 Standardized Character Result 1
C180287	2	CES0101-2	Combat Exposure Scale standardized character result for CES0101-1-3 times.	Combat Exposure Scale CES0101 Standardized Character Result 2
C180288	3	CES0101-3	Combat Exposure Scale standardized character result for CES0101-4-12 times.	Combat Exposure Scale CES0101 Standardized Character Result 3
C180289	4	CES0101-4	Combat Exposure Scale standardized character result for CES0101-13-50 times.	Combat Exposure Scale CES0101 Standardized Character Result 4
C180290	5	CES0101-5	Combat Exposure Scale standardized character result for CES0101-51+times.	Combat Exposure Scale CES0101 Standardized Character Result 5

C180268	1-3 months	CES0102-1-3 months	Combat Exposure Scale original result for CES0102-1-3 months.	Combat Exposure Scale CES0102 Original Result - 1-3 Months
C180269	4-6 months	CES0102-4-6 months	Combat Exposure Scale original result for CES0102-4-6 months.	Combat Exposure Scale CES0102 Original Result - 4-6 Months
C180270	7+ months	CES0102-7+ months	Combat Exposure Scale original result for CES0102-7+ months.	Combat Exposure Scale CES0102 Original Result - 7+ Months
C180267	<1 month	CES0102-<1 month	Combat Exposure Scale original result for CES0102-<1 month.	Combat Exposure Scale CES0102 Original Result - <1 Month
C180266	Never	CES0102-Never	Combat Exposure Scale original result for CES0102-Never.	Combat Exposure Scale CES0102 Original Result - Never

C180291	1	CES0102-1	Combat Exposure Scale standardized character result for CES0102-Never.	Combat Exposure Scale CES0102 Standardized Character Result 1
C180292	2	CES0102-2	Combat Exposure Scale standardized character result for CES0102-<1 month.	Combat Exposure Scale CES0102 Standardized Character Result 2
C180293	3	CES0102-3	Combat Exposure Scale standardized character result for CES0102-1-3 months.	Combat Exposure Scale CES0102 Standardized Character Result 3
C180294	4	CES0102-4	Combat Exposure Scale standardized character result for CES0102-4-6 months.	Combat Exposure Scale CES0102 Standardized Character Result 4
C180295	5	CES0102-5	Combat Exposure Scale standardized character result for CES0102-7+ months.	Combat Exposure Scale CES0102 Standardized Character Result 5

C180272	1-2 times	CES0103-1-2 times	Combat Exposure Scale original result for CES0103-1-2 times.	Combat Exposure Scale CES0103 Original Result - 1-2 Times
C180274	13-25 times	CES0103-13-25 times	Combat Exposure Scale original result for CES0103-13-25 times.	Combat Exposure Scale CES0103 Original Result - 13-25 Times
C180275	26+ times	CES0103-26+times	Combat Exposure Scale original result for CES0103-26+times.	Combat Exposure Scale CES0103 Original Result - 26+ Times
C180273	3-12 times	CES0103-3-12 times	Combat Exposure Scale original result for CES0103-3-12 times.	Combat Exposure Scale CES0103 Original Result - 3-12 Times
C180271	No	CES0103-No	Combat Exposure Scale original result for CES0103-No.	Combat Exposure Scale CES0103 Original Result - No

C180296	1	CES0103-1	Combat Exposure Scale standardized character result for CES0103-No.	Combat Exposure Scale CES0103 Standardized Character Result 1
C180297	2	CES0103-2	Combat Exposure Scale standardized character result for CES0103-1-2 times.	Combat Exposure Scale CES0103 Standardized Character Result 2
C180298	3	CES0103-3	Combat Exposure Scale standardized character result for CES0103-3-12 times.	Combat Exposure Scale CES0103 Standardized Character Result 3
C180299	4	CES0103-4	Combat Exposure Scale standardized character result for CES0103-13-25 times.	Combat Exposure Scale CES0103 Standardized Character Result 4
C180300	5	CES0103-5	Combat Exposure Scale standardized character result for CES0103-26+times.	Combat Exposure Scale CES0103 Standardized Character Result 5

C180277	1-25%	CES0104-1-25%	Combat Exposure Scale original result for CES0104-1-25%.	Combat Exposure Scale CES0104 Original Result - 1-25%
C180278	26-50%	CES0104-26-50%	Combat Exposure Scale original result for CES0104-26-50%.	Combat Exposure Scale CES0104 Original Result - 26-50%
C180279	51-75%	CES0104-51-75%	Combat Exposure Scale original result for CES0104-51-75%.	Combat Exposure Scale CES0104 Original Result - 51-75%
C180280	76% or more	CES0104-76% or more	Combat Exposure Scale original result for CES0104-76% or more.	Combat Exposure Scale CES0104 Original Result - 76% or More
C180276	None	CES0104-None	Combat Exposure Scale original result for CES0104-None.	Combat Exposure Scale CES0104 Original Result - None

C180301	1	CES0104-1	Combat Exposure Scale standardized character result for CES0104-None.	Combat Exposure Scale CES0104 Standardized Character Result 1
C180302	2	CES0104-2	Combat Exposure Scale standardized character result for CES0104-1-25%.	Combat Exposure Scale CES0104 Standardized Character Result 2
C180303	3	CES0104-3	Combat Exposure Scale standardized character result for CES0104-26-50%.	Combat Exposure Scale CES0104 Standardized Character Result 3
C180304	4	CES0104-4	Combat Exposure Scale standardized character result for CES0104-51-75%.	Combat Exposure Scale CES0104 Standardized Character Result 4
C180305	5	CES0104-5	Combat Exposure Scale standardized character result for CES0104-76% or more.	Combat Exposure Scale CES0104 Standardized Character Result 5

C180282	1-2 times	CES0105 through CES0107-1-2 times	Combat Exposure Scale original result for CES0105 through CES0107-1-2 times.	Combat Exposure Scale CES0105 Through CES0107 Original Result - 1-2 Times
C180284	13-50 times	CES0105 through CES0107-13-50 times	Combat Exposure Scale original result for CES0105 through CES0107-13-50 times.	Combat Exposure Scale CES0105 Through CES0107 Original Result - 13-50 Times
C180283	3-12 times	CES0105 through CES0107-3-12 times	Combat Exposure Scale original result for CES0105 through CES0107-3-12 times.	Combat Exposure Scale CES0105 Through CES0107 Original Result - 3-12 Times
C180285	51+ times	CES0105 through CES0107-51+ times	Combat Exposure Scale original result for CES0105 through CES0107-51+ times.	Combat Exposure Scale CES0105 Through CES0107 Original Result - 51+ Times
C180281	Never	CES0105 through CES0107-Never	Combat Exposure Scale original result for CES0105 through CES0107-Never.	Combat Exposure Scale CES0105 Through CES0107 Original Result - Never

C180306	1	CES0105 through CES0107-1	Combat Exposure Scale standardized character result for CES0105 through CES0107-Never.	Combat Exposure Scale CES0105 Through CES0107 Standardized Character Result 1
C180307	2	CES0105 through CES0107-2	Combat Exposure Scale standardized character result for CES0105 through CES0107-1-2 times.	Combat Exposure Scale CES0105 Through CES0107 Standardized Character Result 2
C180308	3	CES0105 through CES0107-3	Combat Exposure Scale standardized character result for CES0105 through CES0107-3-12 times.	Combat Exposure Scale CES0105 Through CES0107 Standardized Character Result 3
C180309	4	CES0105 through CES0107-4	Combat Exposure Scale standardized character result for CES0105 through CES0107-13-50 times.	Combat Exposure Scale CES0105 Through CES0107 Standardized Character Result 4
C180310	5	CES0105 through CES0107-5	Combat Exposure Scale standardized character result for CES0105 through CES0107-51+ times.	Combat Exposure Scale CES0105 Through CES0107 Standardized Character Result 5

C132556	CES0101	CES01-Ever Combat Patrols/Dangerous Duty	Combat Exposure Scale - Did you ever go on combat patrols or have other dangerous duty?	CES - Ever Combat Patrols or Dangerous Duty
C132557	CES0102	CES01-Were You Ever Under Enemy Fire	Combat Exposure Scale - Were you ever under enemy fire?	CES - Were You Ever Under Enemy Fire
C132558	CES0103	CES01-Ever Surrounded by the Enemy	Combat Exposure Scale - Were you ever surrounded by the enemy?	CES - Ever Surrounded by the Enemy
C132559	CES0104	CES01-Soldiers in Unit KIA, Wounded, MIA	Combat Exposure Scale - What percentage of the soldiers in your unit were killed (KIA), wounded or missing in action (MIA)?	CES - Soldiers in Unit Killed (KIA), Wounded, Missing (MIA)
C132560	CES0105	CES01-How Often Fire Rounds at Enemy	Combat Exposure Scale - How often did you fire rounds at the enemy?	CES - How Often Fire Rounds at Enemy
C132561	CES0106	CES01-See Someone Hit by Rounds	Combat Exposure Scale - How often did you see someone hit by incoming or outgoing rounds?	CES - See Someone Hit by Rounds
C132562	CES0107	CES01-In Danger of Being Injured/Killed	Combat Exposure Scale - How often were you in danger of being injured or killed (i.e., being pinned down, overrun, ambushed, near miss, etc.)?	CES - In Danger of Being Injured or Killed

C132556	CES01-Ever Combat Patrols/Dangerous Duty	CES01-Ever Combat Patrols/Dangerous Duty	Combat Exposure Scale - Did you ever go on combat patrols or have other dangerous duty?	CES - Ever Combat Patrols or Dangerous Duty
C132558	CES01-Ever Surrounded by the Enemy	CES01-Ever Surrounded by the Enemy	Combat Exposure Scale - Were you ever surrounded by the enemy?	CES - Ever Surrounded by the Enemy
C132560	CES01-How Often Fire Rounds at Enemy	CES01-How Often Fire Rounds at Enemy	Combat Exposure Scale - How often did you fire rounds at the enemy?	CES - How Often Fire Rounds at Enemy
C132562	CES01-In Danger of Being Injured/Killed	CES01-In Danger of Being Injured/Killed	Combat Exposure Scale - How often were you in danger of being injured or killed (i.e., being pinned down, overrun, ambushed, near miss, etc.)?	CES - In Danger of Being Injured or Killed
C132561	CES01-See Someone Hit by Rounds	CES01-See Someone Hit by Rounds	Combat Exposure Scale - How often did you see someone hit by incoming or outgoing rounds?	CES - See Someone Hit by Rounds
C132559	CES01-Soldiers in Unit KIA, Wounded, MIA	CES01-Soldiers in Unit KIA, Wounded, MIA	Combat Exposure Scale - What percentage of the soldiers in your unit were killed (KIA), wounded or missing in action (MIA)?	CES - Soldiers in Unit Killed (KIA), Wounded, Missing (MIA)
C132557	CES01-Were You Ever Under Enemy Fire	CES01-Were You Ever Under Enemy Fire	Combat Exposure Scale - Were you ever under enemy fire?	CES - Were You Ever Under Enemy Fire

C135814	CGI0201	CGI02-Severity	Clinical Global Impression - Considering your total clinical experience with this particular population, how severe is the subject's condition at this time?	CGI Generic Modification Version - Severity
C135815	CGI0202	CGI02-Change	Clinical Global Impression - Rate total change whether or not, in your judgement, it is due entirely to drug treatment. Compared to the subject's condition <at previously assessed protocol specified time point>, how much has the subject changed?	CGI Generic Modification Version - Change
C135816	CGI0203	CGI02-Improvement	Clinical Global Impression - Rate total improvement whether or not, in your judgement, it is due entirely to drug treatment. Compared to the subject's condition <at previously assessed protocol specified time point>, how much has the subject improved?	CGI Generic Modification Version - Improvement

C135815	CGI02-Change	CGI02-Change	Clinical Global Impression - Rate total change whether or not, in your judgement, it is due entirely to drug treatment. Compared to the subject's condition <at previously assessed protocol specified time point>, how much has the subject changed?	CGI Generic Modification Version - Change
C135816	CGI02-Improvement	CGI02-Improvement	Clinical Global Impression - Rate total improvement whether or not, in your judgement, it is due entirely to drug treatment. Compared to the subject's condition <at previously assessed protocol specified time point>, how much has the subject improved?	CGI Generic Modification Version - Improvement
C135814	CGI02-Severity	CGI02-Severity	Clinical Global Impression - Considering your total clinical experience with this particular population, how severe is the subject's condition at this time?	CGI Generic Modification Version - Severity

C124779	CHIVC101	CHIVC1-CDC HIV Infection Category	CDC Classification System for HIV-Infected Adults and Adolescents - CDC HIV infection category.	CDC Classification System for HIV-Infected Adults and Adolescents - CDC HIV Infection Category

C124677	CHIVC1-CDC HIV Infection Category	CHIVC1-CDC HIV Infection Category	CDC Classification System for HIV-Infected Adults and Adolescents - CDC HIV infection category.	CDC Classification System for HIV-Infected Adults and Adolescents - CDC HIV Infection Category

CHART-SF Interview Version - Paid Personal Care per Day				
C117998	CHSF101A	CHSF1-Paid Personal Care per Day	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many hours in a typical 24-hour day do you have someone with you to provide physical assistance for personal care activities such as eating, bathing, dressing, toileting and mobility? (hours paid assistance).	CHART-SF Interview Version - Paid Personal Care per Day
C117999	CHSF101B	CHSF1-Unpaid Personal Care per Day	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many hours in a typical 24-hour day do you have someone with you to provide physical assistance for personal care activities such as eating, bathing, dressing, toileting and mobility? hours unpaid (family, others).	CHART-SF Interview Version - Unpaid Personal Care per Day
C118000	CHSF102	CHSF1-Home Cognitive Assistance per Day	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How much time is someone with you in your home to assist you with activities that require remembering, decision making, or judgment?	CHART-SF Interview Version - Cognitive Assistance at Home per Day
C118001	CHSF103	CHSF1-Away Cognitive Assistance per Day	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How much of the time is someone with you to help you with remembering, decision making, or judgment when you go away from your home?	CHART-SF Interview Version - Cognitive Assistance Away From Home per Day
C118002	CHSF104	CHSF1-Hours Out of Bed per Day	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - On a typical day, how many hours are you out of bed?	CHART-SF Interview Version - Hours Out of Bed per Day
C118003	CHSF105	CHSF1-Days Out of the House per Week	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - In a typical week, how many days do you get out of your house and go somewhere?	CHART-SF Interview Version - Days Out of the House per Week
C118004	CHSF106	CHSF1-Nights Away From Home Last Year	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - In the last year, how many nights have you spent away from your home?	CHART-SF Interview Version - Nights Away From Home Last Year
C118005	CHSF107A	CHSF1-Hours of Paid Work per Week	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many hours per week do you spend working in a job for which you get paid?	CHART-SF Interview Version - Hours of Paid Work per Week
C118006	CHSF107B	CHSF1-Occupation of Paid Work	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many hours per week do you spend working in a job for which you get paid? (occupation).	CHART-SF Interview Version - Occupation of Paid Work
C118007	CHSF108	CHSF1-Hours of Schoolwork per Week	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many hours per week do you spend in school working toward a degree or in an accredited technical training program?	CHART-SF Interview Version - Hours of Schoolwork per Week
C118008	CHSF109	CHSF1-Hours of Homemaking per Week	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many hours per week do you spend in active homemaking including parenting, housekeeping, and food preparation?	CHART-SF Interview Version - Hours of Homemaking per Week
C118009	CHSF110	CHSF1-Hours of Home Maintenance per Week	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many hours per week do you spend in home maintenance activities such as gardening, house repairs or home improvement?	CHART-SF Interview Version - Hours of Home Maintenance per Week
C118010	CHSF111	CHSF1-Hours of Recreation per Week	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many hours per week do you spend in recreational activities such as sports, exercise, playing cards, or going to movies?	CHART-SF Interview Version - Hours of Recreational Activities per Week
C118011	CHSF112	CHSF1-Number of People You Live With	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many people do you live with?	CHART-SF Interview Version - Number of People You Live With
C118012	CHSF113	CHSF1-Live With Spouse or Signif Other	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - Is one of them your spouse or significant other?	CHART-SF Interview Version - Live With Spouse or Significant Other
C118013	CHSF114	CHSF1-Number of Relatives You Live With	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - Of the people you live with how many are relatives?	CHART-SF Interview Version - Number of Relatives You Live With
C118014	CHSF115	CHSF1-Associates Contacted per Month	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many business or organizational associates do you visit, phone, or write to at least once a month?	CHART-SF Interview Version - Associates Contacted per Month
C118015	CHSF116	CHSF1-Friends Contacted per Month	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many friends do you visit, phone, or write to at least once a month?	CHART-SF Interview Version - Friends Contacted per Month

CHART-SF Interview Version - Initiated Conversation With Strangers Last Month				
C118016	CHSF117	CHSF1-Strangers Spoke with Last Month	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - With how many strangers have you initiated a conversation in the last month?	CHART-SF Interview Version - Initiated Conversation With Strangers Last Month
C118017	CHSF118	CHSF1-Combined Household Income Last Yr	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - Approximately what was the combined annual income, in the last year, of all family members in your household?	CHART-SF Interview Version - Combined Annual Household Income Last Year
C118018	CHSF119	CHSF1-Medical Care Expenses Last Year	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - Approximately how much did you pay last year for medical care expenses?	CHART-SF Interview Version - Medical Care Expense Last Year

C118014	CHSF1-Associates Contacted per Month	CHSF1-Associates Contacted per Month	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many business or organizational associates do you visit, phone, or write to at least once a month?	CHART-SF Interview Version - Associates Contacted per Month
C118001	CHSF1-Away Cognitive Assistance per Day	CHSF1-Away Cognitive Assistance per Day	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How much of the time is someone with you to help you with remembering, decision making, or judgment when you go away from your home?	CHART-SF Interview Version - Cognitive Assistance Away From Home per Day
C118017	CHSF1-Combined Household Income Last Yr	CHSF1-Combined Household Income Last Yr	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - Approximately what was the combined annual income, in the last year, of all family members in your household?	CHART-SF Interview Version - Combined Annual Household Income Last Year
C118003	CHSF1-Days Out of the House per Week	CHSF1-Days Out of the House per Week	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - In a typical week, how many days do you get out of your house and go somewhere?	CHART-SF Interview Version - Days Out of the House per Week
C118015	CHSF1-Friends Contacted per Month	CHSF1-Friends Contacted per Month	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many friends do you visit, phone, or write to at least once a month?	CHART-SF Interview Version - Friends Contacted per Month
C118000	CHSF1-Home Cognitive Assistance per Day	CHSF1-Home Cognitive Assistance per Day	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How much time is someone with you in your home to assist you with activities that require remembering, decision making, or judgment?	CHART-SF Interview Version - Cognitive Assistance at Home per Day
C118009	CHSF1-Hours of Home Maintenance per Week	CHSF1-Hours of Home Maintenance per Week	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many hours per week do you spend in home maintenance activities such as gardening, house repairs or home improvement?	CHART-SF Interview Version - Hours of Home Maintenance per Week
C118008	CHSF1-Hours of Homemaking per Week	CHSF1-Hours of Homemaking per Week	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many hours per week do you spend in active homemaking including parenting, housekeeping, and food preparation?	CHART-SF Interview Version - Hours of Homemaking per Week
C118005	CHSF1-Hours of Paid Work per Week	CHSF1-Hours of Paid Work per Week	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many hours per week do you spend working in a job for which you get paid?	CHART-SF Interview Version - Hours of Paid Work per Week
C118010	CHSF1-Hours of Recreation per Week	CHSF1-Hours of Recreation per Week	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many hours per week do you spend in recreational activities such as sports, exercise, playing cards, or going to movies?	CHART-SF Interview Version - Hours of Recreational Activities per Week
C118007	CHSF1-Hours of Schoolwork per Week	CHSF1-Hours of Schoolwork per Week	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many hours per week do you spend in school working toward a degree or in an accredited technical training program?	CHART-SF Interview Version - Hours of Schoolwork per Week
C118002	CHSF1-Hours Out of Bed per Day	CHSF1-Hours Out of Bed per Day	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - On a typical day, how many hours are you out of bed?	CHART-SF Interview Version - Hours Out of Bed per Day
C118012	CHSF1-Live With Spouse or Signif Other	CHSF1-Live With Spouse or Signif Other	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - Is one of them your spouse or significant other?	CHART-SF Interview Version - Live With Spouse or Significant Other
C118018	CHSF1-Medical Care Expenses Last Year	CHSF1-Medical Care Expenses Last Year	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - Approximately how much did you pay last year for medical care expenses?	CHART-SF Interview Version - Medical Care Expense Last Year
C118004	CHSF1-Nights Away From Home Last Year	CHSF1-Nights Away From Home Last Year	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - In the last year, how many nights have you spent away from your home?	CHART-SF Interview Version - Nights Away From Home Last Year
C118011	CHSF1-Number of People You Live With	CHSF1-Number of People You Live With	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many people do you live with?	CHART-SF Interview Version - Number of People You Live With
C118013	CHSF1-Number of Relatives You Live With	CHSF1-Number of Relatives You Live With	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - Of the people you live with how many are relatives?	CHART-SF Interview Version - Number of Relatives You Live With
C118006	CHSF1-Occupation of Paid Work	CHSF1-Occupation of Paid Work	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many hours per week do you spend working in a job for which you get paid? (occupation).	CHART-SF Interview Version - Occupation of Paid Work

CHART-SF Interview Version					
C117998	CHSF1-Paid Personal Care per Day	CHSF1-Paid Personal Care per Day	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many hours in a typical 24-hour day do you have someone with you to provide physical assistance for personal care activities such as eating, bathing, dressing, toileting and mobility? (hours paid assistance).	CHART-SF Interview Version - Paid Personal Care per Day	
C118016	CHSF1-Strangers Spoke with Last Month	CHSF1-Strangers Spoke with Last Month	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - With how many strangers have you initiated a conversation in the last month?	CHART-SF Interview Version - Initiated Conversation With Strangers Last Month	
C117999	CHSF1-Unpaid Personal Care per Day	CHSF1-Unpaid Personal Care per Day	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many hours in a typical 24-hour day do you have someone with you to provide physical assistance for personal care activities such as eating, bathing, dressing, toileting and mobility? hours unpaid (family, others).	CHART-SF Interview Version - Unpaid Personal Care per Day	

C119142	CHSF201A	CHSF2-Paid Personal Care per Day	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many hours in a typical 24-hour day do you have someone with you to provide physical assistance for personal care activities such as eating, bathing, dressing, toileting and mobility? (hours paid assistance).	CHART-SF Paper Version - Paid Personal Care per Day
C119143	CHSF201B	CHSF2-Unpaid Personal Care per Day	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many hours in a typical 24-hour day do you have someone with you to provide physical assistance for personal care activities such as eating, bathing, dressing, toileting and mobility? hours unpaid (family, others).	CHART-SF Paper Version - Unpaid Personal Care per Day
C119144	CHSF202	CHSF2-Home Cognitive Assistance per Day	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How much time is someone with you in your home to assist you with activities that require remembering, decision making, or judgment?	CHART-SF Paper Version - Cognitive Assistance at Home per Day
C119145	CHSF203	CHSF2-Away Cognitive Assistance per Day	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How much of the time is someone with you to help you with remembering, decision making, or judgment when you go away from your home?	CHART-SF Paper Version - Cognitive Assistance Away From Home per Day
C119146	CHSF204	CHSF2-Hours Out of Bed per Day	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - On a typical day, how many hours are you out of bed?	CHART-SF Paper Version - Hours Out of Bed per Day
C119147	CHSF205	CHSF2-Days Out of the House per Week	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - In a typical week, how many days do you get out of your house and go somewhere?	CHART-SF Paper Version - Days Out of the House per Week
C119148	CHSF206	CHSF2-Nights Away From Home Last Year	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - In the last year, how many nights have you spent away from your home?	CHART-SF Paper Version - Nights Away From Home Last Year
C119149	CHSF207A	CHSF2-Hours of Paid Work per Week	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many hours per week do you spend working in a job for which you get paid?	CHART-SF Paper Version - Hours of Paid Work per Week
C119150	CHSF207B	CHSF2-Occupation of Paid Work	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many hours per week do you spend working in a job for which you get paid? (occupation).	CHART-SF Paper Version - Occupation of Paid Work
C119151	CHSF208	CHSF2-Hours of Schoolwork per Week	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many hours per week do you spend in school working toward a degree or in an accredited technical training program?	CHART-SF Paper Version - Hours of Schoolwork per Week
C119152	CHSF209	CHSF2-Hours of Homemaking per Week	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many hours per week do you spend in active homemaking including parenting, housekeeping, and food preparation?	CHART-SF Paper Version - Hours of Homemaking per Week
C119153	CHSF210	CHSF2-Hours of Home Maintenance per Week	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many hours per week do you spend in home maintenance activities such as gardening, house repairs or home improvement?	CHART-SF Paper Version - Hours of Home Maintenance per Week
C119154	CHSF211	CHSF2-Hours of Recreation per Week	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many hours per week do you spend in recreational activities such as sports, exercise, playing cards, or going to movies?	CHART-SF Paper Version - Hours of Recreational Activities per Week
C119155	CHSF212	CHSF2-Number of People You Live With	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many people do you live with?	CHART-SF Paper Version - Number of People You Live With
C119156	CHSF213	CHSF2-Live With Spouse or Signif Other	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - Is one of them your spouse or significant other?	CHART-SF Paper Version - Live With Spouse or Significant Other
C119157	CHSF214	CHSF2-Number of Relatives You Live With	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - Of the people you live with how many are relatives?	CHART-SF Paper Version - Number of Relatives You Live With
C119158	CHSF215	CHSF2-Associates Contacted per Month	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many business or organizational associates do you visit, phone, or write to at least once a month?	CHART-SF Paper Version - Associates Contacted per Month
C119159	CHSF216	CHSF2-Friends Contacted per Month	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many friends do you visit, phone, or write to at least once a month?	CHART-SF Paper Version - Friends Contacted per Month

CHART-SF Paper Version - Initiated Conversation With Strangers Last Month					
C119160	CHSF217	CHSF2-Strangers Spoke with Last Month	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - With how many strangers have you initiated a conversation in the last month?		CHART-SF Paper Version - Initiated Conversation With Strangers Last Month
C119161	CHSF218	CHSF2-Combined Household Income Last Yr	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - Approximately what was the combined annual income, in the last year, of all family members in your household?		CHART-SF Paper Version - Combined Annual Household Income Last Year
C119162	CHSF219	CHSF2-Medical Care Expenses Last Year	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - Approximately how much did you pay last year for medical care expenses?		CHART-SF Paper Version - Medical Care Expense Last Year

C119158	CHSF2-Associates Contacted per Month	CHSF2-Associates Contacted per Month	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many business or organizational associates do you visit, phone, or write to at least once a month?	CHART-SF Paper Version - Associates Contacted per Month
C119145	CHSF2-Away Cognitive Assistance per Day	CHSF2-Away Cognitive Assistance per Day	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How much of the time is someone with you to help you with remembering, decision making, or judgment when you go away from your home?	CHART-SF Paper Version - Cognitive Assistance Away From Home per Day
C119161	CHSF2-Combined Household Income Last Yr	CHSF2-Combined Household Income Last Yr	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - Approximately what was the combined annual income, in the last year, of all family members in your household?	CHART-SF Paper Version - Combined Annual Household Income Last Year
C119147	CHSF2-Days Out of the House per Week	CHSF2-Days Out of the House per Week	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - In a typical week, how many days do you get out of your house and go somewhere?	CHART-SF Paper Version - Days Out of the House per Week
C119159	CHSF2-Friends Contacted per Month	CHSF2-Friends Contacted per Month	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many friends do you visit, phone, or write to at least once a month?	CHART-SF Paper Version - Friends Contacted per Month
C119144	CHSF2-Home Cognitive Assistance per Day	CHSF2-Home Cognitive Assistance per Day	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How much time is someone with you in your home to assist you with activities that require remembering, decision making, or judgment?	CHART-SF Paper Version - Cognitive Assistance at Home per Day
C119153	CHSF2-Hours of Home Maintenance per Week	CHSF2-Hours of Home Maintenance per Week	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many hours per week do you spend in home maintenance activities such as gardening, house repairs or home improvement?	CHART-SF Paper Version - Hours of Home Maintenance per Week
C119152	CHSF2-Hours of Homemaking per Week	CHSF2-Hours of Homemaking per Week	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many hours per week do you spend in active homemaking including parenting, housekeeping, and food preparation?	CHART-SF Paper Version - Hours of Homemaking per Week
C119149	CHSF2-Hours of Paid Work per Week	CHSF2-Hours of Paid Work per Week	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many hours per week do you spend working in a job for which you get paid?	CHART-SF Paper Version - Hours of Paid Work per Week
C119154	CHSF2-Hours of Recreation per Week	CHSF2-Hours of Recreation per Week	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many hours per week do you spend in recreational activities such as sports, exercise, playing cards, or going to movies?	CHART-SF Paper Version - Hours of Recreational Activities per Week
C119151	CHSF2-Hours of Schoolwork per Week	CHSF2-Hours of Schoolwork per Week	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many hours per week do you spend in school working toward a degree or in an accredited technical training program?	CHART-SF Paper Version - Hours of Schoolwork per Week
C119146	CHSF2-Hours Out of Bed per Day	CHSF2-Hours Out of Bed per Day	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - On a typical day, how many hours are you out of bed?	CHART-SF Paper Version - Hours Out of Bed per Day
C119156	CHSF2-Live With Spouse or Signif Other	CHSF2-Live With Spouse or Signif Other	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - Is one of them your spouse or significant other?	CHART-SF Paper Version - Live With Spouse or Significant Other
C119162	CHSF2-Medical Care Expenses Last Year	CHSF2-Medical Care Expenses Last Year	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - Approximately how much did you pay last year for medical care expenses?	CHART-SF Paper Version - Medical Care Expense Last Year
C119148	CHSF2-Nights Away From Home Last Year	CHSF2-Nights Away From Home Last Year	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - In the last year, how many nights have you spent away from your home?	CHART-SF Paper Version - Nights Away From Home Last Year
C119155	CHSF2-Number of People You Live With	CHSF2-Number of People You Live With	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many people do you live with?	CHART-SF Paper Version - Number of People You Live With
C119157	CHSF2-Number of Relatives You Live With	CHSF2-Number of Relatives You Live With	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - Of the people you live with how many are relatives?	CHART-SF Paper Version - Number of Relatives You Live With
C119150	CHSF2-Occupation of Paid Work	CHSF2-Occupation of Paid Work	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many hours per week do you spend working in a job for which you get paid? (occupation).	CHART-SF Paper Version - Occupation of Paid Work

CHART-SF Paper Version - Initiated Conversation With Strangers Last Month					
C119142	CHSF2-Paid Personal Care per Day	CHSF2-Paid Personal Care per Day	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many hours in a typical 24-hour day do you have someone with you to provide physical assistance for personal care activities such as eating, bathing, dressing, toileting and mobility? (hours paid assistance).	Paid Personal Care per Day	CHART-SF Paper Version - Paid Personal Care per Day
C119160	CHSF2-Strangers Spoke with Last Month	CHSF2-Strangers Spoke with Last Month	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - With how many strangers have you initiated a conversation in the last month?		CHART-SF Paper Version - Initiated Conversation With Strangers Last Month
C119143	CHSF2-Unpaid Personal Care per Day	CHSF2-Unpaid Personal Care per Day	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many hours in a typical 24-hour day do you have someone with you to provide physical assistance for personal care activities such as eating, bathing, dressing, toileting and mobility? hours unpaid (family, others).	Unpaid Personal Care per Day	CHART-SF Paper Version - Unpaid Personal Care per Day

C100958	COMM101	COMM1-Trouble Thinking Clearly/Memory	Current Opioid Misuse Measure - In the past 30 days, how often have you had trouble with thinking clearly or had memory problems?	COMM - Trouble Thinking Clearly or Memory Problems
C100959	COMM102	COMM1-Complaints Not Completing Tasks	Current Opioid Misuse Measure - In the past 30 days, how often do people complain that you are not completing necessary tasks? (i.e., doing things that need to be done, such as going to class, work or appointments)	COMM - Complaints Not Completing Tasks
C100960	COMM103	COMM1-Other Sources For Pain Medication	Current Opioid Misuse Measure - In the past 30 days, how often have you had to go to someone other than your prescribing physician to get sufficient pain relief from medications? (i.e., another doctor, the Emergency Room, friends, street source)	COMM - Other Sources for Pain Medication
C100961	COMM104	COMM1-Taken Meds Other Than Prescribed	Current Opioid Misuse Measure - In the past 30 days, how often have you taken your medications differently from how they are prescribed?	COMM - Taken Medications Other Than Prescribed
C100962	COMM105	COMM1-Seriously Thought of Hurting Self	Current Opioid Misuse Measure - In the past 30 days, how often have you seriously thought about hurting yourself?	COMM - Seriously Thought of Hurting Self
C100963	COMM106	COMM1-Time Spent Thinking About Opioids	Current Opioid Misuse Measure - In the past 30 days, how much of your time was spent thinking about opioid medications (having enough, taking them, dosing schedule, etc.)?	COMM - Time Spent Thinking About Opioids
C100964	COMM107	COMM1-Been in an Argument	Current Opioid Misuse Measure - In the past 30 days, how often have you been in an argument?	COMM - Been in an Argument
C100965	COMM108	COMM1-Trouble Controlling Anger	Current Opioid Misuse Measure - In the past 30 days, how often have you had trouble controlling your anger (e.g., road rage, screaming, etc.)?	COMM - Trouble Controlling Anger
C100966	COMM109	COMM1-Take Meds Belonging to Others	Current Opioid Misuse Measure - In the past 30 days, how often have you needed to take pain medications belonging to someone else?	COMM - Take Medications Belonging to Others
C100967	COMM110	COMM1-Worry About Handling Meds	Current Opioid Misuse Measure - In the past 30 days, how often have you been worried about how you're handling your medications?	COMM - Worry About Handling Medications
C100968	COMM111	COMM1-Others Worry About Your Meds	Current Opioid Misuse Measure - In the past 30 days, how often have others been worried about how you're handling your medications?	COMM - Others Worry About Your Medications
C100969	COMM112	COMM1-Emergency Phone Call/Clinic Visit	Current Opioid Misuse Measure - In the past 30 days, how often have you had to make an emergency phone call or show up at the clinic without an appointment?	COMM - Emergency Phone Call or Clinic Visit
C100970	COMM113	COMM1-Gotten Angry With People	Current Opioid Misuse Measure - In the past 30 days, how often have you gotten angry with people?	COMM - Gotten Angry With People
C100971	COMM114	COMM1-Take More Meds Than Prescribed	Current Opioid Misuse Measure - In the past 30 days, how often have you had to take more of your medication than prescribed?	COMM - Take More Medication Than Prescribed
C100972	COMM115	COMM1-Borrowed Meds From Others	Current Opioid Misuse Measure - In the past 30 days, how often have you borrowed pain medication from someone else?	COMM - Borrowed Medication From Others
C100973	COMM116	COMM1-Used Pain Meds For Other Symptoms	Current Opioid Misuse Measure - In the past 30 days, how often have you used your pain medicine for symptoms other than for pain (e.g., to help you sleep, improve your mood, or relieve stress)?	COMM - Used Pain Medicine For Other Symptoms
C100974	COMM117	COMM1-Visit Emergency Room	Current Opioid Misuse Measure - In the past 30 days, how often have you had to visit the Emergency Room?	COMM - Visit Emergency Room
C100975	COMM118	COMM1-Score	Current Opioid Misuse Measure - Score.	COMM - Score

C100964	COMM1-Been in an Argument	COMM1-Been in an Argument	Current Opioid Misuse Measure - In the past 30 days, how often have you been in an argument?	COMM - Been in an Argument
C100972	COMM1-Borrowed Meds From Others	COMM1-Borrowed Meds From Others	Current Opioid Misuse Measure - In the past 30 days, how often have you borrowed pain medication from someone else?	COMM - Borrowed Medication From Others
C100959	COMM1-Complaints Not Completing Tasks	COMM1-Complaints Not Completing Tasks	Current Opioid Misuse Measure - In the past 30 days, how often do people complain that you are not completing necessary tasks? (i.e., doing things that need to be done, such as going to class, work or appointments)	COMM - Complaints Not Completing Tasks
C100969	COMM1-Emergency Phone Call/Clinic Visit	COMM1-Emergency Phone Call/Clinic Visit	Current Opioid Misuse Measure - In the past 30 days, how often have you had to make an emergency phone call or show up at the clinic without an appointment?	COMM - Emergency Phone Call or Clinic Visit
C100970	COMM1-Gotten Angry With People	COMM1-Gotten Angry With People	Current Opioid Misuse Measure - In the past 30 days, how often have you gotten angry with people?	COMM - Gotten Angry With People
C100960	COMM1-Other Sources For Pain Medication	COMM1-Other Sources For Pain Medication	Current Opioid Misuse Measure - In the past 30 days, how often have you had to go to someone other than your prescribing physician to get sufficient pain relief from medications? (i.e., another doctor, the Emergency Room, friends, street source)	COMM - Other Sources for Pain Medication
C100968	COMM1-Others Worry About Your Meds	COMM1-Others Worry About Your Meds	Current Opioid Misuse Measure - In the past 30 days, how often have others been worried about how you're handling your medications?	COMM - Others Worry About Your Medications
C100975	COMM1-Score	COMM1-Score	Current Opioid Misuse Measure - Score.	COMM - Score
C100962	COMM1-Seriously Thought of Hurting Self	COMM1-Seriously Thought of Hurting Self	Current Opioid Misuse Measure - In the past 30 days, how often have you seriously thought about hurting yourself?	COMM - Seriously Thought of Hurting Self
C100966	COMM1-Take Meds Belonging to Others	COMM1-Take Meds Belonging to Others	Current Opioid Misuse Measure - In the past 30 days, how often have you needed to take pain medications belonging to someone else?	COMM - Take Medications Belonging to Others
C100971	COMM1-Take More Meds Than Prescribed	COMM1-Take More Meds Than Prescribed	Current Opioid Misuse Measure - In the past 30 days, how often have you had to take more of your medication than prescribed?	COMM - Take More Medication Than Prescribed
C100961	COMM1-Taken Meds Other Than Prescribed	COMM1-Taken Meds Other Than Prescribed	Current Opioid Misuse Measure - In the past 30 days, how often have you taken your medications differently from how they are prescribed?	COMM - Taken Medications Other Than Prescribed
C100963	COMM1-Time Spent Thinking About Opioids	COMM1-Time Spent Thinking About Opioids	Current Opioid Misuse Measure - In the past 30 days, how much of your time was spent thinking about opioid medications (having enough, taking them, dosing schedule, etc.)?	COMM - Time Spent Thinking About Opioids
C100965	COMM1-Trouble Controlling Anger	COMM1-Trouble Controlling Anger	Current Opioid Misuse Measure - In the past 30 days, how often have you had trouble controlling your anger (e.g., road rage, screaming, etc.)?	COMM - Trouble Controlling Anger
C100958	COMM1-Trouble Thinking Clearly/Memory	COMM1-Trouble Thinking Clearly/Memory	Current Opioid Misuse Measure - In the past 30 days, how often have you had trouble with thinking clearly or had memory problems?	COMM - Trouble Thinking Clearly or Memory Problems
C100973	COMM1-Used Pain Meds For Other Symptoms	COMM1-Used Pain Meds For Other Symptoms	Current Opioid Misuse Measure - In the past 30 days, how often have you used your pain medicine for symptoms other than for pain (e.g., to help you sleep, improve your mood, or relieve stress)?	COMM - Used Pain Medicine For Other Symptoms
C100974	COMM1-Visit Emergency Room	COMM1-Visit Emergency Room	Current Opioid Misuse Measure - In the past 30 days, how often have you had to visit the Emergency Room?	COMM - Visit Emergency Room
C100967	COMM1-Worry About Handling Meds	COMM1-Worry About Handling Meds	Current Opioid Misuse Measure - In the past 30 days, how often have you been worried about how you're handling your medications?	COMM - Worry About Handling Medications

C156673 - COVI0101-COVI0104				
C156676	COVI0101	COVI01-Verbal Report	Covi Anxiety Scale - Verbal report.	COVI - Verbal Report
C156677	COVI0102	COVI01-Behavior	Covi Anxiety Scale - Behavior.	COVI - Behavior
C156678	COVI0103	COVI01-Somatic Symptoms of Anxiety	Covi Anxiety Scale - Somatic symptoms of anxiety.	COVI - Somatic Symptoms of Anxiety
C156679	COVI0104	COVI01-Total Score	Covi Anxiety Scale - Total score.	COVI - Total Score

C156677	COVI01-Behavior	COVI01-Behavior	Covi Anxiety Scale - Behavior.	COVI - Behavior
C156678	COVI01-Somatic Symptoms of Anxiety	COVI01-Somatic Symptoms of Anxiety	Covi Anxiety Scale - Somatic symptoms of anxiety.	COVI - Somatic Symptoms of Anxiety
C156679	COVI01-Total Score	COVI01-Total Score	Covi Anxiety Scale - Total score.	COVI - Total Score
C156676	COVI01-Verbal Report	COVI01-Verbal Report	Covi Anxiety Scale - Verbal report.	COVI - Verbal Report

C150922	COWAT101	COWAT1-Another Word That Begins With R	Controlled Oral Word Association Test - Can you tell me another word that begins with R?	COWAT - Another Word That Begins With R
C150923	COWAT102	COWAT1-Number Correct Words: C	Controlled Oral Word Association Test - Number correct words: Now I'm going to give you another letter, and again, say all words beginning with that letter that you can think of. You will have a minute for each one. The first letter is C.	COWAT - Number Correct Words: C
C150924	COWAT103	COWAT1-Number Correct Words: F	Controlled Oral Word Association Test - Number correct words: Now I am going to give another letter. Tell me as many words as you can that begin with F. Tell me as many words as quickly as you can that begin with F.	COWAT - Number Correct Words: F
C150925	COWAT104	COWAT1-Number Correct Words: L	Controlled Oral Word Association Test - Number correct words: Now I am going to give another letter. Tell me as many words as you can that begin with L. Tell me as many words as quickly as you can that begin with L.	COWAT - Number Correct Words: L

C150922	COWAT1-Another Word That Begins With R	COWAT1-Another Word That Begins With R	Controlled Oral Word Association Test - Can you tell me another word that begins with R?	COWAT - Another Word That Begins With R
C150923	COWAT1-Number Correct Words: C	COWAT1-Number Correct Words: C	Controlled Oral Word Association Test - Number correct words: Now I'm going to give you another letter, and again, say all words beginning with that letter that you can think of. You will have a minute for each one. The first letter is C.	COWAT - Number Correct Words: C
C150924	COWAT1-Number Correct Words: F	COWAT1-Number Correct Words: F	Controlled Oral Word Association Test - Number correct words: Now I am going to give another letter. Tell me as many words as you can that begin with F. Tell me as many words as quickly as you can that begin with F.	COWAT - Number Correct Words: F
C150925	COWAT1-Number Correct Words: L	COWAT1-Number Correct Words: L	Controlled Oral Word Association Test - Number correct words: Now I am going to give another letter. Tell me as many words as you can that begin with L. Tell me as many words as quickly as you can that begin with L.	COWAT - Number Correct Words: L

C102056	COWS101	COWS1-Resting Pulse Rate	Clinical Opiate Withdrawal Scale - Resting pulse rate.	COWS - Resting Pulse Rate
C112467	COWS101A	COWS1-Resting Pulse Rate Beats/Minute	Clinical Opiate Withdrawal Scale - Resting pulse rate: beats/minute.	COWS - Resting Pulse Rate: Beats/Minute
C102057	COWS102	COWS1-Sweating	Clinical Opiate Withdrawal Scale - Sweating.	COWS - Sweating
C102058	COWS103	COWS1-Restlessness	Clinical Opiate Withdrawal Scale - Restlessness.	COWS - Restlessness
C102059	COWS104	COWS1-Pupil Size	Clinical Opiate Withdrawal Scale - Pupil size.	COWS - Pupil Size
C102060	COWS105	COWS1-Bone or Joint Aches	Clinical Opiate Withdrawal Scale - Bone or joint aches.	COWS - Bone or Joint Aches
C102061	COWS106	COWS1-Runny Nose or Tearing	Clinical Opiate Withdrawal Scale - Runny nose or tearing.	COWS - Runny Nose or Tearing
C102062	COWS107	COWS1-GI Upset	Clinical Opiate Withdrawal Scale - GI upset.	COWS - GI Upset
C102063	COWS108	COWS1-Tremor	Clinical Opiate Withdrawal Scale - Tremor.	COWS - Tremor
C102064	COWS109	COWS1-Yawning	Clinical Opiate Withdrawal Scale - Yawning.	COWS - Yawning
C102065	COWS110	COWS1-Anxiety or Irritability	Clinical Opiate Withdrawal Scale - Anxiety or irritability.	COWS - Anxiety or Irritability
C102066	COWS111	COWS1-Gooseflesh Skin	Clinical Opiate Withdrawal Scale - Gooseflesh skin.	COWS - Gooseflesh Skin
C112468	COWS112	COWS1-Total Score	Clinical Opiate Withdrawal Scale - Total score.	COWS - Total Score

C102065	COWS1-Anxiety or Irritability	COWS1-Anxiety or Irritability	Clinical Opiate Withdrawal Scale - Anxiety or irritability.	COWS - Anxiety or Irritability
C102060	COWS1-Bone or Joint Aches	COWS1-Bone or Joint Aches	Clinical Opiate Withdrawal Scale - Bone or joint aches.	COWS - Bone or Joint Aches
C102062	COWS1-GI Upset	COWS1-GI Upset	Clinical Opiate Withdrawal Scale - GI upset.	COWS - GI Upset
C102066	COWS1-Gooseflesh Skin	COWS1-Gooseflesh Skin	Clinical Opiate Withdrawal Scale - Gooseflesh skin.	COWS - Gooseflesh Skin
C102059	COWS1-Pupil Size	COWS1-Pupil Size	Clinical Opiate Withdrawal Scale - Pupil size.	COWS - Pupil Size
C112467	COWS1-Resting Pulse Rate Beats/Minute	COWS1-Resting Pulse Rate Beats/Minute	Clinical Opiate Withdrawal Scale - Resting pulse rate: beats/minute.	COWS - Resting Pulse Rate: Beats/Minute
C102056	COWS1-Resting Pulse Rate	COWS1-Resting Pulse Rate	Clinical Opiate Withdrawal Scale - Resting pulse rate.	COWS - Resting Pulse Rate
C102058	COWS1-Restlessness	COWS1-Restlessness	Clinical Opiate Withdrawal Scale - Restlessness.	COWS - Restlessness
C102061	COWS1-Runny Nose or Tearing	COWS1-Runny Nose or Tearing	Clinical Opiate Withdrawal Scale - Runny nose or tearing.	COWS - Runny Nose or Tearing
C102057	COWS1-Sweating	COWS1-Sweating	Clinical Opiate Withdrawal Scale - Sweating.	COWS - Sweating
C112468	COWS1-Total Score	COWS1-Total Score	Clinical Opiate Withdrawal Scale - Total score.	COWS - Total Score
C102063	COWS1-Tremor	COWS1-Tremor	Clinical Opiate Withdrawal Scale - Tremor.	COWS - Tremor
C102064	COWS1-Yawning	COWS1-Yawning	Clinical Opiate Withdrawal Scale - Yawning.	COWS - Yawning

C121068	CPS0101	CPS01-Encephalopathy Grade	Child-Pugh Classification - Encephalopathy grade.	Child-Pugh - Encephalopathy Grade
C121069	CPS0102	CPS01-Ascites	Child-Pugh Classification - Ascites.	Child-Pugh - Ascites
C121070	CPS0103	CPS01-Serum Bilirubin	Child-Pugh Classification - Serum bilirubin, mg/dL.	Child-Pugh - Serum Bilirubin
C121071	CPS0104	CPS01-Serum Albumin	Child-Pugh Classification - Serum albumin, g/dL.	Child-Pugh - Serum Albumin
C121072	CPS0105A	CPS01-PT, Sec Prolonged	Child-Pugh Classification - Prothrombin time, sec prolonged.	Child-Pugh - PT, Sec Prolonged
C121073	CPS0105B	CPS01-PT, INR	Child-Pugh Classification - Prothrombin time, international normalized ratio (INR).	Child-Pugh - PT, INR
C121074	CPS0106	CPS01-Total Score	Child-Pugh Classification - Child-Pugh total score.	Child-Pugh - Total Score
C121075	CPS0107	CPS01-Grade	Child-Pugh Classification - Child-Pugh grade.	Child-Pugh - Grade

C121069	CPS01-Ascites	CPS01-Ascites	Child-Pugh Classification - Ascites.	Child-Pugh - Ascites
C121068	CPS01-Encephalopathy Grade	CPS01-Encephalopathy Grade	Child-Pugh Classification - Encephalopathy grade.	Child-Pugh - Encephalopathy Grade
C121075	CPS01-Grade	CPS01-Grade	Child-Pugh Classification - Child-Pugh grade.	Child-Pugh - Grade
C121073	CPS01-PT, INR	CPS01-PT, INR	Child-Pugh Classification - Prothrombin time, international normalized ratio (INR).	Child-Pugh - PT, INR
C121072	CPS01-PT, Sec Prolonged	CPS01-PT, Sec Prolonged	Child-Pugh Classification - Prothrombin time, sec prolonged.	Child-Pugh - PT, Sec Prolonged
C121071	CPS01-Serum Albumin	CPS01-Serum Albumin	Child-Pugh Classification - Serum albumin, g/dL.	Child-Pugh - Serum Albumin
C121070	CPS01-Serum Bilirubin	CPS01-Serum Bilirubin	Child-Pugh Classification - Serum bilirubin, mg/dL.	Child-Pugh - Serum Bilirubin
C121074	CPS01-Total Score	CPS01-Total Score	Child-Pugh Classification - Child-Pugh total score.	Child-Pugh - Total Score

C121010	CRQ0101	CRQ01-Feeling Emotional	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - Feeling emotional such as angry or upset.	CRQ-SAS First Administration Version - Feeling Emotional
C121011	CRQ0102	CRQ01-Take Care of Basic Needs	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - Taking care of your basic needs.	CRQ-SAS First Administration Version - Take Care of Basic Needs
C121012	CRQ0103	CRQ01-Walking	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - Walking.	CRQ-SAS First Administration Version - Walking
C121013	CRQ0104	CRQ01-Performing Chores	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - Performing chores.	CRQ-SAS First Administration Version - Performing Chores
C121014	CRQ0105	CRQ01-Participate in Social Activities	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - Participating in social activities.	CRQ-SAS First Administration Version - Participate in Social Activities
C121015	CRQ0106	CRQ01-Felt Frustrated or Impatient	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - In general, how much of the time during the last 2 weeks have you felt frustrated or impatient?	CRQ-SAS First Administration Version - Felt Frustrated or Impatient
C121016	CRQ0107	CRQ01-Feeling of Fear or Panic	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How often during the last 2 weeks did you have a feeling of fear or panic when you had difficulty getting your breath?	CRQ-SAS First Administration Version - Feeling of Fear or Panic
C121017	CRQ0108	CRQ01-Fatigue	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How about fatigue? How tired have you felt over the last 2 weeks?	CRQ-SAS First Administration Version - Fatigue
C121018	CRQ0109	CRQ01-Embarrassed by Coughing	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How often during the last 2 weeks have you felt embarrassed by your coughing or heavy breathing?	CRQ-SAS First Administration Version - Embarrassed by Coughing
C121019	CRQ0110	CRQ01-Confident to Deal With Illness	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - In the last 2 weeks, how much of the time did you feel very confident and sure that you could deal with your illness?	CRQ-SAS First Administration Version - Feel Confident to Deal With Illness
C121020	CRQ0111	CRQ01-Energy	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How much energy have you had in the last 2 weeks?	CRQ-SAS First Administration Version - Energy
C121021	CRQ0112	CRQ01-Feel Upset, Worried or Depressed	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - In general, how much of the time did you feel upset, worried, or depressed during the last 2 weeks?	CRQ-SAS First Administration Version - Feel Upset, Worried or Depressed
C121022	CRQ0113	CRQ01-Control of Breathing Problems	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How often during the last 2 weeks did you feel you had complete control of your breathing problems?	CRQ-SAS First Administration Version - Had Control of Breathing Problems
C121023	CRQ0114	CRQ01-Feel Relaxed and Free of Tension	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How much of the time during the last 2 weeks did you feel relaxed and free of tension?	CRQ-SAS First Administration Version - Feel Relaxed and Free of Tension
C121024	CRQ0115	CRQ01-Felt Low in Energy	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How often during the last 2 weeks have you felt low in energy?	CRQ-SAS First Administration Version - Felt Low in Energy
C121025	CRQ0116	CRQ01-Felt Discouraged or Down	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - In general, how often during the last 2 weeks have you felt discouraged or down in the dumps?	CRQ-SAS First Administration Version - Felt Discouraged or Down
C121026	CRQ0117	CRQ01-Felt Worn Out or Sluggish	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How often during the last 2 weeks have you felt worn out or sluggish?	CRQ-SAS First Administration Version - Felt Worn Out or Sluggish
C121027	CRQ0118	CRQ01-Happy, Satisfied or Pleased	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How happy, satisfied, or pleased have you been with your personal life during the last 2 weeks?	CRQ-SAS First Administration Version - Happy, Satisfied or Pleased With Life

C121028	CRQ0119	CRQ01-Feel Upset Diff Getting Breath	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How often during the last 2 weeks did you feel upset or scared when you had difficulty getting your breath?	CRQ-SAS First Administration Version - Feel Upset When Had Difficulty Getting Breath
C121029	CRQ0120	CRQ01-Felt Restless, Tense or Uptight	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - In general, how often during the last 2 weeks have you felt restless, tense, or uptight?	CRQ-SAS First Administration Version - Felt Restless, Tense or Uptight

C121019	CRQ01-Confident to Deal With Illness	CRQ01-Confident to Deal With Illness	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - In the last 2 weeks, how much of the time did you feel very confident and sure that you could deal with your illness?	CRQ-SAS First Administration Version - Feel Confident to Deal With Illness
C121022	CRQ01-Control of Breathing Problems	CRQ01-Control of Breathing Problems	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How often during the last 2 weeks did you feel you had complete control of your breathing problems?	CRQ-SAS First Administration Version - Had Control of Breathing Problems
C121018	CRQ01-Embarrassed by Coughing	CRQ01-Embarrassed by Coughing	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How often during the last 2 weeks have you felt embarrassed by your coughing or heavy breathing?	CRQ-SAS First Administration Version - Embarrassed by Coughing
C121020	CRQ01-Energy	CRQ01-Energy	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How much energy have you had in the last 2 weeks?	CRQ-SAS First Administration Version - Energy
C121017	CRQ01-Fatigue	CRQ01-Fatigue	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How about fatigue? How tired have you felt over the last 2 weeks?	CRQ-SAS First Administration Version - Fatigue
C121023	CRQ01-Feel Relaxed and Free of Tension	CRQ01-Feel Relaxed and Free of Tension	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How much of the time during the last 2 weeks did you feel relaxed and free of tension?	CRQ-SAS First Administration Version - Feel Relaxed and Free of Tension
C121028	CRQ01-Feel Upset Diff Getting Breath	CRQ01-Feel Upset Diff Getting Breath	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How often during the last 2 weeks did you feel upset or scared when you had difficulty getting your breath?	CRQ-SAS First Administration Version - Feel Upset When Had Difficulty Getting Breath
C121021	CRQ01-Feel Upset, Worried or Depressed	CRQ01-Feel Upset, Worried or Depressed	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - In general, how much of the time did you feel upset, worried, or depressed during the last 2 weeks?	CRQ-SAS First Administration Version - Feel Upset, Worried or Depressed
C121010	CRQ01-Feeling Emotional	CRQ01-Feeling Emotional	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - Feeling emotional such as angry or upset.	CRQ-SAS First Administration Version - Feeling Emotional
C121016	CRQ01-Feeling of Fear or Panic	CRQ01-Feeling of Fear or Panic	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How often during the last 2 weeks did you have a feeling of fear or panic when you had difficulty getting your breath?	CRQ-SAS First Administration Version - Feeling of Fear or Panic
C121025	CRQ01-Felt Discouraged or Down	CRQ01-Felt Discouraged or Down	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - In general, how often during the last 2 weeks have you felt discouraged or down in the dumps?	CRQ-SAS First Administration Version - Felt Discouraged or Down
C121015	CRQ01-Felt Frustrated or Impatient	CRQ01-Felt Frustrated or Impatient	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - In general, how much of the time during the last 2 weeks have you felt frustrated or impatient?	CRQ-SAS First Administration Version - Felt Frustrated or Impatient
C121024	CRQ01-Felt Low in Energy	CRQ01-Felt Low in Energy	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How often during the last 2 weeks have you felt low in energy?	CRQ-SAS First Administration Version - Felt Low in Energy
C121029	CRQ01-Felt Restless, Tense or Uptight	CRQ01-Felt Restless, Tense or Uptight	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - In general, how often during the last 2 weeks have you felt restless, tense, or uptight?	CRQ-SAS First Administration Version - Felt Restless, Tense or Uptight
C121026	CRQ01-Felt Worn Out or Sluggish	CRQ01-Felt Worn Out or Sluggish	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How often during the last 2 weeks have you felt worn out or sluggish?	CRQ-SAS First Administration Version - Felt Worn Out or Sluggish
C121027	CRQ01-Happy, Satisfied or Pleased	CRQ01-Happy, Satisfied or Pleased	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How happy, satisfied, or pleased have you been with your personal life during the last 2 weeks?	CRQ-SAS First Administration Version - Happy, Satisfied or Pleased With Life
C121014	CRQ01-Participate in Social Activities	CRQ01-Participate in Social Activities	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - Participating in social activities.	CRQ-SAS First Administration Version - Participate in Social Activities

Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version -				
C121013	CRQ01-Performing Chores	CRQ01-Performing Chores	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - Performing chores.	CRQ-SAS First Administration Version - Performing Chores
C121011	CRQ01-Take Care of Basic Needs	CRQ01-Take Care of Basic Needs	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - Taking care of your basic needs.	CRQ-SAS First Administration Version - Take Care of Basic Needs
C121012	CRQ01-Walking	CRQ01-Walking	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - Walking.	CRQ-SAS First Administration Version - Walking

C121030	CRQ0201	CRQ02-Feeling Emotional	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - Feeling emotional such as angry or upset.	CRQ-SAS Follow-Up Administration Version - Feeling Emotional
C121031	CRQ0202	CRQ02-Take Care of Basic Needs	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - Taking care of your basic needs.	CRQ-SAS Follow-Up Administration Version - Take Care of Basic Needs
C121032	CRQ0203	CRQ02-Walking	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - Walking.	CRQ-SAS Follow-Up Administration Version - Walking
C121033	CRQ0204	CRQ02-Performing Chores	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - Performing chores.	CRQ-SAS Follow-Up Administration Version - Performing Chores
C121034	CRQ0205	CRQ02-Participate in Social Activities	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - Participating in social activities.	CRQ-SAS Follow-Up Administration Version - Participate in Social Activities
C121035	CRQ0206	CRQ02-Felt Frustrated or Impatient	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - In general, how much of the time during the last 2 weeks have you felt frustrated or impatient?	CRQ-SAS Follow-Up Administration Version - Felt Frustrated or Impatient
C121036	CRQ0207	CRQ02-Feeling of Fear or Panic	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How often during the last 2 weeks did you have a feeling of fear or panic when you had difficulty getting your breath?	CRQ-SAS Follow-Up Administration Version - Feeling of Fear or Panic
C121037	CRQ0208	CRQ02-Fatigue	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How about fatigue? How tired have you felt over the last 2 weeks?	CRQ-SAS Follow-Up Administration Version - Fatigue
C121038	CRQ0209	CRQ02-Embarrassed by Coughing	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How often during the last 2 weeks have you felt embarrassed by your coughing or heavy breathing?	CRQ-SAS Follow-Up Administration Version - Embarrassed by Coughing
C121039	CRQ0210	CRQ02-Confident to Deal With Illness	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - In the last 2 weeks, how much of the time did you feel very confident and sure that you could deal with your illness?	CRQ-SAS Follow-Up Administration Version - Feel Confident to Deal With Illness
C121040	CRQ0211	CRQ02-Energy	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How much energy have you had in the last 2 weeks?	CRQ-SAS Follow-Up Administration Version - Energy
C121041	CRQ0212	CRQ02-Feel Upset, Worried or Depressed	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - In general, how much of the time did you feel upset, worried, or depressed during the last 2 weeks?	CRQ-SAS Follow-Up Administration Version - Feel Upset, Worried or Depressed
C121042	CRQ0213	CRQ02-Control of Breathing Problems	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How often during the last 2 weeks did you feel you had complete control of your breathing problems?	CRQ-SAS Follow-Up Administration Version - Had Control of Breathing Problems
C121043	CRQ0214	CRQ02-Feel Relaxed and Free of Tension	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How much of the time during the last 2 weeks did you feel relaxed and free of tension?	CRQ-SAS Follow-Up Administration Version - Feel Relaxed and Free of Tension
C121044	CRQ0215	CRQ02-Felt Low in Energy	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How often during the last 2 weeks have you felt low in energy?	CRQ-SAS Follow-Up Administration Version - Felt Low in Energy
C121045	CRQ0216	CRQ02-Felt Discouraged or Down	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - In general, how often during the last 2 weeks have you felt discouraged or down in the dumps?	CRQ-SAS Follow-Up Administration Version - Felt Discouraged or Down
C121046	CRQ0217	CRQ02-Felt Worn Out or Sluggish	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How often during the last 2 weeks have you felt worn out or sluggish?	CRQ-SAS Follow-Up Administration Version - Felt Worn Out or Sluggish

Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version				
Item ID	Question ID	Text	Description	Text
C121047	CRQ0218	CRQ02-Happy, Satisfied or Pleased	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How happy, satisfied, or pleased have you been with your personal life during the last 2 weeks?	CRQ-SAS Follow-Up Administration Version - Happy, Satisfied or Pleased With Life
C121048	CRQ0219	CRQ02-Feel Upset Diff Getting Breath	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How often during the last 2 weeks did you feel upset or scared when you had difficulty getting your breath?	CRQ-SAS Follow-Up Administration Version - Feel Upset When Had Difficulty Getting Breath
C121049	CRQ0220	CRQ02-Felt Restless, Tense or Uptight	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - In general, how often during the last 2 weeks have you felt restless, tense, or uptight?	CRQ-SAS Follow-Up Administration Version - Felt Restless, Tense or Uptight

C121039	CRQ02-Confident to Deal With Illness	CRQ02-Confident to Deal With Illness	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - In the last 2 weeks, how much of the time did you feel very confident and sure that you could deal with your illness?	CRQ-SAS Follow-Up Administration Version - Feel Confident to Deal With Illness
C121042	CRQ02-Control of Breathing Problems	CRQ02-Control of Breathing Problems	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How often during the last 2 weeks did you feel you had complete control of your breathing problems?	CRQ-SAS Follow-Up Administration Version - Had Control of Breathing Problems
C121038	CRQ02-Embarrassed by Coughing	CRQ02-Embarrassed by Coughing	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How often during the last 2 weeks have you felt embarrassed by your coughing or heavy breathing?	CRQ-SAS Follow-Up Administration Version - Embarrassed by Coughing
C121040	CRQ02-Energy	CRQ02-Energy	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How much energy have you had in the last 2 weeks?	CRQ-SAS Follow-Up Administration Version - Energy
C121037	CRQ02-Fatigue	CRQ02-Fatigue	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How about fatigue? How tired have you felt over the last 2 weeks?	CRQ-SAS Follow-Up Administration Version - Fatigue
C121043	CRQ02-Feel Relaxed and Free of Tension	CRQ02-Feel Relaxed and Free of Tension	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How much of the time during the last 2 weeks did you feel relaxed and free of tension?	CRQ-SAS Follow-Up Administration Version - Feel Relaxed and Free of Tension
C121048	CRQ02-Feel Upset Diff Getting Breath	CRQ02-Feel Upset Diff Getting Breath	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How often during the last 2 weeks did you feel upset or scared when you had difficulty getting your breath?	CRQ-SAS Follow-Up Administration Version - Feel Upset When Had Difficulty Getting Breath
C121041	CRQ02-Feel Upset, Worried or Depressed	CRQ02-Feel Upset, Worried or Depressed	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - In general, how much of the time did you feel upset, worried, or depressed during the last 2 weeks?	CRQ-SAS Follow-Up Administration Version - Feel Upset, Worried or Depressed
C121030	CRQ02-Feeling Emotional	CRQ02-Feeling Emotional	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - Feeling emotional such as angry or upset.	CRQ-SAS Follow-Up Administration Version - Feeling Emotional
C121036	CRQ02-Feeling of Fear or Panic	CRQ02-Feeling of Fear or Panic	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How often during the last 2 weeks did you have a feeling of fear or panic when you had difficulty getting your breath?	CRQ-SAS Follow-Up Administration Version - Feeling of Fear or Panic
C121045	CRQ02-Felt Discouraged or Down	CRQ02-Felt Discouraged or Down	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - In general, how often during the last 2 weeks have you felt discouraged or down in the dumps?	CRQ-SAS Follow-Up Administration Version - Felt Discouraged or Down
C121035	CRQ02-Felt Frustrated or Impatient	CRQ02-Felt Frustrated or Impatient	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - In general, how much of the time during the last 2 weeks have you felt frustrated or impatient?	CRQ-SAS Follow-Up Administration Version - Felt Frustrated or Impatient
C121044	CRQ02-Felt Low in Energy	CRQ02-Felt Low in Energy	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How often during the last 2 weeks have you felt low in energy?	CRQ-SAS Follow-Up Administration Version - Felt Low in Energy
C121049	CRQ02-Felt Restless, Tense or Uptight	CRQ02-Felt Restless, Tense or Uptight	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - In general, how often during the last 2 weeks have you felt restless, tense, or uptight?	CRQ-SAS Follow-Up Administration Version - Felt Restless, Tense or Uptight
C121046	CRQ02-Felt Worn Out or Sluggish	CRQ02-Felt Worn Out or Sluggish	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How often during the last 2 weeks have you felt worn out or sluggish?	CRQ-SAS Follow-Up Administration Version - Felt Worn Out or Sluggish
C121047	CRQ02-Happy, Satisfied or Pleased	CRQ02-Happy, Satisfied or Pleased	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How happy, satisfied, or pleased have you been with your personal life during the last 2 weeks?	CRQ-SAS Follow-Up Administration Version - Happy, Satisfied or Pleased With Life
C121034	CRQ02-Participate in Social Activities	CRQ02-Participate in Social Activities	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - Participating in social activities.	CRQ-SAS Follow-Up Administration Version - Participate in Social Activities

Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version				
C121033	CRQ02-Performing Chores	CRQ02-Performing Chores	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - Performing chores.	CRQ-SAS Follow-Up Administration Version - Performing Chores
C121031	CRQ02-Take Care of Basic Needs	CRQ02-Take Care of Basic Needs	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - Taking care of your basic needs.	CRQ-SAS Follow-Up Administration Version - Take Care of Basic Needs
C121032	CRQ02-Walking	CRQ02-Walking	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - Walking.	CRQ-SAS Follow-Up Administration Version - Walking

C124736	CRSR0101	CRSR01-Diagnosis	JFK Coma Recovery Scale-Revised - Diagnosis.	CRS-R - Diagnosis
C124737	CRSR0102	CRSR01-Etiology	JFK Coma Recovery Scale-Revised - Etiology.	CRS-R - Etiology
C124738	CRSR0103	CRSR01-Date of Onset	JFK Coma Recovery Scale-Revised - Date of onset.	CRS-R - Date of Onset
C124739	CRSR0104	CRSR01-Date of Admission	JFK Coma Recovery Scale-Revised - Date of admission.	CRS-R - Date of Admission
C124740	CRSR0105	CRSR01-Auditory Function Scale	JFK Coma Recovery Scale-Revised - Auditory function scale.	CRS-R - Auditory Function Scale
C124741	CRSR0106	CRSR01-Visual Function Scale	JFK Coma Recovery Scale-Revised - Visual function scale.	CRS-R - Visual Function Scale
C124742	CRSR0107	CRSR01-Motor Function Scale	JFK Coma Recovery Scale-Revised - Motor function scale.	CRS-R - Motor Function Scale
C124743	CRSR0108	CRSR01-Oromotor/Verbal Function	JFK Coma Recovery Scale-Revised - Oromotor/verbal function scale.	CRS-R - Oromotor/Verbal Function
C124744	CRSR0109	CRSR01-Communication Scale	JFK Coma Recovery Scale-Revised - Communication scale.	CRS-R - Communication Scale
C124745	CRSR0110	CRSR01-Arousal Scale	JFK Coma Recovery Scale-Revised - Arousal scale.	CRS-R - Arousal Scale
C124746	CRSR0111	CRSR01-Total Score	JFK Coma Recovery Scale-Revised - Total score.	CRS-R - Total Score

C124745	CRSR01-Arousal Scale	CRSR01-Arousal Scale	JFK Coma Recovery Scale-Revised - Arousal scale.	CRS-R - Arousal Scale
C124740	CRSR01-Auditory Function Scale	CRSR01-Auditory Function Scale	JFK Coma Recovery Scale-Revised - Auditory function scale.	CRS-R - Auditory Function Scale
C124744	CRSR01-Communication Scale	CRSR01-Communication Scale	JFK Coma Recovery Scale-Revised - Communication scale.	CRS-R - Communication Scale
C124739	CRSR01-Date of Admission	CRSR01-Date of Admission	JFK Coma Recovery Scale-Revised - Date of admission.	CRS-R - Date of Admission
C124738	CRSR01-Date of Onset	CRSR01-Date of Onset	JFK Coma Recovery Scale-Revised - Date of onset.	CRS-R - Date of Onset
C124736	CRSR01-Diagnosis	CRSR01-Diagnosis	JFK Coma Recovery Scale-Revised - Diagnosis.	CRS-R - Diagnosis
C124737	CRSR01-Etiology	CRSR01-Etiology	JFK Coma Recovery Scale-Revised - Etiology.	CRS-R - Etiology
C124742	CRSR01-Motor Function Scale	CRSR01-Motor Function Scale	JFK Coma Recovery Scale-Revised - Motor function scale.	CRS-R - Motor Function Scale
C124743	CRSR01-Oromotor/Verbal Function	CRSR01-Oromotor/Verbal Function	JFK Coma Recovery Scale-Revised - Oromotor/verbal function scale.	CRS-R - Oromotor/Verbal Function
C124746	CRSR01-Total Score	CRSR01-Total Score	JFK Coma Recovery Scale-Revised - Total score.	CRS-R - Total Score
C124741	CRSR01-Visual Function Scale	CRSR01-Visual Function Scale	JFK Coma Recovery Scale-Revised - Visual function scale.	CRS-R - Visual Function Scale

Columbia-Suicide Severity Rating Scale Baseline - Description of Actual Suicide Attempts				
C100976	CSS0101	CSS01-Wish to be Dead	Columbia-Suicide Severity Rating Scale Baseline - Have you wished you were dead or wished you could go to sleep and not wake up?	C-SSRS Baseline - Wish to be Dead or go to Sleep and not Wake Up
C100977	CSS0101A	CSS01-Wish to be Dead, Describe	Columbia-Suicide Severity Rating Scale Baseline - Description of wishing to be dead.	C-SSRS Baseline - Description of Wish to be Dead
C100978	CSS0102	CSS01-Non-Specific Suicidal Thought	Columbia-Suicide Severity Rating Scale Baseline - Have you actually had any thoughts of killing yourself?	C-SSRS Baseline - Non-Specific Suicidal Thought
C100979	CSS0102A	CSS01-Non-Specific Suicidal Thought, Descr	Columbia-Suicide Severity Rating Scale Baseline - Description of non-specific active suicidal thoughts.	C-SSRS Baseline - Description of Non-Specific Suicide Thought
C100980	CSS0103	CSS01-Suicidal Ideation-No Intent	Columbia-Suicide Severity Rating Scale Baseline - Have you been thinking about how you might do this?	C-SSRS Baseline - Suicidal Ideation-No Intent
C100981	CSS0103A	CSS01-Suicidal Ideation-No Intent, Descr	Columbia-Suicide Severity Rating Scale Baseline - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Baseline - Description of Suicidal Ideation-No Intent
C101014	CSS0104	CSS01-Ideation With Intent, No Plan	Columbia-Suicide Severity Rating Scale Baseline - Have you have these thoughts and had some intention of acting on them?	C-SSRS Baseline - Ideation With Intent, No Plan
C101015	CSS0104A	CSS01-Ideation With Intent No Plan Descr	Columbia-Suicide Severity Rating Scale Baseline - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Baseline - Description of Ideation With Intent, No Plan
C100982	CSS0105	CSS01-Ideation With Plan/Intent	Columbia-Suicide Severity Rating Scale Baseline - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan?	C-SSRS Baseline - Ideation With Plan/Intent
C100983	CSS0105A	CSS01-Ideation With Plan/Intent, Descr	Columbia-Suicide Severity Rating Scale Baseline - Description of active suicidal ideation with specific plan and intent.	C-SSRS Baseline - Description of Ideation With Plan and Intent
C100984	CSS0106	CSS01-Most Severe Ideation	Columbia-Suicide Severity Rating Scale Baseline - Most severe ideation.	C-SSRS Baseline - Most Severe Ideation
C100985	CSS0106A	CSS01-Most Severe Ideation, Description	Columbia-Suicide Severity Rating Scale Baseline - Description of most severe ideation.	C-SSRS Baseline - Describe Most Severe Ideation
C100986	CSS0107	CSS01-Most Severe Ideation, Frequency	Columbia-Suicide Severity Rating Scale Baseline - How many times have you had these thoughts?	C-SSRS Baseline - Frequency of Most Severe Ideation
C100987	CSS0108	CSS01-Most Severe Ideation, Duration	Columbia-Suicide Severity Rating Scale Baseline - When you have the thoughts, how long do they last?	C-SSRS Baseline - Duration of Most Severe Ideation
C100988	CSS0109	CSS01-Most Severe Ideation, Control	Columbia-Suicide Severity Rating Scale Baseline - Could/can you stop thinking about killing yourself or wanting to die if you want to?	C-SSRS Baseline - Control over Most Severe Ideation
C100989	CSS0110	CSS01-Most Severe Ideation, Deterrents	Columbia-Suicide Severity Rating Scale Baseline - Are there things - anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide?	C-SSRS Baseline - Deterrents to Most Severe Ideation
C100990	CSS0111	CSS01-Most Severe Ideation, Reasons	Columbia-Suicide Severity Rating Scale Baseline - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both?	C-SSRS Baseline - Reasons for Most Severe Ideation
C100991	CSS0112	CSS01-Actual Attempt	Columbia-Suicide Severity Rating Scale Baseline - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died?	C-SSRS Baseline - Actual Suicide Attempt
C100992	CSS0113	CSS01-Number of Actual Attempts	Columbia-Suicide Severity Rating Scale Baseline - Total number of actual attempts.	C-SSRS Baseline - Number of Actual Suicide Attempts
C100993	CSS0113A	CSS01-Actual Attempt, Describe	Columbia-Suicide Severity Rating Scale Baseline - Description of actual attempt.	C-SSRS Baseline - Description of Actual Suicide Attempts
C100994	CSS0114	CSS01-Non-suicidal Self-injurious Behav	Columbia-Suicide Severity Rating Scale Baseline - Has the subject engaged in non-suicidal self-injurious behavior.	C-SSRS Baseline - Non-suicidal Self-injurious Behavior

Columbia-Suicide Severity Rating Scale Baseline - Suicide Attempt				
C100995	CSS0115	CSS01-Interrupted Attempt	Columbia-Suicide Severity Rating Scale Baseline - Has there been a time when you started to do something to try to end your life but someone or something stopped you before you actually did anything?	C-SSRS Baseline - Interrupted Suicide Attempt
C100996	CSS0116	CSS01-Number of Interrupted Attempts	Columbia-Suicide Severity Rating Scale Baseline - Total number of interrupted attempts.	C-SSRS Baseline - Number of Interrupted Suicide Attempts
C100997	CSS0116A	CSS01-Interrupted Attempt, Describe	Columbia-Suicide Severity Rating Scale Baseline - Description of interrupted attempt.	C-SSRS Baseline - Description of Interrupted Suicide Attempt
C100998	CSS0117	CSS01-Aborted Attempt	Columbia-Suicide Severity Rating Scale Baseline - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything?	C-SSRS Baseline - Aborted Suicide Attempt
C100999	CSS0118	CSS01-Number of Aborted Attempts	Columbia-Suicide Severity Rating Scale Baseline - Total number of aborted attempts.	C-SSRS Baseline - Number of Aborted Suicide Attempts
C101000	CSS0118A	CSS01-Aborted Attempt, Describe	Columbia-Suicide Severity Rating Scale Baseline - Description of aborted attempt.	C-SSRS Baseline - Description of Aborted Suicide Attempt
C101001	CSS0119	CSS01-Preparatory Acts/Behavior	Columbia-Suicide Severity Rating Scale Baseline - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)?	C-SSRS Baseline - Preparatory Acts or Behaviors Toward Suicide Attempt
C101002	CSS0119A	CSS01-Preparatory Acts/Behavior, Descr	Columbia-Suicide Severity Rating Scale Baseline - Description of preparatory acts or behavior.	C-SSRS Baseline - Description of Preparatory Acts or Behaviors Toward Suicide Attempt
C101003	CSS0120	CSS01-Suicidal Behavior	Columbia-Suicide Severity Rating Scale Baseline - Suicidal behavior was present during the assessment period?	C-SSRS Baseline - Suicidal Behavior
C101004	CSS0121A	CSS01-Most Recent Attempt Date	Columbia-Suicide Severity Rating Scale Baseline - Most recent attempt date.	C-SSRS Baseline - Most Recent Suicide Attempt Date
C101005	CSS0121B	CSS01-Most Recent Attempt Damage	Columbia-Suicide Severity Rating Scale Baseline - Most recent attempt actual lethality/medical damage.	C-SSRS Baseline - Most Recent Suicide Attempt Damage
C101006	CSS0121C	CSS01-Most Recent Attempt Potential	Columbia-Suicide Severity Rating Scale Baseline - Most recent attempt potential lethality.	C-SSRS Baseline - Most Recent Suicide Attempt Potential
C101007	CSS0122A	CSS01-Most Lethal Attempt Date	Columbia-Suicide Severity Rating Scale Baseline - Most lethal attempt date.	C-SSRS Baseline - Most Lethal Suicide Attempt Date
C101008	CSS0122B	CSS01-Most Lethal Attempt Damage	Columbia-Suicide Severity Rating Scale Baseline - Most lethal attempt actual lethality/medical damage.	C-SSRS Baseline - Most Lethal Suicide Attempt Damage
C101009	CSS0122C	CSS01-Most Lethal Attempt Potential	Columbia-Suicide Severity Rating Scale Baseline - Most lethal attempt potential lethality.	C-SSRS Baseline - Most Lethal Suicide Attempt Potential
C101010	CSS0123A	CSS01-First Attempt Date	Columbia-Suicide Severity Rating Scale Baseline - Initial/first attempt date.	C-SSRS Baseline - First Suicide Attempt Date
C101011	CSS0123B	CSS01-First Attempt Damage	Columbia-Suicide Severity Rating Scale Baseline - Initial/first attempt actual lethality/medical damage.	C-SSRS Baseline - First Suicide Attempt Damage
C101012	CSS0123C	CSS01-First Attempt Potential	Columbia-Suicide Severity Rating Scale Baseline - Initial/first attempt potential lethality.	C-SSRS Baseline - First Suicide Attempt Potential

C100998	CSS01-Aborted Attempt	CSS01-Aborted Attempt	Columbia-Suicide Severity Rating Scale Baseline - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything?	C-SSRS Baseline - Aborted Suicide Attempt
C101000	CSS01-Aborted Attempt, Describe	CSS01-Aborted Attempt, Describe	Columbia-Suicide Severity Rating Scale Baseline - Description of aborted attempt.	C-SSRS Baseline - Description of Aborted Suicide Attempt
C100991	CSS01-Actual Attempt	CSS01-Actual Attempt	Columbia-Suicide Severity Rating Scale Baseline - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died?	C-SSRS Baseline - Actual Suicide Attempt
C100993	CSS01-Actual Attempt, Describe	CSS01-Actual Attempt, Describe	Columbia-Suicide Severity Rating Scale Baseline - Description of actual attempt.	C-SSRS Baseline - Description of Actual Suicide Attempts
C101011	CSS01-First Attempt Damage	CSS01-First Attempt Damage	Columbia-Suicide Severity Rating Scale Baseline - Initial/first attempt actual lethality/medical damage.	C-SSRS Baseline - First Suicide Attempt Damage
C101010	CSS01-First Attempt Date	CSS01-First Attempt Date	Columbia-Suicide Severity Rating Scale Baseline - Initial/first attempt date.	C-SSRS Baseline - First Suicide Attempt Date
C101012	CSS01-First Attempt Potential	CSS01-First Attempt Potential	Columbia-Suicide Severity Rating Scale Baseline - Initial/first attempt potential lethality.	C-SSRS Baseline - First Suicide Attempt Potential
C101015	CSS01-Ideation With Intent No Plan Descr	CSS01-Ideation With Intent No Plan Descr	Columbia-Suicide Severity Rating Scale Baseline - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Baseline - Description of Ideation With Intent, No Plan
C101014	CSS01-Ideation With Intent, No Plan	CSS01-Ideation With Intent, No Plan	Columbia-Suicide Severity Rating Scale Baseline - Have you have these thoughts and had some intention of acting on them?	C-SSRS Baseline - Ideation With Intent, No Plan
C100982	CSS01-Ideation With Plan/Intent	CSS01-Ideation With Plan/Intent	Columbia-Suicide Severity Rating Scale Baseline - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan?	C-SSRS Baseline - Ideation With Plan/Intent
C100983	CSS01-Ideation With Plan/Intent, Descr	CSS01-Ideation With Plan/Intent, Descr	Columbia-Suicide Severity Rating Scale Baseline - Description of active suicidal ideation with specific plan and intent.	C-SSRS Baseline - Description of Ideation With Plan and Intent
C100995	CSS01-Interrupted Attempt	CSS01-Interrupted Attempt	Columbia-Suicide Severity Rating Scale Baseline - Has there been a time when you started to do something to try to end your life but someone or something stopped you before you actually did anything?	C-SSRS Baseline - Interrupted Suicide Attempt
C100997	CSS01-Interrupted Attempt, Describe	CSS01-Interrupted Attempt, Describe	Columbia-Suicide Severity Rating Scale Baseline - Description of interrupted attempt.	C-SSRS Baseline - Description of Interrupted Suicide Attempt
C101008	CSS01-Most Lethal Attempt Damage	CSS01-Most Lethal Attempt Damage	Columbia-Suicide Severity Rating Scale Baseline - Most lethal attempt actual lethality/medical damage.	C-SSRS Baseline - Most Lethal Suicide Attempt Damage
C101007	CSS01-Most Lethal Attempt Date	CSS01-Most Lethal Attempt Date	Columbia-Suicide Severity Rating Scale Baseline - Most lethal attempt date.	C-SSRS Baseline - Most Lethal Suicide Attempt Date
C101009	CSS01-Most Lethal Attempt Potential	CSS01-Most Lethal Attempt Potential	Columbia-Suicide Severity Rating Scale Baseline - Most lethal attempt potential lethality.	C-SSRS Baseline - Most Lethal Suicide Attempt Potential
C101005	CSS01-Most Recent Attempt Damage	CSS01-Most Recent Attempt Damage	Columbia-Suicide Severity Rating Scale Baseline - Most recent attempt actual lethality/medical damage.	C-SSRS Baseline - Most Recent Suicide Attempt Damage
C101004	CSS01-Most Recent Attempt Date	CSS01-Most Recent Attempt Date	Columbia-Suicide Severity Rating Scale Baseline - Most recent attempt date.	C-SSRS Baseline - Most Recent Suicide Attempt Date
C101006	CSS01-Most Recent Attempt Potential	CSS01-Most Recent Attempt Potential	Columbia-Suicide Severity Rating Scale Baseline - Most recent attempt potential lethality.	C-SSRS Baseline - Most Recent Suicide Attempt Potential
C100984	CSS01-Most Severe Ideation	CSS01-Most Severe Ideation	Columbia-Suicide Severity Rating Scale Baseline - Most severe ideation.	C-SSRS Baseline - Most Severe Ideation
C100988	CSS01-Most Severe Ideation, Control	CSS01-Most Severe Ideation, Control	Columbia-Suicide Severity Rating Scale Baseline - Could/can you stop thinking about killing yourself or wanting to die if you want to?	C-SSRS Baseline - Control over Most Severe Ideation
C100985	CSS01-Most Severe Ideation, Description	CSS01-Most Severe Ideation, Description	Columbia-Suicide Severity Rating Scale Baseline - Description of most severe ideation.	C-SSRS Baseline - Describe Most Severe Ideation

Columbia-Suicide Severity Rating Scale Baseline - Description of Suicidal Ideation				
C100989	CSS01-Most Severe Ideation, Deterrents	CSS01-Most Severe Ideation, Deterrents	Columbia-Suicide Severity Rating Scale Baseline - Are there things - anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide?	C-SSRS Baseline - Deterrents to Most Severe Ideation
C100987	CSS01-Most Severe Ideation, Duration	CSS01-Most Severe Ideation, Duration	Columbia-Suicide Severity Rating Scale Baseline - When you have the thoughts, how long do they last?	C-SSRS Baseline - Duration of Most Severe Ideation
C100986	CSS01-Most Severe Ideation, Frequency	CSS01-Most Severe Ideation, Frequency	Columbia-Suicide Severity Rating Scale Baseline - How many times have you had these thoughts?	C-SSRS Baseline - Frequency of Most Severe Ideation
C100990	CSS01-Most Severe Ideation, Reasons	CSS01-Most Severe Ideation, Reasons	Columbia-Suicide Severity Rating Scale Baseline - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both?	C-SSRS Baseline - Reasons for Most Severe Ideation
C100979	CSS01-Non-Specific Suicid Thought, Descr	CSS01-Non-Specific Suicid Thought, Descr	Columbia-Suicide Severity Rating Scale Baseline - Description of non-specific active suicidal thoughts.	C-SSRS Baseline - Description of Non-Specific Suicide Thought
C100978	CSS01-Non-Specific Suicidal Thought	CSS01-Non-Specific Suicidal Thought	Columbia-Suicide Severity Rating Scale Baseline - Have you actually had any thoughts of killing yourself?	C-SSRS Baseline - Non-Specific Suicidal Thought
C100994	CSS01-Non-suicidal Self-injurious Behav	CSS01-Non-suicidal Self-injurious Behav	Columbia-Suicide Severity Rating Scale Baseline - Has the subject engaged in non-suicidal self-injurious behavior.	C-SSRS Baseline - Non-suicidal Self-injurious Behavior
C100999	CSS01-Number of Aborted Attempts	CSS01-Number of Aborted Attempts	Columbia-Suicide Severity Rating Scale Baseline - Total number of aborted attempts.	C-SSRS Baseline - Number of Aborted Suicide Attempts
C100992	CSS01-Number of Actual Attempts	CSS01-Number of Actual Attempts	Columbia-Suicide Severity Rating Scale Baseline - Total number of actual attempts.	C-SSRS Baseline - Number of Actual Suicide Attempts
C100996	CSS01-Number of Interrupted Attempts	CSS01-Number of Interrupted Attempts	Columbia-Suicide Severity Rating Scale Baseline - Total number of interrupted attempts.	C-SSRS Baseline - Number of Interrupted Suicide Attempts
C101001	CSS01-Preparatory Acts/Behavior	CSS01-Preparatory Acts/Behavior	Columbia-Suicide Severity Rating Scale Baseline - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)?	C-SSRS Baseline - Preparatory Acts or Behaviors Toward Suicide Attempt
C101002	CSS01-Preparatory Acts/Behavior, Descr	CSS01-Preparatory Acts/Behavior, Descr	Columbia-Suicide Severity Rating Scale Baseline - Description of preparatory acts or behavior.	C-SSRS Baseline - Description of Preparatory Acts or Behaviors Toward Suicide Attempt
C101003	CSS01-Suicidal Behavior	CSS01-Suicidal Behavior	Columbia-Suicide Severity Rating Scale Baseline - Suicidal behavior was present during the assessment period?	C-SSRS Baseline - Suicidal Behavior
C100980	CSS01-Suicidal Ideation-No Intent	CSS01-Suicidal Ideation-No Intent	Columbia-Suicide Severity Rating Scale Baseline - Have you been thinking about how you might do this?	C-SSRS Baseline - Suicidal Ideation-No Intent
C100981	CSS01-Suicidal Ideation-No Intent, Descr	CSS01-Suicidal Ideation-No Intent, Descr	Columbia-Suicide Severity Rating Scale Baseline - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Baseline - Description of Suicidal Ideation-No Intent
C100976	CSS01-Wish to be Dead	CSS01-Wish to be Dead	Columbia-Suicide Severity Rating Scale Baseline - Have you wished you were dead or wished you could go to sleep and not wake up?	C-SSRS Baseline - Wish to be Dead or go to Sleep and not Wake Up
C100977	CSS01-Wish to be Dead, Describe	CSS01-Wish to be Dead, Describe	Columbia-Suicide Severity Rating Scale Baseline - Description of wishing to be dead.	C-SSRS Baseline - Description of Wish to be Dead

C103772	CSS0201	CSS02-Wish to be Dead	Columbia-Suicide Severity Rating Scale Since Last Visit - Have you wished you were dead or wished you could go to sleep and not wake up?	C-SSRS Since Last Visit - Wish to be Dead or go to Sleep and not Wake Up
C103773	CSS0201A	CSS02-Wish to be Dead, Describe	Columbia-Suicide Severity Rating Scale Since Last Visit - Description of wishing to be dead.	C-SSRS Since Last Visit - Description of Wish to be Dead
C103774	CSS0202	CSS02-Non-Specific Suicidal Thought	Columbia-Suicide Severity Rating Scale Since Last Visit - Have you actually had any thoughts of killing yourself?	C-SSRS Since Last Visit - Non-Specific Suicidal Thought
C103775	CSS0202A	CSS02-Non-Specific Suicid Thought, Descr	Columbia-Suicide Severity Rating Scale Since Last Visit - Description of non-specific active suicidal thoughts.	C-SSRS Since Last Visit - Description of Non-Specific Suicide Thought
C103776	CSS0203	CSS02-Suicidal Ideation-No Intent	Columbia-Suicide Severity Rating Scale Since Last Visit - Have you been thinking about how you might do this?	C-SSRS Since Last Visit - Suicidal Ideation-No Intent
C103777	CSS0203A	CSS02-Suicidal Ideation-No Intent, Descr	Columbia-Suicide Severity Rating Scale Since Last Visit - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Since Last Visit - Description of Suicidal Ideation-No Intent
C103799	CSS0204	CSS02-Ideation With Intent, No Plan	Columbia-Suicide Severity Rating Scale Since Last Visit - Have you had these thoughts and had some intention of acting on them?	C-SSRS Since Last Visit - Ideation With Intent, No Plan
C103800	CSS0204A	CSS02-Ideation With Intent No Plan Descr	Columbia-Suicide Severity Rating Scale Since Last Visit - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Since Last Visit - Description of Ideation With Intent, No Plan
C103801	CSS0205	CSS02-Ideation With Plan/Intent	Columbia-Suicide Severity Rating Scale Since Last Visit - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan?	C-SSRS Since Last Visit - Ideation With Plan/Intent
C103778	CSS0205A	CSS02-Ideation With Plan/Intent, Descr	Columbia-Suicide Severity Rating Scale Since Last Visit - Description of active suicidal ideation with specific plan and intent.	C-SSRS Since Last Visit - Description of Ideation With Plan and Intent
C103779	CSS0206	CSS02-Most Severe Ideation	Columbia-Suicide Severity Rating Scale Since Last Visit - Most severe ideation.	C-SSRS Since Last Visit - Most Severe Ideation
C103780	CSS0206A	CSS02-Most Severe Ideation, Description	Columbia-Suicide Severity Rating Scale Since Last Visit - Description of most severe ideation.	C-SSRS Since Last Visit - Describe Most Severe Ideation
C103781	CSS0207	CSS02-Most Severe Ideation, Frequency	Columbia-Suicide Severity Rating Scale Since Last Visit - How many times have you had these thoughts?	C-SSRS Since Last Visit - Frequency of Most Severe Ideation
C103782	CSS0208	CSS02-Most Severe Ideation, Duration	Columbia-Suicide Severity Rating Scale Since Last Visit - When you have the thoughts, how long do they last?	C-SSRS Since Last Visit - Duration of Most Severe Ideation
C103783	CSS0209	CSS02-Most Severe Ideation, Control	Columbia-Suicide Severity Rating Scale Since Last Visit - Could/can you stop thinking about killing yourself or wanting to die if you want to?	C-SSRS Since Last Visit - Control over Most Severe Ideation
C103784	CSS0210	CSS02-Most Severe Ideation, Deterrents	Columbia-Suicide Severity Rating Scale Since Last Visit - Are there things - anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide?	C-SSRS Since Last Visit - Deterrents to Most Severe Ideation
C103785	CSS0211	CSS02-Most Severe Ideation, Reasons	Columbia-Suicide Severity Rating Scale Since Last Visit - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both?	C-SSRS Since Last Visit - Reasons for Most Severe Ideation
C103786	CSS0212	CSS02-Actual Attempt	Columbia-Suicide Severity Rating Scale Since Last Visit - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died?	C-SSRS Since Last Visit - Actual Suicide Attempt
C103787	CSS0213	CSS02-Number of Actual Attempts	Columbia-Suicide Severity Rating Scale Since Last Visit - Total number of actual attempts.	C-SSRS Since Last Visit - Number of Actual Suicide Attempts
C103788	CSS0213A	CSS02-Actual Attempt, Describe	Columbia-Suicide Severity Rating Scale Since Last Visit - Description of actual attempt.	C-SSRS Since Last Visit - Description of Actual Suicide Attempts

Columbia-Suicide Severity Rating Scale Since Last Visit				
C103789	CSS0214	CSS02-Non-suicidal Self-injurious Behav	Columbia-Suicide Severity Rating Scale Since Last Visit - Has the subject engaged in non-suicidal self-injurious behavior.	C-SSRS Since Last Visit - Non-suicidal Self-injurious Behavior
C103790	CSS0215	CSS02-Interrupted Attempt	Columbia-Suicide Severity Rating Scale Since Last Visit - Has there been a time when you started to do something to try to end your life but someone or something stopped you before you actually did anything?	C-SSRS Since Last Visit - Interrupted Suicide Attempt
C103791	CSS0216	CSS02-Number of Interrupted Attempts	Columbia-Suicide Severity Rating Scale Since Last Visit - Total number of interrupted attempts.	C-SSRS Since Last Visit - Number of Interrupted Suicide Attempts
C103792	CSS0216A	CSS02-Interrupted Attempt, Describe	Columbia-Suicide Severity Rating Scale Since Last Visit - Description of interrupted attempt.	C-SSRS Since Last Visit - Description of Interrupted Suicide Attempt
C103793	CSS0217	CSS02-Aborted Attempt	Columbia-Suicide Severity Rating Scale Since Last Visit - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything?	C-SSRS Since Last Visit - Aborted Suicide Attempt
C103794	CSS0218	CSS02-Number of Aborted Attempts	Columbia-Suicide Severity Rating Scale Since Last Visit - Total number of aborted attempts.	C-SSRS Since Last Visit - Number of Aborted Suicide Attempts
C103795	CSS0218A	CSS02-Aborted Attempt, Describe	Columbia-Suicide Severity Rating Scale Since Last Visit - Description of aborted attempt.	C-SSRS Since Last Visit - Description of Aborted Suicide Attempt
C103796	CSS0219	CSS02-Preparatory Acts/Behavior	Columbia-Suicide Severity Rating Scale Since Last Visit - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)?	C-SSRS Since Last Visit - Preparatory Acts or Behaviors Toward Suicide Attempt
C103797	CSS0219A	CSS02-Preparatory Acts/Behavior, Descr	Columbia-Suicide Severity Rating Scale Since Last Visit - Description of preparatory acts or behavior.	C-SSRS Since Last Visit - Description of Preparatory Acts or Behaviors Toward Suicide Attempt
C103798	CSS0220	CSS02-Suicidal Behavior	Columbia-Suicide Severity Rating Scale Since Last Visit - Suicidal behavior was present during the assessment period?	C-SSRS Since Last Visit - Suicidal Behavior
C103532	CSS0221	CSS02-Suicide	Columbia-Suicide Severity Rating Scale Since Last Visit - Suicide.	C-SSRS Since Last Visit - Suicide
C103533	CSS0222A	CSS02-Most Lethal Attempt Date	Columbia-Suicide Severity Rating Scale Since Last Visit - Most lethal attempt date.	C-SSRS Since Last Visit - Most Lethal Attempt Date
C103534	CSS0222B	CSS02-Most Lethal Attempt Damage	Columbia-Suicide Severity Rating Scale Since Last Visit - Most lethal attempt actual lethality/medical damage.	C-SSRS Since Last Visit - Most Lethal Actual Attempt Lethality/Medical Damage
C103535	CSS0222C	CSS02-Most Lethal Attempt Potential	Columbia-Suicide Severity Rating Scale Since Last Visit - Most lethal attempt potential lethality.	C-SSRS Since Last Visit - Most Lethal Actual Attempt Potential Lethality

C103793	CSS02-Aborted Attempt	CSS02-Aborted Attempt	Columbia-Suicide Severity Rating Scale Since Last Visit - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything?	C-SSRS Since Last Visit - Aborted Suicide Attempt
C103795	CSS02-Aborted Attempt, Describe	CSS02-Aborted Attempt, Describe	Columbia-Suicide Severity Rating Scale Since Last Visit - Description of aborted attempt.	C-SSRS Since Last Visit - Description of Aborted Suicide Attempt
C103786	CSS02-Actual Attempt	CSS02-Actual Attempt	Columbia-Suicide Severity Rating Scale Since Last Visit - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died?	C-SSRS Since Last Visit - Actual Suicide Attempt
C103788	CSS02-Actual Attempt, Describe	CSS02-Actual Attempt, Describe	Columbia-Suicide Severity Rating Scale Since Last Visit - Description of actual attempt.	C-SSRS Since Last Visit - Description of Actual Suicide Attempts
C103800	CSS02-Ideation With Intent No Plan Descr	CSS02-Ideation With Intent No Plan Descr	Columbia-Suicide Severity Rating Scale Since Last Visit - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Since Last Visit - Description of Ideation With Intent, No Plan
C103799	CSS02-Ideation With Intent, No Plan	CSS02-Ideation With Intent, No Plan	Columbia-Suicide Severity Rating Scale Since Last Visit - Have you had these thoughts and had some intention of acting on them?	C-SSRS Since Last Visit - Ideation With Intent, No Plan
C103801	CSS02-Ideation With Plan/Intent	CSS02-Ideation With Plan/Intent	Columbia-Suicide Severity Rating Scale Since Last Visit - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan?	C-SSRS Since Last Visit - Ideation With Plan/Intent
C103778	CSS02-Ideation With Plan/Intent, Descr	CSS02-Ideation With Plan/Intent, Descr	Columbia-Suicide Severity Rating Scale Since Last Visit - Description of active suicidal ideation with specific plan and intent.	C-SSRS Since Last Visit - Description of Ideation With Plan and Intent
C103790	CSS02-Interrupted Attempt	CSS02-Interrupted Attempt	Columbia-Suicide Severity Rating Scale Since Last Visit - Has there been a time when you started to do something to try to end your life but someone or something stopped you before you actually did anything?	C-SSRS Since Last Visit - Interrupted Suicide Attempt
C103792	CSS02-Interrupted Attempt, Describe	CSS02-Interrupted Attempt, Describe	Columbia-Suicide Severity Rating Scale Since Last Visit - Description of interrupted attempt.	C-SSRS Since Last Visit - Description of Interrupted Suicide Attempt
C103534	CSS02-Most Lethal Attempt Damage	CSS02-Most Lethal Attempt Damage	Columbia-Suicide Severity Rating Scale Since Last Visit - Most lethal attempt actual lethality/medical damage.	C-SSRS Since Last Visit - Most Lethal Actual Attempt Lethality/Medical Damage
C103533	CSS02-Most Lethal Attempt Date	CSS02-Most Lethal Attempt Date	Columbia-Suicide Severity Rating Scale Since Last Visit - Most lethal attempt date.	C-SSRS Since Last Visit - Most Lethal Attempt Date
C103535	CSS02-Most Lethal Attempt Potential	CSS02-Most Lethal Attempt Potential	Columbia-Suicide Severity Rating Scale Since Last Visit - Most lethal attempt potential lethality.	C-SSRS Since Last Visit - Most Lethal Actual Attempt Potential Lethality
C103779	CSS02-Most Severe Ideation	CSS02-Most Severe Ideation	Columbia-Suicide Severity Rating Scale Since Last Visit - Most severe ideation.	C-SSRS Since Last Visit - Most Severe Ideation
C103783	CSS02-Most Severe Ideation, Control	CSS02-Most Severe Ideation, Control	Columbia-Suicide Severity Rating Scale Since Last Visit - Could/can you stop thinking about killing yourself or wanting to die if you want to?	C-SSRS Since Last Visit - Control over Most Severe Ideation
C103780	CSS02-Most Severe Ideation, Description	CSS02-Most Severe Ideation, Description	Columbia-Suicide Severity Rating Scale Since Last Visit - Description of most severe ideation.	C-SSRS Since Last Visit - Describe Most Severe Ideation
C103784	CSS02-Most Severe Ideation, Deterrents	CSS02-Most Severe Ideation, Deterrents	Columbia-Suicide Severity Rating Scale Since Last Visit - Are there things - anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide?	C-SSRS Since Last Visit - Deterrents to Most Severe Ideation
C103782	CSS02-Most Severe Ideation, Duration	CSS02-Most Severe Ideation, Duration	Columbia-Suicide Severity Rating Scale Since Last Visit - When you have the thoughts, how long do they last?	C-SSRS Since Last Visit - Duration of Most Severe Ideation
C103781	CSS02-Most Severe Ideation, Frequency	CSS02-Most Severe Ideation, Frequency	Columbia-Suicide Severity Rating Scale Since Last Visit - How many times have you had these thoughts?	C-SSRS Since Last Visit - Frequency of Most Severe Ideation

Columbia-Suicide Severity Rating Scale Since Last Visit - Description of Suicidal Ideation					
C103785	CSS02-Most Severe Ideation, Reasons	CSS02-Most Severe Ideation, Reasons	Columbia-Suicide Severity Rating Scale Since Last Visit - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both?	C-SSRS Since Last Visit - Reasons for Most Severe Ideation	
C103775	CSS02-Non-Specific Suicid Thought, Descr	CSS02-Non-Specific Suicid Thought, Descr	Columbia-Suicide Severity Rating Scale Since Last Visit - Description of non-specific active suicidal thoughts.	C-SSRS Since Last Visit - Description of Non-Specific Suicide Thought	
C103774	CSS02-Non-Specific Suicidal Thought	CSS02-Non-Specific Suicidal Thought	Columbia-Suicide Severity Rating Scale Since Last Visit - Have you actually had any thoughts of killing yourself?	C-SSRS Since Last Visit - Non-Specific Suicidal Thought	
C103789	CSS02-Non-suicidal Self-injurious Behav	CSS02-Non-suicidal Self-injurious Behav	Columbia-Suicide Severity Rating Scale Since Last Visit - Has the subject engaged in non-suicidal self-injurious behavior.	C-SSRS Since Last Visit - Non-suicidal Self-injurious Behavior	
C103794	CSS02-Number of Aborted Attempts	CSS02-Number of Aborted Attempts	Columbia-Suicide Severity Rating Scale Since Last Visit - Total number of aborted attempts.	C-SSRS Since Last Visit - Number of Aborted Suicide Attempts	
C103787	CSS02-Number of Actual Attempts	CSS02-Number of Actual Attempts	Columbia-Suicide Severity Rating Scale Since Last Visit - Total number of actual attempts.	C-SSRS Since Last Visit - Number of Actual Suicide Attempts	
C103791	CSS02-Number of Interrupted Attempts	CSS02-Number of Interrupted Attempts	Columbia-Suicide Severity Rating Scale Since Last Visit - Total number of interrupted attempts.	C-SSRS Since Last Visit - Number of Interrupted Suicide Attempts	
C103796	CSS02-Preparatory Acts/Behavior	CSS02-Preparatory Acts/Behavior	Columbia-Suicide Severity Rating Scale Since Last Visit - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)?	C-SSRS Since Last Visit - Preparatory Acts or Behaviors Toward Suicide Attempt	
C103797	CSS02-Preparatory Acts/Behavior, Descr	CSS02-Preparatory Acts/Behavior, Descr	Columbia-Suicide Severity Rating Scale Since Last Visit - Description of preparatory acts or behavior.	C-SSRS Since Last Visit - Description of Preparatory Acts or Behaviors Toward Suicide Attempt	
C103798	CSS02-Suicidal Behavior	CSS02-Suicidal Behavior	Columbia-Suicide Severity Rating Scale Since Last Visit - Suicidal behavior was present during the assessment period?	C-SSRS Since Last Visit - Suicidal Behavior	
C103776	CSS02-Suicidal Ideation-No Intent	CSS02-Suicidal Ideation-No Intent	Columbia-Suicide Severity Rating Scale Since Last Visit - Have you been thinking about how you might do this?	C-SSRS Since Last Visit - Suicidal Ideation-No Intent	
C103777	CSS02-Suicidal Ideation-No Intent, Descr	CSS02-Suicidal Ideation-No Intent, Descr	Columbia-Suicide Severity Rating Scale Since Last Visit - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Since Last Visit - Description of Suicidal Ideation-No Intent	
C103532	CSS02-Suicide	CSS02-Suicide	Columbia-Suicide Severity Rating Scale Since Last Visit - Suicide.	C-SSRS Since Last Visit - Suicide	
C103772	CSS02-Wish to be Dead	CSS02-Wish to be Dead	Columbia-Suicide Severity Rating Scale Since Last Visit - Have you wished you were dead or wished you could go to sleep and not wake up?	C-SSRS Since Last Visit - Wish to be Dead or go to Sleep and not Wake Up	
C103773	CSS02-Wish to be Dead, Describe	CSS02-Wish to be Dead, Describe	Columbia-Suicide Severity Rating Scale Since Last Visit - Description of wishing to be dead.	C-SSRS Since Last Visit - Description of Wish to be Dead	

C105210	CSS0301A	CSS03-Wish to be Dead-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you wished you were dead or wished you could go to sleep and not wake up? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Wish to be Dead (Lifetime)
C105211	CSS0301B	CSS03-Wish to be Dead-P6M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you wished you were dead or wished you could go to sleep and not wake up? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Wish to be Dead (Past 6 Months)
C105212	CSS0301C	CSS03-Wish to be Dead, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of wishing to be dead.	C-SSRS Baseline/Screening Version Phase 1 Study - Description of Wish to be Dead (Lifetime)
C105213	CSS0302A	CSS03-Non-Spec Suicid Thought-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you actually had any thoughts of killing yourself? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Non-Specific Active Suicidal Thoughts (Lifetime)
C105214	CSS0302B	CSS03-Non-Spec Suicid Thought-P6M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you actually had any thoughts of killing yourself? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Non-Specific Active Suicidal Thoughts (Past 6 Months)
C105215	CSS0302C	CSS03-Non-Spec Suicid Thought, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of non-specific active suicidal thoughts.	C-SSRS Baseline/Screening Version Phase 1 Study - Description of Non-Specific Active Suicidal Thoughts (Lifetime)
C105216	CSS0303A	CSS03-Idea, No Intent, No Plan-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you been thinking about how you might do this? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act (Lifetime)
C105217	CSS0303B	CSS03-Idea, No Intent, No Plan-P6M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you been thinking about how you might do this? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act (Past 6 Months)
C105218	CSS0303C	CSS03-Idea, No Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Baseline/Screening Version Phase 1 Study - Description of Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act (Lifetime)
C105219	CSS0304A	CSS03-Idea, Intent, No Plan-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you had these thoughts and had some intention of acting on them? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Active Suicidal Ideation with Some Intent to Act, without Specific Plan (Lifetime)
C105220	CSS0304B	CSS03-Idea, Intent, No Plan-P6M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you had these thoughts and had some intention of acting on them? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Active Suicidal Ideation with Some Intent to Act, without Specific Plan (Past 6 Months)
C105221	CSS0304C	CSS03-Idea, Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Baseline/Screening Version Phase 1 Study - Description of Active Suicidal Ideation with Some Intent to Act, without Specific Plan (Lifetime)
C105222	CSS0305A	CSS03-Idea, Plan, Intent-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Active Suicidal Ideation with Specific Plan and Intent (Lifetime)
C105223	CSS0305B	CSS03-Idea, Plan, Intent-P6M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Active Suicidal Ideation with Specific Plan and Intent (Past 6 Months)

Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of active suicidal ideation with specific plan and intent.				
C105224	CSS0305C	CSS03-Idea, Plan, Intent, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of active suicidal ideation with specific plan and intent.	C-SSRS Baseline/Screening Version Phase 1 Study - Description of Active Suicidal Ideation with Specific Plan and Intent (Lifetime)
C105225	CSS0306A	CSS03-Most Severe Idea-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Most severe ideation. (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Most Severe Ideation (Lifetime)
C105226	CSS0306B	CSS03-Most Severe Idea, Desc-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of most severe ideation. (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Describe Most Severe Ideation (Lifetime)
C105227	CSS0306C	CSS03-Most Severe Idea-P6M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Most severe ideation. (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Most Severe Ideation (Past 6 Months)
C105228	CSS0306D	CSS03-Most Severe Idea, Desc-P6M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of most severe ideation. (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Describe Most Severe Ideation (Past 6 Months)
C105229	CSS0307A	CSS03-Most Severe Idea, Frequency-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - How many times have you had these thoughts? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Frequency of Most Severe Ideation (Lifetime)
C105230	CSS0307B	CSS03-Most Severe Idea, Frequency-P6M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - How many times have you had these thoughts? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Frequency of Most Severe Ideation (Past 6 Months)
C105231	CSS0308A	CSS03-Most Severe Idea, Duration-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - When you have the thoughts how long do they last? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Duration of Most Severe Ideation (Lifetime)
C105232	CSS0308B	CSS03-Most Severe Idea, Duration-P6M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - When you have the thoughts how long do they last? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Duration of Most Severe Ideation (Past 6 Months)
C105233	CSS0309A	CSS03-Most Severe Idea, Control-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Could/can you stop thinking about killing yourself or wanting to die if you want to? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Controllability of Most Severe Ideation (Lifetime)
C105234	CSS0309B	CSS03-Most Severe Idea, Control-P6M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Could/can you stop thinking about killing yourself or wanting to die if you want to? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Controllability of Most Severe Ideation (Past 6 Months)
C105235	CSS0310A	CSS03-Most Severe Idea, Deterrents-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Are there things-anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Deterrents to Most Severe Ideation (Lifetime)
C105236	CSS0310B	CSS03-Most Severe Idea, Deterrents-P6M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Are there things-anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Deterrents to Most Severe Ideation (Past 6 Months)
C105237	CSS0311A	CSS03-Most Severe Idea, Reasons-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Reasons for Most Severe Ideation (Lifetime)
C105238	CSS0311B	CSS03-Most Severe Idea, Reasons-P6M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Reasons for Most Severe Ideation (Past 6 Months)

Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Suicide Attempt Items				
C105239	CSS0312	CSS03-Actual Attempt	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died?	C-SSRS Baseline/Screening Version Phase 1 Study - Actual Suicide Attempt
C105240	CSS0313	CSS03-Number of Actual Attempts	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Total number of actual attempts.	C-SSRS Baseline/Screening Version Phase 1 Study - Number of Actual Suicide Attempts
C105241	CSS0313A	CSS03-Actual Attempt, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of actual attempt.	C-SSRS Baseline/Screening Version Phase 1 Study - Description of Actual Suicide Attempt
C105242	CSS0314	CSS03-Non-suicidal Self-injurious Behav	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Has the subject engaged in non-suicidal self-injurious behavior.	C-SSRS Baseline/Screening Version Phase 1 Study - Non-suicidal Self-injurious Behavior
C105243	CSS0315	CSS03-Interrupted Attempt	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Has there been a time when you started to do something to try to end your life but someone or something stopped you before you actually did anything?	C-SSRS Baseline/Screening Version Phase 1 Study - Interrupted Suicide Attempt
C105244	CSS0316	CSS03-Number of Interrupted Attempts	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Total number of interrupted attempts.	C-SSRS Baseline/Screening Version Phase 1 Study - Number of Interrupted Suicide Attempts
C105245	CSS0316A	CSS03-Interrupted Attempt, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of interrupted attempt.	C-SSRS Baseline/Screening Version Phase 1 Study - Description of Interrupted Suicide Attempt
C105246	CSS0317	CSS03-Aborted Attempt	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything?	C-SSRS Baseline/Screening Version Phase 1 Study - Aborted Suicide Attempt
C105247	CSS0318	CSS03-Number of Aborted Attempts	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Total number of aborted attempts.	C-SSRS Baseline/Screening Version Phase 1 Study - Number of Aborted Suicide Attempts
C105248	CSS0318A	CSS03-Aborted Attempt, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of aborted attempt.	C-SSRS Baseline/Screening Version Phase 1 Study - Description of Aborted Suicide Attempt
C105249	CSS0319	CSS03-Preparatory Acts/Behavior	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)?	C-SSRS Baseline/Screening Version Phase 1 Study - Preparatory Acts or Behaviors Toward Suicide Attempt
C105250	CSS0319A	CSS03-Preparatory Acts/Behavior, Descr	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of preparatory acts or behavior.	C-SSRS Baseline/Screening Version Phase 1 Study - Description of Preparatory Acts or Behaviors Toward Suicide Attempt
C105251	CSS0320	CSS03-Suicidal Behavior	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Suicidal behavior was present during the assessment period?	C-SSRS Baseline/Screening Version Phase 1 Study - Suicidal Behavior
C105252	CSS0321A	CSS03-Most Recent Attempt Date	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Most recent attempt date.	C-SSRS Baseline/Screening Version Phase 1 Study - Most Recent Suicide Attempt Date
C105253	CSS0321B	CSS03-Most Recent Attempt Damage	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Most recent attempt actual lethality/medical damage.	C-SSRS Baseline/Screening Version Phase 1 Study - Most Recent Suicide Attempt Actual Lethality/Medical Damage
C105254	CSS0321C	CSS03-Most Recent Attempt Potential	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Most recent attempt potential lethality.	C-SSRS Baseline/Screening Version Phase 1 Study - Most Recent Suicide Attempt Potential Lethality
C105255	CSS0322A	CSS03-Most Lethal Attempt Date	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Most lethal attempt date.	C-SSRS Baseline/Screening Version Phase 1 Study - Most Lethal Suicide Attempt Date

Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Most Lethal Suicide Attempt Actual Lethality/Medical Damage				
C105256	CSS0322B	CSS03-Most Lethal Attempt Damage	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Most lethal attempt actual lethality/medical damage.	C-SSRS Baseline/Screening Version Phase 1 Study - Most Lethal Suicide Attempt Actual Lethality/Medical Damage
C105257	CSS0322C	CSS03-Most Lethal Attempt Potential	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Most lethal attempt potential lethality.	C-SSRS Baseline/Screening Version Phase 1 Study - Most Lethal Suicide Attempt Potential Lethality
C105258	CSS0323A	CSS03-First Attempt Date	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Initial/first attempt date.	C-SSRS Baseline/Screening Version Phase 1 Study - First Suicide Attempt Date
C105259	CSS0323B	CSS03-First Attempt Damage	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Initial/first attempt actual lethality/medical damage.	C-SSRS Baseline/Screening Version Phase 1 Study - First Suicide Attempt Actual Lethality/Medical Damage
C105260	CSS0323C	CSS03-First Attempt Potential	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Initial/first attempt potential lethality.	C-SSRS Baseline/Screening Version Phase 1 Study - First Suicide Attempt Potential Lethality

C105246	CSS03-Aborted Attempt	CSS03-Aborted Attempt	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything?	C-SSRS Baseline/Screening Version Phase 1 Study - Aborted Suicide Attempt
C105248	CSS03-Aborted Attempt, Describe	CSS03-Aborted Attempt, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of aborted attempt.	C-SSRS Baseline/Screening Version Phase 1 Study - Description of Aborted Suicide Attempt
C105239	CSS03-Actual Attempt	CSS03-Actual Attempt	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died?	C-SSRS Baseline/Screening Version Phase 1 Study - Actual Suicide Attempt
C105241	CSS03-Actual Attempt, Describe	CSS03-Actual Attempt, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of actual attempt.	C-SSRS Baseline/Screening Version Phase 1 Study - Description of Actual Suicide Attempt
C105259	CSS03-First Attempt Damage	CSS03-First Attempt Damage	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Initial/first attempt actual lethality/medical damage.	C-SSRS Baseline/Screening Version Phase 1 Study - First Suicide Attempt Actual Lethality/Medical Damage
C105258	CSS03-First Attempt Date	CSS03-First Attempt Date	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Initial/first attempt date.	C-SSRS Baseline/Screening Version Phase 1 Study - First Suicide Attempt Date
C105260	CSS03-First Attempt Potential	CSS03-First Attempt Potential	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Initial/first attempt potential lethality.	C-SSRS Baseline/Screening Version Phase 1 Study - First Suicide Attempt Potential Lethality
C105221	CSS03-Idea, Intent, No Plan, Describe	CSS03-Idea, Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Baseline/Screening Version Phase 1 Study - Description of Active Suicidal Ideation with Some Intent to Act, without Specific Plan (Lifetime)
C105219	CSS03-Idea, Intent, No Plan-Life	CSS03-Idea, Intent, No Plan-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you had these thoughts and had some intention of acting on them? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Active Suicidal Ideation with Some Intent to Act, without Specific Plan (Lifetime)
C105220	CSS03-Idea, Intent, No Plan-P6M	CSS03-Idea, Intent, No Plan-P6M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you had these thoughts and had some intention of acting on them? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Active Suicidal Ideation with Some Intent to Act, without Specific Plan (Past 6 Months)
C105218	CSS03-Idea, No Intent, No Plan, Describe	CSS03-Idea, No Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Baseline/Screening Version Phase 1 Study - Description of Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act (Lifetime)
C105216	CSS03-Idea, No Intent, No Plan-Life	CSS03-Idea, No Intent, No Plan-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you been thinking about how you might do this? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act (Lifetime)
C105217	CSS03-Idea, No Intent, No Plan-P6M	CSS03-Idea, No Intent, No Plan-P6M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you been thinking about how you might do this? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act (Past 6 Months)
C105224	CSS03-Idea, Plan, Intent, Describe	CSS03-Idea, Plan, Intent, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of active suicidal ideation with specific plan and intent.	C-SSRS Baseline/Screening Version Phase 1 Study - Description of Active Suicidal Ideation with Specific Plan and Intent (Lifetime)

Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan? (Lifetime).					
C105222	CSS03-Idea, Plan, Intent-Life	CSS03-Idea, Plan, Intent-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Active Suicidal Ideation with Specific Plan and Intent (Lifetime)	
C105223	CSS03-Idea, Plan, Intent-P6M	CSS03-Idea, Plan, Intent-P6M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Active Suicidal Ideation with Specific Plan and Intent (Past 6 Months)	
C105243	CSS03-Interrupted Attempt	CSS03-Interrupted Attempt	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Has there been a time when you started to do something to try to end your life but someone or something stopped you before you actually did anything?	C-SSRS Baseline/Screening Version Phase 1 Study - Interrupted Suicide Attempt	
C105245	CSS03-Interrupted Attempt, Describe	CSS03-Interrupted Attempt, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of interrupted attempt.	C-SSRS Baseline/Screening Version Phase 1 Study - Description of Interrupted Suicide Attempt	
C105256	CSS03-Most Lethal Attempt Damage	CSS03-Most Lethal Attempt Damage	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Most lethal attempt actual lethality/medical damage.	C-SSRS Baseline/Screening Version Phase 1 Study - Most Lethal Suicide Attempt Actual Lethality/Medical Damage	
C105255	CSS03-Most Lethal Attempt Date	CSS03-Most Lethal Attempt Date	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Most lethal attempt date.	C-SSRS Baseline/Screening Version Phase 1 Study - Most Lethal Suicide Attempt Date	
C105257	CSS03-Most Lethal Attempt Potential	CSS03-Most Lethal Attempt Potential	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Most lethal attempt potential lethality.	C-SSRS Baseline/Screening Version Phase 1 Study - Most Lethal Suicide Attempt Potential Lethality	
C105253	CSS03-Most Recent Attempt Damage	CSS03-Most Recent Attempt Damage	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Most recent attempt actual lethality/medical damage.	C-SSRS Baseline/Screening Version Phase 1 Study - Most Recent Suicide Attempt Actual Lethality/Medical Damage	
C105252	CSS03-Most Recent Attempt Date	CSS03-Most Recent Attempt Date	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Most recent attempt date.	C-SSRS Baseline/Screening Version Phase 1 Study - Most Recent Suicide Attempt Date	
C105254	CSS03-Most Recent Attempt Potential	CSS03-Most Recent Attempt Potential	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Most recent attempt potential lethality.	C-SSRS Baseline/Screening Version Phase 1 Study - Most Recent Suicide Attempt Potential Lethality	
C105233	CSS03-Most Severe Idea, Control-Life	CSS03-Most Severe Idea, Control-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Could/can you stop thinking about killing yourself or wanting to die if you want to? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Controllability of Most Severe Ideation (Lifetime)	
C105234	CSS03-Most Severe Idea, Control-P6M	CSS03-Most Severe Idea, Control-P6M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Could/can you stop thinking about killing yourself or wanting to die if you want to? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Controllability of Most Severe Ideation (Past 6 Months)	
C105226	CSS03-Most Severe Idea, Desc-Life	CSS03-Most Severe Idea, Desc-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of most severe ideation. (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Describe Most Severe Ideation (Lifetime)	
C105228	CSS03-Most Severe Idea, Desc-P6M	CSS03-Most Severe Idea, Desc-P6M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of most severe ideation. (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Describe Most Severe Ideation (Past 6 Months)	
C105235	CSS03-Most Severe Idea, Deterrents-Life	CSS03-Most Severe Idea, Deterrents-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Are there things-anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Deterrents to Most Severe Ideation (Lifetime)	
C105236	CSS03-Most Severe Idea, Deterrents-P6M	CSS03-Most Severe Idea, Deterrents-P6M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Are there things-anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Deterrents to Most Severe Ideation (Past 6 Months)	

Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - How many times have you had these thoughts? (Past 6 Months)					
C105231	CSS03-Most Severe Idea, Duration-Life	CSS03-Most Severe Idea, Duration-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - When you have the thoughts how long do they last? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Duration of Most Severe Ideation (Lifetime)	
C105232	CSS03-Most Severe Idea, Duration-P6M	CSS03-Most Severe Idea, Duration-P6M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - When you have the thoughts how long do they last? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Duration of Most Severe Ideation (Past 6 Months)	
C105229	CSS03-Most Severe Idea, Frequency-Life	CSS03-Most Severe Idea, Frequency-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - How many times have you had these thoughts? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Frequency of Most Severe Ideation (Lifetime)	
C105230	CSS03-Most Severe Idea, Frequency-P6M	CSS03-Most Severe Idea, Frequency-P6M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - How many times have you had these thoughts? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Frequency of Most Severe Ideation (Past 6 Months)	
C105237	CSS03-Most Severe Idea, Reasons-Life	CSS03-Most Severe Idea, Reasons-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Reasons for Most Severe Ideation (Lifetime)	
C105238	CSS03-Most Severe Idea, Reasons-P6M	CSS03-Most Severe Idea, Reasons-P6M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Reasons for Most Severe Ideation (Past 6 Months)	
C105225	CSS03-Most Severe Idea-Life	CSS03-Most Severe Idea-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Most severe ideation. (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Most Severe Ideation (Lifetime)	
C105227	CSS03-Most Severe Idea-P6M	CSS03-Most Severe Idea-P6M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Most severe ideation. (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Most Severe Ideation (Past 6 Months)	
C105215	CSS03-Non-Spec Suicid Thought, Describe	CSS03-Non-Spec Suicid Thought, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of non-specific active suicidal thoughts.	C-SSRS Baseline/Screening Version Phase 1 Study - Description of Non-Specific Active Suicidal Thoughts (Lifetime)	
C105213	CSS03-Non-Spec Suicid Thought-Life	CSS03-Non-Spec Suicid Thought-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you actually had any thoughts of killing yourself? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Non-Specific Active Suicidal Thoughts (Lifetime)	
C105214	CSS03-Non-Spec Suicid Thought-P6M	CSS03-Non-Spec Suicid Thought-P6M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you actually had any thoughts of killing yourself? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Non-Specific Active Suicidal Thoughts (Past 6 Months)	
C105242	CSS03-Non-suicidal Self-injurious Behav	CSS03-Non-suicidal Self-injurious Behav	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Has the subject engaged in non-suicidal self-injurious behavior.	C-SSRS Baseline/Screening Version Phase 1 Study - Non-suicidal Self-injurious Behavior	
C105247	CSS03-Number of Aborted Attempts	CSS03-Number of Aborted Attempts	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Total number of aborted attempts.	C-SSRS Baseline/Screening Version Phase 1 Study - Number of Aborted Suicide Attempts	
C105240	CSS03-Number of Actual Attempts	CSS03-Number of Actual Attempts	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Total number of actual attempts.	C-SSRS Baseline/Screening Version Phase 1 Study - Number of Actual Suicide Attempts	
C105244	CSS03-Number of Interrupted Attempts	CSS03-Number of Interrupted Attempts	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Total number of interrupted attempts.	C-SSRS Baseline/Screening Version Phase 1 Study - Number of Interrupted Suicide Attempts	
C105249	CSS03-Preparatory Acts/Behavior	CSS03-Preparatory Acts/Behavior	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)?	C-SSRS Baseline/Screening Version Phase 1 Study - Preparatory Acts or Behaviors Toward Suicide Attempt	

Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of preparatory acts or behavior.					
C105250	CSS03-Preparatory Acts/Behavior, Descr	CSS03-Preparatory Acts/Behavior, Descr	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of preparatory acts or behavior.	C-SSRS Baseline/Screening Version Phase 1 Study - Description of Preparatory Acts or Behaviors Toward Suicide Attempt	
C105251	CSS03-Suicidal Behavior	CSS03-Suicidal Behavior	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Suicidal behavior was present during the assessment period?	C-SSRS Baseline/Screening Version Phase 1 Study - Suicidal Behavior	
C105212	CSS03-Wish to be Dead, Describe	CSS03-Wish to be Dead, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of wishing to be dead.	C-SSRS Baseline/Screening Version Phase 1 Study - Description of Wish to be Dead (Lifetime)	
C105210	CSS03-Wish to be Dead-Life	CSS03-Wish to be Dead-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you wished you were dead or wished you could go to sleep and not wake up? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Wish to be Dead (Lifetime)	
C105211	CSS03-Wish to be Dead-P6M	CSS03-Wish to be Dead-P6M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you wished you were dead or wished you could go to sleep and not wake up? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Wish to be Dead (Past 6 Months)	

C106707	CSS0401A	CSS04-Wish to be Dead-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Have you wished you were dead or wished you could go to sleep and not wake up? (Lifetime).	C-SSRS Baseline/Screening Version - Wish to be Dead (Lifetime)
C106708	CSS0401B	CSS04-Wish to be Dead-P_M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Have you wished you were dead or wished you could go to sleep and not wake up? (Past _ Months).	C-SSRS Baseline/Screening Version - Wish to be Dead (Past X Months)
C106709	CSS0401C	CSS04-Wish to be Dead, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Description of wishing to be dead.	C-SSRS Baseline/Screening Version - Description of Wish to be Dead
C106710	CSS0402A	CSS04-Non-Spec Suicid Thought-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Have you actually had any thoughts of killing yourself? (Lifetime).	C-SSRS Baseline/Screening Version - Non-Specific Active Suicidal Thoughts (Lifetime)
C106711	CSS0402B	CSS04-Non-Spec Suicid Thought-P_M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Have you actually had any thoughts of killing yourself? (Past _ Months).	C-SSRS Baseline/Screening Version - Non-Specific Active Suicidal Thoughts (Past X Months)
C106712	CSS0402C	CSS04-Non-Spec Suicid Thought, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Description of non-specific active suicidal thoughts.	C-SSRS Baseline/Screening Version - Description of Non-Specific Active Suicidal Thoughts
C106713	CSS0403A	CSS04-Idea, No Intent, No Plan-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Have you been thinking about how you might do this? (Lifetime).	C-SSRS Baseline/Screening Version - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act (Lifetime)
C106714	CSS0403B	CSS04-Idea, No Intent, No Plan-P_M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Have you been thinking about how you might do this? (Past _ Months).	C-SSRS Baseline/Screening Version - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act (Past X Months)
C106715	CSS0403C	CSS04-Idea, No Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Baseline/Screening Version - Description of Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act
C107017	CSS0404A	CSS04-Idea, Intent, No Plan-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Have you had these thoughts and had some intention of acting on them? (Lifetime).	C-SSRS Baseline/Screening Version - Active Suicidal Ideation with Some Intent to Act, without Specific Plan (Lifetime)
C107018	CSS0404B	CSS04-Idea, Intent, No Plan-P_M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Have you had these thoughts and had some intention of acting on them? (Past _ Months).	C-SSRS Baseline/Screening Version - Active Suicidal Ideation with Some Intent to Act, without Specific Plan (Past X Months)
C107019	CSS0404C	CSS04-Idea, Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Baseline/Screening Version - Description of Active Suicidal Ideation with Some Intent to Act, without Specific Plan
C106716	CSS0405A	CSS04-Idea, Plan, Intent-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan? (Lifetime).	C-SSRS Baseline/Screening Version - Active Suicidal Ideation with Specific Plan and Intent (Lifetime)
C106717	CSS0405B	CSS04-Idea, Plan, Intent-P_M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan? (Past _ Months).	C-SSRS Baseline/Screening Version - Active Suicidal Ideation with Specific Plan and Intent (Past X Months)
C106718	CSS0405C	CSS04-Idea, Plan, Intent, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Description of active suicidal ideation with specific plan and intent.	C-SSRS Baseline/Screening Version - Description of Active Suicidal Ideation with Specific Plan and Intent
C106719	CSS0406A	CSS04-Most Severe Idea-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Most severe ideation. (Lifetime).	C-SSRS Baseline/Screening Version - Most Severe Ideation (Lifetime)

Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Description of most severe ideation. (Lifetime).				
C106720	CSS0406B	CSS04-Most Severe Idea, Desc-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Description of most severe ideation. (Lifetime).	C-SSRS Baseline/Screening Version - Describe Most Severe Ideation (Lifetime)
C106721	CSS0406C	CSS04-Most Severe Idea-P_M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Most severe ideation. (Past _ Months).	C-SSRS Baseline/Screening Version - Most Severe Ideation (Past X Months)
C106722	CSS0406D	CSS04-Most Severe Idea, Desc-P_M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Description of most severe ideation. (Past _ Months).	C-SSRS Baseline/Screening Version - Describe Most Severe Ideation (Past X Months)
C106723	CSS0407A	CSS04-Most Severe Idea, Frequency-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - How many times have you had these thoughts? (Lifetime).	C-SSRS Baseline/Screening Version - Frequency of Most Severe Ideation (Lifetime)
C106724	CSS0407B	CSS04-Most Severe Idea, Frequency-P_M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - How many times have you had these thoughts? (Past _ Months).	C-SSRS Baseline/Screening Version - Frequency of Most Severe Ideation (Past X Months)
C106725	CSS0408A	CSS04-Most Severe Idea, Duration-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - When you have the thoughts how long do they last? (Lifetime).	C-SSRS Baseline/Screening Version - Duration of Most Severe Ideation (Lifetime)
C106726	CSS0408B	CSS04-Most Severe Idea, Duration-P_M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - When you have the thoughts how long do they last? (Past _ Months).	C-SSRS Baseline/Screening Version - Duration of Most Severe Ideation (Past X Months)
C106727	CSS0409A	CSS04-Most Severe Idea, Control-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Could/can you stop thinking about killing yourself or wanting to die if you want to? (Lifetime).	C-SSRS Baseline/Screening Version - Controllability of Most Severe Ideation (Lifetime)
C106728	CSS0409B	CSS04-Most Severe Idea, Control-P_M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Could/can you stop thinking about killing yourself or wanting to die if you want to? (Past _ Months).	C-SSRS Baseline/Screening Version - Controllability of Most Severe Ideation (Past X Months)
C106729	CSS0410A	CSS04-Most Severe Idea, Deterrents-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Are there things-anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide? (Lifetime).	C-SSRS Baseline/Screening Version - Deterrents to Most Severe Ideation (Lifetime)
C106730	CSS0410B	CSS04-Most Severe Idea, Deterrents-P_M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Are there things-anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide? (Past _ Months).	C-SSRS Baseline/Screening Version - Deterrents to Most Severe Ideation (Past X Months)
C106731	CSS0411A	CSS04-Most Severe Idea, Reasons-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both? (Lifetime).	C-SSRS Baseline/Screening Version - Reasons for Most Severe Ideation (Lifetime)
C106732	CSS0411B	CSS04-Most Severe Idea, Reasons-P_M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both? (Past _ Months).	C-SSRS Baseline/Screening Version - Reasons for Most Severe Ideation (Past X Months)
C106733	CSS0412A	CSS04-Actual Attempt-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died? (Lifetime).	C-SSRS Baseline/Screening Version - Actual Suicide Attempt (Lifetime)
C106734	CSS0412B	CSS04-Actual Attempt-P_Y	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died? (Past _ Years).	C-SSRS Baseline/Screening Version - Actual Suicide Attempt (Past X Years)
C106735	CSS0413A	CSS04-Number of Actual Attempts-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Total number of actual attempts. (Lifetime).	C-SSRS Baseline/Screening Version - Number of Actual Suicide Attempts (Lifetime)
C106736	CSS0413B	CSS04-Number of Actual Attempts-P_Y	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Total number of actual attempts. (Past _ Years).	C-SSRS Baseline/Screening Version - Number of Actual Suicide Attempts (Past X Years)

Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Description of actual attempt.				
C106737	CSS0413C	CSS04-Actual Attempt, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Description of actual attempt.	C-SSRS Baseline/Screening Version - Description of Actual Suicide Attempt
C106738	CSS0414A	CSS04-Non-suicidal Self-injur Behav-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Has the subject engaged in non-suicidal self-injurious behavior. (Lifetime).	C-SSRS Baseline/Screening Version - Non-suicidal Self-injurious Behavior (Lifetime)
C106739	CSS0414B	CSS04-Non-suicidal Self-injur Behav-P_Y	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Has the subject engaged in non-suicidal self-injurious behavior. (Past _ Years).	C-SSRS Baseline/Screening Version - Non-suicidal Self-injurious Behavior (Past X Years)
C106740	CSS0415A	CSS04-Interrupted Attempt-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Has there been a time when you started to do something to try to end your life but someone or something stopped you before you actually did anything? (Lifetime).	C-SSRS Baseline/Screening Version - Interrupted Suicide Attempt (Lifetime)
C106741	CSS0415B	CSS04-Interrupted Attempt-P_Y	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Has there been a time when you started to do something to try to end your life but someone or something stopped you before you actually did anything? (Past _ Years).	C-SSRS Baseline/Screening Version - Interrupted Suicide Attempt (Past X Years)
C106742	CSS0416A	CSS04-Number of Interrupt Attempts-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Total number of interrupted attempts. (Lifetime).	C-SSRS Baseline/Screening Version - Number of Interrupted Suicide Attempts (Lifetime)
C106743	CSS0416B	CSS04-Number of Interrupt Attempts-P_Y	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Total number of interrupted attempts. (Past _ Years).	C-SSRS Baseline/Screening Version - Number of Interrupted Suicide Attempts (Past X Years)
C106744	CSS0416C	CSS04-Interrupted Attempt, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Description of interrupted attempt.	C-SSRS Baseline/Screening Version - Description of Interrupted Suicide Attempt
C106745	CSS0417A	CSS04-Aborted Attempt-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything? (Lifetime).	C-SSRS Baseline/Screening Version - Aborted Suicide Attempt (Lifetime)
C106746	CSS0417B	CSS04-Aborted Attempt-P_Y	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything? (Past _ Years).	C-SSRS Baseline/Screening Version - Aborted Suicide Attempt (Past X Years)
C106747	CSS0418A	CSS04-Number of Aborted Attempts-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Total number of aborted attempts. (Lifetime).	C-SSRS Baseline/Screening Version - Number of Aborted Suicide Attempts (Lifetime)
C106748	CSS0418B	CSS04-Number of Aborted Attempts-P_Y	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Total number of aborted attempts. (Past _ Years).	C-SSRS Baseline/Screening Version - Number of Aborted Suicide Attempts (Past X Years)
C106749	CSS0418C	CSS04-Aborted Attempt, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Description of aborted attempt.	C-SSRS Baseline/Screening Version - Description of Aborted Suicide Attempt
C106750	CSS0419A	CSS04-Preparatory Acts/Behavior-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)? (Lifetime).	C-SSRS Baseline/Screening Version - Preparatory Acts or Behaviors Toward Suicide Attempt (Lifetime)
C106751	CSS0419B	CSS04-Preparatory Acts/Behavior-P_Y	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)? (Past _ Years).	C-SSRS Baseline/Screening Version - Preparatory Acts or Behaviors Toward Suicide Attempt (Past X Years)
C106752	CSS0419C	CSS04-Preparatory Acts/Behav, Descr	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Description of preparatory acts or behavior.	C-SSRS Baseline/Screening Version - Description of Preparatory Acts or Behaviors Toward Suicide Attempt
C106753	CSS0420A	CSS04-Suicidal Behavior-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Suicidal behavior was present during the assessment period? (Lifetime).	C-SSRS Baseline/Screening Version - Suicidal Behavior (Lifetime)
C106754	CSS0420B	CSS04-Suicidal Behavior-P_Y	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Suicidal behavior was present during the assessment period? (Past _ Years).	C-SSRS Baseline/Screening Version - Suicidal Behavior (Past X Years)

Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Most recent attempt date.				
C106755	CSS0421A	CSS04-Most Recent Attempt Date	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Most recent attempt date.	C-SSRS Baseline/Screening Version - Most Recent Suicide Attempt Date
C106756	CSS0421B	CSS04-Most Recent Attempt Damage	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Most recent attempt actual lethality/medical damage.	C-SSRS Baseline/Screening Version - Most Recent Suicide Attempt Actual Lethality/Medical Damage
C106757	CSS0421C	CSS04-Most Recent Attempt Potential	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Most recent attempt potential lethality.	C-SSRS Baseline/Screening Version - Most Recent Suicide Attempt Potential Lethality
C106758	CSS0422A	CSS04-Most Lethal Attempt Date	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Most lethal attempt date.	C-SSRS Baseline/Screening Version - Most Lethal Suicide Attempt Date
C106759	CSS0422B	CSS04-Most Lethal Attempt Damage	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Most lethal attempt actual lethality/medical damage.	C-SSRS Baseline/Screening Version - Most Lethal Suicide Attempt Actual Lethality/Medical Damage
C106760	CSS0422C	CSS04-Most Lethal Attempt Potential	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Most lethal attempt potential lethality.	C-SSRS Baseline/Screening Version - Most Lethal Suicide Attempt Potential Lethality
C106761	CSS0423A	CSS04-First Attempt Date	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Initial/first attempt date.	C-SSRS Baseline/Screening Version - First Suicide Attempt Date
C106762	CSS0423B	CSS04-First Attempt Damage	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Initial/first attempt actual lethality/medical damage.	C-SSRS Baseline/Screening Version - First Suicide Attempt Actual Lethality/Medical Damage
C106763	CSS0423C	CSS04-First Attempt Potential	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Initial/first attempt potential lethality.	C-SSRS Baseline/Screening Version - First Suicide Attempt Potential Lethality

C106749	CSS04-Aborted Attempt, Describe	CSS04-Aborted Attempt, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Description of aborted attempt.	C-SSRS Baseline/Screening Version - Description of Aborted Suicide Attempt
C106745	CSS04-Aborted Attempt-Life	CSS04-Aborted Attempt-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything? (Lifetime).	C-SSRS Baseline/Screening Version - Aborted Suicide Attempt (Lifetime)
C106746	CSS04-Aborted Attempt-P_Y	CSS04-Aborted Attempt-P_Y	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything? (Past X Years).	C-SSRS Baseline/Screening Version - Aborted Suicide Attempt (Past X Years)
C106737	CSS04-Actual Attempt, Describe	CSS04-Actual Attempt, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Description of actual attempt.	C-SSRS Baseline/Screening Version - Description of Actual Suicide Attempt
C106733	CSS04-Actual Attempt-Life	CSS04-Actual Attempt-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died? (Lifetime).	C-SSRS Baseline/Screening Version - Actual Suicide Attempt (Lifetime)
C106734	CSS04-Actual Attempt-P_Y	CSS04-Actual Attempt-P_Y	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died? (Past X Years).	C-SSRS Baseline/Screening Version - Actual Suicide Attempt (Past X Years)
C106762	CSS04-First Attempt Damage	CSS04-First Attempt Damage	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Initial/first attempt actual lethality/medical damage.	C-SSRS Baseline/Screening Version - First Suicide Attempt Actual Lethality/Medical Damage
C106761	CSS04-First Attempt Date	CSS04-First Attempt Date	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Initial/first attempt date.	C-SSRS Baseline/Screening Version - First Suicide Attempt Date
C106763	CSS04-First Attempt Potential	CSS04-First Attempt Potential	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Initial/first attempt potential lethality.	C-SSRS Baseline/Screening Version - First Suicide Attempt Potential Lethality
C107019	CSS04-Idea, Intent, No Plan, Describe	CSS04-Idea, Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Baseline/Screening Version - Description of Active Suicidal Ideation with Some Intent to Act, without Specific Plan
C107017	CSS04-Idea, Intent, No Plan-Life	CSS04-Idea, Intent, No Plan-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Have you had these thoughts and had some intention of acting on them? (Lifetime).	C-SSRS Baseline/Screening Version - Active Suicidal Ideation with Some Intent to Act, without Specific Plan (Lifetime)
C107018	CSS04-Idea, Intent, No Plan-P_M	CSS04-Idea, Intent, No Plan-P_M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Have you had these thoughts and had some intention of acting on them? (Past X Months).	C-SSRS Baseline/Screening Version - Active Suicidal Ideation with Some Intent to Act, without Specific Plan (Past X Months)
C106715	CSS04-Idea, No Intent, No Plan, Describe	CSS04-Idea, No Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Baseline/Screening Version - Description of Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act
C106713	CSS04-Idea, No Intent, No Plan-Life	CSS04-Idea, No Intent, No Plan-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Have you been thinking about how you might do this? (Lifetime).	C-SSRS Baseline/Screening Version - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act (Lifetime)
C106714	CSS04-Idea, No Intent, No Plan-P_M	CSS04-Idea, No Intent, No Plan-P_M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Have you been thinking about how you might do this? (Past X Months).	C-SSRS Baseline/Screening Version - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act (Past X Months)
C106718	CSS04-Idea, Plan, Intent, Describe	CSS04-Idea, Plan, Intent, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Description of active suicidal ideation with specific plan and intent.	C-SSRS Baseline/Screening Version - Description of Active Suicidal Ideation with Specific Plan and Intent

Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan? (Lifetime).					
C106716	CSS04-Idea, Plan, Intent-Life	CSS04-Idea, Plan, Intent-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan? (Lifetime).	C-SSRS Baseline/Screening Version - Active Suicidal Ideation with Specific Plan and Intent (Lifetime)	
C106717	CSS04-Idea, Plan, Intent-P_M	CSS04-Idea, Plan, Intent-P_M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan? (Past _ Months).	C-SSRS Baseline/Screening Version - Active Suicidal Ideation with Specific Plan and Intent (Past X Months)	
C106744	CSS04-Interrupted Attempt, Describe	CSS04-Interrupted Attempt, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Description of interrupted attempt.	C-SSRS Baseline/Screening Version - Description of Interrupted Suicide Attempt	
C106740	CSS04-Interrupted Attempt-Life	CSS04-Interrupted Attempt-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Has there been a time when you started to do something to try to end your life but someone or something stopped you before you actually did anything? (Lifetime).	C-SSRS Baseline/Screening Version - Interrupted Suicide Attempt (Lifetime)	
C106741	CSS04-Interrupted Attempt-P_Y	CSS04-Interrupted Attempt-P_Y	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Has there been a time when you started to do something to try to end your life but someone or something stopped you before you actually did anything? (Past _ Years).	C-SSRS Baseline/Screening Version - Interrupted Suicide Attempt (Past X Years)	
C106759	CSS04-Most Lethal Attempt Damage	CSS04-Most Lethal Attempt Damage	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Most lethal attempt actual lethality/medical damage.	C-SSRS Baseline/Screening Version - Most Lethal Suicide Attempt Actual Lethality/Medical Damage	
C106758	CSS04-Most Lethal Attempt Date	CSS04-Most Lethal Attempt Date	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Most lethal attempt date.	C-SSRS Baseline/Screening Version - Most Lethal Suicide Attempt Date	
C106760	CSS04-Most Lethal Attempt Potential	CSS04-Most Lethal Attempt Potential	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Most lethal attempt potential lethality.	C-SSRS Baseline/Screening Version - Most Lethal Suicide Attempt Potential Lethality	
C106756	CSS04-Most Recent Attempt Damage	CSS04-Most Recent Attempt Damage	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Most recent attempt actual lethality/medical damage.	C-SSRS Baseline/Screening Version - Most Recent Suicide Attempt Actual Lethality/Medical Damage	
C106755	CSS04-Most Recent Attempt Date	CSS04-Most Recent Attempt Date	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Most recent attempt date.	C-SSRS Baseline/Screening Version - Most Recent Suicide Attempt Date	
C106757	CSS04-Most Recent Attempt Potential	CSS04-Most Recent Attempt Potential	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Most recent attempt potential lethality.	C-SSRS Baseline/Screening Version - Most Recent Suicide Attempt Potential Lethality	
C106727	CSS04-Most Severe Idea, Control-Life	CSS04-Most Severe Idea, Control-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Could/can you stop thinking about killing yourself or wanting to die if you want to? (Lifetime).	C-SSRS Baseline/Screening Version - Controllability of Most Severe Ideation (Lifetime)	
C106728	CSS04-Most Severe Idea, Control-P_M	CSS04-Most Severe Idea, Control-P_M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Could/can you stop thinking about killing yourself or wanting to die if you want to? (Past _ Months).	C-SSRS Baseline/Screening Version - Controllability of Most Severe Ideation (Past X Months)	
C106720	CSS04-Most Severe Idea, Desc-Life	CSS04-Most Severe Idea, Desc-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Description of most severe ideation. (Lifetime).	C-SSRS Baseline/Screening Version - Describe Most Severe Ideation (Lifetime)	
C106722	CSS04-Most Severe Idea, Desc-P_M	CSS04-Most Severe Idea, Desc-P_M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Description of most severe ideation. (Past _ Months).	C-SSRS Baseline/Screening Version - Describe Most Severe Ideation (Past X Months)	
C106729	CSS04-Most Severe Idea, Deterrents-Life	CSS04-Most Severe Idea, Deterrents-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Are there things-anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide? (Lifetime).	C-SSRS Baseline/Screening Version - Deterrents to Most Severe Ideation (Lifetime)	
C106730	CSS04-Most Severe Idea, Deterrents-P_M	CSS04-Most Severe Idea, Deterrents-P_M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Are there things-anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide? (Past _ Months).	C-SSRS Baseline/Screening Version - Deterrents to Most Severe Ideation (Past X Months)	
C106725	CSS04-Most Severe Idea, Duration-Life	CSS04-Most Severe Idea, Duration-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - When you have the thoughts how long do they last? (Lifetime).	C-SSRS Baseline/Screening Version - Duration of Most Severe Ideation (Lifetime)	

Columbia-Suicide Severity Rating Scale Baseline/Screening Version				
C106726	CSS04-Most Severe Idea, Duration-P_M	CSS04-Most Severe Idea, Duration-P_M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - When you have the thoughts how long do they last? (Past _ Months).	C-SSRS Baseline/Screening Version - Duration of Most Severe Ideation (Past X Months)
C106723	CSS04-Most Severe Idea, Frequency-Life	CSS04-Most Severe Idea, Frequency-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - How many times have you had these thoughts? (Lifetime).	C-SSRS Baseline/Screening Version - Frequency of Most Severe Ideation (Lifetime)
C106724	CSS04-Most Severe Idea, Frequency-P_M	CSS04-Most Severe Idea, Frequency-P_M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - How many times have you had these thoughts? (Past _ Months).	C-SSRS Baseline/Screening Version - Frequency of Most Severe Ideation (Past X Months)
C106731	CSS04-Most Severe Idea, Reasons-Life	CSS04-Most Severe Idea, Reasons-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both? (Lifetime).	C-SSRS Baseline/Screening Version - Reasons for Most Severe Ideation (Lifetime)
C106732	CSS04-Most Severe Idea, Reasons-P_M	CSS04-Most Severe Idea, Reasons-P_M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both? (Past _ Months).	C-SSRS Baseline/Screening Version - Reasons for Most Severe Ideation (Past X Months)
C106719	CSS04-Most Severe Idea-Life	CSS04-Most Severe Idea-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Most severe ideation. (Lifetime).	C-SSRS Baseline/Screening Version - Most Severe Ideation (Lifetime)
C106721	CSS04-Most Severe Idea-P_M	CSS04-Most Severe Idea-P_M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Most severe ideation. (Past _ Months).	C-SSRS Baseline/Screening Version - Most Severe Ideation (Past X Months)
C106712	CSS04-Non-Spec Suicid Thought, Describe	CSS04-Non-Spec Suicid Thought, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Description of non-specific active suicidal thoughts.	C-SSRS Baseline/Screening Version - Description of Non-Specific Active Suicidal Thoughts
C106710	CSS04-Non-Spec Suicid Thought-Life	CSS04-Non-Spec Suicid Thought-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Have you actually had any thoughts of killing yourself? (Lifetime).	C-SSRS Baseline/Screening Version - Non-Specific Active Suicidal Thoughts (Lifetime)
C106711	CSS04-Non-Spec Suicid Thought-P_M	CSS04-Non-Spec Suicid Thought-P_M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Have you actually had any thoughts of killing yourself? (Past _ Months).	C-SSRS Baseline/Screening Version - Non-Specific Active Suicidal Thoughts (Past X Months)
C106738	CSS04-Non-suicidal Self-injur Behav-Life	CSS04-Non-suicidal Self-injur Behav-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Has the subject engaged in non-suicidal self-injurious behavior. (Lifetime).	C-SSRS Baseline/Screening Version - Non-suicidal Self-injurious Behavior (Lifetime)
C106739	CSS04-Non-suicidal Self-injur Behav-P_Y	CSS04-Non-suicidal Self-injur Behav-P_Y	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Has the subject engaged in non-suicidal self-injurious behavior. (Past _ Years).	C-SSRS Baseline/Screening Version - Non-suicidal Self-injurious Behavior (Past X Years)
C106747	CSS04-Number of Aborted Attempts-Life	CSS04-Number of Aborted Attempts-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Total number of aborted attempts. (Lifetime).	C-SSRS Baseline/Screening Version - Number of Aborted Suicide Attempts (Lifetime)
C106748	CSS04-Number of Aborted Attempts-P_Y	CSS04-Number of Aborted Attempts-P_Y	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Total number of aborted attempts. (Past _ Years).	C-SSRS Baseline/Screening Version - Number of Aborted Suicide Attempts (Past X Years)
C106735	CSS04-Number of Actual Attempts-Life	CSS04-Number of Actual Attempts-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Total number of actual attempts. (Lifetime).	C-SSRS Baseline/Screening Version - Number of Actual Suicide Attempts (Lifetime)
C106736	CSS04-Number of Actual Attempts-P_Y	CSS04-Number of Actual Attempts-P_Y	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Total number of actual attempts. (Past _ Years).	C-SSRS Baseline/Screening Version - Number of Actual Suicide Attempts (Past X Years)
C106742	CSS04-Number of Interrupt Attempts-Life	CSS04-Number of Interrupt Attempts-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Total number of interrupted attempts. (Lifetime).	C-SSRS Baseline/Screening Version - Number of Interrupted Suicide Attempts (Lifetime)
C106743	CSS04-Number of Interrupt Attempts-P_Y	CSS04-Number of Interrupt Attempts-P_Y	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Total number of interrupted attempts. (Past _ Years).	C-SSRS Baseline/Screening Version - Number of Interrupted Suicide Attempts (Past X Years)

Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Description of preparatory acts or behavior.				
C106752	CSS04-Preparatory Acts/Behav, Descr	CSS04-Preparatory Acts/Behav, Descr	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Description of preparatory acts or behavior.	C-SSRS Baseline/Screening Version - Description of Preparatory Acts or Behaviors Toward Suicide Attempt
C106750	CSS04-Preparatory Acts/Behavior-Life	CSS04-Preparatory Acts/Behavior-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)? (Lifetime).	C-SSRS Baseline/Screening Version - Preparatory Acts or Behaviors Toward Suicide Attempt (Lifetime)
C106751	CSS04-Preparatory Acts/Behavior-P_Y	CSS04-Preparatory Acts/Behavior-P_Y	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)? (Past _ Years).	C-SSRS Baseline/Screening Version - Preparatory Acts or Behaviors Toward Suicide Attempt (Past X Years)
C106753	CSS04-Suicidal Behavior-Life	CSS04-Suicidal Behavior-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Suicidal behavior was present during the assessment period? (Lifetime).	C-SSRS Baseline/Screening Version - Suicidal Behavior (Lifetime)
C106754	CSS04-Suicidal Behavior-P_Y	CSS04-Suicidal Behavior-P_Y	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Suicidal behavior was present during the assessment period? (Past _ Years).	C-SSRS Baseline/Screening Version - Suicidal Behavior (Past X Years)
C106709	CSS04-Wish to be Dead, Describe	CSS04-Wish to be Dead, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Description of wishing to be dead.	C-SSRS Baseline/Screening Version - Description of Wish to be Dead
C106707	CSS04-Wish to be Dead-Life	CSS04-Wish to be Dead-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Have you wished you were dead or wished you could go to sleep and not wake up? (Lifetime).	C-SSRS Baseline/Screening Version - Wish to be Dead (Lifetime)
C106708	CSS04-Wish to be Dead-P_M	CSS04-Wish to be Dead-P_M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Have you wished you were dead or wished you could go to sleep and not wake up? (Past _ Months).	C-SSRS Baseline/Screening Version - Wish to be Dead (Past X Months)

C107027	CSS0501A	CSS05-Wish to be Dead-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Have you wished you were dead or wished you could go to sleep and not wake up? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Wish to Be Dead (Prior to Study Entry)
C107028	CSS0501B	CSS05-Wish to be Dead-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Have you wished you were dead or wished you could go to sleep and not wake up? (Since Study Start).	C-SSRS Already Enrolled Subjects - Wish to Be Dead (Since Study Start)
C107029	CSS0501C	CSS05-Wish to be Dead, Describe	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Description of wishing to be dead.	C-SSRS Already Enrolled Subjects - Description of Wish to Be Dead
C107030	CSS0502A	CSS05-Non-Spec Suicid Thought-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Have you actually had any thoughts of killing yourself? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Non-Specific Active Suicidal Thoughts (Prior to Study Entry)
C107031	CSS0502B	CSS05-Non-Spec Suicid Thought-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Have you actually had any thoughts of killing yourself? (Since Study Start).	C-SSRS Already Enrolled Subjects - Non-Specific Active Suicidal Thoughts (Since Study Start)
C107032	CSS0502C	CSS05-Non-Spec Suicid Thought, Describe	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Description of non-specific active suicidal thoughts.	C-SSRS Already Enrolled Subjects - Description of Non-Specific Active Suicidal Thoughts
C107033	CSS0503A	CSS05-Idea, No Intent, No Plan-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Have you been thinking about how you might do this? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Active Suicidal Ideation With Any Methods (Not Plan) Without Intent to Act (Prior to Study Entry)
C107034	CSS0503B	CSS05-Idea, No Intent, No Plan-Since	Columbia-Suicide Suicide Rating Scale Already Enrolled Subjects - Have you been thinking about how you might do this? (Since Study Start).	C-SSRS Already Enrolled Subjects - Active Suicidal Ideation With Any Methods (Not Plan) Without Intent to Act (Since Study Start)
C107035	CSS0503C	CSS05-Idea, No Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Already Enrolled Subjects - Description of Active Suicidal Ideation With Any Methods (Not Plan) Without Intent to Act
C107036	CSS0504A	CSS05-Idea, Intent, No Plan-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Have you had these thoughts and had some intention of acting on them? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Active Suicidal Ideation With Some Intent to Act, Without Specific Plan (Prior to Study Entry)
C107037	CSS0504B	CSS05-Idea, Intent, No Plan-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Have you had these thoughts and had some intention of acting on them? (Since Study Start).	C-SSRS Already Enrolled Subjects - Active Suicidal Ideation With Some Intent to Act, Without Specific Plan (Since Study Start)
C107038	CSS0504C	CSS05-Idea, Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Already Enrolled Subjects - Description of Active Suicidal Ideation With Some Intent to Act, Without Specific Plan
C107039	CSS0505A	CSS05-Idea, Plan, Intent-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Active Suicidal Ideation With Specific Plan and Intent (Prior to Study Entry)
C107040	CSS0505B	CSS05-Idea, Plan, Intent-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan? (Since Study Start).	C-SSRS Already Enrolled Subjects - Active Suicidal Ideation With Specific Plan and Intent (Since Study Start)
C107041	CSS0505C	CSS05-Idea, Plan, Intent, Describe	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Description of active suicidal ideation with specific plan and intent.	C-SSRS Already Enrolled Subjects - Description of Active Suicidal Ideation With Specific Plan and Intent
C107042	CSS0506A	CSS05-Most Severe Idea-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Most severe ideation. (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Most Severe Ideation (Prior to Study Entry)

Columbia-Suicide Severity Rating Scale				
C107043	CSS0506B	CSS05-Most Severe Idea, Desc-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Description of most severe ideation. (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Describe Most Severe Ideation (Prior to Study Entry)
C107044	CSS0506C	CSS05-Most Severe Idea-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Most severe ideation. (Since Study Start).	C-SSRS Already Enrolled Subjects - Most Severe Ideation (Since Study Start)
C107045	CSS0506D	CSS05-Most Severe Idea, Desc-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Description of most severe ideation. (Since Study Start).	C-SSRS Already Enrolled Subjects - Describe Most Severe Ideation (Since Study Start)
C107046	CSS0507A	CSS05-Most Severe Idea, Frequency-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - How many times have you had these thoughts? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Frequency of Most Severe Ideation (Prior to Study Entry)
C107047	CSS0507B	CSS05-Most Severe Idea, Frequency-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - How many times have you had these thoughts? (Since Study Start).	C-SSRS Already Enrolled Subjects - Frequency of Most Severe Ideation (Since Study Start)
C107048	CSS0508A	CSS05-Most Severe Idea, Duration-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - When you have the thoughts how long do they last? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Duration of Most Severe Ideation (Prior to Study Entry)
C107049	CSS0508B	CSS05-Most Severe Idea, Duration-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - When you have the thoughts how long do they last? (Since Study Start).	C-SSRS Already Enrolled Subjects - Duration of Most Severe Ideation (Since Study Start)
C107050	CSS0509A	CSS05-Most Severe Idea, Control-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Could/can you stop thinking about killing yourself or wanting to die if you want to? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Controllability of Most Severe Ideation (Prior to Study Entry)
C107051	CSS0509B	CSS05-Most Severe Idea, Control-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Could/can you stop thinking about killing yourself or wanting to die if you want to? (Since Study Start).	C-SSRS Already Enrolled Subjects - Controllability of Most Severe Ideation (Since Study Start)
C107052	CSS0510A	CSS05-Most Severe Idea, Deterrents-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Are there things-anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Deterrents to Most Severe Ideation (Prior to Study Entry)
C107053	CSS0510B	CSS05-Most Severe Idea, Deterrents-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Are there things-anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide? (Since Study Start).	C-SSRS Already Enrolled Subjects - Deterrents to Most Severe Ideation (Since Study Start)
C107054	CSS0511A	CSS05-Most Severe Idea, Reasons-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Reasons For Most Severe Ideation (Prior to Study Entry)
C107055	CSS0511B	CSS05-Most Severe Idea, Reasons-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both? (Since Study Start).	C-SSRS Already Enrolled Subjects - Reasons For Most Severe Ideation (Since Study Start)
C107056	CSS0512A	CSS05-Actual Attempt-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Actual Suicide Attempt (Prior to Study Entry)
C107057	CSS0512B	CSS05-Actual Attempt-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died? (Since Study Start).	C-SSRS Already Enrolled Subjects - Actual Suicide Attempt (Since Study Start)
C107058	CSS0513A	CSS05-Number of Actual Attempts-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Total number of actual attempts. (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Number of Actual Suicide Attempts (Prior to Study Entry)

Columbia-Suicide Severity Rating Scale				
C107059	CSS0513B	CSS05-Number of Actual Attempts-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Total number of actual attempts. (Since Study Start).	C-SSRS Already Enrolled Subjects - Number of Actual Suicide Attempts (Since Study Start)
C107060	CSS0513C	CSS05-Actual Attempt, Describe	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Description of actual attempt.	C-SSRS Already Enrolled Subjects - Description of Actual Suicide Attempt
C107061	CSS0514A	CSS05-Non-suicid Self-injur Behav-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Has the subject engaged in non-suicidal self-injurious behavior? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Non-suicidal Self-injurious Behavior (Prior to Study Entry)
C107062	CSS0514B	CSS05-Non-suicid Self-injur Behav-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Has the subject engaged in non-suicidal self-injurious behavior? (Since Study Start).	C-SSRS Already Enrolled Subjects - Non-suicidal Self-injurious Behavior (Since Study Start)
C107063	CSS0515A	CSS05-Interrupted Attempt-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Has there been a time when you started to do something to try to end your life but someone or something stopped you before you actually did anything? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Interrupted Suicide Attempt (Prior to Study Entry)
C107064	CSS0515B	CSS05-Interrupted Attempt-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Has there been a time when you started to do something to try to end your life but someone or something stopped you before you actually did anything? (Since Study Start).	C-SSRS Already Enrolled Subjects - Interrupted Suicide Attempt (Since Study Start)
C107065	CSS0516A	CSS05-Num of Interrupted Attempts-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Total number of interrupted attempts. (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Number of Interrupted Suicide Attempts (Prior to Study Entry)
C107066	CSS0516B	CSS05-Num of Interrupted Attempts-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Total number of interrupted attempts. (Since Study Start).	C-SSRS Already Enrolled Subjects - Number of Interrupted Suicide Attempts (Since Study Start)
C107067	CSS0516C	CSS05-Interrupted Attempt, Describe	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Description of interrupted attempt.	C-SSRS Already Enrolled Subjects - Description of Interrupted Suicide Attempt
C107068	CSS0517A	CSS05-Aborted Attempt-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Aborted Suicide Attempt (Prior to Study Entry)
C107069	CSS0517B	CSS05-Aborted Attempt-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything? (Since Study Start).	C-SSRS Already Enrolled Subjects - Aborted Suicide Attempt (Since Study Start)
C107070	CSS0518A	CSS05-Number of Aborted Attempts-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Total number of aborted attempts. (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Number of Aborted Suicide Attempts (Prior to Study Entry)
C107071	CSS0518B	CSS05-Number of Aborted Attempts-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Total number of aborted attempts. (Since Study Start).	C-SSRS Already Enrolled Subjects - Number of Aborted Suicide Attempts (Since Study Start)
C107072	CSS0518C	CSS05-Aborted Attempt, Describe	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Description of aborted attempt.	C-SSRS Already Enrolled Subjects - Description of Aborted Suicide Attempt
C107073	CSS0519A	CSS05-Preparatory Acts/Behavior-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Preparatory Acts or Behaviors Toward Suicide Attempt (Prior to Study Entry)
C107074	CSS0519B	CSS05-Preparatory Acts/Behavior-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)? (Since Study Start).	C-SSRS Already Enrolled Subjects - Preparatory Acts or Behaviors Toward Suicide Attempt (Since Study Start)
C107075	CSS0519C	CSS05-Preparatory Acts/Behavior, Descr	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Description of preparatory acts or behavior.	C-SSRS Already Enrolled Subjects - Description of Preparatory Acts or Behaviors Toward Suicide Attempt

Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Suicidal Behavior (Prior to Study Entry)				
C107076	CSS0520A	CSS05-Suicidal Behavior-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Suicidal behavior was present during the assessment period? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Suicidal Behavior (Prior to Study Entry)
C107077	CSS0520B	CSS05-Suicidal Behavior-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Suicidal behavior was present during the assessment period? (Since Study Start).	C-SSRS Already Enrolled Subjects - Suicidal Behavior (Since Study Start)
C107078	CSS0521A	CSS05-Completed Suicide-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Completed suicide? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Completed Suicide (Prior to Study Entry)
C107079	CSS0521B	CSS05-Completed Suicide-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Completed suicide? (Since Study Start).	C-SSRS Already Enrolled Subjects - Completed Suicide (Since Study Start)
C107080	CSS0522A	CSS05-Most Recent Attempt Date	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Most recent attempt date.	C-SSRS Already Enrolled Subjects - Most Recent Suicide Attempt Date
C107081	CSS0522B	CSS05-Most Recent Attempt Damage	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Most recent attempt actual lethality/medical damage.	C-SSRS Already Enrolled Subjects - Most Recent Suicide Attempt Actual Lethality/Medical Damage
C107082	CSS0522C	CSS05-Most Recent Attempt Potential	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Most recent attempt potential lethality.	C-SSRS Already Enrolled Subjects - Most Recent Suicide Attempt Potential Lethality
C107083	CSS0523A	CSS05-Most Lethal Attempt Date	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Most lethal attempt date.	C-SSRS Already Enrolled Subjects - Most Lethal Suicide Attempt Date
C107084	CSS0523B	CSS05-Most Lethal Attempt Damage	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Most lethal attempt actual lethality/medical damage.	C-SSRS Already Enrolled Subjects - Most Lethal Suicide Attempt Actual Lethality/Medical Damage
C107085	CSS0523C	CSS05-Most Lethal Attempt Potential	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Most lethal attempt potential lethality.	C-SSRS Already Enrolled Subjects - Most Lethal Suicide Attempt Potential Lethality
C107086	CSS0524A	CSS05-First Attempt Date	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Initial/first attempt date.	C-SSRS Already Enrolled Subjects - First Suicide Attempt Date
C107087	CSS0524B	CSS05-First Attempt Damage	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Initial/first attempt actual lethality/medical damage.	C-SSRS Already Enrolled Subjects - First Suicide Attempt Actual Lethality/Medical Damage
C107088	CSS0524C	CSS05-First Attempt Potential	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Initial/first attempt potential lethality.	C-SSRS Already Enrolled Subjects - First Suicide Attempt Potential Lethality

C107072	CSS05-Aborted Attempt, Describe	CSS05-Aborted Attempt, Describe	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Description of aborted attempt.	C-SSRS Already Enrolled Subjects - Description of Aborted Suicide Attempt
C107068	CSS05-Aborted Attempt-Prior	CSS05-Aborted Attempt-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Aborted Suicide Attempt (Prior to Study Entry)
C107069	CSS05-Aborted Attempt-Since	CSS05-Aborted Attempt-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything? (Since Study Start).	C-SSRS Already Enrolled Subjects - Aborted Suicide Attempt (Since Study Start)
C107060	CSS05-Actual Attempt, Describe	CSS05-Actual Attempt, Describe	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Description of actual attempt.	C-SSRS Already Enrolled Subjects - Description of Actual Suicide Attempt
C107056	CSS05-Actual Attempt-Prior	CSS05-Actual Attempt-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Actual Suicide Attempt (Prior to Study Entry)
C107057	CSS05-Actual Attempt-Since	CSS05-Actual Attempt-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died? (Since Study Start).	C-SSRS Already Enrolled Subjects - Actual Suicide Attempt (Since Study Start)
C107078	CSS05-Completed Suicide-Prior	CSS05-Completed Suicide-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Completed suicide? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Completed Suicide (Prior to Study Entry)
C107079	CSS05-Completed Suicide-Since	CSS05-Completed Suicide-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Completed suicide? (Since Study Start).	C-SSRS Already Enrolled Subjects - Completed Suicide (Since Study Start)
C107087	CSS05-First Attempt Damage	CSS05-First Attempt Damage	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Initial/first attempt actual lethality/medical damage.	C-SSRS Already Enrolled Subjects - First Suicide Attempt Actual Lethality/Medical Damage
C107086	CSS05-First Attempt Date	CSS05-First Attempt Date	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Initial/first attempt date.	C-SSRS Already Enrolled Subjects - First Suicide Attempt Date
C107088	CSS05-First Attempt Potential	CSS05-First Attempt Potential	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Initial/first attempt potential lethality.	C-SSRS Already Enrolled Subjects - First Suicide Attempt Potential Lethality
C107038	CSS05-Idea, Intent, No Plan, Describe	CSS05-Idea, Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Already Enrolled Subjects - Description of Active Suicidal Ideation With Some Intent to Act, Without Specific Plan
C107036	CSS05-Idea, Intent, No Plan-Prior	CSS05-Idea, Intent, No Plan-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Have you had these thoughts and had some intention of acting on them? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Active Suicidal Ideation With Some Intent to Act, Without Specific Plan (Prior to Study Entry)
C107037	CSS05-Idea, Intent, No Plan-Since	CSS05-Idea, Intent, No Plan-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Have you had these thoughts and had some intention of acting on them? (Since Study Start).	C-SSRS Already Enrolled Subjects - Active Suicidal Ideation With Some Intent to Act, Without Specific Plan (Since Study Start)
C107035	CSS05-Idea, No Intent, No Plan, Describe	CSS05-Idea, No Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Already Enrolled Subjects - Description of Active Suicidal Ideation With Any Methods (Not Plan) Without Intent to Act
C107033	CSS05-Idea, No Intent, No Plan-Prior	CSS05-Idea, No Intent, No Plan-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Have you been thinking about how you might do this? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Active Suicidal Ideation With Any Methods (Not Plan) Without Intent to Act (Prior to Study Entry)

Columbia-Suicide Rating Scale					
C107034	CSS05-Idea, No Intent, No Plan-Since	CSS05-Idea, No Intent, No Plan-Since	Columbia-Suicide Suicide Rating Scale Already Enrolled Subjects - Have you been thinking about how you might do this? (Since Study Start).	C-SSRS Already Enrolled Subjects - Active Suicidal Ideation With Any Methods (Not Plan) Without Intent to Act (Since Study Start)	
C107041	CSS05-Idea, Plan, Intent, Describe	CSS05-Idea, Plan, Intent, Describe	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Description of active suicidal ideation with specific plan and intent.	C-SSRS Already Enrolled Subjects - Description of Active Suicidal Ideation With Specific Plan and Intent	
C107039	CSS05-Idea, Plan, Intent-Prior	CSS05-Idea, Plan, Intent-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Active Suicidal Ideation With Specific Plan and Intent (Prior to Study Entry)	
C107040	CSS05-Idea, Plan, Intent-Since	CSS05-Idea, Plan, Intent-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan? (Since Study Start).	C-SSRS Already Enrolled Subjects - Active Suicidal Ideation With Specific Plan and Intent (Since Study Start)	
C107067	CSS05-Interrupted Attempt, Describe	CSS05-Interrupted Attempt, Describe	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Description of interrupted attempt.	C-SSRS Already Enrolled Subjects - Description of Interrupted Suicide Attempt	
C107063	CSS05-Interrupted Attempt-Prior	CSS05-Interrupted Attempt-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Has there been a time when you started to do something to try to end your life but someone or something stopped you before you actually did anything? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Interrupted Suicide Attempt (Prior to Study Entry)	
C107064	CSS05-Interrupted Attempt-Since	CSS05-Interrupted Attempt-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Has there been a time when you started to do something to try to end your life but someone or something stopped you before you actually did anything? (Since Study Start).	C-SSRS Already Enrolled Subjects - Interrupted Suicide Attempt (Since Study Start)	
C107084	CSS05-Most Lethal Attempt Damage	CSS05-Most Lethal Attempt Damage	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Most lethal attempt actual lethality/medical damage.	C-SSRS Already Enrolled Subjects - Most Lethal Suicide Attempt Actual Lethality/Medical Damage	
C107083	CSS05-Most Lethal Attempt Date	CSS05-Most Lethal Attempt Date	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Most lethal attempt date.	C-SSRS Already Enrolled Subjects - Most Lethal Suicide Attempt Date	
C107085	CSS05-Most Lethal Attempt Potential	CSS05-Most Lethal Attempt Potential	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Most lethal attempt potential lethality.	C-SSRS Already Enrolled Subjects - Most Lethal Suicide Attempt Potential Lethality	
C107081	CSS05-Most Recent Attempt Damage	CSS05-Most Recent Attempt Damage	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Most recent attempt actual lethality/medical damage.	C-SSRS Already Enrolled Subjects - Most Recent Suicide Attempt Actual Lethality/Medical Damage	
C107080	CSS05-Most Recent Attempt Date	CSS05-Most Recent Attempt Date	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Most recent attempt date.	C-SSRS Already Enrolled Subjects - Most Recent Suicide Attempt Date	
C107082	CSS05-Most Recent Attempt Potential	CSS05-Most Recent Attempt Potential	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Most recent attempt potential lethality.	C-SSRS Already Enrolled Subjects - Most Recent Suicide Attempt Potential Lethality	
C107050	CSS05-Most Severe Idea, Control-Prior	CSS05-Most Severe Idea, Control-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Could/can you stop thinking about killing yourself or wanting to die if you want to? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Controllability of Most Severe Ideation (Prior to Study Entry)	
C107051	CSS05-Most Severe Idea, Control-Since	CSS05-Most Severe Idea, Control-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Could/can you stop thinking about killing yourself or wanting to die if you want to? (Since Study Start).	C-SSRS Already Enrolled Subjects - Controllability of Most Severe Ideation (Since Study Start)	
C107043	CSS05-Most Severe Idea, Desc-Prior	CSS05-Most Severe Idea, Desc-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Description of most severe ideation. (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Describe Most Severe Ideation (Prior to Study Entry)	
C107045	CSS05-Most Severe Idea, Desc-Since	CSS05-Most Severe Idea, Desc-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Description of most severe ideation. (Since Study Start).	C-SSRS Already Enrolled Subjects - Describe Most Severe Ideation (Since Study Start)	

Columbia-Suicide Severity Rating Scale				
C107052	CSS05-Most Severe Idea, Deterrents-Prior	CSS05-Most Severe Idea, Deterrents-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Are there things-anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Deterrents to Most Severe Ideation (Prior to Study Entry)
C107053	CSS05-Most Severe Idea, Deterrents-Since	CSS05-Most Severe Idea, Deterrents-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Are there things-anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide? (Since Study Start).	C-SSRS Already Enrolled Subjects - Deterrents to Most Severe Ideation (Since Study Start)
C107048	CSS05-Most Severe Idea, Duration-Prior	CSS05-Most Severe Idea, Duration-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - When you have the thoughts how long do they last? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Duration of Most Severe Ideation (Prior to Study Entry)
C107049	CSS05-Most Severe Idea, Duration-Since	CSS05-Most Severe Idea, Duration-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - When you have the thoughts how long do they last? (Since Study Start).	C-SSRS Already Enrolled Subjects - Duration of Most Severe Ideation (Since Study Start)
C107046	CSS05-Most Severe Idea, Frequency-Prior	CSS05-Most Severe Idea, Frequency-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - How many times have you had these thoughts? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Frequency of Most Severe Ideation (Prior to Study Entry)
C107047	CSS05-Most Severe Idea, Frequency-Since	CSS05-Most Severe Idea, Frequency-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - How many times have you had these thoughts? (Since Study Start).	C-SSRS Already Enrolled Subjects - Frequency of Most Severe Ideation (Since Study Start)
C107054	CSS05-Most Severe Idea, Reasons-Prior	CSS05-Most Severe Idea, Reasons-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Reasons For Most Severe Ideation (Prior to Study Entry)
C107055	CSS05-Most Severe Idea, Reasons-Since	CSS05-Most Severe Idea, Reasons-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both? (Since Study Start).	C-SSRS Already Enrolled Subjects - Reasons For Most Severe Ideation (Since Study Start)
C107042	CSS05-Most Severe Idea-Prior	CSS05-Most Severe Idea-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Most severe ideation. (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Most Severe Ideation (Prior to Study Entry)
C107044	CSS05-Most Severe Idea-Since	CSS05-Most Severe Idea-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Most severe ideation. (Since Study Start).	C-SSRS Already Enrolled Subjects - Most Severe Ideation (Since Study Start)
C107032	CSS05-Non-Spec Suicid Thought, Describe	CSS05-Non-Spec Suicid Thought, Describe	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Description of non-specific active suicidal thoughts.	C-SSRS Already Enrolled Subjects - Description of Non-Specific Active Suicidal Thoughts
C107030	CSS05-Non-Spec Suicid Thought-Prior	CSS05-Non-Spec Suicid Thought-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Have you actually had any thoughts of killing yourself? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Non-Specific Active Suicidal Thoughts (Prior to Study Entry)
C107031	CSS05-Non-Spec Suicid Thought-Since	CSS05-Non-Spec Suicid Thought-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Have you actually had any thoughts of killing yourself? (Since Study Start).	C-SSRS Already Enrolled Subjects - Non-Specific Active Suicidal Thoughts (Since Study Start)
C107061	CSS05-Non-suicid Self-injur Behav-Prior	CSS05-Non-suicid Self-injur Behav-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Has the subject engaged in non-suicidal self-injurious behavior? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Non-suicidal Self-injurious Behavior (Prior to Study Entry)
C107062	CSS05-Non-suicid Self-injur Behav-Since	CSS05-Non-suicid Self-injur Behav-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Has the subject engaged in non-suicidal self-injurious behavior? (Since Study Start).	C-SSRS Already Enrolled Subjects - Non-suicidal Self-injurious Behavior (Since Study Start)
C107065	CSS05-Num of Interrupted Attempts-Prior	CSS05-Num of Interrupted Attempts-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Total number of interrupted attempts. (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Number of Interrupted Suicide Attempts (Prior to Study Entry)

Columbia-Suicide Severity Rating Scale				
C107066	CSS05-Num of Interrupted Attempts-Since	CSS05-Num of Interrupted Attempts-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Total number of interrupted attempts. (Since Study Start).	C-SSRS Already Enrolled Subjects - Number of Interrupted Suicide Attempts (Since Study Start)
C107070	CSS05-Number of Aborted Attempts-Prior	CSS05-Number of Aborted Attempts-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Total number of aborted attempts. (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Number of Aborted Suicide Attempts (Prior to Study Entry)
C107071	CSS05-Number of Aborted Attempts-Since	CSS05-Number of Aborted Attempts-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Total number of aborted attempts. (Since Study Start).	C-SSRS Already Enrolled Subjects - Number of Aborted Suicide Attempts (Since Study Start)
C107058	CSS05-Number of Actual Attempts-Prior	CSS05-Number of Actual Attempts-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Total number of actual attempts. (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Number of Actual Suicide Attempts (Prior to Study Entry)
C107059	CSS05-Number of Actual Attempts-Since	CSS05-Number of Actual Attempts-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Total number of actual attempts. (Since Study Start).	C-SSRS Already Enrolled Subjects - Number of Actual Suicide Attempts (Since Study Start)
C107075	CSS05-Preparatory Acts/Behavior, Descr	CSS05-Preparatory Acts/Behavior, Descr	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Description of preparatory acts or behavior.	C-SSRS Already Enrolled Subjects - Description of Preparatory Acts or Behaviors Toward Suicide Attempt
C107073	CSS05-Preparatory Acts/Behavior-Prior	CSS05-Preparatory Acts/Behavior-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Preparatory Acts or Behaviors Toward Suicide Attempt (Prior to Study Entry)
C107074	CSS05-Preparatory Acts/Behavior-Since	CSS05-Preparatory Acts/Behavior-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)? (Since Study Start).	C-SSRS Already Enrolled Subjects - Preparatory Acts or Behaviors Toward Suicide Attempt (Since Study Start)
C107076	CSS05-Suicidal Behavior-Prior	CSS05-Suicidal Behavior-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Suicidal behavior was present during the assessment period? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Suicidal Behavior (Prior to Study Entry)
C107077	CSS05-Suicidal Behavior-Since	CSS05-Suicidal Behavior-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Suicidal behavior was present during the assessment period? (Since Study Start).	C-SSRS Already Enrolled Subjects - Suicidal Behavior (Since Study Start)
C107029	CSS05-Wish to be Dead, Describe	CSS05-Wish to be Dead, Describe	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Description of wishing to be dead.	C-SSRS Already Enrolled Subjects - Description of Wish to Be Dead
C107027	CSS05-Wish to be Dead-Prior	CSS05-Wish to be Dead-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Have you wished you were dead or wished you could go to sleep and not wake up? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Wish to Be Dead (Prior to Study Entry)
C107028	CSS05-Wish to be Dead-Since	CSS05-Wish to be Dead-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Have you wished you were dead or wished you could go to sleep and not wake up? (Since Study Start).	C-SSRS Already Enrolled Subjects - Wish to Be Dead (Since Study Start)

C111527	CSS0601	CSS06-Wish to be Dead	Columbia-Suicide Severity Rating Scale Children's Baseline - Have you thought about being dead or what it would be like to be dead? Have you wished you were dead or wished you could go to sleep and never wake up? Do you ever wish you weren't alive anymore?	C-SSRS Children's Baseline - Wish to be Dead
C111528	CSS0601A	CSS06-Wish to be Dead, Describe	Columbia-Suicide Severity Rating Scale Children's Baseline - Description of wishing to be dead.	C-SSRS Children's Baseline - Description of Wish to be Dead
C111529	CSS0602	CSS06-Non-Specific Suicidal Thought	Columbia-Suicide Severity Rating Scale Children's Baseline - Have you thought about doing something to make yourself not alive anymore? Have you had any thoughts about killing yourself?	C-SSRS Children's Baseline - Non-Specific Active Suicidal Thoughts
C111530	CSS0602A	CSS06-Non-Specific Suicid Thought, Descr	Columbia-Suicide Severity Rating Scale Children's Baseline - Description of non-specific active suicidal thoughts.	C-SSRS Children's Baseline - Description of Non-Specific Active Suicidal Thoughts
C111531	CSS0603	CSS06-Idea, No Intent, No Plan	Columbia-Suicide Severity Rating Scale Children's Baseline - Have you thought about how you would do that or how you would make yourself not alive anymore (kill yourself)? What did you think about?	C-SSRS Children's Baseline - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act
C111532	CSS0603A	CSS06-Idea, No Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Children's Baseline - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Children's Baseline - Description of Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act
C111533	CSS0604	CSS06-Ideation With Intent, No Plan	Columbia-Suicide Severity Rating Scale Children's Baseline - When you thought about making yourself not alive anymore (or killing yourself), did you think that this was something you might actually do? This is different from (as opposed to) having the thoughts but knowing you wouldn't do anything about it.	C-SSRS Children's Baseline - Active Suicidal Ideation with Some Intent to Act, without Specific Plan
C111534	CSS0604A	CSS06-Ideation With Intent No Plan Descr	Columbia-Suicide Severity Rating Scale Children's Baseline - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Children's Baseline - Description of Active Suicidal Ideation with Some Intent to Act, without Specific Plan
C111535	CSS0605	CSS06-Ideation With Plan/Intent	Columbia-Suicide Severity Rating Scale Children's Baseline - Have you ever decided how or when you would make yourself not alive anymore/kill yourself? Have you ever planned out (worked out the details of) how you would do it? What was your plan? When you made this plan (or worked out these details), was any part of you thinking about actually doing it?	C-SSRS Children's Baseline - Active Suicidal Ideation with Specific Plan and Intent
C111536	CSS0605A	CSS06-Ideation With Plan/Intent, Descr	Columbia-Suicide Severity Rating Scale Children's Baseline - Description of active suicidal ideation with specific plan and intent.	C-SSRS Children's Baseline - Description of Active Suicidal Ideation with Specific Plan and Intent
C111537	CSS0606	CSS06-Most Severe Ideation	Columbia-Suicide Severity Rating Scale Children's Baseline - Most severe ideation.	C-SSRS Children's Baseline - Most Severe Ideation
C111538	CSS0606A	CSS06-Most Severe Ideation, Description	Columbia-Suicide Severity Rating Scale Children's Baseline - Description of most severe ideation.	C-SSRS Children's Baseline - Describe Most Severe Ideation
C111539	CSS0607	CSS06-Most Severe Ideation, Frequency	Columbia-Suicide Severity Rating Scale Children's Baseline - How many times have you had these thoughts?	C-SSRS Children's Baseline - Frequency of Most Severe Ideation
C111540	CSS0607A	CSS06-Frequency, Write Response	Columbia-Suicide Severity Rating Scale Children's Baseline - Frequency, write response.	C-SSRS Children's Baseline - Frequency, Write Response
C111541	CSS0608	CSS06-Actual Attempt	Columbia-Suicide Severity Rating Scale Children's Baseline - Did you ever do anything to try to kill yourself or make yourself not alive anymore? What did you do? Did you ever hurt yourself on purpose? Why did you do that?	C-SSRS Children's Baseline - Actual Suicide Attempt
C111542	CSS0609	CSS06-Number of Actual Attempts	Columbia-Suicide Severity Rating Scale Children's Baseline - Total number of actual attempts.	C-SSRS Children's Baseline - Number of Actual Suicide Attempts
C111543	CSS0609A	CSS06-Actual Attempt, Describe	Columbia-Suicide Severity Rating Scale Children's Baseline - Description of actual attempt.	C-SSRS Children's Baseline - Description of Actual Suicide Attempt

Columbia-Suicide Severity Rating Scale Children's Baseline - Has subject engaged in non-suicidal self-injurious behavior?				
C111544	CSS0610	CSS06-Non-suicidal Self-injurious Behav	Columbia-Suicide Severity Rating Scale Children's Baseline - Has subject engaged in non-suicidal self-injurious behavior?	C-SSRS Children's Baseline - Non-suicidal Self-injurious Behavior
C111545	CSS0611	CSS06-Self-injur Behav, Intent Unknown	Columbia-Suicide Severity Rating Scale Children's Baseline - Has subject engaged in self-injurious behavior, intent unknown?	C-SSRS Children's Baseline - Self-injurious Behavior, Intent Unknown
C111546	CSS0612	CSS06-Interrupted Attempt	Columbia-Suicide Severity Rating Scale Children's Baseline - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but someone or something stopped you before you actually did anything? What did you do?	C-SSRS Children's Baseline - Interrupted Suicide Attempt
C111547	CSS0613	CSS06-Number of Interrupt Attempts	Columbia-Suicide Severity Rating Scale Children's Baseline - Total number of interrupted attempts.	C-SSRS Children's Baseline - Number of Interrupted Suicide Attempts
C111548	CSS0613A	CSS06-Interrupted Attempt, Describe	Columbia-Suicide Severity Rating Scale Children's Baseline - Description of interrupted attempt.	C-SSRS Children's Baseline - Description of Interrupted Suicide Attempt
C111549	CSS0614	CSS06-Aborted Attempt	Columbia-Suicide Severity Rating Scale Children's Baseline - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but you changed your mind (stopped yourself) before you actually did anything? What did you do?	C-SSRS Children's Baseline - Aborted Suicide Attempt
C111550	CSS0615	CSS06-Number of Aborted Attempts	Columbia-Suicide Severity Rating Scale Children's Baseline - Total number of aborted attempts.	C-SSRS Children's Baseline - Number of Aborted Suicide Attempts
C111551	CSS0615A	CSS06-Aborted Attempt, Describe	Columbia-Suicide Severity Rating Scale Children's Baseline - Description of aborted attempt.	C-SSRS Children's Baseline - Description of Aborted Suicide Attempt
C111552	CSS0616	CSS06-Preparatory Acts/Behavior	Columbia-Suicide Severity Rating Scale Children's Baseline - Have you done anything to get ready to make yourself not alive anymore (to end your life or kill yourself) - like giving things away, writing a goodbye note, getting things you need to kill yourself?	C-SSRS Children's Baseline - Preparatory Acts or Behaviors Toward Suicide Attempt
C111553	CSS0616A	CSS06-Preparatory Acts/Behavior, Descr	Columbia-Suicide Severity Rating Scale Children's Baseline - Description of preparatory acts or behavior.	C-SSRS Children's Baseline - Description of Preparatory Acts or Behaviors Toward Suicide Attempt
C111554	CSS0617	CSS06-Suicidal Behavior	Columbia-Suicide Severity Rating Scale Children's Baseline - Suicidal behavior was present during the assessment period?	C-SSRS Children's Baseline - Suicidal Behavior
C111555	CSS0618A	CSS06-Most Recent Attempt Date	Columbia-Suicide Severity Rating Scale Children's Baseline - Most recent attempt date.	C-SSRS Children's Baseline - Most Recent Suicide Attempt Date
C111556	CSS0618B	CSS06-Most Recent Attempt Damage	Columbia-Suicide Severity Rating Scale Children's Baseline - Most recent attempt actual lethality/medical damage.	C-SSRS Children's Baseline - Most Recent Suicide Attempt Actual Lethality/Medical Damage
C111557	CSS0618C	CSS06-Most Recent Attempt Potential	Columbia-Suicide Severity Rating Scale Children's Baseline - Most recent attempt potential lethality.	C-SSRS Children's Baseline - Most Recent Suicide Attempt Potential Lethality
C111558	CSS0619A	CSS06-Most Lethal Attempt Date	Columbia-Suicide Severity Rating Scale Children's Baseline - Most lethal attempt date.	C-SSRS Children's Baseline - Most Lethal Suicide Attempt Date
C111559	CSS0619B	CSS06-Most Lethal Attempt Damage	Columbia-Suicide Severity Rating Scale Children's Baseline - Most lethal attempt actual lethality/medical damage.	C-SSRS Children's Baseline - Most Lethal Suicide Attempt Actual Lethality/Medical Damage
C111560	CSS0619C	CSS06-Most Lethal Attempt Potential	Columbia-Suicide Severity Rating Scale Children's Baseline - Most lethal attempt potential lethality.	C-SSRS Children's Baseline - Most Lethal Suicide Attempt Potential Lethality
C111561	CSS0620A	CSS06-First Attempt Date	Columbia-Suicide Severity Rating Scale Children's Baseline - Initial/first attempt date.	C-SSRS Children's Baseline - First Suicide Attempt Date
C111562	CSS0620B	CSS06-First Attempt Damage	Columbia-Suicide Severity Rating Scale Children's Baseline - Initial/first attempt actual lethality/medical damage.	C-SSRS Children's Baseline - First Suicide Attempt Actual Lethality/Medical Damage
C111563	CSS0620C	CSS06-First Attempt Potential	Columbia-Suicide Severity Rating Scale Children's Baseline - Initial/first attempt potential lethality.	C-SSRS Children's Baseline - First Suicide Attempt Potential Lethality

C111549	CSS06-Aborted Attempt	CSS06-Aborted Attempt	Columbia-Suicide Severity Rating Scale Children's Baseline - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but you changed your mind (stopped yourself) before you actually did anything? What did you do?	C-SSRS Children's Baseline - Aborted Suicide Attempt
C111551	CSS06-Aborted Attempt, Describe	CSS06-Aborted Attempt, Describe	Columbia-Suicide Severity Rating Scale Children's Baseline - Description of aborted attempt.	C-SSRS Children's Baseline - Description of Aborted Suicide Attempt
C111541	CSS06-Actual Attempt	CSS06-Actual Attempt	Columbia-Suicide Severity Rating Scale Children's Baseline - Did you ever do anything to try to kill yourself or make yourself not alive anymore? What did you do? Did you ever hurt yourself on purpose? Why did you do that?	C-SSRS Children's Baseline - Actual Suicide Attempt
C111543	CSS06-Actual Attempt, Describe	CSS06-Actual Attempt, Describe	Columbia-Suicide Severity Rating Scale Children's Baseline - Description of actual attempt.	C-SSRS Children's Baseline - Description of Actual Suicide Attempt
C111562	CSS06-First Attempt Damage	CSS06-First Attempt Damage	Columbia-Suicide Severity Rating Scale Children's Baseline - Initial/first attempt actual lethality/medical damage.	C-SSRS Children's Baseline - First Suicide Attempt Actual Lethality/Medical Damage
C111561	CSS06-First Attempt Date	CSS06-First Attempt Date	Columbia-Suicide Severity Rating Scale Children's Baseline - Initial/first attempt date.	C-SSRS Children's Baseline - First Suicide Attempt Date
C111563	CSS06-First Attempt Potential	CSS06-First Attempt Potential	Columbia-Suicide Severity Rating Scale Children's Baseline - Initial/first attempt potential lethality.	C-SSRS Children's Baseline - First Suicide Attempt Potential Lethality
C111540	CSS06-Frequency, Write Response	CSS06-Frequency, Write Response	Columbia-Suicide Severity Rating Scale Children's Baseline - Frequency, write response.	C-SSRS Children's Baseline - Frequency, Write Response
C111531	CSS06-Idea, No Intent, No Plan	CSS06-Idea, No Intent, No Plan	Columbia-Suicide Severity Rating Scale Children's Baseline - Have you thought about how you would do that or how you would make yourself not alive anymore (kill yourself)? What did you think about?	C-SSRS Children's Baseline - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act
C111532	CSS06-Idea, No Intent, No Plan, Describe	CSS06-Idea, No Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Children's Baseline - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Children's Baseline - Description of Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act
C111534	CSS06-Ideation With Intent No Plan Descr	CSS06-Ideation With Intent No Plan Descr	Columbia-Suicide Severity Rating Scale Children's Baseline - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Children's Baseline - Description of Active Suicidal Ideation with Some Intent to Act, without Specific Plan
C111533	CSS06-Ideation With Intent, No Plan	CSS06-Ideation With Intent, No Plan	Columbia-Suicide Severity Rating Scale Children's Baseline - When you thought about making yourself not alive anymore (or killing yourself), did you think that this was something you might actually do? This is different from (as opposed to) having the thoughts but knowing you wouldn't do anything about it.	C-SSRS Children's Baseline - Active Suicidal Ideation with Some Intent to Act, without Specific Plan
C111535	CSS06-Ideation With Plan/Intent	CSS06-Ideation With Plan/Intent	Columbia-Suicide Severity Rating Scale Children's Baseline - Have you ever decided how or when you would make yourself not alive anymore/kill yourself? Have you ever planned out (worked out the details of) how you would do it? What was your plan? When you made this plan (or worked out these details), was any part of you thinking about actually doing it?	C-SSRS Children's Baseline - Active Suicidal Ideation with Specific Plan and Intent
C111536	CSS06-Ideation With Plan/Intent, Descr	CSS06-Ideation With Plan/Intent, Descr	Columbia-Suicide Severity Rating Scale Children's Baseline - Description of active suicidal ideation with specific plan and intent.	C-SSRS Children's Baseline - Description of Active Suicidal Ideation with Specific Plan and Intent
C111546	CSS06-Interrupted Attempt	CSS06-Interrupted Attempt	Columbia-Suicide Severity Rating Scale Children's Baseline - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but someone or something stopped you before you actually did anything? What did you do?	C-SSRS Children's Baseline - Interrupted Suicide Attempt
C111548	CSS06-Interrupted Attempt, Describe	CSS06-Interrupted Attempt, Describe	Columbia-Suicide Severity Rating Scale Children's Baseline - Description of interrupted attempt.	C-SSRS Children's Baseline - Description of Interrupted Suicide Attempt
C111559	CSS06-Most Lethal Attempt Damage	CSS06-Most Lethal Attempt Damage	Columbia-Suicide Severity Rating Scale Children's Baseline - Most lethal attempt actual lethality/medical damage.	C-SSRS Children's Baseline - Most Lethal Suicide Attempt Actual Lethality/Medical Damage

Columbia-Suicide Severity Rating Scale Children's Baseline - Description of wishing to be dead.				
C111558	CSS06-Most Lethal Attempt Date	CSS06-Most Lethal Attempt Date	Columbia-Suicide Severity Rating Scale Children's Baseline - Most lethal attempt date.	C-SSRS Children's Baseline - Most Lethal Suicide Attempt Date
C111560	CSS06-Most Lethal Attempt Potential	CSS06-Most Lethal Attempt Potential	Columbia-Suicide Severity Rating Scale Children's Baseline - Most lethal attempt potential lethality.	C-SSRS Children's Baseline - Most Lethal Suicide Attempt Potential Lethality
C111556	CSS06-Most Recent Attempt Damage	CSS06-Most Recent Attempt Damage	Columbia-Suicide Severity Rating Scale Children's Baseline - Most recent attempt actual lethality/medical damage.	C-SSRS Children's Baseline - Most Recent Suicide Attempt Actual Lethality/Medical Damage
C111555	CSS06-Most Recent Attempt Date	CSS06-Most Recent Attempt Date	Columbia-Suicide Severity Rating Scale Children's Baseline - Most recent attempt date.	C-SSRS Children's Baseline - Most Recent Suicide Attempt Date
C111557	CSS06-Most Recent Attempt Potential	CSS06-Most Recent Attempt Potential	Columbia-Suicide Severity Rating Scale Children's Baseline - Most recent attempt potential lethality.	C-SSRS Children's Baseline - Most Recent Suicide Attempt Potential Lethality
C111537	CSS06-Most Severe Ideation	CSS06-Most Severe Ideation	Columbia-Suicide Severity Rating Scale Children's Baseline - Most severe ideation.	C-SSRS Children's Baseline - Most Severe Ideation
C111538	CSS06-Most Severe Ideation, Description	CSS06-Most Severe Ideation, Description	Columbia-Suicide Severity Rating Scale Children's Baseline - Description of most severe ideation.	C-SSRS Children's Baseline - Describe Most Severe Ideation
C111539	CSS06-Most Severe Ideation, Frequency	CSS06-Most Severe Ideation, Frequency	Columbia-Suicide Severity Rating Scale Children's Baseline - How many times have you had these thoughts?	C-SSRS Children's Baseline - Frequency of Most Severe Ideation
C111530	CSS06-Non-Specific Suicid Thought, Descr	CSS06-Non-Specific Suicid Thought, Descr	Columbia-Suicide Severity Rating Scale Children's Baseline - Description of non-specific active suicidal thoughts.	C-SSRS Children's Baseline - Description of Non-Specific Active Suicidal Thoughts
C111529	CSS06-Non-Specific Suicidal Thought	CSS06-Non-Specific Suicidal Thought	Columbia-Suicide Severity Rating Scale Children's Baseline - Have you thought about doing something to make yourself not alive anymore? Have you had any thoughts about killing yourself?	C-SSRS Children's Baseline - Non-Specific Active Suicidal Thoughts
C111544	CSS06-Non-suicidal Self-injurious Behav	CSS06-Non-suicidal Self-injurious Behav	Columbia-Suicide Severity Rating Scale Children's Baseline - Has subject engaged in non-suicidal self-injurious behavior?	C-SSRS Children's Baseline - Non-suicidal Self-injurious Behavior
C111550	CSS06-Number of Aborted Attempts	CSS06-Number of Aborted Attempts	Columbia-Suicide Severity Rating Scale Children's Baseline - Total number of aborted attempts.	C-SSRS Children's Baseline - Number of Aborted Suicide Attempts
C111542	CSS06-Number of Actual Attempts	CSS06-Number of Actual Attempts	Columbia-Suicide Severity Rating Scale Children's Baseline - Total number of actual attempts.	C-SSRS Children's Baseline - Number of Actual Suicide Attempts
C111547	CSS06-Number of Interrupt Attempts	CSS06-Number of Interrupt Attempts	Columbia-Suicide Severity Rating Scale Children's Baseline - Total number of interrupted attempts.	C-SSRS Children's Baseline - Number of Interrupted Suicide Attempts
C111552	CSS06-Preparatory Acts/Behavior	CSS06-Preparatory Acts/Behavior	Columbia-Suicide Severity Rating Scale Children's Baseline - Have you done anything to get ready to make yourself not alive anymore (to end your life or kill yourself) - like giving things away, writing a goodbye note, getting things you need to kill yourself?	C-SSRS Children's Baseline - Preparatory Acts or Behaviors Toward Suicide Attempt
C111553	CSS06-Preparatory Acts/Behavior, Descr	CSS06-Preparatory Acts/Behavior, Descr	Columbia-Suicide Severity Rating Scale Children's Baseline - Description of preparatory acts or behavior.	C-SSRS Children's Baseline - Description of Preparatory Acts or Behaviors Toward Suicide Attempt
C111545	CSS06-Self-injur Behav, Intent Unknown	CSS06-Self-injur Behav, Intent Unknown	Columbia-Suicide Severity Rating Scale Children's Baseline - Has subject engaged in self-injurious behavior, intent unknown?	C-SSRS Children's Baseline - Self-injurious Behavior, Intent Unknown
C111554	CSS06-Suicidal Behavior	CSS06-Suicidal Behavior	Columbia-Suicide Severity Rating Scale Children's Baseline - Suicidal behavior was present during the assessment period?	C-SSRS Children's Baseline - Suicidal Behavior
C111527	CSS06-Wish to be Dead	CSS06-Wish to be Dead	Columbia-Suicide Severity Rating Scale Children's Baseline - Have you thought about being dead or what it would be like to be dead? Have you wished you were dead or wished you could go to sleep and never wake up? Do you ever wish you weren't alive anymore?	C-SSRS Children's Baseline - Wish to be Dead
C111528	CSS06-Wish to be Dead, Describe	CSS06-Wish to be Dead, Describe	Columbia-Suicide Severity Rating Scale Children's Baseline - Description of wishing to be dead.	C-SSRS Children's Baseline - Description of Wish to be Dead

C111385	CSS0701A	CSS07-Wish to be Dead-Life	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Have you thought about being dead or what it would be like to be dead? Have you wished you were dead or wished you could go to sleep and never wake up? Do you ever wish you weren't alive anymore? (Lifetime).	C-SSRS Children's Baseline/Screening - Wish to be Dead (Lifetime)
C111386	CSS0701B	CSS07-Wish to be Dead-P6M	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Have you thought about being dead or what it would be like to be dead? Have you wished you were dead or wished you could go to sleep and never wake up? Do you ever wish you weren't alive anymore? (Past 6 Months).	C-SSRS Children's Baseline/Screening - Wish to be Dead (Past 6 Months)
C111387	CSS0701C	CSS07-Wish to be Dead, Describe	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Description of wishing to be dead.	C-SSRS Children's Baseline/Screening - Description of Wish to be Dead
C111388	CSS0702A	CSS07-Non-Spec Suicid Thought-Life	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Have you thought about doing something to make yourself not alive anymore? Have you had any thoughts about killing yourself? (Lifetime).	C-SSRS Children's Baseline/Screening - Non-Specific Active Suicidal Thoughts (Lifetime)
C111389	CSS0702B	CSS07-Non-Spec Suicid Thought-P6M	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Have you thought about doing something to make yourself not alive anymore? Have you had any thoughts about killing yourself? (Past 6 Months).	C-SSRS Children's Baseline/Screening - Non-Specific Active Suicidal Thoughts (Past 6 Months)
C111390	CSS0702C	CSS07-Non-Spec Suicid Thought, Describe	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Description of non-specific active suicidal thoughts.	C-SSRS Children's Baseline/Screening - Description of Non-Specific Active Suicidal Thoughts
C111391	CSS0703A	CSS07-Idea, No Intent, No Plan-Life	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Have you thought about how you would do that or how you would make yourself not alive anymore (kill yourself)? What did you think about? (Lifetime).	C-SSRS Children's Baseline/Screening - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act (Lifetime)
C111392	CSS0703B	CSS07-Idea, No Intent, No Plan-P6M	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Have you thought about how you would do that or how you would make yourself not alive anymore (kill yourself)? What did you think about? (Past 6 Months).	C-SSRS Children's Baseline/Screening - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act (Past 6 Months)
C111393	CSS0703C	CSS07-Idea, No Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Children's Baseline/Screening - Description of Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act
C111394	CSS0704A	CSS07-Idea, Intent, No Plan-Life	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - When you thought about making yourself not alive anymore (or killing yourself), did you think that this was something you might actually do? This is different from (as opposed to) having the thoughts but knowing you wouldn't do anything about it. (Lifetime).	C-SSRS Children's Baseline/Screening - Active Suicidal Ideation with Some Intent to Act, without Specific Plan (Lifetime)
C111395	CSS0704B	CSS07-Idea, Intent, No Plan-P6M	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - When you thought about making yourself not alive anymore (or killing yourself), did you think that this was something you might actually do? This is different from (as opposed to) having the thoughts but knowing you wouldn't do anything about it. (Past 6 Months).	C-SSRS Children's Baseline/Screening - Active Suicidal Ideation with Some Intent to Act, without Specific Plan (Past 6 Months)
C111396	CSS0704C	CSS07-Idea, Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Children's Baseline/Screening - Description of Active Suicidal Ideation with Some Intent to Act, without Specific Plan
C111397	CSS0705A	CSS07-Idea, Plan, Intent-Life	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Have you ever decided how or when you would make yourself not alive anymore/kill yourself? Have you ever planned out (worked out the details of) how you would do it? What was your plan? When you made this plan (or worked out these details), was any part of you thinking about actually doing it? (Lifetime).	C-SSRS Children's Baseline/Screening - Active Suicidal Ideation with Specific Plan and Intent (Lifetime)

Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Active Suicidal Ideation with Specific Plan and Intent (Past 6 Months)				
C111398	CSS0705B	CSS07-Idea, Plan, Intent-P6M	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Have you ever decided how or when you would make yourself not alive anymore/kill yourself? Have you ever planned out (worked out the details of) how you would do it? What was your plan? When you made this plan (or worked out these details), was any part of you thinking about actually doing it? (Past 6 Months).	C-SSRS Children's Baseline/Screening - Active Suicidal Ideation with Specific Plan and Intent (Past 6 Months)
C111399	CSS0705C	CSS07-Idea, Plan, Intent, Describe	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Description of active suicidal ideation with specific plan and intent.	C-SSRS Children's Baseline/Screening - Description of Active Suicidal Ideation with Specific Plan and Intent
C111400	CSS0706A	CSS07-Most Severe Idea	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Most severe ideation.	C-SSRS Children's Baseline/Screening - Most Severe Ideation
C111401	CSS0706B	CSS07-Most Severe Idea, Desc	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Description of most severe ideation.	C-SSRS Children's Baseline/Screening - Describe Most Severe Ideation
C111402	CSS0707A	CSS07-Most Severe Idea, Frequency-Life	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - How many times have you had these thoughts? (Lifetime).	C-SSRS Children's Baseline/Screening - Frequency of Most Severe Ideation (Lifetime)
C111403	CSS0707B	CSS07-Most Severe Idea, Frequency-P6M	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - How many times have you had these thoughts? (Past 6 Months).	C-SSRS Children's Baseline/Screening - Frequency of Most Severe Ideation (Past 6 Months)
C111404	CSS0707C	CSS07-Frequency, Write Response	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Frequency, write response.	C-SSRS Children's Baseline/Screening - Frequency, Write Response
C111405	CSS0708	CSS07-Actual Attempt	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Did you ever do anything to try to kill yourself or make yourself not alive anymore? What did you do? Did you ever hurt yourself on purpose? Why did you do that?	C-SSRS Children's Baseline/Screening - Actual Suicide Attempt
C111406	CSS0709	CSS07-Number of Actual Attempts	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Total number of actual attempts.	C-SSRS Children's Baseline/Screening - Number of Actual Suicide Attempts
C111407	CSS0709A	CSS07-Actual Attempt, Describe	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Description of actual attempt.	C-SSRS Children's Baseline/Screening - Description of Actual Suicide Attempt
C111408	CSS0710	CSS07-Non-suicidal Self-injur Behav	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Has subject engaged in non-suicidal self-injurious behavior?	C-SSRS Children's Baseline/Screening - Non-suicidal Self-injurious Behavior
C111409	CSS0711	CSS07-Self-injur Behav, Intent Unknown	Columbia-Suicide Severity Rating Scale Children's Baseline - Has subject engaged in self-injurious behavior, intent unknown?	C-SSRS Children's Baseline/Screening - Self-injurious Behavior, Intent Unknown
C111410	CSS0712	CSS07-Interrupted Attempt	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but someone or something stopped you before you actually did anything? What did you do?	C-SSRS Children's Baseline/Screening - Interrupted Suicide Attempt
C111411	CSS0713	CSS07-Number of Interrupt Attempts	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Total number of interrupted attempts.	C-SSRS Children's Baseline/Screening - Number of Interrupted Suicide Attempts
C111412	CSS0713A	CSS07-Interrupted Attempt, Describe	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Description of interrupted attempt.	C-SSRS Children's Baseline/Screening - Description of Interrupted Suicide Attempt
C111413	CSS0714	CSS07-Aborted Attempt	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but you changed your mind (stopped yourself) before you actually did anything? What did you do?	C-SSRS Children's Baseline/Screening - Aborted Suicide Attempt
C111414	CSS0715	CSS07-Number of Aborted Attempts	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Total number of aborted attempts.	C-SSRS Children's Baseline/Screening - Number of Aborted Suicide Attempts

Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Description of aborted attempt.				
C111415	CSS0715A	CSS07-Aborted Attempt, Describe	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Description of aborted attempt.	C-SSRS Children's Baseline/Screening - Description of Aborted Suicide Attempt
C111416	CSS0716	CSS07-Preparatory Acts/Behavior	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Have you done anything to get ready to make yourself not alive anymore (to end your life or kill yourself) - like giving things away, writing a goodbye note, getting things you need to kill yourself?	C-SSRS Children's Baseline/Screening - Preparatory Acts or Behaviors Toward Suicide Attempt
C111417	CSS0716A	CSS07-Preparatory Acts/Behavior, Descr	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Description of preparatory acts or behavior.	C-SSRS Children's Baseline/Screening - Description of Preparatory Acts or Behaviors Toward Suicide Attempt
C111418	CSS0717	CSS07-Suicidal Behavior	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Suicidal behavior was present during the assessment period?	C-SSRS Children's Baseline/Screening - Suicidal Behavior
C111419	CSS0718A	CSS07-Most Recent Attempt Date	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Most recent attempt date.	C-SSRS Children's Baseline/Screening - Most Recent Suicide Attempt Date
C111420	CSS0718B	CSS07-Most Recent Attempt Damage	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Most recent attempt actual lethality/medical damage.	C-SSRS Children's Baseline/Screening - Most Recent Suicide Attempt Actual Lethality/Medical Damage
C111421	CSS0718C	CSS07-Most Recent Attempt Potential	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Most recent attempt potential lethality.	C-SSRS Children's Baseline/Screening - Most Recent Suicide Attempt Potential Lethality
C111422	CSS0719A	CSS07-Most Lethal Attempt Date	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Most lethal attempt date.	C-SSRS Children's Baseline/Screening - Most Lethal Suicide Attempt Date
C111423	CSS0719B	CSS07-Most Lethal Attempt Damage	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Most lethal attempt actual lethality/medical damage.	C-SSRS Children's Baseline/Screening - Most Lethal Suicide Attempt Actual Lethality/Medical Damage
C111424	CSS0719C	CSS07-Most Lethal Attempt Potential	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Most lethal attempt potential lethality.	C-SSRS Children's Baseline/Screening - Most Lethal Suicide Attempt Potential Lethality
C111425	CSS0720A	CSS07-First Attempt Date	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Initial/first attempt date.	C-SSRS Children's Baseline/Screening - First Suicide Attempt Date
C111426	CSS0720B	CSS07-First Attempt Damage	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Initial/first attempt actual lethality/medical damage.	C-SSRS Children's Baseline/Screening - First Suicide Attempt Actual Lethality/Medical Damage
C111427	CSS0720C	CSS07-First Attempt Potential	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Initial/first attempt potential lethality.	C-SSRS Children's Baseline/Screening - First Suicide Attempt Potential Lethality

C111413	CSS07-Aborted Attempt	CSS07-Aborted Attempt	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but you changed your mind (stopped yourself) before you actually did anything? What did you do?	C-SSRS Children's Baseline/Screening - Aborted Suicide Attempt
C111415	CSS07-Aborted Attempt, Describe	CSS07-Aborted Attempt, Describe	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Description of aborted attempt.	C-SSRS Children's Baseline/Screening - Description of Aborted Suicide Attempt
C111405	CSS07-Actual Attempt	CSS07-Actual Attempt	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Did you ever do anything to try to kill yourself or make yourself not alive anymore? What did you do? Did you ever hurt yourself on purpose? Why did you do that?	C-SSRS Children's Baseline/Screening - Actual Suicide Attempt
C111407	CSS07-Actual Attempt, Describe	CSS07-Actual Attempt, Describe	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Description of actual attempt.	C-SSRS Children's Baseline/Screening - Description of Actual Suicide Attempt
C111426	CSS07-First Attempt Damage	CSS07-First Attempt Damage	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Initial/first attempt actual lethality/medical damage.	C-SSRS Children's Baseline/Screening - First Suicide Attempt Actual Lethality/Medical Damage
C111425	CSS07-First Attempt Date	CSS07-First Attempt Date	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Initial/first attempt date.	C-SSRS Children's Baseline/Screening - First Suicide Attempt Date
C111427	CSS07-First Attempt Potential	CSS07-First Attempt Potential	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Initial/first attempt potential lethality.	C-SSRS Children's Baseline/Screening - First Suicide Attempt Potential Lethality
C111404	CSS07-Frequency, Write Response	CSS07-Frequency, Write Response	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Frequency, write response.	C-SSRS Children's Baseline/Screening - Frequency, Write Response
C111396	CSS07-Idea, Intent, No Plan, Describe	CSS07-Idea, Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Children's Baseline/Screening - Description of Active Suicidal Ideation with Some Intent to Act, without Specific Plan
C111394	CSS07-Idea, Intent, No Plan-Life	CSS07-Idea, Intent, No Plan-Life	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - When you thought about making yourself not alive anymore (or killing yourself), did you think that this was something you might actually do? This is different from (as opposed to) having the thoughts but knowing you wouldn't do anything about it. (Lifetime).	C-SSRS Children's Baseline/Screening - Active Suicidal Ideation with Some Intent to Act, without Specific Plan (Lifetime)
C111395	CSS07-Idea, Intent, No Plan-P6M	CSS07-Idea, Intent, No Plan-P6M	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - When you thought about making yourself not alive anymore (or killing yourself), did you think that this was something you might actually do? This is different from (as opposed to) having the thoughts but knowing you wouldn't do anything about it. (Past 6 Months).	C-SSRS Children's Baseline/Screening - Active Suicidal Ideation with Some Intent to Act, without Specific Plan (Past 6 Months)
C111393	CSS07-Idea, No Intent, No Plan, Describe	CSS07-Idea, No Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Children's Baseline/Screening - Description of Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act
C111391	CSS07-Idea, No Intent, No Plan-Life	CSS07-Idea, No Intent, No Plan-Life	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Have you thought about how you would do that or how you would make yourself not alive anymore (kill yourself)? What did you think about? (Lifetime).	C-SSRS Children's Baseline/Screening - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act (Lifetime)
C111392	CSS07-Idea, No Intent, No Plan-P6M	CSS07-Idea, No Intent, No Plan-P6M	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Have you thought about how you would do that or how you would make yourself not alive anymore (kill yourself)? What did you think about? (Past 6 Months).	C-SSRS Children's Baseline/Screening - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act (Past 6 Months)
C111399	CSS07-Idea, Plan, Intent, Describe	CSS07-Idea, Plan, Intent, Describe	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Description of active suicidal ideation with specific plan and intent.	C-SSRS Children's Baseline/Screening - Description of Active Suicidal Ideation with Specific Plan and Intent

Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Have you ever decided how or when you would make yourself not alive anymore/kill yourself? Have you ever planned out (worked out the details of) how you would do it? What was your plan? When you made this plan (or worked out these details), was any part of you thinking about actually doing it? (Lifetime).				
C111397	CSS07-Idea, Plan, Intent-Life	CSS07-Idea, Plan, Intent-Life	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Have you ever decided how or when you would make yourself not alive anymore/kill yourself? Have you ever planned out (worked out the details of) how you would do it? What was your plan? When you made this plan (or worked out these details), was any part of you thinking about actually doing it? (Lifetime).	C-SSRS Children's Baseline/Screening - Active Suicidal Ideation with Specific Plan and Intent (Lifetime)
C111398	CSS07-Idea, Plan, Intent-P6M	CSS07-Idea, Plan, Intent-P6M	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Have you ever decided how or when you would make yourself not alive anymore/kill yourself? Have you ever planned out (worked out the details of) how you would do it? What was your plan? When you made this plan (or worked out these details), was any part of you thinking about actually doing it? (Past 6 Months).	C-SSRS Children's Baseline/Screening - Active Suicidal Ideation with Specific Plan and Intent (Past 6 Months)
C111410	CSS07-Interrupted Attempt	CSS07-Interrupted Attempt	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but someone or something stopped you before you actually did anything? What did you do?	C-SSRS Children's Baseline/Screening - Interrupted Suicide Attempt
C111412	CSS07-Interrupted Attempt, Describe	CSS07-Interrupted Attempt, Describe	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Description of interrupted attempt.	C-SSRS Children's Baseline/Screening - Description of Interrupted Suicide Attempt
C111423	CSS07-Most Lethal Attempt Damage	CSS07-Most Lethal Attempt Damage	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Most lethal attempt actual lethality/medical damage.	C-SSRS Children's Baseline/Screening - Most Lethal Suicide Attempt Actual Lethality/Medical Damage
C111422	CSS07-Most Lethal Attempt Date	CSS07-Most Lethal Attempt Date	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Most lethal attempt date.	C-SSRS Children's Baseline/Screening - Most Lethal Suicide Attempt Date
C111424	CSS07-Most Lethal Attempt Potential	CSS07-Most Lethal Attempt Potential	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Most lethal attempt potential lethality.	C-SSRS Children's Baseline/Screening - Most Lethal Suicide Attempt Potential Lethality
C111420	CSS07-Most Recent Attempt Damage	CSS07-Most Recent Attempt Damage	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Most recent attempt actual lethality/medical damage.	C-SSRS Children's Baseline/Screening - Most Recent Suicide Attempt Actual Lethality/Medical Damage
C111419	CSS07-Most Recent Attempt Date	CSS07-Most Recent Attempt Date	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Most recent attempt date.	C-SSRS Children's Baseline/Screening - Most Recent Suicide Attempt Date
C111421	CSS07-Most Recent Attempt Potential	CSS07-Most Recent Attempt Potential	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Most recent attempt potential lethality.	C-SSRS Children's Baseline/Screening - Most Recent Suicide Attempt Potential Lethality
C111400	CSS07-Most Severe Idea	CSS07-Most Severe Idea	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Most severe ideation.	C-SSRS Children's Baseline/Screening - Most Severe Ideation
C111401	CSS07-Most Severe Idea, Desc	CSS07-Most Severe Idea, Desc	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Description of most severe ideation.	C-SSRS Children's Baseline/Screening - Describe Most Severe Ideation
C111402	CSS07-Most Severe Idea, Frequency-Life	CSS07-Most Severe Idea, Frequency-Life	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - How many times have you had these thoughts? (Lifetime).	C-SSRS Children's Baseline/Screening - Frequency of Most Severe Ideation (Lifetime)
C111403	CSS07-Most Severe Idea, Frequency-P6M	CSS07-Most Severe Idea, Frequency-P6M	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - How many times have you had these thoughts? (Past 6 Months).	C-SSRS Children's Baseline/Screening - Frequency of Most Severe Ideation (Past 6 Months)
C111390	CSS07-Non-Spec Suicid Thought, Describe	CSS07-Non-Spec Suicid Thought, Describe	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Description of non-specific active suicidal thoughts.	C-SSRS Children's Baseline/Screening - Description of Non-Specific Active Suicidal Thoughts
C111388	CSS07-Non-Spec Suicid Thought-Life	CSS07-Non-Spec Suicid Thought-Life	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Have you thought about doing something to make yourself not alive anymore? Have you had any thoughts about killing yourself? (Lifetime).	C-SSRS Children's Baseline/Screening - Non-Specific Active Suicidal Thoughts (Lifetime)

Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Description of preparatory acts or behavior.					
C111389	CSS07-Non-Spec Suicid Thought-P6M	CSS07-Non-Spec Suicid Thought-P6M	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Have you thought about doing something to make yourself not alive anymore? Have you had any thoughts about killing yourself? (Past 6 Months).	C-SSRS Children's Baseline/Screening - Non-Specific Active Suicidal Thoughts (Past 6 Months)	
C111408	CSS07-Non-suicidal Self-injur Behav	CSS07-Non-suicidal Self-injur Behav	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Has subject engaged in non-suicidal self-injurious behavior?	C-SSRS Children's Baseline/Screening - Non-suicidal Self-injurious Behavior	
C111414	CSS07-Number of Aborted Attempts	CSS07-Number of Aborted Attempts	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Total number of aborted attempts.	C-SSRS Children's Baseline/Screening - Number of Aborted Suicide Attempts	
C111406	CSS07-Number of Actual Attempts	CSS07-Number of Actual Attempts	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Total number of actual attempts.	C-SSRS Children's Baseline/Screening - Number of Actual Suicide Attempts	
C111411	CSS07-Number of Interrupt Attempts	CSS07-Number of Interrupt Attempts	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Total number of interrupted attempts.	C-SSRS Children's Baseline/Screening - Number of Interrupted Suicide Attempts	
C111416	CSS07-Preparatory Acts/Behavior	CSS07-Preparatory Acts/Behavior	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Have you done anything to get ready to make yourself not alive anymore (to end your life or kill yourself) - like giving things away, writing a goodbye note, getting things you need to kill yourself?	C-SSRS Children's Baseline/Screening - Preparatory Acts or Behaviors Toward Suicide Attempt	
C111417	CSS07-Preparatory Acts/Behavior, Descr	CSS07-Preparatory Acts/Behavior, Descr	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Description of preparatory acts or behavior.	C-SSRS Children's Baseline/Screening - Description of Preparatory Acts or Behaviors Toward Suicide Attempt	
C111409	CSS07-Self-injur Behav, Intent Unknown	CSS07-Self-injur Behav, Intent Unknown	Columbia-Suicide Severity Rating Scale Children's Baseline - Has subject engaged in self-injurious behavior, intent unknown?	C-SSRS Children's Baseline/Screening - Self-injurious Behavior, Intent Unknown	
C111418	CSS07-Suicidal Behavior	CSS07-Suicidal Behavior	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Suicidal behavior was present during the assessment period?	C-SSRS Children's Baseline/Screening - Suicidal Behavior	
C111387	CSS07-Wish to be Dead, Describe	CSS07-Wish to be Dead, Describe	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Description of wishing to be dead.	C-SSRS Children's Baseline/Screening - Description of Wish to be Dead	
C111385	CSS07-Wish to be Dead-Life	CSS07-Wish to be Dead-Life	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Have you thought about being dead or what it would be like to be dead? Have you wished you were dead or wished you could go to sleep and never wake up? Do you ever wish you weren't alive anymore? (Lifetime).	C-SSRS Children's Baseline/Screening - Wish to be Dead (Lifetime)	
C111386	CSS07-Wish to be Dead-P6M	CSS07-Wish to be Dead-P6M	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Have you thought about being dead or what it would be like to be dead? Have you wished you were dead or wished you could go to sleep and never wake up? Do you ever wish you weren't alive anymore? (Past 6 Months).	C-SSRS Children's Baseline/Screening - Wish to be Dead (Past 6 Months)	

Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Description of suicidal behavior				
C111428	CSS0801	CSS08-Wish to be Dead	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Have you thought about being dead or what it would be like to be dead? Have you wished you were dead or wished you could go to sleep and never wake up? Do you ever wish you weren't alive anymore?	C-SSRS Children's Since Last Visit - Wish to be Dead
C111429	CSS0801A	CSS08-Wish to be Dead, Describe	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Description of wishing to be dead.	C-SSRS Children's Since Last Visit - Description of Wish to be Dead
C111430	CSS0802	CSS08-Non-Specific Suicidal Thought	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Have you thought about doing something to make yourself not alive anymore? Have you had any thoughts about killing yourself?	C-SSRS Children's Since Last Visit - Non-Specific Active Suicidal Thoughts
C111431	CSS0802A	CSS08-Non-Specific Suicid Thought, Descr	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Description of non-specific active suicidal thoughts.	C-SSRS Children's Since Last Visit - Description of Non-Specific Active Suicidal Thoughts
C111432	CSS0803	CSS08-Idea, No Intent, No Plan	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Have you thought about how you would do that or how you would make yourself not alive anymore (kill yourself)? What did you think about?	C-SSRS Children's Since Last Visit - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act
C111433	CSS0803A	CSS08-Idea, No Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Children's Since Last Visit - Description of Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act
C111434	CSS0804	CSS08-Ideation With Intent, No Plan	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - When you thought about making yourself not alive anymore (or killing yourself), did you think that this was something you might actually do? This is different from (as opposed to) having the thoughts but knowing you wouldn't do anything about it.	C-SSRS Children's Since Last Visit - Active Suicidal Ideation with Some Intent to Act, without Specific Plan
C111435	CSS0804A	CSS08-Ideation With Intent No Plan Descr	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Children's Since Last Visit - Description of Active Suicidal Ideation with Some Intent to Act, without Specific Plan
C111436	CSS0805	CSS08-Ideation With Plan/Intent	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Have you decided how or when you would make yourself not alive anymore/kill yourself? Have you planned out (worked out the details of) how you would do it? What was your plan? When you made this plan (or worked out these details), was any part of you thinking about actually doing it?	C-SSRS Children's Since Last Visit - Active Suicidal Ideation with Specific Plan and Intent
C111437	CSS0805A	CSS08-Ideation With Plan/Intent, Descr	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Description of active suicidal ideation with specific plan and intent.	C-SSRS Children's Since Last Visit - Description of Active Suicidal Ideation with Specific Plan and Intent
C111438	CSS0806	CSS08-Most Severe Ideation	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Most severe ideation.	C-SSRS Children's Since Last Visit - Most Severe Ideation
C111439	CSS0806A	CSS08-Most Severe Ideation, Description	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Description of most severe ideation.	C-SSRS Children's Since Last Visit - Describe Most Severe Ideation
C111440	CSS0807	CSS08-Most Severe Ideation, Frequency	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - How many times have you had these thoughts?	C-SSRS Children's Since Last Visit - Frequency of Most Severe Ideation
C111441	CSS0807A	CSS08-Frequency, Write Response	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Frequency, write response.	C-SSRS Children's Since Last Visit - Frequency, Write Response
C111442	CSS0808	CSS08-Actual Attempt	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Did you do anything to try to kill yourself or make yourself not alive anymore? What did you do? Did you hurt yourself on purpose? Why did you do that?	C-SSRS Children's Since Last Visit - Actual Suicide Attempt
C111443	CSS0809	CSS08-Number of Actual Attempts	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Total number of actual attempts.	C-SSRS Children's Since Last Visit - Number of Actual Suicide Attempts

Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Description of actual attempt.				
C111444	CSS0809A	CSS08-Actual Attempt, Describe	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Description of actual attempt.	C-SSRS Children's Since Last Visit - Description of Actual Suicide Attempt
C111445	CSS0810	CSS08-Non-suicidal Self-injurious Behav	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Has subject engaged in non-suicidal self-injurious behavior?	C-SSRS Children's Since Last Visit - Non-suicidal Self-injurious Behavior
C111446	CSS0811	CSS08-Self-injur Behav, Intent Unknown	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Has subject engaged in self-injurious behavior, intent unknown?	C-SSRS Children's Since Last Visit - Self-injurious Behavior, Intent Unknown
C111447	CSS0812	CSS08-Interrupted Attempt	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but someone or something stopped you before you actually did anything? What did you do?	C-SSRS Children's Since Last Visit - Interrupted Suicide Attempt
C111448	CSS0813	CSS08-Number of Interrupt Attempts	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Total number of interrupted attempts.	C-SSRS Children's Since Last Visit - Number of Interrupted Suicide Attempts
C111449	CSS0813A	CSS08-Interrupted Attempt, Describe	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Description of interrupted attempt.	C-SSRS Children's Since Last Visit - Description of Interrupted Suicide Attempt
C111450	CSS0814	CSS08-Aborted/Self-Interrupted Attempt	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but you changed your mind (stopped yourself) before you actually did anything? What did you do?	C-SSRS Children's Since Last Visit - Aborted or Self-interrupted Suicide Attempt
C111451	CSS0815	CSS08-Number of Aborted Attempts	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Total number of aborted or self-interrupted attempts.	C-SSRS Children's Since Last Visit - Number of Aborted or Self-interrupted Suicide Attempts
C111452	CSS0815A	CSS08-Aborted Attempt, Describe	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Description of aborted attempt or self-interrupted attempt.	C-SSRS Children's Since Last Visit - Description of Aborted or Self-interrupted Suicide Attempt
C111453	CSS0816	CSS08-Preparatory Acts/Behavior	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Have you done anything to get ready to make yourself not alive anymore (to end your life or kill yourself) - like giving things away, writing a goodbye note, getting things you need to kill yourself?	C-SSRS Children's Since Last Visit - Preparatory Acts or Behaviors Toward Suicide Attempt
C111454	CSS0816A	CSS08-Preparatory Acts/Behavior, Descr	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Description of preparatory acts or behavior.	C-SSRS Children's Since Last Visit - Description of Preparatory Acts or Behaviors Toward Suicide Attempt
C111455	CSS0817	CSS08-Suicidal Behavior	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Suicidal behavior was present during the assessment period?	C-SSRS Children's Since Last Visit - Suicidal Behavior
C111456	CSS0818	CSS08-Suicide	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Suicide.	C-SSRS Children's Since Last Visit - Suicide
C111457	CSS0819A	CSS08-Most Lethal Attempt Date	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Most lethal attempt date.	C-SSRS Children's Since Last Visit - Most Lethal Suicide Attempt Date
C111458	CSS0819B	CSS08-Most Lethal Attempt Damage	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Most lethal attempt actual lethality/medical damage.	C-SSRS Children's Since Last Visit - Most Lethal Suicide Attempt Actual Lethality/Medical Damage
C111459	CSS0819C	CSS08-Most Lethal Attempt Potential	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Most lethal attempt potential lethality.	C-SSRS Children's Since Last Visit - Most Lethal Suicide Attempt Potential Lethality

C111452	CSS08-Aborted Attempt, Describe	CSS08-Aborted Attempt, Describe	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Description of aborted attempt or self-interrupted attempt.	C-SSRS Children's Since Last Visit - Description of Aborted or Self-interrupted Suicide Attempt
C111450	CSS08-Aborted/Self-Interrupted Attempt	CSS08-Aborted/Self-Interrupted Attempt	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but you changed your mind (stopped yourself) before you actually did anything? What did you do?	C-SSRS Children's Since Last Visit - Aborted or Self-interrupted Suicide Attempt
C111442	CSS08-Actual Attempt	CSS08-Actual Attempt	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Did you do anything to try to kill yourself or make yourself not alive anymore? What did you do? Did you hurt yourself on purpose? Why did you do that?	C-SSRS Children's Since Last Visit - Actual Suicide Attempt
C111444	CSS08-Actual Attempt, Describe	CSS08-Actual Attempt, Describe	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Description of actual attempt.	C-SSRS Children's Since Last Visit - Description of Actual Suicide Attempt
C111441	CSS08-Frequency, Write Response	CSS08-Frequency, Write Response	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Frequency, write response.	C-SSRS Children's Since Last Visit - Frequency, Write Response
C111432	CSS08-Idea, No Intent, No Plan	CSS08-Idea, No Intent, No Plan	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Have you thought about how you would do that or how you would make yourself not alive anymore (kill yourself)? What did you think about?	C-SSRS Children's Since Last Visit - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act
C111433	CSS08-Idea, No Intent, No Plan, Describe	CSS08-Idea, No Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Children's Since Last Visit - Description of Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act
C111435	CSS08-Ideation With Intent No Plan Descr	CSS08-Ideation With Intent No Plan Descr	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Children's Since Last Visit - Description of Active Suicidal Ideation with Some Intent to Act, without Specific Plan
C111434	CSS08-Ideation With Intent, No Plan	CSS08-Ideation With Intent, No Plan	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - When you thought about making yourself not alive anymore (or killing yourself), did you think that this was something you might actually do? This is different from (as opposed to) having the thoughts but knowing you wouldn't do anything about it.	C-SSRS Children's Since Last Visit - Active Suicidal Ideation with Some Intent to Act, without Specific Plan
C111436	CSS08-Ideation With Plan/Intent	CSS08-Ideation With Plan/Intent	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Have you decided how or when you would make yourself not alive anymore/kill yourself? Have you planned out (worked out the details of) how you would do it? What was your plan? When you made this plan (or worked out these details), was any part of you thinking about actually doing it?	C-SSRS Children's Since Last Visit - Active Suicidal Ideation with Specific Plan and Intent
C111437	CSS08-Ideation With Plan/Intent, Descr	CSS08-Ideation With Plan/Intent, Descr	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Description of active suicidal ideation with specific plan and intent.	C-SSRS Children's Since Last Visit - Description of Active Suicidal Ideation with Specific Plan and Intent
C111447	CSS08-Interrupted Attempt	CSS08-Interrupted Attempt	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but someone or something stopped you before you actually did anything? What did you do?	C-SSRS Children's Since Last Visit - Interrupted Suicide Attempt
C111449	CSS08-Interrupted Attempt, Describe	CSS08-Interrupted Attempt, Describe	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Description of interrupted attempt.	C-SSRS Children's Since Last Visit - Description of Interrupted Suicide Attempt
C111458	CSS08-Most Lethal Attempt Damage	CSS08-Most Lethal Attempt Damage	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Most lethal attempt actual lethality/medical damage.	C-SSRS Children's Since Last Visit - Most Lethal Suicide Attempt Actual Lethality/Medical Damage
C111457	CSS08-Most Lethal Attempt Date	CSS08-Most Lethal Attempt Date	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Most lethal attempt date.	C-SSRS Children's Since Last Visit - Most Lethal Suicide Attempt Date
C111459	CSS08-Most Lethal Attempt Potential	CSS08-Most Lethal Attempt Potential	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Most lethal attempt potential lethality.	C-SSRS Children's Since Last Visit - Most Lethal Suicide Attempt Potential Lethality

Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Description of wishing to be dead.				
C111438	CSS08-Most Severe Ideation	CSS08-Most Severe Ideation	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Most severe ideation.	C-SSRS Children's Since Last Visit - Most Severe Ideation
C111439	CSS08-Most Severe Ideation, Description	CSS08-Most Severe Ideation, Description	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Description of most severe ideation.	C-SSRS Children's Since Last Visit - Describe Most Severe Ideation
C111440	CSS08-Most Severe Ideation, Frequency	CSS08-Most Severe Ideation, Frequency	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - How many times have you had these thoughts?	C-SSRS Children's Since Last Visit - Frequency of Most Severe Ideation
C111431	CSS08-Non-Specific Suicid Thought, Descr	CSS08-Non-Specific Suicid Thought, Descr	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Description of non-specific active suicidal thoughts.	C-SSRS Children's Since Last Visit - Description of Non-Specific Active Suicidal Thoughts
C111430	CSS08-Non-Specific Suicidal Thought	CSS08-Non-Specific Suicidal Thought	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Have you thought about doing something to make yourself not alive anymore? Have you had any thoughts about killing yourself?	C-SSRS Children's Since Last Visit - Non-Specific Active Suicidal Thoughts
C111445	CSS08-Non-suicidal Self-injurious Behav	CSS08-Non-suicidal Self-injurious Behav	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Has subject engaged in non-suicidal self-injurious behavior?	C-SSRS Children's Since Last Visit - Non-suicidal Self-injurious Behavior
C111451	CSS08-Number of Aborted Attempts	CSS08-Number of Aborted Attempts	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Total number of aborted or self-interrupted attempts.	C-SSRS Children's Since Last Visit - Number of Aborted or Self-interrupted Suicide Attempts
C111443	CSS08-Number of Actual Attempts	CSS08-Number of Actual Attempts	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Total number of actual attempts.	C-SSRS Children's Since Last Visit - Number of Actual Suicide Attempts
C111448	CSS08-Number of Interrupt Attempts	CSS08-Number of Interrupt Attempts	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Total number of interrupted attempts.	C-SSRS Children's Since Last Visit - Number of Interrupted Suicide Attempts
C111453	CSS08-Preparatory Acts/Behavior	CSS08-Preparatory Acts/Behavior	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Have you done anything to get ready to make yourself not alive anymore (to end your life or kill yourself) - like giving things away, writing a goodbye note, getting things you need to kill yourself?	C-SSRS Children's Since Last Visit - Preparatory Acts or Behaviors Toward Suicide Attempt
C111454	CSS08-Preparatory Acts/Behavior, Descr	CSS08-Preparatory Acts/Behavior, Descr	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Description of preparatory acts or behavior.	C-SSRS Children's Since Last Visit - Description of Preparatory Acts or Behaviors Toward Suicide Attempt
C111446	CSS08-Self-injur Behav, Intent Unknown	CSS08-Self-injur Behav, Intent Unknown	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Has subject engaged in self-injurious behavior, intent unknown?	C-SSRS Children's Since Last Visit - Self-injurious Behavior, Intent Unknown
C111455	CSS08-Suicidal Behavior	CSS08-Suicidal Behavior	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Suicidal behavior was present during the assessment period?	C-SSRS Children's Since Last Visit - Suicidal Behavior
C111456	CSS08-Suicide	CSS08-Suicide	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Suicide.	C-SSRS Children's Since Last Visit - Suicide
C111428	CSS08-Wish to be Dead	CSS08-Wish to be Dead	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Have you thought about being dead or what it would be like to be dead? Have you wished you were dead or wished you could go to sleep and never wake up? Do you ever wish you weren't alive anymore?	C-SSRS Children's Since Last Visit - Wish to be Dead
C111429	CSS08-Wish to be Dead, Describe	CSS08-Wish to be Dead, Describe	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Description of wishing to be dead.	C-SSRS Children's Since Last Visit - Description of Wish to be Dead

C111460	CSS0901	CSS09-Wish to be Dead	Columbia-Suicide Severity Rating Scale Screening - Have you wished you were dead or wished you could go to sleep and not wake up?	C-SSRS Screening - Wish to be Dead
C111461	CSS0901A	CSS09-Wish to be Dead, Describe	Columbia-Suicide Severity Rating Scale Screening - Description of wishing to be dead.	C-SSRS Screening - Description of Wish to be Dead
C111462	CSS0902	CSS09-Non-Spec Suicid Thought	Columbia-Suicide Severity Rating Scale Screening - Have you actually had any thoughts of killing yourself?	C-SSRS Screening - Non-Specific Active Suicidal Thoughts
C111463	CSS0902A	CSS09-Non-Spec Suicid Thought, Describe	Columbia-Suicide Severity Rating Scale Screening - Description of non-specific active suicidal thoughts.	C-SSRS Screening - Description of Non-Specific Active Suicidal Thoughts
C111464	CSS0903	CSS09-Idea, No Intent, No Plan	Columbia-Suicide Severity Rating Scale Screening - Have you been thinking about how you might do this?	C-SSRS Screening - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act
C111465	CSS0903A	CSS09-Idea, No Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Screening - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Screening - Description of Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act
C111466	CSS0904	CSS09-Idea, Intent, No Plan	Columbia-Suicide Severity Rating Scale Screening - Have you had these thoughts and had some intention of acting on them?	C-SSRS Screening - Active Suicidal Ideation with Some Intent to Act, without Specific Plan
C111467	CSS0904A	CSS09-Idea, Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Screening - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Screening - Description of Active Suicidal Ideation with Some Intent to Act, without Specific Plan
C111468	CSS0905	CSS09-Idea, Plan, Intent	Columbia-Suicide Severity Rating Scale Screening - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan?	C-SSRS Screening - Active Suicidal Ideation with Specific Plan and Intent
C111469	CSS0905A	CSS09-Idea, Plan, Intent, Describe	Columbia-Suicide Severity Rating Scale Screening - Description of active suicidal ideation with specific plan and intent.	C-SSRS Screening - Description of Active Suicidal Ideation with Specific Plan and Intent
C111470	CSS0906	CSS09-Most Severe Idea	Columbia-Suicide Severity Rating Scale Screening - Most severe ideation.	C-SSRS Screening - Most Severe Ideation
C111471	CSS0906A	CSS09-Most Severe Idea, Desc	Columbia-Suicide Severity Rating Scale Screening - Description of most severe ideation.	C-SSRS Screening - Describe Most Severe Ideation
C111472	CSS0907	CSS09-Most Severe Idea, Frequency	Columbia-Suicide Severity Rating Scale Screening - How many times have you had these thoughts?	C-SSRS Screening - Frequency of Most Severe Ideation
C111473	CSS0908	CSS09-Most Severe Idea, Duration	Columbia-Suicide Severity Rating Scale Screening - When you have the thoughts, how long do they last?	C-SSRS Screening - Duration of Most Severe Ideation
C111474	CSS0909	CSS09-Most Severe Idea, Controllability	Columbia-Suicide Severity Rating Scale Screening - Could/can you stop thinking about killing yourself or wanting to die if you want to?	C-SSRS Screening - Controllability of Most Severe Ideation
C111475	CSS0910	CSS09-Most Severe Idea, Deterrents	Columbia-Suicide Severity Rating Scale Screening - Are there things-anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide?	C-SSRS Screening - Deterrents to Most Severe Ideation
C111476	CSS0911	CSS09-Most Severe Idea, Reasons	Columbia-Suicide Severity Rating Scale Screening - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both?	C-SSRS Screening - Reasons for Most Severe Ideation
C111477	CSS0912	CSS09-Actual Attempt	Columbia-Suicide Severity Rating Scale Screening - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died?	C-SSRS Screening - Actual Suicide Attempt

Columbia-Suicide Severity Rating Scale Screening - Total number of actual attempts.					
C111478	CSS0913	CSS09-Number of Actual Attempts	Columbia-Suicide Severity Rating Scale Screening - Total number of actual attempts.	C-SSRS Screening - Number of Actual Suicide Attempts	
C111479	CSS0913A	CSS09-Actual Attempt, Describe	Columbia-Suicide Severity Rating Scale Screening - Description of actual attempt.	C-SSRS Screening - Description of Actual Suicide Attempt	
C111480	CSS0914	CSS09-Non-suicidal Self-injur Behav	Columbia-Suicide Severity Rating Scale Screening - Has subject engaged in non-suicidal self-injurious behavior?	C-SSRS Screening - Non-suicidal Self-injurious Behavior	
C111481	CSS0915	CSS09-Interrupted Attempt	Columbia-Suicide Severity Rating Scale Screening - Has there been a time when you started to do something to end your life but someone or something stopped you before you actually did anything?	C-SSRS Screening - Interrupted Suicide Attempt	
C111482	CSS0916	CSS09-Number of Interrupt Attempts	Columbia-Suicide Severity Rating Scale Screening - Total number of interrupted attempts.	C-SSRS Screening - Number of Interrupted Suicide Attempts	
C111483	CSS0916A	CSS09-Interrupted Attempt, Describe	Columbia-Suicide Severity Rating Scale Screening - Description of interrupted attempt.	C-SSRS Screening - Description of Interrupted Suicide Attempt	
C111484	CSS0917	CSS09-Aborted Attempt	Columbia-Suicide Severity Rating Scale Screening - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything?	C-SSRS Screening - Aborted Suicide Attempt	
C111485	CSS0918	CSS09-Number of Aborted Attempts	Columbia-Suicide Severity Rating Scale Screening - Total number of aborted attempts.	C-SSRS Screening - Number of Aborted Suicide Attempts	
C111486	CSS0918A	CSS09-Aborted Attempt, Describe	Columbia-Suicide Severity Rating Scale Screening - Description of aborted attempt.	C-SSRS Screening - Description of Aborted Suicide Attempt	
C111487	CSS0919	CSS09-Preparatory Acts/Behavior	Columbia-Suicide Severity Rating Scale Screening - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)?	C-SSRS Screening - Preparatory Acts or Behaviors Toward Suicide Attempt	
C111488	CSS0919A	CSS09-Preparatory Acts/Behavior, Descr	Columbia-Suicide Severity Rating Scale Screening - Description of preparatory acts or behavior.	C-SSRS Screening - Description of Preparatory Acts or Behaviors Toward Suicide Attempt	
C111489	CSS0920	CSS09-Suicidal Behavior	Columbia-Suicide Severity Rating Scale Screening - Suicidal behavior was present during the assessment period?	C-SSRS Screening - Suicidal Behavior	
C111490	CSS0921A	CSS09-Most Recent Attempt Date	Columbia-Suicide Severity Rating Scale Screening - Most recent attempt date.	C-SSRS Screening - Most Recent Suicide Attempt Date	
C111491	CSS0921B	CSS09-Most Recent Attempt Damage	Columbia-Suicide Severity Rating Scale Screening - Most recent attempt actual lethality/medical damage.	C-SSRS Screening - Most Recent Suicide Attempt Actual Lethality/Medical Damage	
C111492	CSS0921C	CSS09-Most Recent Attempt Potential	Columbia-Suicide Severity Rating Scale Screening - Most recent attempt potential lethality.	C-SSRS Screening - Most Recent Suicide Attempt Potential Lethality	
C111493	CSS0922A	CSS09-Most Lethal Attempt Date	Columbia-Suicide Severity Rating Scale Screening - Most lethal attempt date.	C-SSRS Screening - Most Lethal Suicide Attempt Date	
C111494	CSS0922B	CSS09-Most Lethal Attempt Damage	Columbia-Suicide Severity Rating Scale Screening - Most lethal attempt actual lethality/medical damage.	C-SSRS Screening - Most Lethal Suicide Attempt Actual Lethality/Medical Damage	
C111495	CSS0922C	CSS09-Most Lethal Attempt Potential	Columbia-Suicide Severity Rating Scale Screening - Most lethal attempt potential lethality.	C-SSRS Screening - Most Lethal Suicide Attempt Potential Lethality	
C111496	CSS0923A	CSS09-First Attempt Date	Columbia-Suicide Severity Rating Scale Screening - Initial/first attempt date.	C-SSRS Screening - First Suicide Attempt Date	
C111497	CSS0923B	CSS09-First Attempt Damage	Columbia-Suicide Severity Rating Scale Screening - Initial/first attempt actual lethality/medical damage.	C-SSRS Screening - First Suicide Attempt Actual Lethality/Medical Damage	
C111498	CSS0923C	CSS09-First Attempt Potential	Columbia-Suicide Severity Rating Scale Screening - Initial/first attempt potential lethality.	C-SSRS Screening - First Suicide Attempt Potential Lethality	

C111484	CSS09-Aborted Attempt	CSS09-Aborted Attempt	Columbia-Suicide Severity Rating Scale Screening - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything?	C-SSRS Screening - Aborted Suicide Attempt
C111486	CSS09-Aborted Attempt, Describe	CSS09-Aborted Attempt, Describe	Columbia-Suicide Severity Rating Scale Screening - Description of aborted attempt.	C-SSRS Screening - Description of Aborted Suicide Attempt
C111477	CSS09-Actual Attempt	CSS09-Actual Attempt	Columbia-Suicide Severity Rating Scale Screening - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died?	C-SSRS Screening - Actual Suicide Attempt
C111479	CSS09-Actual Attempt, Describe	CSS09-Actual Attempt, Describe	Columbia-Suicide Severity Rating Scale Screening - Description of actual attempt.	C-SSRS Screening - Description of Actual Suicide Attempt
C111497	CSS09-First Attempt Damage	CSS09-First Attempt Damage	Columbia-Suicide Severity Rating Scale Screening - Initial/first attempt actual lethality/medical damage.	C-SSRS Screening - First Suicide Attempt Actual Lethality/Medical Damage
C111496	CSS09-First Attempt Date	CSS09-First Attempt Date	Columbia-Suicide Severity Rating Scale Screening - Initial/first attempt date.	C-SSRS Screening - First Suicide Attempt Date
C111498	CSS09-First Attempt Potential	CSS09-First Attempt Potential	Columbia-Suicide Severity Rating Scale Screening - Initial/first attempt potential lethality.	C-SSRS Screening - First Suicide Attempt Potential Lethality
C111466	CSS09-Idea, Intent, No Plan	CSS09-Idea, Intent, No Plan	Columbia-Suicide Severity Rating Scale Screening - Have you had these thoughts and had some intention of acting on them?	C-SSRS Screening - Active Suicidal Ideation with Some Intent to Act, without Specific Plan
C111467	CSS09-Idea, Intent, No Plan, Describe	CSS09-Idea, Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Screening - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Screening - Description of Active Suicidal Ideation with Some Intent to Act, without Specific Plan
C111464	CSS09-Idea, No Intent, No Plan	CSS09-Idea, No Intent, No Plan	Columbia-Suicide Severity Rating Scale Screening - Have you been thinking about how you might do this?	C-SSRS Screening - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act
C111465	CSS09-Idea, No Intent, No Plan, Describe	CSS09-Idea, No Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Screening - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Screening - Description of Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act
C111468	CSS09-Idea, Plan, Intent	CSS09-Idea, Plan, Intent	Columbia-Suicide Severity Rating Scale Screening - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan?	C-SSRS Screening - Active Suicidal Ideation with Specific Plan and Intent
C111469	CSS09-Idea, Plan, Intent, Describe	CSS09-Idea, Plan, Intent, Describe	Columbia-Suicide Severity Rating Scale Screening - Description of active suicidal ideation with specific plan and intent.	C-SSRS Screening - Description of Active Suicidal Ideation with Specific Plan and Intent
C111481	CSS09-Interrupted Attempt	CSS09-Interrupted Attempt	Columbia-Suicide Severity Rating Scale Screening - Has there been a time when you started to do something to end your life but someone or something stopped you before you actually did anything?	C-SSRS Screening - Interrupted Suicide Attempt
C111483	CSS09-Interrupted Attempt, Describe	CSS09-Interrupted Attempt, Describe	Columbia-Suicide Severity Rating Scale Screening - Description of interrupted attempt.	C-SSRS Screening - Description of Interrupted Suicide Attempt
C111494	CSS09-Most Lethal Attempt Damage	CSS09-Most Lethal Attempt Damage	Columbia-Suicide Severity Rating Scale Screening - Most lethal attempt actual lethality/medical damage.	C-SSRS Screening - Most Lethal Suicide Attempt Actual Lethality/Medical Damage
C111493	CSS09-Most Lethal Attempt Date	CSS09-Most Lethal Attempt Date	Columbia-Suicide Severity Rating Scale Screening - Most lethal attempt date.	C-SSRS Screening - Most Lethal Suicide Attempt Date
C111495	CSS09-Most Lethal Attempt Potential	CSS09-Most Lethal Attempt Potential	Columbia-Suicide Severity Rating Scale Screening - Most lethal attempt potential lethality.	C-SSRS Screening - Most Lethal Suicide Attempt Potential Lethality
C111491	CSS09-Most Recent Attempt Damage	CSS09-Most Recent Attempt Damage	Columbia-Suicide Severity Rating Scale Screening - Most recent attempt actual lethality/medical damage.	C-SSRS Screening - Most Recent Suicide Attempt Actual Lethality/Medical Damage

Columbia-Suicide Severity Rating Scale Screening - Most recent attempt date.				
C111490	CSS09-Most Recent Attempt Date	CSS09-Most Recent Attempt Date	Columbia-Suicide Severity Rating Scale Screening - Most recent attempt date.	C-SSRS Screening - Most Recent Suicide Attempt Date
C111492	CSS09-Most Recent Attempt Potential	CSS09-Most Recent Attempt Potential	Columbia-Suicide Severity Rating Scale Screening - Most recent attempt potential lethality.	C-SSRS Screening - Most Recent Suicide Attempt Potential Lethality
C111470	CSS09-Most Severe Idea	CSS09-Most Severe Idea	Columbia-Suicide Severity Rating Scale Screening - Most severe ideation.	C-SSRS Screening - Most Severe Ideation
C111474	CSS09-Most Severe Idea, Controllability	CSS09-Most Severe Idea, Controllability	Columbia-Suicide Severity Rating Scale Screening - Could/can you stop thinking about killing yourself or wanting to die if you want to?	C-SSRS Screening - Controllability of Most Severe Ideation
C111471	CSS09-Most Severe Idea, Desc	CSS09-Most Severe Idea, Desc	Columbia-Suicide Severity Rating Scale Screening - Description of most severe ideation.	C-SSRS Screening - Describe Most Severe Ideation
C111475	CSS09-Most Severe Idea, Deterrents	CSS09-Most Severe Idea, Deterrents	Columbia-Suicide Severity Rating Scale Screening - Are there things-anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide?	C-SSRS Screening - Deterrents to Most Severe Ideation
C111473	CSS09-Most Severe Idea, Duration	CSS09-Most Severe Idea, Duration	Columbia-Suicide Severity Rating Scale Screening - When you have the thoughts, how long do they last?	C-SSRS Screening - Duration of Most Severe Ideation
C111472	CSS09-Most Severe Idea, Frequency	CSS09-Most Severe Idea, Frequency	Columbia-Suicide Severity Rating Scale Screening - How many times have you had these thoughts?	C-SSRS Screening - Frequency of Most Severe Ideation
C111476	CSS09-Most Severe Idea, Reasons	CSS09-Most Severe Idea, Reasons	Columbia-Suicide Severity Rating Scale Screening - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both?	C-SSRS Screening - Reasons for Most Severe Ideation
C111462	CSS09-Non-Spec Suicid Thought	CSS09-Non-Spec Suicid Thought	Columbia-Suicide Severity Rating Scale Screening - Have you actually had any thoughts of killing yourself?	C-SSRS Screening - Non-Specific Active Suicidal Thoughts
C111463	CSS09-Non-Spec Suicid Thought, Describe	CSS09-Non-Spec Suicid Thought, Describe	Columbia-Suicide Severity Rating Scale Screening - Description of non-specific active suicidal thoughts.	C-SSRS Screening - Description of Non-Specific Active Suicidal Thoughts
C111480	CSS09-Non-suicidal Self-injur Behav	CSS09-Non-suicidal Self-injur Behav	Columbia-Suicide Severity Rating Scale Screening - Has subject engaged in non-suicidal self-injurious behavior?	C-SSRS Screening - Non-suicidal Self-injurious Behavior
C111485	CSS09-Number of Aborted Attempts	CSS09-Number of Aborted Attempts	Columbia-Suicide Severity Rating Scale Screening - Total number of aborted attempts.	C-SSRS Screening - Number of Aborted Suicide Attempts
C111478	CSS09-Number of Actual Attempts	CSS09-Number of Actual Attempts	Columbia-Suicide Severity Rating Scale Screening - Total number of actual attempts.	C-SSRS Screening - Number of Actual Suicide Attempts
C111482	CSS09-Number of Interrupt Attempts	CSS09-Number of Interrupt Attempts	Columbia-Suicide Severity Rating Scale Screening - Total number of interrupted attempts.	C-SSRS Screening - Number of Interrupted Suicide Attempts
C111487	CSS09-Preparatory Acts/Behavior	CSS09-Preparatory Acts/Behavior	Columbia-Suicide Severity Rating Scale Screening - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)?	C-SSRS Screening - Preparatory Acts or Behaviors Toward Suicide Attempt
C111488	CSS09-Preparatory Acts/Behavior, Descr	CSS09-Preparatory Acts/Behavior, Descr	Columbia-Suicide Severity Rating Scale Screening - Description of preparatory acts or behavior.	C-SSRS Screening - Description of Preparatory Acts or Behaviors Toward Suicide Attempt
C111489	CSS09-Suicidal Behavior	CSS09-Suicidal Behavior	Columbia-Suicide Severity Rating Scale Screening - Suicidal behavior was present during the assessment period?	C-SSRS Screening - Suicidal Behavior
C111460	CSS09-Wish to be Dead	CSS09-Wish to be Dead	Columbia-Suicide Severity Rating Scale Screening - Have you wished you were dead or wished you could go to sleep and not wake up?	C-SSRS Screening - Wish to be Dead
C111461	CSS09-Wish to be Dead, Describe	CSS09-Wish to be Dead, Describe	Columbia-Suicide Severity Rating Scale Screening - Description of wishing to be dead.	C-SSRS Screening - Description of Wish to be Dead

C113889	CSS1001A	CSS10-Wish to be Dead-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you thought about being dead or what it would be like to be dead? Have you wished you were dead or wished you could go to sleep and never wake up? Do you ever wish you weren't alive anymore? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Wish to be Dead (Lifetime)
C113890	CSS1001B	CSS10-Wish to be Dead-P1M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you thought about being dead or what it would be like to be dead? Have you wished you were dead or wished you could go to sleep and never wake up? Do you ever wish you weren't alive anymore? (Past 1 Month).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Wish to be Dead (Past 1 Month)
C113891	CSS1001C	CSS10-Wish to be Dead, Describe	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of wishing to be dead.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Description of Wish to be Dead
C113892	CSS1002A	CSS10-Non-Spec Suicid Thought-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you thought about doing something to make yourself not alive anymore? Have you had any thoughts about killing yourself? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Non-Specific Active Suicidal Thoughts (Lifetime)
C113893	CSS1002B	CSS10-Non-Spec Suicid Thought-P1M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you thought about doing something to make yourself not alive anymore? Have you had any thoughts about killing yourself? (Past 1 Month).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Non-Specific Active Suicidal Thoughts (Past 1 Month)
C113894	CSS1002C	CSS10-Non-Spec Suicid Thought, Describe	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of non-specific active suicidal thoughts.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Description of Non-Specific Active Suicidal Thoughts
C113895	CSS1003A	CSS10-Idea, No Intent, No Plan-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you thought about how you would do that or how you would make yourself not alive anymore (kill yourself)? What did you think about? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Active Suicidal Ideation With Any Methods (Not Plan) Without Intent to Act (Lifetime)
C113896	CSS1003B	CSS10-Idea, No Intent, No Plan-P1M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you thought about how you would do that or how you would make yourself not alive anymore (kill yourself)? What did you think about? (Past 1 Month).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Active Suicidal Ideation With Any Methods (Not Plan) Without Intent to Act (Past 1 Month)
C113897	CSS1003C	CSS10-Idea, No Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Description of Active Suicidal Ideation With Any Methods (Not Plan) Without Intent to Act
C113898	CSS1004A	CSS10-Idea, Intent, No Plan-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - When you thought about making yourself not alive anymore (or killing yourself), did you think that this was something you might actually do? This is different from (as opposed to) having the thoughts but knowing you wouldn't do anything about it. (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Active Suicidal Ideation With Some Intent to Act, Without Specific Plan (Lifetime)
C113899	CSS1004B	CSS10-Idea, Intent, No Plan-P1M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - When you thought about making yourself not alive anymore (or killing yourself), did you think that this was something you might actually do? This is different from (as opposed to) having the thoughts but knowing you wouldn't do anything about it. (Past 1 Month).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Active Suicidal Ideation With Some Intent to Act, Without Specific Plan (Past 1 Month)
C113900	CSS1004C	CSS10-Idea, Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Description of Active Suicidal Ideation With Some Intent to Act, Without Specific Plan
C113901	CSS1005A	CSS10-Idea, Plan, Intent-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you ever decided how or when you would make yourself not alive anymore/kill yourself? Have you ever planned out (worked out the details of) how you would do it? What was your plan? When you made this plan (or worked out these details), was any part of you thinking about actually doing it? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Active Suicidal Ideation With Specific Plan and Intent (Lifetime)

Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent				
C113902	CSS1005B	CSS10-Idea, Plan, Intent-P1M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you ever decided how or when you would make yourself not alive anymore/kill yourself? Have you ever planned out (worked out the details of) how you would do it? What was your plan? When you made this plan (or worked out these details), was any part of you thinking about actually doing it? (Past 1 Month).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Active Suicidal Ideation With Specific Plan and Intent (Past 1 Month)
C113903	CSS1005C	CSS10-Idea, Plan, Intent, Describe	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of active suicidal ideation with specific plan and intent.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Description of Active Suicidal Ideation With Specific Plan and Intent
C113904	CSS1006A	CSS10-Most Severe Idea-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Most severe ideation. (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Most Severe Ideation (Lifetime)
C113905	CSS1006B	CSS10-Most Severe Idea, Desc-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of most severe ideation. (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Describe Most Severe Ideation (Lifetime)
C113906	CSS1006C	CSS10-Most Severe Idea-P1M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Most severe ideation. (Past 1 Month).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Most Severe Ideation (Past 1 Month)
C113907	CSS1006D	CSS10-Most Severe Idea, Desc-P1M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of most severe ideation. (Past 1 Month).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Describe Most Severe Ideation (Past 1 Month)
C113908	CSS1007A	CSS10-Most Severe Idea, Frequency-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - How many times have you had these thoughts? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Frequency (Lifetime)
C113909	CSS1007B	CSS10-Most Severe Idea, Frequency-P1M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - How many times have you had these thoughts? (Past 1 Month).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Frequency (Past 1 Month)
C113910	CSS1007C	CSS10-Frequency, Write Response	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Frequency, write response.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Frequency Write Response
C113911	CSS1008A	CSS10-Actual Attempt-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Did you ever do anything to try to kill yourself or make yourself not alive anymore? What did you do? Did you ever hurt yourself on purpose? Why did you do that? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Actual Suicide Attempt (Lifetime)
C113912	CSS1008B	CSS10-Actual Attempt-P3M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Did you ever do anything to try to kill yourself or make yourself not alive anymore? What did you do? Did you ever hurt yourself on purpose? Why did you do that? (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Actual Suicide Attempt (Past 3 Month)
C113913	CSS1009A	CSS10-Number of Actual Attempts-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Total number of actual attempts. (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Number of Actual Suicide Attempts (Lifetime)
C113914	CSS1009B	CSS10-Number of Actual Attempts-P3M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Total number of actual attempts. (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Number of Actual Suicide Attempts (Past 3 Months)
C113915	CSS1009C	CSS10-Actual Attempt, Describe	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of actual attempt.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Description of Actual Suicide Attempt
C113916	CSS1010A	CSS10-Non-suicidal Self-injur Behav-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Has subject engaged in non-suicidal self-injurious behavior? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Non-suicidal Self-injurious Behavior (Lifetime)
C113917	CSS1010B	CSS10-Non-suicidal Self-injur Behav-P3M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Has subject engaged in non-suicidal self-injurious behavior? (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Non-suicidal Self-injurious Behavior (Past 3 Months)

Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Self-injurious Behavior, Intent Unknown (Lifetime)				
C113918	CSS1011A	CSS10-Self-injur Behav, Intent Unk-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Has subject engaged in self-injurious behavior, intent unknown? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Self-injurious Behavior, Intent Unknown (Lifetime)
C113919	CSS1011B	CSS10-Self-injur Behav, Intent Unk-P3M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Has subject engaged in self-injurious behavior, intent unknown? (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Self-injurious Behavior, Intent Unknown (Past 3 Months)
C113920	CSS1012A	CSS10-Interrupted Attempt-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but someone or something stopped you before you actually did anything? What did you do? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Interrupted Suicide Attempt (Lifetime)
C113921	CSS1012B	CSS10-Interrupted Attempt-P3M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but someone or something stopped you before you actually did anything? What did you do? (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Interrupted Suicide Attempt (Past 3 Months)
C113922	CSS1013A	CSS10-Number of Interrupt Attempts-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Total number of interrupted attempts. (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Number of Interrupted Suicide Attempts (Lifetime)
C113923	CSS1013B	CSS10-Number of Interrupt Attempts-P3M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Total number of interrupted attempts. (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Number of Interrupted Suicide Attempts (Past 3 Months)
C113924	CSS1013C	CSS10-Interrupted Attempt, Describe	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of interrupted attempt.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Description of Interrupted Suicide Attempt
C113925	CSS1014A	CSS10-Aborted Attempt-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but you changed your mind (stopped yourself) before you actually did anything? What did you do? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Aborted or Self-interrupted Suicide Attempt (Lifetime)
C113926	CSS1014B	CSS10-Aborted Attempt-P3M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but you changed your mind (stopped yourself) before you actually did anything? What did you do? (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Aborted or Self-interrupted Suicide Attempt (Past 3 Months)
C113927	CSS1015A	CSS10-Number of Aborted Attempts-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Total number of aborted or self-interrupted attempts. (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Number of Aborted or Self-interrupted Suicide Attempt (Lifetime)
C113928	CSS1015B	CSS10-Number of Aborted Attempts-P3M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Total number of aborted or self-interrupted attempts. (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Number of Aborted or Self-interrupted Suicide Attempt (Past 3 Months)
C113929	CSS1015C	CSS10-Aborted Attempt, Describe	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of aborted or self-interrupted attempt.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Description of Aborted Suicide Attempt
C113930	CSS1016A	CSS10-Preparatory Acts/Behavior-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you done anything to get ready to make yourself not alive anymore (to end your life or kill yourself) - like giving things away, writing a goodbye note, getting things you need to kill yourself? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Preparatory Acts or Behaviors Toward Suicide Attempt (Lifetime)
C113931	CSS1016B	CSS10-Preparatory Acts/Behavior-P3M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you done anything to get ready to make yourself not alive anymore (to end your life or kill yourself) - like giving things away, writing a goodbye note, getting things you need to kill yourself? (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Preparatory Acts or Behaviors Toward Suicide Attempt (Past 3 Months)
C113932	CSS1016C	CSS10-Preparatory Acts/Behavior, Descr	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of preparatory acts or behavior.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Description of Preparatory Acts or Behaviors Toward Suicide Attempt

Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Suicidal Behavior (Lifetime)				
C113933	CSS1017A	CSS10-Suicidal Behavior-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Suicidal behavior was present during the assessment period? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Suicidal Behavior (Lifetime)
C113934	CSS1017B	CSS10-Suicidal Behavior-P3M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Suicidal behavior was present during the assessment period? (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Suicidal Behavior (Past 3 Months)
C113935	CSS1018A	CSS10-Most Recent Attempt Date	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Most recent attempt date.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Most Recent Suicide Attempt Date
C113936	CSS1018B	CSS10-Most Recent Attempt Damage	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Most recent attempt actual lethality/medical damage.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Most Recent Suicide Attempt Actual Lethality/Medical Damage
C113937	CSS1018C	CSS10-Most Recent Attempt Potential	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Most recent attempt potential lethality.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Most Recent Suicide Attempt Potential Lethality
C113938	CSS1019A	CSS10-Most Lethal Attempt Date	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Most lethal attempt date.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Most Lethal Suicide Attempt Date
C113939	CSS1019B	CSS10-Most Lethal Attempt Damage	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Most lethal attempt actual lethality/medical damage.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Most Lethal Suicide Attempt Actual Lethality/Medical Damage
C113940	CSS1019C	CSS10-Most Lethal Attempt Potential	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Most lethal attempt potential lethality.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Most Lethal Suicide Attempt Potential Lethality
C113941	CSS1020A	CSS10-First Attempt Date	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Initial/first attempt date.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - First Suicide Attempt Date
C113942	CSS1020B	CSS10-First Attempt Damage	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Initial/first attempt actual lethality/medical damage.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - First Suicide Attempt Actual Lethality/Medical Damage
C113943	CSS1020C	CSS10-First Attempt Potential	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Initial/first attempt potential lethality.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - First Suicide Attempt Potential Lethality

C113929	CSS10-Aborted Attempt, Describe	CSS10-Aborted Attempt, Describe	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of aborted or self-interrupted attempt.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Description of Aborted Suicide Attempt
C113925	CSS10-Aborted Attempt-Life	CSS10-Aborted Attempt-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but you changed your mind (stopped yourself) before you actually did anything? What did you do? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Aborted or Self-interrupted Suicide Attempt (Lifetime)
C113926	CSS10-Aborted Attempt-P3M	CSS10-Aborted Attempt-P3M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but you changed your mind (stopped yourself) before you actually did anything? What did you do? (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Aborted or Self-interrupted Suicide Attempt (Past 3 Months)
C113915	CSS10-Actual Attempt, Describe	CSS10-Actual Attempt, Describe	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of actual attempt.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Description of Actual Suicide Attempt
C113911	CSS10-Actual Attempt-Life	CSS10-Actual Attempt-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Did you ever do anything to try to kill yourself or make yourself not alive anymore? What did you do? Did you ever hurt yourself on purpose? Why did you do that? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Actual Suicide Attempt (Lifetime)
C113912	CSS10-Actual Attempt-P3M	CSS10-Actual Attempt-P3M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Did you ever do anything to try to kill yourself or make yourself not alive anymore? What did you do? Did you ever hurt yourself on purpose? Why did you do that? (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Actual Suicide Attempt (Past 3 Month)
C113942	CSS10-First Attempt Damage	CSS10-First Attempt Damage	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Initial/first attempt actual lethality/medical damage.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - First Suicide Attempt Actual Lethality/Medical Damage
C113941	CSS10-First Attempt Date	CSS10-First Attempt Date	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Initial/first attempt date.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - First Suicide Attempt Date
C113943	CSS10-First Attempt Potential	CSS10-First Attempt Potential	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Initial/first attempt potential lethality.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - First Suicide Attempt Potential Lethality
C113910	CSS10-Frequency, Write Response	CSS10-Frequency, Write Response	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Frequency, write response.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Frequency Write Response
C113900	CSS10-Idea, Intent, No Plan, Describe	CSS10-Idea, Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Description of Active Suicidal Ideation With Some Intent to Act, Without Specific Plan
C113898	CSS10-Idea, Intent, No Plan-Life	CSS10-Idea, Intent, No Plan-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - When you thought about making yourself not alive anymore (or killing yourself), did you think that this was something you might actually do? This is different from (as opposed to) having the thoughts but knowing you wouldn't do anything about it. (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Active Suicidal Ideation With Some Intent to Act, Without Specific Plan (Lifetime)
C113899	CSS10-Idea, Intent, No Plan-P1M	CSS10-Idea, Intent, No Plan-P1M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - When you thought about making yourself not alive anymore (or killing yourself), did you think that this was something you might actually do? This is different from (as opposed to) having the thoughts but knowing you wouldn't do anything about it. (Past 1 Month).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Active Suicidal Ideation With Some Intent to Act, Without Specific Plan (Past 1 Month)
C113897	CSS10-Idea, No Intent, No Plan, Describe	CSS10-Idea, No Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Description of Active Suicidal Ideation With Any Methods (Not Plan) Without Intent to Act

Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you thought about how you would do that or how you would make yourself not alive anymore (kill yourself)? What did you think about? (Lifetime).					
C113895	CSS10-Idea, No Intent, No Plan-Life	CSS10-Idea, No Intent, No Plan-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you thought about how you would do that or how you would make yourself not alive anymore (kill yourself)? What did you think about? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Active Suicidal Ideation With Any Methods (Not Plan) Without Intent to Act (Lifetime)	
C113896	CSS10-Idea, No Intent, No Plan-P1M	CSS10-Idea, No Intent, No Plan-P1M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you thought about how you would do that or how you would make yourself not alive anymore (kill yourself)? What did you think about? (Past 1 Month).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Active Suicidal Ideation With Any Methods (Not Plan) Without Intent to Act (Past 1 Month)	
C113903	CSS10-Idea, Plan, Intent, Describe	CSS10-Idea, Plan, Intent, Describe	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of active suicidal ideation with specific plan and intent.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Description of Active Suicidal Ideation With Specific Plan and Intent	
C113901	CSS10-Idea, Plan, Intent-Life	CSS10-Idea, Plan, Intent-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you ever decided how or when you would make yourself not alive anymore/kill yourself? Have you ever planned out (worked out the details of) how you would do it? What was your plan? When you made this plan (or worked out these details), was any part of you thinking about actually doing it? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Active Suicidal Ideation With Specific Plan and Intent (Lifetime)	
C113902	CSS10-Idea, Plan, Intent-P1M	CSS10-Idea, Plan, Intent-P1M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you ever decided how or when you would make yourself not alive anymore/kill yourself? Have you ever planned out (worked out the details of) how you would do it? What was your plan? When you made this plan (or worked out these details), was any part of you thinking about actually doing it? (Past 1 Month).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Active Suicidal Ideation With Specific Plan and Intent (Past 1 Month)	
C113924	CSS10-Interrupted Attempt, Describe	CSS10-Interrupted Attempt, Describe	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of interrupted attempt.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Description of Interrupted Suicide Attempt	
C113920	CSS10-Interrupted Attempt-Life	CSS10-Interrupted Attempt-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but someone or something stopped you before you actually did anything? What did you do? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Interrupted Suicide Attempt (Lifetime)	
C113921	CSS10-Interrupted Attempt-P3M	CSS10-Interrupted Attempt-P3M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but someone or something stopped you before you actually did anything? What did you do? (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Interrupted Suicide Attempt (Past 3 Months)	
C113939	CSS10-Most Lethal Attempt Damage	CSS10-Most Lethal Attempt Damage	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Most lethal attempt actual lethality/medical damage.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Most Lethal Suicide Attempt Actual Lethality/Medical Damage	
C113938	CSS10-Most Lethal Attempt Date	CSS10-Most Lethal Attempt Date	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Most lethal attempt date.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Most Lethal Suicide Attempt Date	
C113940	CSS10-Most Lethal Attempt Potential	CSS10-Most Lethal Attempt Potential	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Most lethal attempt potential lethality.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Most Lethal Suicide Attempt Potential Lethality	
C113936	CSS10-Most Recent Attempt Damage	CSS10-Most Recent Attempt Damage	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Most recent attempt actual lethality/medical damage.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Most Recent Suicide Attempt Actual Lethality/Medical Damage	
C113935	CSS10-Most Recent Attempt Date	CSS10-Most Recent Attempt Date	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Most recent attempt date.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Most Recent Suicide Attempt Date	
C113937	CSS10-Most Recent Attempt Potential	CSS10-Most Recent Attempt Potential	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Most recent attempt potential lethality.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Most Recent Suicide Attempt Potential Lethality	

Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of most severe ideation. (Lifetime).				
C113905	CSS10-Most Severe Idea, Desc-Life	CSS10-Most Severe Idea, Desc-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of most severe ideation. (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Describe Most Severe Ideation (Lifetime)
C113907	CSS10-Most Severe Idea, Desc-P1M	CSS10-Most Severe Idea, Desc-P1M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of most severe ideation. (Past 1 Month).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Describe Most Severe Ideation (Past 1 Month)
C113908	CSS10-Most Severe Idea, Frequency-Life	CSS10-Most Severe Idea, Frequency-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - How many times have you had these thoughts? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Frequency (Lifetime)
C113909	CSS10-Most Severe Idea, Frequency-P1M	CSS10-Most Severe Idea, Frequency-P1M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - How many times have you had these thoughts? (Past 1 Month).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Frequency (Past 1 Month)
C113904	CSS10-Most Severe Idea-Life	CSS10-Most Severe Idea-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Most severe ideation. (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Most Severe Ideation (Lifetime)
C113906	CSS10-Most Severe Idea-P1M	CSS10-Most Severe Idea-P1M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Most severe ideation. (Past 1 Month).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Most Severe Ideation (Past 1 Month)
C113894	CSS10-Non-Spec Suicid Thought, Describe	CSS10-Non-Spec Suicid Thought, Describe	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of non-specific active suicidal thoughts.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Description of Non-Specific Active Suicidal Thoughts
C113892	CSS10-Non-Spec Suicid Thought-Life	CSS10-Non-Spec Suicid Thought-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you thought about doing something to make yourself not alive anymore? Have you had any thoughts about killing yourself? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Non-Specific Active Suicidal Thoughts (Lifetime)
C113893	CSS10-Non-Spec Suicid Thought-P1M	CSS10-Non-Spec Suicid Thought-P1M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you thought about doing something to make yourself not alive anymore? Have you had any thoughts about killing yourself? (Past 1 Month).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Non-Specific Active Suicidal Thoughts (Past 1 Month)
C113916	CSS10-Non-suicidal Self-injur Behav-Life	CSS10-Non-suicidal Self-injur Behav-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Has subject engaged in non-suicidal self-injurious behavior? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Non-suicidal Self-injurious Behavior (Lifetime)
C113917	CSS10-Non-suicidal Self-injur Behav-P3M	CSS10-Non-suicidal Self-injur Behav-P3M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Has subject engaged in non-suicidal self-injurious behavior? (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Non-suicidal Self-injurious Behavior (Past 3 Months)
C113927	CSS10-Number of Aborted Attempts-Life	CSS10-Number of Aborted Attempts-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Total number of aborted or self-interrupted attempts. (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Number of Aborted or Self-interrupted Suicide Attempt (Lifetime)
C113928	CSS10-Number of Aborted Attempts-P3M	CSS10-Number of Aborted Attempts-P3M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Total number of aborted or self-interrupted attempts. (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Number of Aborted or Self-interrupted Suicide Attempt (Past 3 Months)
C113913	CSS10-Number of Actual Attempts-Life	CSS10-Number of Actual Attempts-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Total number of actual attempts. (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Number of Actual Suicide Attempts (Lifetime)
C113914	CSS10-Number of Actual Attempts-P3M	CSS10-Number of Actual Attempts-P3M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Total number of actual attempts. (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Number of Actual Suicide Attempts (Past 3 Months)
C113922	CSS10-Number of Interrupt Attempts-Life	CSS10-Number of Interrupt Attempts-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Total number of interrupted attempts. (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Number of Interrupted Suicide Attempts (Lifetime)
C113923	CSS10-Number of Interrupt Attempts-P3M	CSS10-Number of Interrupt Attempts-P3M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Total number of interrupted attempts. (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Number of Interrupted Suicide Attempts (Past 3 Months)

Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of preparatory acts or behavior.				
C113932	CSS10-Preparatory Acts/Behavior, Descr	CSS10-Preparatory Acts/Behavior, Descr	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of preparatory acts or behavior.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Description of Preparatory Acts or Behaviors Toward Suicide Attempt
C113930	CSS10-Preparatory Acts/Behavior-Life	CSS10-Preparatory Acts/Behavior-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you done anything to get ready to make yourself not alive anymore (to end your life or kill yourself) - like giving things away, writing a goodbye note, getting things you need to kill yourself? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Preparatory Acts or Behaviors Toward Suicide Attempt (Lifetime)
C113931	CSS10-Preparatory Acts/Behavior-P3M	CSS10-Preparatory Acts/Behavior-P3M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you done anything to get ready to make yourself not alive anymore (to end your life or kill yourself) - like giving things away, writing a goodbye note, getting things you need to kill yourself? (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Preparatory Acts or Behaviors Toward Suicide Attempt (Past 3 Months)
C113918	CSS10-Self-injur Behav, Intent Unk-Life	CSS10-Self-injur Behav, Intent Unk-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Has subject engaged in self-injurious behavior, intent unknown? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Self-injurious Behavior, Intent Unknown (Lifetime)
C113919	CSS10-Self-injur Behav, Intent Unk-P3M	CSS10-Self-injur Behav, Intent Unk-P3M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Has subject engaged in self-injurious behavior, intent unknown? (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Self-injurious Behavior, Intent Unknown (Past 3 Months)
C113933	CSS10-Suicidal Behavior-Life	CSS10-Suicidal Behavior-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Suicidal behavior was present during the assessment period? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Suicidal Behavior (Lifetime)
C113934	CSS10-Suicidal Behavior-P3M	CSS10-Suicidal Behavior-P3M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Suicidal behavior was present during the assessment period? (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Suicidal Behavior (Past 3 Months)
C113891	CSS10-Wish to be Dead, Describe	CSS10-Wish to be Dead, Describe	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of wishing to be dead.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Description of Wish to be Dead
C113889	CSS10-Wish to be Dead-Life	CSS10-Wish to be Dead-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you thought about being dead or what it would be like to be dead? Have you wished you were dead or wished you could go to sleep and never wake up? Do you ever wish you weren't alive anymore? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Wish to be Dead (Lifetime)
C113890	CSS10-Wish to be Dead-P1M	CSS10-Wish to be Dead-P1M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you thought about being dead or what it would be like to be dead? Have you wished you were dead or wished you could go to sleep and never wake up? Do you ever wish you weren't alive anymore? (Past 1 Month).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Wish to be Dead (Past 1 Month)

C118019	CSS1101A	CSS11-Wish to be Dead-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Have you wished you were dead or wished you could go to sleep and not wake up? (Lifetime).	C-SSRS Lifetime/Recent Version - Wish to be Dead (Lifetime)
C118020	CSS1101B	CSS11-Wish to be Dead-P1M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Have you wished you were dead or wished you could go to sleep and not wake up? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Wish to be Dead (Past 1 Month)
C118021	CSS1101C	CSS11-Wish to be Dead, Describe	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Description of wishing to be dead.	C-SSRS Lifetime/Recent Version - Description of Wish to be Dead
C118022	CSS1102A	CSS11-Non-Spec Suicid Thought-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Have you actually had any thoughts of killing yourself? (Lifetime).	C-SSRS Lifetime/Recent Version - Non-Specific Active Suicidal Thoughts (Lifetime)
C118023	CSS1102B	CSS11-Non-Spec Suicid Thought-P1M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Have you actually had any thoughts of killing yourself? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Non-Specific Active Suicidal Thoughts (Past 1 Months)
C118024	CSS1102C	CSS11-Non-Spec Suicid Thought, Describe	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Description of non-specific active suicidal thoughts.	C-SSRS Lifetime/Recent Version - Description of Non-Specific Active Suicidal Thoughts
C118025	CSS1103A	CSS11-Idea, No Intent, No Plan-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Have you been thinking about how you might do this? (Lifetime).	C-SSRS Lifetime/Recent Version - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act (Lifetime)
C118026	CSS1103B	CSS11-Idea, No Intent, No Plan-P1M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Have you been thinking about how you might do this? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act (Past 1 Month)
C118027	CSS1103C	CSS11-Idea, No Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Lifetime/Recent Version - Description of Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act
C118028	CSS1104A	CSS11-Idea, Intent, No Plan-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Have you had these thoughts and had some intention of acting on them? (Lifetime).	C-SSRS Lifetime/Recent Version - Active Suicidal Ideation with Some Intent to Act, without Specific Plan (Lifetime)
C118029	CSS1104B	CSS11-Idea, Intent, No Plan-P1M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Have you had these thoughts and had some intention of acting on them? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Active Suicidal Ideation with Some Intent to Act, without Specific Plan (Past 1 Month)
C118030	CSS1104C	CSS11-Idea, Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Lifetime/Recent Version - Description of Active Suicidal Ideation with Some Intent to Act, without Specific Plan
C118031	CSS1105A	CSS11-Idea, Plan, Intent-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan? (Lifetime).	C-SSRS Lifetime/Recent Version - Active Suicidal Ideation with Specific Plan and Intent (Lifetime)
C118032	CSS1105B	CSS11-Idea, Plan, Intent-P1M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Active Suicidal Ideation with Specific Plan and Intent (Past 1 Month)
C118033	CSS1105C	CSS11-Idea, Plan, Intent, Describe	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Description of active suicidal ideation with specific plan and intent.	C-SSRS Lifetime/Recent Version - Description of Active Suicidal Ideation with Specific Plan and Intent
C118034	CSS1106A	CSS11-Most Severe Idea-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Most severe ideation. (Lifetime).	C-SSRS Lifetime/Recent Version - Most Severe Ideation (Lifetime)

Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Description of most severe ideation.				
C118035	CSS1106B	CSS11-Most Severe Idea, Desc-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Description of most severe ideation. (Lifetime).	C-SSRS Lifetime/Recent Version - Describe Most Severe Ideation (Lifetime)
C118036	CSS1106C	CSS11-Most Severe Idea-Recent-P1M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Most severe ideation. (Recent - Past 1 Month).	C-SSRS Lifetime/Recent Version - Recent Most Severe Ideation (Past 1 Month)
C118037	CSS1106D	CSS11-Most Severe Idea, Desc-Recent-P1M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Description of most severe ideation. (Recent - Past 1 Month).	C-SSRS Lifetime/Recent Version - Describe Recent Most Severe Ideation (Past 1 Month)
C118038	CSS1107A	CSS11-Most Severe Idea, Frequency-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - How many times have you had these thoughts? (Lifetime).	C-SSRS Lifetime/Recent Version - Frequency of Most Severe Ideation (Lifetime)
C118039	CSS1107B	CSS11-Most Severe Idea, Frequency-P1M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - How many times have you had these thoughts? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Frequency of Most Severe Ideation (Past 1 Month)
C118040	CSS1108A	CSS11-Most Severe Idea, Duration-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - When you have the thoughts how long do they last? (Lifetime).	C-SSRS Lifetime/Recent Version - Duration of Most Severe Ideation (Lifetime)
C118041	CSS1108B	CSS11-Most Severe Idea, Duration-P1M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - When you have the thoughts how long do they last? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Duration of Most Severe Ideation (Past 1 Month)
C118042	CSS1109A	CSS11-Most Severe Idea, Control-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Could/can you stop thinking about killing yourself or wanting to die if you want to? (Lifetime).	C-SSRS Lifetime/Recent Version - Controllability of Most Severe Ideation (Lifetime)
C118043	CSS1109B	CSS11-Most Severe Idea, Control-P1M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Could/can you stop thinking about killing yourself or wanting to die if you want to? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Controllability of Most Severe Ideation (Past 1 Month)
C118044	CSS1110A	CSS11-Most Severe Idea, Deterrents-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Are there things - anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide? (Lifetime).	C-SSRS Lifetime/Recent Version - Deterrents to Most Severe Ideation (Lifetime)
C118045	CSS1110B	CSS11-Most Severe Idea, Deterrents-P1M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Are there things - anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Deterrents to Most Severe Ideation (Past 1 Month)
C118046	CSS1111A	CSS11-Most Severe Idea, Reasons-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both? (Lifetime).	C-SSRS Lifetime/Recent Version - Reasons for Most Severe Ideation (Lifetime)
C118047	CSS1111B	CSS11-Most Severe Idea, Reasons-P1M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Reasons for Most Severe Ideation (Past 1 Month)
C118048	CSS1112A	CSS11-Actual Attempt-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died? (Lifetime).	C-SSRS Lifetime/Recent Version - Actual Suicide Attempt (Lifetime)
C118049	CSS1112B	CSS11-Actual Attempt-P3M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died? (Past 3 Months).	C-SSRS Lifetime/Recent Version - Actual Suicide Attempt (Past 3 Months)
C118050	CSS1113A	CSS11-Number of Actual Attempts-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Total number of actual attempts. (Lifetime).	C-SSRS Lifetime/Recent Version - Number of Actual Suicide Attempts (Lifetime)
C118051	CSS1113B	CSS11-Number of Actual Attempts-P3M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Total number of actual attempts. (Past 3 Months).	C-SSRS Lifetime/Recent Version - Number of Actual Suicide Attempts (Past 3 Months)

Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Description of actual attempt.				
C118052	CSS1113C	CSS11-Actual Attempt, Describe	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Description of actual attempt.	C-SSRS Lifetime/Recent Version - Description of Actual Suicide Attempt
C118053	CSS1114A	CSS11-Non-suicid Self-injur Behav-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Has subject engaged in non-suicidal self-injurious behavior? (Lifetime).	C-SSRS Lifetime/Recent Version - Non-suicidal Self-injurious Behavior (Lifetime)
C118054	CSS1114B	CSS11-Non-suicid Self-injur Behav-P3M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Has subject engaged in non-suicidal self-injurious behavior? (Past 3 Months).	C-SSRS Lifetime/Recent Version - Non-suicidal Self-injurious Behavior (Past 3 Months)
C118055	CSS1115A	CSS11-Interrupted Attempt-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Has there been a time when you started to do something to end your life but someone or something stopped you before you actually did anything? (Lifetime).	C-SSRS Lifetime/Recent Version - Interrupted Suicide Attempt (Lifetime)
C118056	CSS1115B	CSS11-Interrupted Attempt-P3M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Has there been a time when you started to do something to end your life but someone or something stopped you before you actually did anything? (Past 3 Months).	C-SSRS Lifetime/Recent Version - Interrupted Suicide Attempt (Past 3 Months)
C118057	CSS1116A	CSS11-Num of Interrupted Attempts-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Total number of interrupted attempts. (Lifetime).	C-SSRS Lifetime/Recent Version - Number of Interrupted Suicide Attempts (Lifetime)
C118058	CSS1116B	CSS11-Num of Interrupted Attempts-P3M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Total number of interrupted attempts. (Past 3 Months).	C-SSRS Lifetime/Recent Version - Number of Interrupted Suicide Attempts (Past 3 Months)
C118059	CSS1116C	CSS11-Interrupted Attempt, Describe	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Description of interrupted attempt.	C-SSRS Lifetime/Recent Version - Description of Interrupted Suicide Attempt
C118060	CSS1117A	CSS11-Aborted Attempt-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything? (Lifetime).	C-SSRS Lifetime/Recent Version - Aborted Suicide Attempt (Lifetime)
C118061	CSS1117B	CSS11-Aborted Attempt-P3M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything? (Past 3 Months).	C-SSRS Lifetime/Recent Version - Aborted Suicide Attempt (Past 3 Months)
C118062	CSS1118A	CSS11-Number of Aborted Attempts-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Total number of aborted or self-interrupted attempts. (Lifetime).	C-SSRS Lifetime/Recent Version - Number of Aborted Suicide Attempts (Lifetime)
C118063	CSS1118B	CSS11-Number of Aborted Attempts-P3M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Total number of aborted or self-interrupted attempts. (Past 3 Months).	C-SSRS Lifetime/Recent Version - Number of Aborted Suicide Attempts (Past 3 Months)
C118064	CSS1118C	CSS11-Aborted Attempt, Describe	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Description of aborted or self-interrupted attempt.	C-SSRS Lifetime/Recent Version - Description of Aborted Suicide Attempt
C118065	CSS1119A	CSS11-Preparatory Acts/Behavior-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)? (Lifetime).	C-SSRS Lifetime/Recent Version - Preparatory Acts or Behaviors Toward Suicide Attempt (Lifetime)
C118066	CSS1119B	CSS11-Preparatory Acts/Behavior-P3M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)? (Past 3 Months).	C-SSRS Lifetime/Recent Version - Preparatory Acts or Behaviors Toward Suicide Attempt (Past 3 Months)
C118067	CSS1119C	CSS11-Preparatory Acts/Behavior, Descr	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Description of preparatory acts or behavior.	C-SSRS Lifetime/Recent Version - Description of Preparatory Acts or Behaviors Toward Suicide Attempt
C118068	CSS1120A	CSS11-Suicidal Behavior-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Suicidal behavior was present during the assessment period? (Lifetime).	C-SSRS Lifetime/Recent Version - Suicidal Behavior (Lifetime)
C118069	CSS1120B	CSS11-Suicidal Behavior-P3M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Suicidal behavior was present during the assessment period? (Past 3 Months).	C-SSRS Lifetime/Recent Version - Suicidal Behavior (Past 3 Months)

Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Most recent attempt date.				
C118070	CSS1121A	CSS11-Most Recent Attempt Date	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Most recent attempt date.	C-SSRS Lifetime/Recent Version - Most Recent Suicide Attempt Date
C118071	CSS1121B	CSS11-Most Recent Attempt Damage	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Most recent attempt actual lethality/medical damage.	C-SSRS Lifetime/Recent Version - Most Recent Suicide Attempt Actual Lethality/Medical Damage
C118072	CSS1121C	CSS11-Most Recent Attempt Potential	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Most recent attempt potential lethality.	C-SSRS Lifetime/Recent Version - Most Recent Suicide Attempt Potential Lethality
C118073	CSS1122A	CSS11-Most Lethal Attempt Date	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Most lethal attempt date.	C-SSRS Lifetime/Recent Version - Most Lethal Suicide Attempt Date
C118074	CSS1122B	CSS11-Most Lethal Attempt Damage	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Most lethal attempt actual lethality/medical damage.	C-SSRS Lifetime/Recent Version - Most Lethal Suicide Attempt Actual Lethality/Medical Damage
C118075	CSS1122C	CSS11-Most Lethal Attempt Potential	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Most lethal attempt potential lethality.	C-SSRS Lifetime/Recent Version - Most Lethal Suicide Attempt Potential Lethality
C118076	CSS1123A	CSS11-First Attempt Date	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Initial/first attempt date.	C-SSRS Lifetime/Recent Version - First Suicide Attempt Date
C118077	CSS1123B	CSS11-First Attempt Damage	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Initial/first attempt actual lethality/medical damage.	C-SSRS Lifetime/Recent Version - First Suicide Attempt Actual Lethality/Medical Damage
C118078	CSS1123C	CSS11-First Attempt Potential	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Initial/first attempt potential lethality.	C-SSRS Lifetime/Recent Version - First Suicide Attempt Potential Lethality

C118064	CSS11-Aborted Attempt, Describe	CSS11-Aborted Attempt, Describe	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Description of aborted or self-interrupted attempt.	C-SSRS Lifetime/Recent Version - Description of Aborted Suicide Attempt	
C118060	CSS11-Aborted Attempt-Life	CSS11-Aborted Attempt-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything? (Lifetime).	C-SSRS Lifetime/Recent Version - Aborted Suicide Attempt (Lifetime)	
C118061	CSS11-Aborted Attempt-P3M	CSS11-Aborted Attempt-P3M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything? (Past 3 Months).	C-SSRS Lifetime/Recent Version - Aborted Suicide Attempt (Past 3 Months)	
C118052	CSS11-Actual Attempt, Describe	CSS11-Actual Attempt, Describe	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Description of actual attempt.	C-SSRS Lifetime/Recent Version - Description of Actual Suicide Attempt	
C118048	CSS11-Actual Attempt-Life	CSS11-Actual Attempt-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died? (Lifetime).	C-SSRS Lifetime/Recent Version - Actual Suicide Attempt (Lifetime)	
C118049	CSS11-Actual Attempt-P3M	CSS11-Actual Attempt-P3M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died? (Past 3 Months).	C-SSRS Lifetime/Recent Version - Actual Suicide Attempt (Past 3 Months)	
C118077	CSS11-First Attempt Damage	CSS11-First Attempt Damage	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Initial/first attempt actual lethality/medical damage.	C-SSRS Lifetime/Recent Version - First Suicide Attempt Actual Lethality/Medical Damage	
C118076	CSS11-First Attempt Date	CSS11-First Attempt Date	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Initial/first attempt date.	C-SSRS Lifetime/Recent Version - First Suicide Attempt Date	
C118078	CSS11-First Attempt Potential	CSS11-First Attempt Potential	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Initial/first attempt potential lethality.	C-SSRS Lifetime/Recent Version - First Suicide Attempt Potential Lethality	
C118030	CSS11-Idea, Intent, No Plan, Describe	CSS11-Idea, Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Lifetime/Recent Version - Description of Active Suicidal Ideation with Some Intent to Act, without Specific Plan	
C118028	CSS11-Idea, Intent, No Plan-Life	CSS11-Idea, Intent, No Plan-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Have you had these thoughts and had some intention of acting on them? (Lifetime).	C-SSRS Lifetime/Recent Version - Active Suicidal Ideation with Some Intent to Act, without Specific Plan (Lifetime)	
C118029	CSS11-Idea, Intent, No Plan-P1M	CSS11-Idea, Intent, No Plan-P1M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Have you had these thoughts and had some intention of acting on them? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Active Suicidal Ideation with Some Intent to Act, without Specific Plan (Past 1 Month)	
C118027	CSS11-Idea, No Intent, No Plan, Describe	CSS11-Idea, No Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Lifetime/Recent Version - Description of Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act	
C118025	CSS11-Idea, No Intent, No Plan-Life	CSS11-Idea, No Intent, No Plan-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Have you been thinking about how you might do this? (Lifetime).	C-SSRS Lifetime/Recent Version - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act (Lifetime)	
C118026	CSS11-Idea, No Intent, No Plan-P1M	CSS11-Idea, No Intent, No Plan-P1M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Have you been thinking about how you might do this? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act (Past 1 Month)	
C118033	CSS11-Idea, Plan, Intent, Describe	CSS11-Idea, Plan, Intent, Describe	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Description of active suicidal ideation with specific plan and intent.	C-SSRS Lifetime/Recent Version - Description of Active Suicidal Ideation with Specific Plan and Intent	

Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Description of most severe ideation.					
C118031	CSS11-Idea, Plan, Intent-Life	CSS11-Idea, Plan, Intent-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan? (Lifetime).	C-SSRS Lifetime/Recent Version - Active Suicidal Ideation with Specific Plan and Intent (Lifetime)	
C118032	CSS11-Idea, Plan, Intent-P1M	CSS11-Idea, Plan, Intent-P1M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Active Suicidal Ideation with Specific Plan and Intent (Past 1 Month)	
C118059	CSS11-Interrupted Attempt, Describe	CSS11-Interrupted Attempt, Describe	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Description of interrupted attempt.	C-SSRS Lifetime/Recent Version - Description of Interrupted Suicide Attempt	
C118055	CSS11-Interrupted Attempt-Life	CSS11-Interrupted Attempt-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Has there been a time when you started to do something to end your life but someone or something stopped you before you actually did anything? (Lifetime).	C-SSRS Lifetime/Recent Version - Interrupted Suicide Attempt (Lifetime)	
C118056	CSS11-Interrupted Attempt-P3M	CSS11-Interrupted Attempt-P3M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Has there been a time when you started to do something to end your life but someone or something stopped you before you actually did anything? (Past 3 Months).	C-SSRS Lifetime/Recent Version - Interrupted Suicide Attempt (Past 3 Months)	
C118074	CSS11-Most Lethal Attempt Damage	CSS11-Most Lethal Attempt Damage	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Most lethal attempt actual lethality/medical damage.	C-SSRS Lifetime/Recent Version - Most Lethal Suicide Attempt Actual Lethality/Medical Damage	
C118073	CSS11-Most Lethal Attempt Date	CSS11-Most Lethal Attempt Date	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Most lethal attempt date.	C-SSRS Lifetime/Recent Version - Most Lethal Suicide Attempt Date	
C118075	CSS11-Most Lethal Attempt Potential	CSS11-Most Lethal Attempt Potential	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Most lethal attempt potential lethality.	C-SSRS Lifetime/Recent Version - Most Lethal Suicide Attempt Potential Lethality	
C118071	CSS11-Most Recent Attempt Damage	CSS11-Most Recent Attempt Damage	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Most recent attempt actual lethality/medical damage.	C-SSRS Lifetime/Recent Version - Most Recent Suicide Attempt Actual Lethality/Medical Damage	
C118070	CSS11-Most Recent Attempt Date	CSS11-Most Recent Attempt Date	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Most recent attempt date.	C-SSRS Lifetime/Recent Version - Most Recent Suicide Attempt Date	
C118072	CSS11-Most Recent Attempt Potential	CSS11-Most Recent Attempt Potential	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Most recent attempt potential lethality.	C-SSRS Lifetime/Recent Version - Most Recent Suicide Attempt Potential Lethality	
C118042	CSS11-Most Severe Idea, Control-Life	CSS11-Most Severe Idea, Control-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Could/can you stop thinking about killing yourself or wanting to die if you want to? (Lifetime).	C-SSRS Lifetime/Recent Version - Controllability of Most Severe Ideation (Lifetime)	
C118043	CSS11-Most Severe Idea, Control-P1M	CSS11-Most Severe Idea, Control-P1M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Could/can you stop thinking about killing yourself or wanting to die if you want to? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Controllability of Most Severe Ideation (Past 1 Month)	
C118035	CSS11-Most Severe Idea, Desc-Life	CSS11-Most Severe Idea, Desc-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Description of most severe ideation. (Lifetime).	C-SSRS Lifetime/Recent Version - Describe Most Severe Ideation (Lifetime)	
C118037	CSS11-Most Severe Idea, Desc-Recent-P1M	CSS11-Most Severe Idea, Desc-Recent-P1M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Description of most severe ideation. (Recent - Past 1 Month).	C-SSRS Lifetime/Recent Version - Describe Recent Most Severe Ideation (Past 1 Month)	
C118044	CSS11-Most Severe Idea, Deterrents-Life	CSS11-Most Severe Idea, Deterrents-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Are there things - anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide? (Lifetime).	C-SSRS Lifetime/Recent Version - Deterrents to Most Severe Ideation (Lifetime)	
C118045	CSS11-Most Severe Idea, Deterrents-P1M	CSS11-Most Severe Idea, Deterrents-P1M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Are there things - anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Deterrents to Most Severe Ideation (Past 1 Month)	
C118040	CSS11-Most Severe Idea, Duration-Life	CSS11-Most Severe Idea, Duration-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - When you have the thoughts how long do they last? (Lifetime).	C-SSRS Lifetime/Recent Version - Duration of Most Severe Ideation (Lifetime)	

Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Total number of actual attempts. (Lifetime).					
C118041	CSS11-Most Severe Idea, Duration-P1M	CSS11-Most Severe Idea, Duration-P1M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - When you have the thoughts how long do they last? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Duration of Most Severe Ideation (Past 1 Month)	C-SSRS Lifetime/Recent Version - Duration of Most Severe Ideation (Past 1 Month)
C118038	CSS11-Most Severe Idea, Frequency-Life	CSS11-Most Severe Idea, Frequency-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - How many times have you had these thoughts? (Lifetime).	C-SSRS Lifetime/Recent Version - Frequency of Most Severe Ideation (Lifetime)	C-SSRS Lifetime/Recent Version - Frequency of Most Severe Ideation (Lifetime)
C118039	CSS11-Most Severe Idea, Frequency-P1M	CSS11-Most Severe Idea, Frequency-P1M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - How many times have you had these thoughts? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Frequency of Most Severe Ideation (Past 1 Month)	C-SSRS Lifetime/Recent Version - Frequency of Most Severe Ideation (Past 1 Month)
C118046	CSS11-Most Severe Idea, Reasons-Life	CSS11-Most Severe Idea, Reasons-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both? (Lifetime).	C-SSRS Lifetime/Recent Version - Reasons for Most Severe Ideation (Lifetime)	C-SSRS Lifetime/Recent Version - Reasons for Most Severe Ideation (Lifetime)
C118047	CSS11-Most Severe Idea, Reasons-P1M	CSS11-Most Severe Idea, Reasons-P1M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Reasons for Most Severe Ideation (Past 1 Month)	C-SSRS Lifetime/Recent Version - Reasons for Most Severe Ideation (Past 1 Month)
C118034	CSS11-Most Severe Idea-Life	CSS11-Most Severe Idea-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Most severe ideation. (Lifetime).	C-SSRS Lifetime/Recent Version - Most Severe Ideation (Lifetime)	C-SSRS Lifetime/Recent Version - Most Severe Ideation (Lifetime)
C118036	CSS11-Most Severe Idea-Recent-P1M	CSS11-Most Severe Idea-Recent-P1M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Most severe ideation. (Recent - Past 1 Month).	C-SSRS Lifetime/Recent Version - Recent Most Severe Ideation (Past 1 Month)	C-SSRS Lifetime/Recent Version - Recent Most Severe Ideation (Past 1 Month)
C118024	CSS11-Non-Spec Suicid Thought, Describe	CSS11-Non-Spec Suicid Thought, Describe	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Description of non-specific active suicidal thoughts.	C-SSRS Lifetime/Recent Version - Description of Non-Specific Active Suicidal Thoughts	C-SSRS Lifetime/Recent Version - Description of Non-Specific Active Suicidal Thoughts
C118022	CSS11-Non-Spec Suicid Thought-Life	CSS11-Non-Spec Suicid Thought-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Have you actually had any thoughts of killing yourself? (Lifetime).	C-SSRS Lifetime/Recent Version - Non-Specific Active Suicidal Thoughts (Lifetime)	C-SSRS Lifetime/Recent Version - Non-Specific Active Suicidal Thoughts (Lifetime)
C118023	CSS11-Non-Spec Suicid Thought-P1M	CSS11-Non-Spec Suicid Thought-P1M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Have you actually had any thoughts of killing yourself? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Non-Specific Active Suicidal Thoughts (Past 1 Months)	C-SSRS Lifetime/Recent Version - Non-Specific Active Suicidal Thoughts (Past 1 Months)
C118053	CSS11-Non-suicid Self-injur Behav-Life	CSS11-Non-suicid Self-injur Behav-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Has subject engaged in non-suicidal self-injurious behavior? (Lifetime).	C-SSRS Lifetime/Recent Version - Non-suicidal Self-injurious Behavior (Lifetime)	C-SSRS Lifetime/Recent Version - Non-suicidal Self-injurious Behavior (Lifetime)
C118054	CSS11-Non-suicid Self-injur Behav-P3M	CSS11-Non-suicid Self-injur Behav-P3M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Has subject engaged in non-suicidal self-injurious behavior? (Past 3 Months).	C-SSRS Lifetime/Recent Version - Non-suicidal Self-injurious Behavior (Past 3 Months)	C-SSRS Lifetime/Recent Version - Non-suicidal Self-injurious Behavior (Past 3 Months)
C118057	CSS11-Num of Interrupted Attempts-Life	CSS11-Num of Interrupted Attempts-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Total number of interrupted attempts. (Lifetime).	C-SSRS Lifetime/Recent Version - Number of Interrupted Suicide Attempts (Lifetime)	C-SSRS Lifetime/Recent Version - Number of Interrupted Suicide Attempts (Lifetime)
C118058	CSS11-Num of Interrupted Attempts-P3M	CSS11-Num of Interrupted Attempts-P3M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Total number of interrupted attempts. (Past 3 Months).	C-SSRS Lifetime/Recent Version - Number of Interrupted Suicide Attempts (Past 3 Months)	C-SSRS Lifetime/Recent Version - Number of Interrupted Suicide Attempts (Past 3 Months)
C118062	CSS11-Number of Aborted Attempts-Life	CSS11-Number of Aborted Attempts-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Total number of aborted or self-interrupted attempts. (Lifetime).	C-SSRS Lifetime/Recent Version - Number of Aborted Suicide Attempts (Lifetime)	C-SSRS Lifetime/Recent Version - Number of Aborted Suicide Attempts (Lifetime)
C118063	CSS11-Number of Aborted Attempts-P3M	CSS11-Number of Aborted Attempts-P3M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Total number of aborted or self-interrupted attempts. (Past 3 Months).	C-SSRS Lifetime/Recent Version - Number of Aborted Suicide Attempts (Past 3 Months)	C-SSRS Lifetime/Recent Version - Number of Aborted Suicide Attempts (Past 3 Months)
C118050	CSS11-Number of Actual Attempts-Life	CSS11-Number of Actual Attempts-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Total number of actual attempts. (Lifetime).	C-SSRS Lifetime/Recent Version - Number of Actual Suicide Attempts (Lifetime)	C-SSRS Lifetime/Recent Version - Number of Actual Suicide Attempts (Lifetime)

Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Total number of actual attempts. (Past 3 Months).					
C118051	CSS11-Number of Actual Attempts-P3M	CSS11-Number of Actual Attempts-P3M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Total number of actual attempts. (Past 3 Months).	C-SSRS Lifetime/Recent Version - Number of Actual Suicide Attempts (Past 3 Months)	C-SSRS Lifetime/Recent Version - Number of Actual Suicide Attempts (Past 3 Months)
C118067	CSS11-Preparatory Acts/Behavior, Descr	CSS11-Preparatory Acts/Behavior, Descr	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Description of preparatory acts or behavior.	C-SSRS Lifetime/Recent Version - Description of Preparatory Acts or Behaviors Toward Suicide Attempt	C-SSRS Lifetime/Recent Version - Description of Preparatory Acts or Behaviors Toward Suicide Attempt
C118065	CSS11-Preparatory Acts/Behavior-Life	CSS11-Preparatory Acts/Behavior-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)? (Lifetime).	C-SSRS Lifetime/Recent Version - Preparatory Acts or Behaviors Toward Suicide Attempt (Lifetime)	C-SSRS Lifetime/Recent Version - Preparatory Acts or Behaviors Toward Suicide Attempt (Lifetime)
C118066	CSS11-Preparatory Acts/Behavior-P3M	CSS11-Preparatory Acts/Behavior-P3M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)? (Past 3 Months).	C-SSRS Lifetime/Recent Version - Preparatory Acts or Behaviors Toward Suicide Attempt (Past 3 Months)	C-SSRS Lifetime/Recent Version - Preparatory Acts or Behaviors Toward Suicide Attempt (Past 3 Months)
C118068	CSS11-Suicidal Behavior-Life	CSS11-Suicidal Behavior-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Suicidal behavior was present during the assessment period? (Lifetime).	C-SSRS Lifetime/Recent Version - Suicidal Behavior (Lifetime)	C-SSRS Lifetime/Recent Version - Suicidal Behavior (Lifetime)
C118069	CSS11-Suicidal Behavior-P3M	CSS11-Suicidal Behavior-P3M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Suicidal behavior was present during the assessment period? (Past 3 Months).	C-SSRS Lifetime/Recent Version - Suicidal Behavior (Past 3 Months)	C-SSRS Lifetime/Recent Version - Suicidal Behavior (Past 3 Months)
C118021	CSS11-Wish to be Dead, Describe	CSS11-Wish to be Dead, Describe	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Description of wishing to be dead.	C-SSRS Lifetime/Recent Version - Description of Wish to be Dead	C-SSRS Lifetime/Recent Version - Description of Wish to be Dead
C118019	CSS11-Wish to be Dead-Life	CSS11-Wish to be Dead-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Have you wished you were dead or wished you could go to sleep and not wake up? (Lifetime).	C-SSRS Lifetime/Recent Version - Wish to be Dead (Lifetime)	C-SSRS Lifetime/Recent Version - Wish to be Dead (Lifetime)
C118020	CSS11-Wish to be Dead-P1M	CSS11-Wish to be Dead-P1M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Have you wished you were dead or wished you could go to sleep and not wake up? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Wish to be Dead (Past 1 Month)	C-SSRS Lifetime/Recent Version - Wish to be Dead (Past 1 Month)

C174104	D4STR101	D4STR1-Was 4-Stair Descend Performed	4-Stair Descend - Was the 4-stair descend performed?	4-Stair Descend - Was 4-Stair Descend Performed
C141704	D4STR102	D4STR1-Time to Do 4-Stair Descend	4-Stair Descend - If yes, time taken to do 4-stair descend.	4-Stair Descend - Time to Do 4-Stair Descend
C147591	D4STR103	D4STR1-Wear Orthoses	4-Stair Descend - If yes, did subject wear orthoses?	4-Stair Descend - Wear Orthoses
C141705	D4STR104	D4STR1-Test Grade	4-Stair Descend - Test grade.	4-Stair Descend - Test Grade

C141705	D4STR1-Test Grade	D4STR1-Test Grade	4-Stair Descend - Test grade.	4-Stair Descend - Test Grade
C141704	D4STR1-Time to Do 4-Stair Descend	D4STR1-Time to Do 4-Stair Descend	4-Stair Descend - If yes, time taken to do 4-stair descend.	4-Stair Descend - Time to Do 4-Stair Descend
C174104	D4STR1-Was 4-Stair Descend Performed	D4STR1-Was 4-Stair Descend Performed	4-Stair Descend - Was the 4-stair descend performed?	4-Stair Descend - Was 4-Stair Descend Performed
C147591	D4STR1-Wear Orthoses	D4STR1-Wear Orthoses	4-Stair Descend - If yes, did subject wear orthoses?	4-Stair Descend - Wear Orthoses

C105170	DAD0101	DAD01-Decide to Wash	Disability Assessment for Dementia - Decide to wash himself/herself or to take a bath or shower?	DAD - Decide to Wash or Take a Bath or Shower
C105171	DAD0102	DAD01-Decide to Brush Teeth Dentures	Disability Assessment for Dementia - Decide to brush his/her teeth or care for his/her dentures?	DAD - Decide to Brush Teeth or Care for Dentures
C105172	DAD0103	DAD01-Decide to Care For Hair	Disability Assessment for Dementia - Decide to care for his/her hair (wash and comb)?	DAD - Decide to Care for His/Her Hair
C105173	DAD0104	DAD01-Prepare For Washing Bath Shower	Disability Assessment for Dementia - Prepare the water, towels, and soap for washing, taking a bath or a shower?	DAD - Prepare the Water, Towels, and Soap for Washing, Taking a Bath or Shower
C105174	DAD0105	DAD01-Wash and Dry Body Safely	Disability Assessment for Dementia - Wash and dry all parts of his/her body safely and completely?	DAD - Wash and Dry All Parts of Body Safely and Completely
C105175	DAD0106	DAD01-Brush Teeth Take Care of Dentures	Disability Assessment for Dementia - Brush his/her teeth or take care of his/her dentures appropriately?	DAD - Brush Teeth or Take Care of Dentures Appropriately
C105176	DAD0107	DAD01-Take Care of Hair	Disability Assessment for Dementia - Take care of his/her hair (wash and comb)?	DAD - Take Care of His/Her Hair
C105177	DAD0108	DAD01-Decide to Dress	Disability Assessment for Dementia - Decide to dress himself/herself?	DAD - Decide to Dress Himself/Herself
C105178	DAD0109	DAD01-Choose Appropriate Clothing	Disability Assessment for Dementia - Choose appropriate clothing (with regard to the occasion, neatness, the weather and color combination)?	DAD - Choose Appropriate Clothing
C105179	DAD0110	DAD01-Dress in Appropriate Order	Disability Assessment for Dementia - Dress himself/herself in the appropriate order (undergarments, pant/dress, shoes)?	DAD - Dress in the Appropriate Order
C105180	DAD0111	DAD01-Dress Completely	Disability Assessment for Dementia - Dress himself/herself completely?	DAD - Dress Himself/Herself Completely
C105181	DAD0112	DAD01-Undress Completely	Disability Assessment for Dementia - Undress himself/herself completely?	DAD - Undress Himself/Herself Completely
C105182	DAD0113	DAD01-Use Toilet at Appropriate Times	Disability Assessment for Dementia - Decide to use the toilet at appropriate times?	DAD - Decide to Use the Toilet at Appropriate Times
C105183	DAD0114	DAD01-Use Toilet Without Accidents	Disability Assessment for Dementia - Use the toilet without 'accidents'?	DAD - Use the Toilet Without Accidents
C105184	DAD0115	DAD01-Decide That He/She Needs to Eat	Disability Assessment for Dementia - Decide that he/she needs to eat?	DAD - Decide That He/She Needs to Eat
C105185	DAD0116	DAD01-Choose Appropriate Utensils	Disability Assessment for Dementia - Choose appropriate utensils and seasonings when eating?	DAD - Choose Appropriate Utensils and Seasonings When Eating
C105186	DAD0117	DAD01-Eat at Normal Pace With Manners	Disability Assessment for Dementia - Eat his/her meals at a normal pace and with appropriate manners?	DAD - Eat Meals at a Normal Pace and with Appropriate Manners
C105187	DAD0118	DAD01-Decide to Prepare Meal Snack	Disability Assessment for Dementia - Decide to prepare a light meal or snack for himself/herself?	DAD - Decide to Prepare a Light Meal or Snack for Himself/Herself
C105188	DAD0119	DAD01-Adequately Plan Light Meal Snack	Disability Assessment for Dementia - Adequately plan a light meal or snack (ingredients, cookware)?	DAD - Adequately Plan a Light Meal or Snack
C105189	DAD0120	DAD01-Prepare or Cook Light Meal Snack	Disability Assessment for Dementia - Prepare or cook a light meal or a snack safely?	DAD - Safely Prepare or Cook a Light Meal or Snack
C105190	DAD0121	DAD01-Telephone Someone at Suitable Time	Disability Assessment for Dementia - Attempt to telephone someone at a suitable time?	DAD - Attempt to Telephone Someone at a Suitable Time
C105191	DAD0122	DAD01-Find and Dial Telephone Number	Disability Assessment for Dementia - Find and dial a telephone number correctly?	DAD - Find and Dial a Telephone Number Correctly
C105192	DAD0123	DAD01-Carry Out Telephone Conversation	Disability Assessment for Dementia - Carry out an appropriate telephone conversation?	DAD - Carry Out an Appropriate Telephone Conversation
C105193	DAD0124	DAD01-Write Convey Telephone Message	Disability Assessment for Dementia - Write and convey a telephone message adequately?	DAD - Write and Convey a Telephone Message Adequately

Disability Assessment for Dementia - General				
C105194	DAD0125	DAD01-Decide to Go Out	Disability Assessment for Dementia - Decide to go out (walk, visit, shop) at an appropriate time?	DAD - Decide to Go Out at an Appropriate Time
C105195	DAD0126	DAD01-Adequately Organize an Outing	Disability Assessment for Dementia - Adequately organize an outing with respect to transportation, keys, destination, weather, necessary money, shopping list?	DAD - Adequately Organize an Outing with Respect to Transportation, Keys, Destination, Weather, Money, Shopping List
C105196	DAD0127	DAD01-Go Out Without Getting Lost	Disability Assessment for Dementia - Go out and reach a familiar destination without getting lost?	DAD - Go Out and Reach a Familiar Destination Without Getting Lost
C105197	DAD0128	DAD01-Safely Take Transportation	Disability Assessment for Dementia - Safely take the adequate mode of transportation (car, bus, taxi)?	DAD - Safely Take the Adequate Mode of Transportation
C105198	DAD0129	DAD01-Return From Store With Items	Disability Assessment for Dementia - Return from the store with the appropriate items?	DAD - Return From the Store with Appropriate Items
C105199	DAD0130	DAD01>Show Interest in Personal Affairs	Disability Assessment for Dementia - Show an interest in his/her personal affairs such as his/her finances and written correspondence?	DAD - Show an Interest in Personal Affairs such as Finances and Written Correspondence
C105200	DAD0131	DAD01-Organize Finances to Pay Bills	Disability Assessment for Dementia - Organize his/her finances to pay his/her bills (checks, bank statement, bills)?	DAD - Organize Finances to Pay Bills
C105201	DAD0132	DAD01-Adequately Organize Correspondence	Disability Assessment for Dementia - Adequately organize his/her correspondence with respect to stationery, address, stamps?	DAD - Adequately Organize Correspondence
C105202	DAD0133	DAD01-Handle Money Adequately	Disability Assessment for Dementia - Handle his/her money adequately (deal with cash)?	DAD - Handle Money Adequately
C105203	DAD0134	DAD01-Take Medications at Correct Time	Disability Assessment for Dementia - Decide to take his/her medications at the correct time?	DAD - Decide to Take Medications at the Correct Time
C105204	DAD0135	DAD01-Take Medications as Prescribed	Disability Assessment for Dementia - Take his/her medications as prescribed (according to the right dosage)?	DAD - Take Medications as Prescribed
C105205	DAD0136	DAD01>Show Interest in Leisure Activity	Disability Assessment for Dementia - Show an interest in leisure activity(ies)?	DAD - Show an Interest in Leisure Activities
C105206	DAD0137	DAD01-Take Interest in Household Chores	Disability Assessment for Dementia - Take an interest in household chores that he/she used to perform in the past?	DAD - Take an Interest in Household Chores as in the Past
C105207	DAD0138	DAD01-Plan Organize Household Chores	Disability Assessment for Dementia - Plan and organize adequately household chores that he/she used to perform in the past?	DAD - Plan and Organize Adequately Household Chores as in the Past
C105208	DAD0139	DAD01-Complete Household Chores	Disability Assessment for Dementia - Complete household chores adequately as he/she used to perform in the past?	DAD - Complete Household Chores Adequately as in the Past
C105209	DAD0140	DAD01-Stay Safely at Home When Needed	Disability Assessment for Dementia - Stay safely at home by himself/herself when needed?	DAD - Stay Safely at Home When Needed
C111577	DAD0141	DAD01-Sub-Total Initiation	Disability Assessment for Dementia - Sub-Total Initiation.	DAD - Sub-Total Initiation
C111578	DAD0142	DAD01-Initiation Num Applic Items	Disability Assessment for Dementia - Sub-Total Initiation Number of Applicable Items.	DAD - Total Initiation Number of Applicable Items
C111579	DAD0143	DAD01-Sub-Total Planning & Organization	Disability Assessment for Dementia - Sub-Total Planning & Organization.	DAD - Sub-Total Planning and Organization
C111617	DAD0144	DAD01-Plan & Org Num Applic Items	Disability Assessment for Dementia - Sub-Total Planning & Organization Number of Applicable Items.	DAD - Plan and Organize Number of Applicable Items
C111580	DAD0145	DAD01-Sub-Total Effective Performance	Disability Assessment for Dementia - Sub-Total Effective Performance.	DAD - Sub-Total Effective Performance
C111581	DAD0146	DAD01-Effective Perf Num Applic Items	Disability Assessment for Dementia - Sub-Total Effective Performance Number of Applicable Items.	DAD - Sub-Total Effective Performance Number of Applicable Items
C111582	DAD0147	DAD01-Total Score	Disability Assessment for Dementia - Total Score.	DAD - Total Score
C111583	DAD0148	DAD01-Total Num of Applic Items	Disability Assessment for Dementia - Total Number of Applicable Items.	DAD - Total Number of Applicable Items
C111584	DAD0149	DAD01-Total %	Disability Assessment for Dementia - Total %.	DAD - Total Percent

C105195	DAD01-Adequately Organize an Outing	DAD01-Adequately Organize an Outing	Disability Assessment for Dementia - Adequately organize an outing with respect to transportation, keys, destination, weather, necessary money, shopping list?	DAD - Adequately Organize an Outing with Respect to Transportation, Keys, Destination, Weather, Money, Shopping List
C105201	DAD01-Adequately Organize Correspondence	DAD01-Adequately Organize Correspondence	Disability Assessment for Dementia - Adequately organize his/her correspondence with respect to stationery, address, stamps?	DAD - Adequately Organize Correspondence
C105188	DAD01-Adequately Plan Light Meal Snack	DAD01-Adequately Plan Light Meal Snack	Disability Assessment for Dementia - Adequately plan a light meal or snack (ingredients, cookware)?	DAD - Adequately Plan a Light Meal or Snack
C105175	DAD01-Brush Teeth Take Care of Dentures	DAD01-Brush Teeth Take Care of Dentures	Disability Assessment for Dementia - Brush his/her teeth or take care of his/her dentures appropriately?	DAD - Brush Teeth or Take Care of Dentures Appropriately
C105192	DAD01-Carry Out Telephone Conversation	DAD01-Carry Out Telephone Conversation	Disability Assessment for Dementia - Carry out an appropriate telephone conversation?	DAD - Carry Out an Appropriate Telephone Conversation
C105178	DAD01-Choose Appropriate Clothing	DAD01-Choose Appropriate Clothing	Disability Assessment for Dementia - Choose appropriate clothing (with regard to the occasion, neatness, the weather and color combination)?	DAD - Choose Appropriate Clothing
C105185	DAD01-Choose Appropriate Utensils	DAD01-Choose Appropriate Utensils	Disability Assessment for Dementia - Choose appropriate utensils and seasonings when eating?	DAD - Choose Appropriate Utensils and Seasonings When Eating
C105208	DAD01-Complete Household Chores	DAD01-Complete Household Chores	Disability Assessment for Dementia - Complete household chores adequately as he/she used to perform in the past?	DAD - Complete Household Chores Adequately as in the Past
C105184	DAD01-Decide That He/She Needs to Eat	DAD01-Decide That He/She Needs to Eat	Disability Assessment for Dementia - Decide that he/she needs to eat?	DAD - Decide That He/She Needs to Eat
C105171	DAD01-Decide to Brush Teeth Dentures	DAD01-Decide to Brush Teeth Dentures	Disability Assessment for Dementia - Decide to brush his/her teeth or care for his/her dentures?	DAD - Decide to Brush Teeth or Care for Dentures
C105172	DAD01-Decide to Care For Hair	DAD01-Decide to Care For Hair	Disability Assessment for Dementia - Decide to care for his/her hair (wash and comb)?	DAD - Decide to Care for His/Her Hair
C105177	DAD01-Decide to Dress	DAD01-Decide to Dress	Disability Assessment for Dementia - Decide to dress himself/herself?	DAD - Decide to Dress Himself/Herself
C105194	DAD01-Decide to Go Out	DAD01-Decide to Go Out	Disability Assessment for Dementia - Decide to go out (walk, visit, shop) at an appropriate time?	DAD - Decide to Go Out at an Appropriate Time
C105187	DAD01-Decide to Prepare Meal Snack	DAD01-Decide to Prepare Meal Snack	Disability Assessment for Dementia - Decide to prepare a light meal or snack for himself/herself?	DAD - Decide to Prepare a Light Meal or Snack for Himself/Herself
C105170	DAD01-Decide to Wash	DAD01-Decide to Wash	Disability Assessment for Dementia - Decide to wash himself/herself or to take a bath or shower?	DAD - Decide to Wash or Take a Bath or Shower
C105180	DAD01-Dress Completely	DAD01-Dress Completely	Disability Assessment for Dementia - Dress himself/herself completely?	DAD - Dress Himself/Herself Completely
C105179	DAD01-Dress in Appropriate Order	DAD01-Dress in Appropriate Order	Disability Assessment for Dementia - Dress himself/herself in the appropriate order (undergarments, pant/dress, shoes)?	DAD - Dress in the Appropriate Order
C105186	DAD01-Eat at Normal Pace With Manners	DAD01-Eat at Normal Pace With Manners	Disability Assessment for Dementia - Eat his/her meals at a normal pace and with appropriate manners?	DAD - Eat Meals at a Normal Pace and with Appropriate Manners
C111581	DAD01-Effective Perf Num Applic Items	DAD01-Effective Perf Num Applic Items	Disability Assessment for Dementia - Sub-Total Effective Performance Number of Applicable Items.	DAD - Sub-Total Effective Performance Number of Applicable Items
C105191	DAD01-Find and Dial Telephone Number	DAD01-Find and Dial Telephone Number	Disability Assessment for Dementia - Find and dial a telephone number correctly?	DAD - Find and Dial a Telephone Number Correctly
C105196	DAD01-Go Out Without Getting Lost	DAD01-Go Out Without Getting Lost	Disability Assessment for Dementia - Go out and reach a familiar destination without getting lost?	DAD - Go Out and Reach a Familiar Destination Without Getting Lost
C105202	DAD01-Handle Money Adequately	DAD01-Handle Money Adequately	Disability Assessment for Dementia - Handle his/her money adequately (deal with cash)?	DAD - Handle Money Adequately
C111578	DAD01-Initiation Num Applic Items	DAD01-Initiation Num Applic Items	Disability Assessment for Dementia - Sub-Total Initiation Number of Applicable Items.	DAD - Total Initiation Number of Applicable Items

Disability Assessment for Dementia - Activities of Daily Living				
C105200	DAD01-Organize Finances to Pay Bills	DAD01-Organize Finances to Pay Bills	Disability Assessment for Dementia - Organize his/her finances to pay his/her bills (checks, bank statement, bills)?	DAD - Organize Finances to Pay Bills
C111617	DAD01-Plan & Org Num Applic Items	DAD01-Plan & Org Num Applic Items	Disability Assessment for Dementia - Sub-Total Planning & Organization Number of Applicable Items.	DAD - Plan and Organize Number of Applicable Items
C105207	DAD01-Plan Organize Household Chores	DAD01-Plan Organize Household Chores	Disability Assessment for Dementia - Plan and organize adequately household chores that he/she used to perform in the past?	DAD - Plan and Organize Adequately Household Chores as in the Past
C105173	DAD01-Prepare For Washing Bath Shower	DAD01-Prepare For Washing Bath Shower	Disability Assessment for Dementia - Prepare the water, towels, and soap for washing, taking a bath or a shower?	DAD - Prepare the Water, Towels, and Soap for Washing, Taking a Bath or Shower
C105189	DAD01-Prepare or Cook Light Meal Snack	DAD01-Prepare or Cook Light Meal Snack	Disability Assessment for Dementia - Prepare or cook a light meal or a snack safely?	DAD - Safely Prepare or Cook a Light Meal or Snack
C105198	DAD01-Return From Store With Items	DAD01-Return From Store With Items	Disability Assessment for Dementia - Return from the store with the appropriate items?	DAD - Return From the Store with Appropriate Items
C105197	DAD01-Safely Take Transportation	DAD01-Safely Take Transportation	Disability Assessment for Dementia - Safely take the adequate mode of transportation (car, bus, taxi)?	DAD - Safely Take the Adequate Mode of Transportation
C105205	DAD01>Show Interest in Leisure Activity	DAD01>Show Interest in Leisure Activity	Disability Assessment for Dementia - Show an interest in leisure activity(ies)?	DAD - Show an Interest in Leisure Activities
C105199	DAD01>Show Interest in Personal Affairs	DAD01>Show Interest in Personal Affairs	Disability Assessment for Dementia - Show an interest in his/her personal affairs such as his/her finances and written correspondence?	DAD - Show an Interest in Personal Affairs such as Finances and Written Correspondence
C105209	DAD01-Stay Safely at Home When Needed	DAD01-Stay Safely at Home When Needed	Disability Assessment for Dementia - Stay safely at home by himself/herself when needed?	DAD - Stay Safely at Home When Needed
C111580	DAD01-Sub-Total Effective Performance	DAD01-Sub-Total Effective Performance	Disability Assessment for Dementia - Sub-Total Effective Performance.	DAD - Sub-Total Effective Performance
C111577	DAD01-Sub-Total Initiation	DAD01-Sub-Total Initiation	Disability Assessment for Dementia - Sub-Total Initiation.	DAD - Sub-Total Initiation
C111579	DAD01-Sub-Total Planning & Organization	DAD01-Sub-Total Planning & Organization	Disability Assessment for Dementia - Sub-Total Planning & Organization.	DAD - Sub-Total Planning and Organization
C105176	DAD01-Take Care of Hair	DAD01-Take Care of Hair	Disability Assessment for Dementia - Take care of his/her hair (wash and comb)?	DAD - Take Care of His/Her Hair
C105206	DAD01-Take Interest in Household Chores	DAD01-Take Interest in Household Chores	Disability Assessment for Dementia - Take an interest in household chores that he/she used to perform in the past?	DAD - Take an Interest in Household Chores as in the Past
C105204	DAD01-Take Medications as Prescribed	DAD01-Take Medications as Prescribed	Disability Assessment for Dementia - Take his/her medications as prescribed (according to the right dosage)?	DAD - Take Medications as Prescribed
C105203	DAD01-Take Medications at Correct Time	DAD01-Take Medications at Correct Time	Disability Assessment for Dementia - Decide to take his/her medications at the correct time?	DAD - Decide to Take Medications at the Correct Time
C105190	DAD01-Telephone Someone at Suitable Time	DAD01-Telephone Someone at Suitable Time	Disability Assessment for Dementia - Attempt to telephone someone at a suitable time?	DAD - Attempt to Telephone Someone at a Suitable Time
C111584	DAD01-Total %	DAD01-Total %	Disability Assessment for Dementia - Total %.	DAD - Total Percent
C111583	DAD01-Total Num of Applic Items	DAD01-Total Num of Applic Items	Disability Assessment for Dementia - Total Number of Applicable Items.	DAD - Total Number of Applicable Items
C111582	DAD01-Total Score	DAD01-Total Score	Disability Assessment for Dementia - Total Score.	DAD - Total Score
C105181	DAD01-Undress Completely	DAD01-Undress Completely	Disability Assessment for Dementia - Undress himself/herself completely?	DAD - Undress Himself/Herself Completely
C105182	DAD01-Use Toilet at Appropriate Times	DAD01-Use Toilet at Appropriate Times	Disability Assessment for Dementia - Decide to use the toilet at appropriate times?	DAD - Decide to Use the Toilet at Appropriate Times
C105183	DAD01-Use Toilet Without Accidents	DAD01-Use Toilet Without Accidents	Disability Assessment for Dementia - Use the toilet without 'accidents'?	DAD - Use the Toilet Without Accidents
C105174	DAD01-Wash and Dry Body Safely	DAD01-Wash and Dry Body Safely	Disability Assessment for Dementia - Wash and dry all parts of his/her body safely and completely?	DAD - Wash and Dry All Parts of Body Safely and Completely
C105193	DAD01-Write Convey Telephone Message	DAD01-Write Convey Telephone Message	Disability Assessment for Dementia - Write and convey a telephone message adequately?	DAD - Write and Convey a Telephone Message Adequately

C161704	DDS0101	DDS01-Not Skilled at Managing Diabetes	Diabetes Distress Scale for Adults with Type 1 Diabetes - Over the past month, please indicate the degree to which each of the following may have been a problem for you: Feeling that I am not as skilled at managing diabetes as I should be.	T1-DDS - Not Skilled at Managing Diabetes
C161705	DDS0102	DDS01-I Don't Eat Carefully as I Should	Diabetes Distress Scale for Adults with Type 1 Diabetes - Over the past month, please indicate the degree to which each of the following may have been a problem for you: Feeling that I don't eat as carefully as I probably should.	T1-DDS - I Don't Eat Carefully as I Should
C161706	DDS0103	DDS01-Don't Notice Signs of Hypoglycemia	Diabetes Distress Scale for Adults with Type 1 Diabetes - Over the past month, please indicate the degree to which each of the following may have been a problem for you: Feeling that I don't notice the warning signs of hypoglycemia as well as I used to.	T1-DDS - Don't Notice Signs of Hypoglycemia
C161707	DDS0104	DDS01-People Treat Me Differently	Diabetes Distress Scale for Adults with Type 1 Diabetes - Over the past month, please indicate the degree to which each of the following may have been a problem for you: Feeling that people treat me differently when they find out I have diabetes.	T1-DDS - People Treat Me Differently
C161708	DDS0105	DDS01-Discouraged See High Blood Glucose	Diabetes Distress Scale for Adults with Type 1 Diabetes - Over the past month, please indicate the degree to which each of the following may have been a problem for you: Feeling discouraged when I see high blood glucose numbers that I can't explain.	T1-DDS - Discouraged See High Blood Glucose
C161709	DDS0106	DDS01-Family Make Bigger Deal Diabetes	Diabetes Distress Scale for Adults with Type 1 Diabetes - Over the past month, please indicate the degree to which each of the following may have been a problem for you: Feeling that my family and friends make a bigger deal out of diabetes than they should.	T1-DDS - Family Make Bigger Deal Diabetes
C161710	DDS0107	DDS01-Can't Tell Doctor What on My Mind	Diabetes Distress Scale for Adults with Type 1 Diabetes - Over the past month, please indicate the degree to which each of the following may have been a problem for you: Feeling that I can't tell my diabetes doctor what is really on my mind.	T1-DDS - Can't Tell Doctor What on My Mind
C161711	DDS0108	DDS01-Not Taking Insulin as I Should	Diabetes Distress Scale for Adults with Type 1 Diabetes - Over the past month, please indicate the degree to which each of the following may have been a problem for you: Feeling that I am not taking as much insulin as I should.	T1-DDS - Not Taking Insulin as I Should
C161712	DDS0109	DDS01-Too Much Diabetes Equipment w/Me	Diabetes Distress Scale for Adults with Type 1 Diabetes - Over the past month, please indicate the degree to which each of the following may have been a problem for you: Feeling that there is too much diabetes equipment and stuff I must always have with me.	T1-DDS - Too Much Diabetes Equipment With Me
C161713	DDS0110	DDS01-Have to Hide My Diabetes	Diabetes Distress Scale for Adults with Type 1 Diabetes - Over the past month, please indicate the degree to which each of the following may have been a problem for you: Feeling like I have to hide my diabetes from other people.	T1-DDS - Have to Hide My Diabetes
C161714	DDS0111	DDS01-Family Worry About Hypoglycemia	Diabetes Distress Scale for Adults with Type 1 Diabetes - Over the past month, please indicate the degree to which each of the following may have been a problem for you: Feeling that my friends and family worry more about hypoglycemia than I want them to.	T1-DDS - Family Worry About Hypoglycemia
C161715	DDS0112	DDS01-Don't Check Glucose as I Should	Diabetes Distress Scale for Adults with Type 1 Diabetes - Over the past month, please indicate the degree to which each of the following may have been a problem for you: Feeling that I don't check my blood glucose level as often as I probably should.	T1-DDS - Don't Check Glucose as I Should
C161716	DDS0113	DDS01-Worried Develop Complications	Diabetes Distress Scale for Adults with Type 1 Diabetes - Over the past month, please indicate the degree to which each of the following may have been a problem for you: Feeling worried that I will develop serious long-term complications, no matter how hard I try.	T1-DDS - Worried Develop Complications
C161717	DDS0114	DDS01-Don't Get Help From Doctor	Diabetes Distress Scale for Adults with Type 1 Diabetes - Over the past month, please indicate the degree to which each of the following may have been a problem for you: Feeling that I don't get help I really need from my diabetes doctor about managing diabetes.	T1-DDS - Don't Get Help From Doctor
C161718	DDS0115	DDS01-Hypoglycemic Event When Asleep	Diabetes Distress Scale for Adults with Type 1 Diabetes - Over the past month, please indicate the degree to which each of the following may have been a problem for you: Feeling frightened that I could have a serious hypoglycemic event when I'm asleep.	T1-DDS - Hypoglycemic Event When Asleep
C161719	DDS0116	DDS01-Food and Eating Control My Life	Diabetes Distress Scale for Adults with Type 1 Diabetes - Over the past month, please indicate the degree to which each of the following may have been a problem for you: Feeling that thoughts about food and eating control my life.	T1-DDS - Food and Eating Control My Life

Diabetes Distress Scale for Adults with Type 1 Diabetes - Over the past month, please indicate the degree to which each of the following may have been a problem for you:				
C161720	DDS0117	DDS01-Family Treat Me More Fragile	Diabetes Distress Scale for Adults with Type 1 Diabetes - Over the past month, please indicate the degree to which each of the following may have been a problem for you: Feeling that my friends or family treat me as if I were more fragile or sicker than I really am.	T1-DDS - Family Treat Me More Fragile
C161721	DDS0118	DDS01-Doctor Doesn't Understand	Diabetes Distress Scale for Adults with Type 1 Diabetes - Over the past month, please indicate the degree to which each of the following may have been a problem for you: Feeling that my diabetes doctor doesn't really understand what it's like to have diabetes.	T1-DDS - Doctor Doesn't Understand
C161722	DDS0119	DDS01-Less Attractive to Employers	Diabetes Distress Scale for Adults with Type 1 Diabetes - Over the past month, please indicate the degree to which each of the following may have been a problem for you: Feeling concerned that diabetes may make me less attractive to employers.	T1-DDS - Less Attractive to Employers
C161723	DDS0120	DDS01-Family Act Like Diabetes Police	Diabetes Distress Scale for Adults with Type 1 Diabetes - Over the past month, please indicate the degree to which each of the following may have been a problem for you: Feeling that my friends or family act like 'diabetes police' (bother me too much).	T1-DDS - Family Act Like Diabetes Police
C161724	DDS0121	DDS01-Be Perfect w/Diabetes Management	Diabetes Distress Scale for Adults with Type 1 Diabetes - Over the past month, please indicate the degree to which each of the following may have been a problem for you: Feeling that I've got to be perfect with my diabetes management.	T1-DDS - Be Perfect With Diabetes Management
C161725	DDS0122	DDS01-Hypoglycemic Event While Driving	Diabetes Distress Scale for Adults with Type 1 Diabetes - Over the past month, please indicate the degree to which each of the following may have been a problem for you: Feeling frightened that I could have a serious hypoglycemic event while driving.	T1-DDS - Hypoglycemic Event While Driving
C161726	DDS0123	DDS01-Eating Is Out of Control	Diabetes Distress Scale for Adults with Type 1 Diabetes - Over the past month, please indicate the degree to which each of the following may have been a problem for you: Feeling that my eating is out of control.	T1-DDS - Eating Is Out of Control
C161727	DDS0124	DDS01-People Think Less of Me	Diabetes Distress Scale for Adults with Type 1 Diabetes - Over the past month, please indicate the degree to which each of the following may have been a problem for you: Feeling that people will think less of me if they knew I had diabetes.	T1-DDS - People Think Less of Me
C161728	DDS0125	DDS01-Never Be Good Enough	Diabetes Distress Scale for Adults with Type 1 Diabetes - Over the past month, please indicate the degree to which each of the following may have been a problem for you: Feeling that no matter how hard I try with my diabetes, it will never be good enough.	T1-DDS - Never Be Good Enough
C161729	DDS0126	DDS01-Doctor Doesn't Know Enough	Diabetes Distress Scale for Adults with Type 1 Diabetes - Over the past month, please indicate the degree to which each of the following may have been a problem for you: Feeling that my diabetes doctor doesn't know enough about diabetes and diabetes care.	T1-DDS - Doctor Doesn't Know Enough
C161730	DDS0127	DDS01-Be Safe From Hypoglycemic Event	Diabetes Distress Scale for Adults with Type 1 Diabetes - Over the past month, please indicate the degree to which each of the following may have been a problem for you: Feeling that I can't ever be safe from the possibility of a serious hypoglycemic event.	T1-DDS - Be Safe From Hypoglycemic Event
C161731	DDS0128	DDS01-Don't Give Diabetes Attention	Diabetes Distress Scale for Adults with Type 1 Diabetes - Over the past month, please indicate the degree to which each of the following may have been a problem for you: Feeling that I don't give my diabetes as much attention as I probably should.	T1-DDS - Don't Give Diabetes Attention
C161732	DDS0129	DDS01-Total Scale	Diabetes Distress Scale for Adults with Type 1 Diabetes - Total scale.	T1-DDS - Total Scale
C161733	DDS0130	DDS01-Subscale 1: Powerlessness	Diabetes Distress Scale for Adults with Type 1 Diabetes - Subscale 1 - Powerlessness.	T1-DDS - Subscale 1: Powerlessness
C161734	DDS0131	DDS01-Subscale 2: Management Distress	Diabetes Distress Scale for Adults with Type 1 Diabetes - Subscale 2 - Management distress.	T1-DDS - Subscale 2: Management Distress
C161735	DDS0132	DDS01-Subscale 3: Hypoglycemia Distress	Diabetes Distress Scale for Adults with Type 1 Diabetes - Subscale 3 - Hypoglycemia distress.	T1-DDS - Subscale 3: Hypoglycemia Distress
C161736	DDS0133	DDS01-Subscale 4: Neg Social Perceptions	Diabetes Distress Scale for Adults with Type 1 Diabetes - Subscale 4 - Negative social perceptions.	T1-DDS - Subscale 4: Negative Social Perceptions
C161737	DDS0134	DDS01-Subscale 5: Eating Distress	Diabetes Distress Scale for Adults with Type 1 Diabetes - Subscale 5 - Eating distress.	T1-DDS - Subscale 5: Eating Distress
C161738	DDS0135	DDS01-Subscale 6: Physician Distress	Diabetes Distress Scale for Adults with Type 1 Diabetes - Subscale 6 - Physician distress.	T1-DDS - Subscale 6: Physician Distress
C161739	DDS0136	DDS01-Subscale 7: Friend/Family Distress	Diabetes Distress Scale for Adults with Type 1 Diabetes - Subscale 7 - Friend/family distress.	T1-DDS - Subscale 7: Friend/Family Distress

C161724	DDS01-Be Perfect w/Diabetes Management	DDS01-Be Perfect w/Diabetes Management	Diabetes Distress Scale for Adults with Type 1 Diabetes - Over the past month, please indicate the degree to which each of the following may have been a problem for you: Feeling that I've got to be perfect with my diabetes management.	T1-DDS - Be Perfect With Diabetes Management
C161730	DDS01-Be Safe From Hypoglycemic Event	DDS01-Be Safe From Hypoglycemic Event	Diabetes Distress Scale for Adults with Type 1 Diabetes - Over the past month, please indicate the degree to which each of the following may have been a problem for you: Feeling that I can't ever be safe from the possibility of a serious hypoglycemic event.	T1-DDS - Be Safe From Hypoglycemic Event
C161710	DDS01-Can't Tell Doctor What on My Mind	DDS01-Can't Tell Doctor What on My Mind	Diabetes Distress Scale for Adults with Type 1 Diabetes - Over the past month, please indicate the degree to which each of the following may have been a problem for you: Feeling that I can't tell my diabetes doctor what is really on my mind.	T1-DDS - Can't Tell Doctor What on My Mind
C161708	DDS01-Discouraged See High Blood Glucose	DDS01-Discouraged See High Blood Glucose	Diabetes Distress Scale for Adults with Type 1 Diabetes - Over the past month, please indicate the degree to which each of the following may have been a problem for you: Feeling discouraged when I see high blood glucose numbers that I can't explain.	T1-DDS - Discouraged See High Blood Glucose
C161729	DDS01-Doctor Doesn't Know Enough	DDS01-Doctor Doesn't Know Enough	Diabetes Distress Scale for Adults with Type 1 Diabetes - Over the past month, please indicate the degree to which each of the following may have been a problem for you: Feeling that my diabetes doctor doesn't know enough about diabetes and diabetes care.	T1-DDS - Doctor Doesn't Know Enough
C161721	DDS01-Doctor Doesn't Understand	DDS01-Doctor Doesn't Understand	Diabetes Distress Scale for Adults with Type 1 Diabetes - Over the past month, please indicate the degree to which each of the following may have been a problem for you: Feeling that my diabetes doctor doesn't really understand what it's like to have diabetes.	T1-DDS - Doctor Doesn't Understand
C161715	DDS01-Don't Check Glucose as I Should	DDS01-Don't Check Glucose as I Should	Diabetes Distress Scale for Adults with Type 1 Diabetes - Over the past month, please indicate the degree to which each of the following may have been a problem for you: Feeling that I don't check my blood glucose level as often as I probably should.	T1-DDS - Don't Check Glucose as I Should
C161717	DDS01-Don't Get Help From Doctor	DDS01-Don't Get Help From Doctor	Diabetes Distress Scale for Adults with Type 1 Diabetes - Over the past month, please indicate the degree to which each of the following may have been a problem for you: Feeling that I don't get help I really need from my diabetes doctor about managing diabetes.	T1-DDS - Don't Get Help From Doctor
C161731	DDS01-Don't Give Diabetes Attention	DDS01-Don't Give Diabetes Attention	Diabetes Distress Scale for Adults with Type 1 Diabetes - Over the past month, please indicate the degree to which each of the following may have been a problem for you: Feeling that I don't give my diabetes as much attention as I probably should.	T1-DDS - Don't Give Diabetes Attention
C161706	DDS01-Don't Notice Signs of Hypoglycemia	DDS01-Don't Notice Signs of Hypoglycemia	Diabetes Distress Scale for Adults with Type 1 Diabetes - Over the past month, please indicate the degree to which each of the following may have been a problem for you: Feeling that I don't notice the warning signs of hypoglycemia as well as I used to.	T1-DDS - Don't Notice Signs of Hypoglycemia
C161726	DDS01-Eating Is Out of Control	DDS01-Eating Is Out of Control	Diabetes Distress Scale for Adults with Type 1 Diabetes - Over the past month, please indicate the degree to which each of the following may have been a problem for you: Feeling that my eating is out of control.	T1-DDS - Eating Is Out of Control
C161723	DDS01-Family Act Like Diabetes Police	DDS01-Family Act Like Diabetes Police	Diabetes Distress Scale for Adults with Type 1 Diabetes - Over the past month, please indicate the degree to which each of the following may have been a problem for you: Feeling that my friends or family act like 'diabetes police' (bother me too much).	T1-DDS - Family Act Like Diabetes Police
C161709	DDS01-Family Make Bigger Deal Diabetes	DDS01-Family Make Bigger Deal Diabetes	Diabetes Distress Scale for Adults with Type 1 Diabetes - Over the past month, please indicate the degree to which each of the following may have been a problem for you: Feeling that my family and friends make a bigger deal out of diabetes than they should.	T1-DDS - Family Make Bigger Deal Diabetes
C161720	DDS01-Family Treat Me More Fragile	DDS01-Family Treat Me More Fragile	Diabetes Distress Scale for Adults with Type 1 Diabetes - Over the past month, please indicate the degree to which each of the following may have been a problem for you: Feeling that my friends or family treat me as if I were more fragile or sicker than I really am.	T1-DDS - Family Treat Me More Fragile
C161714	DDS01-Family Worry About Hypoglycemia	DDS01-Family Worry About Hypoglycemia	Diabetes Distress Scale for Adults with Type 1 Diabetes - Over the past month, please indicate the degree to which each of the following may have been a problem for you: Feeling that my friends and family worry more about hypoglycemia than I want them to.	T1-DDS - Family Worry About Hypoglycemia

Diabetes Distress Scale for Adults with Type 1 Diabetes - Over the past month, please indicate the degree to which each of the following may have been a problem for you:				
C161719	DDS01-Food and Eating Control My Life	DDS01-Food and Eating Control My Life	Diabetes Distress Scale for Adults with Type 1 Diabetes - Over the past month, please indicate the degree to which each of the following may have been a problem for you: Feeling that thoughts about food and eating control my life.	T1-DDS - Food and Eating Control My Life
C161713	DDS01-Have to Hide My Diabetes	DDS01-Have to Hide My Diabetes	Diabetes Distress Scale for Adults with Type 1 Diabetes - Over the past month, please indicate the degree to which each of the following may have been a problem for you: Feeling like I have to hide my diabetes from other people.	T1-DDS - Have to Hide My Diabetes
C161718	DDS01-Hypoglycemic Event When Asleep	DDS01-Hypoglycemic Event When Asleep	Diabetes Distress Scale for Adults with Type 1 Diabetes - Over the past month, please indicate the degree to which each of the following may have been a problem for you: Feeling frightened that I could have a serious hypoglycemic event when I'm asleep.	T1-DDS - Hypoglycemic Event When Asleep
C161725	DDS01-Hypoglycemic Event While Driving	DDS01-Hypoglycemic Event While Driving	Diabetes Distress Scale for Adults with Type 1 Diabetes - Over the past month, please indicate the degree to which each of the following may have been a problem for you: Feeling frightened that I could have a serious hypoglycemic event while driving.	T1-DDS - Hypoglycemic Event While Driving
C161705	DDS01-I Don't Eat Carefully as I Should	DDS01-I Don't Eat Carefully as I Should	Diabetes Distress Scale for Adults with Type 1 Diabetes - Over the past month, please indicate the degree to which each of the following may have been a problem for you: Feeling that I don't eat as carefully as I probably should.	T1-DDS - I Don't Eat Carefully as I Should
C161722	DDS01-Less Attractive to Employers	DDS01-Less Attractive to Employers	Diabetes Distress Scale for Adults with Type 1 Diabetes - Over the past month, please indicate the degree to which each of the following may have been a problem for you: Feeling concerned that diabetes may make me less attractive to employers.	T1-DDS - Less Attractive to Employers
C161728	DDS01-Never Be Good Enough	DDS01-Never Be Good Enough	Diabetes Distress Scale for Adults with Type 1 Diabetes - Over the past month, please indicate the degree to which each of the following may have been a problem for you: Feeling that no matter how hard I try with my diabetes, it will never be good enough.	T1-DDS - Never Be Good Enough
C161704	DDS01-Not Skilled at Managing Diabetes	DDS01-Not Skilled at Managing Diabetes	Diabetes Distress Scale for Adults with Type 1 Diabetes - Over the past month, please indicate the degree to which each of the following may have been a problem for you: Feeling that I am not as skilled at managing diabetes as I should be.	T1-DDS - Not Skilled at Managing Diabetes
C161711	DDS01-Not Taking Insulin as I Should	DDS01-Not Taking Insulin as I Should	Diabetes Distress Scale for Adults with Type 1 Diabetes - Over the past month, please indicate the degree to which each of the following may have been a problem for you: Feeling that I am not taking as much insulin as I should.	T1-DDS - Not Taking Insulin as I Should
C161727	DDS01-People Think Less of Me	DDS01-People Think Less of Me	Diabetes Distress Scale for Adults with Type 1 Diabetes - Over the past month, please indicate the degree to which each of the following may have been a problem for you: Feeling that people will think less of me if they knew I had diabetes.	T1-DDS - People Think Less of Me
C161707	DDS01-People Treat Me Differently	DDS01-People Treat Me Differently	Diabetes Distress Scale for Adults with Type 1 Diabetes - Over the past month, please indicate the degree to which each of the following may have been a problem for you: Feeling that people treat me differently when they find out I have diabetes.	T1-DDS - People Treat Me Differently
C161733	DDS01-Subscale 1: Powerlessness	DDS01-Subscale 1: Powerlessness	Diabetes Distress Scale for Adults with Type 1 Diabetes - Subscale 1 - Powerlessness.	T1-DDS - Subscale 1: Powerlessness
C161734	DDS01-Subscale 2: Management Distress	DDS01-Subscale 2: Management Distress	Diabetes Distress Scale for Adults with Type 1 Diabetes - Subscale 2 - Management distress.	T1-DDS - Subscale 2: Management Distress
C161735	DDS01-Subscale 3: Hypoglycemia Distress	DDS01-Subscale 3: Hypoglycemia Distress	Diabetes Distress Scale for Adults with Type 1 Diabetes - Subscale 3 - Hypoglycemia distress.	T1-DDS - Subscale 3: Hypoglycemia Distress
C161736	DDS01-Subscale 4: Neg Social Perceptions	DDS01-Subscale 4: Neg Social Perceptions	Diabetes Distress Scale for Adults with Type 1 Diabetes - Subscale 4 - Negative social perceptions.	T1-DDS - Subscale 4: Negative Social Perceptions
C161737	DDS01-Subscale 5: Eating Distress	DDS01-Subscale 5: Eating Distress	Diabetes Distress Scale for Adults with Type 1 Diabetes - Subscale 5 - Eating distress.	T1-DDS - Subscale 5: Eating Distress
C161738	DDS01-Subscale 6: Physician Distress	DDS01-Subscale 6: Physician Distress	Diabetes Distress Scale for Adults with Type 1 Diabetes - Subscale 6 - Physician distress.	T1-DDS - Subscale 6: Physician Distress
C161739	DDS01-Subscale 7: Friend/Family Distress	DDS01-Subscale 7: Friend/Family Distress	Diabetes Distress Scale for Adults with Type 1 Diabetes - Subscale 7 - Friend/family distress.	T1-DDS - Subscale 7: Friend/Family Distress
C161712	DDS01-Too Much Diabetes Equipment w/Me	DDS01-Too Much Diabetes Equipment w/Me	Diabetes Distress Scale for Adults with Type 1 Diabetes - Over the past month, please indicate the degree to which each of the following may have been a problem for you: Feeling that there is too much diabetes equipment and stuff I must always have with me.	T1-DDS - Too Much Diabetes Equipment With Me
C161732	DDS01-Total Scale	DDS01-Total Scale	Diabetes Distress Scale for Adults with Type 1 Diabetes - Total scale.	T1-DDS - Total Scale

C161716	DDS01-Worried Develop Complications	DDS01-Worried Develop Complications	Diabetes Distress Scale for Adults with Type 1 Diabetes - Over the past month, please indicate the degree to which each of the following may have been a problem for you: Feeling worried that I will develop serious long-term complications, no matter how hard I try.	T1-DDS - Worried Develop Complications
---------	-------------------------------------	-------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------

Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - During the past month, I have been:				
C163870	DDS0201	DDS02-Don't Work Well Together	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - During the past month, I have been: Feeling that my teen and I just don't work well together when it comes to diabetes.	PARENT-DDS - Don't Work Well Together
C163871	DDS0202	DDS02-Unappreciated for Ways I Help	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - During the past month, I have been: Feeling unappreciated for all the ways I try to help my teen manage diabetes.	PARENT-DDS - Unappreciated for Ways I Help
C163872	DDS0203	DDS02-Trust Teen Take Care of Diabetes	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - During the past month, I have been: Feeling that I can't trust my teen to take good care of his/her diabetes.	PARENT-DDS - Trust Teen Take Care of Diabetes
C163873	DDS0204	DDS02-Low Blood Sugars Away From Home	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - During the past month, I have been: Worrying about my teen's low blood sugars when he/she is away from home.	PARENT-DDS - Low Blood Sugars Away From Home
C163874	DDS0205	DDS02-Teen Ignore/Forget Diabetes	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - During the past month, I have been: Worrying that my teen will ignore or forget diabetes if I don't keep reminding him/her.	PARENT-DDS - Teen Ignore or Forget Diabetes
C163875	DDS0206	DDS02-Taking Too Much of My Energy	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - During the past month, I have been: Feeling that diabetes is taking up too much of my mental and physical energy every day.	PARENT-DDS - Taking Too Much of My Energy
C163876	DDS0207	DDS02-Help Teen Is a Battle	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - During the past month, I have been: Feeling that trying to help my teen with his/her diabetes is always a battle.	PARENT-DDS - Help Teen Is a Battle
C163877	DDS0208	DDS02-Low Blood Sugars When Sleeping	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - During the past month, I have been: Worrying about my teen's low blood sugars when he/she is sleeping.	PARENT-DDS - Low Blood Sugars When Sleeping
C163878	DDS0209	DDS02-No One Notices Diabetes Hard on Me	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - During the past month, I have been: Feeling that no one notices that diabetes is hard on me, not just on my teen.	PARENT-DDS - No One Notices Diabetes Hard on Me
C163879	DDS0210	DDS02-Doesn't Do Enough Manage Diabetes	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - During the past month, I have been: Feeling that my teen doesn't do enough to manage his/her diabetes.	PARENT-DDS - Doesn't Do Enough Manage Diabetes
C163880	DDS0211	DDS02-Teen Doesn't Have Right Doctor	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - During the past month, I have been: Worrying that my teen doesn't have the right doctor for him/her.	PARENT-DDS - Teen Doesn't Have Right Doctor
C163881	DDS0212	DDS02-Blame Me If Not Well-controlled	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - During the past month, I have been: Worrying that others will blame me if my teen's diabetes is not well-controlled.	PARENT-DDS - Blame Me If Not Well-controlled
C163882	DDS0213	DDS02-Leave Home and Cannot Protect Him	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - During the past month, I have been: Worrying that my teen will soon leave home and I cannot protect him.	PARENT-DDS - Leave Home and Cannot Protect Him
C163883	DDS0214	DDS02-Teen Ignores My Suggestions	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - During the past month, I have been: Frustrated because my teen ignores my suggestions about diabetes.	PARENT-DDS - Teen Ignores My Suggestions
C163884	DDS0215	DDS02-Lack Support From Friends/Family	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - During the past month, I have been: Frustrated by the lack of understanding and support for diabetes I get from friends and family members.	PARENT-DDS - Lack Support From Friends and Family
C163885	DDS0216	DDS02-Doesn't Get Expert Medical Help	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - During the past month, I have been: Worrying that my teen doesn't get all of the expert medical help he/she needs.	PARENT-DDS - Doesn't Get Expert Medical Help
C163886	DDS0217	DDS02-Motivate Teen Take Care Diabetes	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - During the past month, I have been: Feeling uncertain about how to motivate my teen to take better care of his/her diabetes.	PARENT-DDS - Motivate Teen Take Care Diabetes
C163887	DDS0218	DDS02-Teen Not Prepared Once Adult	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - During the past month, I have been: Concerned that my teen is not prepared to deal with the world of insurance and doctors once he/she is an adult.	PARENT-DDS - Teen Not Prepared Once Adult
C163888	DDS0219	DDS02-Only One Takes Responsibility	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - During the past month, I have been: Frustrated that I am the only one who takes responsibility for helping my teen manage diabetes.	PARENT-DDS - Only One Takes Responsibility

Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes				
C163889	DDS0220	DDS02-My Nagging Hurting Relationship	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - During the past month, I have been: Worrying that my nagging about diabetes is hurting my relationship with my teen.	PARENT-DDS - My Nagging Hurting Relationship
C163890	DDS0221	DDS02-Total DDS Score: Sum	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - Total DDS score: Sum of 20 item scores.	PARENT-DDS - Total DDS Score: Sum
C163891	DDS0222	DDS02-Total DDS Score: Mean	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - Total DDS score: Mean item score.	PARENT-DDS - Total DDS Score: Mean
C163892	DDS0223	DDS02-Total DDS Score: Moderate	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - Total DDS score: Moderate distress or greater? (mean score > 2).	PARENT-DDS - Total DDS Score: Moderate
C163893	DDS0224	DDS02-Personal Distress: Sum	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - Personal distress: Sum of 6 items (2, 6, 9, 12, 15, 19).	PARENT-DDS - Personal Distress: Sum
C163894	DDS0225	DDS02-Personal Distress: Mean	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - Personal distress: Mean item score.	PARENT-DDS - Personal Distress: Mean
C163895	DDS0226	DDS02-Personal Distress: Moderate	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - Personal distress: Moderate distress or greater? (mean score > 2).	PARENT-DDS - Personal Distress: Moderate
C163896	DDS0227	DDS02-Teen Management Distress: Sum	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - Teen management distress: Sum of 4 items (4, 8, 13, 18).	PARENT-DDS - Teen Management Distress: Sum
C163897	DDS0228	DDS02-Teen Management Distress: Mean	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - Teen management distress: Mean item score.	PARENT-DDS - Teen Management Distress: Mean
C163898	DDS0229	DDS02-Teen Management Distress: Moderate	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - Teen management distress: Moderate distress or greater? (mean score > 2).	PARENT-DDS - Teen Management Distress: Moderate
C163899	DDS0230	DDS02-Parent/Teen Rel Distress: Sum	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - Parent/teen relationship distress: Sum of 8 items (1, 3, 5, 7, 10, 14, 17, 20).	PARENT-DDS - Parent/Teen Relationship Distress: Sum
C163900	DDS0231	DDS02-Parent/Teen Rel Distress: Mean	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - Parent/teen relationship distress: Mean item score.	PARENT-DDS - Parent/Teen Relationship Distress: Mean
C163901	DDS0232	DDS02-Parent/Teen Rel Distress: Moderate	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - Parent/teen relationship distress: Moderate distress or greater? (mean score > 2).	PARENT-DDS - Parent/Teen Relationship Distress: Moderate
C163902	DDS0233	DDS02-Healthcare Team Distress: Sum	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - Healthcare team distress: Sum of 2 items (11, 16).	PARENT-DDS - Healthcare Team Distress: Sum
C163903	DDS0234	DDS02-Healthcare Team Distress: Mean	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - Healthcare team distress: Mean item score.	PARENT-DDS - Healthcare Team Distress: Mean
C163904	DDS0235	DDS02-Healthcare Team Distress: Moderate	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - Healthcare team distress: Moderate distress or greater? (mean score > 2).	PARENT-DDS - Healthcare Team Distress: Moderate

C163881	DDS02-Blame Me If Not Well-controlled	DDS02-Blame Me If Not Well-controlled	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - During the past month, I have been: Worrying that others will blame me if my teen's diabetes is not well-controlled.	PARENT-DDS - Blame Me If Not Well-controlled
C163879	DDS02-Doesn't Do Enough Manage Diabetes	DDS02-Doesn't Do Enough Manage Diabetes	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - During the past month, I have been: Feeling that my teen doesn't do enough to manage his/her diabetes.	PARENT-DDS - Doesn't Do Enough Manage Diabetes
C163885	DDS02-Doesn't Get Expert Medical Help	DDS02-Doesn't Get Expert Medical Help	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - During the past month, I have been: Worrying that my teen doesn't get all of the expert medical help he/she needs.	PARENT-DDS - Doesn't Get Expert Medical Help
C163870	DDS02-Don't Work Well Together	DDS02-Don't Work Well Together	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - During the past month, I have been: Feeling that my teen and I just don't work well together when it comes to diabetes.	PARENT-DDS - Don't Work Well Together
C163903	DDS02-Healthcare Team Distress: Mean	DDS02-Healthcare Team Distress: Mean	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - Healthcare team distress: Mean item score.	PARENT-DDS - Healthcare Team Distress: Mean
C163904	DDS02-Healthcare Team Distress: Moderate	DDS02-Healthcare Team Distress: Moderate	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - Healthcare team distress: Moderate distress or greater? (mean score > 2).	PARENT-DDS - Healthcare Team Distress: Moderate
C163902	DDS02-Healthcare Team Distress: Sum	DDS02-Healthcare Team Distress: Sum	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - Healthcare team distress: Sum of 2 items (11, 16).	PARENT-DDS - Healthcare Team Distress: Sum
C163876	DDS02-Help Teen Is a Battle	DDS02-Help Teen Is a Battle	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - During the past month, I have been: Feeling that trying to help my teen with his/her diabetes is always a battle.	PARENT-DDS - Help Teen Is a Battle
C163884	DDS02-Lack Support From Friends/Family	DDS02-Lack Support From Friends/Family	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - During the past month, I have been: Frustrated by the lack of understanding and support for diabetes I get from friends and family members.	PARENT-DDS - Lack Support From Friends and Family
C163882	DDS02-Leave Home and Cannot Protect Him	DDS02-Leave Home and Cannot Protect Him	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - During the past month, I have been: Worrying that my teen will soon leave home and I cannot protect him.	PARENT-DDS - Leave Home and Cannot Protect Him
C163873	DDS02-Low Blood Sugars Away From Home	DDS02-Low Blood Sugars Away From Home	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - During the past month, I have been: Worrying about my teen's low blood sugars when he/she is away from home.	PARENT-DDS - Low Blood Sugars Away From Home
C163877	DDS02-Low Blood Sugars When Sleeping	DDS02-Low Blood Sugars When Sleeping	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - During the past month, I have been: Worrying about my teen's low blood sugars when he/she is sleeping.	PARENT-DDS - Low Blood Sugars When Sleeping
C163886	DDS02-Motivate Teen Take Care Diabetes	DDS02-Motivate Teen Take Care Diabetes	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - During the past month, I have been: Feeling uncertain about how to motivate my teen to take better care of his/her diabetes.	PARENT-DDS - Motivate Teen Take Care Diabetes
C163889	DDS02-My Nagging Hurting Relationship	DDS02-My Nagging Hurting Relationship	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - During the past month, I have been: Worrying that my nagging about diabetes is hurting my relationship with my teen.	PARENT-DDS - My Nagging Hurting Relationship
C163878	DDS02-No One Notices Diabetes Hard on Me	DDS02-No One Notices Diabetes Hard on Me	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - During the past month, I have been: Feeling that no one notices that diabetes is hard on me, not just on my teen.	PARENT-DDS - No One Notices Diabetes Hard on Me
C163888	DDS02-Only One Takes Responsibility	DDS02-Only One Takes Responsibility	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - During the past month, I have been: Frustrated that I am the only one who takes responsibility for helping my teen manage diabetes.	PARENT-DDS - Only One Takes Responsibility
C163900	DDS02-Parent/Teen Rel Distress: Mean	DDS02-Parent/Teen Rel Distress: Mean	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - Parent/teen relationship distress: Mean item score.	PARENT-DDS - Parent/Teen Relationship Distress: Mean
C163901	DDS02-Parent/Teen Rel Distress: Moderate	DDS02-Parent/Teen Rel Distress: Moderate	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - Parent/teen relationship distress: Moderate distress or greater? (mean score > 2).	PARENT-DDS - Parent/Teen Relationship Distress: Moderate
C163899	DDS02-Parent/Teen Rel Distress: Sum	DDS02-Parent/Teen Rel Distress: Sum	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - Parent/teen relationship distress: Sum of 8 items (1, 3, 5, 7, 10, 14, 17, 20).	PARENT-DDS - Parent/Teen Relationship Distress: Sum
C163894	DDS02-Personal Distress: Mean	DDS02-Personal Distress: Mean	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - Personal distress: Mean item score.	PARENT-DDS - Personal Distress: Mean
C163895	DDS02-Personal Distress: Moderate	DDS02-Personal Distress: Moderate	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - Personal distress: Moderate distress or greater? (mean score > 2).	PARENT-DDS - Personal Distress: Moderate

Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes				
C163893	DDS02-Personal Distress: Sum	DDS02-Personal Distress: Sum	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - Personal distress: Sum of 6 items (2, 6, 9, 12, 15, 19).	PARENT-DDS - Personal Distress: Sum
C163875	DDS02-Taking Too Much of My Energy	DDS02-Taking Too Much of My Energy	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - During the past month, I have been: Feeling that diabetes is taking up too much of my mental and physical energy every day.	PARENT-DDS - Taking Too Much of My Energy
C163880	DDS02-Teen Doesn't Have Right Doctor	DDS02-Teen Doesn't Have Right Doctor	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - During the past month, I have been: Worrying that my teen doesn't have the right doctor for him/her.	PARENT-DDS - Teen Doesn't Have Right Doctor
C163874	DDS02-Teen Ignore/Forget Diabetes	DDS02-Teen Ignore/Forget Diabetes	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - During the past month, I have been: Worrying that my teen will ignore or forget diabetes if I don't keep reminding him/her.	PARENT-DDS - Teen Ignore or Forget Diabetes
C163883	DDS02-Teen Ignores My Suggestions	DDS02-Teen Ignores My Suggestions	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - During the past month, I have been: Frustrated because my teen ignores my suggestions about diabetes.	PARENT-DDS - Teen Ignores My Suggestions
C163897	DDS02-Teen Management Distress: Mean	DDS02-Teen Management Distress: Mean	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - Teen management distress: Mean item score.	PARENT-DDS - Teen Management Distress: Mean
C163898	DDS02-Teen Management Distress: Moderate	DDS02-Teen Management Distress: Moderate	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - Teen management distress: Moderate distress or greater? (mean score > 2).	PARENT-DDS - Teen Management Distress: Moderate
C163896	DDS02-Teen Management Distress: Sum	DDS02-Teen Management Distress: Sum	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - Teen management distress: Sum of 4 items (4, 8, 13, 18).	PARENT-DDS - Teen Management Distress: Sum
C163887	DDS02-Teen Not Prepared Once Adult	DDS02-Teen Not Prepared Once Adult	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - During the past month, I have been: Concerned that my teen is not prepared to deal with the world of insurance and doctors once he/she is an adult.	PARENT-DDS - Teen Not Prepared Once Adult
C163891	DDS02-Total DDS Score: Mean	DDS02-Total DDS Score: Mean	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - Total DDS score: Mean item score.	PARENT-DDS - Total DDS Score: Mean
C163892	DDS02-Total DDS Score: Moderate	DDS02-Total DDS Score: Moderate	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - Total DDS score: Moderate distress or greater? (mean score > 2).	PARENT-DDS - Total DDS Score: Moderate
C163890	DDS02-Total DDS Score: Sum	DDS02-Total DDS Score: Sum	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - Total DDS score: Sum of 20 item scores.	PARENT-DDS - Total DDS Score: Sum
C163872	DDS02-Trust Teen Take Care of Diabetes	DDS02-Trust Teen Take Care of Diabetes	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - During the past month, I have been: Feeling that I can't trust my teen to take good care of his/her diabetes.	PARENT-DDS - Trust Teen Take Care of Diabetes
C163871	DDS02-Unappreciated for Ways I Help	DDS02-Unappreciated for Ways I Help	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes - During the past month, I have been: Feeling unappreciated for all the ways I try to help my teen manage diabetes.	PARENT-DDS - Unappreciated for Ways I Help

Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - During the past month, I have been:				
C163905	DDS0301	DDS03-Worry About Low Blood Sugars	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - During the past month, I have been: Worrying about my partner's low blood sugars.	PARTNER-DDS - Worry About Low Blood Sugars
C163906	DDS0302	DDS03-How Involved Managing Diabetes	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - During the past month, I have been: Feeling unclear about exactly how much I should be involved in managing my partner's diabetes.	PARTNER-DDS - How Involved Managing Diabetes
C163907	DDS0303	DDS03-Partner Shuts Me Out	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - During the past month, I have been: Frustrated that my partner shuts me out of his/her diabetes.	PARTNER-DDS - Partner Shuts Me Out
C163908	DDS0304	DDS03-Partner Doesn't Try Hard Enough	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - During the past month, I have been: Feeling that my partner doesn't try hard enough to manage his/her diabetes.	PARTNER-DDS - Partner Doesn't Try Hard Enough
C163909	DDS0305	DDS03-Overwhelmed by Constant Demands	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - During the past month, I have been: Feeling overwhelmed by the constant demands of my partner's diabetes.	PARTNER-DDS - Overwhelmed by Constant Demands
C163910	DDS0306	DDS03-How to Best Help Partner Manage	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - During the past month, I have been: Worrying that don't know how to best help my partner manage diabetes.	PARTNER-DDS - How to Best Help Partner Manage
C163911	DDS0307	DDS03-Silent About My Partner's Diabetes	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - During the past month, I have been: Feeling that I stay silent about my partner's diabetes more than I really should.	PARTNER-DDS - Silent About My Partner's Diabetes
C163912	DDS0308	DDS03-Taking Too Much of My Energy	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - During the past month, I have been: Feeling that diabetes is taking up too much of my mental and physical energy every day.	PARTNER-DDS - Taking Too Much of My Energy
C163913	DDS0309	DDS03-No One Notices Diabetes Hard On Me	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - During the past month, I have been: Feeling that no one notices that diabetes is hard on me, not just on my partner.	PARTNER-DDS - No One Notices Diabetes Hard On Me
C163914	DDS0310	DDS03-More I Try The Worse Things Get	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - During the past month, I have been: Frustrated that the more I try to help my partner manage his/her diabetes, the worse things get between us.	PARTNER-DDS - More I Try The Worse Things Get
C163915	DDS0311	DDS03-Guilty Not Doing Enough to Help	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - During the past month, I have been: Feeling guilty about not doing enough to help my partner with diabetes.	PARTNER-DDS - Guilty Not Doing Enough to Help
C163916	DDS0312	DDS03-Can't Get Partner Improve Attitude	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - During the past month, I have been: Frustrated that I can't get my partner to improve his/her attitude about diabetes.	PARTNER-DDS - Can't Get Partner Improve Attitude
C163917	DDS0313	DDS03-Failing to Help Partner Manage	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - During the past month, I have been: Worrying that I am failing to help my partner manage diabetes more successfully.	PARTNER-DDS - Failing to Help Partner Manage
C163918	DDS0314	DDS03-Help My Partner Always a Battle	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - During the past month, I have been: Feeling that trying to help my partner with his/her diabetes is always a battle.	PARTNER-DDS - Help My Partner Always a Battle
C163919	DDS0315	DDS03-Partner Ignores My Suggestions	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - During the past month, I have been: Frustrated because my partner ignores my suggestions about diabetes.	PARTNER-DDS - Partner Ignores My Suggestions
C163920	DDS0316	DDS03-Diabetes Often Interrupts Plans	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - During the past month, I have been: Frustrated that diabetes often interrupts our plans.	PARTNER-DDS - Diabetes Often Interrupts Plans
C163921	DDS0317	DDS03-Low Blood Sugars When Sleeping	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - During the past month, I have been: Worrying about my partner's low blood sugars when he/she is sleeping.	PARTNER-DDS - Low Blood Sugars When Sleeping
C163922	DDS0318	DDS03-Partner Driving Low Blood Sugars	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - During the past month, I have been: Worrying about my partner's driving because of possible low blood sugars.	PARTNER-DDS - Partner Driving Low Blood Sugars
C163923	DDS0319	DDS03-Leaving Alone Low Blood Sugars	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - During the past month, I have been: Worrying about leaving my partner alone because of the possible danger of low blood sugars.	PARTNER-DDS - Leaving Alone Low Blood Sugars

Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes				
C163924	DDS0320	DDS03-Not Working Well Together	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - During the past month, I have been: Concerned that my partner and I are not working well together when it comes to diabetes.	PARTNER-DDS - Not Working Well Together
C163925	DDS0321	DDS03-Never Get a Break From Worrying	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - During the past month, I have been: Feeling that I never get a break from worrying about my partner's diabetes.	PARTNER-DDS - Never Get a Break From Worrying
C163926	DDS0322	DDS03-Total DDS Score: Sum	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - Total DDS score: Sum of 21 item scores.	PARTNER-DDS - Total DDS Score: Sum
C163927	DDS0323	DDS03-Total DDS Score: Mean	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - Total DDS score: Mean item score.	PARTNER-DDS - Total DDS Score: Mean
C163928	DDS0324	DDS03-Total DDS Score: Moderate	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - Total DDS score: Moderate distress or greater? (mean score > 2).	PARTNER-DDS - Total DDS Score: Moderate
C163929	DDS0325	DDS03-Partner Diabetes Management: Sum	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - My partner's diabetes management: Sum of 7 items (3, 4, 10, 12, 14, 15, 20).	PARTNER-DDS - Partner Diabetes Management: Sum
C163930	DDS0326	DDS03-Partner Diabetes Management: Mean	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - My partner's diabetes management: Mean item score.	PARTNER-DDS - Partner Diabetes Management: Mean
C163931	DDS0327	DDS03-Partner Diabetes Manage: Moderate	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - My partner's diabetes management: Moderate distress or greater? (mean score > 2).	PARTNER-DDS - Partner Diabetes Manage: Moderate
C163932	DDS0328	DDS03-How Best to Help: Sum	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - How best to help: Sum of 5 items (2, 6, 7, 11, 13).	PARTNER-DDS - How Best to Help: Sum
C163933	DDS0329	DDS03-How Best to Help: Mean	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - How best to help: Mean item score.	PARTNER-DDS - How Best to Help: Mean
C163934	DDS0330	DDS03-How Best to Help: Moderate	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - How best to help: Moderate distress or greater? (mean score > 2).	PARTNER-DDS - How Best to Help: Moderate
C163935	DDS0331	DDS03-Diabetes and Me: Sum	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - Diabetes and me: Sum of 5 items (5, 8, 9, 16, 21).	PARTNER-DDS - Diabetes and Me: Sum
C163936	DDS0332	DDS03-Diabetes and Me: Mean	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - Diabetes and me: Mean item score.	PARTNER-DDS - Diabetes and Me: Mean
C163937	DDS0333	DDS03-Diabetes and Me: Moderate	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - Diabetes and me: Moderate distress or greater? (mean score > 2).	PARTNER-DDS - Diabetes and Me: Moderate
C163938	DDS0334	DDS03-Hypoglycemia: Sum	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - Hypoglycemia: Sum of 4 items (1, 17, 18, 19).	PARTNER-DDS - Hypoglycemia: Sum
C163939	DDS0335	DDS03-Hypoglycemia: Mean	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - Hypoglycemia: Mean item score.	PARTNER-DDS - Hypoglycemia: Mean
C163940	DDS0336	DDS03-Hypoglycemia: Moderate	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - Hypoglycemia: Moderate distress or greater? (mean score > 2).	PARTNER-DDS - Hypoglycemia: Moderate

C163916	DDS03-Can't Get Partner Improve Attitude	DDS03-Can't Get Partner Improve Attitude	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - During the past month, I have been: Frustrated that I can't get my partner to improve his/her attitude about diabetes.	PARTNER-DDS - Can't Get Partner Improve Attitude
C163936	DDS03-Diabetes and Me: Mean	DDS03-Diabetes and Me: Mean	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - Diabetes and me: Mean item score.	PARTNER-DDS - Diabetes and Me: Mean
C163937	DDS03-Diabetes and Me: Moderate	DDS03-Diabetes and Me: Moderate	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - Diabetes and me: Moderate distress or greater? (mean score > 2).	PARTNER-DDS - Diabetes and Me: Moderate
C163935	DDS03-Diabetes and Me: Sum	DDS03-Diabetes and Me: Sum	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - Diabetes and me: Sum of 5 items (5, 8, 9, 16, 21).	PARTNER-DDS - Diabetes and Me: Sum
C163920	DDS03-Diabetes Often Interrupts Plans	DDS03-Diabetes Often Interrupts Plans	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - During the past month, I have been: Frustrated that diabetes often interrupts our plans.	PARTNER-DDS - Diabetes Often Interrupts Plans
C163917	DDS03-Failing to Help Partner Manage	DDS03-Failing to Help Partner Manage	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - During the past month, I have been: Worrying that I am failing to help my partner manage diabetes more successfully.	PARTNER-DDS - Failing to Help Partner Manage
C163915	DDS03-Guilty Not Doing Enough to Help	DDS03-Guilty Not Doing Enough to Help	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - During the past month, I have been: Feeling guilty about not doing enough to help my partner with diabetes.	PARTNER-DDS - Guilty Not Doing Enough to Help
C163918	DDS03-Help My Partner Always a Battle	DDS03-Help My Partner Always a Battle	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - During the past month, I have been: Feeling that trying to help my partner with his/her diabetes is always a battle.	PARTNER-DDS - Help My Partner Always a Battle
C163933	DDS03-How Best to Help: Mean	DDS03-How Best to Help: Mean	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - How best to help: Mean item score.	PARTNER-DDS - How Best to Help: Mean
C163934	DDS03-How Best to Help: Moderate	DDS03-How Best to Help: Moderate	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - How best to help: Moderate distress or greater? (mean score > 2).	PARTNER-DDS - How Best to Help: Moderate
C163932	DDS03-How Best to Help: Sum	DDS03-How Best to Help: Sum	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - How best to help: Sum of 5 items (2, 6, 7, 11, 13).	PARTNER-DDS - How Best to Help: Sum
C163906	DDS03-How Involved Managing Diabetes	DDS03-How Involved Managing Diabetes	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - During the past month, I have been: Feeling unclear about exactly how much I should be involved in managing my partner's diabetes.	PARTNER-DDS - How Involved Managing Diabetes
C163910	DDS03-How to Best Help Partner Manage	DDS03-How to Best Help Partner Manage	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - During the past month, I have been: Worrying that don't know how to best help my partner manage diabetes.	PARTNER-DDS - How to Best Help Partner Manage
C163939	DDS03-Hypoglycemia: Mean	DDS03-Hypoglycemia: Mean	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - Hypoglycemia: Mean item score.	PARTNER-DDS - Hypoglycemia: Mean
C163940	DDS03-Hypoglycemia: Moderate	DDS03-Hypoglycemia: Moderate	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - Hypoglycemia: Moderate distress or greater? (mean score > 2).	PARTNER-DDS - Hypoglycemia: Moderate
C163938	DDS03-Hypoglycemia: Sum	DDS03-Hypoglycemia: Sum	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - Hypoglycemia: Sum of 4 items (1, 17, 18, 19).	PARTNER-DDS - Hypoglycemia: Sum
C163923	DDS03-Leaving Alone Low Blood Sugars	DDS03-Leaving Alone Low Blood Sugars	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - During the past month, I have been: Worrying about leaving my partner alone because of the possible danger of low blood sugars.	PARTNER-DDS - Leaving Alone Low Blood Sugars
C163921	DDS03-Low Blood Sugars When Sleeping	DDS03-Low Blood Sugars When Sleeping	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - During the past month, I have been: Worrying about my partner's low blood sugars when he/she is sleeping.	PARTNER-DDS - Low Blood Sugars When Sleeping
C163914	DDS03-More I Try The Worse Things Get	DDS03-More I Try The Worse Things Get	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - During the past month, I have been: Frustrated that the more I try to help my partner manage his/her diabetes, the worse things get between us.	PARTNER-DDS - More I Try The Worse Things Get
C163925	DDS03-Never Get a Break From Worrying	DDS03-Never Get a Break From Worrying	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - During the past month, I have been: Feeling that I never get a break from worrying about my partner's diabetes.	PARTNER-DDS - Never Get a Break From Worrying
C163913	DDS03-No One Notices Diabetes Hard On Me	DDS03-No One Notices Diabetes Hard On Me	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - During the past month, I have been: Feeling that no one notices that diabetes is hard on me, not just on my partner.	PARTNER-DDS - No One Notices Diabetes Hard On Me

Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes				
C163924	DDS03-Not Working Well Together	DDS03-Not Working Well Together	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - During the past month, I have been: Concerned that my partner and I are not working well together when it comes to diabetes.	PARTNER-DDS - Not Working Well Together
C163909	DDS03-Overwhelmed by Constant Demands	DDS03-Overwhelmed by Constant Demands	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - During the past month, I have been: Feeling overwhelmed by the constant demands of my partner's diabetes.	PARTNER-DDS - Overwhelmed by Constant Demands
C163931	DDS03-Partner Diabetes Manage: Moderate	DDS03-Partner Diabetes Manage: Moderate	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - My partner's diabetes management: Moderate distress or greater? (mean score > 2).	PARTNER-DDS - Partner Diabetes Manage: Moderate
C163930	DDS03-Partner Diabetes Management: Mean	DDS03-Partner Diabetes Management: Mean	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - My partner's diabetes management: Mean item score.	PARTNER-DDS - Partner Diabetes Management: Mean
C163929	DDS03-Partner Diabetes Management: Sum	DDS03-Partner Diabetes Management: Sum	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - My partner's diabetes management: Sum of 7 items (3, 4, 10, 12, 14, 15, 20).	PARTNER-DDS - Partner Diabetes Management: Sum
C163908	DDS03-Partner Doesn't Try Hard Enough	DDS03-Partner Doesn't Try Hard Enough	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - During the past month, I have been: Feeling that my partner doesn't try hard enough to manage his/her diabetes.	PARTNER-DDS - Partner Doesn't Try Hard Enough
C163922	DDS03-Partner Driving Low Blood Sugars	DDS03-Partner Driving Low Blood Sugars	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - During the past month, I have been: Worrying about my partner's driving because of possible low blood sugars.	PARTNER-DDS - Partner Driving Low Blood Sugars
C163919	DDS03-Partner Ignores My Suggestions	DDS03-Partner Ignores My Suggestions	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - During the past month, I have been: Frustrated because my partner ignores my suggestions about diabetes.	PARTNER-DDS - Partner Ignores My Suggestions
C163907	DDS03-Partner Shuts Me Out	DDS03-Partner Shuts Me Out	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - During the past month, I have been: Frustrated that my partner shuts me out of his/her diabetes.	PARTNER-DDS - Partner Shuts Me Out
C163911	DDS03-Silent About My Partner's Diabetes	DDS03-Silent About My Partner's Diabetes	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - During the past month, I have been: Feeling that I stay silent about my partner's diabetes more than I really should.	PARTNER-DDS - Silent About My Partner's Diabetes
C163912	DDS03-Taking Too Much of My Energy	DDS03-Taking Too Much of My Energy	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - During the past month, I have been: Feeling that diabetes is taking up too much of my mental and physical energy every day.	PARTNER-DDS - Taking Too Much of My Energy
C163927	DDS03-Total DDS Score: Mean	DDS03-Total DDS Score: Mean	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - Total DDS score: Mean item score.	PARTNER-DDS - Total DDS Score: Mean
C163928	DDS03-Total DDS Score: Moderate	DDS03-Total DDS Score: Moderate	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - Total DDS score: Moderate distress or greater? (mean score > 2).	PARTNER-DDS - Total DDS Score: Moderate
C163926	DDS03-Total DDS Score: Sum	DDS03-Total DDS Score: Sum	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - Total DDS score: Sum of 21 item scores.	PARTNER-DDS - Total DDS Score: Sum
C163905	DDS03-Worry About Low Blood Sugars	DDS03-Worry About Low Blood Sugars	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes - During the past month, I have been: Worrying about my partner's low blood sugars.	PARTNER-DDS - Worry About Low Blood Sugars

C183608	DIBC0101	DIBC01-Rate Worst Abdominal Pain	Diary for Irritable Bowel Syndrome Symptoms-Constipation v1.0 - How would you rate your worst abdominal pain in the past 24 hours?	DIBSS-C Version 1.0 - Rate Worst Abdominal Pain
C183609	DIBC0102	DIBC01-Rate Worst Abdominal Discomfort	Diary for Irritable Bowel Syndrome Symptoms-Constipation v1.0 - How would you rate your worst abdominal discomfort in the past 24 hours?	DIBSS-C Version 1.0 - Rate Worst Abdominal Discomfort
C183610	DIBC0103	DIBC01-Rate Worst Abdominal Bloating	Diary for Irritable Bowel Syndrome Symptoms-Constipation v1.0 - How would you rate your worst abdominal bloating in the past 24 hours?	DIBSS-C Version 1.0 - Rate Worst Abdominal Bloating
C183611	DIBC0104	DIBC01-Other Bowel Movements to Report	Diary for Irritable Bowel Syndrome Symptoms-Constipation v1.0 - Do you have any other bowel movements to report?	DIBSS-C Version 1.0 - Other Bowel Movements to Report
C183612	DIBC0105	DIBC01-Completely Emptied Bowels	Diary for Irritable Bowel Syndrome Symptoms-Constipation v1.0 - Did you feel like you completely emptied your bowels after your bowel movement?	DIBSS-C Version 1.0 - Completely Emptied Bowels
C183613	DIBC0106	DIBC01-How Much Did You Strain	Diary for Irritable Bowel Syndrome Symptoms-Constipation v1.0 - How much did you strain during your bowel movement?	DIBSS-C Version 1.0 - How Much Did You Strain
C183614	DIBC0107	DIBC01-Describe Consistency of Stool	Diary for Irritable Bowel Syndrome Symptoms-Constipation v1.0 - How would you describe the consistency of your stool?	DIBSS-C Version 1.0 - Describe Consistency of Stool
C183615	DIBC0108	DIBC01-Stool Frequency Weekly Total	Diary for Irritable Bowel Syndrome Symptoms-Constipation v1.0 - Stool frequency: weekly score, total number of BMs across days on which no laxative, enema, or suppository use was reported.	DIBSS-C Version 1.0 - Stool Frequency Weekly Total
C183616	DIBC0109	DIBC01-Stool Frequency Weekly Complete	Diary for Irritable Bowel Syndrome Symptoms-Constipation v1.0 - Stool frequency: weekly score, the weekly total score minus any BMs reported as not complete.	DIBSS-C Version 1.0 - Stool Frequency Weekly Complete
C183617	DIBC0110	DIBC01-Abdominal Symptom Subscale	Diary for Irritable Bowel Syndrome Symptoms-Constipation v1.0 - Abdominal symptom subscale.	DIBSS-C Version 1.0 - Abdominal Symptom Subscale

C183617	DIBC01-Abdominal Symptom Subscale	DIBC01-Abdominal Symptom Subscale	Diary for Irritable Bowel Syndrome Symptoms-Constipation v1.0 - Abdominal symptom subscale.	DIBSS-C Version 1.0 - Abdominal Symptom Subscale
C183612	DIBC01-Completely Emptied Bowels	DIBC01-Completely Emptied Bowels	Diary for Irritable Bowel Syndrome Symptoms-Constipation v1.0 - Did you feel like you completely emptied your bowels after your bowel movement?	DIBSS-C Version 1.0 - Completely Emptied Bowels
C183614	DIBC01-Describe Consistency of Stool	DIBC01-Describe Consistency of Stool	Diary for Irritable Bowel Syndrome Symptoms-Constipation v1.0 - How would you describe the consistency of your stool?	DIBSS-C Version 1.0 - Describe Consistency of Stool
C183613	DIBC01-How Much Did You Strain	DIBC01-How Much Did You Strain	Diary for Irritable Bowel Syndrome Symptoms-Constipation v1.0 - How much did you strain during your bowel movement?	DIBSS-C Version 1.0 - How Much Did You Strain
C183611	DIBC01-Other Bowel Movements to Report	DIBC01-Other Bowel Movements to Report	Diary for Irritable Bowel Syndrome Symptoms-Constipation v1.0 - Do you have any other bowel movements to report?	DIBSS-C Version 1.0 - Other Bowel Movements to Report
C183610	DIBC01-Rate Worst Abdominal Bloating	DIBC01-Rate Worst Abdominal Bloating	Diary for Irritable Bowel Syndrome Symptoms-Constipation v1.0 - How would you rate your worst abdominal bloating in the past 24 hours?	DIBSS-C Version 1.0 - Rate Worst Abdominal Bloating
C183609	DIBC01-Rate Worst Abdominal Discomfort	DIBC01-Rate Worst Abdominal Discomfort	Diary for Irritable Bowel Syndrome Symptoms-Constipation v1.0 - How would you rate your worst abdominal discomfort in the past 24 hours?	DIBSS-C Version 1.0 - Rate Worst Abdominal Discomfort
C183608	DIBC01-Rate Worst Abdominal Pain	DIBC01-Rate Worst Abdominal Pain	Diary for Irritable Bowel Syndrome Symptoms-Constipation v1.0 - How would you rate your worst abdominal pain in the past 24 hours?	DIBSS-C Version 1.0 - Rate Worst Abdominal Pain
C183616	DIBC01-Stool Frequency Weekly Complete	DIBC01-Stool Frequency Weekly Complete	Diary for Irritable Bowel Syndrome Symptoms-Constipation v1.0 - Stool frequency: weekly score, the weekly total score minus any BMs reported as not complete.	DIBSS-C Version 1.0 - Stool Frequency Weekly Complete
C183615	DIBC01-Stool Frequency Weekly Total	DIBC01-Stool Frequency Weekly Total	Diary for Irritable Bowel Syndrome Symptoms-Constipation v1.0 - Stool frequency: weekly score, total number of BMs across days on which no laxative, enema, or suppository use was reported.	DIBSS-C Version 1.0 - Stool Frequency Weekly Total

C119163	DLQI101	DLQI1-How Itchy, Sore, Painful, Stinging	Dermatology Life Quality Index - Over the last week, how itchy, sore, painful or stinging has your skin been?	DLQI - Itchy, Sore, Painful or Stinging Skin
C119164	DLQI102	DLQI1-How Embarrassed, Self Conscious	Dermatology Life Quality Index - Over the last week, how embarrassed or self conscious have you been because of your skin?	DLQI - Embarrassed Because of Skin
C119165	DLQI103	DLQI1-Interfered Shopping, Home, Yard	Dermatology Life Quality Index - Over the last week, how much has your skin interfered with you going shopping or looking after your home or yard?	DLQI - Skin Interfere With Shopping, Looking After Home or Yard
C119166	DLQI104	DLQI1-Influenced Clothes You Wear	Dermatology Life Quality Index - Over the last week, how much has your skin influenced the clothes you wear?	DLQI - Skin Influence Clothes You Wear
C119167	DLQI105	DLQI1-Affected Social, Leisure Activity	Dermatology Life Quality Index - Over the last week, how much has your skin affected any social or leisure activities?	DLQI - Skin Affect Social or Leisure Activities
C119168	DLQI106	DLQI1-Made It Difficult to Do Any Sports	Dermatology Life Quality Index - Over the last week, how much has your skin made it difficult for you to do any sport?	DLQI - Skin Made Difficult to Do Sport
C119169	DLQI107	DLQI1-Prevented Working or Studying	Dermatology Life Quality Index - Over the last week, has your skin prevented you from working or studying?	DLQI - Skin Prevent Work or Study
C119170	DLQI107A	DLQI1-Problem at Work or Studying	Dermatology Life Quality Index - If 'No', over the last week how much has your skin been a problem at work or studying?	DLQI - Skin Has Been a Problem at Work or Study
C119171	DLQI108	DLQI1-Problem Partner, Friends, Relative	Dermatology Life Quality Index - Over the last week, how much has your skin created problems with your partner or any of your close friends or relatives?	DLQI - Skin Create Problem With Partner, Friends or Relatives
C119172	DLQI109	DLQI1-Caused Any Sexual Difficulties	Dermatology Life Quality Index - Over the last week, how much has your skin caused any sexual difficulties?	DLQI - Skin Cause Sexual Difficulties
C119173	DLQI110	DLQI1-How Much a Problem is Treatment	Dermatology Life Quality Index - Over the last week, how much of a problem has the treatment for your skin been, for example by making your home messy, or by taking up time?	DLQI - Treatment for Skin Make Home Messy
C119174	DLQI111	DLQI1-Score	Dermatology Life Quality Index - Score.	DLQI - Score

C119167	DLQI1-Affected Social, Leisure Activity	DLQI1-Affected Social, Leisure Activity	Dermatology Life Quality Index - Over the last week, how much has your skin affected any social or leisure activities?	DLQI - Skin Affect Social or Leisure Activities
C119172	DLQI1-Caused Any Sexual Difficulties	DLQI1-Caused Any Sexual Difficulties	Dermatology Life Quality Index - Over the last week, how much has your skin caused any sexual difficulties?	DLQI - Skin Cause Sexual Difficulties
C119164	DLQI1-How Embarrassed, Self Conscious	DLQI1-How Embarrassed, Self Conscious	Dermatology Life Quality Index - Over the last week, how embarrassed or self conscious have you been because of your skin?	DLQI - Embarrassed Because of Skin
C119163	DLQI1-How Itchy, Sore, Painful, Stinging	DLQI1-How Itchy, Sore, Painful, Stinging	Dermatology Life Quality Index - Over the last week, how itchy, sore, painful or stinging has your skin been?	DLQI - Itchy, Sore, Painful or Stinging Skin
C119173	DLQI1-How Much a Problem is Treatment	DLQI1-How Much a Problem is Treatment	Dermatology Life Quality Index - Over the last week, how much of a problem has the treatment for your skin been, for example by making your home messy, or by taking up time?	DLQI - Treatment for Skin Make Home Messy
C119166	DLQI1-Influenced Clothes You Wear	DLQI1-Influenced Clothes You Wear	Dermatology Life Quality Index - Over the last week, how much has your skin influenced the clothes you wear?	DLQI - Skin Influence Clothes You Wear
C119165	DLQI1-Interfered Shopping, Home, Yard	DLQI1-Interfered Shopping, Home, Yard	Dermatology Life Quality Index - Over the last week, how much has your skin interfered with you going shopping or looking after your home or yard?	DLQI - Skin Interfere With Shopping, Looking After Home or Yard
C119168	DLQI1-Made It Difficult to Do Any Sports	DLQI1-Made It Difficult to Do Any Sports	Dermatology Life Quality Index - Over the last week, how much has your skin made it difficult for you to do any sport?	DLQI - Skin Made Difficult to Do Sport
C119169	DLQI1-Prevented Working or Studying	DLQI1-Prevented Working or Studying	Dermatology Life Quality Index - Over the last week, has your skin prevented you from working or studying?	DLQI - Skin Prevent Work or Study
C119170	DLQI1-Problem at Work or Studying	DLQI1-Problem at Work or Studying	Dermatology Life Quality Index - If 'No', over the last week how much has your skin been a problem at work or studying?	DLQI - Skin Has Been a Problem at Work or Study
C119171	DLQI1-Problem Partner, Friends, Relative	DLQI1-Problem Partner, Friends, Relative	Dermatology Life Quality Index - Over the last week, how much has your skin created problems with your partner or any of your close friends or relatives?	DLQI - Skin Create Problem With Partner, Friends or Relatives
C119174	DLQI1-Score	DLQI1-Score	Dermatology Life Quality Index - Score.	DLQI - Score

Deployment Risk & Resilience Inventory-2 - Before deployment: I experienced something during childhood or adulthood that increased my risk of deployment-related stressors.				
C141867	DRRI1A01	DRRI1-A: Someone Close to Me Died	Deployment Risk & Resilience Inventory-2 - Before deployment: someone close to me died.	DRRI-2 - A: Someone Close to Me Died
C141868	DRRI1A02	DRRI1-A: Went Through Divorce/Was Left	Deployment Risk & Resilience Inventory-2 - Before deployment: I went through a divorce or was left by a significant other.	DRRI-2 - A: Went Through Divorce/Was Left
C141869	DRRI1A03	DRRI1-A: Robbed/Had My Home Broken Into	Deployment Risk & Resilience Inventory-2 - Before deployment: I was robbed or had my home broken into.	DRRI-2 - A: Robbed/Had My Home Broken Into
C141870	DRRI1A04	DRRI1-A: Saw/Heard Physical Fight Parent	Deployment Risk & Resilience Inventory-2 - Before deployment: I saw or heard physical fighting between my parents or caregivers.	DRRI-2 - A: Saw/Heard Physical Fight Parent
C141871	DRRI1A05	DRRI1-A: Physically Punished by Parent	Deployment Risk & Resilience Inventory-2 - Before deployment: I was physically punished by a parent or primary caregiver.	DRRI-2 - A: Physically Punished by Parent
C141872	DRRI1A06	DRRI1-A: Unwanted Sex Activity Childhood	Deployment Risk & Resilience Inventory-2 - Before deployment: I experienced unwanted sexual activity as a result of force, threat of harm, or manipulation during childhood (before age 18).	DRRI-2 - A: Unwanted Sex Activity Childhood
C141873	DRRI1A07	DRRI1-A: Unwanted Sex Activity Adulthood	Deployment Risk & Resilience Inventory-2 - Before deployment: I experienced unwanted sexual activity as a result of force, threat of harm, or manipulation during adulthood (age 18 or later).	DRRI-2 - A: Unwanted Sex Activity Adulthood
C141874	DRRI1A08	DRRI1-A: Experienced Natural Disaster	Deployment Risk & Resilience Inventory-2 - Before deployment: I experienced a natural disaster (for example, a hurricane), a fire, or an accident in which I or someone close to me was hurt or had serious property damage.	DRRI-2 - A: Experienced Natural Disaster
C141875	DRRI1A09	DRRI1-A: Someone Close Serious Illness	Deployment Risk & Resilience Inventory-2 - Before deployment: someone close to me experienced a serious illness, injury, or mental health problem (for example, cancer, alcohol/drug problem).	DRRI-2 - A: Someone Close Serious Illness
C141876	DRRI1A10	DRRI1-A: Witnessed Someone Assaulted	Deployment Risk & Resilience Inventory-2 - Before deployment: I witnessed someone being seriously assaulted or killed.	DRRI-2 - A: Witnessed Someone Assaulted
C141877	DRRI1A11	DRRI1-A: Lost My Job/Trouble Finding Job	Deployment Risk & Resilience Inventory-2 - Before deployment: I lost my job or had serious trouble finding a job.	DRRI-2 - A: Lost My Job/Trouble Finding Job
C141878	DRRI1A12	DRRI1-A: Emotionally Mistreated	Deployment Risk & Resilience Inventory-2 - Before deployment: I was emotionally mistreated (for example, ignored or repeatedly told I was no good).	DRRI-2 - A: Emotionally Mistreated
C141879	DRRI1A13	DRRI1-A: Serious Financial Problems	Deployment Risk & Resilience Inventory-2 - Before deployment: I experienced serious financial problems.	DRRI-2 - A: Serious Financial Problems
C141880	DRRI1A14	DRRI1-A: Serious Physical Health Problem	Deployment Risk & Resilience Inventory-2 - Before deployment: I experienced serious physical or mental health problems.	DRRI-2 - A: Serious Physical Health Problem
C141881	DRRI1A15	DRRI1-A: Dangerous Military Duties	Deployment Risk & Resilience Inventory-2 - Before deployment: I participated in dangerous military duties.	DRRI-2 - A: Dangerous Military Duties
C141882	DRRI1A16	DRRI1-A: Injured by Person - Childhood	Deployment Risk & Resilience Inventory-2 - Before deployment: I was seriously physically injured by another person (for example, hit or beaten up) during childhood (before age 18).	DRRI-2 - A: Injured by Person - Childhood
C141883	DRRI1A17	DRRI1-A: Injured by Person - Adulthood	Deployment Risk & Resilience Inventory-2 - Before deployment: I was seriously physically injured by another person (for example, hit or beaten up) during adulthood (age 18 or later).	DRRI-2 - A: Injured by Person - Adulthood
C141884	DRRI1A18	DRRI1-A: Stressful Legal Problems	Deployment Risk & Resilience Inventory-2 - Before deployment: I experienced stressful legal problems (for example, being sued, suing someone else, or being in a custody battle).	DRRI-2 - A: Stressful Legal Problems
C141885	DRRI1B01	DRRI1-B: Got Along Well With My Family	Deployment Risk & Resilience Inventory-2 - During childhood: I got along well with my family members.	DRRI-2 - B: Got Along Well With My Family
C141886	DRRI1B02	DRRI1-B: Felt Like I Fit in With Family	Deployment Risk & Resilience Inventory-2 - During childhood: I felt like I fit in with my family.	DRRI-2 - B: Felt Like I Fit in With Family
C141887	DRRI1B03	DRRI1-B: Family Knew What I Thought/Felt	Deployment Risk & Resilience Inventory-2 - During childhood: family members knew what I thought and how I felt about things.	DRRI-2 - B: Family Knew What I Thought/Felt
C141888	DRRI1B04	DRRI1-B: Contribution Family Appreciated	Deployment Risk & Resilience Inventory-2 - During childhood: I felt like my contributions to my family were appreciated.	DRRI-2 - B: Contribution Family Appreciated
C141889	DRRI1B05	DRRI1-B: Shared Interests With Family	Deployment Risk & Resilience Inventory-2 - During childhood: I shared many common interests and activities with family members.	DRRI-2 - B: Shared Interests With Family

Deployment Risk & Resilience Inventory-2				
C141890	DRRI1B06	DRRI1-B: Opinions Were Valued by Family	Deployment Risk & Resilience Inventory-2 - During childhood: my opinions were valued by other family members.	DRRI-2 - B: Opinions Were Valued by Family
C141891	DRRI1B07	DRRI1-B: I Was Affectionate With Family	Deployment Risk & Resilience Inventory-2 - During childhood: I was affectionate with family members.	DRRI-2 - B: I Was Affectionate With Family
C141892	DRRI1B08	DRRI1-B: Played Important Role in Family	Deployment Risk & Resilience Inventory-2 - During childhood: I played an important role in my family.	DRRI-2 - B: Played Important Role in Family
C141893	DRRI1B09	DRRI1-B: Spent My Free Time With Family	Deployment Risk & Resilience Inventory-2 - During childhood: I spent as much of my free time with family members as possible.	DRRI-2 - B: Spent My Free Time With Family
C141894	DRRI1B10	DRRI1-B: Family Told Me When Problem	Deployment Risk & Resilience Inventory-2 - During childhood: family members told me when they were having a problem.	DRRI-2 - B: Family Told Me When Problem
C141895	DRRI1B11	DRRI1-B: I Could Be Myself Around Family	Deployment Risk & Resilience Inventory-2 - During childhood: I could be myself around family members.	DRRI-2 - B: I Could Be Myself Around Family
C141896	DRRI1B12	DRRI1-B: Input Sought Family Decisions	Deployment Risk & Resilience Inventory-2 - During childhood: my input was sought on important family decisions.	DRRI-2 - B: Input Sought Family Decisions
C141897	DRRI1C01	DRRI1-C: Climate Was Uncomfortable	Deployment Risk & Resilience Inventory-2 - During deployment: the climate was uncomfortable.	DRRI-2 - C: Climate Was Uncomfortable
C141898	DRRI1C02	DRRI1-C: Deal With Annoying Animals	Deployment Risk & Resilience Inventory-2 - During deployment: I had to deal with annoying animals, insects, or plants.	DRRI-2 - C: Deal With Annoying Animals
C141899	DRRI1C03	DRRI1-C: Food Was of Very Poor Quality	Deployment Risk & Resilience Inventory-2 - During deployment: the food I had to eat was of very poor quality (for example, bad or old MREs).	DRRI-2 - C: Food Was of Very Poor Quality
C141900	DRRI1C04	DRRI1-C: Conditions Extremely Unsanitary	Deployment Risk & Resilience Inventory-2 - During deployment: the conditions I lived in were extremely unsanitary.	DRRI-2 - C: Conditions Extremely Unsanitary
C141901	DRRI1C05	DRRI1-C: Didn't Have Bathrooms	Deployment Risk & Resilience Inventory-2 - During deployment: I didn't have access to bathrooms or showers when I needed them.	DRRI-2 - C: Didn't Have Bathrooms
C141902	DRRI1C06	DRRI1-C: Wasn't Able to Get Privacy	Deployment Risk & Resilience Inventory-2 - During deployment: I wasn't able to get as much privacy as I needed.	DRRI-2 - C: Wasn't Able to Get Privacy
C141903	DRRI1C07	DRRI1-C: I Was Exposed to Awful Smells	Deployment Risk & Resilience Inventory-2 - During deployment: I was exposed to awful smells.	DRRI-2 - C: I Was Exposed to Awful Smells
C141904	DRRI1C08	DRRI1-C: I Was Subjected to Loud Noises	Deployment Risk & Resilience Inventory-2 - During deployment: I was subjected to loud noises.	DRRI-2 - C: I Was Subjected to Loud Noises
C141905	DRRI1C09	DRRI1-C: Restricted Because Local Custom	Deployment Risk & Resilience Inventory-2 - During deployment: my daily activities were restricted because of local religious or ethnic customs.	DRRI-2 - C: Restricted Because Local Custom
C141906	DRRI1C10	DRRI1-C: Wasn't Able to Rest	Deployment Risk & Resilience Inventory-2 - During deployment: I wasn't able to get rest when I needed it.	DRRI-2 - C: Wasn't Able to Rest
C141907	DRRI1C11	DRRI1-C: Wasn't Able to Contact Home	Deployment Risk & Resilience Inventory-2 - During deployment: I wasn't able to contact home when I needed to.	DRRI-2 - C: Wasn't Able to Contact Home
C141908	DRRI1C12	DRRI1-C: Hassle With Heavy/Annoying Gear	Deployment Risk & Resilience Inventory-2 - During deployment: I had to hassle with putting on and taking off heavy or annoying gear.	DRRI-2 - C: Hassle With Heavy/Annoying Gear
C141909	DRRI1C13	DRRI1-C: Not Allowed to Get Job Done	Deployment Risk & Resilience Inventory-2 - During deployment: I was not allowed to do the things I needed to do to get my job done.	DRRI-2 - C: Not Allowed to Get Job Done
C141910	DRRI1C14	DRRI1-C: Not Have Adequate Shelter	Deployment Risk & Resilience Inventory-2 - During deployment: I did not have adequate shelter from uncomfortable living conditions (for example, heat, cold, wet, etc.).	DRRI-2 - C: Not Have Adequate Shelter
C141911	DRRI1D01	DRRI1-D: Went on Combat Patrols/Missions	Deployment Risk & Resilience Inventory-2 - During deployment: I went on combat patrols or missions.	DRRI-2 - D: Went on Combat Patrols/Missions
C141912	DRRI1D02	DRRI1-D: Assault on Entrenched Positions	Deployment Risk & Resilience Inventory-2 - During deployment: I took part in an assault on entrenched or fortified positions that involved naval and/or land forces.	DRRI-2 - D: Assault on Entrenched Positions
C141913	DRRI1D03	DRRI1-D: Witnessed Someone Unit Wounded	Deployment Risk & Resilience Inventory-2 - During deployment: I personally witnessed someone from my unit or an ally unit being seriously wounded or killed.	DRRI-2 - D: Witnessed Someone Unit Wounded
C141914	DRRI1D04	DRRI1-D: Encountered Land Mines	Deployment Risk & Resilience Inventory-2 - During deployment: I encountered land or water mines, booby traps, or roadside bombs (for example, IEDs).	DRRI-2 - D: Encountered Land Mines
C141915	DRRI1D05	DRRI1-D: Exposed Hostile Incoming Fire	Deployment Risk & Resilience Inventory-2 - During deployment: I was exposed to hostile incoming fire.	DRRI-2 - D: Exposed Hostile Incoming Fire

Deployment Risk & Resilience Inventory-2				
C141916	DRRI1D06	DRRI1-D: Exposed to Friendly Fire	Deployment Risk & Resilience Inventory-2 - During deployment: I was exposed to "friendly" fire.	DRRI-2 - D: Exposed to Friendly Fire
C141917	DRRI1D07	DRRI1-D: Vehicle/Part of Convoy Attacked	Deployment Risk & Resilience Inventory-2 - During deployment: I was in a vehicle (for example, a "humvee", helicopter, or boat) or part of a convoy that was attacked.	DRRI-2 - D: Vehicle/Part of Convoy Attacked
C141918	DRRI1D08	DRRI1-D: Part of Unit Fired on Enemy	Deployment Risk & Resilience Inventory-2 - During deployment: I was part of a land or naval artillery unit that fired on enemy combatants.	DRRI-2 - D: Part of Unit Fired on Enemy
C141919	DRRI1D09	DRRI1-D: Witnessed Enemy Wounded/Killed	Deployment Risk & Resilience Inventory-2 - During deployment: I personally witnessed enemy combatants being seriously wounded or killed.	DRRI-2 - D: Witnessed Enemy Wounded/Killed
C141920	DRRI1D10	DRRI1-D: Witnessed Civilians Wounded	Deployment Risk & Resilience Inventory-2 - During deployment: I personally witnessed civilians (for example, women and children) being seriously wounded or killed.	DRRI-2 - D: Witnessed Civilians Wounded
C141921	DRRI1D11	DRRI1-D: Injured Combat-Related Incident	Deployment Risk & Resilience Inventory-2 - During deployment: I was injured in a combat-related incident.	DRRI-2 - D: Injured Combat-Related Incident
C141922	DRRI1D12	DRRI1-D: Fired My Weapon Enemy Combatant	Deployment Risk & Resilience Inventory-2 - During deployment: I fired my weapon at enemy combatants.	DRRI-2 - D: Fired My Weapon Enemy Combatant
C141923	DRRI1D13	DRRI1-D: Think I Wounded/Killed Someone	Deployment Risk & Resilience Inventory-2 - During deployment: I think I wounded or killed someone during combat operations.	DRRI-2 - D: Think I Wounded/Killed Someone
C141924	DRRI1D14	DRRI1-D: Locating Explosive Devices	Deployment Risk & Resilience Inventory-2 - During deployment: I was involved in locating or disarming explosive devices.	DRRI-2 - D: Locating Explosive Devices
C141925	DRRI1D15	DRRI1-D: Searching Homes/Buildings	Deployment Risk & Resilience Inventory-2 - During deployment: I was involved in searching or clearing homes, buildings, or other locations.	DRRI-2 - D: Searching Homes/Buildings
C141926	DRRI1D16	DRRI1-D: Participate Hand-to-hand Combat	Deployment Risk & Resilience Inventory-2 - During deployment: I participated in hand-to-hand combat.	DRRI-2 - D: Participate Hand-to-hand Combat
C141927	DRRI1D17	DRRI1-D: Search/Disarm Potential Enemy	Deployment Risk & Resilience Inventory-2 - During deployment: I was involved in searching and/or disarming potential enemy combatants.	DRRI-2 - D: Search/Disarm Potential Enemy
C141928	DRRI1E01	DRRI1-E: Saw People Begging for Food	Deployment Risk & Resilience Inventory-2 - During deployment: I saw people begging for food.	DRRI-2 - E: Saw People Begging for Food
C141929	DRRI1E02	DRRI1-E: Saw Refugees Who Had Lost Homes	Deployment Risk & Resilience Inventory-2 - During deployment: I saw refugees who had lost their homes or belongings.	DRRI-2 - E: Saw Refugees Who Had Lost Homes
C141930	DRRI1E03	DRRI1-E: Observed Homes Been Destroyed	Deployment Risk & Resilience Inventory-2 - During deployment: I observed homes or communities that had been destroyed.	DRRI-2 - E: Observed Homes Been Destroyed
C141931	DRRI1E04	DRRI1-E: Took Care Injured/Dying People	Deployment Risk & Resilience Inventory-2 - During deployment: I took care of injured or dying people.	DRRI-2 - E: Took Care Injured/Dying People
C141932	DRRI1E05	DRRI1-E: Saw Civilians After Wounded	Deployment Risk & Resilience Inventory-2 - During deployment: I saw civilians after they had been severely wounded or disfigured.	DRRI-2 - E: Saw Civilians After Wounded
C141933	DRRI1E06	DRRI1-E: Saw Combatants Had Been Wounded	Deployment Risk & Resilience Inventory-2 - During deployment: I saw enemy combatants after they had been severely wounded or disfigured.	DRRI-2 - E: Saw Combatants Had Been Wounded
C141934	DRRI1E07	DRRI1-E: Saw Americans Had Been Wounded	Deployment Risk & Resilience Inventory-2 - During deployment: I saw Americans or allies after they had been severely wounded or disfigured.	DRRI-2 - E: Saw Americans Had Been Wounded
C141935	DRRI1E08	DRRI1-E: Saw Bodies of Dead Enemy	Deployment Risk & Resilience Inventory-2 - During deployment: I saw the bodies of dead enemy combatants.	DRRI-2 - E: Saw Bodies of Dead Enemy
C141936	DRRI1E09	DRRI1-E: Saw Bodies of Dead Americans	Deployment Risk & Resilience Inventory-2 - During deployment: I saw the bodies of dead Americans or allies.	DRRI-2 - E: Saw Bodies of Dead Americans
C141937	DRRI1E10	DRRI1-E: Saw Bodies of Dead Civilians	Deployment Risk & Resilience Inventory-2 - During deployment: I saw the bodies of dead civilians.	DRRI-2 - E: Saw Bodies of Dead Civilians
C141938	DRRI1E11	DRRI1-E: Interacted With Detainees	Deployment Risk & Resilience Inventory-2 - During deployment: I interacted with detainees or prisoners of war.	DRRI-2 - E: Interacted With Detainees
C141939	DRRI1E12	DRRI1-E: Sight/Sound/Smell Dead Animals	Deployment Risk & Resilience Inventory-2 - During deployment: I was exposed to the sight, sound, or smell of dead or dying animals.	DRRI-2 - E: Sight/Sound/Smell Dead Animals
C141940	DRRI1E13	DRRI1-E: Involved Handling Human Remains	Deployment Risk & Resilience Inventory-2 - During deployment: I was involved in handling human remains.	DRRI-2 - E: Involved Handling Human Remains

Deployment Risk & Resilience Inventory-2				
CID	Category	Description	Text	Category
C141941	DRRI1F01	DRRI1-F: Took Preventative Pills	Deployment Risk & Resilience Inventory-2 - Either in preparation for or during my deployment: I took preventative pills (for example, to protect against nerve gas).	DRRI-2 - F: Took Preventative Pills
C141942	DRRI1F02	DRRI1-F: Received Vaccinations	Deployment Risk & Resilience Inventory-2 - Either in preparation for or during my deployment: I received preventative vaccinations by injection (for example, to prevent anthrax or botulism).	DRRI-2 - F: Received Vaccinations
C141943	DRRI1F03	DRRI1-F: Exposed to Nerve Gas Agents	Deployment Risk & Resilience Inventory-2 - Either in preparation for or during my deployment: I was exposed to nerve gas agents (for example, sarin).	DRRI-2 - F: Exposed to Nerve Gas Agents
C141944	DRRI1F04	DRRI1-F: Exposed to Mustard Gas	Deployment Risk & Resilience Inventory-2 - Either in preparation for or during my deployment: I was exposed to mustard gas or other blistering agents.	DRRI-2 - F: Exposed to Mustard Gas
C141945	DRRI1F05	DRRI1-F: Exposed Government-issued DEET	Deployment Risk & Resilience Inventory-2 - Either in preparation for or during my deployment: I was exposed to government-issued DEET-containing insect repellents.	DRRI-2 - F: Exposed Government-issued DEET
C141946	DRRI1F06	DRRI1-F: Exposed to Other Pesticides	Deployment Risk & Resilience Inventory-2 - Either in preparation for or during my deployment: I was exposed to other pesticides (for example, in flea collars, uniforms, or the environment).	DRRI-2 - F: Exposed to Other Pesticides
C141947	DRRI1F07	DRRI1-F: Exposed to Smoke/Air Pollution	Deployment Risk & Resilience Inventory-2 - Either in preparation for or during my deployment: I was exposed to smoke or other air pollution.	DRRI-2 - F: Exposed to Smoke/Air Pollution
C141948	DRRI1F08	DRRI1-F: Exposed to Diesel/Fuel on Skin	Deployment Risk & Resilience Inventory-2 - Either in preparation for or during my deployment: I was exposed to diesel or other petrochemical fuel on my skin.	DRRI-2 - F: Exposed to Diesel/Fuel on Skin
C141949	DRRI1F09	DRRI1-F: Exposed to Fumes From Heaters	Deployment Risk & Resilience Inventory-2 - Either in preparation for or during my deployment: I was exposed to fumes or exhaust from heaters or generators, including heaters in tents.	DRRI-2 - F: Exposed to Fumes From Heaters
C141950	DRRI1F10	DRRI1-F: Exposed to Depleted Uranium	Deployment Risk & Resilience Inventory-2 - Either in preparation for or during my deployment: I was exposed to depleted uranium in munitions.	DRRI-2 - F: Exposed to Depleted Uranium
C141951	DRRI1F11	DRRI1-F: Exposed to Burning Trash/Feces	Deployment Risk & Resilience Inventory-2 - Either in preparation for or during my deployment: I was exposed to burning trash or burning feces.	DRRI-2 - F: Exposed to Burning Trash/Feces
C141952	DRRI1F12	DRRI1-F: Exposed to Chlorine Gas	Deployment Risk & Resilience Inventory-2 - Either in preparation for or during my deployment: I was exposed to chlorine gas.	DRRI-2 - F: Exposed to Chlorine Gas
C141953	DRRI1F13	DRRI1-F: Exposed to Nuclear Weapons	Deployment Risk & Resilience Inventory-2 - Either in preparation for or during my deployment: I was exposed to nuclear, biological, or chemical weapons.	DRRI-2 - F: Exposed to Nuclear Weapons
C141954	DRRI1G01	DRRI1-G: Concerned Infectious Disease	Deployment Risk & Resilience Inventory-2 - During deployment: I was concerned about getting an infectious disease.	DRRI-2 - G: Concerned Infectious Disease
C141955	DRRI1G02	DRRI1-G: Health Might Suffer NBC Agents	Deployment Risk & Resilience Inventory-2 - During deployment: I was concerned that my health might suffer due to exposure to nuclear, biological, or chemical (NBC) agents.	DRRI-2 - G: Health Might Suffer NBC Agents
C141956	DRRI1G03	DRRI1-G: Felt in Danger of Being Wounded	Deployment Risk & Resilience Inventory-2 - During deployment: I felt I was in great danger of being wounded (for example, losing a limb).	DRRI-2 - G: Felt in Danger of Being Wounded
C141957	DRRI1G04	DRRI1-G: Concerned Medicine Make Me Sick	Deployment Risk & Resilience Inventory-2 - During deployment: I was concerned that the medicine I was given to protect me from illness would make me sick.	DRRI-2 - G: Concerned Medicine Make Me Sick
C141958	DRRI1G05	DRRI1-G: Concerned Encounter Explosive	Deployment Risk & Resilience Inventory-2 - During deployment: I was concerned that I would encounter an explosive device (for example, a roadside bomb, mine, or booby trap).	DRRI-2 - G: Concerned Encounter Explosive
C141959	DRRI1G06	DRRI1-G: Feared Sick From Pesticides	Deployment Risk & Resilience Inventory-2 - During deployment: I feared that I would become sick from pesticides (for example, bug spray) or other routinely used chemicals.	DRRI-2 - G: Feared Sick From Pesticides
C141960	DRRI1G07	DRRI1-G: Concern Rocket/Mortar Would Hit	Deployment Risk & Resilience Inventory-2 - During deployment: I was concerned that a rocket or mortar would hit our living quarters.	DRRI-2 - G: Concern Rocket/Mortar Would Hit
C141961	DRRI1G08	DRRI1-G: Concerned Depleted Uranium	Deployment Risk & Resilience Inventory-2 - During deployment: I was concerned that I might be exposed to depleted uranium in munitions.	DRRI-2 - G: Concerned Depleted Uranium
C141962	DRRI1G09	DRRI1-G: Thought I Would Never Survive	Deployment Risk & Resilience Inventory-2 - During deployment: I thought I would never survive.	DRRI-2 - G: Thought I Would Never Survive

Deployment Risk & Resilience Inventory-2				
CID	DRRI ID	Description	Text	DRRI ID
C141963	DRRI1G10	DRRI1-G: Concerned Taken Hostage	Deployment Risk & Resilience Inventory-2 - During deployment: I was concerned that I might be taken hostage.	DRRI-2 - G: Concerned Taken Hostage
C141964	DRRI1G11	DRRI1-G: Concerned Locals Against Us	Deployment Risk & Resilience Inventory-2 - During deployment: I was concerned that the locals who were supposed to be helping us were actually working against us.	DRRI-2 - G: Concerned Locals Against Us
C141965	DRRI1G12	DRRI1-G: Concerned Trapped in Crossfire	Deployment Risk & Resilience Inventory-2 - During deployment: I was concerned about being trapped in the crossfire of rival factions.	DRRI-2 - G: Concerned Trapped in Crossfire
C141966	DRRI1H01	DRRI1-H: Had All Supplies Needed	Deployment Risk & Resilience Inventory-2 - In preparation for deployment: I had all the supplies and equipment needed to get my job done.	DRRI-2 - H: Had All Supplies Needed
C141967	DRRI1H02	DRRI1-H: Confident Ability Use Equipment	Deployment Risk & Resilience Inventory-2 - In preparation for deployment: the training I received made me feel confident in my ability to use my equipment.	DRRI-2 - H: Confident Ability Use Equipment
C141968	DRRI1H03	DRRI1-H: Prepared to Deal With Climate	Deployment Risk & Resilience Inventory-2 - In preparation for deployment: the training I received prepared me to deal with the region's climate.	DRRI-2 - H: Prepared to Deal With Climate
C141969	DRRI1H04	DRRI1-H: Accurately Informed About Role	Deployment Risk & Resilience Inventory-2 - In preparation for deployment: I was accurately informed about the role my unit was expected to play in the deployment.	DRRI-2 - H: Accurately Informed About Role
C141970	DRRI1H05	DRRI1-H: Had Enough Gear in Case Attack	Deployment Risk & Resilience Inventory-2 - In preparation for deployment: I had enough gear to protect myself in case of an attack.	DRRI-2 - H: Had Enough Gear in Case Attack
C141971	DRRI1H06	DRRI1-H: Training for Deployment	Deployment Risk & Resilience Inventory-2 - In preparation for deployment: I received appropriate training for the nature of the deployment I experienced.	DRRI-2 - H: Training for Deployment
C141972	DRRI1H07	DRRI1-H: Military Duties What I Expected	Deployment Risk & Resilience Inventory-2 - In preparation for deployment: my military duties and assignments were what I expected.	DRRI-2 - H: Military Duties What I Expected
C141973	DRRI1H08	DRRI1-H: Prepared to Operate as Team	Deployment Risk & Resilience Inventory-2 - In preparation for deployment: my unit was well-prepared to operate as a team during deployment.	DRRI-2 - H: Prepared to Operate as Team
C141974	DRRI1H09	DRRI1-H: Confident to Perform Tasks	Deployment Risk & Resilience Inventory-2 - In preparation for deployment: the training I received made me feel confident in my ability to perform tasks assigned to me during deployment.	DRRI-2 - H: Confident to Perform Tasks
C141975	DRRI1H10	DRRI1-H: Taught Me Everything I Needed	Deployment Risk & Resilience Inventory-2 - In preparation for deployment: the training I received taught me everything I needed to know for deployment.	DRRI-2 - H: Taught Me Everything I Needed
C141976	DRRI1I01	DRRI1-I: Family Sincerely Interested	Deployment Risk & Resilience Inventory-2 - During deployment: family members and/or friends at home were sincerely interested in hearing what was going on with me.	DRRI-2 - I: Family Sincerely Interested
C141977	DRRI1I02	DRRI1-I: Had Family I Could Talk To	Deployment Risk & Resilience Inventory-2 - During deployment: I had family members or friends at home I could talk to when I had a problem.	DRRI-2 - I: Had Family I Could Talk To
C141978	DRRI1I03	DRRI1-I: Could Count on Family Advice	Deployment Risk & Resilience Inventory-2 - During deployment: I could count on my family members or friends at home for good advice.	DRRI-2 - I: Could Count on Family Advice
C141979	DRRI1I04	DRRI1-I: Relatives Look Out for Family	Deployment Risk & Resilience Inventory-2 - During deployment: relatives or friends at home could be counted on to look out for the well-being of my family or other dependents (including pets).	DRRI-2 - I: Relatives Look Out for Family
C141980	DRRI1I05	DRRI1-I: Relatives Take Care of Finances	Deployment Risk & Resilience Inventory-2 - During deployment: relatives or friends at home could be counted on to take care of my finances, property, or belongings if needed.	DRRI-2 - I: Relatives Take Care of Finances
C141981	DRRI1I06	DRRI1-I: Happy Communication From Home	Deployment Risk & Resilience Inventory-2 - During deployment: I was happy with the amount of communication I received from people at home.	DRRI-2 - I: Happy Communication From Home
C141982	DRRI1I07	DRRI1-I: Happy With Support From Home	Deployment Risk & Resilience Inventory-2 - During deployment: I was happy with the amount of support I received from people at home.	DRRI-2 - I: Happy With Support From Home
C141983	DRRI1I08	DRRI1-I: People at Home Show They Cared	Deployment Risk & Resilience Inventory-2 - During deployment: people at home did things to show they cared about me.	DRRI-2 - I: People at Home Show They Cared
C141984	DRRI1J01	DRRI1-J: My Unit Was Like Family to Me	Deployment Risk & Resilience Inventory-2 - During deployment: my unit was like family to me.	DRRI-2 - J: My Unit Was Like Family to Me

Deployment Risk & Resilience Inventory-2				
CID	DRRI Item	Description	Deployment Risk & Resilience Inventory-2 - During deployment:	DRRI-2 - J: People in Unit Were Trustworthy
C141985	DRRI1J02	DRRI1-J: People in Unit Were Trustworthy	Deployment Risk & Resilience Inventory-2 - During deployment: people in my unit were trustworthy.	DRRI-2 - J: People in Unit Were Trustworthy
C141986	DRRI1J03	DRRI1-J: Fellow Unit Appreciated Efforts	Deployment Risk & Resilience Inventory-2 - During deployment: my fellow unit members appreciated my efforts.	DRRI-2 - J: Fellow Unit Appreciated Efforts
C141987	DRRI1J04	DRRI1-J: Felt Valued Fellow Unit Members	Deployment Risk & Resilience Inventory-2 - During deployment: I felt valued by my fellow unit members.	DRRI-2 - J: Felt Valued Fellow Unit Members
C141988	DRRI1J05	DRRI1-J: Unit Interested My Well-being	Deployment Risk & Resilience Inventory-2 - During deployment: members of my unit were interested in my well-being.	DRRI-2 - J: Unit Interested My Well-being
C141989	DRRI1J06	DRRI1-J: Unit Interested What I Thought	Deployment Risk & Resilience Inventory-2 - During deployment: my fellow unit members were interested in what I thought and how I felt about things.	DRRI-2 - J: Unit Interested What I Thought
C141990	DRRI1J07	DRRI1-J: Leader Interested What Thought	Deployment Risk & Resilience Inventory-2 - During deployment: my unit leader(s) were interested in what I thought and how I felt about things.	DRRI-2 - J: Leader Interested What Thought
C141991	DRRI1J08	DRRI1-J: Felt Like My Efforts Counted	Deployment Risk & Resilience Inventory-2 - During deployment: I felt like my efforts really counted to the leaders in my unit.	DRRI-2 - J: Felt Like My Efforts Counted
C141992	DRRI1J09	DRRI1-J: Service Appreciated by Leaders	Deployment Risk & Resilience Inventory-2 - During deployment: my service was appreciated by the leaders in my unit.	DRRI-2 - J: Service Appreciated by Leaders
C141993	DRRI1J10	DRRI1-J: Could Go to Leaders If Problem	Deployment Risk & Resilience Inventory-2 - During deployment: I could go to unit leaders for help if I had a problem or concern.	DRRI-2 - J: Could Go to Leaders If Problem
C141994	DRRI1J11	DRRI1-J: Leaders Interested in Welfare	Deployment Risk & Resilience Inventory-2 - During deployment: the leaders of my unit were interested in my personal welfare.	DRRI-2 - J: Leaders Interested in Welfare
C141995	DRRI1J12	DRRI1-J: Felt Valued by Leaders of Unit	Deployment Risk & Resilience Inventory-2 - During deployment: I felt valued by the leaders of my unit.	DRRI-2 - J: Felt Valued by Leaders of Unit
C141996	DRRI1K01	DRRI1-K: Treated in Overly Critical Way	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: treated me in an overly critical way.	DRRI-2 - K: Treated in Overly Critical Way
C141997	DRRI1K02	DRRI1-K: Uncooperative Working With Me	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: behaved in way that was uncooperative when working with me.	DRRI-2 - K: Uncooperative Working With Me
C141998	DRRI1K03	DRRI1-K: Had to Work Harder Prove Myself	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: treated me as if I had to work harder than others to prove myself.	DRRI-2 - K: Had to Work Harder Prove Myself
C141999	DRRI1K04	DRRI1-K: Questioned My Abilities Perform	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: questioned my abilities or commitment to perform my job effectively.	DRRI-2 - K: Questioned My Abilities Perform
C142000	DRRI1K05	DRRI1-K: My Mistakes Worse Than Others	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: acted as though my mistakes were worse than others'.	DRRI-2 - K: My Mistakes Worse Than Others
C142001	DRRI1K06	DRRI1-K: Make My Job More Difficult	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: tried to make my job more difficult to do.	DRRI-2 - K: Make My Job More Difficult
C142002	DRRI1K07	DRRI1-K: Put Me Down	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: "put me down" or treated me in a condescending way.	DRRI-2 - K: Put Me Down
C142003	DRRI1K08	DRRI1-K: Threatened My Physical Safety	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: threatened my physical safety.	DRRI-2 - K: Threatened My Physical Safety
C142004	DRRI1K09	DRRI1-K: Made Crude Sexual Remarks at Me	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: made crude and offensive sexual remarks directed at me, either publicly or privately.	DRRI-2 - K: Made Crude Sexual Remarks at Me
C142005	DRRI1K10	DRRI1-K: Spread Rumors Sexual Activities	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: spread negative rumors about my sexual activities.	DRRI-2 - K: Spread Rumors Sexual Activities
C142006	DRRI1K11	DRRI1-K: Tried to Talk into Sexual Acts	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: tried to talk me into participating in sexual acts when I didn't want to.	DRRI-2 - K: Tried to Talk into Sexual Acts
C142007	DRRI1K12	DRRI1-K: Authority Pressure Unwanted Sex	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: used a position of authority to pressure me into unwanted sexual activity.	DRRI-2 - K: Authority Pressure Unwanted Sex
C142008	DRRI1K13	DRRI1-K: Offered Reward Take Part in Sex	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: offered me a specific reward or special treatment to take part in sexual behavior.	DRRI-2 - K: Offered Reward Take Part in Sex

Deployment Risk & Resilience Inventory-2				
C142009	DRRI1K14	DRRI1-K: Threatened Me If Not Sex	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: threatened me with some sort of retaliation if I was not sexually cooperative (for example, the threat of negative review or physical violence).	DRRI-2 - K: Threatened Me If Not Sex
C142010	DRRI1K15	DRRI1-K: Touched Sexual Way Against Will	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: touched me in a sexual way against my will.	DRRI-2 - K: Touched Sexual Way Against Will
C142011	DRRI1K16	DRRI1-K: Physically Forced to Have Sex	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: physically forced me to have sex.	DRRI-2 - K: Physically Forced to Have Sex
C142012	DRRI1L01	DRRI1-L: Effect Deployment Relationship	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: the effect of the deployment on my relationship with my spouse or significant other.	DRRI-2 - L: Effect Deployment Relationship
C142013	DRRI1L02	DRRI1-L: Missing Out on Children Growth	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: missing out on my children's growth and development.	DRRI-2 - L: Missing Out on Children Growth
C142014	DRRI1L03	DRRI1-L: Missing Family Events at Home	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: missing important family events at home such as birthdays, weddings, funerals, graduations, etc.	DRRI-2 - L: Missing Family Events at Home
C142015	DRRI1L04	DRRI1-L: Safety and Well-being of Spouse	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: the safety and well-being of my spouse or significant other.	DRRI-2 - L: Safety and Well-being of Spouse
C142016	DRRI1L05	DRRI1-L: Safety and Well-being of Child	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: the safety and well-being of my child(ren).	DRRI-2 - L: Safety and Well-being of Child
C142017	DRRI1L06	DRRI1-L: Unable to Help Family If Crisis	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: being unable to help my family if there was some kind of crisis or emergency.	DRRI-2 - L: Unable to Help Family If Crisis
C142018	DRRI1L07	DRRI1-L: Inability Manage Family Affairs	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: my inability to directly manage or control family affairs.	DRRI-2 - L: Inability Manage Family Affairs
C142019	DRRI1L08	DRRI1-L: Damaging Career Because Deploy	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: damaging my career because of the deployment.	DRRI-2 - L: Damaging Career Because Deploy
C142020	DRRI1L09	DRRI1-L: Care Child/Dependents Receiving	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: the care that my child(ren) or other dependents were receiving.	DRRI-2 - L: Care Child/Dependents Receiving
C142021	DRRI1L10	DRRI1-L: Being Cheated on by My Spouse	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: being cheated on by my spouse or significant other.	DRRI-2 - L: Being Cheated on by My Spouse
C142022	DRRI1L11	DRRI1-L: Family Ability Cope With Stress	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: my family's ability to cope with the stress of the deployment.	DRRI-2 - L: Family Ability Cope With Stress
C142023	DRRI1L12	DRRI1-L: Spouse Ability Manage Household	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: my spouse or significant other's ability to manage the household (for example, chores, bills, home repairs, etc.).	DRRI-2 - L: Spouse Ability Manage Household
C142024	DRRI1L13	DRRI1-L: Losing My Civilian Job	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: losing my civilian job because of the deployment.	DRRI-2 - L: Losing My Civilian Job
C142025	DRRI1L14	DRRI1-L: Effect Relationship My Children	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: the effect of the deployment on my relationship with my child(ren).	DRRI-2 - L: Effect Relationship My Children
C142026	DRRI1L15	DRRI1-L: My Family Financial Situation	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: my family's financial situation.	DRRI-2 - L: My Family Financial Situation
C142027	DRRI1M01	DRRI1-M: Problems Get in Touch Family	Deployment Risk & Resilience Inventory-2 - During deployment: I had problems getting in touch with a family member or other loved one.	DRRI-2 - M: Problems Get in Touch Family
C142028	DRRI1M02	DRRI1-M: Someone Close Serious Illness	Deployment Risk & Resilience Inventory-2 - During deployment: someone close to me experienced a serious illness, injury, or mental health problem (for example, cancer, alcohol/drug problem).	DRRI-2 - M: Someone Close Serious Illness
C142029	DRRI1M03	DRRI1-M: Family Member Passed Away	Deployment Risk & Resilience Inventory-2 - During deployment: a family member or other loved one passed away.	DRRI-2 - M: Family Member Passed Away
C142030	DRRI1M04	DRRI1-M: My Family Had Money Problems	Deployment Risk & Resilience Inventory-2 - During deployment: my family had money problems.	DRRI-2 - M: My Family Had Money Problems

Deployment Risk & Resilience Inventory-2				
C142031	DRRI1M05	DRRI1-M: Spouse Cheated on Me	Deployment Risk & Resilience Inventory-2 - During deployment: a spouse or significant other cheated on me.	DRRI-2 - M: Spouse Cheated on Me
C142032	DRRI1M06	DRRI1-M: Spouse Suspected I Cheated	Deployment Risk & Resilience Inventory-2 - During deployment: a spouse or significant other suspected that I had cheated on him/her.	DRRI-2 - M: Spouse Suspected I Cheated
C142033	DRRI1M07	DRRI1-M: Relationship With Spouse Ended	Deployment Risk & Resilience Inventory-2 - During deployment: my relationship with a spouse or significant other ended.	DRRI-2 - M: Relationship With Spouse Ended
C142034	DRRI1M08	DRRI1-M: Had Major Conflict With Family	Deployment Risk & Resilience Inventory-2 - During deployment: I had a major conflict with a family member or other loved one.	DRRI-2 - M: Had Major Conflict With Family
C142035	DRRI1M09	DRRI1-M: Family Had Difficulty Adjusting	Deployment Risk & Resilience Inventory-2 - During deployment: a family member or other loved one had serious difficulty adjusting to my absence.	DRRI-2 - M: Family Had Difficulty Adjusting
C142036	DRRI1M10	DRRI1-M: My Home Was Robbed	Deployment Risk & Resilience Inventory-2 - During deployment: my home was robbed and/or my belongings were stolen.	DRRI-2 - M: My Home Was Robbed
C142037	DRRI1M11	DRRI1-M: Family Member Wasted Money	Deployment Risk & Resilience Inventory-2 - During deployment: a family member or other person I trusted wasted or mismanaged my money.	DRRI-2 - M: Family Member Wasted Money
C142038	DRRI1M12	DRRI1-M: Loved One Things I Disapproved	Deployment Risk & Resilience Inventory-2 - During deployment: I learned that a loved one was doing things I disapproved of.	DRRI-2 - M: Loved One Things I Disapproved
C142039	DRRI1M13	DRRI1-M: Fam Dangerous Military Duties	Deployment Risk & Resilience Inventory-2 - During deployment: a family member or other loved one participated in dangerous military duties.	DRRI-2 - M: Fam Dangerous Military Duties
C142040	DRRI1M14	DRRI1-M: Family Got Into Trouble	Deployment Risk & Resilience Inventory-2 - During deployment: a family member got into trouble at home, at school, or in the community.	DRRI-2 - M: Family Got Into Trouble
C142041	DRRI1N01	DRRI1-N: Robbed/Had My Home Broken Into	Deployment Risk & Resilience Inventory-2 - Since returning: I was robbed or had my home broken into.	DRRI-2 - N: Robbed/Had My Home Broken Into
C142042	DRRI1N02	DRRI1-N: Unwanted Sexual Activity	Deployment Risk & Resilience Inventory-2 - Since returning: I experienced unwanted sexual activity as a result of force, threat or harm, or manipulation.	DRRI-2 - N: Unwanted Sexual Activity
C142043	DRRI1N03	DRRI1-N: Went Through Divorce/Was Left	Deployment Risk & Resilience Inventory-2 - Since returning: I went through a divorce or have been left by a partner or significant other.	DRRI-2 - N: Went Through Divorce/Was Left
C142044	DRRI1N04	DRRI1-N: Problems Getting Healthcare	Deployment Risk & Resilience Inventory-2 - Since returning: I had problems getting access to adequate healthcare.	DRRI-2 - N: Problems Getting Healthcare
C142045	DRRI1N05	DRRI1-N: Experienced Natural Disaster	Deployment Risk & Resilience Inventory-2 - Since returning: I experienced a natural disaster (for example, a hurricane), a fire, or an accident in which I or someone close to me was hurt or had serious property damage.	DRRI-2 - N: Experienced Natural Disaster
C142046	DRRI1N06	DRRI1-N: Someone Close Serious Illness	Deployment Risk & Resilience Inventory-2 - Since returning: someone close to me has experienced a serious illness, injury, or mental health problem (for example, cancer, alcohol/drug problem).	DRRI-2 - N: Someone Close Serious Illness
C142047	DRRI1N07	DRRI1-N: Witnessed Someone Assaulted	Deployment Risk & Resilience Inventory-2 - Since returning: I have witnessed someone being seriously assaulted or killed.	DRRI-2 - N: Witnessed Someone Assaulted
C142048	DRRI1N08	DRRI1-N: Lost My Job/Trouble Finding Job	Deployment Risk & Resilience Inventory-2 - Since returning: I lost my job or had serious trouble finding a job.	DRRI-2 - N: Lost My Job/Trouble Finding Job
C142049	DRRI1N09	DRRI1-N: Emotionally Mistreated	Deployment Risk & Resilience Inventory-2 - Since returning: I have been emotionally mistreated (for example, ignored or repeatedly told I was no good).	DRRI-2 - N: Emotionally Mistreated
C142050	DRRI1N10	DRRI1-N: Serious Financial Problems	Deployment Risk & Resilience Inventory-2 - Since returning: I have experienced serious financial problems.	DRRI-2 - N: Serious Financial Problems
C142051	DRRI1N11	DRRI1-N: Serious Physical Health Problem	Deployment Risk & Resilience Inventory-2 - Since returning: I have experienced serious physical or mental health problems.	DRRI-2 - N: Serious Physical Health Problem
C142052	DRRI1N12	DRRI1-N: Stressful Legal Problems	Deployment Risk & Resilience Inventory-2 - Since returning: I have experienced stressful legal problems (for example, being sued, suing someone else, or being in a custody battle).	DRRI-2 - N: Stressful Legal Problems
C142053	DRRI1N13	DRRI1-N: Injured by Another Person	Deployment Risk & Resilience Inventory-2 - Since returning: I have been seriously physically injured by another person (for example, hit or beaten up).	DRRI-2 - N: Injured by Another Person
C142054	DRRI1N14	DRRI1-N: Someone Close to Me Has Died	Deployment Risk & Resilience Inventory-2 - Since returning: someone close to me has died.	DRRI-2 - N: Someone Close to Me Has Died

Deployment Risk & Resilience Inventory				
Deployment Risk & Resilience Inventory				
C142055	DRRI1O01	DRRI1-O: People Made Me Feel at Home	Deployment Risk & Resilience Inventory-2 - Since returning: the American people made me feel at home.	DRRI-2 - O: People Made Me Feel at Home
C142056	DRRI1O02	DRRI1-O: People Made Me Feel Proud	Deployment Risk & Resilience Inventory-2 - Since returning: people made me feel proud to have served my country in the Armed Forces.	DRRI-2 - O: People Made Me Feel Proud
C142057	DRRI1O03	DRRI1-O: Family Make Me Better When Down	Deployment Risk & Resilience Inventory-2 - Since returning: my family members and/or friends make me feel better when I am down.	DRRI-2 - O: Family Make Me Better When Down
C142058	DRRI1O04	DRRI1-O: Go to Family When Need Advice	Deployment Risk & Resilience Inventory-2 - Since returning: I can go to family members or friends when I need good advice.	DRRI-2 - O: Go to Family When Need Advice
C142059	DRRI1O05	DRRI1-O: Family/Friends Understand	Deployment Risk & Resilience Inventory-2 - Since returning: my family and friends understand what I have been through in the Armed Forces.	DRRI-2 - O: Family/Friends Understand
C142060	DRRI1O06	DRRI1-O: I Can Talk About My Deployment	Deployment Risk & Resilience Inventory-2 - Since returning: there are family and/or friends with whom I can talk about my deployment experiences.	DRRI-2 - O: I Can Talk About My Deployment
C142061	DRRI1O07	DRRI1-O: Family Would Lend Money	Deployment Risk & Resilience Inventory-2 - Since returning: my family members or friends would lend me money if I needed it.	DRRI-2 - O: Family Would Lend Money
C142062	DRRI1O08	DRRI1-O: Family Would Help Move	Deployment Risk & Resilience Inventory-2 - Since returning: my family members or friends would help me move my belongings if I needed help.	DRRI-2 - O: Family Would Help Move
C142063	DRRI1O09	DRRI1-O: Someone Would Help With Tasks	Deployment Risk & Resilience Inventory-2 - Since returning: if I were unable to attend to daily chores, there is someone who would help me with these tasks.	DRRI-2 - O: Someone Would Help With Tasks
C142064	DRRI1O10	DRRI1-O: When Ill Family Will Help Out	Deployment Risk & Resilience Inventory-2 - Since returning: when I am ill, family members or friends will help out until I am well.	DRRI-2 - O: When Ill Family Will Help Out
C142065	DRRI1P01	DRRI1-P: Input Sought Family Decisions	Deployment Risk & Resilience Inventory-2 - Since returning: my input is sought on important family decisions.	DRRI-2 - P: Input Sought Family Decisions
C142066	DRRI1P02	DRRI1-P: Feel Like I Fit in With Family	Deployment Risk & Resilience Inventory-2 - Since returning: I feel like I fit in with my family.	DRRI-2 - P: Feel Like I Fit in With Family
C142067	DRRI1P03	DRRI1-P: Family Know What I Think/Feel	Deployment Risk & Resilience Inventory-2 - Since returning: family members know what I think and how I feel about things.	DRRI-2 - P: Family Know What I Think/Feel
C142068	DRRI1P04	DRRI1-P: Contribution Family Appreciated	Deployment Risk & Resilience Inventory-2 - Since returning: I feel like my contributions to my family are appreciated.	DRRI-2 - P: Contribution Family Appreciated
C142069	DRRI1P05	DRRI1-P: Share Interests With Family	Deployment Risk & Resilience Inventory-2 - Since returning: I share many common interests and activities with family members.	DRRI-2 - P: Share Interests With Family
C142070	DRRI1P06	DRRI1-P: Opinions Valued by Family	Deployment Risk & Resilience Inventory-2 - Since returning: my opinions are valued by other family members.	DRRI-2 - P: Opinions Valued by Family
C142071	DRRI1P07	DRRI1-P: I am Affectionate With Family	Deployment Risk & Resilience Inventory-2 - Since returning: I am affectionate with family members.	DRRI-2 - P: I am Affectionate With Family
C142072	DRRI1P08	DRRI1-P: Play Important Role in Family	Deployment Risk & Resilience Inventory-2 - Since returning: I play an important role in my family.	DRRI-2 - P: Play Important Role in Family
C142073	DRRI1P09	DRRI1-P: Spend My Free Time With Family	Deployment Risk & Resilience Inventory-2 - Since returning: I spend as much of my free time with family members as possible.	DRRI-2 - P: Spend My Free Time With Family
C142074	DRRI1P10	DRRI1-P: Family Tell Me When Problem	Deployment Risk & Resilience Inventory-2 - Since returning: family members tell me when they are having a problem.	DRRI-2 - P: Family Tell Me When Problem
C142075	DRRI1P11	DRRI1-P: Can Be Myself Around Family	Deployment Risk & Resilience Inventory-2 - Since returning: I can be myself around family members.	DRRI-2 - P: Can Be Myself Around Family
C142076	DRRI1P12	DRRI1-P: I Get Along Well With My Family	Deployment Risk & Resilience Inventory-2 - Since returning: I get along well with my family members.	DRRI-2 - P: I Get Along Well With My Family

C141881	DRRI1-A: Dangerous Military Duties	DRRI1-A: Dangerous Military Duties	Deployment Risk & Resilience Inventory-2 - Before deployment: I participated in dangerous military duties.	DRRI-2 - A: Dangerous Military Duties
C141878	DRRI1-A: Emotionally Mistreated	DRRI1-A: Emotionally Mistreated	Deployment Risk & Resilience Inventory-2 - Before deployment: I was emotionally mistreated (for example, ignored or repeatedly told I was no good).	DRRI-2 - A: Emotionally Mistreated
C141874	DRRI1-A: Experienced Natural Disaster	DRRI1-A: Experienced Natural Disaster	Deployment Risk & Resilience Inventory-2 - Before deployment: I experienced a natural disaster (for example, a hurricane), a fire, or an accident in which I or someone close to me was hurt or had serious property damage.	DRRI-2 - A: Experienced Natural Disaster
C141883	DRRI1-A: Injured by Person - Adulthood	DRRI1-A: Injured by Person - Adulthood	Deployment Risk & Resilience Inventory-2 - Before deployment: I was seriously physically injured by another person (for example, hit or beaten up) during adulthood (age 18 or later).	DRRI-2 - A: Injured by Person - Adulthood
C141882	DRRI1-A: Injured by Person - Childhood	DRRI1-A: Injured by Person - Childhood	Deployment Risk & Resilience Inventory-2 - Before deployment: I was seriously physically injured by another person (for example, hit or beaten up) during childhood (before age 18).	DRRI-2 - A: Injured by Person - Childhood
C141877	DRRI1-A: Lost My Job/Trouble Finding Job	DRRI1-A: Lost My Job/Trouble Finding Job	Deployment Risk & Resilience Inventory-2 - Before deployment: I lost my job or had serious trouble finding a job.	DRRI-2 - A: Lost My Job/Trouble Finding Job
C141871	DRRI1-A: Physically Punished by Parent	DRRI1-A: Physically Punished by Parent	Deployment Risk & Resilience Inventory-2 - Before deployment: I was physically punished by a parent or primary caregiver.	DRRI-2 - A: Physically Punished by Parent
C141869	DRRI1-A: Robbed/Had My Home Broken Into	DRRI1-A: Robbed/Had My Home Broken Into	Deployment Risk & Resilience Inventory-2 - Before deployment: I was robbed or had my home broken into.	DRRI-2 - A: Robbed/Had My Home Broken Into
C141870	DRRI1-A: Saw/Heard Physical Fight Parent	DRRI1-A: Saw/Heard Physical Fight Parent	Deployment Risk & Resilience Inventory-2 - Before deployment: I saw or heard physical fighting between my parents or caregivers.	DRRI-2 - A: Saw/Heard Physical Fight Parent
C141879	DRRI1-A: Serious Financial Problems	DRRI1-A: Serious Financial Problems	Deployment Risk & Resilience Inventory-2 - Before deployment: I experienced serious financial problems.	DRRI-2 - A: Serious Financial Problems
C141880	DRRI1-A: Serious Physical Health Problem	DRRI1-A: Serious Physical Health Problem	Deployment Risk & Resilience Inventory-2 - Before deployment: I experienced serious physical or mental health problems.	DRRI-2 - A: Serious Physical Health Problem
C141875	DRRI1-A: Someone Close Serious Illness	DRRI1-A: Someone Close Serious Illness	Deployment Risk & Resilience Inventory-2 - Before deployment: someone close to me experienced a serious illness, injury, or mental health problem (for example, cancer, alcohol/drug problem).	DRRI-2 - A: Someone Close Serious Illness
C141867	DRRI1-A: Someone Close to Me Died	DRRI1-A: Someone Close to Me Died	Deployment Risk & Resilience Inventory-2 - Before deployment: someone close to me died.	DRRI-2 - A: Someone Close to Me Died
C141884	DRRI1-A: Stressful Legal Problems	DRRI1-A: Stressful Legal Problems	Deployment Risk & Resilience Inventory-2 - Before deployment: I experienced stressful legal problems (for example, being sued, suing someone else, or being in a custody battle).	DRRI-2 - A: Stressful Legal Problems
C141873	DRRI1-A: Unwanted Sex Activity Adulthood	DRRI1-A: Unwanted Sex Activity Adulthood	Deployment Risk & Resilience Inventory-2 - Before deployment: I experienced unwanted sexual activity as a result of force, threat of harm, or manipulation during adulthood (age 18 or later).	DRRI-2 - A: Unwanted Sex Activity Adulthood
C141872	DRRI1-A: Unwanted Sex Activity Childhood	DRRI1-A: Unwanted Sex Activity Childhood	Deployment Risk & Resilience Inventory-2 - Before deployment: I experienced unwanted sexual activity as a result of force, threat of harm, or manipulation during childhood (before age 18).	DRRI-2 - A: Unwanted Sex Activity Childhood
C141868	DRRI1-A: Went Through Divorce/Was Left	DRRI1-A: Went Through Divorce/Was Left	Deployment Risk & Resilience Inventory-2 - Before deployment: I went through a divorce or was left by a significant other.	DRRI-2 - A: Went Through Divorce/Was Left
C141876	DRRI1-A: Witnessed Someone Assaulted	DRRI1-A: Witnessed Someone Assaulted	Deployment Risk & Resilience Inventory-2 - Before deployment: I witnessed someone being seriously assaulted or killed.	DRRI-2 - A: Witnessed Someone Assaulted
C141888	DRRI1-B: Contribution Family Appreciated	DRRI1-B: Contribution Family Appreciated	Deployment Risk & Resilience Inventory-2 - During childhood: I felt like my contributions to my family were appreciated.	DRRI-2 - B: Contribution Family Appreciated
C141887	DRRI1-B: Family Knew What I Thought/Felt	DRRI1-B: Family Knew What I Thought/Felt	Deployment Risk & Resilience Inventory-2 - During childhood: family members knew what I thought and how I felt about things.	DRRI-2 - B: Family Knew What I Thought/Felt
C141894	DRRI1-B: Family Told Me When Problem	DRRI1-B: Family Told Me When Problem	Deployment Risk & Resilience Inventory-2 - During childhood: family members told me when they were having a problem.	DRRI-2 - B: Family Told Me When Problem
C141886	DRRI1-B: Felt Like I Fit in With Family	DRRI1-B: Felt Like I Fit in With Family	Deployment Risk & Resilience Inventory-2 - During childhood: I felt like I fit in with my family.	DRRI-2 - B: Felt Like I Fit in With Family
C141885	DRRI1-B: Got Along Well With My Family	DRRI1-B: Got Along Well With My Family	Deployment Risk & Resilience Inventory-2 - During childhood: I got along well with my family members.	DRRI-2 - B: Got Along Well With My Family
C141895	DRRI1-B: I Could Be Myself Around Family	DRRI1-B: I Could Be Myself Around Family	Deployment Risk & Resilience Inventory-2 - During childhood: I could be myself around family members.	DRRI-2 - B: I Could Be Myself Around Family

Deployment Risk & Resilience Inventory-2					
C141891	DRRI1-B: I Was Affectionate With Family	DRRI1-B: I Was Affectionate With Family	Deployment Risk & Resilience Inventory-2 - During childhood: I was affectionate with family members.	DRRI-2 - B: I Was Affectionate With Family	
C141896	DRRI1-B: Input Sought Family Decisions	DRRI1-B: Input Sought Family Decisions	Deployment Risk & Resilience Inventory-2 - During childhood: my input was sought on important family decisions.	DRRI-2 - B: Input Sought Family Decisions	
C141890	DRRI1-B: Opinions Were Valued by Family	DRRI1-B: Opinions Were Valued by Family	Deployment Risk & Resilience Inventory-2 - During childhood: my opinions were valued by other family members.	DRRI-2 - B: Opinions Were Valued by Family	
C141892	DRRI1-B: Played Important Role in Family	DRRI1-B: Played Important Role in Family	Deployment Risk & Resilience Inventory-2 - During childhood: I played an important role in my family.	DRRI-2 - B: Played Important Role in Family	
C141889	DRRI1-B: Shared Interests With Family	DRRI1-B: Shared Interests With Family	Deployment Risk & Resilience Inventory-2 - During childhood: I shared many common interests and activities with family members.	DRRI-2 - B: Shared Interests With Family	
C141893	DRRI1-B: Spent My Free Time With Family	DRRI1-B: Spent My Free Time With Family	Deployment Risk & Resilience Inventory-2 - During childhood: I spent as much of my free time with family members as possible.	DRRI-2 - B: Spent My Free Time With Family	
C141897	DRRI1-C: Climate Was Uncomfortable	DRRI1-C: Climate Was Uncomfortable	Deployment Risk & Resilience Inventory-2 - During deployment: the climate was uncomfortable.	DRRI-2 - C: Climate Was Uncomfortable	
C141900	DRRI1-C: Conditions Extremely Unsanitary	DRRI1-C: Conditions Extremely Unsanitary	Deployment Risk & Resilience Inventory-2 - During deployment: the conditions I lived in were extremely unsanitary.	DRRI-2 - C: Conditions Extremely Unsanitary	
C141898	DRRI1-C: Deal With Annoying Animals	DRRI1-C: Deal With Annoying Animals	Deployment Risk & Resilience Inventory-2 - During deployment: I had to deal with annoying animals, insects, or plants.	DRRI-2 - C: Deal With Annoying Animals	
C141901	DRRI1-C: Didn't Have Bathrooms	DRRI1-C: Didn't Have Bathrooms	Deployment Risk & Resilience Inventory-2 - During deployment: I didn't have access to bathrooms or showers when I needed them.	DRRI-2 - C: Didn't Have Bathrooms	
C141899	DRRI1-C: Food Was of Very Poor Quality	DRRI1-C: Food Was of Very Poor Quality	Deployment Risk & Resilience Inventory-2 - During deployment: the food I had to eat was of very poor quality (for example, bad or old MREs).	DRRI-2 - C: Food Was of Very Poor Quality	
C141908	DRRI1-C: Hassle With Heavy/Annoying Gear	DRRI1-C: Hassle With Heavy/Annoying Gear	Deployment Risk & Resilience Inventory-2 - During deployment: I had to hassle with putting on and taking off heavy or annoying gear.	DRRI-2 - C: Hassle With Heavy/Annoying Gear	
C141903	DRRI1-C: I Was Exposed to Awful Smells	DRRI1-C: I Was Exposed to Awful Smells	Deployment Risk & Resilience Inventory-2 - During deployment: I was exposed to awful smells.	DRRI-2 - C: I Was Exposed to Awful Smells	
C141904	DRRI1-C: I Was Subjected to Loud Noises	DRRI1-C: I Was Subjected to Loud Noises	Deployment Risk & Resilience Inventory-2 - During deployment: I was subjected to loud noises.	DRRI-2 - C: I Was Subjected to Loud Noises	
C141909	DRRI1-C: Not Allowed to Get Job Done	DRRI1-C: Not Allowed to Get Job Done	Deployment Risk & Resilience Inventory-2 - During deployment: I was not allowed to do the things I needed to do to get my job done.	DRRI-2 - C: Not Allowed to Get Job Done	
C141910	DRRI1-C: Not Have Adequate Shelter	DRRI1-C: Not Have Adequate Shelter	Deployment Risk & Resilience Inventory-2 - During deployment: I did not have adequate shelter from uncomfortable living conditions (for example, heat, cold, wet, etc.).	DRRI-2 - C: Not Have Adequate Shelter	
C141905	DRRI1-C: Restricted Because Local Custom	DRRI1-C: Restricted Because Local Custom	Deployment Risk & Resilience Inventory-2 - During deployment: my daily activities were restricted because of local religious or ethnic customs.	DRRI-2 - C: Restricted Because Local Custom	
C141907	DRRI1-C: Wasn't Able to Contact Home	DRRI1-C: Wasn't Able to Contact Home	Deployment Risk & Resilience Inventory-2 - During deployment: I wasn't able to contact home when I needed to.	DRRI-2 - C: Wasn't Able to Contact Home	
C141902	DRRI1-C: Wasn't Able to Get Privacy	DRRI1-C: Wasn't Able to Get Privacy	Deployment Risk & Resilience Inventory-2 - During deployment: I wasn't able to get as much privacy as I needed.	DRRI-2 - C: Wasn't Able to Get Privacy	
C141906	DRRI1-C: Wasn't Able to Rest	DRRI1-C: Wasn't Able to Rest	Deployment Risk & Resilience Inventory-2 - During deployment: I wasn't able to get rest when I needed it.	DRRI-2 - C: Wasn't Able to Rest	
C141912	DRRI1-D: Assault on Entrenched Positions	DRRI1-D: Assault on Entrenched Positions	Deployment Risk & Resilience Inventory-2 - During deployment: I took part in an assault on entrenched or fortified positions that involved naval and/or land forces.	DRRI-2 - D: Assault on Entrenched Positions	
C141914	DRRI1-D: Encountered Land Mines	DRRI1-D: Encountered Land Mines	Deployment Risk & Resilience Inventory-2 - During deployment: I encountered land or water mines, booby traps, or roadside bombs (for example, IEDs).	DRRI-2 - D: Encountered Land Mines	
C141915	DRRI1-D: Exposed Hostile Incoming Fire	DRRI1-D: Exposed Hostile Incoming Fire	Deployment Risk & Resilience Inventory-2 - During deployment: I was exposed to hostile incoming fire.	DRRI-2 - D: Exposed Hostile Incoming Fire	
C141916	DRRI1-D: Exposed to Friendly Fire	DRRI1-D: Exposed to Friendly Fire	Deployment Risk & Resilience Inventory-2 - During deployment: I was exposed to "friendly" fire.	DRRI-2 - D: Exposed to Friendly Fire	
C141922	DRRI1-D: Fired My Weapon Enemy Combatant	DRRI1-D: Fired My Weapon Enemy Combatant	Deployment Risk & Resilience Inventory-2 - During deployment: I fired my weapon at enemy combatants.	DRRI-2 - D: Fired My Weapon Enemy Combatant	
C141921	DRRI1-D: Injured Combat-Related Incident	DRRI1-D: Injured Combat-Related Incident	Deployment Risk & Resilience Inventory-2 - During deployment: I was injured in a combat-related incident.	DRRI-2 - D: Injured Combat-Related Incident	

Deployment Risk & Resilience Inventory-2					
C141924	DRRI1-D: Locating Explosive Devices	DRRI1-D: Locating Explosive Devices	Deployment Risk & Resilience Inventory-2 - During deployment: I was involved in locating or disarming explosive devices.	DRRI-2 - D: Locating Explosive Devices	
C141918	DRRI1-D: Part of Unit Fired on Enemy	DRRI1-D: Part of Unit Fired on Enemy	Deployment Risk & Resilience Inventory-2 - During deployment: I was part of a land or naval artillery unit that fired on enemy combatants.	DRRI-2 - D: Part of Unit Fired on Enemy	
C141926	DRRI1-D: Participate Hand-to-hand Combat	DRRI1-D: Participate Hand-to-hand Combat	Deployment Risk & Resilience Inventory-2 - During deployment: I participated in hand-to-hand combat.	DRRI-2 - D: Participate Hand-to-hand Combat	
C141927	DRRI1-D: Search/Disarm Potential Enemy	DRRI1-D: Search/Disarm Potential Enemy	Deployment Risk & Resilience Inventory-2 - During deployment: I was involved in searching and/or disarming potential enemy combatants.	DRRI-2 - D: Search/Disarm Potential Enemy	
C141925	DRRI1-D: Searching Homes/Buildings	DRRI1-D: Searching Homes/Buildings	Deployment Risk & Resilience Inventory-2 - During deployment: I was involved in searching or clearing homes, buildings, or other locations.	DRRI-2 - D: Searching Homes/Buildings	
C141923	DRRI1-D: Think I Wounded/Killed Someone	DRRI1-D: Think I Wounded/Killed Someone	Deployment Risk & Resilience Inventory-2 - During deployment: I think I wounded or killed someone during combat operations.	DRRI-2 - D: Think I Wounded/Killed Someone	
C141917	DRRI1-D: Vehicle/Part of Convoy Attacked	DRRI1-D: Vehicle/Part of Convoy Attacked	Deployment Risk & Resilience Inventory-2 - During deployment: I was in a vehicle (for example, a "humvee", helicopter, or boat) or part of a convoy that was attacked.	DRRI-2 - D: Vehicle/Part of Convoy Attacked	
C141911	DRRI1-D: Went on Combat Patrols/Missions	DRRI1-D: Went on Combat Patrols/Missions	Deployment Risk & Resilience Inventory-2 - During deployment: I went on combat patrols or missions.	DRRI-2 - D: Went on Combat Patrols/Missions	
C141920	DRRI1-D: Witnessed Civilians Wounded	DRRI1-D: Witnessed Civilians Wounded	Deployment Risk & Resilience Inventory-2 - During deployment: I personally witnessed civilians (for example, women and children) being seriously wounded or killed.	DRRI-2 - D: Witnessed Civilians Wounded	
C141919	DRRI1-D: Witnessed Enemy Wounded/Killed	DRRI1-D: Witnessed Enemy Wounded/Killed	Deployment Risk & Resilience Inventory-2 - During deployment: I personally witnessed enemy combatants being seriously wounded or killed.	DRRI-2 - D: Witnessed Enemy Wounded/Killed	
C141913	DRRI1-D: Witnessed Someone Unit Wounded	DRRI1-D: Witnessed Someone Unit Wounded	Deployment Risk & Resilience Inventory-2 - During deployment: I personally witnessed someone from my unit or an ally unit being seriously wounded or killed.	DRRI-2 - D: Witnessed Someone Unit Wounded	
C141938	DRRI1-E: Interacted With Detainees	DRRI1-E: Interacted With Detainees	Deployment Risk & Resilience Inventory-2 - During deployment: I interacted with detainees or prisoners of war.	DRRI-2 - E: Interacted With Detainees	
C141940	DRRI1-E: Involved Handling Human Remains	DRRI1-E: Involved Handling Human Remains	Deployment Risk & Resilience Inventory-2 - During deployment: I was involved in handling human remains.	DRRI-2 - E: Involved Handling Human Remains	
C141930	DRRI1-E: Observed Homes Been Destroyed	DRRI1-E: Observed Homes Been Destroyed	Deployment Risk & Resilience Inventory-2 - During deployment: I observed homes or communities that had been destroyed.	DRRI-2 - E: Observed Homes Been Destroyed	
C141934	DRRI1-E: Saw Americans Had Been Wounded	DRRI1-E: Saw Americans Had Been Wounded	Deployment Risk & Resilience Inventory-2 - During deployment: I saw Americans or allies after they had been severely wounded or disfigured.	DRRI-2 - E: Saw Americans Had Been Wounded	
C141936	DRRI1-E: Saw Bodies of Dead Americans	DRRI1-E: Saw Bodies of Dead Americans	Deployment Risk & Resilience Inventory-2 - During deployment: I saw the bodies of dead Americans or allies.	DRRI-2 - E: Saw Bodies of Dead Americans	
C141937	DRRI1-E: Saw Bodies of Dead Civilians	DRRI1-E: Saw Bodies of Dead Civilians	Deployment Risk & Resilience Inventory-2 - During deployment: I saw the bodies of dead civilians.	DRRI-2 - E: Saw Bodies of Dead Civilians	
C141935	DRRI1-E: Saw Bodies of Dead Enemy	DRRI1-E: Saw Bodies of Dead Enemy	Deployment Risk & Resilience Inventory-2 - During deployment: I saw the bodies of dead enemy combatants.	DRRI-2 - E: Saw Bodies of Dead Enemy	
C141932	DRRI1-E: Saw Civilians After Wounded	DRRI1-E: Saw Civilians After Wounded	Deployment Risk & Resilience Inventory-2 - During deployment: I saw civilians after they had been severely wounded or disfigured.	DRRI-2 - E: Saw Civilians After Wounded	
C141933	DRRI1-E: Saw Combatants Had Been Wounded	DRRI1-E: Saw Combatants Had Been Wounded	Deployment Risk & Resilience Inventory-2 - During deployment: I saw enemy combatants after they had been severely wounded or disfigured.	DRRI-2 - E: Saw Combatants Had Been Wounded	
C141928	DRRI1-E: Saw People Begging for Food	DRRI1-E: Saw People Begging for Food	Deployment Risk & Resilience Inventory-2 - During deployment: I saw people begging for food.	DRRI-2 - E: Saw People Begging for Food	
C141929	DRRI1-E: Saw Refugees Who Had Lost Homes	DRRI1-E: Saw Refugees Who Had Lost Homes	Deployment Risk & Resilience Inventory-2 - During deployment: I saw refugees who had lost their homes or belongings.	DRRI-2 - E: Saw Refugees Who Had Lost Homes	
C141939	DRRI1-E: Sight/Sound/Smell Dead Animals	DRRI1-E: Sight/Sound/Smell Dead Animals	Deployment Risk & Resilience Inventory-2 - During deployment: I was exposed to the sight, sound, or smell of dead or dying animals.	DRRI-2 - E: Sight/Sound/Smell Dead Animals	
C141931	DRRI1-E: Took Care Injured/Dying People	DRRI1-E: Took Care Injured/Dying People	Deployment Risk & Resilience Inventory-2 - During deployment: I took care of injured or dying people.	DRRI-2 - E: Took Care Injured/Dying People	
C141945	DRRI1-F: Exposed Government-issued DEET	DRRI1-F: Exposed Government-issued DEET	Deployment Risk & Resilience Inventory-2 - Either in preparation for or during my deployment: I was exposed to government-issued DEET-containing insect repellents.	DRRI-2 - F: Exposed Government-issued DEET	

Deployment Risk & Resilience Inventory-2				
C141951	DRRI1-F: Exposed to Burning Trash/Feces	DRRI1-F: Exposed to Burning Trash/Feces	Deployment Risk & Resilience Inventory-2 - Either in preparation for or during my deployment: I was exposed to burning trash or burning feces.	DRRI-2 - F: Exposed to Burning Trash/Feces
C141952	DRRI1-F: Exposed to Chlorine Gas	DRRI1-F: Exposed to Chlorine Gas	Deployment Risk & Resilience Inventory-2 - Either in preparation for or during my deployment: I was exposed to chlorine gas.	DRRI-2 - F: Exposed to Chlorine Gas
C141950	DRRI1-F: Exposed to Depleted Uranium	DRRI1-F: Exposed to Depleted Uranium	Deployment Risk & Resilience Inventory-2 - Either in preparation for or during my deployment: I was exposed to depleted uranium in munitions.	DRRI-2 - F: Exposed to Depleted Uranium
C141948	DRRI1-F: Exposed to Diesel/Fuel on Skin	DRRI1-F: Exposed to Diesel/Fuel on Skin	Deployment Risk & Resilience Inventory-2 - Either in preparation for or during my deployment: I was exposed to diesel or other petrochemical fuel on my skin.	DRRI-2 - F: Exposed to Diesel/Fuel on Skin
C141949	DRRI1-F: Exposed to Fumes From Heaters	DRRI1-F: Exposed to Fumes From Heaters	Deployment Risk & Resilience Inventory-2 - Either in preparation for or during my deployment: I was exposed to fumes or exhaust from heaters or generators, including heaters in tents.	DRRI-2 - F: Exposed to Fumes From Heaters
C141944	DRRI1-F: Exposed to Mustard Gas	DRRI1-F: Exposed to Mustard Gas	Deployment Risk & Resilience Inventory-2 - Either in preparation for or during my deployment: I was exposed to mustard gas or other blistering agents.	DRRI-2 - F: Exposed to Mustard Gas
C141943	DRRI1-F: Exposed to Nerve Gas Agents	DRRI1-F: Exposed to Nerve Gas Agents	Deployment Risk & Resilience Inventory-2 - Either in preparation for or during my deployment: I was exposed to nerve gas agents (for example, sarin).	DRRI-2 - F: Exposed to Nerve Gas Agents
C141953	DRRI1-F: Exposed to Nuclear Weapons	DRRI1-F: Exposed to Nuclear Weapons	Deployment Risk & Resilience Inventory-2 - Either in preparation for or during my deployment: I was exposed to nuclear, biological, or chemical weapons.	DRRI-2 - F: Exposed to Nuclear Weapons
C141946	DRRI1-F: Exposed to Other Pesticides	DRRI1-F: Exposed to Other Pesticides	Deployment Risk & Resilience Inventory-2 - Either in preparation for or during my deployment: I was exposed to other pesticides (for example, in flea collars, uniforms, or the environment).	DRRI-2 - F: Exposed to Other Pesticides
C141947	DRRI1-F: Exposed to Smoke/Air Pollution	DRRI1-F: Exposed to Smoke/Air Pollution	Deployment Risk & Resilience Inventory-2 - Either in preparation for or during my deployment: I was exposed to smoke or other air pollution.	DRRI-2 - F: Exposed to Smoke/Air Pollution
C141942	DRRI1-F: Received Vaccinations	DRRI1-F: Received Vaccinations	Deployment Risk & Resilience Inventory-2 - Either in preparation for or during my deployment: I received preventative vaccinations by injection (for example, to prevent anthrax or botulism).	DRRI-2 - F: Received Vaccinations
C141941	DRRI1-F: Took Preventative Pills	DRRI1-F: Took Preventative Pills	Deployment Risk & Resilience Inventory-2 - Either in preparation for or during my deployment: I took preventative pills (for example, to protect against nerve gas).	DRRI-2 - F: Took Preventative Pills
C141960	DRRI1-G: Concerned Rocket/Mortar Would Hit	DRRI1-G: Concerned Rocket/Mortar Would Hit	Deployment Risk & Resilience Inventory-2 - During deployment: I was concerned that a rocket or mortar would hit our living quarters.	DRRI-2 - G: Concerned Rocket/Mortar Would Hit
C141961	DRRI1-G: Concerned Depleted Uranium	DRRI1-G: Concerned Depleted Uranium	Deployment Risk & Resilience Inventory-2 - During deployment: I was concerned that I might be exposed to depleted uranium in munitions.	DRRI-2 - G: Concerned Depleted Uranium
C141958	DRRI1-G: Concerned Encounter Explosive	DRRI1-G: Concerned Encounter Explosive	Deployment Risk & Resilience Inventory-2 - During deployment: I was concerned that I would encounter an explosive device (for example, a roadside bomb, mine, or booby trap).	DRRI-2 - G: Concerned Encounter Explosive
C141954	DRRI1-G: Concerned Infectious Disease	DRRI1-G: Concerned Infectious Disease	Deployment Risk & Resilience Inventory-2 - During deployment: I was concerned about getting an infectious disease.	DRRI-2 - G: Concerned Infectious Disease
C141964	DRRI1-G: Concerned Locals Against Us	DRRI1-G: Concerned Locals Against Us	Deployment Risk & Resilience Inventory-2 - During deployment: I was concerned that the locals who were supposed to be helping us were actually working against us.	DRRI-2 - G: Concerned Locals Against Us
C141957	DRRI1-G: Concerned Medicine Make Me Sick	DRRI1-G: Concerned Medicine Make Me Sick	Deployment Risk & Resilience Inventory-2 - During deployment: I was concerned that the medicine I was given to protect me from illness would make me sick.	DRRI-2 - G: Concerned Medicine Make Me Sick
C141963	DRRI1-G: Concerned Taken Hostage	DRRI1-G: Concerned Taken Hostage	Deployment Risk & Resilience Inventory-2 - During deployment: I was concerned that I might be taken hostage.	DRRI-2 - G: Concerned Taken Hostage
C141965	DRRI1-G: Concerned Trapped in Crossfire	DRRI1-G: Concerned Trapped in Crossfire	Deployment Risk & Resilience Inventory-2 - During deployment: I was concerned about being trapped in the crossfire of rival factions.	DRRI-2 - G: Concerned Trapped in Crossfire
C141959	DRRI1-G: Feared Sick From Pesticides	DRRI1-G: Feared Sick From Pesticides	Deployment Risk & Resilience Inventory-2 - During deployment: I feared that I would become sick from pesticides (for example, bug spray) or other routinely used chemicals.	DRRI-2 - G: Feared Sick From Pesticides
C141956	DRRI1-G: Felt in Danger of Being Wounded	DRRI1-G: Felt in Danger of Being Wounded	Deployment Risk & Resilience Inventory-2 - During deployment: I felt I was in great danger of being wounded (for example, losing a limb).	DRRI-2 - G: Felt in Danger of Being Wounded

Deployment Risk & Resilience Inventory-2				
C141955	DRRI1-G: Health Might Suffer NBC Agents	DRRI1-G: Health Might Suffer NBC Agents	Deployment Risk & Resilience Inventory-2 - During deployment: I was concerned that my health might suffer due to exposure to nuclear, biological, or chemical (NBC) agents.	DRRI-2 - G: Health Might Suffer NBC Agents
C141962	DRRI1-G: Thought I Would Never Survive	DRRI1-G: Thought I Would Never Survive	Deployment Risk & Resilience Inventory-2 - During deployment: I thought I would never survive.	DRRI-2 - G: Thought I Would Never Survive
C141969	DRRI1-H: Accurately Informed About Role	DRRI1-H: Accurately Informed About Role	Deployment Risk & Resilience Inventory-2 - In preparation for deployment: I was accurately informed about the role my unit was expected to play in the deployment.	DRRI-2 - H: Accurately Informed About Role
C141967	DRRI1-H: Confident Ability Use Equipment	DRRI1-H: Confident Ability Use Equipment	Deployment Risk & Resilience Inventory-2 - In preparation for deployment: the training I received made me feel confident in my ability to use my equipment.	DRRI-2 - H: Confident Ability Use Equipment
C141974	DRRI1-H: Confident to Perform Tasks	DRRI1-H: Confident to Perform Tasks	Deployment Risk & Resilience Inventory-2 - In preparation for deployment: the training I received made me feel confident in my ability to perform tasks assigned to me during deployment.	DRRI-2 - H: Confident to Perform Tasks
C141966	DRRI1-H: Had All Supplies Needed	DRRI1-H: Had All Supplies Needed	Deployment Risk & Resilience Inventory-2 - In preparation for deployment: I had all the supplies and equipment needed to get my job done.	DRRI-2 - H: Had All Supplies Needed
C141970	DRRI1-H: Had Enough Gear in Case Attack	DRRI1-H: Had Enough Gear in Case Attack	Deployment Risk & Resilience Inventory-2 - In preparation for deployment: I had enough gear to protect myself in case of an attack.	DRRI-2 - H: Had Enough Gear in Case Attack
C141972	DRRI1-H: Military Duties What I Expected	DRRI1-H: Military Duties What I Expected	Deployment Risk & Resilience Inventory-2 - In preparation for deployment: my military duties and assignments were what I expected.	DRRI-2 - H: Military Duties What I Expected
C141968	DRRI1-H: Prepared to Deal With Climate	DRRI1-H: Prepared to Deal With Climate	Deployment Risk & Resilience Inventory-2 - In preparation for deployment: the training I received prepared me to deal with the region's climate.	DRRI-2 - H: Prepared to Deal With Climate
C141973	DRRI1-H: Prepared to Operate as Team	DRRI1-H: Prepared to Operate as Team	Deployment Risk & Resilience Inventory-2 - In preparation for deployment: my unit was well-prepared to operate as a team during deployment.	DRRI-2 - H: Prepared to Operate as Team
C141975	DRRI1-H: Taught Me Everything I Needed	DRRI1-H: Taught Me Everything I Needed	Deployment Risk & Resilience Inventory-2 - In preparation for deployment: the training I received taught me everything I needed to know for deployment.	DRRI-2 - H: Taught Me Everything I Needed
C141971	DRRI1-H: Training for Deployment	DRRI1-H: Training for Deployment	Deployment Risk & Resilience Inventory-2 - In preparation for deployment: I received appropriate training for the nature of the deployment I experienced.	DRRI-2 - H: Training for Deployment
C141978	DRRI1-I: Could Count on Family Advice	DRRI1-I: Could Count on Family Advice	Deployment Risk & Resilience Inventory-2 - During deployment: I could count on my family members or friends at home for good advice.	DRRI-2 - I: Could Count on Family Advice
C141976	DRRI1-I: Family Sincerely Interested	DRRI1-I: Family Sincerely Interested	Deployment Risk & Resilience Inventory-2 - During deployment: family members and/or friends at home were sincerely interested in hearing what was going on with me.	DRRI-2 - I: Family Sincerely Interested
C141977	DRRI1-I: Had Family I Could Talk To	DRRI1-I: Had Family I Could Talk To	Deployment Risk & Resilience Inventory-2 - During deployment: I had family members or friends at home I could talk to when I had a problem.	DRRI-2 - I: Had Family I Could Talk To
C141981	DRRI1-I: Happy Communication From Home	DRRI1-I: Happy Communication From Home	Deployment Risk & Resilience Inventory-2 - During deployment: I was happy with the amount of communication I received from people at home.	DRRI-2 - I: Happy Communication From Home
C141982	DRRI1-I: Happy With Support From Home	DRRI1-I: Happy With Support From Home	Deployment Risk & Resilience Inventory-2 - During deployment: I was happy with the amount of support I received from people at home.	DRRI-2 - I: Happy With Support From Home
C141983	DRRI1-I: People at Home Show They Cared	DRRI1-I: People at Home Show They Cared	Deployment Risk & Resilience Inventory-2 - During deployment: people at home did things to show they cared about me.	DRRI-2 - I: People at Home Show They Cared
C141979	DRRI1-I: Relatives Look Out for Family	DRRI1-I: Relatives Look Out for Family	Deployment Risk & Resilience Inventory-2 - During deployment: relatives or friends at home could be counted on to look out for the well-being of my family or other dependents (including pets).	DRRI-2 - I: Relatives Look Out for Family
C141980	DRRI1-I: Relatives Take Care of Finances	DRRI1-I: Relatives Take Care of Finances	Deployment Risk & Resilience Inventory-2 - During deployment: relatives or friends at home could be counted on to take care of my finances, property, or belongings if needed.	DRRI-2 - I: Relatives Take Care of Finances
C141993	DRRI1-J: Could Go to Leaders If Problem	DRRI1-J: Could Go to Leaders If Problem	Deployment Risk & Resilience Inventory-2 - During deployment: I could go to unit leaders for help if I had a problem or concern.	DRRI-2 - J: Could Go to Leaders If Problem
C141986	DRRI1-J: Fellow Unit Appreciated Efforts	DRRI1-J: Fellow Unit Appreciated Efforts	Deployment Risk & Resilience Inventory-2 - During deployment: my fellow unit members appreciated my efforts.	DRRI-2 - J: Fellow Unit Appreciated Efforts

Deployment Risk & Resilience Inventory-2					
Deployment Risk & Resilience Inventory-2					
C141991	DRRI1-J: Felt Like My Efforts Counted	DRRI1-J: Felt Like My Efforts Counted	Deployment Risk & Resilience Inventory-2 - During deployment: I felt like my efforts really counted to the leaders in my unit.	DRRI-2 - J: Felt Like My Efforts Counted	
C141995	DRRI1-J: Felt Valued by Leaders of Unit	DRRI1-J: Felt Valued by Leaders of Unit	Deployment Risk & Resilience Inventory-2 - During deployment: I felt valued by the leaders of my unit.	DRRI-2 - J: Felt Valued by Leaders of Unit	
C141987	DRRI1-J: Felt Valued Fellow Unit Members	DRRI1-J: Felt Valued Fellow Unit Members	Deployment Risk & Resilience Inventory-2 - During deployment: I felt valued by my fellow unit members.	DRRI-2 - J: Felt Valued Fellow Unit Members	
C141990	DRRI1-J: Leader Interested What Thought	DRRI1-J: Leader Interested What Thought	Deployment Risk & Resilience Inventory-2 - During deployment: my unit leader(s) were interested in what I thought and how I felt about things.	DRRI-2 - J: Leader Interested What Thought	
C141994	DRRI1-J: Leaders Interested in Welfare	DRRI1-J: Leaders Interested in Welfare	Deployment Risk & Resilience Inventory-2 - During deployment: the leaders of my unit were interested in my personal welfare.	DRRI-2 - J: Leaders Interested in Welfare	
C141984	DRRI1-J: My Unit Was Like Family to Me	DRRI1-J: My Unit Was Like Family to Me	Deployment Risk & Resilience Inventory-2 - During deployment: my unit was like family to me.	DRRI-2 - J: My Unit Was Like Family to Me	
C141985	DRRI1-J: People in Unit Were Trustworthy	DRRI1-J: People in Unit Were Trustworthy	Deployment Risk & Resilience Inventory-2 - During deployment: people in my unit were trustworthy.	DRRI-2 - J: People in Unit Were Trustworthy	
C141992	DRRI1-J: Service Appreciated by Leaders	DRRI1-J: Service Appreciated by Leaders	Deployment Risk & Resilience Inventory-2 - During deployment: my service was appreciated by the leaders in my unit.	DRRI-2 - J: Service Appreciated by Leaders	
C141988	DRRI1-J: Unit Interested My Well-being	DRRI1-J: Unit Interested My Well-being	Deployment Risk & Resilience Inventory-2 - During deployment: members of my unit were interested in my well-being.	DRRI-2 - J: Unit Interested My Well-being	
C141989	DRRI1-J: Unit Interested What I Thought	DRRI1-J: Unit Interested What I Thought	Deployment Risk & Resilience Inventory-2 - During deployment: my fellow unit members were interested in what I thought and how I felt about things.	DRRI-2 - J: Unit Interested What I Thought	
C142007	DRRI1-K: Authority Pressure Unwanted Sex	DRRI1-K: Authority Pressure Unwanted Sex	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: used a position of authority to pressure me into unwanted sexual activity.	DRRI-2 - K: Authority Pressure Unwanted Sex	
C141998	DRRI1-K: Had to Work Harder Prove Myself	DRRI1-K: Had to Work Harder Prove Myself	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: treated me as if I had to work harder than others to prove myself.	DRRI-2 - K: Had to Work Harder Prove Myself	
C142004	DRRI1-K: Made Crude Sexual Remarks at Me	DRRI1-K: Made Crude Sexual Remarks at Me	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: made crude and offensive sexual remarks directed at me, either publicly or privately.	DRRI-2 - K: Made Crude Sexual Remarks at Me	
C142001	DRRI1-K: Make My Job More Difficult	DRRI1-K: Make My Job More Difficult	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: tried to make my job more difficult to do.	DRRI-2 - K: Make My Job More Difficult	
C142000	DRRI1-K: My Mistakes Worse Than Others	DRRI1-K: My Mistakes Worse Than Others	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: acted as though my mistakes were worse than others'.	DRRI-2 - K: My Mistakes Worse Than Others	
C142008	DRRI1-K: Offered Reward Take Part in Sex	DRRI1-K: Offered Reward Take Part in Sex	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: offered me a specific reward or special treatment to take part in sexual behavior.	DRRI-2 - K: Offered Reward Take Part in Sex	
C142011	DRRI1-K: Physically Forced to Have Sex	DRRI1-K: Physically Forced to Have Sex	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: physically forced me to have sex.	DRRI-2 - K: Physically Forced to Have Sex	
C142002	DRRI1-K: Put Me Down	DRRI1-K: Put Me Down	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: "put me down" or treated me in a condescending way.	DRRI-2 - K: Put Me Down	
C141999	DRRI1-K: Questioned My Abilities Perform	DRRI1-K: Questioned My Abilities Perform	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: questioned my abilities or commitment to perform my job effectively.	DRRI-2 - K: Questioned My Abilities Perform	
C142005	DRRI1-K: Spread Rumors Sexual Activities	DRRI1-K: Spread Rumors Sexual Activities	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: spread negative rumors about my sexual activities.	DRRI-2 - K: Spread Rumors Sexual Activities	
C142009	DRRI1-K: Threatened Me If Not Sex	DRRI1-K: Threatened Me If Not Sex	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: threatened me with some sort of retaliation if I was not sexually cooperative (for example, the threat of negative review or physical violence).	DRRI-2 - K: Threatened Me If Not Sex	
C142003	DRRI1-K: Threatened My Physical Safety	DRRI1-K: Threatened My Physical Safety	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: threatened my physical safety.	DRRI-2 - K: Threatened My Physical Safety	
C142010	DRRI1-K: Touched Sexual Way Against Will	DRRI1-K: Touched Sexual Way Against Will	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: touched me in a sexual way against my will.	DRRI-2 - K: Touched Sexual Way Against Will	
C141996	DRRI1-K: Treated in Overly Critical Way	DRRI1-K: Treated in Overly Critical Way	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: treated me in an overly critical way.	DRRI-2 - K: Treated in Overly Critical Way	

Deployment Risk & Resilience Inventory-2				
C142006	DRRI1-K: Tried to Talk into Sexual Acts	DRRI1-K: Tried to Talk into Sexual Acts	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: tried to talk me into participating in sexual acts when I didn't want to.	DRRI-2 - K: Tried to Talk into Sexual Acts
C141997	DRRI1-K: Uncooperative Working With Me	DRRI1-K: Uncooperative Working With Me	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: behaved in way that was uncooperative when working with me.	DRRI-2 - K: Uncooperative Working With Me
C142021	DRRI1-L: Being Cheated on by My Spouse	DRRI1-L: Being Cheated on by My Spouse	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: being cheated on by my spouse or significant other.	DRRI-2 - L: Being Cheated on by My Spouse
C142020	DRRI1-L: Care Child/Dependents Receiving	DRRI1-L: Care Child/Dependents Receiving	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: the care that my child(ren) or other dependents were receiving.	DRRI-2 - L: Care Child/Dependents Receiving
C142019	DRRI1-L: Damaging Career Because Deploy	DRRI1-L: Damaging Career Because Deploy	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: damaging my career because of the deployment.	DRRI-2 - L: Damaging Career Because Deploy
C142012	DRRI1-L: Effect Deployment Relationship	DRRI1-L: Effect Deployment Relationship	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: the effect of the deployment on my relationship with my spouse or significant other.	DRRI-2 - L: Effect Deployment Relationship
C142025	DRRI1-L: Effect Relationship My Children	DRRI1-L: Effect Relationship My Children	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: the effect of the deployment on my relationship with my child(ren).	DRRI-2 - L: Effect Relationship My Children
C142022	DRRI1-L: Family Ability Cope With Stress	DRRI1-L: Family Ability Cope With Stress	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: my family's ability to cope with the stress of the deployment.	DRRI-2 - L: Family Ability Cope With Stress
C142018	DRRI1-L: Inability Manage Family Affairs	DRRI1-L: Inability Manage Family Affairs	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: my inability to directly manage or control family affairs.	DRRI-2 - L: Inability Manage Family Affairs
C142024	DRRI1-L: Losing My Civilian Job	DRRI1-L: Losing My Civilian Job	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: losing my civilian job because of the deployment.	DRRI-2 - L: Losing My Civilian Job
C142014	DRRI1-L: Missing Family Events at Home	DRRI1-L: Missing Family Events at Home	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: missing important family events at home such as birthdays, weddings, funerals, graduations, etc.	DRRI-2 - L: Missing Family Events at Home
C142013	DRRI1-L: Missing Out on Children Growth	DRRI1-L: Missing Out on Children Growth	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: missing out on my children's growth and development.	DRRI-2 - L: Missing Out on Children Growth
C142026	DRRI1-L: My Family Financial Situation	DRRI1-L: My Family Financial Situation	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: my family's financial situation.	DRRI-2 - L: My Family Financial Situation
C142016	DRRI1-L: Safety and Well-being of Child	DRRI1-L: Safety and Well-being of Child	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: the safety and well-being of my child(ren).	DRRI-2 - L: Safety and Well-being of Child
C142015	DRRI1-L: Safety and Well-being of Spouse	DRRI1-L: Safety and Well-being of Spouse	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: the safety and well-being of my spouse or significant other.	DRRI-2 - L: Safety and Well-being of Spouse
C142023	DRRI1-L: Spouse Ability Manage Household	DRRI1-L: Spouse Ability Manage Household	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: my spouse or significant other's ability to manage the household (for example, chores, bills, home repairs, etc.).	DRRI-2 - L: Spouse Ability Manage Household
C142017	DRRI1-L: Unable to Help Family If Crisis	DRRI1-L: Unable to Help Family If Crisis	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: being unable to help my family if there was some kind of crisis or emergency.	DRRI-2 - L: Unable to Help Family If Crisis
C142039	DRRI1-M: Fam Dangerous Military Duties	DRRI1-M: Fam Dangerous Military Duties	Deployment Risk & Resilience Inventory-2 - During deployment: a family member or other loved one participated in dangerous military duties.	DRRI-2 - M: Fam Dangerous Military Duties
C142040	DRRI1-M: Family Got Into Trouble	DRRI1-M: Family Got Into Trouble	Deployment Risk & Resilience Inventory-2 - During deployment: a family member got into trouble at home, at school, or in the community.	DRRI-2 - M: Family Got Into Trouble
C142035	DRRI1-M: Family Had Difficulty Adjusting	DRRI1-M: Family Had Difficulty Adjusting	Deployment Risk & Resilience Inventory-2 - During deployment: a family member or other loved one had serious difficulty adjusting to my absence.	DRRI-2 - M: Family Had Difficulty Adjusting
C142029	DRRI1-M: Family Member Passed Away	DRRI1-M: Family Member Passed Away	Deployment Risk & Resilience Inventory-2 - During deployment: a family member or other loved one passed away.	DRRI-2 - M: Family Member Passed Away
C142037	DRRI1-M: Family Member Wasted Money	DRRI1-M: Family Member Wasted Money	Deployment Risk & Resilience Inventory-2 - During deployment: a family member or other person I trusted wasted or mismanaged my money.	DRRI-2 - M: Family Member Wasted Money

Deployment Risk & Resilience Inventory-2				
	DRRI1	DRRI2	DRRI3	DRRI4
C142034	DRRI1-M: Had Major Conflict With Family	DRRI1-M: Had Major Conflict With Family	Deployment Risk & Resilience Inventory-2 - During deployment: I had a major conflict with a family member or other loved one.	DRRI-2 - M: Had Major Conflict With Family
C142038	DRRI1-M: Loved One Things I Disapproved	DRRI1-M: Loved One Things I Disapproved	Deployment Risk & Resilience Inventory-2 - During deployment: I learned that a loved one was doing things I disapproved of.	DRRI-2 - M: Loved One Things I Disapproved
C142030	DRRI1-M: My Family Had Money Problems	DRRI1-M: My Family Had Money Problems	Deployment Risk & Resilience Inventory-2 - During deployment: my family had money problems.	DRRI-2 - M: My Family Had Money Problems
C142036	DRRI1-M: My Home Was Robbed	DRRI1-M: My Home Was Robbed	Deployment Risk & Resilience Inventory-2 - During deployment: my home was robbed and/or my belongings were stolen.	DRRI-2 - M: My Home Was Robbed
C142027	DRRI1-M: Problems Get in Touch Family	DRRI1-M: Problems Get in Touch Family	Deployment Risk & Resilience Inventory-2 - During deployment: I had problems getting in touch with a family member or other loved one.	DRRI-2 - M: Problems Get in Touch Family
C142033	DRRI1-M: Relationship With Spouse Ended	DRRI1-M: Relationship With Spouse Ended	Deployment Risk & Resilience Inventory-2 - During deployment: my relationship with a spouse or significant other ended.	DRRI-2 - M: Relationship With Spouse Ended
C142028	DRRI1-M: Someone Close Serious Illness	DRRI1-M: Someone Close Serious Illness	Deployment Risk & Resilience Inventory-2 - During deployment: someone close to me experienced a serious illness, injury, or mental health problem (for example, cancer, alcohol/drug problem).	DRRI-2 - M: Someone Close Serious Illness
C142031	DRRI1-M: Spouse Cheated on Me	DRRI1-M: Spouse Cheated on Me	Deployment Risk & Resilience Inventory-2 - During deployment: a spouse or significant other cheated on me.	DRRI-2 - M: Spouse Cheated on Me
C142032	DRRI1-M: Spouse Suspected I Cheated	DRRI1-M: Spouse Suspected I Cheated	Deployment Risk & Resilience Inventory-2 - During deployment: a spouse or significant other suspected that I had cheated on him/her.	DRRI-2 - M: Spouse Suspected I Cheated
C142049	DRRI1-N: Emotionally Mistreated	DRRI1-N: Emotionally Mistreated	Deployment Risk & Resilience Inventory-2 - Since returning: I have been emotionally mistreated (for example, ignored or repeatedly told I was no good).	DRRI-2 - N: Emotionally Mistreated
C142045	DRRI1-N: Experienced Natural Disaster	DRRI1-N: Experienced Natural Disaster	Deployment Risk & Resilience Inventory-2 - Since returning: I experienced a natural disaster (for example, a hurricane), a fire, or an accident in which I or someone close to me was hurt or had serious property damage.	DRRI-2 - N: Experienced Natural Disaster
C142053	DRRI1-N: Injured by Another Person	DRRI1-N: Injured by Another Person	Deployment Risk & Resilience Inventory-2 - Since returning: I have been seriously physically injured by another person (for example, hit or beaten up).	DRRI-2 - N: Injured by Another Person
C142048	DRRI1-N: Lost My Job/Trouble Finding Job	DRRI1-N: Lost My Job/Trouble Finding Job	Deployment Risk & Resilience Inventory-2 - Since returning: I lost my job or had serious trouble finding a job.	DRRI-2 - N: Lost My Job/Trouble Finding Job
C142044	DRRI1-N: Problems Getting Healthcare	DRRI1-N: Problems Getting Healthcare	Deployment Risk & Resilience Inventory-2 - Since returning: I had problems getting access to adequate healthcare.	DRRI-2 - N: Problems Getting Healthcare
C142041	DRRI1-N: Robbed/Had My Home Broken Into	DRRI1-N: Robbed/Had My Home Broken Into	Deployment Risk & Resilience Inventory-2 - Since returning: I was robbed or had my home broken into.	DRRI-2 - N: Robbed/Had My Home Broken Into
C142050	DRRI1-N: Serious Financial Problems	DRRI1-N: Serious Financial Problems	Deployment Risk & Resilience Inventory-2 - Since returning: I have experienced serious financial problems.	DRRI-2 - N: Serious Financial Problems
C142051	DRRI1-N: Serious Physical Health Problem	DRRI1-N: Serious Physical Health Problem	Deployment Risk & Resilience Inventory-2 - Since returning: I have experienced serious physical or mental health problems.	DRRI-2 - N: Serious Physical Health Problem
C142046	DRRI1-N: Someone Close Serious Illness	DRRI1-N: Someone Close Serious Illness	Deployment Risk & Resilience Inventory-2 - Since returning: someone close to me has experienced a serious illness, injury, or mental health problem (for example, cancer, alcohol/drug problem).	DRRI-2 - N: Someone Close Serious Illness
C142054	DRRI1-N: Someone Close to Me Has Died	DRRI1-N: Someone Close to Me Has Died	Deployment Risk & Resilience Inventory-2 - Since returning: someone close to me has died.	DRRI-2 - N: Someone Close to Me Has Died
C142052	DRRI1-N: Stressful Legal Problems	DRRI1-N: Stressful Legal Problems	Deployment Risk & Resilience Inventory-2 - Since returning: I have experienced stressful legal problems (for example, being sued, suing someone else, or being in a custody battle).	DRRI-2 - N: Stressful Legal Problems
C142042	DRRI1-N: Unwanted Sexual Activity	DRRI1-N: Unwanted Sexual Activity	Deployment Risk & Resilience Inventory-2 - Since returning: I experienced unwanted sexual activity as a result of force, threat or harm, or manipulation.	DRRI-2 - N: Unwanted Sexual Activity
C142043	DRRI1-N: Went Through Divorce/Was Left	DRRI1-N: Went Through Divorce/Was Left	Deployment Risk & Resilience Inventory-2 - Since returning: I went through a divorce or have been left by a partner or significant other.	DRRI-2 - N: Went Through Divorce/Was Left
C142047	DRRI1-N: Witnessed Someone Assaulted	DRRI1-N: Witnessed Someone Assaulted	Deployment Risk & Resilience Inventory-2 - Since returning: I have witnessed someone being seriously assaulted or killed.	DRRI-2 - N: Witnessed Someone Assaulted
C142057	DRRI1-O: Family Make Me Better When Down	DRRI1-O: Family Make Me Better When Down	Deployment Risk & Resilience Inventory-2 - Since returning: my family members and/or friends make me feel better when I am down.	DRRI-2 - O: Family Make Me Better When Down

Deployment Risk & Resilience Inventory-2					
C142062	DRRI1-O: Family Would Help Move	DRRI1-O: Family Would Help Move	Deployment Risk & Resilience Inventory-2 - Since returning: my family members or friends would help me move my belongings if I needed help.	DRRI2-O: Family Would Help Move	DRRI2-O: Family Would Help Move
C142061	DRRI1-O: Family Would Lend Money	DRRI1-O: Family Would Lend Money	Deployment Risk & Resilience Inventory-2 - Since returning: my family members or friends would lend me money if I needed it.	DRRI2-O: Family Would Lend Money	DRRI2-O: Family Would Lend Money
C142059	DRRI1-O: Family/Friends Understand	DRRI1-O: Family/Friends Understand	Deployment Risk & Resilience Inventory-2 - Since returning: my family and friends understand what I have been through in the Armed Forces.	DRRI2-O: Family/Friends Understand	DRRI2-O: Family/Friends Understand
C142058	DRRI1-O: Go to Family When Need Advice	DRRI1-O: Go to Family When Need Advice	Deployment Risk & Resilience Inventory-2 - Since returning: I can go to family members or friends when I need good advice.	DRRI2-O: Go to Family When Need Advice	DRRI2-O: Go to Family When Need Advice
C142060	DRRI1-O: I Can Talk About My Deployment	DRRI1-O: I Can Talk About My Deployment	Deployment Risk & Resilience Inventory-2 - Since returning: there are family and/or friends with whom I can talk about my deployment experiences.	DRRI2-O: I Can Talk About My Deployment	DRRI2-O: I Can Talk About My Deployment
C142055	DRRI1-O: People Made Me Feel at Home	DRRI1-O: People Made Me Feel at Home	Deployment Risk & Resilience Inventory-2 - Since returning: the American people made me feel at home.	DRRI2-O: People Made Me Feel at Home	DRRI2-O: People Made Me Feel at Home
C142056	DRRI1-O: People Made Me Feel Proud	DRRI1-O: People Made Me Feel Proud	Deployment Risk & Resilience Inventory-2 - Since returning: people made me feel proud to have served my country in the Armed Forces.	DRRI2-O: People Made Me Feel Proud	DRRI2-O: People Made Me Feel Proud
C142063	DRRI1-O: Someone Would Help With Tasks	DRRI1-O: Someone Would Help With Tasks	Deployment Risk & Resilience Inventory-2 - Since returning: if I were unable to attend to daily chores, there is someone who would help me with these tasks.	DRRI2-O: Someone Would Help With Tasks	DRRI2-O: Someone Would Help With Tasks
C142064	DRRI1-O: When Ill Family Will Help Out	DRRI1-O: When Ill Family Will Help Out	Deployment Risk & Resilience Inventory-2 - Since returning: when I am ill, family members or friends will help out until I am well.	DRRI2-O: When Ill Family Will Help Out	DRRI2-O: When Ill Family Will Help Out
C142075	DRRI1-P: Can Be Myself Around Family	DRRI1-P: Can Be Myself Around Family	Deployment Risk & Resilience Inventory-2 - Since returning: I can be myself around family members.	DRRI2-P: Can Be Myself Around Family	DRRI2-P: Can Be Myself Around Family
C142068	DRRI1-P: Contribution Family Appreciated	DRRI1-P: Contribution Family Appreciated	Deployment Risk & Resilience Inventory-2 - Since returning: I feel like my contributions to my family are appreciated.	DRRI2-P: Contribution Family Appreciated	DRRI2-P: Contribution Family Appreciated
C142067	DRRI1-P: Family Know What I Think/Feel	DRRI1-P: Family Know What I Think/Feel	Deployment Risk & Resilience Inventory-2 - Since returning: family members know what I think and how I feel about things.	DRRI2-P: Family Know What I Think/Feel	DRRI2-P: Family Know What I Think/Feel
C142074	DRRI1-P: Family Tell Me When Problem	DRRI1-P: Family Tell Me When Problem	Deployment Risk & Resilience Inventory-2 - Since returning: family members tell me when they are having a problem.	DRRI2-P: Family Tell Me When Problem	DRRI2-P: Family Tell Me When Problem
C142066	DRRI1-P: Feel Like I Fit in With Family	DRRI1-P: Feel Like I Fit in With Family	Deployment Risk & Resilience Inventory-2 - Since returning: I feel like I fit in with my family.	DRRI2-P: Feel Like I Fit in With Family	DRRI2-P: Feel Like I Fit in With Family
C142071	DRRI1-P: I am Affectionate With Family	DRRI1-P: I am Affectionate With Family	Deployment Risk & Resilience Inventory-2 - Since returning: I am affectionate with family members.	DRRI2-P: I am Affectionate With Family	DRRI2-P: I am Affectionate With Family
C142076	DRRI1-P: I Get Along Well With My Family	DRRI1-P: I Get Along Well With My Family	Deployment Risk & Resilience Inventory-2 - Since returning: I get along well with my family members.	DRRI2-P: I Get Along Well With My Family	DRRI2-P: I Get Along Well With My Family
C142065	DRRI1-P: Input Sought Family Decisions	DRRI1-P: Input Sought Family Decisions	Deployment Risk & Resilience Inventory-2 - Since returning: my input is sought on important family decisions.	DRRI2-P: Input Sought Family Decisions	DRRI2-P: Input Sought Family Decisions
C142070	DRRI1-P: Opinions Valued by Family	DRRI1-P: Opinions Valued by Family	Deployment Risk & Resilience Inventory-2 - Since returning: my opinions are valued by other family members.	DRRI2-P: Opinions Valued by Family	DRRI2-P: Opinions Valued by Family
C142072	DRRI1-P: Play Important Role in Family	DRRI1-P: Play Important Role in Family	Deployment Risk & Resilience Inventory-2 - Since returning: I play an important role in my family.	DRRI2-P: Play Important Role in Family	DRRI2-P: Play Important Role in Family
C142069	DRRI1-P: Share Interests With Family	DRRI1-P: Share Interests With Family	Deployment Risk & Resilience Inventory-2 - Since returning: I share many common interests and activities with family members.	DRRI2-P: Share Interests With Family	DRRI2-P: Share Interests With Family
C142073	DRRI1-P: Spend My Free Time With Family	DRRI1-P: Spend My Free Time With Family	Deployment Risk & Resilience Inventory-2 - Since returning: I spend as much of my free time with family members as possible.	DRRI2-P: Spend My Free Time With Family	DRRI2-P: Spend My Free Time With Family

C115820	DRS0101	DRS01-Eye Opening	Disability Rating Scale - Eye opening.	DRS - Eye Opening
C115821	DRS0102	DRS01-Communication Ability	Disability Rating Scale - Communication ability.	DRS - Communication Ability
C115822	DRS0103	DRS01-Motor Response	Disability Rating Scale - Motor response.	DRS - Motor Response
C115823	DRS0104	DRS01-Feeding	Disability Rating Scale - Feeding (cognitive ability only).	DRS - Feeding
C115824	DRS0105	DRS01-Toileting	Disability Rating Scale - Toileting (cognitive ability only).	DRS - Toileting
C115825	DRS0106	DRS01-Grooming	Disability Rating Scale - Grooming (cognitive ability only).	DRS - Grooming
C115826	DRS0107	DRS01-Level of Functioning	Disability Rating Scale - Level of functioning (physical, mental, emotional or social function).	DRS - Level of Functioning
C115827	DRS0108	DRS01-Employability	Disability Rating Scale - Employability (as a full time worker, homemaker, or student).	DRS - Employability
C176220	DRS0109	DRS01-Total Score	Disability Rating Scale - Total score.	DRS - Total Score

C115821	DRS01-Communication Ability	DRS01-Communication Ability	Disability Rating Scale - Communication ability.	DRS - Communication Ability
C115827	DRS01-Employability	DRS01-Employability	Disability Rating Scale - Employability (as a full time worker, homemaker, or student).	DRS - Employability
C115820	DRS01-Eye Opening	DRS01-Eye Opening	Disability Rating Scale - Eye opening.	DRS - Eye Opening
C115823	DRS01-Feeding	DRS01-Feeding	Disability Rating Scale - Feeding (cognitive ability only).	DRS - Feeding
C115825	DRS01-Grooming	DRS01-Grooming	Disability Rating Scale - Grooming (cognitive ability only).	DRS - Grooming
C115826	DRS01-Level of Functioning	DRS01-Level of Functioning	Disability Rating Scale - Level of functioning (physical, mental, emotional or social function).	DRS - Level of Functioning
C115822	DRS01-Motor Response	DRS01-Motor Response	Disability Rating Scale - Motor response.	DRS - Motor Response
C115824	DRS01-Toileting	DRS01-Toileting	Disability Rating Scale - Toileting (cognitive ability only).	DRS - Toileting
C176220	DRS01-Total Score	DRS01-Total Score	Disability Rating Scale - Total score.	DRS - Total Score

C112549	DS0101	DS01-Disease Steps Classification	Disease Steps - Methods: For Disease Steps, classification of a patient is determined by history and neurologic examination as well as course of MS.	DS - Disease Steps Classification

C112549	DS01-Disease Steps Classification	DS01-Disease Steps Classification	Disease Steps - Methods: For Disease Steps, classification of a patient is determined by history and neurologic examination as well as course of MS.	DS - Disease Steps Classification

C180251	Ambulatory and capable of all selfcare but unable to carry out any work activities. Up and about more than 50% of waking hours	ECOG101-Ambulatory and capable of all selfcare but unable to carry out any work activities. Up and about more than 50% of waking hours	Eastern Cooperative Oncology Group Performance Status original result for ECOG101-Ambulatory and capable of all selfcare but unable to carry out any work activities. Up and about more than 50% of waking hours.	Eastern Cooperative Oncology Group Performance Status ECOG101 Original Result - Ambulatory And Capable Of All Selfcare But Unable To Carry Out Any Work Activities. Up And About More Than 50% Of Waking Hours
C180252	Capable of only limited selfcare, confined to bed or chair more than 50% of waking hours	ECOG101-Capable of only limited selfcare, confined to bed or chair more than 50% of waking hours	Eastern Cooperative Oncology Group Performance Status original result for ECOG101-Capable of only limited selfcare, confined to bed or chair more than 50% of waking hours.	Eastern Cooperative Oncology Group Performance Status ECOG101 Original Result - Capable Of Only Limited Selfcare, Confined To Bed Or Chair More Than 50% Of Waking Hours
C180253	Completely disabled. Cannot carry on any selfcare. Totally confined to bed or chair	ECOG101-Completely disabled. Cannot carry on any selfcare. Totally confined to bed or chair	Eastern Cooperative Oncology Group Performance Status original result for ECOG101-Completely disabled. Cannot carry on any selfcare. Totally confined to bed or chair.	Eastern Cooperative Oncology Group Performance Status ECOG101 Original Result - Completely Disabled. Cannot Carry On Any Selfcare. Totally Confined To Bed Or Chair
C180254	Dead	ECOG101-Dead	Eastern Cooperative Oncology Group Performance Status original result for ECOG101-Dead.	Eastern Cooperative Oncology Group Performance Status ECOG101 Original Result - Dead
C180249	Fully active, able to carry on all pre-disease performance without restriction	ECOG101-Fully active, able to carry on all pre-disease performance without restriction	Eastern Cooperative Oncology Group Performance Status original result for ECOG101-Fully active, able to carry on all pre-disease performance without restriction.	Eastern Cooperative Oncology Group Performance Status ECOG101 Original Result - Fully Active, Able To Carry On All Pre-Disease Performance Without Restriction
C180250	Restricted in physically strenuous activity but ambulatory and able to carry out work of a light or sedentary nature, e.g., light house work, office work	ECOG101-Restricted in physically strenuous activity but ambulatory and able to carry out work of a light or sedentary nature, e.g., light house work, office work	Eastern Cooperative Oncology Group Performance Status original result for ECOG101-Restricted in physically strenuous activity but ambulatory and able to carry out work of a light or sedentary nature, e.g., light house work, office work.	Eastern Cooperative Oncology Group Performance Status ECOG101 Original Result - Restricted In Physically Strenuous Activity But Ambulatory And Able To Carry Out Work Of A Light Or Sedentary Nature, E.G., Light House Work, Office Work

C180255	0	ECOG101-0	Eastern Cooperative Oncology Group Performance Status standardized character result for ECOG101-Fully active, able to carry on all pre-disease performance without restriction.	Eastern Cooperative Oncology Group Performance Status ECOG101 Standardized Character Result 0
C180256	1	ECOG101-1	Eastern Cooperative Oncology Group Performance Status standardized character result for ECOG101-Restricted in physically strenuous activity but ambulatory and able to carry out work of a light or sedentary nature, e.g., light house work, office work.	Eastern Cooperative Oncology Group Performance Status ECOG101 Standardized Character Result 1
C180257	2	ECOG101-2	Eastern Cooperative Oncology Group Performance Status standardized character result for ECOG101-Ambulatory and capable of all selfcare but unable to carry out any work activities. Up and about more than 50% of waking hours.	Eastern Cooperative Oncology Group Performance Status ECOG101 Standardized Character Result 2
C180258	3	ECOG101-3	Eastern Cooperative Oncology Group Performance Status standardized character result for ECOG101-Capable of only limited selfcare, confined to bed or chair more than 50% of waking hours.	Eastern Cooperative Oncology Group Performance Status ECOG101 Standardized Character Result 3
C180259	4	ECOG101-4	Eastern Cooperative Oncology Group Performance Status standardized character result for ECOG101-Completely disabled. Cannot carry on any selfcare. Totally confined to bed or chair.	Eastern Cooperative Oncology Group Performance Status ECOG101 Standardized Character Result 4
C180260	5	ECOG101-5	Eastern Cooperative Oncology Group Performance Status standardized character result for ECOG101-Dead.	Eastern Cooperative Oncology Group Performance Status ECOG101 Standardized Character Result 5

NCI Code: C101815, Codelist extensible: No

C102408 ECOG101

ECOG1-Performance Status ECOG Performance Status - Performance Status.

ECOG - Performance Status

NCI Code: C101816, Codelist extensible: No

C102408	ECOG1-Performance Status	ECOG1-Performance Status	ECOG Performance Status - Performance Status.	ECOG - Performance Status
---------	--------------------------	--------------------------	-----------------------------------------------	---------------------------

C125773	ED102_1	ED1-Able to Communicate Clearly	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Is [name] able to communicate with you in a way that you and others clearly understand?	Expanded DRS-PI Caregiver Version - Able to Communicate Clearly
C125774	ED102_2	ED1-How They Communicate Primarily	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - How do they communicate primarily?	Expanded DRS-PI Caregiver Version - How They Communicate Primarily
C125775	ED102_3	ED1-Correct Date and Time	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Is [name] able to give the correct date and time within a few seconds of being asked?	Expanded DRS-PI Caregiver Version - Give Correct Date and Time When Asked
C125776	ED102_4	ED1-Few Words or Random Answers/Shouting	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [name] have only a few words that [s/he] uses over and over or does [s/he] express him/herself only through random answers, shouting or swearing?	Expanded DRS-PI Caregiver Version - Use Few Words or Random Shouting
C125777	ED102_5	ED1-Moan/Groan/Sounds Not Understandable	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [name] only moan, groan or make other sounds that are not understandable?	Expanded DRS-PI Caregiver Version - Make Sounds Not Understandable
C125778	ED104_1	ED1-Feed Independently Without Help	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Can [name] feed him/herself independently or manage tube feedings appropriately without help or reminders?	Expanded DRS-PI Caregiver Version - Feed Independently Without Help
C125779	ED104_2	ED1-Understand Feeding Utensils	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [name] understand what eating or feeding utensils or equipment are for and how they should be used?	Expanded DRS-PI Caregiver Version - Understand Feeding Utensils
C125780	ED104_3	ED1-Know Meal Times	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [name] know when meal or feeding times are?	Expanded DRS-PI Caregiver Version - Know Meal Times
C125781	ED105_1	ED1-Use Toilet Independently	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Can [name] use the toilet or manage their bowel and bladder routine independently and appropriately without help or reminders?	Expanded DRS-PI Caregiver Version - Use Toilet Independently
C125782	ED105_2	ED1-Manage Clothing When Toileting	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [name] understand how to manage their clothing or special equipment when toileting or in bowel and bladder management?	Expanded DRS-PI Caregiver Version - Manage Clothing When Toileting
C125783	ED105_3	ED1-Know When to Use Toilet	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [name] know when to use the toilet or to conduct bowel and bladder management?	Expanded DRS-PI Caregiver Version - Know When to Use Toilet
C125784	ED106_1	ED1-Can Dress/Groom Independently	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Can [name] dress and groom him/herself independently and appropriately or direct someone else in these activities without help or reminders?	Expanded DRS-PI Caregiver Version - Can Dress and Groom Self Independently
C125785	ED106_2	ED1-Know How to Bathe/Wash	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [s/he] know how to bathe and wash?	Expanded DRS-PI Caregiver Version - Know How to Bathe and Wash
C125786	ED106_3	ED1-Understand How to Get Dressed	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [s/he] understand how to get dressed?	Expanded DRS-PI Caregiver Version - Understand How to Get Dressed
C125787	ED106_4	ED1-Start/Finish Grooming Activities	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Can [s/he] start and finish these grooming activities without prompting?	Expanded DRS-PI Caregiver Version - Start and Finish Grooming Activities
C125788	ED107_1	ED1-Function Completely Independently	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [name] function completely independently? That is, [s/he] does not require any physical assistance, supervision, equipment, devices or reminders for cognitive, social, behavioral, emotional, and physical function?	Expanded DRS-PI Caregiver Version - Function Completely Independently
C125789	ED107_2	ED1-Require Specific Aids/Equipment	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [name] REQUIRE special aids or equipment such as a brace, walker, wheelchair, memory notebook, day planner, verbal reminders, prompts, cues, or alarm watch because of a disability?	Expanded DRS-PI Caregiver Version - Require Special Aids or Equipment
C125790	ED107_3	ED1-Require Physical Assistance	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [name] require physical assistance from another person to meet daily needs?	Expanded DRS-PI Caregiver Version - Require Physical Assistance
C125791	ED107_4	ED1-Require Assistance Thinking Tasks	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [s/he] require assistance from another person in tasks that require thinking abilities?	Expanded DRS-PI Caregiver Version - Require Assistance Thinking Tasks

Expanded DRS-PI Caregiver Version - Function With Independent Work or Social Situations				
C125792	ED107_5	ED1-Require Assistance Managing Emotions	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [s/he] require assistance from another person to manage emotions and behavior?	Expanded DRS-PI Caregiver Version - Require Assistance Managing Emotions
C125793	ED107_6A	ED1-Need a Helper Always Close By	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [s/he] take care of some of their needs but also need a helper who is always close by?	Expanded DRS-PI Caregiver Version - Need a Helper Always Close By
C125794	ED107_6B	ED1-Need Help With All Major Activities	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [s/he] need help with all major activities and the assistance of another person all the time?	Expanded DRS-PI Caregiver Version - Need Help With All Major Activities
C125795	ED107_6C	ED1-Need 24-Hour Care	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [s/he] need 24-hour care and is not able to help with their own care at all?	Expanded DRS-PI Caregiver Version - Need 24-Hour Care
C125796	ED108_1	ED1-Independent Work/Social Situations	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Can [name] function with complete independence in work or social situations?	Expanded DRS-PI Caregiver Version - Function With Independent Work or Social Situations
C125797	ED108_2	ED1-Understand/Follow Directions	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Can [name] understand, remember, and follow directions?	Expanded DRS-PI Caregiver Version - Understand and Follow Directions
C125798	ED108_3	ED1-Keep Track of Time/Schedules	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Can [name] keep track of time, schedules and appointments?	Expanded DRS-PI Caregiver Version - Keep Track of Time
C125799	ED108_4	ED1-Perform Jobs, Manage Home/School	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - How certain are you that [name] can perform in a wide variety of jobs of [his/her] choosing or manage a home independently or participate in school full-time?	Expanded DRS-PI Caregiver Version - Perform Jobs or Manage a Home Independently
C125800	ED108_5	ED1-Successful With Accommodations	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - How certain are you that [name] can be successful at work, school or in home management with some reduction in the work load or with other accommodations due to disabilities?	Expanded DRS-PI Caregiver Version - Successful With Accommodations
C125801	ED108_6	ED1-Successful With Limited Choices	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - How certain are you that [name] can be successful at work, school or in home management but with limited choices in jobs or school courses due to disabilities?	Expanded DRS-PI Caregiver Version - Successful With Limited Choices
C125802	ED108_7	ED1-Work With Frequent Support	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - How certain are you that [name] can be able to work at home or in a special setting like a sheltered workshop in which the work is very routine and there is very frequent supervision and support?	Expanded DRS-PI Caregiver Version - Work With Frequent Supervision and Support

C125773	ED1-Able to Communicate Clearly	ED1-Able to Communicate Clearly	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Is [name] able to communicate with you in a way that you and others clearly understand?	Expanded DRS-PI Caregiver Version - Able to Communicate Clearly
C125784	ED1-Can Dress/Groom Independently	ED1-Can Dress/Groom Independently	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Can [name] dress and groom him/herself independently and appropriately or direct someone else in these activities without help or reminders?	Expanded DRS-PI Caregiver Version - Can Dress and Groom Self Independently
C125775	ED1-Correct Date and Time	ED1-Correct Date and Time	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Is [name] able to give the correct date and time within a few seconds of being asked?	Expanded DRS-PI Caregiver Version - Give Correct Date and Time When Asked
C125778	ED1-Feed Independently Without Help	ED1-Feed Independently Without Help	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Can [name] feed him/herself independently or manage tube feedings appropriately without help or reminders?	Expanded DRS-PI Caregiver Version - Feed Independently Without Help
C125776	ED1-Few Words or Random Answers/Shouting	ED1-Few Words or Random Answers/Shouting	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [name] have only a few words that [s/he] uses over and over or does [s/he] express him/herself only through random answers, shouting or swearing?	Expanded DRS-PI Caregiver Version - Use Few Words or Random Shouting
C125788	ED1-Function Completely Independently	ED1-Function Completely Independently	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [name] function completely independently? That is, [s/he] does not require any physical assistance, supervision, equipment, devices or reminders for cognitive, social, behavioral, emotional, and physical function?	Expanded DRS-PI Caregiver Version - Function Completely Independently
C125774	ED1-How They Communicate Primarily	ED1-How They Communicate Primarily	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - How do they communicate primarily?	Expanded DRS-PI Caregiver Version - How They Communicate Primarily
C125796	ED1-Independent Work/Social Situations	ED1-Independent Work/Social Situations	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Can [name] function with complete independence in work or social situations?	Expanded DRS-PI Caregiver Version - Function With Independent Work or Social Situations
C125798	ED1-Keep Track of Time/Schedules	ED1-Keep Track of Time/Schedules	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Can [name] keep track of time, schedules and appointments?	Expanded DRS-PI Caregiver Version - Keep Track of Time
C125785	ED1-Know How to Bathe/Wash	ED1-Know How to Bathe/Wash	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [s/he] know how to bathe and wash?	Expanded DRS-PI Caregiver Version - Know How to Bathe and Wash
C125780	ED1-Know Meal Times	ED1-Know Meal Times	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [name] know when meal or feeding times are?	Expanded DRS-PI Caregiver Version - Know Meal Times
C125783	ED1-Know When to Use Toilet	ED1-Know When to Use Toilet	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [name] know when to use the toilet or to conduct bowel and bladder management?	Expanded DRS-PI Caregiver Version - Know When to Use Toilet
C125782	ED1-Manage Clothing When Toileting	ED1-Manage Clothing When Toileting	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [name] understand how to manage their clothing or special equipment when toileting or in bowel and bladder management?	Expanded DRS-PI Caregiver Version - Manage Clothing When Toileting
C125777	ED1-Moan/Groan/Sounds Not Understandable	ED1-Moan/Groan/Sounds Not Understandable	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [name] only moan, groan or make other sounds that are not understandable?	Expanded DRS-PI Caregiver Version - Make Sounds Not Understandable
C125795	ED1-Need 24-Hour Care	ED1-Need 24-Hour Care	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [s/he] need 24-hour care and is not able to help with their own care at all?	Expanded DRS-PI Caregiver Version - Need 24-Hour Care
C125793	ED1-Need a Helper Always Close By	ED1-Need a Helper Always Close By	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [s/he] take care of some of their needs but also need a helper who is always close by?	Expanded DRS-PI Caregiver Version - Need a Helper Always Close By
C125794	ED1-Need Help With All Major Activities	ED1-Need Help With All Major Activities	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [s/he] need help with all major activities and the assistance of another person all the time?	Expanded DRS-PI Caregiver Version - Need Help With All Major Activities
C125799	ED1-Perform Jobs, Manage Home/School	ED1-Perform Jobs, Manage Home/School	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - How certain are you that [name] can perform in a wide variety of jobs of [his/her] choosing or manage a home independently or participate in school full-time?	Expanded DRS-PI Caregiver Version - Perform Jobs or Manage a Home Independently
C125792	ED1-Require Assistance Managing Emotions	ED1-Require Assistance Managing Emotions	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [s/he] require assistance from another person to manage emotions and behavior?	Expanded DRS-PI Caregiver Version - Require Assistance Managing Emotions

Expanded DRS-PI Caregiver Version - Thinking Tasks					
C125791	ED1-Require Assistance Thinking Tasks	ED1-Require Assistance Thinking Tasks	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [s/he] require assistance from another person in tasks that require thinking abilities?	Expanded DRS-PI Caregiver Version - Require Assistance Thinking Tasks	
C125790	ED1-Require Physical Assistance	ED1-Require Physical Assistance	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [name] require physical assistance from another person to meet daily needs?	Expanded DRS-PI Caregiver Version - Require Physical Assistance	
C125789	ED1-Require Specific Aids/Equipment	ED1-Require Specific Aids/Equipment	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [name] REQUIRE special aids or equipment such as a brace, walker, wheelchair, memory notebook, day planner, verbal reminders, prompts, cues, or alarm watch because of a disability?	Expanded DRS-PI Caregiver Version - Require Special Aids or Equipment	
C125787	ED1-Start/Finish Grooming Activities	ED1-Start/Finish Grooming Activities	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Can [s/he] start and finish these grooming activities without prompting?	Expanded DRS-PI Caregiver Version - Start and Finish Grooming Activities	
C125800	ED1-Successful With Accommodations	ED1-Successful With Accommodations	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - How certain are you that [name] can be successful at work, school or in home management with some reduction in the work load or with other accommodations due to disabilities?	Expanded DRS-PI Caregiver Version - Successful With Accommodations	
C125801	ED1-Successful With Limited Choices	ED1-Successful With Limited Choices	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - How certain are you that [name] can be successful at work, school or in home management but with limited choices in jobs or school courses due to disabilities?	Expanded DRS-PI Caregiver Version - Successful With Limited Choices	
C125779	ED1-Understand Feeding Utensils	ED1-Understand Feeding Utensils	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [name] understand what eating or feeding utensils or equipment are for and how they should be used?	Expanded DRS-PI Caregiver Version - Understand Feeding Utensils	
C125786	ED1-Understand How to Get Dressed	ED1-Understand How to Get Dressed	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [s/he] understand how to get dressed?	Expanded DRS-PI Caregiver Version - Understand How to Get Dressed	
C125797	ED1-Understand/Follow Directions	ED1-Understand/Follow Directions	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Can [name] understand, remember, and follow directions?	Expanded DRS-PI Caregiver Version - Understand and Follow Directions	
C125781	ED1-Use Toilet Independently	ED1-Use Toilet Independently	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Can [name] use the toilet or manage their bowel and bladder routine independently and appropriately without help or reminders?	Expanded DRS-PI Caregiver Version - Use Toilet Independently	
C125802	ED1-Work With Frequent Support	ED1-Work With Frequent Support	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - How certain are you that [name] can be able to work at home or in a special setting like a sheltered workshop in which the work is very routine and there is very frequent supervision and support?	Expanded DRS-PI Caregiver Version - Work With Frequent Supervision and Support	

C125803	ED202_3	ED2-Correct Date and Time	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Are you able to give the correct date and time within a few seconds of being asked?	Expanded DRS-PI Survivor Version - Give Correct Date and Time When Asked
C125804	ED204_1	ED2-Feed Independently Without Help	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Can you feed yourself independently or manage tube feedings appropriately without help or reminders?	Expanded DRS-PI Survivor Version - Feed Yourself Independently Without Help
C125805	ED204_2	ED2-Understand Feeding Utensils	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Do you understand what eating or feeding utensils or equipment are for and how they should be used?	Expanded DRS-PI Survivor Version - Understand Feeding Utensils
C125806	ED204_3	ED2-Know Meal Times	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Do you know when meal or feeding times are?	Expanded DRS-PI Survivor Version - Know Meal Times
C125807	ED205_1	ED2-Use Toilet Independently	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Can you use the toilet or manage your bowel and bladder routine independently and appropriately without help or reminders?	Expanded DRS-PI Survivor Version - Use Toilet Independently
C125808	ED205_2	ED2-Manage Clothing When Toileting	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Do you understand how to manage your clothing or special equipment when toileting or in bowel and bladder management?	Expanded DRS-PI Survivor Version - Manage Clothing When Toileting
C125809	ED205_3	ED2-Know When to Use Toilet	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Do you know when to use the toilet or to conduct bowel and bladder management?	Expanded DRS-PI Survivor Version - Know When to Use Toilet
C125810	ED206_1	ED2-Can Dress/Groom Independently	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Can you dress and groom yourself independently and appropriately or direct someone else in these activities without help or reminders?	Expanded DRS-PI Survivor Version - Can Dress and Groom Self Independently
C125811	ED206_2	ED2-Know How to Bathe/Wash	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Do you know how to bathe and wash?	Expanded DRS-PI Survivor Version - Know How to Bathe and Wash
C125812	ED206_3	ED2-Understand How to Get Dressed	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Do you understand how to get dressed?	Expanded DRS-PI Survivor Version - Understand How to Get Dressed
C125813	ED206_4	ED2-Start/Finish Grooming Activities	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Can you start and finish these grooming activities without prompting?	Expanded DRS-PI Survivor Version - Start and Finish Grooming Activities
C125814	ED207_1	ED2-Function Completely Independently	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Do you function completely independently? That is, you do not require any physical assistance, supervision, equipment, devices, or reminders for cognitive, social, behavioral, emotional, and physical function?	Expanded DRS-PI Survivor Version - Function Completely Independently
C125815	ED207_2	ED2-Require Specific Aids/Equipment	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Do you REQUIRE special aids or equipment, such as, a brace, walker, wheelchair, memory notebook, day planner, verbal reminders, prompts, cues, or alarm watch because of a disability?	Expanded DRS-PI Survivor Version - Require Special Aids or Equipment
C125816	ED207_3	ED2-Require Physical Assistance	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Do you require physical assistance from another person to meet daily needs?	Expanded DRS-PI Survivor Version - Require Physical Assistance
C125817	ED207_4	ED2-Require Assistance Thinking Tasks	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Do you require assistance from another person in tasks that require thinking abilities?	Expanded DRS-PI Survivor Version - Require Assistance Thinking Tasks
C125818	ED207_5	ED2-Require Assistance Managing Emotions	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Do you require assistance from another person to manage emotions and behavior?	Expanded DRS-PI Survivor Version - Require Assistance Managing Emotions
C125819	ED207_6A	ED2-Need a Helper Always Close By	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Do you take care of some of your needs but also need a helper who is always close by?	Expanded DRS-PI Survivor Version - Need a Helper Always Close By
C125820	ED207_6B	ED2-Need Help With All Major Activities	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Do you need help with all major activities and the assistance of another person all the time?	Expanded DRS-PI Survivor Version - Need Help With All Major Activities
C125821	ED207_6C	ED2-Need 24-Hour Care	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Do you need 24-hour care and are not able to help with your own care at all?	Expanded DRS-PI Survivor Version - Need 24-Hour Care

Expanded DRS-PI Survivor Version - Function With Independent Work or Social Situations				
C125822	ED208_1	ED2-Independent Work/Social Situations	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Can you function with complete independence in work or social situations?	Expanded DRS-PI Survivor Version - Function With Independent Work or Social Situations
C125823	ED208_2	ED2-Understand/Follow Directions	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Can you understand, remember, and follow directions?	Expanded DRS-PI Survivor Version - Understand and Follow Directions
C125824	ED208_3	ED2-Keep Track of Time/Schedules	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Can you keep track of time, schedules and appointments?	Expanded DRS-PI Survivor Version - Keep Track of Time
C125825	ED208_4	ED2-Perform Jobs, Manage Home/School	Expanded Disability Rating Scale - Postacute Interview Survivor Version - How certain are you that you can perform in a wide variety of jobs of your choosing or manage a home independently or participate in school full-time?	Expanded DRS-PI Survivor Version - Perform Jobs or Manage a Home Independently
C125826	ED208_5	ED2-Successful With Accommodations	Expanded Disability Rating Scale - Postacute Interview Survivor Version - How certain are you that you can be successful at work, school or in home management with some reduction in the work load or with other accommodations due to disabilities?	Expanded DRS-PI Survivor Version - Successful With Accommodations
C125827	ED208_6	ED2-Successful With Limited Choices	Expanded Disability Rating Scale - Postacute Interview Survivor Version - How certain are you that you can be successful at work, school or in home management but with limited choices in jobs or school courses due to disabilities?	Expanded DRS-PI Survivor Version - Successful With Limited Choices
C125828	ED208_7	ED2-Work With Frequent Support	Expanded Disability Rating Scale - Postacute Interview Survivor Version - How certain are you that you can be able to work at home or in a special setting like a sheltered workshop in which the work is very routine and there is very frequent supervision and support?	Expanded DRS-PI Survivor Version - Work With Frequent Supervision and Support

C125810	ED2-Can Dress/Groom Independently	ED2-Can Dress/Groom Independently	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Can you dress and groom yourself independently and appropriately or direct someone else in these activities without help or reminders?	Expanded DRS-PI Survivor Version - Can Dress and Groom Self Independently
C125803	ED2-Correct Date and Time	ED2-Correct Date and Time	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Are you able to give the correct date and time within a few seconds of being asked?	Expanded DRS-PI Survivor Version - Give Correct Date and Time When Asked
C125804	ED2-Feed Independently Without Help	ED2-Feed Independently Without Help	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Can you feed yourself independently or manage tube feedings appropriately without help or reminders?	Expanded DRS-PI Survivor Version - Feed Yourself Independently Without Help
C125814	ED2-Function Completely Independently	ED2-Function Completely Independently	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Do you function completely independently? That is, you do not require any physical assistance, supervision, equipment, devices, or reminders for cognitive, social, behavioral, emotional, and physical function?	Expanded DRS-PI Survivor Version - Function Completely Independently
C125822	ED2-Independent Work/Social Situations	ED2-Independent Work/Social Situations	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Can you function with complete independence in work or social situations?	Expanded DRS-PI Survivor Version - Function With Independent Work or Social Situations
C125824	ED2-Keep Track of Time/Schedules	ED2-Keep Track of Time/Schedules	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Can you keep track of time, schedules and appointments?	Expanded DRS-PI Survivor Version - Keep Track of Time
C125811	ED2-Know How to Bathe/Wash	ED2-Know How to Bathe/Wash	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Do you know how to bathe and wash?	Expanded DRS-PI Survivor Version - Know How to Bathe and Wash
C125806	ED2-Know Meal Times	ED2-Know Meal Times	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Do you know when meal or feeding times are?	Expanded DRS-PI Survivor Version - Know Meal Times
C125809	ED2-Know When to Use Toilet	ED2-Know When to Use Toilet	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Do you know when to use the toilet or to conduct bowel and bladder management?	Expanded DRS-PI Survivor Version - Know When to Use Toilet
C125808	ED2-Manage Clothing When Toileting	ED2-Manage Clothing When Toileting	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Do you understand how to manage your clothing or special equipment when toileting or in bowel and bladder management?	Expanded DRS-PI Survivor Version - Manage Clothing When Toileting
C125821	ED2-Need 24-Hour Care	ED2-Need 24-Hour Care	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Do you need 24-hour care and are not able to help with your own care at all?	Expanded DRS-PI Survivor Version - Need 24-Hour Care
C125819	ED2-Need a Helper Always Close By	ED2-Need a Helper Always Close By	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Do you take care of some of your needs but also need a helper who is always close by?	Expanded DRS-PI Survivor Version - Need a Helper Always Close By
C125820	ED2-Need Help With All Major Activities	ED2-Need Help With All Major Activities	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Do you need help with all major activities and the assistance of another person all the time?	Expanded DRS-PI Survivor Version - Need Help With All Major Activities
C125825	ED2-Perform Jobs, Manage Home/School	ED2-Perform Jobs, Manage Home/School	Expanded Disability Rating Scale - Postacute Interview Survivor Version - How certain are you that you can perform in a wide variety of jobs of your choosing or manage a home independently or participate in school full-time?	Expanded DRS-PI Survivor Version - Perform Jobs or Manage a Home Independently
C125818	ED2-Require Assistance Managing Emotions	ED2-Require Assistance Managing Emotions	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Do you require assistance from another person to manage emotions and behavior?	Expanded DRS-PI Survivor Version - Require Assistance Managing Emotions
C125817	ED2-Require Assistance Thinking Tasks	ED2-Require Assistance Thinking Tasks	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Do you require assistance from another person in tasks that require thinking abilities?	Expanded DRS-PI Survivor Version - Require Assistance Thinking Tasks
C125816	ED2-Require Physical Assistance	ED2-Require Physical Assistance	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Do you require physical assistance from another person to meet daily needs?	Expanded DRS-PI Survivor Version - Require Physical Assistance
C125815	ED2-Require Specific Aids/Equipment	ED2-Require Specific Aids/Equipment	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Do you REQUIRE special aids or equipment, such as, a brace, walker, wheelchair, memory notebook, day planner, verbal reminders, prompts, cues, or alarm watch because of a disability?	Expanded DRS-PI Survivor Version - Require Special Aids or Equipment
C125813	ED2-Start/Finish Grooming Activities	ED2-Start/Finish Grooming Activities	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Can you start and finish these grooming activities without prompting?	Expanded DRS-PI Survivor Version - Start and Finish Grooming Activities

Expanded DRS-PI Items				
C125826	ED2-Successful With Accommodations	ED2-Successful With Accommodations	Expanded Disability Rating Scale - Postacute Interview Survivor Version - How certain are you that you can be successful at work, school or in home management with some reduction in the work load or with other accommodations due to disabilities?	Expanded DRS-PI Survivor Version - Successful With Accommodations
C125827	ED2-Successful With Limited Choices	ED2-Successful With Limited Choices	Expanded Disability Rating Scale - Postacute Interview Survivor Version - How certain are you that you can be successful at work, school or in home management but with limited choices in jobs or school courses due to disabilities?	Expanded DRS-PI Survivor Version - Successful With Limited Choices
C125805	ED2-Understand Feeding Utensils	ED2-Understand Feeding Utensils	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Do you understand what eating or feeding utensils or equipment are for and how they should be used?	Expanded DRS-PI Survivor Version - Understand Feeding Utensils
C125812	ED2-Understand How to Get Dressed	ED2-Understand How to Get Dressed	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Do you understand how to get dressed?	Expanded DRS-PI Survivor Version - Understand How to Get Dressed
C125823	ED2-Understand/Follow Directions	ED2-Understand/Follow Directions	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Can you understand, remember, and follow directions?	Expanded DRS-PI Survivor Version - Understand and Follow Directions
C125807	ED2-Use Toilet Independently	ED2-Use Toilet Independently	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Can you use the toilet or manage your bowel and bladder routine independently and appropriately without help or reminders?	Expanded DRS-PI Survivor Version - Use Toilet Independently
C125828	ED2-Work With Frequent Support	ED2-Work With Frequent Support	Expanded Disability Rating Scale - Postacute Interview Survivor Version - How certain are you that you can be able to work at home or in a special setting like a sheltered workshop in which the work is very routine and there is very frequent supervision and support?	Expanded DRS-PI Survivor Version - Work With Frequent Supervision and Support

NCI Code: C112439, Codelist extensible: No

C112550	EDSS0101	EDSS01-Expanded Disability Score	Kurtzke Expanded Disability Status Scale - Expanded disability score.	EDSS - Expanded Disability Score
---------	----------	----------------------------------	-----------------------------------------------------------------------	----------------------------------

NCI Code: C112438, Codelist extensible: No

C112550	EDSS01-Expanded Disability Score	EDSS01-Expanded Disability Score	Kurtzke Expanded Disability Status Scale - Expanded disability score.	EDSS - Expanded Disability Score
---------	----------------------------------	----------------------------------	-----------------------------------------------------------------------	----------------------------------

Emotion Recognition - Total number of stimuli (face images) expected to be administered in the task.				
C150926	EMO101	EMO1-Total Stimuli Expected	Emotion Recognition - Total number of stimuli (face images) expected to be administered in the task.	ERT - Total Stimuli Expected
C150927	EMO102	EMO1-Total Stimuli Administered	Emotion Recognition - Total number of stimuli (face images) actually administered in the task.	ERT - Total Stimuli Administered
C150928	EMO103	EMO1-Total Stimuli Completed	Emotion Recognition - Total number of stimuli (face images) actually completed in the task.	ERT - Total Stimuli Completed
C150929	EMO103A	EMO1-Total Stimuli Response Correct	Emotion Recognition - Total number of stimuli (face images) for which the participant's response was correct.	ERT - Total Stimuli Response Correct
C150930	EMO103B	EMO1-Total Stimuli Response Incorrect	Emotion Recognition - Total number of stimuli (face images) for which the participant's response was incorrect.	ERT - Total Stimuli Response Incorrect
C150931	EMO103C	EMO1-Total Stimuli Not Responded	Emotion Recognition - Total number of stimuli (face images) for which the participant has not responded.	ERT - Total Stimuli Not Responded
C150932	EMO104	EMO1-Total Negative Stimuli Expected	Emotion Recognition - Total number of negative emotion stimuli (face images) expected to be administered in the task.	ERT - Total Negative Stimuli Expected
C150933	EMO105	EMO1-Total Negative Stimuli Administered	Emotion Recognition - Total number of negative emotion stimuli (face images) actually administered in the task.	ERT - Total Negative Stimuli Administered
C150934	EMO106	EMO1-Total Negative Stimuli Completed	Emotion Recognition - Total number of negative emotion stimuli (face images) actually completed in the task.	ERT - Total Negative Stimuli Completed
C150935	EMO106A	EMO1-Total Negative Stimuli Correct	Emotion Recognition - Total number of negative emotion stimuli (face images) for which the participant's response was correct.	ERT - Total Negative Stimuli Correct
C150936	EMO106B	EMO1-Total Negative Stimuli Incorrect	Emotion Recognition - Total number of negative emotion stimuli (face images) for which the participant's response was incorrect.	ERT - Total Negative Stimuli Incorrect
C150937	EMO106C	EMO1-Total Negative Stimuli Not Respond	Emotion Recognition - Total number of negative emotion stimuli (face images) for which the participant has not responded.	ERT - Total Negative Stimuli Not Respond
C150938	EMO107	EMO1-Number Stimuli Portraying Anger	Emotion Recognition - Number of stimuli defined as portraying anger.	ERT - Number Stimuli Portraying Anger
C150939	EMO107A	EMO1-Anger Responded as Anger	Emotion Recognition - Number of anger stimuli responded to as anger.	ERT - Anger Responded as Anger
C150940	EMO107B	EMO1-Anger Responded as Disgust	Emotion Recognition - Number of anger stimuli responded to as disgust.	ERT - Anger Responded as Disgust
C150941	EMO107C	EMO1-Anger Responded as Fear	Emotion Recognition - Number of anger stimuli responded to as fear.	ERT - Anger Responded as Fear
C150942	EMO107D	EMO1-Anger Responded as Happiness	Emotion Recognition - Number of anger stimuli responded to as happiness.	ERT - Anger Responded as Happiness
C150943	EMO107E	EMO1-Anger Responded as Neutral	Emotion Recognition - Number of anger stimuli responded to as neutral.	ERT - Anger Responded as Neutral
C150944	EMO107F	EMO1-Anger Responded as Sadness	Emotion Recognition - Number of anger stimuli responded to as sadness.	ERT - Anger Responded as Sadness
C150945	EMO107G	EMO1-Anger Responded as Surprise	Emotion Recognition - Number of anger stimuli responded to as surprise.	ERT - Anger Responded as Surprise
C150946	EMO108	EMO1-Number Stimuli Portraying Disgust	Emotion Recognition - Number of stimuli defined as portraying disgust.	ERT - Number Stimuli Portraying Disgust
C150947	EMO108A	EMO1-Disgust Responded as Anger	Emotion Recognition - Number of disgust stimuli responded to as anger.	ERT - Disgust Responded as Anger
C150948	EMO108B	EMO1-Disgust Responded as Disgust	Emotion Recognition - Number of disgust stimuli responded to as disgust.	ERT - Disgust Responded as Disgust
C150949	EMO108C	EMO1-Disgust Responded as Fear	Emotion Recognition - Number of disgust stimuli responded to as fear.	ERT - Disgust Responded as Fear
C150950	EMO108D	EMO1-Disgust Responded as Happiness	Emotion Recognition - Number of disgust stimuli responded to as happiness.	ERT - Disgust Responded as Happiness
C150951	EMO108E	EMO1-Disgust Responded as Neutral	Emotion Recognition - Number of disgust stimuli responded to as neutral.	ERT - Disgust Responded as Neutral
C150952	EMO108F	EMO1-Disgust Responded as Sadness	Emotion Recognition - Number of disgust stimuli responded to as sadness.	ERT - Disgust Responded as Sadness

Emotion Recognition - Number of stimuli responded to as				
C150953	EMO108G	EMO1-Disgust Responded as Surprise	Emotion Recognition - Number of disgust stimuli responded to as surprise.	ERT - Disgust Responded as Surprise
C150954	EMO109	EMO1-Number Stimuli Portraying Fear	Emotion Recognition - Number of stimuli defined as portraying fear.	ERT - Number Stimuli Portraying Fear
C150955	EMO109A	EMO1-Fear Responded as Anger	Emotion Recognition - Number of fear stimuli responded to as anger.	ERT - Fear Responded as Anger
C150956	EMO109B	EMO1-Fear Responded as Disgust	Emotion Recognition - Number of fear stimuli responded to as disgust.	ERT - Fear Responded as Disgust
C150957	EMO109C	EMO1-Fear Responded as Fear	Emotion Recognition - Number of fear stimuli responded to as fear.	ERT - Fear Responded as Fear
C150958	EMO109D	EMO1-Fear Responded as Happiness	Emotion Recognition - Number of fear stimuli responded to as happiness.	ERT - Fear Responded as Happiness
C150959	EMO109E	EMO1-Fear Responded as Neutral	Emotion Recognition - Number of fear stimuli responded to as neutral.	ERT - Fear Responded as Neutral
C150960	EMO109F	EMO1-Fear Responded as Sadness	Emotion Recognition - Number of fear stimuli responded to as sadness.	ERT - Fear Responded as Sadness
C150961	EMO109G	EMO1-Fear Responded as Surprise	Emotion Recognition - Number of fear stimuli responded to as surprise.	ERT - Fear Responded as Surprise
C150962	EMO110	EMO1-Number Stimuli Portraying Happiness	Emotion Recognition - Number of stimuli defined as portraying happiness.	ERT - Number Stimuli Portraying Happiness
C150963	EMO110A	EMO1-Happiness Responded as Anger	Emotion Recognition - Number of happiness stimuli responded to as anger.	ERT - Happiness Responded as Anger
C150964	EMO110B	EMO1-Happiness Responded as Disgust	Emotion Recognition - Number of happiness stimuli responded to as disgust.	ERT - Happiness Responded as Disgust
C150965	EMO110C	EMO1-Happiness Responded as Fear	Emotion Recognition - Number of happiness stimuli responded to as fear.	ERT - Happiness Responded as Fear
C150966	EMO110D	EMO1-Happiness Responded as Happiness	Emotion Recognition - Number of happiness stimuli responded to as happiness.	ERT - Happiness Responded as Happiness
C150967	EMO110E	EMO1-Happiness Responded as Neutral	Emotion Recognition - Number of happiness stimuli responded to as neutral.	ERT - Happiness Responded as Neutral
C150968	EMO110F	EMO1-Happiness Responded as Sadness	Emotion Recognition - Number of happiness stimuli responded to as sadness.	ERT - Happiness Responded as Sadness
C150969	EMO110G	EMO1-Happiness Responded as Surprise	Emotion Recognition - Number of happiness stimuli responded to as surprise.	ERT - Happiness Responded as Surprise
C150970	EMO111	EMO1-Number Stimuli Portraying Neutral	Emotion Recognition - Number of stimuli defined as portraying a neutral expression.	ERT - Number Stimuli Portraying Neutral
C150971	EMO111A	EMO1-Neutral Responded as Anger	Emotion Recognition - Number of neutral stimuli responded to as anger.	ERT - Neutral Responded as Anger
C150972	EMO111B	EMO1-Neutral Responded as Disgust	Emotion Recognition - Number of neutral stimuli responded to as disgust.	ERT - Neutral Responded as Disgust
C150973	EMO111C	EMO1-Neutral Responded as Fear	Emotion Recognition - Number of neutral stimuli responded to as fear.	ERT - Neutral Responded as Fear
C150974	EMO111D	EMO1-Neutral Responded as Happiness	Emotion Recognition - Number of neutral stimuli responded to as happiness.	ERT - Neutral Responded as Happiness
C150975	EMO111E	EMO1-Neutral Responded as Neutral	Emotion Recognition - Number of neutral stimuli responded to as neutral.	ERT - Neutral Responded as Neutral
C150976	EMO111F	EMO1-Neutral Responded as Sadness	Emotion Recognition - Number of neutral stimuli responded to as sadness.	ERT - Neutral Responded as Sadness
C150977	EMO111G	EMO1-Neutral Responded as Surprise	Emotion Recognition - Number of neutral stimuli responded to as surprise.	ERT - Neutral Responded as Surprise
C150978	EMO112	EMO1-Number Stimuli Portraying Sadness	Emotion Recognition - Number of stimuli defined as portraying sadness.	ERT - Number Stimuli Portraying Sadness
C150979	EMO112A	EMO1-Sadness Responded as Anger	Emotion Recognition - Number of sadness stimuli responded to as anger.	ERT - Sadness Responded as Anger
C150980	EMO112B	EMO1-Sadness Responded as Disgust	Emotion Recognition - Number of sadness stimuli responded to as disgust.	ERT - Sadness Responded as Disgust

Emotion Recognition - Number of stimuli responded to as				
C150981	EMO112C	EMO1-Sadness Responded as Fear	Emotion Recognition - Number of sadness stimuli responded to as fear.	ERT - Sadness Responded as Fear
C150982	EMO112D	EMO1-Sadness Responded as Happiness	Emotion Recognition - Number of sadness stimuli responded to as happiness.	ERT - Sadness Responded as Happiness
C150983	EMO112E	EMO1-Sadness Responded as Neutral	Emotion Recognition - Number of sadness stimuli responded to as neutral.	ERT - Sadness Responded as Neutral
C150984	EMO112F	EMO1-Sadness Responded as Sadness	Emotion Recognition - Number of sadness stimuli responded to as sadness.	ERT - Sadness Responded as Sadness
C150985	EMO112G	EMO1-Sadness Responded as Surprise	Emotion Recognition - Number of sadness stimuli responded to as surprise.	ERT - Sadness Responded as Surprise
C150986	EMO113	EMO1-Number Stimuli Portraying Surprise	Emotion Recognition - Number of stimuli defined as portraying surprise.	ERT - Number Stimuli Portraying Surprise
C150987	EMO113A	EMO1-Surprise Responded as Anger	Emotion Recognition - Number of surprise stimuli responded to as anger.	ERT - Surprise Responded as Anger
C150988	EMO113B	EMO1-Surprise Responded as Disgust	Emotion Recognition - Number of surprise stimuli responded to as disgust.	ERT - Surprise Responded as Disgust
C150989	EMO113C	EMO1-Surprise Responded as Fear	Emotion Recognition - Number of surprise stimuli responded to as fear.	ERT - Surprise Responded as Fear
C150990	EMO113D	EMO1-Surprise Responded as Happiness	Emotion Recognition - Number of surprise stimuli responded to as happiness.	ERT - Surprise Responded as Happiness
C150991	EMO113E	EMO1-Surprise Responded as Neutral	Emotion Recognition - Number of surprise stimuli responded to as neutral.	ERT - Surprise Responded as Neutral
C150992	EMO113F	EMO1-Surprise Responded as Sadness	Emotion Recognition - Number of surprise stimuli responded to as sadness.	ERT - Surprise Responded as Sadness
C150993	EMO113G	EMO1-Surprise Responded as Surprise	Emotion Recognition - Number of surprise stimuli responded to as surprise.	ERT - Surprise Responded as Surprise

C150939	EMO1-Anger Responded as Anger	EMO1-Anger Responded as Anger	Emotion Recognition - Number of anger stimuli responded to as anger.	ERT - Anger Responded as Anger
C150940	EMO1-Anger Responded as Disgust	EMO1-Anger Responded as Disgust	Emotion Recognition - Number of anger stimuli responded to as disgust.	ERT - Anger Responded as Disgust
C150941	EMO1-Anger Responded as Fear	EMO1-Anger Responded as Fear	Emotion Recognition - Number of anger stimuli responded to as fear.	ERT - Anger Responded as Fear
C150942	EMO1-Anger Responded as Happiness	EMO1-Anger Responded as Happiness	Emotion Recognition - Number of anger stimuli responded to as happiness.	ERT - Anger Responded as Happiness
C150943	EMO1-Anger Responded as Neutral	EMO1-Anger Responded as Neutral	Emotion Recognition - Number of anger stimuli responded to as neutral.	ERT - Anger Responded as Neutral
C150944	EMO1-Anger Responded as Sadness	EMO1-Anger Responded as Sadness	Emotion Recognition - Number of anger stimuli responded to as sadness.	ERT - Anger Responded as Sadness
C150945	EMO1-Anger Responded as Surprise	EMO1-Anger Responded as Surprise	Emotion Recognition - Number of anger stimuli responded to as surprise.	ERT - Anger Responded as Surprise
C150947	EMO1-Disgust Responded as Anger	EMO1-Disgust Responded as Anger	Emotion Recognition - Number of disgust stimuli responded to as anger.	ERT - Disgust Responded as Anger
C150948	EMO1-Disgust Responded as Disgust	EMO1-Disgust Responded as Disgust	Emotion Recognition - Number of disgust stimuli responded to as disgust.	ERT - Disgust Responded as Disgust
C150949	EMO1-Disgust Responded as Fear	EMO1-Disgust Responded as Fear	Emotion Recognition - Number of disgust stimuli responded to as fear.	ERT - Disgust Responded as Fear
C150950	EMO1-Disgust Responded as Happiness	EMO1-Disgust Responded as Happiness	Emotion Recognition - Number of disgust stimuli responded to as happiness.	ERT - Disgust Responded as Happiness
C150951	EMO1-Disgust Responded as Neutral	EMO1-Disgust Responded as Neutral	Emotion Recognition - Number of disgust stimuli responded to as neutral.	ERT - Disgust Responded as Neutral
C150952	EMO1-Disgust Responded as Sadness	EMO1-Disgust Responded as Sadness	Emotion Recognition - Number of disgust stimuli responded to as sadness.	ERT - Disgust Responded as Sadness
C150953	EMO1-Disgust Responded as Surprise	EMO1-Disgust Responded as Surprise	Emotion Recognition - Number of disgust stimuli responded to as surprise.	ERT - Disgust Responded as Surprise
C150955	EMO1-Fear Responded as Anger	EMO1-Fear Responded as Anger	Emotion Recognition - Number of fear stimuli responded to as anger.	ERT - Fear Responded as Anger
C150956	EMO1-Fear Responded as Disgust	EMO1-Fear Responded as Disgust	Emotion Recognition - Number of fear stimuli responded to as disgust.	ERT - Fear Responded as Disgust
C150957	EMO1-Fear Responded as Fear	EMO1-Fear Responded as Fear	Emotion Recognition - Number of fear stimuli responded to as fear.	ERT - Fear Responded as Fear
C150958	EMO1-Fear Responded as Happiness	EMO1-Fear Responded as Happiness	Emotion Recognition - Number of fear stimuli responded to as happiness.	ERT - Fear Responded as Happiness
C150959	EMO1-Fear Responded as Neutral	EMO1-Fear Responded as Neutral	Emotion Recognition - Number of fear stimuli responded to as neutral.	ERT - Fear Responded as Neutral
C150960	EMO1-Fear Responded as Sadness	EMO1-Fear Responded as Sadness	Emotion Recognition - Number of fear stimuli responded to as sadness.	ERT - Fear Responded as Sadness
C150961	EMO1-Fear Responded as Surprise	EMO1-Fear Responded as Surprise	Emotion Recognition - Number of fear stimuli responded to as surprise.	ERT - Fear Responded as Surprise
C150963	EMO1-Happiness Responded as Anger	EMO1-Happiness Responded as Anger	Emotion Recognition - Number of happiness stimuli responded to as anger.	ERT - Happiness Responded as Anger
C150964	EMO1-Happiness Responded as Disgust	EMO1-Happiness Responded as Disgust	Emotion Recognition - Number of happiness stimuli responded to as disgust.	ERT - Happiness Responded as Disgust
C150965	EMO1-Happiness Responded as Fear	EMO1-Happiness Responded as Fear	Emotion Recognition - Number of happiness stimuli responded to as fear.	ERT - Happiness Responded as Fear
C150966	EMO1-Happiness Responded as Happiness	EMO1-Happiness Responded as Happiness	Emotion Recognition - Number of happiness stimuli responded to as happiness.	ERT - Happiness Responded as Happiness
C150967	EMO1-Happiness Responded as Neutral	EMO1-Happiness Responded as Neutral	Emotion Recognition - Number of happiness stimuli responded to as neutral.	ERT - Happiness Responded as Neutral
C150968	EMO1-Happiness Responded as Sadness	EMO1-Happiness Responded as Sadness	Emotion Recognition - Number of happiness stimuli responded to as sadness.	ERT - Happiness Responded as Sadness

Emotion Recognition - Number of stimuli responded to as				
C150969	EMO1-Happiness Responded as Surprise	EMO1-Happiness Responded as Surprise	Emotion Recognition - Number of happiness stimuli responded to as surprise.	ERT - Happiness Responded as Surprise
C150971	EMO1-Neutral Responded as Anger	EMO1-Neutral Responded as Anger	Emotion Recognition - Number of neutral stimuli responded to as anger.	ERT - Neutral Responded as Anger
C150972	EMO1-Neutral Responded as Disgust	EMO1-Neutral Responded as Disgust	Emotion Recognition - Number of neutral stimuli responded to as disgust.	ERT - Neutral Responded as Disgust
C150973	EMO1-Neutral Responded as Fear	EMO1-Neutral Responded as Fear	Emotion Recognition - Number of neutral stimuli responded to as fear.	ERT - Neutral Responded as Fear
C150974	EMO1-Neutral Responded as Happiness	EMO1-Neutral Responded as Happiness	Emotion Recognition - Number of neutral stimuli responded to as happiness.	ERT - Neutral Responded as Happiness
C150975	EMO1-Neutral Responded as Neutral	EMO1-Neutral Responded as Neutral	Emotion Recognition - Number of neutral stimuli responded to as neutral.	ERT - Neutral Responded as Neutral
C150976	EMO1-Neutral Responded as Sadness	EMO1-Neutral Responded as Sadness	Emotion Recognition - Number of neutral stimuli responded to as sadness.	ERT - Neutral Responded as Sadness
C150977	EMO1-Neutral Responded as Surprise	EMO1-Neutral Responded as Surprise	Emotion Recognition - Number of neutral stimuli responded to as surprise.	ERT - Neutral Responded as Surprise
C150938	EMO1-Number Stimuli Portraying Anger	EMO1-Number Stimuli Portraying Anger	Emotion Recognition - Number of stimuli defined as portraying anger.	ERT - Number Stimuli Portraying Anger
C150946	EMO1-Number Stimuli Portraying Disgust	EMO1-Number Stimuli Portraying Disgust	Emotion Recognition - Number of stimuli defined as portraying disgust.	ERT - Number Stimuli Portraying Disgust
C150954	EMO1-Number Stimuli Portraying Fear	EMO1-Number Stimuli Portraying Fear	Emotion Recognition - Number of stimuli defined as portraying fear.	ERT - Number Stimuli Portraying Fear
C150962	EMO1-Number Stimuli Portraying Happiness	EMO1-Number Stimuli Portraying Happiness	Emotion Recognition - Number of stimuli defined as portraying happiness.	ERT - Number Stimuli Portraying Happiness
C150970	EMO1-Number Stimuli Portraying Neutral	EMO1-Number Stimuli Portraying Neutral	Emotion Recognition - Number of stimuli defined as portraying a neutral expression.	ERT - Number Stimuli Portraying Neutral
C150978	EMO1-Number Stimuli Portraying Sadness	EMO1-Number Stimuli Portraying Sadness	Emotion Recognition - Number of stimuli defined as portraying sadness.	ERT - Number Stimuli Portraying Sadness
C150986	EMO1-Number Stimuli Portraying Surprise	EMO1-Number Stimuli Portraying Surprise	Emotion Recognition - Number of stimuli defined as portraying surprise.	ERT - Number Stimuli Portraying Surprise
C150979	EMO1-Sadness Responded as Anger	EMO1-Sadness Responded as Anger	Emotion Recognition - Number of sadness stimuli responded to as anger.	ERT - Sadness Responded as Anger
C150980	EMO1-Sadness Responded as Disgust	EMO1-Sadness Responded as Disgust	Emotion Recognition - Number of sadness stimuli responded to as disgust.	ERT - Sadness Responded as Disgust
C150981	EMO1-Sadness Responded as Fear	EMO1-Sadness Responded as Fear	Emotion Recognition - Number of sadness stimuli responded to as fear.	ERT - Sadness Responded as Fear
C150982	EMO1-Sadness Responded as Happiness	EMO1-Sadness Responded as Happiness	Emotion Recognition - Number of sadness stimuli responded to as happiness.	ERT - Sadness Responded as Happiness
C150983	EMO1-Sadness Responded as Neutral	EMO1-Sadness Responded as Neutral	Emotion Recognition - Number of sadness stimuli responded to as neutral.	ERT - Sadness Responded as Neutral
C150984	EMO1-Sadness Responded as Sadness	EMO1-Sadness Responded as Sadness	Emotion Recognition - Number of sadness stimuli responded to as sadness.	ERT - Sadness Responded as Sadness
C150985	EMO1-Sadness Responded as Surprise	EMO1-Sadness Responded as Surprise	Emotion Recognition - Number of sadness stimuli responded to as surprise.	ERT - Sadness Responded as Surprise
C150987	EMO1-Surprise Responded as Anger	EMO1-Surprise Responded as Anger	Emotion Recognition - Number of surprise stimuli responded to as anger.	ERT - Surprise Responded as Anger
C150988	EMO1-Surprise Responded as Disgust	EMO1-Surprise Responded as Disgust	Emotion Recognition - Number of surprise stimuli responded to as disgust.	ERT - Surprise Responded as Disgust
C150989	EMO1-Surprise Responded as Fear	EMO1-Surprise Responded as Fear	Emotion Recognition - Number of surprise stimuli responded to as fear.	ERT - Surprise Responded as Fear
C150990	EMO1-Surprise Responded as Happiness	EMO1-Surprise Responded as Happiness	Emotion Recognition - Number of surprise stimuli responded to as happiness.	ERT - Surprise Responded as Happiness
C150991	EMO1-Surprise Responded as Neutral	EMO1-Surprise Responded as Neutral	Emotion Recognition - Number of surprise stimuli responded to as neutral.	ERT - Surprise Responded as Neutral
C150992	EMO1-Surprise Responded as Sadness	EMO1-Surprise Responded as Sadness	Emotion Recognition - Number of surprise stimuli responded to as sadness.	ERT - Surprise Responded as Sadness

Emotion Recognition - Task 1				
C150993	EMO1-Surprise Responded as Surprise	EMO1-Surprise Responded as Surprise	Emotion Recognition - Number of surprise stimuli responded to as surprise.	ERT - Surprise Responded as Surprise
C150933	EMO1-Total Negative Stimuli Administered	EMO1-Total Negative Stimuli Administered	Emotion Recognition - Total number of negative emotion stimuli (face images) actually administered in the task.	ERT - Total Negative Stimuli Administered
C150934	EMO1-Total Negative Stimuli Completed	EMO1-Total Negative Stimuli Completed	Emotion Recognition - Total number of negative emotion stimuli (face images) actually completed in the task.	ERT - Total Negative Stimuli Completed
C150935	EMO1-Total Negative Stimuli Correct	EMO1-Total Negative Stimuli Correct	Emotion Recognition - Total number of negative emotion stimuli (face images) for which the participant's response was correct.	ERT - Total Negative Stimuli Correct
C150932	EMO1-Total Negative Stimuli Expected	EMO1-Total Negative Stimuli Expected	Emotion Recognition - Total number of negative emotion stimuli (face images) expected to be administered in the task.	ERT - Total Negative Stimuli Expected
C150936	EMO1-Total Negative Stimuli Incorrect	EMO1-Total Negative Stimuli Incorrect	Emotion Recognition - Total number of negative emotion stimuli (face images) for which the participant's response was incorrect.	ERT - Total Negative Stimuli Incorrect
C150937	EMO1-Total Negative Stimuli Not Respond	EMO1-Total Negative Stimuli Not Respond	Emotion Recognition - Total number of negative emotion stimuli (face images) for which the participant has not responded.	ERT - Total Negative Stimuli Not Respond
C150927	EMO1-Total Stimuli Administered	EMO1-Total Stimuli Administered	Emotion Recognition - Total number of stimuli (face images) actually administered in the task.	ERT - Total Stimuli Administered
C150928	EMO1-Total Stimuli Completed	EMO1-Total Stimuli Completed	Emotion Recognition - Total number of stimuli (face images) actually completed in the task.	ERT - Total Stimuli Completed
C150926	EMO1-Total Stimuli Expected	EMO1-Total Stimuli Expected	Emotion Recognition - Total number of stimuli (face images) expected to be administered in the task.	ERT - Total Stimuli Expected
C150931	EMO1-Total Stimuli Not Responded	EMO1-Total Stimuli Not Responded	Emotion Recognition - Total number of stimuli (face images) for which the participant has not responded.	ERT - Total Stimuli Not Responded
C150929	EMO1-Total Stimuli Response Correct	EMO1-Total Stimuli Response Correct	Emotion Recognition - Total number of stimuli (face images) for which the participant's response was correct.	ERT - Total Stimuli Response Correct
C150930	EMO1-Total Stimuli Response Incorrect	EMO1-Total Stimuli Response Incorrect	Emotion Recognition - Total number of stimuli (face images) for which the participant's response was incorrect.	ERT - Total Stimuli Response Incorrect

C161674	EOR0101	EOR01-Trouble Doing Strenuous Activities	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - Do you have any trouble doing strenuous activities, like carrying a heavy shopping bag or a suitcase?	EORTC QLQ-C30 Version 3 - Trouble Doing Strenuous Activities
C161675	EOR0102	EOR01-Trouble Taking Long Walk	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - Do you have any trouble taking a long walk?	EORTC QLQ-C30 Version 3 - Trouble Taking Long Walk
C161676	EOR0103	EOR01-Trouble Taking Short Walk Outside	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - Do you have any trouble taking a short walk outside of the house?	EORTC QLQ-C30 Version 3 - Trouble Taking Short Walk Outside
C161677	EOR0104	EOR01-Stay in Bed/Chair During the Day	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - Do you need to stay in bed or a chair during the day?	EORTC QLQ-C30 Version 3 - Stay in Bed or Chair During the Day
C161678	EOR0105	EOR01-Need Help Eating/Dressing/Washing	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - Do you need help with eating, dressing, washing yourself or using the toilet?	EORTC QLQ-C30 Version 3 - Need Help Eating, Dressing, Washing
C161679	EOR0106	EOR01-Limited in Work/Daily Activities	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - During the past week: Were you limited in doing either your work or other daily activities?	EORTC QLQ-C30 Version 3 - Limited in Work or Daily Activities
C161680	EOR0107	EOR01-Limited Hobbies/Leisure Activities	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - During the past week: Were you limited in pursuing your hobbies or other leisure time activities?	EORTC QLQ-C30 Version 3 - Limited Hobbies or Leisure Activities
C161681	EOR0108	EOR01-Were You Short of Breath	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - During the past week: Were you short of breath?	EORTC QLQ-C30 Version 3 - Were You Short of Breath
C161682	EOR0109	EOR01-Have You Had Pain	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - During the past week: Have you had pain?	EORTC QLQ-C30 Version 3 - Have You Had Pain
C161683	EOR0110	EOR01-Did You Need to Rest	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - During the past week: Did you need to rest?	EORTC QLQ-C30 Version 3 - Did You Need to Rest
C161684	EOR0111	EOR01-Have You Had Trouble Sleeping	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - During the past week: Have you had trouble sleeping?	EORTC QLQ-C30 Version 3 - Have You Had Trouble Sleeping
C161685	EOR0112	EOR01-Have You Felt Weak	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - During the past week: Have you felt weak?	EORTC QLQ-C30 Version 3 - Have You Felt Weak
C161686	EOR0113	EOR01-Have You Lacked Appetite	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - During the past week: Have you lacked appetite?	EORTC QLQ-C30 Version 3 - Have You Lacked Appetite
C161687	EOR0114	EOR01-Have You Felt Nauseated	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - During the past week: Have you felt nauseated?	EORTC QLQ-C30 Version 3 - Have You Felt Nauseated
C161688	EOR0115	EOR01-Have You Vomited	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - During the past week: Have you vomited?	EORTC QLQ-C30 Version 3 - Have You Vomited
C161689	EOR0116	EOR01-Have You Been Constipated	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - During the past week: Have you been constipated?	EORTC QLQ-C30 Version 3 - Have You Been Constipated
C161690	EOR0117	EOR01-Have You Had Diarrhea	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - During the past week: Have you had diarrhea?	EORTC QLQ-C30 Version 3 - Have You Had Diarrhea
C161691	EOR0118	EOR01-Were You Tired	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - During the past week: Were you tired?	EORTC QLQ-C30 Version 3 - Were You Tired
C161692	EOR0119	EOR01-Pain Interfere Daily Activities	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - During the past week: Did pain interfere with your daily activities?	EORTC QLQ-C30 Version 3 - Pain Interfere Daily Activities

EORTC QLQ-C30 Version 3 - Symptom Scale					
C161693	EOR0120	EOR01-Difficulty Concentrating on Things	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - During the past week: Have you had difficulty in concentrating on things, like reading a newspaper or watching television?	EORTC QLQ-C30 Version 3 - Difficulty Concentrating on Things	
C161694	EOR0121	EOR01-Did You Feel Tense	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - During the past week: Did you feel tense?	EORTC QLQ-C30 Version 3 - Did You Feel Tense	
C161695	EOR0122	EOR01-Did You Worry	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - During the past week: Did you worry?	EORTC QLQ-C30 Version 3 - Did You Worry	
C161696	EOR0123	EOR01-Did You Feel Irritable	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - During the past week: Did you feel irritable?	EORTC QLQ-C30 Version 3 - Did You Feel Irritable	
C161697	EOR0124	EOR01-Did You Feel Depressed	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - During the past week: Did you feel depressed?	EORTC QLQ-C30 Version 3 - Did You Feel Depressed	
C161698	EOR0125	EOR01-Had Difficulty Remembering Things	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - During the past week: Have you had difficulty remembering things?	EORTC QLQ-C30 Version 3 - Had Difficulty Remembering Things	
C161699	EOR0126	EOR01-Condition Interfered Family Life	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - During the past week: Has your physical condition or medical treatment interfered with your family life?	EORTC QLQ-C30 Version 3 - Condition Interfered Family Life	
C161700	EOR0127	EOR01-Condition Interfered Social Activ	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - During the past week: Has your physical condition or medical treatment interfered with your social activities?	EORTC QLQ-C30 Version 3 - Condition Interfered Social Activities	
C161701	EOR0128	EOR01-Condition Caused Financial Diff	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - During the past week: Has your physical condition or medical treatment caused you financial difficulties?	EORTC QLQ-C30 Version 3 - Condition Caused Financial Difficulties	
C161702	EOR0129	EOR01-Rate Your Overall Health	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - How would you rate your overall health during the past week?	EORTC QLQ-C30 Version 3 - Rate Your Overall Health	
C161703	EOR0130	EOR01-Rate Your Overall Quality of Life	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - How would you rate your overall quality of life during the past week?	EORTC QLQ-C30 Version 3 - Rate Your Overall Quality of Life	
C181142	EOR0131	EOR01-Global Health Status/QoL	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - Global health status/QoL.	EORTC QLQ-C30 Version 3 - EOR01-Global Health Status/QoL	
C181143	EOR0132	EOR01-FS:Physical Functioning	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - Functional scale: physical functioning.	EORTC QLQ-C30 Version 3 - EOR01-FS:Physical Functioning	
C181144	EOR0133	EOR01-FS:Role Functioning	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - Functional scale: role functioning.	EORTC QLQ-C30 Version 3 - EOR01-FS:Role Functioning	
C181145	EOR0134	EOR01-FS:Emotional Functioning	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - Functional scale: emotional functioning.	EORTC QLQ-C30 Version 3 - EOR01-FS:Emotional Functioning	
C181146	EOR0135	EOR01-FS:Cognitive Functioning	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - Functional scale: cognitive functioning.	EORTC QLQ-C30 Version 3 - EOR01-FS:Cognitive Functioning	
C181147	EOR0136	EOR01-FS:Social Functioning	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - Functional scale: social functioning.	EORTC QLQ-C30 Version 3 - EOR01-FS:Social Functioning	
C181148	EOR0137	EOR01-SS:Fatigue	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - Symptom scale: fatigue.	EORTC QLQ-C30 Version 3 - EOR01-SS:Fatigue	
C181149	EOR0138	EOR01-SS:Nausea and Vomiting	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - Symptom scale: nausea and vomiting.	EORTC QLQ-C30 Version 3 - EOR01-SS:Nausea and Vomiting	
C181150	EOR0139	EOR01-SS:Pain	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - Symptom scale: pain.	EORTC QLQ-C30 Version 3 - EOR01-SS:Pain	

Symptom Scale Definitions					
C181151	EOR0140	EOR01-SS:Dyspnoea	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - Symptom scale: dyspnoea.	EORTC QLQ-C30 Version 3 - EOR01-SS:Dyspnoea	
C181152	EOR0141	EOR01-SS:Insomnia	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - Symptom scale: insomnia.	EORTC QLQ-C30 Version 3 - EOR01-SS:Insomnia	
C181153	EOR0142	EOR01-SS:Appetite Loss	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - Symptom scale: appetite loss.	EORTC QLQ-C30 Version 3 - EOR01-SS:Appetite Loss	
C181154	EOR0143	EOR01-SS:Constipation	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - Symptom scale: constipation.	EORTC QLQ-C30 Version 3 - EOR01-SS:Constipation	
C181155	EOR0144	EOR01-SS:Diarrhoea	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - Symptom scale: diarrhoea.	EORTC QLQ-C30 Version 3 - EOR01-SS:Diarrhoea	
C181156	EOR0145	EOR01-SS:Financial Difficulties	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - Symptom scale: financial difficulties.	EORTC QLQ-C30 Version 3 - EOR01-SS:Financial Difficulties	

C161701	EOR01-Condition Caused Financial Diff	EOR01-Condition Caused Financial Diff	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - During the past week: Has your physical condition or medical treatment caused you financial difficulties?	EORTC QLQ-C30 Version 3 - Condition Caused Financial Difficulties
C161699	EOR01-Condition Interfered Family Life	EOR01-Condition Interfered Family Life	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - During the past week: Has your physical condition or medical treatment interfered with your family life?	EORTC QLQ-C30 Version 3 - Condition Interfered Family Life
C161700	EOR01-Condition Interfered Social Activ	EOR01-Condition Interfered Social Activ	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - During the past week: Has your physical condition or medical treatment interfered with your social activities?	EORTC QLQ-C30 Version 3 - Condition Interfered Social Activities
C161697	EOR01-Did You Feel Depressed	EOR01-Did You Feel Depressed	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - During the past week: Did you feel depressed?	EORTC QLQ-C30 Version 3 - Did You Feel Depressed
C161696	EOR01-Did You Feel Irritable	EOR01-Did You Feel Irritable	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - During the past week: Did you feel irritable?	EORTC QLQ-C30 Version 3 - Did You Feel Irritable
C161694	EOR01-Did You Feel Tense	EOR01-Did You Feel Tense	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - During the past week: Did you feel tense?	EORTC QLQ-C30 Version 3 - Did You Feel Tense
C161683	EOR01-Did You Need to Rest	EOR01-Did You Need to Rest	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - During the past week: Did you need to rest?	EORTC QLQ-C30 Version 3 - Did You Need to Rest
C161695	EOR01-Did You Worry	EOR01-Did You Worry	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - During the past week: Did you worry?	EORTC QLQ-C30 Version 3 - Did You Worry
C161693	EOR01-Difficulty Concentrating on Things	EOR01-Difficulty Concentrating on Things	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - During the past week: Have you had difficulty in concentrating on things, like reading a newspaper or watching television?	EORTC QLQ-C30 Version 3 - Difficulty Concentrating on Things
C181146	EOR01-FS:Cognitive Functioning	EOR01-FS:Cognitive Functioning	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - Functional scale: cognitive functioning.	EORTC QLQ-C30 Version 3 - EOR01-FS:Cognitive Functioning
C181145	EOR01-FS:Emotional Functioning	EOR01-FS:Emotional Functioning	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - Functional scale: emotional functioning.	EORTC QLQ-C30 Version 3 - EOR01-FS:Emotional Functioning
C181143	EOR01-FS:Physical Functioning	EOR01-FS:Physical Functioning	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - Functional scale: physical functioning.	EORTC QLQ-C30 Version 3 - EOR01-FS:Physical Functioning
C181144	EOR01-FS:Role Functioning	EOR01-FS:Role Functioning	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - Functional scale: role functioning.	EORTC QLQ-C30 Version 3 - EOR01-FS:Role Functioning
C181147	EOR01-FS:Social Functioning	EOR01-FS:Social Functioning	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - Functional scale: social functioning.	EORTC QLQ-C30 Version 3 - EOR01-FS:Social Functioning
C181142	EOR01-Global Health Status/QoL	EOR01-Global Health Status/QoL	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - Global health status/QoL.	EORTC QLQ-C30 Version 3 - EOR01-Global Health Status/QoL
C161698	EOR01-Had Difficulty Remembering Things	EOR01-Had Difficulty Remembering Things	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - During the past week: Have you had difficulty remembering things?	EORTC QLQ-C30 Version 3 - Had Difficulty Remembering Things
C161689	EOR01-Have You Been Constipated	EOR01-Have You Been Constipated	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - During the past week: Have you been constipated?	EORTC QLQ-C30 Version 3 - Have You Been Constipated
C161687	EOR01-Have You Felt Nauseated	EOR01-Have You Felt Nauseated	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - During the past week: Have you felt nauseated?	EORTC QLQ-C30 Version 3 - Have You Felt Nauseated
C161685	EOR01-Have You Felt Weak	EOR01-Have You Felt Weak	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - During the past week: Have you felt weak?	EORTC QLQ-C30 Version 3 - Have You Felt Weak

EORTC QLQ-C30 Version 3 -					
C161690	EOR01-Have You Had Diarrhea	EOR01-Have You Had Diarrhea	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - During the past week: Have you had diarrhea?	EORTC QLQ-C30 Version 3 - Have You Had Diarrhea	
C161682	EOR01-Have You Had Pain	EOR01-Have You Had Pain	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - During the past week: Have you had pain?	EORTC QLQ-C30 Version 3 - Have You Had Pain	
C161684	EOR01-Have You Had Trouble Sleeping	EOR01-Have You Had Trouble Sleeping	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - During the past week: Have you had trouble sleeping?	EORTC QLQ-C30 Version 3 - Have You Had Trouble Sleeping	
C161686	EOR01-Have You Lacked Appetite	EOR01-Have You Lacked Appetite	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - During the past week: Have you lacked appetite?	EORTC QLQ-C30 Version 3 - Have You Lacked Appetite	
C161688	EOR01-Have You Vomited	EOR01-Have You Vomited	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - During the past week: Have you vomited?	EORTC QLQ-C30 Version 3 - Have You Vomited	
C161680	EOR01-Limited Hobbies/Leisure Activities	EOR01-Limited Hobbies/Leisure Activities	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - During the past week: Were you limited in pursuing your hobbies or other leisure time activities?	EORTC QLQ-C30 Version 3 - Limited Hobbies or Leisure Activities	
C161679	EOR01-Limited in Work/Daily Activities	EOR01-Limited in Work/Daily Activities	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - During the past week: Were you limited in doing either your work or other daily activities?	EORTC QLQ-C30 Version 3 - Limited in Work or Daily Activities	
C161678	EOR01-Need Help Eating/Dressing/Washing	EOR01-Need Help Eating/Dressing/Washing	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - Do you need help with eating, dressing, washing yourself or using the toilet?	EORTC QLQ-C30 Version 3 - Need Help Eating, Dressing, Washing	
C161692	EOR01-Pain Interfere Daily Activities	EOR01-Pain Interfere Daily Activities	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - During the past week: Did pain interfere with your daily activities?	EORTC QLQ-C30 Version 3 - Pain Interfere Daily Activities	
C161702	EOR01-Rate Your Overall Health	EOR01-Rate Your Overall Health	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - How would you rate your overall health during the past week?	EORTC QLQ-C30 Version 3 - Rate Your Overall Health	
C161703	EOR01-Rate Your Overall Quality of Life	EOR01-Rate Your Overall Quality of Life	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - How would you rate your overall quality of life during the past week?	EORTC QLQ-C30 Version 3 - Rate Your Overall Quality of Life	
C181153	EOR01-SS:Appetite Loss	EOR01-SS:Appetite Loss	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - Symptom scale: appetite loss.	EORTC QLQ-C30 Version 3 - EOR01-SS:Appetite Loss	
C181154	EOR01-SS:Constipation	EOR01-SS:Constipation	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - Symptom scale: constipation.	EORTC QLQ-C30 Version 3 - EOR01-SS:Constipation	
C181155	EOR01-SS:Diarrhoea	EOR01-SS:Diarrhoea	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - Symptom scale: diarrhoea.	EORTC QLQ-C30 Version 3 - EOR01-SS:Diarrhoea	
C181151	EOR01-SS:Dyspnoea	EOR01-SS:Dyspnoea	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - Symptom scale: dyspnoea.	EORTC QLQ-C30 Version 3 - EOR01-SS:Dyspnoea	
C181148	EOR01-SS:Fatigue	EOR01-SS:Fatigue	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - Symptom scale: fatigue.	EORTC QLQ-C30 Version 3 - EOR01-SS:Fatigue	
C181156	EOR01-SS:Financial Difficulties	EOR01-SS:Financial Difficulties	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - Symptom scale: financial difficulties.	EORTC QLQ-C30 Version 3 - EOR01-SS:Financial Difficulties	
C181152	EOR01-SS:Insomnia	EOR01-SS:Insomnia	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - Symptom scale: insomnia.	EORTC QLQ-C30 Version 3 - EOR01-SS:Insomnia	
C181149	EOR01-SS:Nausea and Vomiting	EOR01-SS:Nausea and Vomiting	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - Symptom scale: nausea and vomiting.	EORTC QLQ-C30 Version 3 - EOR01-SS:Nausea and Vomiting	
C181150	EOR01-SS:Pain	EOR01-SS:Pain	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - Symptom scale: pain.	EORTC QLQ-C30 Version 3 - EOR01-SS:Pain	
C161677	EOR01-Stay in Bed/Chair During the Day	EOR01-Stay in Bed/Chair During the Day	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - Do you need to stay in bed or a chair during the day?	EORTC QLQ-C30 Version 3 - Stay in Bed or Chair During the Day	

EORTC QLQ-C30 Version 3 - Troubles					
C161674	EOR01-Trouble Doing Strenuous Activities	EOR01-Trouble Doing Strenuous Activities	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - Do you have any trouble doing strenuous activities, like carrying a heavy shopping bag or a suitcase?	EORTC QLQ-C30 Version 3 - Trouble Doing Strenuous Activities	
C161675	EOR01-Trouble Taking Long Walk	EOR01-Trouble Taking Long Walk	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - Do you have any trouble taking a long walk?	EORTC QLQ-C30 Version 3 - Trouble Taking Long Walk	
C161676	EOR01-Trouble Taking Short Walk Outside	EOR01-Trouble Taking Short Walk Outside	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - Do you have any trouble taking a short walk outside of the house?	EORTC QLQ-C30 Version 3 - Trouble Taking Short Walk Outside	
C161681	EOR01-Were You Short of Breath	EOR01-Were You Short of Breath	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - During the past week: Were you short of breath?	EORTC QLQ-C30 Version 3 - Were You Short of Breath	
C161691	EOR01-Were You Tired	EOR01-Were You Tired	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 - During the past week: Were you tired?	EORTC QLQ-C30 Version 3 - Were You Tired	

C161659	EOR0201	EOR02-Trouble Taking Short Walk Outside	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Palliative Care Version 1.0 - Do you have any trouble taking a short walk outside of the house?	EORTC QLQ-C15-PAL Version 1 - Trouble Taking Short Walk Outside	
C161660	EOR0202	EOR02-Stay in Bed/Chair During the Day	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Palliative Care Version 1.0 - Do you need to stay in bed or a chair during the day?	EORTC QLQ-C15-PAL Version 1 - Stay in Bed or Chair During the Day	
C161661	EOR0203	EOR02-Need Help Eating/Dressing/Washing	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Palliative Care Version 1.0 - Do you need help with eating, dressing, washing yourself or using the toilet?	EORTC QLQ-C15-PAL Version 1 - Need Help Eating, Dressing, Washing	
C161662	EOR0204	EOR02-Were You Short of Breath	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Palliative Care Version 1.0 - During the past week: Were you short of breath?	EORTC QLQ-C15-PAL Version 1 - Were You Short of Breath	
C161663	EOR0205	EOR02-Have You Had Pain	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Palliative Care Version 1.0 - During the past week: Have you had pain?	EORTC QLQ-C15-PAL Version 1 - Have You Had Pain	
C161664	EOR0206	EOR02-Have You Had Trouble Sleeping	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Palliative Care Version 1.0 - During the past week: Have you had trouble sleeping?	EORTC QLQ-C15-PAL Version 1 - Have You Had Trouble Sleeping	
C161665	EOR0207	EOR02-Have You Felt Weak	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Palliative Care Version 1.0 - During the past week: Have you felt weak?	EORTC QLQ-C15-PAL Version 1 - Have You Felt Weak	
C161666	EOR0208	EOR02-Have You Lacked Appetite	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Palliative Care Version 1.0 - During the past week: Have you lacked appetite?	EORTC QLQ-C15-PAL Version 1 - Have You Lacked Appetite	
C161667	EOR0209	EOR02-Have You Felt Nauseated	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Palliative Care Version 1.0 - During the past week: Have you felt nauseated?	EORTC QLQ-C15-PAL Version 1 - Have You Felt Nauseated	
C161668	EOR0210	EOR02-Have You Been Constipated	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Palliative Care Version 1.0 - During the past week: Have you been constipated?	EORTC QLQ-C15-PAL Version 1 - Have You Been Constipated	
C161669	EOR0211	EOR02-Were You Tired	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Palliative Care Version 1.0 - During the past week: Were you tired?	EORTC QLQ-C15-PAL Version 1 - Were You Tired	
C161670	EOR0212	EOR02-Pain Interfere Daily Activities	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Palliative Care Version 1.0 - During the past week: Did pain interfere with your daily activities?	EORTC QLQ-C15-PAL Version 1 - Pain Interfere Daily Activities	
C161671	EOR0213	EOR02-Did You Feel Tense	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Palliative Care Version 1.0 - During the past week: Did you feel tense?	EORTC QLQ-C15-PAL Version 1 - Did You Feel Tense	
C161672	EOR0214	EOR02-Did You Feel Depressed	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Palliative Care Version 1.0 - During the past week: Did you feel depressed?	EORTC QLQ-C15-PAL Version 1 - Did You Feel Depressed	
C161673	EOR0215	EOR02-Rate Your Overall Quality of Life	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Palliative Care Version 1.0 - How would you rate your overall quality of life during the past week?	EORTC QLQ-C15-PAL Version 1 - Rate Your Overall Quality of Life	

C161672	EOR02-Did You Feel Depressed	EOR02-Did You Feel Depressed	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Palliative Care Version 1.0 - During the past week: Did you feel depressed?	EORTC QLQ-C15-PAL Version 1 - Did You Feel Depressed
C161671	EOR02-Did You Feel Tense	EOR02-Did You Feel Tense	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Palliative Care Version 1.0 - During the past week: Did you feel tense?	EORTC QLQ-C15-PAL Version 1 - Did You Feel Tense
C161668	EOR02-Have You Been Constipated	EOR02-Have You Been Constipated	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Palliative Care Version 1.0 - During the past week: Have you been constipated?	EORTC QLQ-C15-PAL Version 1 - Have You Been Constipated
C161667	EOR02-Have You Felt Nauseated	EOR02-Have You Felt Nauseated	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Palliative Care Version 1.0 - During the past week: Have you felt nauseated?	EORTC QLQ-C15-PAL Version 1 - Have You Felt Nauseated
C161665	EOR02-Have You Felt Weak	EOR02-Have You Felt Weak	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Palliative Care Version 1.0 - During the past week: Have you felt weak?	EORTC QLQ-C15-PAL Version 1 - Have You Felt Weak
C161663	EOR02-Have You Had Pain	EOR02-Have You Had Pain	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Palliative Care Version 1.0 - During the past week: Have you had pain?	EORTC QLQ-C15-PAL Version 1 - Have You Had Pain
C161664	EOR02-Have You Had Trouble Sleeping	EOR02-Have You Had Trouble Sleeping	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Palliative Care Version 1.0 - During the past week: Have you had trouble sleeping?	EORTC QLQ-C15-PAL Version 1 - Have You Had Trouble Sleeping
C161666	EOR02-Have You Lacked Appetite	EOR02-Have You Lacked Appetite	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Palliative Care Version 1.0 - During the past week: Have you lacked appetite?	EORTC QLQ-C15-PAL Version 1 - Have You Lacked Appetite
C161661	EOR02-Need Help Eating/Dressing/Washing	EOR02-Need Help Eating/Dressing/Washing	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Palliative Care Version 1.0 - Do you need help with eating, dressing, washing yourself or using the toilet?	EORTC QLQ-C15-PAL Version 1 - Need Help Eating, Dressing, Washing
C161670	EOR02-Pain Interfere Daily Activities	EOR02-Pain Interfere Daily Activities	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Palliative Care Version 1.0 - During the past week: Did pain interfere with your daily activities?	EORTC QLQ-C15-PAL Version 1 - Pain Interfere Daily Activities
C161673	EOR02-Rate Your Overall Quality of Life	EOR02-Rate Your Overall Quality of Life	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Palliative Care Version 1.0 - How would you rate your overall quality of life during the past week?	EORTC QLQ-C15-PAL Version 1 - Rate Your Overall Quality of Life
C161660	EOR02-Stay in Bed/Chair During the Day	EOR02-Stay in Bed/Chair During the Day	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Palliative Care Version 1.0 - Do you need to stay in bed or a chair during the day?	EORTC QLQ-C15-PAL Version 1 - Stay in Bed or Chair During the Day
C161659	EOR02-Trouble Taking Short Walk Outside	EOR02-Trouble Taking Short Walk Outside	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Palliative Care Version 1.0 - Do you have any trouble taking a short walk outside of the house?	EORTC QLQ-C15-PAL Version 1 - Trouble Taking Short Walk Outside
C161662	EOR02-Were You Short of Breath	EOR02-Were You Short of Breath	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Palliative Care Version 1.0 - During the past week: Were you short of breath?	EORTC QLQ-C15-PAL Version 1 - Were You Short of Breath
C161669	EOR02-Were You Tired	EOR02-Were You Tired	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Palliative Care Version 1.0 - During the past week: Were you tired?	EORTC QLQ-C15-PAL Version 1 - Were You Tired

C170657	EOR0631	EOR06-Urinate Frequently During Day	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Did you urinate frequently during the day?	EORTC QLQ-CR29 Version 2.1 - Urinate Frequently During Day
C170658	EOR0632	EOR06-Urinate Frequently During Night	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Did you urinate frequently during the night?	EORTC QLQ-CR29 Version 2.1 - Urinate Frequently During Night
C170659	EOR0633	EOR06-Unintentional Release of Urine	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Have you had any unintentional release (leakage) of urine?	EORTC QLQ-CR29 Version 2.1 - Unintentional Release of Urine
C170660	EOR0634	EOR06-Pain When You Urinated	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Did you have pain when you urinated?	EORTC QLQ-CR29 Version 2.1 - Pain When You Urinated
C170661	EOR0635	EOR06-Did You Have Abdominal Pain	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Did you have abdominal pain?	EORTC QLQ-CR29 Version 2.1 - Did You Have Abdominal Pain
C170662	EOR0636	EOR06-Pain in Buttocks/Anal Area/Rectum	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Did you have pain in your buttocks/anal area/rectum?	EORTC QLQ-CR29 Version 2.1 - Pain in Buttocks/Anal Area/Rectum
C170663	EOR0637	EOR06-Bloated Feeling in Your Abdomen	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Did you have a bloated feeling in your abdomen?	EORTC QLQ-CR29 Version 2.1 - Bloated Feeling in Your Abdomen
C170664	EOR0638	EOR06-Have You Had Blood in Your Stools	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Have you had blood in your stools?	EORTC QLQ-CR29 Version 2.1 - Have You Had Blood in Your Stools
C170665	EOR0639	EOR06-Have You Had Mucus in Your Stools	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Have you had mucus in your stools?	EORTC QLQ-CR29 Version 2.1 - Have You Had Mucus in Your Stools
C170666	EOR0640	EOR06-Did You Have a Dry Mouth	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Did you have a dry mouth?	EORTC QLQ-CR29 Version 2.1 - Did You Have a Dry Mouth
C170667	EOR0641	EOR06-Lost Hair as Result of Treatment	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Have you lost hair as a result of your treatment?	EORTC QLQ-CR29 Version 2.1 - Lost Hair as Result of Treatment
C170668	EOR0642	EOR06-Problems With Your Sense of Taste	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Have you had problems with your sense of taste?	EORTC QLQ-CR29 Version 2.1 - Problems With Your Sense of Taste
C170669	EOR0643	EOR06-Worried About Your Health Future	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Were you worried about your health in the future?	EORTC QLQ-CR29 Version 2.1 - Worried About Your Health Future
C170670	EOR0644	EOR06-Worried About Your Weight	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Have you worried about your weight?	EORTC QLQ-CR29 Version 2.1 - Worried About Your Weight
C170671	EOR0645	EOR06-Felt Physically Less Attractive	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Have you felt physically less attractive as a result of your disease or treatment?	EORTC QLQ-CR29 Version 2.1 - Felt Physically Less Attractive
C170672	EOR0646	EOR06-Feeling Less Feminine/Masculine	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Have you been feeling less feminine/masculine as a result of your disease or treatment?	EORTC QLQ-CR29 Version 2.1 - Feeling Less Feminine/Masculine
C170673	EOR0647	EOR06-Been Dissatisfied With Your Body	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Have you been dissatisfied with your body?	EORTC QLQ-CR29 Version 2.1 - Been Dissatisfied With Your Body
C170674	EOR0648	EOR06-Do You Have Stoma Bag	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Do you have a stoma bag (colostomy/ileostomy)?	EORTC QLQ-CR29 Version 2.1 - Do You Have Stoma Bag
C170675	EOR06491	EOR06-Unintentional Gas From Stoma Bag	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Have you had unintentional release of gas/flatulence from your stoma bag?	EORTC QLQ-CR29 Version 2.1 - Unintentional Gas From Stoma Bag

European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Have you had unintentional release of gas/flatulence from your back passage?					
C170682	EOR06492	EOR06-Unintentional Gas Back Passage	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Have you had unintentional release of gas/flatulence from your back passage?	EORTC QLQ-CR29 Version 2.1 - Unintentional Gas Back Passage	
C170676	EOR06501	EOR06-Leakage of Stools From Stoma Bag	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Have you had leakage of stools from your stoma bag?	EORTC QLQ-CR29 Version 2.1 - Leakage of Stools From Stoma Bag	
C170683	EOR06502	EOR06-Leakage of Stools Back Passage	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Have you had leakage of stools from your back passage?	EORTC QLQ-CR29 Version 2.1 - Leakage of Stools Back Passage	
C170677	EOR06511	EOR06-Sore Skin Around Your Stoma	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Have you had sore skin around your stoma?	EORTC QLQ-CR29 Version 2.1 - Sore Skin Around Your Stoma	
C170684	EOR06512	EOR06-Sore Skin Around Your Anal Area	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Have you had sore skin around your anal area?	EORTC QLQ-CR29 Version 2.1 - Sore Skin Around Your Anal Area	
C170678	EOR06521	EOR06-Frequent Bag Changes During Day	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Did frequent bag changes occur during the day?	EORTC QLQ-CR29 Version 2.1 - Frequent Bag Changes During Day	
C170685	EOR06522	EOR06-Frequent Bowel Movements Day	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Did frequent bowel movements occur during the day?	EORTC QLQ-CR29 Version 2.1 - Frequent Bowel Movements Day	
C170679	EOR06531	EOR06-Frequent Bag Changes During Night	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Did frequent bag changes occur during the night?	EORTC QLQ-CR29 Version 2.1 - Frequent Bag Changes During Night	
C170686	EOR06532	EOR06-Frequent Bowel Movements Night	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Did frequent bowel movements occur during the night?	EORTC QLQ-CR29 Version 2.1 - Frequent Bowel Movements Night	
C170680	EOR06541	EOR06-Feel Embarrassed Because of Stoma	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Did you feel embarrassed because of your stoma?	EORTC QLQ-CR29 Version 2.1 - Feel Embarrassed Because of Stoma	
C170687	EOR06542	EOR06-Embarrassed Because Bowel Movement	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Did you feel embarrassed because of your bowel movement?	EORTC QLQ-CR29 Version 2.1 - Embarrassed Because Bowel Movement	
C170681	EOR06551	EOR06-Problems Caring for Your Stoma	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Did you have problems caring for your stoma?	EORTC QLQ-CR29 Version 2.1 - Problems Caring for Your Stoma	
C170688	EOR0656	EOR06-Men: Extent Interested in Sex	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past 4 weeks: For men only: To what extent were you interested in sex?	EORTC QLQ-CR29 Version 2.1 - Men: Extent Interested in Sex	
C170689	EOR0657	EOR06-Men: Difficulty Getting Erection	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past 4 weeks: For men only: Did you have difficulty getting or maintaining an erection?	EORTC QLQ-CR29 Version 2.1 - Men: Difficulty Getting Erection	
C170690	EOR0658	EOR06-Women: Extent Interested in Sex	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past 4 weeks: For women only: To what extent were you interested in sex?	EORTC QLQ-CR29 Version 2.1 - Women: Extent Interested in Sex	
C170691	EOR0659	EOR06-Women: Pain/Discomfort Intercourse	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past 4 weeks: For women only: Did you have pain or discomfort during intercourse?	EORTC QLQ-CR29 Version 2.1 - Women: Pain or Discomfort Intercourse	

C170673	EOR06-Been Dissatisfied With Your Body	EOR06-Been Dissatisfied With Your Body	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Have you been dissatisfied with your body?	EORTC QLQ-CR29 Version 2.1 - Been Dissatisfied With Your Body
C170663	EOR06-Bloated Feeling in Your Abdomen	EOR06-Bloated Feeling in Your Abdomen	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Did you have a bloated feeling in your abdomen?	EORTC QLQ-CR29 Version 2.1 - Bloated Feeling in Your Abdomen
C170666	EOR06-Did You Have a Dry Mouth	EOR06-Did You Have a Dry Mouth	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Did you have a dry mouth?	EORTC QLQ-CR29 Version 2.1 - Did You Have a Dry Mouth
C170661	EOR06-Did You Have Abdominal Pain	EOR06-Did You Have Abdominal Pain	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Did you have abdominal pain?	EORTC QLQ-CR29 Version 2.1 - Did You Have Abdominal Pain
C170674	EOR06-Do You Have Stoma Bag	EOR06-Do You Have Stoma Bag	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Do you have a stoma bag (colostomy/ileostomy)?	EORTC QLQ-CR29 Version 2.1 - Do You Have Stoma Bag
C170687	EOR06-Embarrassed Because Bowel Movement	EOR06-Embarrassed Because Bowel Movement	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Did you feel embarrassed because of your bowel movement?	EORTC QLQ-CR29 Version 2.1 - Embarrassed Because Bowel Movement
C170680	EOR06-Feel Embarrassed Because of Stoma	EOR06-Feel Embarrassed Because of Stoma	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Did you feel embarrassed because of your stoma?	EORTC QLQ-CR29 Version 2.1 - Feel Embarrassed Because of Stoma
C170672	EOR06-Feeling Less Feminine/Masculine	EOR06-Feeling Less Feminine/Masculine	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Have you been feeling less feminine/masculine as a result of your disease or treatment?	EORTC QLQ-CR29 Version 2.1 - Feeling Less Feminine/Masculine
C170671	EOR06-Felt Physically Less Attractive	EOR06-Felt Physically Less Attractive	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Have you felt physically less attractive as a result of your disease or treatment?	EORTC QLQ-CR29 Version 2.1 - Felt Physically Less Attractive
C170678	EOR06-Frequent Bag Changes During Day	EOR06-Frequent Bag Changes During Day	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Did frequent bag changes occur during the day?	EORTC QLQ-CR29 Version 2.1 - Frequent Bag Changes During Day
C170679	EOR06-Frequent Bag Changes During Night	EOR06-Frequent Bag Changes During Night	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Did frequent bag changes occur during the night?	EORTC QLQ-CR29 Version 2.1 - Frequent Bag Changes During Night
C170685	EOR06-Frequent Bowel Movements Day	EOR06-Frequent Bowel Movements Day	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Did frequent bowel movements occur during the day?	EORTC QLQ-CR29 Version 2.1 - Frequent Bowel Movements Day
C170686	EOR06-Frequent Bowel Movements Night	EOR06-Frequent Bowel Movements Night	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Did frequent bowel movements occur during the night?	EORTC QLQ-CR29 Version 2.1 - Frequent Bowel Movements Night
C170664	EOR06-Have You Had Blood in Your Stools	EOR06-Have You Had Blood in Your Stools	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Have you had blood in your stools?	EORTC QLQ-CR29 Version 2.1 - Have You Had Blood in Your Stools
C170665	EOR06-Have You Had Mucus in Your Stools	EOR06-Have You Had Mucus in Your Stools	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Have you had mucus in your stools?	EORTC QLQ-CR29 Version 2.1 - Have You Had Mucus in Your Stools
C170683	EOR06-Leakage of Stools Back Passage	EOR06-Leakage of Stools Back Passage	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Have you had leakage of stools from your back passage?	EORTC QLQ-CR29 Version 2.1 - Leakage of Stools Back Passage
C170676	EOR06-Leakage of Stools From Stoma Bag	EOR06-Leakage of Stools From Stoma Bag	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Have you had leakage of stools from your stoma bag?	EORTC QLQ-CR29 Version 2.1 - Leakage of Stools From Stoma Bag
C170667	EOR06-Lost Hair as Result of Treatment	EOR06-Lost Hair as Result of Treatment	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Have you lost hair as a result of your treatment?	EORTC QLQ-CR29 Version 2.1 - Lost Hair as Result of Treatment
C170689	EOR06-Men: Difficulty Getting Erection	EOR06-Men: Difficulty Getting Erection	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past 4 weeks: For men only: Did you have difficulty getting or maintaining an erection?	EORTC QLQ-CR29 Version 2.1 - Men: Difficulty Getting Erection

European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1					
C170688	EOR06-Men: Extent Interested in Sex	EOR06-Men: Extent Interested in Sex	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past 4 weeks: For men only: To what extent were you interested in sex?	EORTC QLQ-CR29 Version 2.1 - Men: Extent Interested in Sex	
C170662	EOR06-Pain in Buttocks/Anal Area/Rectum	EOR06-Pain in Buttocks/Anal Area/Rectum	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Did you have pain in your buttocks/anal area/rectum?	EORTC QLQ-CR29 Version 2.1 - Pain in Buttocks/Anal Area/Rectum	
C170660	EOR06-Pain When You Urinated	EOR06-Pain When You Urinated	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Did you have pain when you urinated?	EORTC QLQ-CR29 Version 2.1 - Pain When You Urinated	
C170681	EOR06-Problems Caring for Your Stoma	EOR06-Problems Caring for Your Stoma	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Did you have problems caring for your stoma?	EORTC QLQ-CR29 Version 2.1 - Problems Caring for Your Stoma	
C170668	EOR06-Problems With Your Sense of Taste	EOR06-Problems With Your Sense of Taste	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Have you had problems with your sense of taste?	EORTC QLQ-CR29 Version 2.1 - Problems With Your Sense of Taste	
C170684	EOR06-Sore Skin Around Your Anal Area	EOR06-Sore Skin Around Your Anal Area	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Have you had sore skin around your anal area?	EORTC QLQ-CR29 Version 2.1 - Sore Skin Around Your Anal Area	
C170677	EOR06-Sore Skin Around Your Stoma	EOR06-Sore Skin Around Your Stoma	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Have you had sore skin around your stoma?	EORTC QLQ-CR29 Version 2.1 - Sore Skin Around Your Stoma	
C170682	EOR06-Unintentional Gas Back Passage	EOR06-Unintentional Gas Back Passage	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Have you had unintentional release of gas/flatulence from your back passage?	EORTC QLQ-CR29 Version 2.1 - Unintentional Gas Back Passage	
C170675	EOR06-Unintentional Gas From Stoma Bag	EOR06-Unintentional Gas From Stoma Bag	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Have you had unintentional release of gas/flatulence from your stoma bag?	EORTC QLQ-CR29 Version 2.1 - Unintentional Gas From Stoma Bag	
C170659	EOR06-Unintentional Release of Urine	EOR06-Unintentional Release of Urine	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Have you had any unintentional release (leakage) of urine?	EORTC QLQ-CR29 Version 2.1 - Unintentional Release of Urine	
C170657	EOR06-Urinate Frequently During Day	EOR06-Urinate Frequently During Day	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Did you urinate frequently during the day?	EORTC QLQ-CR29 Version 2.1 - Urinate Frequently During Day	
C170658	EOR06-Urinate Frequently During Night	EOR06-Urinate Frequently During Night	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Did you urinate frequently during the night?	EORTC QLQ-CR29 Version 2.1 - Urinate Frequently During Night	
C170690	EOR06-Women: Extent Interested in Sex	EOR06-Women: Extent Interested in Sex	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past 4 weeks: For women only: To what extent were you interested in sex?	EORTC QLQ-CR29 Version 2.1 - Women: Extent Interested in Sex	
C170691	EOR06-Women: Pain/Discomfort Intercourse	EOR06-Women: Pain/Discomfort Intercourse	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past 4 weeks: For women only: Did you have pain or discomfort during intercourse?	EORTC QLQ-CR29 Version 2.1 - Women: Pain or Discomfort Intercourse	
C170669	EOR06-Worried About Your Health Future	EOR06-Worried About Your Health Future	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Were you worried about your health in the future?	EORTC QLQ-CR29 Version 2.1 - Worried About Your Health Future	
C170670	EOR06-Worried About Your Weight	EOR06-Worried About Your Weight	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 - During the past week: Have you worried about your weight?	EORTC QLQ-CR29 Version 2.1 - Worried About Your Weight	

C172403	EOR1831	EOR18-How Much Did You Cough	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Lung Cancer Module - How much did you cough?	EORTC QLQ-LC13 - How Much Did You Cough
C172404	EOR1832	EOR18-Did You Cough Up Blood	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Lung Cancer Module - Did you cough up blood?	EORTC QLQ-LC13 - Did You Cough Up Blood
C172405	EOR1833	EOR18-Short of Breath When Rested	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Lung Cancer Module - Were you short of breath when you rested?	EORTC QLQ-LC13 - Short of Breath When Rested
C172406	EOR1834	EOR18-Short of Breath When Walked	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Lung Cancer Module - Were you short of breath when you walked?	EORTC QLQ-LC13 - Short of Breath When Walked
C172407	EOR1835	EOR18-Short of Breath Climbed Stairs	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Lung Cancer Module - Were you short of breath when you climbed stairs?	EORTC QLQ-LC13 - Short of Breath Climbed Stairs
C172408	EOR1836	EOR18-Had a Sore Mouth or Tongue	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Lung Cancer Module - Have you had a sore mouth or tongue?	EORTC QLQ-LC13 - Had a Sore Mouth or Tongue
C172409	EOR1837	EOR18-Have You Had Trouble Swallowing	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Lung Cancer Module - Have you had trouble swallowing?	EORTC QLQ-LC13 - Have You Had Trouble Swallowing
C172410	EOR1838	EOR18-Had Tingling Hands or Feet	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Lung Cancer Module - Have you had tingling hands or feet?	EORTC QLQ-LC13 - Had Tingling Hands or Feet
C172411	EOR1839	EOR18-Have You Had Hair Loss	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Lung Cancer Module - Have you had hair loss?	EORTC QLQ-LC13 - Have You Had Hair Loss
C172412	EOR1840	EOR18-Have You Had Pain in Your Chest	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Lung Cancer Module - Have you had pain in your chest?	EORTC QLQ-LC13 - Have You Had Pain in Your Chest
C172413	EOR1841	EOR18-Had Pain in Your Arm or Shoulder	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Lung Cancer Module - Have you had pain in your arm or shoulder?	EORTC QLQ-LC13 - Had Pain in Your Arm or Shoulder
C172414	EOR1842	EOR18-Had Pain in Other Parts of Body	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Lung Cancer Module - Have you had pain in other parts of your body?	EORTC QLQ-LC13 - Had Pain in Other Parts of Body
C172415	EOR1842A	EOR18-If Yes, Where	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Lung Cancer Module - If yes, where.	EORTC QLQ-LC13 - If Yes, Where
C172416	EOR1843	EOR18-Did You Take Any Medicine for Pain	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Lung Cancer Module - Did you take any medicine for pain?	EORTC QLQ-LC13 - Did You Take Any Medicine for Pain
C172417	EOR1843A	EOR18-If Yes, How Much Did It Help	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Lung Cancer Module - If yes, how much did it help?	EORTC QLQ-LC13 - If Yes, How Much Did It Help

C172404	EOR18-Did You Cough Up Blood	EOR18-Did You Cough Up Blood	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Lung Cancer Module - Did you cough up blood?	EORTC QLQ-LC13 - Did You Cough Up Blood
C172416	EOR18-Did You Take Any Medicine for Pain	EOR18-Did You Take Any Medicine for Pain	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Lung Cancer Module - Did you take any medicine for pain?	EORTC QLQ-LC13 - Did You Take Any Medicine for Pain
C172408	EOR18-Had a Sore Mouth or Tongue	EOR18-Had a Sore Mouth or Tongue	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Lung Cancer Module - Have you had a sore mouth or tongue?	EORTC QLQ-LC13 - Had a Sore Mouth or Tongue
C172414	EOR18-Had Pain in Other Parts of Body	EOR18-Had Pain in Other Parts of Body	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Lung Cancer Module - Have you had pain in other parts of your body?	EORTC QLQ-LC13 - Had Pain in Other Parts of Body
C172413	EOR18-Had Pain in Your Arm or Shoulder	EOR18-Had Pain in Your Arm or Shoulder	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Lung Cancer Module - Have you had pain in your arm or shoulder?	EORTC QLQ-LC13 - Had Pain in Your Arm or Shoulder
C172410	EOR18-Had Tingling Hands or Feet	EOR18-Had Tingling Hands or Feet	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Lung Cancer Module - Have you had tingling hands or feet?	EORTC QLQ-LC13 - Had Tingling Hands or Feet
C172411	EOR18-Have You Had Hair Loss	EOR18-Have You Had Hair Loss	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Lung Cancer Module - Have you had hair loss?	EORTC QLQ-LC13 - Have You Had Hair Loss
C172412	EOR18-Have You Had Pain in Your Chest	EOR18-Have You Had Pain in Your Chest	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Lung Cancer Module - Have you had pain in your chest?	EORTC QLQ-LC13 - Have You Had Pain in Your Chest
C172409	EOR18-Have You Had Trouble Swallowing	EOR18-Have You Had Trouble Swallowing	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Lung Cancer Module - Have you had trouble swallowing?	EORTC QLQ-LC13 - Have You Had Trouble Swallowing
C172403	EOR18-How Much Did You Cough	EOR18-How Much Did You Cough	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Lung Cancer Module - How much did you cough?	EORTC QLQ-LC13 - How Much Did You Cough
C172417	EOR18-If Yes, How Much Did It Help	EOR18-If Yes, How Much Did It Help	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Lung Cancer Module - If yes, how much did it help?	EORTC QLQ-LC13 - If Yes, How Much Did It Help
C172415	EOR18-If Yes, Where	EOR18-If Yes, Where	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Lung Cancer Module - If yes, where.	EORTC QLQ-LC13 - If Yes, Where
C172407	EOR18-Short of Breath Climbed Stairs	EOR18-Short of Breath Climbed Stairs	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Lung Cancer Module - Were you short of breath when you climbed stairs?	EORTC QLQ-LC13 - Short of Breath Climbed Stairs
C172405	EOR18-Short of Breath When Rested	EOR18-Short of Breath When Rested	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Lung Cancer Module - Were you short of breath when you rested?	EORTC QLQ-LC13 - Short of Breath When Rested
C172406	EOR18-Short of Breath When Walked	EOR18-Short of Breath When Walked	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Lung Cancer Module - Were you short of breath when you walked?	EORTC QLQ-LC13 - Short of Breath When Walked

C132563	EPDS0101	EPDS01-Able to Laugh and See Funny Side	Edinburgh Postnatal Depression Scale - I have been able to laugh and see the funny side of things.	EPDS - Able to Laugh and See Funny Side
C132564	EPDS0102	EPDS01-Looked Forward With Enjoyment	Edinburgh Postnatal Depression Scale - I have looked forward with enjoyment to things.	EPDS - Looked Forward With Enjoyment
C132565	EPDS0103	EPDS01-Blamed Myself Unnecessarily	Edinburgh Postnatal Depression Scale - I have blamed myself unnecessarily when things went wrong.	EPDS - Blamed Myself Unnecessarily
C132566	EPDS0104	EPDS01-Anxious/Worried No Good Reason	Edinburgh Postnatal Depression Scale - I have been anxious or worried for no good reason.	EPDS - Anxious or Worried No Good Reason
C132567	EPDS0105	EPDS01-Scared/Panicky for No Good Reason	Edinburgh Postnatal Depression Scale - I have felt scared or panicky for no very good reason.	EPDS - Scared or Panicky for No Good Reason
C132568	EPDS0106	EPDS01-Things Getting on Top of Me	Edinburgh Postnatal Depression Scale - Things have been getting on top of me.	EPDS - Things Getting on Top of Me
C132569	EPDS0107	EPDS01-Unhappy Had Difficulty Sleeping	Edinburgh Postnatal Depression Scale - I have been so unhappy that I have had difficulty sleeping.	EPDS - Unhappy Had Difficulty Sleeping
C132570	EPDS0108	EPDS01-I Have Felt Sad or Miserable	Edinburgh Postnatal Depression Scale - I have felt sad or miserable.	EPDS - I Have Felt Sad or Miserable
C132571	EPDS0109	EPDS01-So Unhappy I Have Been Crying	Edinburgh Postnatal Depression Scale - I have been so unhappy that I have been crying.	EPDS - So Unhappy I Have Been Crying
C132572	EPDS0110	EPDS01-Thought of Harming Myself	Edinburgh Postnatal Depression Scale - The thought of harming myself has occurred to me.	EPDS - Thought of Harming Myself

C132563	EPDS01-Able to Laugh and See Funny Side	EPDS01-Able to Laugh and See Funny Side	Edinburgh Postnatal Depression Scale - I have been able to laugh and see the funny side of things.	EPDS - Able to Laugh and See Funny Side
C132566	EPDS01-Anxious/Worried No Good Reason	EPDS01-Anxious/Worried No Good Reason	Edinburgh Postnatal Depression Scale - I have been anxious or worried for no good reason.	EPDS - Anxious or Worried No Good Reason
C132565	EPDS01-Blamed Myself Unnecessarily	EPDS01-Blamed Myself Unnecessarily	Edinburgh Postnatal Depression Scale - I have blamed myself unnecessarily when things went wrong.	EPDS - Blamed Myself Unnecessarily
C132570	EPDS01-I Have Felt Sad or Miserable	EPDS01-I Have Felt Sad or Miserable	Edinburgh Postnatal Depression Scale - I have felt sad or miserable.	EPDS - I Have Felt Sad or Miserable
C132564	EPDS01-Looked Forward With Enjoyment	EPDS01-Looked Forward With Enjoyment	Edinburgh Postnatal Depression Scale - I have looked forward with enjoyment to things.	EPDS - Looked Forward With Enjoyment
C132567	EPDS01-Scared/Panicky for No Good Reason	EPDS01-Scared/Panicky for No Good Reason	Edinburgh Postnatal Depression Scale - I have felt scared or panicky for no very good reason.	EPDS - Scared or Panicky for No Good Reason
C132571	EPDS01-So Unhappy I Have Been Crying	EPDS01-So Unhappy I Have Been Crying	Edinburgh Postnatal Depression Scale - I have been so unhappy that I have been crying.	EPDS - So Unhappy I Have Been Crying
C132568	EPDS01-Things Getting on Top of Me	EPDS01-Things Getting on Top of Me	Edinburgh Postnatal Depression Scale - Things have been getting on top of me.	EPDS - Things Getting on Top of Me
C132572	EPDS01-Thought of Harming Myself	EPDS01-Thought of Harming Myself	Edinburgh Postnatal Depression Scale - The thought of harming myself has occurred to me.	EPDS - Thought of Harming Myself
C132569	EPDS01-Unhappy Had Difficulty Sleeping	EPDS01-Unhappy Had Difficulty Sleeping	Edinburgh Postnatal Depression Scale - I have been so unhappy that I have had difficulty sleeping.	EPDS - Unhappy Had Difficulty Sleeping

C127373	EPIC101	EPIC1-How Often Have You Leaked Urine	The Expanded Prostate Cancer Index Composite Short Form - Over the past 4 weeks, how often have you leaked urine?	EPIC-26 - How Often Have You Leaked Urine
C127374	EPIC102	EPIC1-Best Describes Urinary Control	The Expanded Prostate Cancer Index Composite Short Form - Which of the following best describes your urinary control during the last 4 weeks?	EPIC-26 - Best Describes Urinary Control
C127375	EPIC103	EPIC1-Pads or Adult Diapers per Day	The Expanded Prostate Cancer Index Composite Short Form - How many pads or adult diapers per day did you usually use to control leakage during the last 4 weeks?	EPIC-26 - Pads or Adult Diapers per Day
C127376	EPIC104A	EPIC1-Problem Dripping or Leaking Urine	The Expanded Prostate Cancer Index Composite Short Form - How big a problem, if any, has each of the following been for you during the last 4 weeks? Dripping or leaking urine.	EPIC-26 - Dripping or Leaking Urine
C127377	EPIC104B	EPIC1-Problem Pain/Burning on Urination	The Expanded Prostate Cancer Index Composite Short Form - How big a problem, if any, has each of the following been for you during the last 4 weeks? Pain or burning on urination.	EPIC-26 - Pain or Burning on Urination
C127378	EPIC104C	EPIC1-Problem Bleeding With Urination	The Expanded Prostate Cancer Index Composite Short Form - How big a problem, if any, has each of the following been for you during the last 4 weeks? Bleeding with urination.	EPIC-26 - Bleeding With Urination
C127379	EPIC104D	EPIC1-Problem Weak Urine Stream/Emptying	The Expanded Prostate Cancer Index Composite Short Form - How big a problem, if any, has each of the following been for you during the last 4 weeks? Weak urine stream or incomplete emptying.	EPIC-26 - Weak Urine Stream or Incomplete Emptying
C127380	EPIC104E	EPIC1-Problem Need to Urinate Frequently	The Expanded Prostate Cancer Index Composite Short Form - How big a problem, if any, has each of the following been for you during the last 4 weeks? Need to urinate frequently during the day.	EPIC-26 - Urinate Frequently During the Day
C127381	EPIC105	EPIC1-Overall Problem Urinary Function	The Expanded Prostate Cancer Index Composite Short Form - Overall, how big a problem has your urinary function been for you during the last 4 weeks?	EPIC-26 - Overall Problem Urinary Function
C127382	EPIC106A	EPIC1-Problem Urgency of Bowel Movement	The Expanded Prostate Cancer Index Composite Short Form - How big a problem, if any, has each of the following been for you? Urgency to have a bowel movement.	EPIC-26 - Urgency to Have a Bowel Movement
C127383	EPIC106B	EPIC1-Problem Increased Freq Bowel Move	The Expanded Prostate Cancer Index Composite Short Form - How big a problem, if any, has each of the following been for you? Increased frequency of bowel movements.	EPIC-26 - Increased Frequency of Bowel Movements
C127384	EPIC106C	EPIC1-Problem Losing Control of Stools	The Expanded Prostate Cancer Index Composite Short Form - How big a problem, if any, has each of the following been for you? Losing control of your stools.	EPIC-26 - Losing Control of Stools
C127385	EPIC106D	EPIC1-Problem Bloody Stools	The Expanded Prostate Cancer Index Composite Short Form - How big a problem, if any, has each of the following been for you? Bloody stools.	EPIC-26 - Bloody Stools
C127386	EPIC106E	EPIC1-Problem Abdom/Pelvic/Rectal Pain	The Expanded Prostate Cancer Index Composite Short Form - How big a problem, if any, has each of the following been for you? Abdominal/pelvic/rectal pain.	EPIC-26 - Abdominal or Pelvic or Rectal Pain
C127387	EPIC107	EPIC1-Overall Problem Bowel Habits	The Expanded Prostate Cancer Index Composite Short Form - Overall, how big a problem have your bowel habits been for you during the last 4 weeks?	EPIC-26 - Overall Problem Bowel Habits
C127388	EPIC108A	EPIC1-Rate Ability to Have an Erection	The Expanded Prostate Cancer Index Composite Short Form - How would you rate each of the following during the last 4 weeks? Your ability to have an erection?	EPIC-26 - Ability to Have an Erection
C127389	EPIC108B	EPIC1-Rate Ability to Reach Orgasm	The Expanded Prostate Cancer Index Composite Short Form - How would you rate each of the following during the last 4 weeks? Your ability to reach orgasm (climax)?	EPIC-26 - Ability to Reach Orgasm
C127390	EPIC109	EPIC1-Quality of Your Erections	The Expanded Prostate Cancer Index Composite Short Form - How would you describe the usual quality of your erections during the last 4 weeks?	EPIC-26 - Quality of Erections
C127391	EPIC110	EPIC1-Frequency of Your Erections	The Expanded Prostate Cancer Index Composite Short Form - How would you describe the frequency of your erections during the last 4 weeks?	EPIC-26 - Frequency of Erections
C127392	EPIC111	EPIC1-Rate Ability to Function Sexually	The Expanded Prostate Cancer Index Composite Short Form - Overall, how would you rate your ability to function sexually during the last 4 weeks?	EPIC-26 - Ability to Function Sexually

EPIC-26 - Overall Problem Sexual Function				
C127393	EPIC112	EPIC1-Overall Problem Sexual Function	The Expanded Prostate Cancer Index Composite Short Form - Overall, how big a problem has your sexual function or lack of sexual function been for you during the last 4 weeks?	EPIC-26 - Overall Problem Sexual Function
C127394	EPIC113A	EPIC1-Problem Hot Flashes	The Expanded Prostate Cancer Index Composite Short Form - How big a problem during the last 4 weeks, if any, has each of the following been for you? Hot flashes.	EPIC-26 - Hot Flashes
C127395	EPIC113B	EPIC1-Problem Breast Tender/Enlargement	The Expanded Prostate Cancer Index Composite Short Form - How big a problem during the last 4 weeks, if any, has each of the following been for you? Breast tenderness/enlargement.	EPIC-26 - Breast Tender or Enlargement
C127396	EPIC113C	EPIC1-Problem Feeling Depressed	The Expanded Prostate Cancer Index Composite Short Form - How big a problem during the last 4 weeks, if any, has each of the following been for you? Feeling depressed.	EPIC-26 - Feeling Depressed
C127397	EPIC113D	EPIC1-Problem Lack of Energy	The Expanded Prostate Cancer Index Composite Short Form - How big a problem during the last 4 weeks, if any, has each of the following been for you? Lack of energy.	EPIC-26 - Lack of Energy
C127398	EPIC113E	EPIC1-Problem Change in Body Weight	The Expanded Prostate Cancer Index Composite Short Form - How big a problem during the last 4 weeks, if any, has each of the following been for you? Change in body weight.	EPIC-26 - Change in Body Weight

C127374	EPIC1-Best Describes Urinary Control	EPIC1-Best Describes Urinary Control	The Expanded Prostate Cancer Index Composite Short Form - Which of the following best describes your urinary control during the last 4 weeks?	EPIC-26 - Best Describes Urinary Control
C127391	EPIC1-Frequency of Your Erections	EPIC1-Frequency of Your Erections	The Expanded Prostate Cancer Index Composite Short Form - How would you describe the frequency of your erections during the last 4 weeks?	EPIC-26 - Frequency of Erections
C127373	EPIC1-How Often Have You Leaked Urine	EPIC1-How Often Have You Leaked Urine	The Expanded Prostate Cancer Index Composite Short Form - Over the past 4 weeks, how often have you leaked urine?	EPIC-26 - How Often Have You Leaked Urine
C127387	EPIC1-Overall Problem Bowel Habits	EPIC1-Overall Problem Bowel Habits	The Expanded Prostate Cancer Index Composite Short Form - Overall, how big a problem have your bowel habits been for you during the last 4 weeks?	EPIC-26 - Overall Problem Bowel Habits
C127393	EPIC1-Overall Problem Sexual Function	EPIC1-Overall Problem Sexual Function	The Expanded Prostate Cancer Index Composite Short Form - Overall, how big a problem has your sexual function or lack of sexual function been for you during the last 4 weeks?	EPIC-26 - Overall Problem Sexual Function
C127381	EPIC1-Overall Problem Urinary Function	EPIC1-Overall Problem Urinary Function	The Expanded Prostate Cancer Index Composite Short Form - Overall, how big a problem has your urinary function been for you during the last 4 weeks?	EPIC-26 - Overall Problem Urinary Function
C127375	EPIC1-Pads or Adult Diapers per Day	EPIC1-Pads or Adult Diapers per Day	The Expanded Prostate Cancer Index Composite Short Form - How many pads or adult diapers per day did you usually use to control leakage during the last 4 weeks?	EPIC-26 - Pads or Adult Diapers per Day
C127386	EPIC1-Problem Abdom/Pelvic/Rectal Pain	EPIC1-Problem Abdom/Pelvic/Rectal Pain	The Expanded Prostate Cancer Index Composite Short Form - How big a problem, if any, has each of the following been for you? Abdominal/pelvic/rectal pain.	EPIC-26 - Abdominal or Pelvic or Rectal Pain
C127378	EPIC1-Problem Bleeding With Urination	EPIC1-Problem Bleeding With Urination	The Expanded Prostate Cancer Index Composite Short Form - How big a problem, if any, has each of the following been for you during the last 4 weeks? Bleeding with urination.	EPIC-26 - Bleeding With Urination
C127385	EPIC1-Problem Bloody Stools	EPIC1-Problem Bloody Stools	The Expanded Prostate Cancer Index Composite Short Form - How big a problem, if any, has each of the following been for you? Bloody stools.	EPIC-26 - Bloody Stools
C127395	EPIC1-Problem Breast Tender/Enlargement	EPIC1-Problem Breast Tender/Enlargement	The Expanded Prostate Cancer Index Composite Short Form - How big a problem during the last 4 weeks, if any, has each of the following been for you? Breast tenderness/enlargement.	EPIC-26 - Breast Tender or Enlargement
C127398	EPIC1-Problem Change in Body Weight	EPIC1-Problem Change in Body Weight	The Expanded Prostate Cancer Index Composite Short Form - How big a problem during the last 4 weeks, if any, has each of the following been for you? Change in body weight.	EPIC-26 - Change in Body Weight
C127376	EPIC1-Problem Dripping or Leaking Urine	EPIC1-Problem Dripping or Leaking Urine	The Expanded Prostate Cancer Index Composite Short Form - How big a problem, if any, has each of the following been for you during the last 4 weeks? Dripping or leaking urine.	EPIC-26 - Dripping or Leaking Urine
C127396	EPIC1-Problem Feeling Depressed	EPIC1-Problem Feeling Depressed	The Expanded Prostate Cancer Index Composite Short Form - How big a problem during the last 4 weeks, if any, has each of the following been for you? Feeling depressed.	EPIC-26 - Feeling Depressed
C127394	EPIC1-Problem Hot Flashes	EPIC1-Problem Hot Flashes	The Expanded Prostate Cancer Index Composite Short Form - How big a problem during the last 4 weeks, if any, has each of the following been for you? Hot flashes.	EPIC-26 - Hot Flashes
C127383	EPIC1-Problem Increased Freq Bowel Move	EPIC1-Problem Increased Freq Bowel Move	The Expanded Prostate Cancer Index Composite Short Form - How big a problem, if any, has each of the following been for you? Increased frequency of bowel movements.	EPIC-26 - Increased Frequency of Bowel Movements
C127397	EPIC1-Problem Lack of Energy	EPIC1-Problem Lack of Energy	The Expanded Prostate Cancer Index Composite Short Form - How big a problem during the last 4 weeks, if any, has each of the following been for you? Lack of energy.	EPIC-26 - Lack of Energy
C127384	EPIC1-Problem Losing Control of Stools	EPIC1-Problem Losing Control of Stools	The Expanded Prostate Cancer Index Composite Short Form - How big a problem, if any, has each of the following been for you? Losing control of your stools.	EPIC-26 - Losing Control of Stools
C127380	EPIC1-Problem Need to Urinate Frequently	EPIC1-Problem Need to Urinate Frequently	The Expanded Prostate Cancer Index Composite Short Form - How big a problem, if any, has each of the following been for you during the last 4 weeks? Need to urinate frequently during the day.	EPIC-26 - Urinate Frequently During the Day
C127377	EPIC1-Problem Pain/Burning on Urination	EPIC1-Problem Pain/Burning on Urination	The Expanded Prostate Cancer Index Composite Short Form - How big a problem, if any, has each of the following been for you during the last 4 weeks? Pain or burning on urination.	EPIC-26 - Pain or Burning on Urination

EPIC-26 - Problem List				
C127382	EPIC1-Problem Urgency of Bowel Movement	EPIC1-Problem Urgency of Bowel Movement	The Expanded Prostate Cancer Index Composite Short Form - How big a problem, if any, has each of the following been for you? Urgency to have a bowel movement.	EPIC-26 - Urgency to Have a Bowel Movement
C127379	EPIC1-Problem Weak Urine Stream/Emptying	EPIC1-Problem Weak Urine Stream/Emptying	The Expanded Prostate Cancer Index Composite Short Form - How big a problem, if any, has each of the following been for you during the last 4 weeks? Weak urine stream or incomplete emptying.	EPIC-26 - Weak Urine Stream or Incomplete Emptying
C127390	EPIC1-Quality of Your Erections	EPIC1-Quality of Your Erections	The Expanded Prostate Cancer Index Composite Short Form - How would you describe the usual quality of your erections during the last 4 weeks?	EPIC-26 - Quality of Erections
C127392	EPIC1-Rate Ability to Function Sexually	EPIC1-Rate Ability to Function Sexually	The Expanded Prostate Cancer Index Composite Short Form - Overall, how would you rate your ability to function sexually during the last 4 weeks?	EPIC-26 - Ability to Function Sexually
C127388	EPIC1-Rate Ability to Have an Erection	EPIC1-Rate Ability to Have an Erection	The Expanded Prostate Cancer Index Composite Short Form - How would you rate each of the following during the last 4 weeks? Your ability to have an erection?	EPIC-26 - Ability to Have an Erection
C127389	EPIC1-Rate Ability to Reach Orgasm	EPIC1-Rate Ability to Reach Orgasm	The Expanded Prostate Cancer Index Composite Short Form - How would you rate each of the following during the last 4 weeks? Your ability to reach orgasm (climax)?	EPIC-26 - Ability to Reach Orgasm

C127399	EPIC201	EPIC2-Overall Problem Urinary Function	Expanded Prostate Cancer Index Composite for Clinical Practice - Overall, how much of a problem has your urinary function been for you?	EPIC-CP - Overall Problem Urinary Function
C127400	EPIC202	EPIC2-Best Describes Urinary Control	Expanded Prostate Cancer Index Composite for Clinical Practice - Which of the following best describes your urinary control?	EPIC-CP - Best Describes Urinary Control
C127401	EPIC203	EPIC2-Pads or Adult Diapers per Day	Expanded Prostate Cancer Index Composite for Clinical Practice - How many pads or adult diapers per day have you been using for urinary leakage?	EPIC-CP - Adult Diapers Used per Day
C127402	EPIC204	EPIC2-Problem Urinary Dripping/Leakage	Expanded Prostate Cancer Index Composite for Clinical Practice - How big a problem, if any, has urinary dripping or leakage been for you?	EPIC-CP - Problem Urinary Dripping/Leakage
C127403	EPIC205A	EPIC2-Problem Pain/Burning w/Urination	Expanded Prostate Cancer Index Composite for Clinical Practice - How big a problem, if any, has each of the following been for you? Pain or burning with urination.	EPIC-CP - Pain or Burning With Urination
C127404	EPIC205B	EPIC2-Problem Weak Stream/Incompl Empty	Expanded Prostate Cancer Index Composite for Clinical Practice - How big a problem, if any, has each of the following been for you? Weak urine stream/incomplete bladder emptying.	EPIC-CP - Weak Urine Stream or Incomplete Bladder Emptying
C127405	EPIC205C	EPIC2-Problem Need to Urinate Frequently	Expanded Prostate Cancer Index Composite for Clinical Practice - How big a problem, if any, has each of the following been for you? Need to urinate frequently.	EPIC-CP - Need to Urinate Frequently
C127406	EPIC206A	EPIC2-Problem Rectal Pain/Urgent Bowel	Expanded Prostate Cancer Index Composite for Clinical Practice - How big a problem, if any, has each of the following been for you? Rectal pain or urgency of bowel movements.	EPIC-CP - Rectal Pain or Urgency of Bowel Movements
C127407	EPIC206B	EPIC2-Problem Increased Freq Bowel Move	Expanded Prostate Cancer Index Composite for Clinical Practice - How big a problem, if any, has each of the following been for you? Increased frequency of your bowel movements.	EPIC-CP - Increased Frequency of Bowel Movements
C127408	EPIC206C	EPIC2-Overall Problem Bowel Habits	Expanded Prostate Cancer Index Composite for Clinical Practice - How big a problem, if any, has each of the following been for you? Overall problems with your bowel habits.	EPIC-CP - Overall Problems With Bowel Habits
C127409	EPIC207	EPIC2-Rate Ability to Reach Orgasm	Expanded Prostate Cancer Index Composite for Clinical Practice - How would you rate your ability to reach orgasm (climax)?	EPIC-CP - Rate Ability to Reach Orgasm
C127410	EPIC208	EPIC2-Quality of Your Erections	Expanded Prostate Cancer Index Composite for Clinical Practice - How would you describe the usual quality of your erections?	EPIC-CP - Quality of Erections
C127411	EPIC209	EPIC2-Overall Problem Sexual Function	Expanded Prostate Cancer Index Composite for Clinical Practice - Overall, how much of a problem has your sexual function or lack of sexual function been for you?	EPIC-CP - Problem Lack of Sexual Function
C127412	EPIC210A	EPIC2-Problem Hot Flash/Breast Tender	Expanded Prostate Cancer Index Composite for Clinical Practice - How big a problem, if any, has each of the following been for you? Hot flashes or breast tenderness/enlargement.	EPIC-CP - Hot Flashes or Breast Tenderness
C127413	EPIC210B	EPIC2-Problem Feeling Depressed	Expanded Prostate Cancer Index Composite for Clinical Practice - How big a problem, if any, has each of the following been for you? Feeling depressed.	EPIC-CP - Feeling Depressed
C127414	EPIC210C	EPIC2-Problem Lack of Energy	Expanded Prostate Cancer Index Composite for Clinical Practice - How big a problem, if any, has each of the following been for you? Lack of energy.	EPIC-CP - Lack of Energy
C127415	EPIC211	EPIC2-Urinary Incontinence Symptom Score	Expanded Prostate Cancer Index Composite for Clinical Practice - Urinary incontinence symptom score.	EPIC-CP - Urinary Incontinence Symptom Score
C127416	EPIC212	EPIC2-Urinary Irrit/Obstr Symptom Score	Expanded Prostate Cancer Index Composite for Clinical Practice - Urinary irritation/obstruction symptom score.	EPIC-CP - Urinary Irritation/Obstruction Symptom Score
C127417	EPIC213	EPIC2-Bowel Symptom Score	Expanded Prostate Cancer Index Composite for Clinical Practice - Bowel symptom score.	EPIC-CP - Bowel Symptom Score
C127418	EPIC214	EPIC2-Sexual Symptom Score	Expanded Prostate Cancer Index Composite for Clinical Practice - Sexual symptom score.	EPIC-CP - Sexual Symptom Score
C127419	EPIC215	EPIC2-Vitality/Hormonal Symptom Score	Expanded Prostate Cancer Index Composite for Clinical Practice - Vitality/hormonal symptom score.	EPIC-CP - Vitality/Hormonal Symptom Score
C127420	EPIC216	EPIC2-Overall Prostate Cancer QOL Score	Expanded Prostate Cancer Index Composite for Clinical Practice - Overall prostate cancer QOL score.	EPIC-CP - Overall Score

C127400	EPIC2-Best Describes Urinary Control	EPIC2-Best Describes Urinary Control	Expanded Prostate Cancer Index Composite for Clinical Practice - Which of the following best describes your urinary control?	EPIC-CP - Best Describes Urinary Control
C127417	EPIC2-Bowel Symptom Score	EPIC2-Bowel Symptom Score	Expanded Prostate Cancer Index Composite for Clinical Practice - Bowel symptom score.	EPIC-CP - Bowel Symptom Score
C127408	EPIC2-Overall Problem Bowel Habits	EPIC2-Overall Problem Bowel Habits	Expanded Prostate Cancer Index Composite for Clinical Practice - How big a problem, if any, has each of the following been for you? Overall problems with your bowel habits.	EPIC-CP - Overall Problems With Bowel Habits
C127411	EPIC2-Overall Problem Sexual Function	EPIC2-Overall Problem Sexual Function	Expanded Prostate Cancer Index Composite for Clinical Practice - Overall, how much of a problem has your sexual function or lack of sexual function been for you?	EPIC-CP - Problem Lack of Sexual Function
C127399	EPIC2-Overall Problem Urinary Function	EPIC2-Overall Problem Urinary Function	Expanded Prostate Cancer Index Composite for Clinical Practice - Overall, how much of a problem has your urinary function been for you?	EPIC-CP - Overall Problem Urinary Function
C127420	EPIC2-Overall Prostate Cancer QOL Score	EPIC2-Overall Prostate Cancer QOL Score	Expanded Prostate Cancer Index Composite for Clinical Practice - Overall prostate cancer QOL score.	EPIC-CP - Overall Score
C127401	EPIC2-Pads or Adult Diapers per Day	EPIC2-Pads or Adult Diapers per Day	Expanded Prostate Cancer Index Composite for Clinical Practice - How many pads or adult diapers per day have you been using for urinary leakage?	EPIC-CP - Adult Diapers Used per Day
C127413	EPIC2-Problem Feeling Depressed	EPIC2-Problem Feeling Depressed	Expanded Prostate Cancer Index Composite for Clinical Practice - How big a problem, if any, has each of the following been for you? Feeling depressed.	EPIC-CP - Feeling Depressed
C127412	EPIC2-Problem Hot Flash/Breast Tender	EPIC2-Problem Hot Flash/Breast Tender	Expanded Prostate Cancer Index Composite for Clinical Practice - How big a problem, if any, has each of the following been for you? Hot flashes or breast tenderness/enlargement.	EPIC-CP - Hot Flashes or Breast Tenderness
C127407	EPIC2-Problem Increased Freq Bowel Move	EPIC2-Problem Increased Freq Bowel Move	Expanded Prostate Cancer Index Composite for Clinical Practice - How big a problem, if any, has each of the following been for you? Increased frequency of your bowel movements.	EPIC-CP - Increased Frequency of Bowel Movements
C127414	EPIC2-Problem Lack of Energy	EPIC2-Problem Lack of Energy	Expanded Prostate Cancer Index Composite for Clinical Practice - How big a problem, if any, has each of the following been for you? Lack of energy.	EPIC-CP - Lack of Energy
C127405	EPIC2-Problem Need to Urinate Frequently	EPIC2-Problem Need to Urinate Frequently	Expanded Prostate Cancer Index Composite for Clinical Practice - How big a problem, if any, has each of the following been for you? Need to urinate frequently.	EPIC-CP - Need to Urinate Frequently
C127403	EPIC2-Problem Pain/Burning w/Urination	EPIC2-Problem Pain/Burning w/Urination	Expanded Prostate Cancer Index Composite for Clinical Practice - How big a problem, if any, has each of the following been for you? Pain or burning with urination.	EPIC-CP - Pain or Burning With Urination
C127406	EPIC2-Problem Rectal Pain/Urgent Bowel	EPIC2-Problem Rectal Pain/Urgent Bowel	Expanded Prostate Cancer Index Composite for Clinical Practice - How big a problem, if any, has each of the following been for you? Rectal pain or urgency of bowel movements.	EPIC-CP - Rectal Pain or Urgency of Bowel Movements
C127402	EPIC2-Problem Urinary Dripping/Leakage	EPIC2-Problem Urinary Dripping/Leakage	Expanded Prostate Cancer Index Composite for Clinical Practice - How big a problem, if any, has urinary dripping or leakage been for you?	EPIC-CP - Problem Urinary Dripping/Leakage
C127404	EPIC2-Problem Weak Stream/Incompl Empty	EPIC2-Problem Weak Stream/Incompl Empty	Expanded Prostate Cancer Index Composite for Clinical Practice - How big a problem, if any, has each of the following been for you? Weak urine stream/incomplete bladder emptying.	EPIC-CP - Weak Urine Stream or Incomplete Bladder Emptying
C127410	EPIC2-Quality of Your Erections	EPIC2-Quality of Your Erections	Expanded Prostate Cancer Index Composite for Clinical Practice - How would you describe the usual quality of your erections?	EPIC-CP - Quality of Erections
C127409	EPIC2-Rate Ability to Reach Orgasm	EPIC2-Rate Ability to Reach Orgasm	Expanded Prostate Cancer Index Composite for Clinical Practice - How would you rate your ability to reach orgasm (climax)?	EPIC-CP - Rate Ability to Reach Orgasm
C127418	EPIC2-Sexual Symptom Score	EPIC2-Sexual Symptom Score	Expanded Prostate Cancer Index Composite for Clinical Practice - Sexual symptom score.	EPIC-CP - Sexual Symptom Score
C127415	EPIC2-Urinary Incontinence Symptom Score	EPIC2-Urinary Incontinence Symptom Score	Expanded Prostate Cancer Index Composite for Clinical Practice - Urinary incontinence symptom score.	EPIC-CP - Urinary Incontinence Symptom Score
C127416	EPIC2-Urinary Irrit/Obstr Symptom Score	EPIC2-Urinary Irrit/Obstr Symptom Score	Expanded Prostate Cancer Index Composite for Clinical Practice - Urinary irritation/obstruction symptom score.	EPIC-CP - Urinary Irritation/Obstruction Symptom Score
C127419	EPIC2-Vitality/Hormonal Symptom Score	EPIC2-Vitality/Hormonal Symptom Score	Expanded Prostate Cancer Index Composite for Clinical Practice - Vitality/hormonal symptom score.	EPIC-CP - Vitality/Hormonal Symptom Score

C100392	EQ5D0101	EQ5D01-Mobility	European Quality of Life Five Dimension Three Level Scale - Indicate which statements best describe your own health state today: Mobility.	EQ-5D-3L - Mobility
C100393	EQ5D0102	EQ5D01-Self-Care	European Quality of Life Five Dimension Three Level Scale - Indicate which statements best describe your own health state today: Self-care.	EQ-5D-3L - Self-Care
C100394	EQ5D0103	EQ5D01-Usual Activities	European Quality of Life Five Dimension Three Level Scale - Indicate which statements best describe your own health state today: Usual activities.	EQ-5D-3L - Usual Activities
C100395	EQ5D0104	EQ5D01-Pain/Discomfort	European Quality of Life Five Dimension Three Level Scale - Indicate which statements best describe your own health state today: Pain/discomfort.	EQ-5D-3L - Pain or Discomfort
C100396	EQ5D0105	EQ5D01-Anxiety/Depression	European Quality of Life Five Dimension Three Level Scale - Indicate which statements best describe your own health state today: Anxiety/depression.	EQ-5D-3L - Anxiety or Depression
C100397	EQ5D0106	EQ5D01-EQ VAS Score	European Quality of Life Five Dimension Three Level Scale - Indicate on this scale how good or bad your own health is today, in your opinion.	EQ-5D-3L - EQ VAS Score

C100396	EQ5D01-Anxiety/Depression	EQ5D01-Anxiety/Depression	European Quality of Life Five Dimension Three Level Scale - Indicate which statements best describe your own health state today: Anxiety/depression.	EQ-5D-3L - Anxiety or Depression
C100397	EQ5D01-EQ VAS Score	EQ5D01-EQ VAS Score	European Quality of Life Five Dimension Three Level Scale - Indicate on this scale how good or bad your own health is today, in your opinion.	EQ-5D-3L - EQ VAS Score
C100392	EQ5D01-Mobility	EQ5D01-Mobility	European Quality of Life Five Dimension Three Level Scale - Indicate which statements best describe your own health state today: Mobility.	EQ-5D-3L - Mobility
C100395	EQ5D01-Pain/Discomfort	EQ5D01-Pain/Discomfort	European Quality of Life Five Dimension Three Level Scale - Indicate which statements best describe your own health state today: Pain/discomfort.	EQ-5D-3L - Pain or Discomfort
C100393	EQ5D01-Self-Care	EQ5D01-Self-Care	European Quality of Life Five Dimension Three Level Scale - Indicate which statements best describe your own health state today: Self-care.	EQ-5D-3L - Self-Care
C100394	EQ5D01-Usual Activities	EQ5D01-Usual Activities	European Quality of Life Five Dimension Three Level Scale - Indicate which statements best describe your own health state today: Usual activities.	EQ-5D-3L - Usual Activities

C102067	EQ5D0201	EQ5D02-Mobility	European Quality of Life Five Dimension Five Level Scale - Check the one box that best describes your health today: Mobility.	EQ-5D-5L - Mobility
C102068	EQ5D0202	EQ5D02-Self-Care	European Quality of Life Five Dimension Five Level Scale - Check the one box that best describes your health today: Self-care.	EQ-5D-5L - Self-Care
C102069	EQ5D0203	EQ5D02-Usual Activities	European Quality of Life Five Dimension Five Level Scale - Check the one box that best describes your health today: Usual activities.	EQ-5D-5L - Usual Activities
C102070	EQ5D0204	EQ5D02-Pain/Discomfort	European Quality of Life Five Dimension Five Level Scale - Check the one box that best describes your health today: Pain/discomfort.	EQ-5D-5L - Pain or Discomfort
C102071	EQ5D0205	EQ5D02-Anxiety/Depression	European Quality of Life Five Dimension Five Level Scale - Check the one box that best describes your health today: Anxiety/depression.	EQ-5D-5L - Anxiety or Depression
C102072	EQ5D0206	EQ5D02-EQ VAS Score	European Quality of Life Five Dimension Five Level Scale - Indicate how your health is today.	EQ-5D-5L - EQ VAS Score

C102071	EQ5D02-Anxiety/Depression	EQ5D02-Anxiety/Depression	European Quality of Life Five Dimension Five Level Scale - Check the one box that best describes your health today: Anxiety/depression.	EQ-5D-5L - Anxiety or Depression	
C102072	EQ5D02-EQ VAS Score	EQ5D02-EQ VAS Score	European Quality of Life Five Dimension Five Level Scale - Indicate how your health is today.	EQ-5D-5L - EQ VAS Score	
C102067	EQ5D02-Mobility	EQ5D02-Mobility	European Quality of Life Five Dimension Five Level Scale - Check the one box that best describes your health today: Mobility.	EQ-5D-5L - Mobility	
C102070	EQ5D02-Pain/Discomfort	EQ5D02-Pain/Discomfort	European Quality of Life Five Dimension Five Level Scale - Check the one box that best describes your health today: Pain/discomfort.	EQ-5D-5L - Pain or Discomfort	
C102068	EQ5D02-Self-Care	EQ5D02-Self-Care	European Quality of Life Five Dimension Five Level Scale - Check the one box that best describes your health today: Self-care.	EQ-5D-5L - Self-Care	
C102069	EQ5D02-Usual Activities	EQ5D02-Usual Activities	European Quality of Life Five Dimension Five Level Scale - Check the one box that best describes your health today: Usual activities.	EQ-5D-5L - Usual Activities	

C118079	ESRSA101	ESRSA1-Rigidity: Upper Limbs	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Rigidity: Upper limbs.	ESRS-A - Rigidity: Upper Limbs
C118080	ESRSA102	ESRSA1-Rigidity: Lower Limbs	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Rigidity: Lower limbs.	ESRS-A - Rigidity: Lower Limbs
C118081	ESRSA103	ESRSA1-Rigidity: Neck	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Rigidity: Neck.	ESRS-A - Rigidity: Neck
C118082	ESRSA104	ESRSA1-Tremor: Face/Jaw/Chin/Lips/Head	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Tremor: Face, jaw/chin, lips, head.	ESRS-A - Tremor: Face/Jaw/Chin/Lips/Head
C118083	ESRSA105	ESRSA1-Tremor: Upper Limbs/Hands	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Tremor: Upper limbs/hands.	ESRS-A - Tremor: Upper Limbs/Hands
C118084	ESRSA106	ESRSA1-Tremor: Lower Limbs/Feet	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Tremor: Lower limbs/feet.	ESRS-A - Tremor: Lower Limbs/Feet
C118085	ESRSA107	ESRSA1-Reduced Facial Expression/Speech	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Reduced facial expression/speech.	ESRS-A - Reduced Facial Expression/Speech
C118086	ESRSA108	ESRSA1-Impaired Gait/Posture	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Impaired gait/posture.	ESRS-A - Impaired Gait/Posture
C118087	ESRSA109	ESRSA1-Postural Instability	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Postural instability.	ESRS-A - Postural Instability
C118088	ESRSA110	ESRSA1-Bradykinesia/Hypokinesia	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Bradykinesia/hypokinesia.	ESRS-A - Bradykinesia/Hypokinesia
C118089	ESRSA111	ESRSA1-Dystonia: Tongue	Extrapyramidal Symptom Rating Scale-Abbreviated - Dystonia: Tongue.	ESRS-A - Dystonia: Tongue
C118090	ESRSA112	ESRSA1-Dystonia: Jaw	Extrapyramidal Symptom Rating Scale-Abbreviated - Dystonia: Jaw.	ESRS-A - Dystonia: Jaw
C118091	ESRSA113	ESRSA1-Dystonia: Eyes/Face/Larynx	Extrapyramidal Symptom Rating Scale-Abbreviated - Dystonia: Eyes, upper face, lower face, larynx.	ESRS-A - Dystonia: Eyes/Upper and Lower Face/Larynx
C118092	ESRSA114	ESRSA1-Dystonia: Shoulder/Up Limb/Hand	Extrapyramidal Symptom Rating Scale-Abbreviated - Dystonia: Shoulders, upper limbs, hands.	ESRS-A - Dystonia: Shoulder/Upper Limbs/Hands
C118093	ESRSA115	ESRSA1-Dystonia: Hips/Lower Limbs/Feet	Extrapyramidal Symptom Rating Scale-Abbreviated - Dystonia: Hips, lower limbs, feet.	ESRS-A - Dystonia: Hips/Lower Limbs/Feet
C118094	ESRSA116	ESRSA1-Dystonia: Trunk/Neck	Extrapyramidal Symptom Rating Scale-Abbreviated - Dystonia: Trunk, neck.	ESRS-A - Dystonia: Trunk/Neck
C118095	ESRSA117	ESRSA1-Dyskinesia: Tongue	Extrapyramidal Symptom Rating Scale-Abbreviated - Dyskinesia: Tongue.	ESRS-A - Dyskinesia: Tongue
C118096	ESRSA118	ESRSA1-Dyskinesia: Jaw	Extrapyramidal Symptom Rating Scale-Abbreviated - Dyskinesia: Jaw.	ESRS-A - Dyskinesia: Jaw
C118097	ESRSA119	ESRSA1-Dyskinesia: Eyes/Up Face/Low Face	Extrapyramidal Symptom Rating Scale-Abbreviated - Dyskinesia: Eyes, upper face, lower face.	ESRS-A - Dyskinesia: Eyes/Upper Face/Lower Face
C118098	ESRSA120	ESRSA1-Dyskinesia: Shoulder/Up Limb/Hand	Extrapyramidal Symptom Rating Scale-Abbreviated - Dyskinesia: Shoulders, upper limbs, hands.	ESRS-A - Dyskinesia: Shoulder/Upper Limbs/Hands
C118099	ESRSA121	ESRSA1-Dyskinesia: Hips/Lower Limbs/Feet	Extrapyramidal Symptom Rating Scale-Abbreviated - Dyskinesia: Hips, lower limbs, feet.	ESRS-A - Dyskinesia: Hips/Lower Limbs/Feet
C118100	ESRSA122	ESRSA1-Dyskinesia: Trunk/Neck	Extrapyramidal Symptom Rating Scale-Abbreviated - Dyskinesia: Trunk, neck.	ESRS-A - Dyskinesia: Trunk/Neck
C118101	ESRSA123	ESRSA1-Akathisia: Subjective	Extrapyramidal Symptom Rating Scale-Abbreviated - Akathisia: Subjective.	ESRS-A - Akathisia: Subjective
C118102	ESRSA124	ESRSA1-Akathisia: Objective	Extrapyramidal Symptom Rating Scale-Abbreviated - Akathisia: Objective.	ESRS-A - Akathisia: Objective
C118103	ESRSA125	ESRSA1-CGI-S Parkinsonism	Extrapyramidal Symptom Rating Scale-Abbreviated - Clinical Global Impression (CGI-S): Parkinsonism.	ESRS-A - CGI-S Parkinsonism
C118104	ESRSA126	ESRSA1-CGI-S Dystonia	Extrapyramidal Symptom Rating Scale-Abbreviated - Clinical Global Impression (CGI-S): Dystonia.	ESRS-A - CGI-S Dystonia

ESRSA127				
C118105	ESRSA127	ESRSA1-CGI-S Dyskinesia	Extrapyramidal Symptom Rating Scale-Abbreviated - Clinical Global Impression (CGI-S): Dyskinesia.	ESRS-A - CGI-S Dyskinesia
C118106	ESRSA128	ESRSA1-CGI-S Akathisia	Extrapyramidal Symptom Rating Scale-Abbreviated - Clinical Global Impression (CGI-S): Akathisia.	ESRS-A - CGI-S Akathisia

C118102	ESRSA1-Akathisia: Objective	ESRSA1-Akathisia: Objective	Extrapyramidal Symptom Rating Scale-Abbreviated - Akathisia: Objective.	ESRS-A - Akathisia: Objective
C118101	ESRSA1-Akathisia: Subjective	ESRSA1-Akathisia: Subjective	Extrapyramidal Symptom Rating Scale-Abbreviated - Akathisia: Subjective.	ESRS-A - Akathisia: Subjective
C118088	ESRSA1-Bradykinesia/Hypokinesia	ESRSA1-Bradykinesia/Hypokinesia	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Bradykinesia/hypokinesia.	ESRS-A - Bradykinesia/Hypokinesia
C118106	ESRSA1-CGI-S Akathisia	ESRSA1-CGI-S Akathisia	Extrapyramidal Symptom Rating Scale-Abbreviated - Clinical Global Impression (CGI-S): Akathisia.	ESRS-A - CGI-S Akathisia
C118105	ESRSA1-CGI-S Dyskinesia	ESRSA1-CGI-S Dyskinesia	Extrapyramidal Symptom Rating Scale-Abbreviated - Clinical Global Impression (CGI-S): Dyskinesia.	ESRS-A - CGI-S Dyskinesia
C118104	ESRSA1-CGI-S Dystonia	ESRSA1-CGI-S Dystonia	Extrapyramidal Symptom Rating Scale-Abbreviated - Clinical Global Impression (CGI-S): Dystonia.	ESRS-A - CGI-S Dystonia
C118103	ESRSA1-CGI-S Parkinsonism	ESRSA1-CGI-S Parkinsonism	Extrapyramidal Symptom Rating Scale-Abbreviated - Clinical Global Impression (CGI-S): Parkinsonism.	ESRS-A - CGI-S Parkinsonism
C118097	ESRSA1-Dyskinesia: Eyes/Up Face/Low Face	ESRSA1-Dyskinesia: Eyes/Up Face/Low Face	Extrapyramidal Symptom Rating Scale-Abbreviated - Dyskinesia: Eyes, upper face, lower face.	ESRS-A - Dyskinesia: Eyes/Upper Face/Lower Face
C118099	ESRSA1-Dyskinesia: Hips/Lower Limbs/Feet	ESRSA1-Dyskinesia: Hips/Lower Limbs/Feet	Extrapyramidal Symptom Rating Scale-Abbreviated - Dyskinesia: Hips, lower limbs, feet.	ESRS-A - Dyskinesia: Hips/Lower Limbs/Feet
C118096	ESRSA1-Dyskinesia: Jaw	ESRSA1-Dyskinesia: Jaw	Extrapyramidal Symptom Rating Scale-Abbreviated - Dyskinesia: Jaw.	ESRS-A - Dyskinesia: Jaw
C118098	ESRSA1-Dyskinesia: Shoulder/Up Limb/Hand	ESRSA1-Dyskinesia: Shoulder/Up Limb/Hand	Extrapyramidal Symptom Rating Scale-Abbreviated - Dyskinesia: Shoulders, upper limbs, hands.	ESRS-A - Dyskinesia: Shoulder/Upper Limbs/Hands
C118095	ESRSA1-Dyskinesia: Tongue	ESRSA1-Dyskinesia: Tongue	Extrapyramidal Symptom Rating Scale-Abbreviated - Dyskinesia: Tongue.	ESRS-A - Dyskinesia: Tongue
C118100	ESRSA1-Dyskinesia: Trunk/Neck	ESRSA1-Dyskinesia: Trunk/Neck	Extrapyramidal Symptom Rating Scale-Abbreviated - Dyskinesia: Trunk, neck.	ESRS-A - Dyskinesia: Trunk/Neck
C118091	ESRSA1-Dystonia: Eyes/Face/Larynx	ESRSA1-Dystonia: Eyes/Face/Larynx	Extrapyramidal Symptom Rating Scale-Abbreviated - Dystonia: Eyes, upper face, lower face, larynx.	ESRS-A - Dystonia: Eyes/Upper and Lower Face/Larynx
C118093	ESRSA1-Dystonia: Hips/Lower Limbs/Feet	ESRSA1-Dystonia: Hips/Lower Limbs/Feet	Extrapyramidal Symptom Rating Scale-Abbreviated - Dystonia: Hips, lower limbs, feet.	ESRS-A - Dystonia: Hips/Lower Limbs/Feet
C118090	ESRSA1-Dystonia: Jaw	ESRSA1-Dystonia: Jaw	Extrapyramidal Symptom Rating Scale-Abbreviated - Dystonia: Jaw.	ESRS-A - Dystonia: Jaw
C118092	ESRSA1-Dystonia: Shoulder/Up Limb/Hand	ESRSA1-Dystonia: Shoulder/Up Limb/Hand	Extrapyramidal Symptom Rating Scale-Abbreviated - Dystonia: Shoulders, upper limbs, hands.	ESRS-A - Dystonia: Shoulder/Upper Limbs/Hands
C118089	ESRSA1-Dystonia: Tongue	ESRSA1-Dystonia: Tongue	Extrapyramidal Symptom Rating Scale-Abbreviated - Dystonia: Tongue.	ESRS-A - Dystonia: Tongue
C118094	ESRSA1-Dystonia: Trunk/Neck	ESRSA1-Dystonia: Trunk/Neck	Extrapyramidal Symptom Rating Scale-Abbreviated - Dystonia: Trunk, neck.	ESRS-A - Dystonia: Trunk/Neck
C118086	ESRSA1-Impaired Gait/Posture	ESRSA1-Impaired Gait/Posture	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Impaired gait/posture.	ESRS-A - Impaired Gait/Posture
C118087	ESRSA1-Postural Instability	ESRSA1-Postural Instability	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Postural instability.	ESRS-A - Postural Instability
C118085	ESRSA1-Reduced Facial Expression/Speech	ESRSA1-Reduced Facial Expression/Speech	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Reduced facial expression/speech.	ESRS-A - Reduced Facial Expression/Speech
C118080	ESRSA1-Rigidity: Lower Limbs	ESRSA1-Rigidity: Lower Limbs	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Rigidity: Lower limbs.	ESRS-A - Rigidity: Lower Limbs
C118081	ESRSA1-Rigidity: Neck	ESRSA1-Rigidity: Neck	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Rigidity: Neck.	ESRS-A - Rigidity: Neck
C118079	ESRSA1-Rigidity: Upper Limbs	ESRSA1-Rigidity: Upper Limbs	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Rigidity: Upper limbs.	ESRS-A - Rigidity: Upper Limbs
C118082	ESRSA1-Tremor: Face/Jaw/Chin/Lips/Head	ESRSA1-Tremor: Face/Jaw/Chin/Lips/Head	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Tremor: Face, jaw/chin, lips, head.	ESRS-A - Tremor: Face/Jaw/Chin/Lips/Head

Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Tremor				
C118084	ESRSA1-Tremor: Lower Limbs/Feet	ESRSA1-Tremor: Lower Limbs/Feet	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Tremor: Lower limbs/feet.	ESRS-A - Tremor: Lower Limbs/Feet
C118083	ESRSA1-Tremor: Upper Limbs/Hands	ESRSA1-Tremor: Upper Limbs/Hands	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Tremor: Upper limbs/hands.	ESRS-A - Tremor: Upper Limbs/Hands

C103536	ESS0101	ESS01-Sitting and Reading	Epworth Sleepiness Scale - Sitting and reading.	ESS - Sitting and Reading
C103537	ESS0102	ESS01-Watching TV	Epworth Sleepiness Scale - Watching TV.	ESS - Watching TV
C103538	ESS0103	ESS01-Sitting Inactive in a Public Place	Epworth Sleepiness Scale - Sitting, inactive in a public place (e.g. a theatre or a meeting).	ESS - Sitting, Inactive in a Public Place
C103539	ESS0104	ESS01-Passenger for Hour Without Break	Epworth Sleepiness Scale - As a passenger in a car for an hour without a break.	ESS - As a Passenger in a Car for an Hour Without a Break
C103540	ESS0105	ESS01-Lying Down to Rest In Afternoon	Epworth Sleepiness Scale - Lying down to rest in the afternoon when circumstances permit.	ESS - Lying Down to Rest in the Afternoon When Circumstances Permit
C103541	ESS0106	ESS01-Sitting and Talking to Someone	Epworth Sleepiness Scale - Sitting and talking to someone.	ESS - Sitting and Talking to Someone
C103542	ESS0107	ESS01-Sitting Quietly After Lunch	Epworth Sleepiness Scale - Sitting quietly after a lunch without alcohol.	ESS - Sitting Quietly After a Lunch without Alcohol
C103543	ESS0108	ESS01-In Car Stopped Few Minutes Traffic	Epworth Sleepiness Scale - In a car, while stopped for a few minutes in the traffic.	ESS - In a car, While Stopped for a Few Minutes in the Traffic
C157731	ESS0109	ESS01-Total Score	Epworth Sleepiness Scale - Total score.	ESS - Total Score

C103543	ESS01-In Car Stopped Few Minutes Traffic	ESS01-In Car Stopped Few Minutes Traffic	Epworth Sleepiness Scale - In a car, while stopped for a few minutes in the traffic.	ESS - In a car, While Stopped for a Few Minutes in the Traffic
C103540	ESS01-Lying Down to Rest In Afternoon	ESS01-Lying Down to Rest In Afternoon	Epworth Sleepiness Scale - Lying down to rest in the afternoon when circumstances permit.	ESS - Lying Down to Rest in the Afternoon When Circumstances Permit
C103539	ESS01-Passenger for Hour Without Break	ESS01-Passenger for Hour Without Break	Epworth Sleepiness Scale - As a passenger in a car for an hour without a break.	ESS - As a Passenger in a Car for an Hour Without a Break
C103536	ESS01-Sitting and Reading	ESS01-Sitting and Reading	Epworth Sleepiness Scale - Sitting and reading.	ESS - Sitting and Reading
C103541	ESS01-Sitting and Talking to Someone	ESS01-Sitting and Talking to Someone	Epworth Sleepiness Scale - Sitting and talking to someone.	ESS - Sitting and Talking to Someone
C103538	ESS01-Sitting Inactive in a Public Place	ESS01-Sitting Inactive in a Public Place	Epworth Sleepiness Scale - Sitting, inactive in a public place (e.g. a theatre or a meeting).	ESS - Sitting, Inactive in a Public Place
C103542	ESS01-Sitting Quietly After Lunch	ESS01-Sitting Quietly After Lunch	Epworth Sleepiness Scale - Sitting quietly after a lunch without alcohol.	ESS - Sitting Quietly After a Lunch without Alcohol
C157731	ESS01-Total Score	ESS01-Total Score	Epworth Sleepiness Scale - Total score.	ESS - Total Score
C103537	ESS01-Watching TV	ESS01-Watching TV	Epworth Sleepiness Scale - Watching TV.	ESS - Watching TV

C161760	ETRP0101	ETRP01-Medication Total Points	Emory Treatment Resistance Interview for PTSD - Medication total points.	E-TRIP - Medication Total Points
C161761	ETRP0102	ETRP01-Psychotherapy Total Points	Emory Treatment Resistance Interview for PTSD - Psychotherapy total points.	E-TRIP - Psychotherapy Total Points
C161762	ETRP0103	ETRP01-Total Points	Emory Treatment Resistance Interview for PTSD - Total points.	E-TRIP - Total Points

C161760	ETRP01-Medication Total Points	ETRP01-Medication Total Points	Emory Treatment Resistance Interview for PTSD - Medication total points.	E-TRIP - Medication Total Points
C161761	ETRP01-Psychotherapy Total Points	ETRP01-Psychotherapy Total Points	Emory Treatment Resistance Interview for PTSD - Psychotherapy total points.	E-TRIP - Psychotherapy Total Points
C161762	ETRP01-Total Points	ETRP01-Total Points	Emory Treatment Resistance Interview for PTSD - Total points.	E-TRIP - Total Points

Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome				
Code	Code Description	Tool Item Description	Patient-Reported Outcome Description	Tool Item Label
C123669	EXACT101	EXACT1-Chest Feel Congested	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - Did your chest feel congested today?	EXACT - Chest Feel Congested
C123670	EXACT102	EXACT1-How Often Cough	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - How often did you cough today?	EXACT - How Often Cough Today
C123671	EXACT103	EXACT1-Bring Up Mucus When Coughing	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - How much mucus (phlegm) did you bring up when coughing today?	EXACT - Bring Up Mucus When Coughing
C123672	EXACT104	EXACT1-Difficult to Bring Up Mucus	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - How difficult was it to bring up mucus (phlegm) today?	EXACT - Difficult to Bring Up Mucus
C123673	EXACT105	EXACT1-Chest Discomfort	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - Did you have chest discomfort today?	EXACT - Have Chest Discomfort
C123674	EXACT106	EXACT1-Chest Feel Tight	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - Did your chest feel tight today?	EXACT - Chest Feel Tight
C123675	EXACT107	EXACT1-Breathless	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - Were you breathless today?	EXACT - Were You Breathless
C123676	EXACT108	EXACT1-Describe How Breathless	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - Describe how breathless you were today.	EXACT - Describe How Breathless
C123677	EXACT109	EXACT1-Short Breath Personal Care	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - Were you short of breath today when performing your usual personal care activities like washing or dressing?	EXACT - Short of Breath When Performing Usual Personal Care
C123678	EXACT110	EXACT1-Short Breath Indoor Activities	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - Were you short of breath today when performing your usual indoor activities like cleaning or household work?	EXACT - Short of Breath When Performing Usual Indoor Activities
C123679	EXACT111	EXACT1-Short Breath Outside Activities	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - Were you short of breath today when performing your usual activities outside the home such as yard work or errands?	EXACT - Short of Breath When Performing Usual Activities Outside
C123680	EXACT112	EXACT1-Tired or Weak	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - Were you tired or weak today?	EXACT - Tired or Weak
C123681	EXACT113	EXACT1-Night Sleep Disturbed	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - Last night, was your sleep disturbed?	EXACT - Night Sleep Disturbed
C123682	EXACT114	EXACT1-Worried About Lung Problems	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - How scared or worried were you about your lung problems today?	EXACT - Worried About Lung Problems
C177803	EXACT115	EXACT1-Breathlessness Raw Score	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - Breathlessness raw score.	EXACT - Breathlessness Raw Score
C177804	EXACT116	EXACT1-Cough & Sputum Raw Score	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - Cough & sputum raw score.	EXACT - Cough & Sputum Raw Score
C177805	EXACT117	EXACT1-Chest Symptoms Raw Score	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - Chest symptoms raw score.	EXACT - Chest Symptoms Raw Score
C177806	EXACT118	EXACT1-EXACT Total Raw Score	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - Exact total raw score.	EXACT - EXACT Total Raw Score
C177807	EXACT119	EXACT1-Breathlessness Domain Score	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - Breathlessness domain score.	EXACT - Breathlessness Domain Score
C177808	EXACT120	EXACT1-Cough & Sputum Domain Score	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - Cough & sputum domain score.	EXACT - Cough & Sputum Domain Score
C177809	EXACT121	EXACT1-Chest Symptoms Domain Score	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - Chest symptoms domain score.	EXACT - Chest Symptoms Domain Score
C177810	EXACT122	EXACT1-EXACT Total Score	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - Exact total domain score.	EXACT - EXACT Total Score

C123675	EXACT1-Breathless	EXACT1-Breathless	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - Were you breathless today?	EXACT - Were You Breathless
C177807	EXACT1-Breathlessness Domain Score	EXACT1-Breathlessness Domain Score	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - Breathlessness domain score.	EXACT - Breathlessness Domain Score
C177803	EXACT1-Breathlessness Raw Score	EXACT1-Breathlessness Raw Score	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - Breathlessness raw score.	EXACT - Breathlessness Raw Score
C123671	EXACT1-Bring Up Mucus When Coughing	EXACT1-Bring Up Mucus When Coughing	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - How much mucus (phlegm) did you bring up when coughing today?	EXACT - Bring Up Mucus When Coughing
C123673	EXACT1-Chest Discomfort	EXACT1-Chest Discomfort	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - Did you have chest discomfort today?	EXACT - Have Chest Discomfort
C123669	EXACT1-Chest Feel Congested	EXACT1-Chest Feel Congested	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - Did your chest feel congested today?	EXACT - Chest Feel Congested
C123674	EXACT1-Chest Feel Tight	EXACT1-Chest Feel Tight	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - Did your chest feel tight today?	EXACT - Chest Feel Tight
C177809	EXACT1-Chest Symptoms Domain Score	EXACT1-Chest Symptoms Domain Score	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - Chest symptoms domain score.	EXACT - Chest Symptoms Domain Score
C177805	EXACT1-Chest Symptoms Raw Score	EXACT1-Chest Symptoms Raw Score	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - Chest symptoms raw score.	EXACT - Chest Symptoms Raw Score
C177808	EXACT1-Cough & Sputum Domain Score	EXACT1-Cough & Sputum Domain Score	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - Cough & sputum domain score.	EXACT - Cough & Sputum Domain Score
C177804	EXACT1-Cough & Sputum Raw Score	EXACT1-Cough & Sputum Raw Score	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - Cough & sputum raw score.	EXACT - Cough & Sputum Raw Score
C123676	EXACT1-Describe How Breathless	EXACT1-Describe How Breathless	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - Describe how breathless you were today.	EXACT - Describe How Breathless
C123672	EXACT1-Difficult to Bring Up Mucus	EXACT1-Difficult to Bring Up Mucus	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - How difficult was it to bring up mucus (phlegm) today?	EXACT - Difficult to Bring Up Mucus
C177806	EXACT1-EXACT Total Raw Score	EXACT1-EXACT Total Raw Score	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - Exact total raw score.	EXACT - EXACT Total Raw Score
C177810	EXACT1-EXACT Total Score	EXACT1-EXACT Total Score	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - Exact total domain score.	EXACT - EXACT Total Score
C123670	EXACT1-How Often Cough	EXACT1-How Often Cough	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - How often did you cough today?	EXACT - How Often Cough Today
C123681	EXACT1-Night Sleep Disturbed	EXACT1-Night Sleep Disturbed	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - Last night, was your sleep disturbed?	EXACT - Night Sleep Disturbed
C123678	EXACT1-Short Breath Indoor Activities	EXACT1-Short Breath Indoor Activities	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - Were you short of breath today when performing your usual indoor activities like cleaning or household work?	EXACT - Short of Breath When Performing Usual Indoor Activities
C123679	EXACT1-Short Breath Outside Activities	EXACT1-Short Breath Outside Activities	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - Were you short of breath today when performing your usual activities outside the home such as yard work or errands?	EXACT - Short of Breath When Performing Usual Activities Outside
C123677	EXACT1-Short Breath Personal Care	EXACT1-Short Breath Personal Care	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - Were you short of breath today when performing your usual personal care activities like washing or dressing?	EXACT - Short of Breath When Performing Usual Personal Care
C123680	EXACT1-Tired or Weak	EXACT1-Tired or Weak	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - Were you tired or weak today?	EXACT - Tired or Weak
C123682	EXACT1-Worried About Lung Problems	EXACT1-Worried About Lung Problems	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - How scared or worried were you about your lung problems today?	EXACT - Worried About Lung Problems

C127421	FAC00101	FAC001-I Have a Lack of Energy	Functional Assessment of Cancer Therapy-General Version 4 - Physical Well-Being: I have a lack of energy.	FACT-G Version 4 - I Have a Lack of Energy
C127422	FAC00102	FAC001-I Have Nausea	Functional Assessment of Cancer Therapy-General Version 4 - Physical Well-Being: I have nausea.	FACT-G Version 4 - I Have Nausea
C127423	FAC00103	FAC001-Trouble Meeting Needs of Family	Functional Assessment of Cancer Therapy-General Version 4 - Physical Well-Being: Because of my physical condition, I have trouble meeting the needs of my family.	FACT-G Version 4 - Trouble Meeting Needs of Family
C127424	FAC00104	FAC001-I Have Pain	Functional Assessment of Cancer Therapy-General Version 4 - Physical Well-Being: I have pain.	FACT-G Version 4 - I have pain
C127425	FAC00105	FAC001-Bothered by Treatment Side Effect	Functional Assessment of Cancer Therapy-General Version 4 - Physical Well-Being: I am bothered by side effects of treatment.	FACT-G Version 4 - Bothered by Treatment Side Effect
C127426	FAC00106	FAC001-I Feel Ill	Functional Assessment of Cancer Therapy-General Version 4 - Physical Well-Being: I feel ill.	FACT-G Version 4 - I Feel Ill
C127427	FAC00107	FAC001-I Am Forced to Spend Time in Bed	Functional Assessment of Cancer Therapy-General Version 4 - Physical Well-Being: I am forced to spend time in bed.	FACT-G Version 4 - I Am Forced to Spend Time in Bed
C127428	FAC00108	FAC001-I Feel Close to My Friends	Functional Assessment of Cancer Therapy-General Version 4 - Social/Family Well-Being: I feel close to my friends.	FACT-G Version 4 - I Feel Close to My Friends
C127429	FAC00109	FAC001-Get Emotional Support From Family	Functional Assessment of Cancer Therapy-General Version 4 - Social/Family Well-Being: I get emotional support from my family.	FACT-G Version 4 - I Get Emotional Support From My Family
C127430	FAC00110	FAC001-I Get Support From My Friends	Functional Assessment of Cancer Therapy-General Version 4 - Social/Family Well-Being: I get support from my friends.	FACT-G Version 4 - I Get Support From My Friends
C127431	FAC00111	FAC001-My Family Has Accepted My Illness	Functional Assessment of Cancer Therapy-General Version 4 - Social/Family Well-Being: My family has accepted my illness.	FACT-G Version 4 - My Family Has Accepted My Illness
C127432	FAC00112	FAC001-Satisfied Communication Illness	Functional Assessment of Cancer Therapy-General Version 4 - Social/Family Well-Being: I am satisfied with family communication about my illness.	FACT-G Version 4 - Satisfied With Family Communication
C127433	FAC00113	FAC001-I Feel Close to My Partner	Functional Assessment of Cancer Therapy-General Version 4 - Social/Family Well-Being: I feel close to my partner (or the person who is my main support).	FACT-G Version 4 - I Feel Close to My Partner
C127434	FAC00114	FAC001-I Am Satisfied With My Sex Life	Functional Assessment of Cancer Therapy-General Version 4 - Social/Family Well-Being: I am satisfied with my sex life.	FACT-G Version 4 - I Am Satisfied With My Sex Life
C127435	FAC00115	FAC001-I Feel Sad	Functional Assessment of Cancer Therapy-General Version 4 - Emotional Well-Being: I feel sad.	FACT-G Version 4 - I Feel Sad
C127436	FAC00116	FAC001-Satisfied With How I Am Coping	Functional Assessment of Cancer Therapy-General Version 4 - Emotional Well-Being: I am satisfied with how I am coping with my illness.	FACT-G Version 4 - Satisfied With How I Am Coping With Illness
C127437	FAC00117	FAC001-Losing Hope Against Illness	Functional Assessment of Cancer Therapy-General Version 4 - Emotional Well-Being: I am losing hope in the fight against my illness.	FACT-G Version 4 - Losing Hope Against Illness
C127438	FAC00118	FAC001-I Feel Nervous	Functional Assessment of Cancer Therapy-General Version 4 - Emotional Well-Being: I feel nervous.	FACT-G Version 4 - I Feel Nervous
C127439	FAC00119	FAC001-I Worry About Dying	Functional Assessment of Cancer Therapy-General Version 4 - Emotional Well-Being: I worry about dying.	FACT-G Version 4 - I Worry About Dying
C127440	FAC00120	FAC001-Worry My Condition Will Get Worse	Functional Assessment of Cancer Therapy-General Version 4 - Emotional Well-Being: I worry that my condition will get worse.	FACT-G Version 4 - Worry My Condition Will Get Worse
C127441	FAC00121	FAC001-I Am Able to Work	Functional Assessment of Cancer Therapy-General Version 4 - Functional Well-Being: I am able to work (include work at home).	FACT-G Version 4 - I Am Able to Work
C127442	FAC00122	FAC001-My Work Is Fulfilling	Functional Assessment of Cancer Therapy-General Version 4 - Functional Well-Being: My work (include work at home) is fulfilling.	FACT-G Version 4 - My Work Is Fulfilling
C127443	FAC00123	FAC001-I Am Able to Enjoy Life	Functional Assessment of Cancer Therapy-General Version 4 - Functional Well-Being: I am able to enjoy life.	FACT-G Version 4 - I Am Able to Enjoy Life
C127444	FAC00124	FAC001-I Have Accepted My Illness	Functional Assessment of Cancer Therapy-General Version 4 - Functional Well-Being: I have accepted my illness.	FACT-G Version 4 - I Have Accepted My Illness
C127445	FAC00125	FAC001-I Am Sleeping Well	Functional Assessment of Cancer Therapy-General Version 4 - Functional Well-Being: I am sleeping well.	FACT-G Version 4 - I Am Sleeping Well

FACT-G Version 4 - Enjoy Things I Usually Do for Fun				
C127446	FAC00126	FAC001-Enjoy Things I Usually Do for Fun	Functional Assessment of Cancer Therapy-General Version 4 - Functional Well-Being: I am enjoying the things I usually do for fun.	FACT-G Version 4 - Enjoy Things I Usually Do for Fun
C127447	FAC00127	FAC001-Content With Quality of My Life	Functional Assessment of Cancer Therapy-General Version 4 - Functional Well-Being: I am content with the quality of my life right now.	FACT-G Version 4 - Content With Quality of My Life
C180189	FAC00128	FAC001-Physical Subscale Score	Functional Assessment of Cancer Therapy-General Version 4 - Physical Well-Being: Subscale score.	FACT-G Version 4 - Physical Subscale Score
C180190	FAC00129	FAC001-Social/Family Subscale Score	Functional Assessment of Cancer Therapy-General Version 4 - Social/Family Well-Being: Subscale score.	FACT-G Version 4 - Social/Family Subscale Score
C180191	FAC00130	FAC001-Emotional Subscale Score	Functional Assessment of Cancer Therapy-General Version 4 - Emotional Well-Being: Subscale score.	FACT-G Version 4 - Emotional Subscale Score
C180192	FAC00131	FAC001-Functional Subscale Score	Functional Assessment of Cancer Therapy-General Version 4 - Functional Well-Being: Subscale score.	FACT-G Version 4 - Functional Subscale Score
C180193	FAC00132	FAC001-Total Score	Functional Assessment of Cancer Therapy-General Version 4 - FACT-G total score.	FACT-G Version 4 - Total Score

C127425	FAC001-Bothered by Treatment Side Effect	FAC001-Bothered by Treatment Side Effect	Functional Assessment of Cancer Therapy-General Version 4 - Physical Well-Being: I am bothered by side effects of treatment.	FACT-G Version 4 - Bothered by Treatment Side Effect
C127447	FAC001-Content With Quality of My Life	FAC001-Content With Quality of My Life	Functional Assessment of Cancer Therapy-General Version 4 - Functional Well-Being: I am content with the quality of my life right now.	FACT-G Version 4 - Content With Quality of My Life
C180191	FAC001-Emotional Subscale Score	FAC001-Emotional Subscale Score	Functional Assessment of Cancer Therapy-General Version 4 - Emotional Well-Being: Subscale score.	FACT-G Version 4 - Emotional Subscale Score
C127446	FAC001-Enjoy Things I Usually Do for Fun	FAC001-Enjoy Things I Usually Do for Fun	Functional Assessment of Cancer Therapy-General Version 4 - Functional Well-Being: I am enjoying the things I usually do for fun.	FACT-G Version 4 - Enjoy Things I Usually Do for Fun
C180192	FAC001-Functional Subscale Score	FAC001-Functional Subscale Score	Functional Assessment of Cancer Therapy-General Version 4 - Functional Well-Being: Subscale score.	FACT-G Version 4 - Functional Subscale Score
C127429	FAC001-Get Emotional Support From Family	FAC001-Get Emotional Support From Family	Functional Assessment of Cancer Therapy-General Version 4 - Social/Family Well-Being: I get emotional support from my family.	FACT-G Version 4 - I Get Emotional Support From My Family
C127443	FAC001-I Am Able to Enjoy Life	FAC001-I Am Able to Enjoy Life	Functional Assessment of Cancer Therapy-General Version 4 - Functional Well-Being: I am able to enjoy life.	FACT-G Version 4 - I Am Able to Enjoy Life
C127441	FAC001-I Am Able to Work	FAC001-I Am Able to Work	Functional Assessment of Cancer Therapy-General Version 4 - Functional Well-Being: I am able to work (include work at home).	FACT-G Version 4 - I Am Able to Work
C127427	FAC001-I Am Forced to Spend Time in Bed	FAC001-I Am Forced to Spend Time in Bed	Functional Assessment of Cancer Therapy-General Version 4 - Physical Well-Being: I am forced to spend time in bed.	FACT-G Version 4 - I Am Forced to Spend Time in Bed
C127434	FAC001-I Am Satisfied With My Sex Life	FAC001-I Am Satisfied With My Sex Life	Functional Assessment of Cancer Therapy-General Version 4 - Social/Family Well-Being: I am satisfied with my sex life.	FACT-G Version 4 - I Am Satisfied With My Sex Life
C127445	FAC001-I Am Sleeping Well	FAC001-I Am Sleeping Well	Functional Assessment of Cancer Therapy-General Version 4 - Functional Well-Being: I am sleeping well.	FACT-G Version 4 - I Am Sleeping Well
C127428	FAC001-I Feel Close to My Friends	FAC001-I Feel Close to My Friends	Functional Assessment of Cancer Therapy-General Version 4 - Social/Family Well-Being: I feel close to my friends.	FACT-G Version 4 - I Feel Close to My Friends
C127433	FAC001-I Feel Close to My Partner	FAC001-I Feel Close to My Partner	Functional Assessment of Cancer Therapy-General Version 4 - Social/Family Well-Being: I feel close to my partner (or the person who is my main support).	FACT-G Version 4 - I Feel Close to My Partner
C127426	FAC001-I Feel Ill	FAC001-I Feel Ill	Functional Assessment of Cancer Therapy-General Version 4 - Physical Well-Being: I feel ill.	FACT-G Version 4 - I Feel Ill
C127438	FAC001-I Feel Nervous	FAC001-I Feel Nervous	Functional Assessment of Cancer Therapy-General Version 4 - Emotional Well-Being: I feel nervous.	FACT-G Version 4 - I Feel Nervous
C127435	FAC001-I Feel Sad	FAC001-I Feel Sad	Functional Assessment of Cancer Therapy-General Version 4 - Emotional Well-Being: I feel sad.	FACT-G Version 4 - I Feel Sad
C127430	FAC001-I Get Support From My Friends	FAC001-I Get Support From My Friends	Functional Assessment of Cancer Therapy-General Version 4 - Social/Family Well-Being: I get support from my friends.	FACT-G Version 4 - I Get Support From My Friends
C127421	FAC001-I Have a Lack of Energy	FAC001-I Have a Lack of Energy	Functional Assessment of Cancer Therapy-General Version 4 - Physical Well-Being: I have a lack of energy.	FACT-G Version 4 - I Have a Lack of Energy
C127444	FAC001-I Have Accepted My Illness	FAC001-I Have Accepted My Illness	Functional Assessment of Cancer Therapy-General Version 4 - Functional Well-Being: I have accepted my illness.	FACT-G Version 4 - I Have Accepted My Illness
C127422	FAC001-I Have Nausea	FAC001-I Have Nausea	Functional Assessment of Cancer Therapy-General Version 4 - Physical Well-Being: I have nausea.	FACT-G Version 4 - I Have Nausea
C127424	FAC001-I Have Pain	FAC001-I Have Pain	Functional Assessment of Cancer Therapy-General Version 4 - Physical Well-Being: I have pain.	FACT-G Version 4 - I have pain
C127439	FAC001-I Worry About Dying	FAC001-I Worry About Dying	Functional Assessment of Cancer Therapy-General Version 4 - Emotional Well-Being: I worry about dying.	FACT-G Version 4 - I Worry About Dying
C127437	FAC001-Losing Hope Against Illness	FAC001-Losing Hope Against Illness	Functional Assessment of Cancer Therapy-General Version 4 - Emotional Well-Being: I am losing hope in the fight against my illness.	FACT-G Version 4 - Losing Hope Against Illness
C127431	FAC001-My Family Has Accepted My Illness	FAC001-My Family Has Accepted My Illness	Functional Assessment of Cancer Therapy-General Version 4 - Social/Family Well-Being: My family has accepted my illness.	FACT-G Version 4 - My Family Has Accepted My Illness
C127442	FAC001-My Work Is Fulfilling	FAC001-My Work Is Fulfilling	Functional Assessment of Cancer Therapy-General Version 4 - Functional Well-Being: My work (include work at home) is fulfilling.	FACT-G Version 4 - My Work Is Fulfilling

Comparison of FAC001 Items to FACT-G Version 4 Items				
C180189	FAC001-Physical Subscale Score	FAC001-Physical Subscale Score	Functional Assessment of Cancer Therapy-General Version 4 - Physical Well-Being: Subscale score.	FACT-G Version 4 - Physical Subscale Score
C127432	FAC001-Satisfied Communication Illness	FAC001-Satisfied Communication Illness	Functional Assessment of Cancer Therapy-General Version 4 - Social/Family Well-Being: I am satisfied with family communication about my illness.	FACT-G Version 4 - Satisfied With Family Communication
C127436	FAC001-Satisfied With How I Am Coping	FAC001-Satisfied With How I Am Coping	Functional Assessment of Cancer Therapy-General Version 4 - Emotional Well-Being: I am satisfied with how I am coping with my illness.	FACT-G Version 4 - Satisfied With How I Am Coping With Illness
C180190	FAC001-Social/Family Subscale Score	FAC001-Social/Family Subscale Score	Functional Assessment of Cancer Therapy-General Version 4 - Social/Family Well-Being: Subscale score.	FACT-G Version 4 - Social/Family Subscale Score
C180193	FAC001-Total Score	FAC001-Total Score	Functional Assessment of Cancer Therapy-General Version 4 - FACT-G total score.	FACT-G Version 4 - Total Score
C127423	FAC001-Trouble Meeting Needs of Family	FAC001-Trouble Meeting Needs of Family	Functional Assessment of Cancer Therapy-General Version 4 - Physical Well-Being: Because of my physical condition, I have trouble meeting the needs of my family.	FACT-G Version 4 - Trouble Meeting Needs of Family
C127440	FAC001-Worry My Condition Will Get Worse	FAC001-Worry My Condition Will Get Worse	Functional Assessment of Cancer Therapy-General Version 4 - Emotional Well-Being: I worry that my condition will get worse.	FACT-G Version 4 - Worry My Condition Will Get Worse

C129188	FAC00501	FAC005-I Have a Lack of Energy	Functional Assessment of Cancer Therapy-Breast Version 4 - Physical Well-Being: I have a lack of energy.	FACT-B Version 4 - I Have a Lack of Energy
C129189	FAC00502	FAC005-I Have Nausea	Functional Assessment of Cancer Therapy-Breast Version 4 - Physical Well-Being: I have nausea.	FACT-B Version 4 - I Have Nausea
C129190	FAC00503	FAC005-Trouble Meeting Needs of Family	Functional Assessment of Cancer Therapy-Breast Version 4 - Physical Well-Being: Because of my physical condition, I have trouble meeting the needs of my family.	FACT-B Version 4 - Trouble Meeting Needs of Family
C129191	FAC00504	FAC005-I Have Pain	Functional Assessment of Cancer Therapy-Breast Version 4 - Physical Well-Being: I have pain.	FACT-B Version 4 - I Have Pain
C129192	FAC00505	FAC005-Bothered by Treatment Side Effect	Functional Assessment of Cancer Therapy-Breast Version 4 - Physical Well-Being: I am bothered by side effects of treatment.	FACT-B Version 4 - Bothered by Treatment Side Effect
C129193	FAC00506	FAC005-I Feel Ill	Functional Assessment of Cancer Therapy-Breast Version 4 - Physical Well-Being: I feel ill.	FACT-B Version 4 - I Feel Ill
C129194	FAC00507	FAC005-I Am Forced to Spend Time in Bed	Functional Assessment of Cancer Therapy-Breast Version 4 - Physical Well-Being: I am forced to spend time in bed.	FACT-B Version 4 - I Am Forced to Spend Time in Bed
C129195	FAC00508	FAC005-I Feel Close to My Friends	Functional Assessment of Cancer Therapy-Breast Version 4 - Social/Family Well-Being: I feel close to my friends.	FACT-B Version 4 - I Feel Close to My Friends
C129196	FAC00509	FAC005-Get Emotional Support From Family	Functional Assessment of Cancer Therapy-Breast Version 4 - Social/Family Well-Being: I get emotional support from my family.	FACT-B Version 4 - Get Emotional Support From Family
C129197	FAC00510	FAC005-I Get Support From My Friends	Functional Assessment of Cancer Therapy-Breast Version 4 - Social/Family Well-Being: I get support from my friends.	FACT-B Version 4 - I Get Support From My Friends
C129198	FAC00511	FAC005-My Family Has Accepted My Illness	Functional Assessment of Cancer Therapy-Breast Version 4 - Social/Family Well-Being: My family has accepted my illness.	FACT-B Version 4 - My Family Has Accepted My Illness
C129199	FAC00512	FAC005-Satisfied Communication Illness	Functional Assessment of Cancer Therapy-Breast Version 4 - Social/Family Well-Being: I am satisfied with family communication about my illness.	FACT-B Version 4 - Satisfied Family Communication of Illness
C129200	FAC00513	FAC005-I Feel Close to My Partner	Functional Assessment of Cancer Therapy-Breast Version 4 - Social/Family Well-Being: I feel close to my partner (or the person who is my main support).	FACT-B Version 4 - I Feel Close to My Partner
C129201	FAC00514	FAC005-I Am Satisfied With My Sex Life	Functional Assessment of Cancer Therapy-Breast Version 4 - Social/Family Well-Being: I am satisfied with my sex life.	FACT-B Version 4 - I Am Satisfied With My Sex Life
C129202	FAC00515	FAC005-I Feel Sad	Functional Assessment of Cancer Therapy-Breast Version 4 - Emotional Well-Being: I feel sad.	FACT-B Version 4 - I Feel Sad
C129203	FAC00516	FAC005-Satisfied With How I Am Coping	Functional Assessment of Cancer Therapy-Breast Version 4 - Emotional Well-Being: I am satisfied with how I am coping with my illness.	FACT-B Version 4 - Satisfied With How I Am Coping
C129204	FAC00517	FAC005-Losing Hope Against Illness	Functional Assessment of Cancer Therapy-Breast Version 4 - Emotional Well-Being: I am losing hope in the fight against my illness.	FACT-B Version 4 - Losing Hope Against Illness
C129205	FAC00518	FAC005-I Feel Nervous	Functional Assessment of Cancer Therapy-Breast Version 4 - Emotional Well-Being: I feel nervous.	FACT-B Version 4 - I Feel Nervous
C129206	FAC00519	FAC005-I Worry About Dying	Functional Assessment of Cancer Therapy-Breast Version 4 - Emotional Well-Being: I worry about dying.	FACT-B Version 4 - I Worry About Dying
C129207	FAC00520	FAC005-Worry My Condition Will Get Worse	Functional Assessment of Cancer Therapy-Breast Version 4 - Emotional Well-Being: I worry that my condition will get worse.	FACT-B Version 4 - Worry My Condition Will Get Worse
C129208	FAC00521	FAC005-I Am Able to Work	Functional Assessment of Cancer Therapy-Breast Version 4 - Functional Well-Being: I am able to work (include work at home).	FACT-B Version 4 - I Am Able to Work
C129209	FAC00522	FAC005-My Work Is Fulfilling	Functional Assessment of Cancer Therapy-Breast Version 4 - Functional Well-Being: My work (include work at home) is fulfilling.	FACT-B Version 4 - My Work Is Fulfilling
C129210	FAC00523	FAC005-I Am Able to Enjoy Life	Functional Assessment of Cancer Therapy-Breast Version 4 - Functional Well-Being: I am able to enjoy life.	FACT-B Version 4 - I Am Able to Enjoy Life
C129211	FAC00524	FAC005-I Have Accepted My Illness	Functional Assessment of Cancer Therapy-Breast Version 4 - Functional Well-Being: I have accepted my illness.	FACT-B Version 4 - I Have Accepted My Illness
C129212	FAC00525	FAC005-I Am Sleeping Well	Functional Assessment of Cancer Therapy-Breast Version 4 - Functional Well-Being: I am sleeping well.	FACT-B Version 4 - I Am Sleeping Well

FACT-B Version 4 - Item Descriptions				
C129213	FAC00526	FAC005-Enjoy Things I Usually Do for Fun	Functional Assessment of Cancer Therapy-Breast Version 4 - Functional Well-Being: I am enjoying the things I usually do for fun.	FACT-B Version 4 - Enjoy Things I Usually Do for Fun
C129214	FAC00527	FAC005-Content With Quality of My Life	Functional Assessment of Cancer Therapy-Breast Version 4 - Functional Well-Being: I am content with the quality of my life right now.	FACT-B Version 4 - Content With Quality of My Life
C129215	FAC00528	FAC005-I Have Been Short of Breath	Functional Assessment of Cancer Therapy-Breast Version 4 - Additional Concerns: I have been short of breath.	FACT-B Version 4 - I Have Been Short of Breath
C129216	FAC00529	FAC005-Self-conscious About Way I Dress	Functional Assessment of Cancer Therapy-Breast Version 4 - Additional Concerns: I am self-conscious about the way I dress.	FACT-B Version 4 - Self-conscious About Way I Dress
C129217	FAC00530	FAC005-One/Both Arms Are Swollen/Tender	Functional Assessment of Cancer Therapy-Breast Version 4 - Additional Concerns: One or both of my arms are swollen or tender.	FACT-B Version 4 - One or Both Arms Are Swollen or Tender
C129218	FAC00531	FAC005-I Feel Sexually Attractive	Functional Assessment of Cancer Therapy-Breast Version 4 - Additional Concerns: I feel sexually attractive.	FACT-B Version 4 - I Feel Sexually Attractive
C129219	FAC00532	FAC005-I Am Bothered by Hair Loss	Functional Assessment of Cancer Therapy-Breast Version 4 - Additional Concerns: I am bothered by hair loss.	FACT-B Version 4 - I Am Bothered by Hair Loss
C129220	FAC00533	FAC005-Worry Family Will Get Illness	Functional Assessment of Cancer Therapy-Breast Version 4 - Additional Concerns: I worry that other members of my family might someday get the same illness I have.	FACT-B Version 4 - Worry Family Will Get Illness
C129221	FAC00534	FAC005-Worry About the Effect of Stress	Functional Assessment of Cancer Therapy-Breast Version 4 - Additional Concerns: I worry about the effect of stress on my illness.	FACT-B Version 4 - Worry About the Effect of Stress
C129222	FAC00535	FAC005-I Am Bothered by Change in Weight	Functional Assessment of Cancer Therapy-Breast Version 4 - Additional Concerns: I am bothered by a change in weight.	FACT-B Version 4 - I Am Bothered by Change in Weight
C129223	FAC00536	FAC005-I Am Able to Feel Like a Woman	Functional Assessment of Cancer Therapy-Breast Version 4 - Additional Concerns: I am able to feel like a woman.	FACT-B Version 4 - I Am Able to Feel Like a Woman
C129224	FAC00537	FAC005-Certain Parts of Body Have Pain	Functional Assessment of Cancer Therapy-Breast Version 4 - Additional Concerns: I have certain parts of my body where I experience pain.	FACT-B Version 4 - Certain Parts of Body Have Pain
C180194	FAC00538	FAC005-Physical Subscale Score	Functional Assessment of Cancer Therapy-Breast Version 4 - Physical Well-Being: Subscale score.	FACT-B Version 4 - Physical Subscale Score
C180195	FAC00539	FAC005-Social/Family Subscale Score	Functional Assessment of Cancer Therapy-Breast Version 4 - Social/Family Well-Being: Subscale score.	FACT-B Version 4 - Social/Family Subscale Score
C180196	FAC00540	FAC005-Emotional Subscale Score	Functional Assessment of Cancer Therapy-Breast Version 4 - Emotional Well-Being: Subscale score.	FACT-B Version 4 - Emotional Subscale Score
C180197	FAC00541	FAC005-Functional Subscale Score	Functional Assessment of Cancer Therapy-Breast Version 4 - Functional Well-Being: Subscale score.	FACT-B Version 4 - Functional Subscale Score
C180198	FAC00542	FAC005-Additional Concern Subscale Score	Functional Assessment of Cancer Therapy-Breast Version 4 - Additional Concerns: Subscale score.	FACT-B Version 4 - Additional Concern Subscale Score
C180199	FAC00543	FAC005-Trial Outcome Index Score	Functional Assessment of Cancer Therapy-Breast Version 4 - Trial outcome index score.	FACT-B Version 4 - Trial Outcome Index Score
C180200	FAC00544	FAC005-FACT-G Total Score	Functional Assessment of Cancer Therapy-Breast Version 4 - FACT-G total score.	FACT-B Version 4 - FACT-G Total Score
C180201	FAC00545	FAC005-Total Score	Functional Assessment of Cancer Therapy-Breast Version 4 - Total score.	FACT-B Version 4 - Total Score

C180198	FAC005-Additional Concern Subscale Score	FAC005-Additional Concern Subscale Score	Functional Assessment of Cancer Therapy-Breast Version 4 - Additional Concerns: Subscale score.	FACT-B Version 4 - Additional Concern Subscale Score
C129192	FAC005-Bothered by Treatment Side Effect	FAC005-Bothered by Treatment Side Effect	Functional Assessment of Cancer Therapy-Breast Version 4 - Physical Well-Being: I am bothered by side effects of treatment.	FACT-B Version 4 - Bothered by Treatment Side Effect
C129224	FAC005-Certain Parts of Body Have Pain	FAC005-Certain Parts of Body Have Pain	Functional Assessment of Cancer Therapy-Breast Version 4 - Additional Concerns: I have certain parts of my body where I experience pain.	FACT-B Version 4 - Certain Parts of Body Have Pain
C129214	FAC005-Content With Quality of My Life	FAC005-Content With Quality of My Life	Functional Assessment of Cancer Therapy-Breast Version 4 - Functional Well-Being: I am content with the quality of my life right now.	FACT-B Version 4 - Content With Quality of My Life
C180196	FAC005-Emotional Subscale Score	FAC005-Emotional Subscale Score	Functional Assessment of Cancer Therapy-Breast Version 4 - Emotional Well-Being: Subscale score.	FACT-B Version 4 - Emotional Subscale Score
C129213	FAC005-Enjoy Things I Usually Do for Fun	FAC005-Enjoy Things I Usually Do for Fun	Functional Assessment of Cancer Therapy-Breast Version 4 - Functional Well-Being: I am enjoying the things I usually do for fun.	FACT-B Version 4 - Enjoy Things I Usually Do for Fun
C180200	FAC005-FACT-G Total Score	FAC005-FACT-G Total Score	Functional Assessment of Cancer Therapy-Breast Version 4 - FACT-G total score.	FACT-B Version 4 - FACT-G Total Score
C180197	FAC005-Functional Subscale Score	FAC005-Functional Subscale Score	Functional Assessment of Cancer Therapy-Breast Version 4 - Functional Well-Being: Subscale score.	FACT-B Version 4 - Functional Subscale Score
C129196	FAC005-Get Emotional Support From Family	FAC005-Get Emotional Support From Family	Functional Assessment of Cancer Therapy-Breast Version 4 - Social/Family Well-Being: I get emotional support from my family.	FACT-B Version 4 - Get Emotional Support From Family
C129210	FAC005-I Am Able to Enjoy Life	FAC005-I Am Able to Enjoy Life	Functional Assessment of Cancer Therapy-Breast Version 4 - Functional Well-Being: I am able to enjoy life.	FACT-B Version 4 - I Am Able to Enjoy Life
C129223	FAC005-I Am Able to Feel Like a Woman	FAC005-I Am Able to Feel Like a Woman	Functional Assessment of Cancer Therapy-Breast Version 4 - Additional Concerns: I am able to feel like a woman.	FACT-B Version 4 - I Am Able to Feel Like a Woman
C129208	FAC005-I Am Able to Work	FAC005-I Am Able to Work	Functional Assessment of Cancer Therapy-Breast Version 4 - Functional Well-Being: I am able to work (include work at home).	FACT-B Version 4 - I Am Able to Work
C129222	FAC005-I Am Bothered by Change in Weight	FAC005-I Am Bothered by Change in Weight	Functional Assessment of Cancer Therapy-Breast Version 4 - Additional Concerns: I am bothered by a change in weight.	FACT-B Version 4 - I Am Bothered by Change in Weight
C129219	FAC005-I Am Bothered by Hair Loss	FAC005-I Am Bothered by Hair Loss	Functional Assessment of Cancer Therapy-Breast Version 4 - Additional Concerns: I am bothered by hair loss.	FACT-B Version 4 - I Am Bothered by Hair Loss
C129194	FAC005-I Am Forced to Spend Time in Bed	FAC005-I Am Forced to Spend Time in Bed	Functional Assessment of Cancer Therapy-Breast Version 4 - Physical Well-Being: I am forced to spend time in bed.	FACT-B Version 4 - I Am Forced to Spend Time in Bed
C129201	FAC005-I Am Satisfied With My Sex Life	FAC005-I Am Satisfied With My Sex Life	Functional Assessment of Cancer Therapy-Breast Version 4 - Social/Family Well-Being: I am satisfied with my sex life.	FACT-B Version 4 - I Am Satisfied With My Sex Life
C129212	FAC005-I Am Sleeping Well	FAC005-I Am Sleeping Well	Functional Assessment of Cancer Therapy-Breast Version 4 - Functional Well-Being: I am sleeping well.	FACT-B Version 4 - I Am Sleeping Well
C129195	FAC005-I Feel Close to My Friends	FAC005-I Feel Close to My Friends	Functional Assessment of Cancer Therapy-Breast Version 4 - Social/Family Well-Being: I feel close to my friends.	FACT-B Version 4 - I Feel Close to My Friends
C129200	FAC005-I Feel Close to My Partner	FAC005-I Feel Close to My Partner	Functional Assessment of Cancer Therapy-Breast Version 4 - Social/Family Well-Being: I feel close to my partner (or the person who is my main support).	FACT-B Version 4 - I Feel Close to My Partner
C129193	FAC005-I Feel Ill	FAC005-I Feel Ill	Functional Assessment of Cancer Therapy-Breast Version 4 - Physical Well-Being: I feel ill.	FACT-B Version 4 - I Feel Ill
C129205	FAC005-I Feel Nervous	FAC005-I Feel Nervous	Functional Assessment of Cancer Therapy-Breast Version 4 - Emotional Well-Being: I feel nervous.	FACT-B Version 4 - I Feel Nervous
C129202	FAC005-I Feel Sad	FAC005-I Feel Sad	Functional Assessment of Cancer Therapy-Breast Version 4 - Emotional Well-Being: I feel sad.	FACT-B Version 4 - I Feel Sad
C129218	FAC005-I Feel Sexually Attractive	FAC005-I Feel Sexually Attractive	Functional Assessment of Cancer Therapy-Breast Version 4 - Additional Concerns: I feel sexually attractive.	FACT-B Version 4 - I Feel Sexually Attractive
C129197	FAC005-I Get Support From My Friends	FAC005-I Get Support From My Friends	Functional Assessment of Cancer Therapy-Breast Version 4 - Social/Family Well-Being: I get support from my friends.	FACT-B Version 4 - I Get Support From My Friends
C129188	FAC005-I Have a Lack of Energy	FAC005-I Have a Lack of Energy	Functional Assessment of Cancer Therapy-Breast Version 4 - Physical Well-Being: I have a lack of energy.	FACT-B Version 4 - I Have a Lack of Energy

Functional Assessment of Cancer Therapy-Breast Version 4 - Additional Concerns				
C129211	FAC005-I Have Accepted My Illness	FAC005-I Have Accepted My Illness	Functional Assessment of Cancer Therapy-Breast Version 4 - Functional Well-Being: I have accepted my illness.	FACT-B Version 4 - I Have Accepted My Illness
C129215	FAC005-I Have Been Short of Breath	FAC005-I Have Been Short of Breath	Functional Assessment of Cancer Therapy-Breast Version 4 - Additional Concerns: I have been short of breath.	FACT-B Version 4 - I Have Been Short of Breath
C129189	FAC005-I Have Nausea	FAC005-I Have Nausea	Functional Assessment of Cancer Therapy-Breast Version 4 - Physical Well-Being: I have nausea.	FACT-B Version 4 - I Have Nausea
C129191	FAC005-I Have Pain	FAC005-I Have Pain	Functional Assessment of Cancer Therapy-Breast Version 4 - Physical Well-Being: I have pain.	FACT-B Version 4 - I Have Pain
C129206	FAC005-I Worry About Dying	FAC005-I Worry About Dying	Functional Assessment of Cancer Therapy-Breast Version 4 - Emotional Well-Being: I worry about dying.	FACT-B Version 4 - I Worry About Dying
C129204	FAC005-Losing Hope Against Illness	FAC005-Losing Hope Against Illness	Functional Assessment of Cancer Therapy-Breast Version 4 - Emotional Well-Being: I am losing hope in the fight against my illness.	FACT-B Version 4 - Losing Hope Against Illness
C129198	FAC005-My Family Has Accepted My Illness	FAC005-My Family Has Accepted My Illness	Functional Assessment of Cancer Therapy-Breast Version 4 - Social/Family Well-Being: My family has accepted my illness.	FACT-B Version 4 - My Family Has Accepted My Illness
C129209	FAC005-My Work Is Fulfilling	FAC005-My Work Is Fulfilling	Functional Assessment of Cancer Therapy-Breast Version 4 - Functional Well-Being: My work (include work at home) is fulfilling.	FACT-B Version 4 - My Work Is Fulfilling
C129217	FAC005-One/Both Arms Are Swollen/Tender	FAC005-One/Both Arms Are Swollen/Tender	Functional Assessment of Cancer Therapy-Breast Version 4 - Additional Concerns: One or both of my arms are swollen or tender.	FACT-B Version 4 - One or Both Arms Are Swollen or Tender
C180194	FAC005-Physical Subscale Score	FAC005-Physical Subscale Score	Functional Assessment of Cancer Therapy-Breast Version 4 - Physical Well-Being: Subscale score.	FACT-B Version 4 - Physical Subscale Score
C129199	FAC005-Satisfied Communication Illness	FAC005-Satisfied Communication Illness	Functional Assessment of Cancer Therapy-Breast Version 4 - Social/Family Well-Being: I am satisfied with family communication about my illness.	FACT-B Version 4 - Satisfied Family Communication of Illness
C129203	FAC005-Satisfied With How I Am Coping	FAC005-Satisfied With How I Am Coping	Functional Assessment of Cancer Therapy-Breast Version 4 - Emotional Well-Being: I am satisfied with how I am coping with my illness.	FACT-B Version 4 - Satisfied With How I Am Coping
C129216	FAC005-Self-conscious About Way I Dress	FAC005-Self-conscious About Way I Dress	Functional Assessment of Cancer Therapy-Breast Version 4 - Additional Concerns: I am self-conscious about the way I dress.	FACT-B Version 4 - Self-conscious About Way I Dress
C180195	FAC005-Social/Family Subscale Score	FAC005-Social/Family Subscale Score	Functional Assessment of Cancer Therapy-Breast Version 4 - Social/Family Well-Being: Subscale score.	FACT-B Version 4 - Social/Family Subscale Score
C180201	FAC005-Total Score	FAC005-Total Score	Functional Assessment of Cancer Therapy-Breast Version 4 - Total score.	FACT-B Version 4 - Total Score
C180199	FAC005-Trial Outcome Index Score	FAC005-Trial Outcome Index Score	Functional Assessment of Cancer Therapy-Breast Version 4 - Trial outcome index score.	FACT-B Version 4 - Trial Outcome Index Score
C129190	FAC005-Trouble Meeting Needs of Family	FAC005-Trouble Meeting Needs of Family	Functional Assessment of Cancer Therapy-Breast Version 4 - Physical Well-Being: Because of my physical condition, I have trouble meeting the needs of my family.	FACT-B Version 4 - Trouble Meeting Needs of Family
C129221	FAC005-Worry About the Effect of Stress	FAC005-Worry About the Effect of Stress	Functional Assessment of Cancer Therapy-Breast Version 4 - Additional Concerns: I worry about the effect of stress on my illness.	FACT-B Version 4 - Worry About the Effect of Stress
C129220	FAC005-Worry Family Will Get Illness	FAC005-Worry Family Will Get Illness	Functional Assessment of Cancer Therapy-Breast Version 4 - Additional Concerns: I worry that other members of my family might someday get the same illness I have.	FACT-B Version 4 - Worry Family Will Get Illness
C129207	FAC005-Worry My Condition Will Get Worse	FAC005-Worry My Condition Will Get Worse	Functional Assessment of Cancer Therapy-Breast Version 4 - Emotional Well-Being: I worry that my condition will get worse.	FACT-B Version 4 - Worry My Condition Will Get Worse

C155581	FAC00601	FAC006-I Have a Lack of Energy	Functional Assessment of Cancer Therapy-Bladder Version 4 - Physical Well-Being: I have a lack of energy.	FACT-BL Version 4 - I Have a Lack of Energy
C155582	FAC00602	FAC006-I Have Nausea	Functional Assessment of Cancer Therapy-Bladder Version 4 - Physical Well-Being: I have nausea.	FACT-BL Version 4 - I Have Nausea
C155583	FAC00603	FAC006-Trouble Meeting Needs of Family	Functional Assessment of Cancer Therapy-Bladder Version 4 - Physical Well-Being: Because of my physical condition, I have trouble meeting the needs of my family.	FACT-BL Version 4 - Trouble Meeting Needs of Family
C155584	FAC00604	FAC006-I Have Pain	Functional Assessment of Cancer Therapy-Bladder Version 4 - Physical Well-Being: I have pain.	FACT-BL Version 4 - I Have Pain
C155585	FAC00605	FAC006-Bothered by Treatment Side Effect	Functional Assessment of Cancer Therapy-Bladder Version 4 - Physical Well-Being: I am bothered by side effects of treatment.	FACT-BL Version 4 - Bothered by Treatment Side Effect
C155586	FAC00606	FAC006-I Feel Ill	Functional Assessment of Cancer Therapy-Bladder Version 4 - Physical Well-Being: I feel ill.	FACT-BL Version 4 - I Feel Ill
C155587	FAC00607	FAC006-I Am Forced to Spend Time in Bed	Functional Assessment of Cancer Therapy-Bladder Version 4 - Physical Well-Being: I am forced to spend time in bed.	FACT-BL Version 4 - I Am Forced to Spend Time in Bed
C155588	FAC00608	FAC006-I Feel Close to My Friends	Functional Assessment of Cancer Therapy-Bladder Version 4 - Social/Family Well-Being: I feel close to my friends.	FACT-BL Version 4 - I Feel Close to My Friends
C155589	FAC00609	FAC006-Get Emotional Support From Family	Functional Assessment of Cancer Therapy-Bladder Version 4 - Social/Family Well-Being: I get emotional support from my family.	FACT-BL Version 4 - Get Emotional Support From Family
C155590	FAC00610	FAC006-I Get Support From My Friends	Functional Assessment of Cancer Therapy-Bladder Version 4 - Social/Family Well-Being: I get support from my friends.	FACT-BL Version 4 - I Get Support From My Friends
C155591	FAC00611	FAC006-My Family Has Accepted My Illness	Functional Assessment of Cancer Therapy-Bladder Version 4 - Social/Family Well-Being: My family has accepted my illness.	FACT-BL Version 4 - My Family Has Accepted My Illness
C155592	FAC00612	FAC006-Satisfied Communication Illness	Functional Assessment of Cancer Therapy-Bladder Version 4 - Social/Family Well-Being: I am satisfied with family communication about my illness.	FACT-BL Version 4 - Satisfied Communication Illness
C155593	FAC00613	FAC006-I Feel Close to My Partner	Functional Assessment of Cancer Therapy-Bladder Version 4 - Social/Family Well-Being: I feel close to my partner (or the person who is my main support).	FACT-BL Version 4 - I Feel Close to My Partner
C155594	FAC00614	FAC006-I Am Satisfied With My Sex Life	Functional Assessment of Cancer Therapy-Bladder Version 4 - Social/Family Well-Being: I am satisfied with my sex life.	FACT-BL Version 4 - I Am Satisfied With My Sex Life
C155595	FAC00615	FAC006-I Feel Sad	Functional Assessment of Cancer Therapy-Bladder Version 4 - Emotional Well-Being: I feel sad.	FACT-BL Version 4 - I Feel Sad
C155596	FAC00616	FAC006-Satisfied With How I Am Coping	Functional Assessment of Cancer Therapy-Bladder Version 4 - Emotional Well-Being: I am satisfied with how I am coping with my illness.	FACT-BL Version 4 - Satisfied With How I Am Coping
C155597	FAC00617	FAC006-Losing Hope Against Illness	Functional Assessment of Cancer Therapy-Bladder Version 4 - Emotional Well-Being: I am losing hope in the fight against my illness.	FACT-BL Version 4 - Losing Hope Against Illness
C155598	FAC00618	FAC006-I Feel Nervous	Functional Assessment of Cancer Therapy-Bladder Version 4 - Emotional Well-Being: I feel nervous.	FACT-BL Version 4 - I Feel Nervous
C155599	FAC00619	FAC006-I Worry About Dying	Functional Assessment of Cancer Therapy-Bladder Version 4 - Emotional Well-Being: I worry about dying.	FACT-BL Version 4 - I Worry About Dying
C155600	FAC00620	FAC006-Worry My Condition Will Get Worse	Functional Assessment of Cancer Therapy-Bladder Version 4 - Emotional Well-Being: I worry that my condition will get worse.	FACT-BL Version 4 - Worry My Condition Will Get Worse
C155601	FAC00621	FAC006-I Am Able to Work	Functional Assessment of Cancer Therapy-Bladder Version 4 - Functional Well-Being: I am able to work (include work at home).	FACT-BL Version 4 - I Am Able to Work
C155602	FAC00622	FAC006-My Work Is Fulfilling	Functional Assessment of Cancer Therapy-Bladder Version 4 - Functional Well-Being: My work (include work at home) is fulfilling.	FACT-BL Version 4 - My Work Is Fulfilling
C155603	FAC00623	FAC006-I Am Able to Enjoy Life	Functional Assessment of Cancer Therapy-Bladder Version 4 - Functional Well-Being: I am able to enjoy life.	FACT-BL Version 4 - I Am Able to Enjoy Life
C155604	FAC00624	FAC006-I Have Accepted My Illness	Functional Assessment of Cancer Therapy-Bladder Version 4 - Functional Well-Being: I have accepted my illness.	FACT-BL Version 4 - I Have Accepted My Illness

Functional Assessment of Cancer Therapy-Bladder Version 4 - Additional Concerns				
C155605	FAC00625	FAC006-I Am Sleeping Well	Functional Assessment of Cancer Therapy-Bladder Version 4 - Functional Well-Being: I am sleeping well.	FACT-BL Version 4 - I Am Sleeping Well
C155606	FAC00626	FAC006-Enjoy Things I Usually Do for Fun	Functional Assessment of Cancer Therapy-Bladder Version 4 - Functional Well-Being: I am enjoying the things I usually do for fun.	FACT-BL Version 4 - Enjoy Things I Usually Do for Fun
C155607	FAC00627	FAC006-Content With Quality of My Life	Functional Assessment of Cancer Therapy-Bladder Version 4 - Functional Well-Being: I am content with the quality of my life right now.	FACT-BL Version 4 - Content With Quality of My Life
C155608	FAC00628	FAC006-Trouble Controlling My Urine	Functional Assessment of Cancer Therapy-Bladder Version 4 - Additional Concerns: I have trouble controlling my urine.	FACT-BL Version 4 - Trouble Controlling My Urine
C155609	FAC00629	FAC006-I Am Losing Weight	Functional Assessment of Cancer Therapy-Bladder Version 4 - Additional Concerns: I am losing weight.	FACT-BL Version 4 - I Am Losing Weight
C155610	FAC00630	FAC006-I Have Control of My Bowels	Functional Assessment of Cancer Therapy-Bladder Version 4 - Additional Concerns: I have control of my bowels.	FACT-BL Version 4 - I Have Control of My Bowels
C155611	FAC00631	FAC006-I Urinate More Frequently	Functional Assessment of Cancer Therapy-Bladder Version 4 - Additional Concerns: I urinate more frequently than usual.	FACT-BL Version 4 - I Urinate More Frequently
C155612	FAC00632	FAC006-I Have Diarrhea	Functional Assessment of Cancer Therapy-Bladder Version 4 - Additional Concerns: I have diarrhea (diarrhoea).	FACT-BL Version 4 - I Have Diarrhea
C155613	FAC00633	FAC006-I Have a Good Appetite	Functional Assessment of Cancer Therapy-Bladder Version 4 - Additional Concerns: I have a good appetite.	FACT-BL Version 4 - I Have a Good Appetite
C155614	FAC00634	FAC006-I Like the Appearance of My Body	Functional Assessment of Cancer Therapy-Bladder Version 4 - Additional Concerns: I like the appearance of my body.	FACT-BL Version 4 - I Like the Appearance of My Body
C155615	FAC00635	FAC006-It Burns When I Urinate	Functional Assessment of Cancer Therapy-Bladder Version 4 - Additional Concerns: It burns when I urinate.	FACT-BL Version 4 - It Burns When I Urinate
C155616	FAC00636	FAC006-I Am Interested in Sex	Functional Assessment of Cancer Therapy-Bladder Version 4 - Additional Concerns: I am interested in sex.	FACT-BL Version 4 - I Am Interested in Sex
C155617	FAC00637	FAC006-Able to Have/Maintain Erection	Functional Assessment of Cancer Therapy-Bladder Version 4 - Additional Concerns: (For men only) I am able to have and maintain an erection.	FACT-BL Version 4 - Able to Have/Maintain Erection
C155618	FAC00638	FAC006-Do You Have an Ostomy Appliance	Functional Assessment of Cancer Therapy-Bladder Version 4 - Additional Concerns: Do you have an ostomy appliance?	FACT-BL Version 4 - Do You Have an Ostomy Appliance
C155619	FAC00639	FAC006-Embarrassed by Ostomy Appliance	Functional Assessment of Cancer Therapy-Bladder Version 4 - Additional Concerns: I am embarrassed by my ostomy appliance.	FACT-BL Version 4 - Embarrassed by Ostomy Appliance
C155620	FAC00640	FAC006-Caring for Ostomy Is Difficult	Functional Assessment of Cancer Therapy-Bladder Version 4 - Additional Concerns: Caring for my ostomy appliance is difficult.	FACT-BL Version 4 - Caring for Ostomy Appliance Is Difficult
C180202	FAC00641	FAC006-Physical Subscale Score	Functional Assessment of Cancer Therapy-Bladder Version 4 - Physical Well-Being: Subscale score.	FACT-BL Version 4 - Physical Subscale Score
C180203	FAC00642	FAC006-Social/Family Subscale Score	Functional Assessment of Cancer Therapy-Bladder Version 4 - Social/Family Well-Being: Subscale score.	FACT-BL Version 4 - Social/Family Subscale Score
C180204	FAC00643	FAC006-Emotional Subscale Score	Functional Assessment of Cancer Therapy-Bladder Version 4 - Emotional Well-Being: Subscale score.	FACT-BL Version 4 - Emotional Subscale Score
C180205	FAC00644	FAC006-Functional Subscale Score	Functional Assessment of Cancer Therapy-Bladder Version 4 - Functional Well-Being: Subscale score.	FACT-BL Version 4 - Functional Subscale Score
C180206	FAC00645	FAC006-Additional Concern Subscale Score	Functional Assessment of Cancer Therapy-Bladder Version 4 - Additional Concerns: Subscale score.	FACT-BL Version 4 - Additional Concern Subscale Score
C180207	FAC00646	FAC006-Trial Outcome Index Score	Functional Assessment of Cancer Therapy-Bladder Version 4 - Trial outcome index score.	FACT-BL Version 4 - Trial Outcome Index Score
C180208	FAC00647	FAC006-FACT-G Total Score	Functional Assessment of Cancer Therapy-Bladder Version 4 - FACT-G total score.	FACT-BL Version 4 - FACT-G Total Score
C180209	FAC00648	FAC006-Total Score	Functional Assessment of Cancer Therapy-Bladder Version 4 - Total score.	FACT-BL Version 4 - Total Score

C155617	FAC006-Able to Have/Maintain Erection	FAC006-Able to Have/Maintain Erection	Functional Assessment of Cancer Therapy-Bladder Version 4 - Additional Concerns: (For men only) I am able to have and maintain an erection.	FACT-BL Version 4 - Able to Have/Maintain Erection
C180206	FAC006-Additional Concern Subscale Score	FAC006-Additional Concern Subscale Score	Functional Assessment of Cancer Therapy-Bladder Version 4 - Additional Concerns: Subscale score.	FACT-BL Version 4 - Additional Concern Subscale Score
C155585	FAC006-Bothered by Treatment Side Effect	FAC006-Bothered by Treatment Side Effect	Functional Assessment of Cancer Therapy-Bladder Version 4 - Physical Well-Being: I am bothered by side effects of treatment.	FACT-BL Version 4 - Bothered by Treatment Side Effect
C155620	FAC006-Caring for Ostomy Is Difficult	FAC006-Caring for Ostomy Is Difficult	Functional Assessment of Cancer Therapy-Bladder Version 4 - Additional Concerns: Caring for my ostomy appliance is difficult.	FACT-BL Version 4 - Caring for Ostomy Appliance Is Difficult
C155607	FAC006-Content With Quality of My Life	FAC006-Content With Quality of My Life	Functional Assessment of Cancer Therapy-Bladder Version 4 - Functional Well-Being: I am content with the quality of my life right now.	FACT-BL Version 4 - Content With Quality of My Life
C155618	FAC006-Do You Have an Ostomy Appliance	FAC006-Do You Have an Ostomy Appliance	Functional Assessment of Cancer Therapy-Bladder Version 4 - Additional Concerns: Do you have an ostomy appliance?	FACT-BL Version 4 - Do You Have an Ostomy Appliance
C155619	FAC006-Embarrassed by Ostomy Appliance	FAC006-Embarrassed by Ostomy Appliance	Functional Assessment of Cancer Therapy-Bladder Version 4 - Additional Concerns: I am embarrassed by my ostomy appliance.	FACT-BL Version 4 - Embarrassed by Ostomy Appliance
C180204	FAC006-Emotional Subscale Score	FAC006-Emotional Subscale Score	Functional Assessment of Cancer Therapy-Bladder Version 4 - Emotional Well-Being: Subscale score.	FACT-BL Version 4 - Emotional Subscale Score
C155606	FAC006-Enjoy Things I Usually Do for Fun	FAC006-Enjoy Things I Usually Do for Fun	Functional Assessment of Cancer Therapy-Bladder Version 4 - Functional Well-Being: I am enjoying the things I usually do for fun.	FACT-BL Version 4 - Enjoy Things I Usually Do for Fun
C180208	FAC006-FACT-G Total Score	FAC006-FACT-G Total Score	Functional Assessment of Cancer Therapy-Bladder Version 4 - FACT-G total score.	FACT-BL Version 4 - FACT-G Total Score
C180205	FAC006-Functional Subscale Score	FAC006-Functional Subscale Score	Functional Assessment of Cancer Therapy-Bladder Version 4 - Functional Well-Being: Subscale score.	FACT-BL Version 4 - Functional Subscale Score
C155589	FAC006-Get Emotional Support From Family	FAC006-Get Emotional Support From Family	Functional Assessment of Cancer Therapy-Bladder Version 4 - Social/Family Well-Being: I get emotional support from my family.	FACT-BL Version 4 - Get Emotional Support From Family
C155603	FAC006-I Am Able to Enjoy Life	FAC006-I Am Able to Enjoy Life	Functional Assessment of Cancer Therapy-Bladder Version 4 - Functional Well-Being: I am able to enjoy life.	FACT-BL Version 4 - I Am Able to Enjoy Life
C155601	FAC006-I Am Able to Work	FAC006-I Am Able to Work	Functional Assessment of Cancer Therapy-Bladder Version 4 - Functional Well-Being: I am able to work (include work at home).	FACT-BL Version 4 - I Am Able to Work
C155587	FAC006-I Am Forced to Spend Time in Bed	FAC006-I Am Forced to Spend Time in Bed	Functional Assessment of Cancer Therapy-Bladder Version 4 - Physical Well-Being: I am forced to spend time in bed.	FACT-BL Version 4 - I Am Forced to Spend Time in Bed
C155616	FAC006-I Am Interested in Sex	FAC006-I Am Interested in Sex	Functional Assessment of Cancer Therapy-Bladder Version 4 - Additional Concerns: I am interested in sex.	FACT-BL Version 4 - I Am Interested in Sex
C155609	FAC006-I Am Losing Weight	FAC006-I Am Losing Weight	Functional Assessment of Cancer Therapy-Bladder Version 4 - Additional Concerns: I am losing weight.	FACT-BL Version 4 - I Am Losing Weight
C155594	FAC006-I Am Satisfied With My Sex Life	FAC006-I Am Satisfied With My Sex Life	Functional Assessment of Cancer Therapy-Bladder Version 4 - Social/Family Well-Being: I am satisfied with my sex life.	FACT-BL Version 4 - I Am Satisfied With My Sex Life
C155605	FAC006-I Am Sleeping Well	FAC006-I Am Sleeping Well	Functional Assessment of Cancer Therapy-Bladder Version 4 - Functional Well-Being: I am sleeping well.	FACT-BL Version 4 - I Am Sleeping Well
C155588	FAC006-I Feel Close to My Friends	FAC006-I Feel Close to My Friends	Functional Assessment of Cancer Therapy-Bladder Version 4 - Social/Family Well-Being: I feel close to my friends.	FACT-BL Version 4 - I Feel Close to My Friends
C155593	FAC006-I Feel Close to My Partner	FAC006-I Feel Close to My Partner	Functional Assessment of Cancer Therapy-Bladder Version 4 - Social/Family Well-Being: I feel close to my partner (or the person who is my main support).	FACT-BL Version 4 - I Feel Close to My Partner
C155586	FAC006-I Feel Ill	FAC006-I Feel Ill	Functional Assessment of Cancer Therapy-Bladder Version 4 - Physical Well-Being: I feel ill.	FACT-BL Version 4 - I Feel Ill
C155598	FAC006-I Feel Nervous	FAC006-I Feel Nervous	Functional Assessment of Cancer Therapy-Bladder Version 4 - Emotional Well-Being: I feel nervous.	FACT-BL Version 4 - I Feel Nervous
C155595	FAC006-I Feel Sad	FAC006-I Feel Sad	Functional Assessment of Cancer Therapy-Bladder Version 4 - Emotional Well-Being: I feel sad.	FACT-BL Version 4 - I Feel Sad

Functional Assessment of Cancer Therapy-Bladder Version 4 -				
C155590	FAC006-I Get Support From My Friends	FAC006-I Get Support From My Friends	Functional Assessment of Cancer Therapy-Bladder Version 4 - Social/Family Well-Being: I get support from my friends.	FACT-BL Version 4 - I Get Support From My Friends
C155613	FAC006-I Have a Good Appetite	FAC006-I Have a Good Appetite	Functional Assessment of Cancer Therapy-Bladder Version 4 - Additional Concerns: I have a good appetite.	FACT-BL Version 4 - I Have a Good Appetite
C155581	FAC006-I Have a Lack of Energy	FAC006-I Have a Lack of Energy	Functional Assessment of Cancer Therapy-Bladder Version 4 - Physical Well-Being: I have a lack of energy.	FACT-BL Version 4 - I Have a Lack of Energy
C155604	FAC006-I Have Accepted My Illness	FAC006-I Have Accepted My Illness	Functional Assessment of Cancer Therapy-Bladder Version 4 - Functional Well-Being: I have accepted my illness.	FACT-BL Version 4 - I Have Accepted My Illness
C155610	FAC006-I Have Control of My Bowels	FAC006-I Have Control of My Bowels	Functional Assessment of Cancer Therapy-Bladder Version 4 - Additional Concerns: I have control of my bowels.	FACT-BL Version 4 - I Have Control of My Bowels
C155612	FAC006-I Have Diarrhea	FAC006-I Have Diarrhea	Functional Assessment of Cancer Therapy-Bladder Version 4 - Additional Concerns: I have diarrhea (diarrhoea).	FACT-BL Version 4 - I Have Diarrhea
C155582	FAC006-I Have Nausea	FAC006-I Have Nausea	Functional Assessment of Cancer Therapy-Bladder Version 4 - Physical Well-Being: I have nausea.	FACT-BL Version 4 - I Have Nausea
C155584	FAC006-I Have Pain	FAC006-I Have Pain	Functional Assessment of Cancer Therapy-Bladder Version 4 - Physical Well-Being: I have pain.	FACT-BL Version 4 - I Have Pain
C155614	FAC006-I Like the Appearance of My Body	FAC006-I Like the Appearance of My Body	Functional Assessment of Cancer Therapy-Bladder Version 4 - Additional Concerns: I like the appearance of my body.	FACT-BL Version 4 - I Like the Appearance of My Body
C155611	FAC006-I Urinate More Frequently	FAC006-I Urinate More Frequently	Functional Assessment of Cancer Therapy-Bladder Version 4 - Additional Concerns: I urinate more frequently than usual.	FACT-BL Version 4 - I Urinate More Frequently
C155599	FAC006-I Worry About Dying	FAC006-I Worry About Dying	Functional Assessment of Cancer Therapy-Bladder Version 4 - Emotional Well-Being: I worry about dying.	FACT-BL Version 4 - I Worry About Dying
C155615	FAC006-It Burns When I Urinate	FAC006-It Burns When I Urinate	Functional Assessment of Cancer Therapy-Bladder Version 4 - Additional Concerns: It burns when I urinate.	FACT-BL Version 4 - It Burns When I Urinate
C155597	FAC006-Losing Hope Against Illness	FAC006-Losing Hope Against Illness	Functional Assessment of Cancer Therapy-Bladder Version 4 - Emotional Well-Being: I am losing hope in the fight against my illness.	FACT-BL Version 4 - Losing Hope Against Illness
C155591	FAC006-My Family Has Accepted My Illness	FAC006-My Family Has Accepted My Illness	Functional Assessment of Cancer Therapy-Bladder Version 4 - Social/Family Well-Being: My family has accepted my illness.	FACT-BL Version 4 - My Family Has Accepted My Illness
C155602	FAC006-My Work Is Fulfilling	FAC006-My Work Is Fulfilling	Functional Assessment of Cancer Therapy-Bladder Version 4 - Functional Well-Being: My work (include work at home) is fulfilling.	FACT-BL Version 4 - My Work Is Fulfilling
C180202	FAC006-Physical Subscale Score	FAC006-Physical Subscale Score	Functional Assessment of Cancer Therapy-Bladder Version 4 - Physical Well-Being: Subscale score.	FACT-BL Version 4 - Physical Subscale Score
C155592	FAC006-Satisfied Communication Illness	FAC006-Satisfied Communication Illness	Functional Assessment of Cancer Therapy-Bladder Version 4 - Social/Family Well-Being: I am satisfied with family communication about my illness.	FACT-BL Version 4 - Satisfied Communication Illness
C155596	FAC006-Satisfied With How I Am Coping	FAC006-Satisfied With How I Am Coping	Functional Assessment of Cancer Therapy-Bladder Version 4 - Emotional Well-Being: I am satisfied with how I am coping with my illness.	FACT-BL Version 4 - Satisfied With How I Am Coping
C180203	FAC006-Social/Family Subscale Score	FAC006-Social/Family Subscale Score	Functional Assessment of Cancer Therapy-Bladder Version 4 - Social/Family Well-Being: Subscale score.	FACT-BL Version 4 - Social/Family Subscale Score
C180209	FAC006-Total Score	FAC006-Total Score	Functional Assessment of Cancer Therapy-Bladder Version 4 - Total score.	FACT-BL Version 4 - Total Score
C180207	FAC006-Trial Outcome Index Score	FAC006-Trial Outcome Index Score	Functional Assessment of Cancer Therapy-Bladder Version 4 - Trial outcome index score.	FACT-BL Version 4 - Trial Outcome Index Score
C155608	FAC006-Trouble Controlling My Urine	FAC006-Trouble Controlling My Urine	Functional Assessment of Cancer Therapy-Bladder Version 4 - Additional Concerns: I have trouble controlling my urine.	FACT-BL Version 4 - Trouble Controlling My Urine
C155583	FAC006-Trouble Meeting Needs of Family	FAC006-Trouble Meeting Needs of Family	Functional Assessment of Cancer Therapy-Bladder Version 4 - Physical Well-Being: Because of my physical condition, I have trouble meeting the needs of my family.	FACT-BL Version 4 - Trouble Meeting Needs of Family
C155600	FAC006-Worry My Condition Will Get Worse	FAC006-Worry My Condition Will Get Worse	Functional Assessment of Cancer Therapy-Bladder Version 4 - Emotional Well-Being: I worry that my condition will get worse.	FACT-BL Version 4 - Worry My Condition Will Get Worse

C151076	FAC00801	FAC008-I Have a Lack of Energy	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Physical Well-Being: I have a lack of energy.	FACT-C Version 4 - I Have a Lack of Energy
C151077	FAC00802	FAC008-I Have Nausea	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Physical Well-Being: I have nausea.	FACT-C Version 4 - I Have Nausea
C151078	FAC00803	FAC008-Trouble Meeting Needs of Family	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Physical Well-Being: Because of my physical condition, I have trouble meeting the needs of my family.	FACT-C Version 4 - Trouble Meeting Needs of Family
C151079	FAC00804	FAC008-I Have Pain	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Physical Well-Being: I have pain.	FACT-C Version 4 - I Have Pain
C151080	FAC00805	FAC008-Bothered by Treatment Side Effect	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Physical Well-Being: I am bothered by side effects of treatment.	FACT-C Version 4 - Bothered by Treatment Side Effect
C151081	FAC00806	FAC008-I Feel Ill	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Physical Well-Being: I feel ill.	FACT-C Version 4 - I Feel Ill
C151082	FAC00807	FAC008-I Am Forced to Spend Time in Bed	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Physical Well-Being: I am forced to spend time in bed.	FACT-C Version 4 - I Am Forced to Spend Time in Bed
C151083	FAC00808	FAC008-I Feel Close to My Friends	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Social/Family Well-Being: I feel close to my friends.	FACT-C Version 4 - I Feel Close to My Friends
C151084	FAC00809	FAC008-Get Emotional Support From Family	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Social/Family Well-Being: I get emotional support from my family.	FACT-C Version 4 - Get Emotional Support From Family
C151085	FAC00810	FAC008-I Get Support From My Friends	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Social/Family Well-Being: I get support from my friends.	FACT-C Version 4 - I Get Support From My Friends
C151086	FAC00811	FAC008-My Family Has Accepted My Illness	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Social/Family Well-Being: My family has accepted my illness.	FACT-C Version 4 - My Family Has Accepted My Illness
C151087	FAC00812	FAC008-Satisfied Communication Illness	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Social/Family Well-Being: I am satisfied with family communication about my illness.	FACT-C Version 4 - Satisfied Communication Illness
C151088	FAC00813	FAC008-I Feel Close to My Partner	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Social/Family Well-Being: I feel close to my partner (or the person who is my main support).	FACT-C Version 4 - I Feel Close to My Partner
C151089	FAC00814	FAC008-I Am Satisfied With My Sex Life	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Social/Family Well-Being: I am satisfied with my sex life.	FACT-C Version 4 - I Am Satisfied With My Sex Life
C151090	FAC00815	FAC008-I Feel Sad	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Emotional Well-Being: I feel sad.	FACT-C Version 4 - I Feel Sad
C151091	FAC00816	FAC008-Satisfied With How I Am Coping	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Emotional Well-Being: I am satisfied with how I am coping with my illness.	FACT-C Version 4 - Satisfied With How I Am Coping
C151092	FAC00817	FAC008-Losing Hope Against Illness	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Emotional Well-Being: I am losing hope in the fight against my illness.	FACT-C Version 4 - Losing Hope Against Illness
C151093	FAC00818	FAC008-I Feel Nervous	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Emotional Well-Being: I feel nervous.	FACT-C Version 4 - I Feel Nervous
C151094	FAC00819	FAC008-I Worry About Dying	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Emotional Well-Being: I worry about dying.	FACT-C Version 4 - I Worry About Dying
C151095	FAC00820	FAC008-Worry My Condition Will Get Worse	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Emotional Well-Being: I worry that my condition will get worse.	FACT-C Version 4 - Worry My Condition Will Get Worse
C151096	FAC00821	FAC008-I Am Able to Work	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Functional Well-Being: I am able to work (include work at home).	FACT-C Version 4 - I Am Able to Work
C151097	FAC00822	FAC008-My Work Is Fulfilling	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Functional Well-Being: My work (include work at home) is fulfilling.	FACT-C Version 4 - My Work Is Fulfilling
C151098	FAC00823	FAC008-I Am Able to Enjoy Life	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Functional Well-Being: I am able to enjoy life.	FACT-C Version 4 - I Am Able to Enjoy Life
C151099	FAC00824	FAC008-I Have Accepted My Illness	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Functional Well-Being: I have accepted my illness.	FACT-C Version 4 - I Have Accepted My Illness
C151100	FAC00825	FAC008-I Am Sleeping Well	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Functional Well-Being: I am sleeping well.	FACT-C Version 4 - I Am Sleeping Well

Functional Assessment of Cancer Therapy-Colorectal Version 4 - Additional Concerns				
C151101	FAC00826	FAC008-Enjoy Things I Usually Do for Fun	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Functional Well-Being: I am enjoying the things I usually do for fun.	FACT-C Version 4 - Enjoy Things I Usually Do for Fun
C151102	FAC00827	FAC008-Content With Quality of My Life	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Functional Well-Being: I am content with the quality of my life right now.	FACT-C Version 4 - Content With Quality of My Life
C151103	FAC00828	FAC008-Swelling/Cramps in Stomach Area	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Additional Concerns: I have swelling or cramps in my stomach area.	FACT-C Version 4 - Swelling/Cramps in Stomach Area
C151104	FAC00829	FAC008-I Am Losing Weight	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Additional Concerns: I am losing weight.	FACT-C Version 4 - I Am Losing Weight
C151105	FAC00830	FAC008-I Have Control of My Bowels	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Additional Concerns: I have control of my bowels.	FACT-C Version 4 - I Have Control of My Bowels
C151106	FAC00831	FAC008-I Can Digest My Food Well	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Additional Concerns: I can digest my food well.	FACT-C Version 4 - I Can Digest My Food Well
C151107	FAC00832	FAC008-I Have Diarrhea	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Additional Concerns: I have diarrhea (diarrhoea).	FACT-C Version 4 - I Have Diarrhea
C151108	FAC00833	FAC008-I Have a Good Appetite	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Additional Concerns: I have a good appetite.	FACT-C Version 4 - I Have a Good Appetite
C151109	FAC00834	FAC008-I Like the Appearance of My Body	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Additional Concerns: I like the appearance of my body.	FACT-C Version 4 - I Like the Appearance of My Body
C151110	FAC00835	FAC008-Do You Have an Ostomy Appliance	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Additional Concerns: Do you have an ostomy appliance?	FACT-C Version 4 - Do You Have an Ostomy Appliance
C151111	FAC00836	FAC008-Embarrassed by Ostomy Appliance	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Additional Concerns: I am embarrassed by my ostomy appliance.	FACT-C Version 4 - Embarrassed by Ostomy Appliance
C151112	FAC00837	FAC008-Caring for Ostomy Is Difficult	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Additional Concerns: Caring for my ostomy appliance is difficult.	FACT-C Version 4 - Caring for Ostomy Is Difficult
C163941	FAC00838	FAC008-Physical Subscale Score	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Physical Well-Being: Subscale score.	FACT-C Version 4 - Physical Subscale Score
C163942	FAC00839	FAC008-Social/Family Subscale Score	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Social/Family Well-Being: Subscale score.	FACT-C Version 4 - Social/Family Subscale Score
C163943	FAC00840	FAC008-Emotional Subscale Score	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Emotional Well-Being: Subscale score.	FACT-C Version 4 - Emotional Subscale Score
C163944	FAC00841	FAC008-Functional Subscale Score	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Functional Well-Being: Subscale score.	FACT-C Version 4 - Functional Subscale Score
C163945	FAC00842	FAC008-Additional Concern Subscale Score	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Additional Concerns: Subscale score.	FACT-C Version 4 - Additional Concern Subscale Score
C166339	FAC00843	FAC008-Trial Outcome Index Score	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Trial outcome index score.	FACT-C Version 4 - Trial Outcome Index Score
C166340	FAC00844	FAC008-FACT-G Total Score	Functional Assessment of Cancer Therapy-Colorectal Version 4 - FACT-G total score.	FACT-C Version 4 - FACT-G Total Score
C163946	FAC00845	FAC008-Total Score	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Total score.	FACT-C Version 4 - Total Score

C163945	FAC008-Additional Concern Subscale Score	FAC008-Additional Concern Subscale Score	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Additional Concerns: Subscale score.	FACT-C Version 4 - Additional Concern Subscale Score
C151080	FAC008-Bothered by Treatment Side Effect	FAC008-Bothered by Treatment Side Effect	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Physical Well-Being: I am bothered by side effects of treatment.	FACT-C Version 4 - Bothered by Treatment Side Effect
C151112	FAC008-Caring for Ostomy Is Difficult	FAC008-Caring for Ostomy Is Difficult	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Additional Concerns: Caring for my ostomy appliance is difficult.	FACT-C Version 4 - Caring for Ostomy Is Difficult
C151102	FAC008-Content With Quality of My Life	FAC008-Content With Quality of My Life	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Functional Well-Being: I am content with the quality of my life right now.	FACT-C Version 4 - Content With Quality of My Life
C151110	FAC008-Do You Have an Ostomy Appliance	FAC008-Do You Have an Ostomy Appliance	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Additional Concerns: Do you have an ostomy appliance?	FACT-C Version 4 - Do You Have an Ostomy Appliance
C151111	FAC008-Embarrassed by Ostomy Appliance	FAC008-Embarrassed by Ostomy Appliance	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Additional Concerns: I am embarrassed by my ostomy appliance.	FACT-C Version 4 - Embarrassed by Ostomy Appliance
C163943	FAC008-Emotional Subscale Score	FAC008-Emotional Subscale Score	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Emotional Well-Being: Subscale score.	FACT-C Version 4 - Emotional Subscale Score
C151101	FAC008-Enjoy Things I Usually Do for Fun	FAC008-Enjoy Things I Usually Do for Fun	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Functional Well-Being: I am enjoying the things I usually do for fun.	FACT-C Version 4 - Enjoy Things I Usually Do for Fun
C166340	FAC008-FACT-G Total Score	FAC008-FACT-G Total Score	Functional Assessment of Cancer Therapy-Colorectal Version 4 - FACT-G total score.	FACT-C Version 4 - FACT-G Total Score
C163944	FAC008-Functional Subscale Score	FAC008-Functional Subscale Score	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Functional Well-Being: Subscale score.	FACT-C Version 4 - Functional Subscale Score
C151084	FAC008-Get Emotional Support From Family	FAC008-Get Emotional Support From Family	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Social/Family Well-Being: I get emotional support from my family.	FACT-C Version 4 - Get Emotional Support From Family
C151098	FAC008-I Am Able to Enjoy Life	FAC008-I Am Able to Enjoy Life	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Functional Well-Being: I am able to enjoy life.	FACT-C Version 4 - I Am Able to Enjoy Life
C151096	FAC008-I Am Able to Work	FAC008-I Am Able to Work	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Functional Well-Being: I am able to work (include work at home).	FACT-C Version 4 - I Am Able to Work
C151082	FAC008-I Am Forced to Spend Time in Bed	FAC008-I Am Forced to Spend Time in Bed	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Physical Well-Being: I am forced to spend time in bed.	FACT-C Version 4 - I Am Forced to Spend Time in Bed
C151104	FAC008-I Am Losing Weight	FAC008-I Am Losing Weight	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Additional Concerns: I am losing weight.	FACT-C Version 4 - I Am Losing Weight
C151089	FAC008-I Am Satisfied With My Sex Life	FAC008-I Am Satisfied With My Sex Life	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Social/Family Well-Being: I am satisfied with my sex life.	FACT-C Version 4 - I Am Satisfied With My Sex Life
C151100	FAC008-I Am Sleeping Well	FAC008-I Am Sleeping Well	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Functional Well-Being: I am sleeping well.	FACT-C Version 4 - I Am Sleeping Well
C151106	FAC008-I Can Digest My Food Well	FAC008-I Can Digest My Food Well	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Additional Concerns: I can digest my food well.	FACT-C Version 4 - I Can Digest My Food Well
C151083	FAC008-I Feel Close to My Friends	FAC008-I Feel Close to My Friends	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Social/Family Well-Being: I feel close to my friends.	FACT-C Version 4 - I Feel Close to My Friends
C151088	FAC008-I Feel Close to My Partner	FAC008-I Feel Close to My Partner	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Social/Family Well-Being: I feel close to my partner (or the person who is my main support).	FACT-C Version 4 - I Feel Close to My Partner
C151081	FAC008-I Feel Ill	FAC008-I Feel Ill	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Physical Well-Being: I feel ill.	FACT-C Version 4 - I Feel Ill
C151093	FAC008-I Feel Nervous	FAC008-I Feel Nervous	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Emotional Well-Being: I feel nervous.	FACT-C Version 4 - I Feel Nervous
C151090	FAC008-I Feel Sad	FAC008-I Feel Sad	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Emotional Well-Being: I feel sad.	FACT-C Version 4 - I Feel Sad
C151085	FAC008-I Get Support From My Friends	FAC008-I Get Support From My Friends	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Social/Family Well-Being: I get support from my friends.	FACT-C Version 4 - I Get Support From My Friends
C151108	FAC008-I Have a Good Appetite	FAC008-I Have a Good Appetite	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Additional Concerns: I have a good appetite.	FACT-C Version 4 - I Have a Good Appetite

Functional Assessment of Cancer Therapy-Colorectal Version 4 -				
C151076	FAC008-I Have a Lack of Energy	FAC008-I Have a Lack of Energy	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Physical Well-Being: I have a lack of energy.	FACT-C Version 4 - I Have a Lack of Energy
C151099	FAC008-I Have Accepted My Illness	FAC008-I Have Accepted My Illness	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Functional Well-Being: I have accepted my illness.	FACT-C Version 4 - I Have Accepted My Illness
C151105	FAC008-I Have Control of My Bowels	FAC008-I Have Control of My Bowels	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Additional Concerns: I have control of my bowels.	FACT-C Version 4 - I Have Control of My Bowels
C151107	FAC008-I Have Diarrhea	FAC008-I Have Diarrhea	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Additional Concerns: I have diarrhea (diarrhoea).	FACT-C Version 4 - I Have Diarrhea
C151077	FAC008-I Have Nausea	FAC008-I Have Nausea	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Physical Well-Being: I have nausea.	FACT-C Version 4 - I Have Nausea
C151079	FAC008-I Have Pain	FAC008-I Have Pain	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Physical Well-Being: I have pain.	FACT-C Version 4 - I Have Pain
C151109	FAC008-I Like the Appearance of My Body	FAC008-I Like the Appearance of My Body	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Additional Concerns: I like the appearance of my body.	FACT-C Version 4 - I Like the Appearance of My Body
C151094	FAC008-I Worry About Dying	FAC008-I Worry About Dying	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Emotional Well-Being: I worry about dying.	FACT-C Version 4 - I Worry About Dying
C151092	FAC008-Losing Hope Against Illness	FAC008-Losing Hope Against Illness	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Emotional Well-Being: I am losing hope in the fight against my illness.	FACT-C Version 4 - Losing Hope Against Illness
C151086	FAC008-My Family Has Accepted My Illness	FAC008-My Family Has Accepted My Illness	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Social/Family Well-Being: My family has accepted my illness.	FACT-C Version 4 - My Family Has Accepted My Illness
C151097	FAC008-My Work Is Fulfilling	FAC008-My Work Is Fulfilling	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Functional Well-Being: My work (include work at home) is fulfilling.	FACT-C Version 4 - My Work Is Fulfilling
C163941	FAC008-Physical Subscale Score	FAC008-Physical Subscale Score	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Physical Well-Being: Subscale score.	FACT-C Version 4 - Physical Subscale Score
C151087	FAC008-Satisfied Communication Illness	FAC008-Satisfied Communication Illness	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Social/Family Well-Being: I am satisfied with family communication about my illness.	FACT-C Version 4 - Satisfied Communication Illness
C151091	FAC008-Satisfied With How I Am Coping	FAC008-Satisfied With How I Am Coping	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Emotional Well-Being: I am satisfied with how I am coping with my illness.	FACT-C Version 4 - Satisfied With How I Am Coping
C163942	FAC008-Social/Family Subscale Score	FAC008-Social/Family Subscale Score	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Social/Family Well-Being: Subscale score.	FACT-C Version 4 - Social/Family Subscale Score
C151103	FAC008-Swelling/Cramps in Stomach Area	FAC008-Swelling/Cramps in Stomach Area	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Additional Concerns: I have swelling or cramps in my stomach area.	FACT-C Version 4 - Swelling/Cramps in Stomach Area
C163946	FAC008-Total Score	FAC008-Total Score	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Total score.	FACT-C Version 4 - Total Score
C166339	FAC008-Trial Outcome Index Score	FAC008-Trial Outcome Index Score	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Trial outcome index score.	FACT-C Version 4 - Trial Outcome Index Score
C151078	FAC008-Trouble Meeting Needs of Family	FAC008-Trouble Meeting Needs of Family	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Physical Well-Being: Because of my physical condition, I have trouble meeting the needs of my family.	FACT-C Version 4 - Trouble Meeting Needs of Family
C151095	FAC008-Worry My Condition Will Get Worse	FAC008-Worry My Condition Will Get Worse	Functional Assessment of Cancer Therapy-Colorectal Version 4 - Emotional Well-Being: I worry that my condition will get worse.	FACT-C Version 4 - Worry My Condition Will Get Worse

Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Physical Well-Being: I have a lack of energy.				
C130458	FAC01501	FAC015-I Have a Lack of Energy	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Physical Well-Being: I have a lack of energy.	FACT-HEP Version 4 - I Have a Lack of Energy
C130459	FAC01502	FAC015-I Have Nausea	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Physical Well-Being: I have nausea.	FACT-HEP Version 4 - I Have Nausea
C130460	FAC01503	FAC015-Trouble Meeting Needs of Family	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Physical Well-Being: Because of my physical condition, I have trouble meeting the needs of my family.	FACT-HEP Version 4 - Trouble Meeting Needs of Family
C130461	FAC01504	FAC015-I Have Pain	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Physical Well-Being: I have pain.	FACT-HEP Version 4 - I Have Pain
C130462	FAC01505	FAC015-Bothered by Treatment Side Effect	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Physical Well-Being: I am bothered by side effects of treatment.	FACT-HEP Version 4 - Bothered by Treatment Side Effect
C130463	FAC01506	FAC015-I Feel Ill	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Physical Well-Being: I feel ill.	FACT-HEP Version 4 - I Feel Ill
C130464	FAC01507	FAC015-I Am Forced to Spend Time in Bed	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Physical Well-Being: I am forced to spend time in bed.	FACT-HEP Version 4 - I Am Forced to Spend Time in Bed
C130465	FAC01508	FAC015-I Feel Close to My Friends	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Social/Family Well-Being: I feel close to my friends.	FACT-HEP Version 4 - I Feel Close to My Friends
C130466	FAC01509	FAC015-Get Emotional Support From Family	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Social/Family Well-Being: I get emotional support from my family.	FACT-HEP Version 4 - Get Emotional Support From Family
C130467	FAC01510	FAC015-I Get Support From My Friends	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Social/Family Well-Being: I get support from my friends.	FACT-HEP Version 4 - I Get Support From My Friends
C130468	FAC01511	FAC015-My Family Has Accepted My Illness	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Social/Family Well-Being: My family has accepted my illness.	FACT-HEP Version 4 - My Family Has Accepted My Illness
C130469	FAC01512	FAC015-Satisfied Communication Illness	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Social/Family Well-Being: I am satisfied with family communication about my illness.	FACT-HEP Version 4 - Satisfied With Communication About Illness
C130470	FAC01513	FAC015-I Feel Close to My Partner	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Social/Family Well-Being: I feel close to my partner (or the person who is my main support).	FACT-HEP Version 4 - I Feel Close to My Partner
C130471	FAC01514	FAC015-I Am Satisfied With My Sex Life	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Social/Family Well-Being: I am satisfied with my sex life.	FACT-HEP Version 4 - I Am Satisfied With My Sex Life
C130472	FAC01515	FAC015-I Feel Sad	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Emotional Well-Being: I feel sad.	FACT-HEP Version 4 - I Feel Sad
C130473	FAC01516	FAC015-Satisfied With How I Am Coping	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Emotional Well-Being: I am satisfied with how I am coping with my illness.	FACT-HEP Version 4 - Satisfied With How I Am Coping
C130474	FAC01517	FAC015-Losing Hope Against Illness	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Emotional Well-Being: I am losing hope in the fight against my illness.	FACT-HEP Version 4 - Losing Hope Against Illness
C130475	FAC01518	FAC015-I Feel Nervous	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Emotional Well-Being: I feel nervous.	FACT-HEP Version 4 - I Feel Nervous
C130476	FAC01519	FAC015-I Worry About Dying	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Emotional Well-Being: I worry about dying.	FACT-HEP Version 4 - I Worry About Dying
C130477	FAC01520	FAC015-Worry My Condition Will Get Worse	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Emotional Well-Being: I worry that my condition will get worse.	FACT-HEP Version 4 - Worry My Condition Will Get Worse
C130478	FAC01521	FAC015-I Am Able to Work	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Functional Well-Being: I am able to work (include work at home).	FACT-HEP Version 4 - I Am Able to Work
C130479	FAC01522	FAC015-My Work Is Fulfilling	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Functional Well-Being: My work (include work at home) is fulfilling.	FACT-HEP Version 4 - My Work Is Fulfilling
C130480	FAC01523	FAC015-I Am Able to Enjoy Life	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Functional Well-Being: I am able to enjoy life.	FACT-HEP Version 4 - I Am Able to Enjoy Life
C130481	FAC01524	FAC015-I Have Accepted My Illness	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Functional Well-Being: I have accepted my illness.	FACT-HEP Version 4 - I Have Accepted My Illness

FACT-HEP Version 4 - Functional Assessment of Cancer Therapy-Hepatobiliary				
C130482	FAC01525	FAC015-I Am Sleeping Well	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Functional Well-Being: I am sleeping well.	FACT-HEP Version 4 - I Am Sleeping Well
C130483	FAC01526	FAC015-Enjoy Things I Usually Do for Fun	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Functional Well-Being: I am enjoying the things I usually do for fun.	FACT-HEP Version 4 - Enjoy Things I Usually Do for Fun
C130484	FAC01527	FAC015-Content With Quality of My Life	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Functional Well-Being: I am content with the quality of my life right now.	FACT-HEP Version 4 - Content With Quality of My Life
C130485	FAC01528	FAC015-Swelling/Cramps in Stomach Area	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I have swelling or cramps in my stomach area.	FACT-HEP Version 4 - Swelling or Cramps in Stomach Area
C130486	FAC01529	FAC015-I Am Losing Weight	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I am losing weight.	FACT-HEP Version 4 - I Am Losing Weight
C130487	FAC01530	FAC015-I Have Control of My Bowels	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I have control of my bowels.	FACT-HEP Version 4 - I Have Control of My Bowels
C130488	FAC01531	FAC015-I Can Digest My Food Well	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I can digest my food well.	FACT-HEP Version 4 - I Can Digest My Food Well
C130489	FAC01532	FAC015-I Have Diarrhea	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I have diarrhea (diarrhoea).	FACT-HEP Version 4 - I Have Diarrhea
C130490	FAC01533	FAC015-I Have a Good Appetite	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I have a good appetite.	FACT-HEP Version 4 - I Have a Good Appetite
C130491	FAC01534	FAC015-Unhappy About Change in My Appearance	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I am unhappy about a change in my appearance.	FACT-HEP Version 4 - Unhappy About Change in My Appearance
C130492	FAC01535	FAC015-I Have Pain in My Back	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I have pain in my back.	FACT-HEP Version 4 - I Have Pain in My Back
C130493	FAC01536	FAC015-I Am Bothered by Constipation	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I am bothered by constipation.	FACT-HEP Version 4 - I Am Bothered by Constipation
C130494	FAC01537	FAC015-I Feel Fatigued	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I feel fatigued.	FACT-HEP Version 4 - I Feel Fatigued
C130495	FAC01538	FAC015-Able to Do My Usual Activities	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I am able to do my usual activities.	FACT-HEP Version 4 - Able to Do My Usual Activities
C130496	FAC01539	FAC015-Bothered by Jaundice/Yellow Skin	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I am bothered by jaundice or yellow color to my skin.	FACT-HEP Version 4 - Bothered by Jaundice or Yellow Skin
C130497	FAC01540	FAC015-I Have Had Fevers	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I have had fevers (episodes of high body temperature).	FACT-HEP Version 4 - I Have Had Fevers
C130498	FAC01541	FAC015-I Have Had Itching	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I have had itching.	FACT-HEP Version 4 - I Have Had Itching
C130499	FAC01542	FAC015-Had Change in the Way Food Tastes	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I have had a change in the way food tastes.	FACT-HEP Version 4 - Had Change in the Way Food Tastes
C130500	FAC01543	FAC015-I Have Had Chills	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I have had chills.	FACT-HEP Version 4 - I Have Had Chills
C130501	FAC01544	FAC015-My Mouth Is Dry	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: My mouth is dry.	FACT-HEP Version 4 - My Mouth Is Dry
C130502	FAC01545	FAC015-Discomfort/Pain in Stomach Area	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I have discomfort or pain in my stomach area.	FACT-HEP Version 4 - Discomfort or Pain in Stomach Area
C180210	FAC01546	FAC015-Physical Subscale Score	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Physical Well-Being: Subscale score.	FACT-HEP Version 4 - Physical Subscale Score
C180211	FAC01547	FAC015-Social/Family Subscale Score	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Social/Family Well-Being: Subscale score.	FACT-HEP Version 4 - Social/Family Subscale Score
C180212	FAC01548	FAC015-Emotional Subscale Score	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Emotional Well-Being: Subscale score.	FACT-HEP Version 4 - Emotional Subscale Score
C180213	FAC01549	FAC015-Functional Subscale Score	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Functional Well-Being: Subscale score.	FACT-HEP Version 4 - Functional Subscale Score

Functional Assessment of Cancer Therapy-Hepatobiliary Version 4				
C180214	FAC01550	FAC015-Additional Concern Subscale Score	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: Subscale score.	FACT-HEP Version 4 - Additional Concern Subscale Score
C180215	FAC01551	FAC015-Trial Outcome Index Score	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Trial outcome index score.	FACT-HEP Version 4 - Trial Outcome Index Score
C180216	FAC01552	FAC015-FACT-G Total Score	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - FACT-G total score.	FACT-HEP Version 4 - FACT-G Total Score
C180217	FAC01553	FAC015-Total Score	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Total score.	FACT-HEP Version 4 - Total Score

C130495	FAC015-Able to Do My Usual Activities	FAC015-Able to Do My Usual Activities	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I am able to do my usual activities.	FACT-HEP Version 4 - Able to Do My Usual Activities
C180214	FAC015-Additional Concern Subscale Score	FAC015-Additional Concern Subscale Score	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: Subscale score.	FACT-HEP Version 4 - Additional Concern Subscale Score
C130496	FAC015-Bothered by Jaundice/Yellow Skin	FAC015-Bothered by Jaundice/Yellow Skin	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I am bothered by jaundice or yellow color to my skin.	FACT-HEP Version 4 - Bothered by Jaundice or Yellow Skin
C130462	FAC015-Bothered by Treatment Side Effect	FAC015-Bothered by Treatment Side Effect	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Physical Well-Being: I am bothered by side effects of treatment.	FACT-HEP Version 4 - Bothered by Treatment Side Effect
C130484	FAC015-Content With Quality of My Life	FAC015-Content With Quality of My Life	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Functional Well-Being: I am content with the quality of my life right now.	FACT-HEP Version 4 - Content With Quality of My Life
C130502	FAC015-Discomfort/Pain in Stomach Area	FAC015-Discomfort/Pain in Stomach Area	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I have discomfort or pain in my stomach area.	FACT-HEP Version 4 - Discomfort or Pain in Stomach Area
C180212	FAC015-Emotional Subscale Score	FAC015-Emotional Subscale Score	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Emotional Well-Being: Subscale score.	FACT-HEP Version 4 - Emotional Subscale Score
C130483	FAC015-Enjoy Things I Usually Do for Fun	FAC015-Enjoy Things I Usually Do for Fun	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Functional Well-Being: I am enjoying the things I usually do for fun.	FACT-HEP Version 4 - Enjoy Things I Usually Do for Fun
C180216	FAC015-FACT-G Total Score	FAC015-FACT-G Total Score	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - FACT-G total score.	FACT-HEP Version 4 - FACT-G Total Score
C180213	FAC015-Functional Subscale Score	FAC015-Functional Subscale Score	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Functional Well-Being: Subscale score.	FACT-HEP Version 4 - Functional Subscale Score
C130466	FAC015-Get Emotional Support From Family	FAC015-Get Emotional Support From Family	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Social/Family Well-Being: I get emotional support from my family.	FACT-HEP Version 4 - Get Emotional Support From Family
C130499	FAC015-Had Change in the Way Food Tastes	FAC015-Had Change in the Way Food Tastes	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I have had a change in the way food tastes.	FACT-HEP Version 4 - Had Change in the Way Food Tastes
C130480	FAC015-I Am Able to Enjoy Life	FAC015-I Am Able to Enjoy Life	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Functional Well-Being: I am able to enjoy life.	FACT-HEP Version 4 - I Am Able to Enjoy Life
C130478	FAC015-I Am Able to Work	FAC015-I Am Able to Work	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Functional Well-Being: I am able to work (include work at home).	FACT-HEP Version 4 - I Am Able to Work
C130493	FAC015-I Am Bothered by Constipation	FAC015-I Am Bothered by Constipation	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I am bothered by constipation.	FACT-HEP Version 4 - I Am Bothered by Constipation
C130464	FAC015-I Am Forced to Spend Time in Bed	FAC015-I Am Forced to Spend Time in Bed	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Physical Well-Being: I am forced to spend time in bed.	FACT-HEP Version 4 - I Am Forced to Spend Time in Bed
C130486	FAC015-I Am Losing Weight	FAC015-I Am Losing Weight	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I am losing weight.	FACT-HEP Version 4 - I Am Losing Weight
C130471	FAC015-I Am Satisfied With My Sex Life	FAC015-I Am Satisfied With My Sex Life	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Social/Family Well-Being: I am satisfied with my sex life.	FACT-HEP Version 4 - I Am Satisfied With My Sex Life
C130482	FAC015-I Am Sleeping Well	FAC015-I Am Sleeping Well	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Functional Well-Being: I am sleeping well.	FACT-HEP Version 4 - I Am Sleeping Well
C130488	FAC015-I Can Digest My Food Well	FAC015-I Can Digest My Food Well	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I can digest my food well.	FACT-HEP Version 4 - I Can Digest My Food Well
C130465	FAC015-I Feel Close to My Friends	FAC015-I Feel Close to My Friends	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Social/Family Well-Being: I feel close to my friends.	FACT-HEP Version 4 - I Feel Close to My Friends
C130470	FAC015-I Feel Close to My Partner	FAC015-I Feel Close to My Partner	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Social/Family Well-Being: I feel close to my partner (or the person who is my main support).	FACT-HEP Version 4 - I Feel Close to My Partner
C130494	FAC015-I Feel Fatigued	FAC015-I Feel Fatigued	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I feel fatigued.	FACT-HEP Version 4 - I Feel Fatigued
C130463	FAC015-I Feel Ill	FAC015-I Feel Ill	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Physical Well-Being: I feel ill.	FACT-HEP Version 4 - I Feel Ill

FACT-HEP Version 4 - Hepatobiliary				
C130475	FAC015-I Feel Nervous	FAC015-I Feel Nervous	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Emotional Well-Being: I feel nervous.	FACT-HEP Version 4 - I Feel Nervous
C130472	FAC015-I Feel Sad	FAC015-I Feel Sad	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Emotional Well-Being: I feel sad.	FACT-HEP Version 4 - I Feel Sad
C130467	FAC015-I Get Support From My Friends	FAC015-I Get Support From My Friends	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Social/Family Well-Being: I get support from my friends.	FACT-HEP Version 4 - I Get Support From My Friends
C130490	FAC015-I Have a Good Appetite	FAC015-I Have a Good Appetite	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I have a good appetite.	FACT-HEP Version 4 - I Have a Good Appetite
C130458	FAC015-I Have a Lack of Energy	FAC015-I Have a Lack of Energy	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Physical Well-Being: I have a lack of energy.	FACT-HEP Version 4 - I Have a Lack of Energy
C130481	FAC015-I Have Accepted My Illness	FAC015-I Have Accepted My Illness	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Functional Well-Being: I have accepted my illness.	FACT-HEP Version 4 - I Have Accepted My Illness
C130487	FAC015-I Have Control of My Bowels	FAC015-I Have Control of My Bowels	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I have control of my bowels.	FACT-HEP Version 4 - I Have Control of My Bowels
C130489	FAC015-I Have Diarrhea	FAC015-I Have Diarrhea	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I have diarrhea (diarrhoea).	FACT-HEP Version 4 - I Have Diarrhea
C130500	FAC015-I Have Had Chills	FAC015-I Have Had Chills	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I have had chills.	FACT-HEP Version 4 - I Have Had Chills
C130497	FAC015-I Have Had Fevers	FAC015-I Have Had Fevers	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I have had fevers (episodes of high body temperature).	FACT-HEP Version 4 - I Have Had Fevers
C130498	FAC015-I Have Had Itching	FAC015-I Have Had Itching	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I have had itching.	FACT-HEP Version 4 - I Have Had Itching
C130459	FAC015-I Have Nausea	FAC015-I Have Nausea	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Physical Well-Being: I have nausea.	FACT-HEP Version 4 - I Have Nausea
C130492	FAC015-I Have Pain in My Back	FAC015-I Have Pain in My Back	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I have pain in my back.	FACT-HEP Version 4 - I Have Pain in My Back
C130461	FAC015-I Have Pain	FAC015-I Have Pain	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Physical Well-Being: I have pain.	FACT-HEP Version 4 - I Have Pain
C130476	FAC015-I Worry About Dying	FAC015-I Worry About Dying	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Emotional Well-Being: I worry about dying.	FACT-HEP Version 4 - I Worry About Dying
C130474	FAC015-Losing Hope Against Illness	FAC015-Losing Hope Against Illness	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Emotional Well-Being: I am losing hope in the fight against my illness.	FACT-HEP Version 4 - Losing Hope Against Illness
C130468	FAC015-My Family Has Accepted My Illness	FAC015-My Family Has Accepted My Illness	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Social/Family Well-Being: My family has accepted my illness.	FACT-HEP Version 4 - My Family Has Accepted My Illness
C130501	FAC015-My Mouth Is Dry	FAC015-My Mouth Is Dry	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: My mouth is dry.	FACT-HEP Version 4 - My Mouth Is Dry
C130479	FAC015-My Work Is Fulfilling	FAC015-My Work Is Fulfilling	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Functional Well-Being: My work (include work at home) is fulfilling.	FACT-HEP Version 4 - My Work Is Fulfilling
C180210	FAC015-Physical Subscale Score	FAC015-Physical Subscale Score	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Physical Well-Being: Subscale score.	FACT-HEP Version 4 - Physical Subscale Score
C130469	FAC015-Satisfied Communication Illness	FAC015-Satisfied Communication Illness	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Social/Family Well-Being: I am satisfied with family communication about my illness.	FACT-HEP Version 4 - Satisfied With Communication About Illness
C130473	FAC015-Satisfied With How I Am Coping	FAC015-Satisfied With How I Am Coping	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Emotional Well-Being: I am satisfied with how I am coping with my illness.	FACT-HEP Version 4 - Satisfied With How I Am Coping
C180211	FAC015-Social/Family Subscale Score	FAC015-Social/Family Subscale Score	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Social/Family Well-Being: Subscale score.	FACT-HEP Version 4 - Social/Family Subscale Score
C130485	FAC015-Swelling/Cramps in Stomach Area	FAC015-Swelling/Cramps in Stomach Area	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I have swelling or cramps in my stomach area.	FACT-HEP Version 4 - Swelling or Cramps in Stomach Area
C180217	FAC015-Total Score	FAC015-Total Score	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Total score.	FACT-HEP Version 4 - Total Score
C180215	FAC015-Trial Outcome Index Score	FAC015-Trial Outcome Index Score	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Trial outcome index score.	FACT-HEP Version 4 - Trial Outcome Index Score

Functional Assessment of Cancer Therapy-Hepatobiliary Version 4				
C130460	FAC015-Trouble Meeting Needs of Family	FAC015-Trouble Meeting Needs of Family	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Physical Well-Being: Because of my physical condition, I have trouble meeting the needs of my family.	FACT-HEP Version 4 - Trouble Meeting Needs of Family
C130491	FAC015-Unhappy About Change in My Appearance	FAC015-Unhappy About Change in My Appearance	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I am unhappy about a change in my appearance.	FACT-HEP Version 4 - Unhappy About Change in My Appearance
C130477	FAC015-Worry My Condition Will Get Worse	FAC015-Worry My Condition Will Get Worse	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Emotional Well-Being: I worry that my condition will get worse.	FACT-HEP Version 4 - Worry My Condition Will Get Worse

Functional Assessment of Cancer Therapy-Lung Version 4 - Physical Well-Being				
C151234	FAC01601	FAC016-I Have a Lack of Energy	Functional Assessment of Cancer Therapy-Lung Version 4 - Physical Well-Being: I have a lack of energy.	FACT-L Version 4 - I Have a Lack of Energy
C151235	FAC01602	FAC016-I Have Nausea	Functional Assessment of Cancer Therapy-Lung Version 4 - Physical Well-Being: I have nausea.	FACT-L Version 4 - I Have Nausea
C151236	FAC01603	FAC016-Trouble Meeting Needs of Family	Functional Assessment of Cancer Therapy-Lung Version 4 - Physical Well-Being: Because of my physical condition, I have trouble meeting the needs of my family.	FACT-L Version 4 - Trouble Meeting Needs of Family
C151237	FAC01604	FAC016-I Have Pain	Functional Assessment of Cancer Therapy-Lung Version 4 - Physical Well-Being: I have pain.	FACT-L Version 4 - I Have Pain
C151238	FAC01605	FAC016-Bothered by Treatment Side Effect	Functional Assessment of Cancer Therapy-Lung Version 4 - Physical Well-Being: I am bothered by side effects of treatment.	FACT-L Version 4 - Bothered by Treatment Side Effect
C151239	FAC01606	FAC016-I Feel Ill	Functional Assessment of Cancer Therapy-Lung Version 4 - Physical Well-Being: I feel ill.	FACT-L Version 4 - I Feel Ill
C151240	FAC01607	FAC016-I am Forced to Spend Time in Bed	Functional Assessment of Cancer Therapy-Lung Version 4 - Physical Well-Being: I am forced to spend time in bed.	FACT-L Version 4 - I am Forced to Spend Time in Bed
C151241	FAC01608	FAC016-I Feel Close to My Friends	Functional Assessment of Cancer Therapy-Lung Version 4 - Social/Family Well-Being: I feel close to my friends.	FACT-L Version 4 - I Feel Close to My Friends
C151242	FAC01609	FAC016-Get Emotional Support From Family	Functional Assessment of Cancer Therapy-Lung Version 4 - Social/Family Well-Being: I get emotional support from my family.	FACT-L Version 4 - Get Emotional Support From Family
C151243	FAC01610	FAC016-I Get Support From My Friends	Functional Assessment of Cancer Therapy-Lung Version 4 - Social/Family Well-Being: I get support from my friends.	FACT-L Version 4 - I Get Support From My Friends
C151244	FAC01611	FAC016-My Family Has Accepted My Illness	Functional Assessment of Cancer Therapy-Lung Version 4 - Social/Family Well-Being: My family has accepted my illness.	FACT-L Version 4 - My Family Has Accepted My Illness
C151245	FAC01612	FAC016-Satisfied Communication Illness	Functional Assessment of Cancer Therapy-Lung Version 4 - Social/Family Well-Being: I am satisfied with family communication about my illness.	FACT-L Version 4 - Satisfied Communication Illness
C151246	FAC01613	FAC016-I Feel Close to My Partner	Functional Assessment of Cancer Therapy-Lung Version 4 - Social/Family Well-Being: I feel close to my partner (or the person who is my main support).	FACT-L Version 4 - I Feel Close to My Partner
C151247	FAC01614	FAC016-I Am Satisfied With My Sex Life	Functional Assessment of Cancer Therapy-Lung Version 4 - Social/Family Well-Being: I am satisfied with my sex life.	FACT-L Version 4 - I Am Satisfied With My Sex Life
C151248	FAC01615	FAC016-I Feel Sad	Functional Assessment of Cancer Therapy-Lung Version 4 - Emotional Well-Being: I feel sad.	FACT-L Version 4 - I Feel Sad
C151249	FAC01616	FAC016-Satisfied With How I Am Coping	Functional Assessment of Cancer Therapy-Lung Version 4 - Emotional Well-Being: I am satisfied with how I am coping with my illness.	FACT-L Version 4 - Satisfied With How I Am Coping
C151250	FAC01617	FAC016-Losing Hope Against Illness	Functional Assessment of Cancer Therapy-Lung Version 4 - Emotional Well-Being: I am losing hope in the fight against my illness.	FACT-L Version 4 - Losing Hope Against Illness
C151251	FAC01618	FAC016-I Feel Nervous	Functional Assessment of Cancer Therapy-Lung Version 4 - Emotional Well-Being: I feel nervous.	FACT-L Version 4 - I Feel Nervous
C151252	FAC01619	FAC016-I Worry About Dying	Functional Assessment of Cancer Therapy-Lung Version 4 - Emotional Well-Being: I worry about dying.	FACT-L Version 4 - I Worry About Dying
C151253	FAC01620	FAC016-Worry My Condition Will Get Worse	Functional Assessment of Cancer Therapy-Lung Version 4 - Emotional Well-Being: I worry that my condition will get worse.	FACT-L Version 4 - Worry My Condition Will Get Worse
C151254	FAC01621	FAC016-I Am Able to Work	Functional Assessment of Cancer Therapy-Lung Version 4 - Functional Well-Being: I am able to work (include work at home).	FACT-L Version 4 - I Am Able to Work
C151255	FAC01622	FAC016-My Work Is Fulfilling	Functional Assessment of Cancer Therapy-Lung Version 4 - Functional Well-Being: My work (include work at home) is fulfilling.	FACT-L Version 4 - My Work Is Fulfilling
C151256	FAC01623	FAC016-I Am Able to Enjoy Life	Functional Assessment of Cancer Therapy-Lung Version 4 - Functional Well-Being: I am able to enjoy life.	FACT-L Version 4 - I Am Able to Enjoy Life
C151257	FAC01624	FAC016-I Have Accepted My Illness	Functional Assessment of Cancer Therapy-Lung Version 4 - Functional Well-Being: I have accepted my illness.	FACT-L Version 4 - I Have Accepted My Illness
C151258	FAC01625	FAC016-I Am Sleeping Well	Functional Assessment of Cancer Therapy-Lung Version 4 - Functional Well-Being: I am sleeping well.	FACT-L Version 4 - I Am Sleeping Well

Functional Assessment of Cancer Therapy-Lung Version 4 - Additional Concerns				
C151259	FAC01626	FAC016-Enjoy Things I Usually Do for Fun	Functional Assessment of Cancer Therapy-Lung Version 4 - Functional Well-Being: I am enjoying the things I usually do for fun.	FACT-L Version 4 - Enjoy Things I Usually Do for Fun
C151260	FAC01627	FAC016-Content With Quality of My Life	Functional Assessment of Cancer Therapy-Lung Version 4 - Functional Well-Being: I am content with the quality of my life right now.	FACT-L Version 4 - Content With Quality of My Life
C151261	FAC01628	FAC016-I Have Been Short of Breath	Functional Assessment of Cancer Therapy-Lung Version 4 - Additional Concerns: I have been short of breath.	FACT-L Version 4 - I Have Been Short of Breath
C151262	FAC01629	FAC016-I Am Losing Weight	Functional Assessment of Cancer Therapy-Lung Version 4 - Additional Concerns: I am losing weight.	FACT-L Version 4 - I Am Losing Weight
C151263	FAC01630	FAC016-My Thinking Is Clear	Functional Assessment of Cancer Therapy-Lung Version 4 - Additional Concerns: My thinking is clear.	FACT-L Version 4 - My Thinking Is Clear
C151264	FAC01631	FAC016-I Have Been Coughing	Functional Assessment of Cancer Therapy-Lung Version 4 - Additional Concerns: I have been coughing.	FACT-L Version 4 - I Have Been Coughing
C151265	FAC01632	FAC016-I Am Bothered by Hair Loss	Functional Assessment of Cancer Therapy-Lung Version 4 - Additional Concerns: I am bothered by hair loss.	FACT-L Version 4 - I Am Bothered by Hair Loss
C151266	FAC01633	FAC016-I Have a Good Appetite	Functional Assessment of Cancer Therapy-Lung Version 4 - Additional Concerns: I have a good appetite.	FACT-L Version 4 - I Have a Good Appetite
C151267	FAC01634	FAC016-I Feel Tightness in My Chest	Functional Assessment of Cancer Therapy-Lung Version 4 - Additional Concerns: I feel tightness in my chest.	FACT-L Version 4 - I Feel Tightness in My Chest
C151268	FAC01635	FAC016-Breathing Is Easy for Me	Functional Assessment of Cancer Therapy-Lung Version 4 - Additional Concerns: Breathing is easy for me.	FACT-L Version 4 - Breathing Is Easy for Me
C151269	FAC01636	FAC016-Have You Ever Smoked	Functional Assessment of Cancer Therapy-Lung Version 4 - Additional Concerns: Have you ever smoked?	FACT-L Version 4 - Have You Ever Smoked
C151270	FAC01637	FAC016-I Regret My Smoking	Functional Assessment of Cancer Therapy-Lung Version 4 - Additional Concerns: I regret my smoking.	FACT-L Version 4 - I Regret My Smoking

C151238	FAC016-Bothered by Treatment Side Effect	FAC016-Bothered by Treatment Side Effect	Functional Assessment of Cancer Therapy-Lung Version 4 - Physical Well-Being: I am bothered by side effects of treatment.	FACT-L Version 4 - Bothered by Treatment Side Effect
C151268	FAC016-Breathing Is Easy for Me	FAC016-Breathing Is Easy for Me	Functional Assessment of Cancer Therapy-Lung Version 4 - Additional Concerns: Breathing is easy for me.	FACT-L Version 4 - Breathing Is Easy for Me
C151260	FAC016-Content With Quality of My Life	FAC016-Content With Quality of My Life	Functional Assessment of Cancer Therapy-Lung Version 4 - Functional Well-Being: I am content with the quality of my life right now.	FACT-L Version 4 - Content With Quality of My Life
C151259	FAC016-Enjoy Things I Usually Do for Fun	FAC016-Enjoy Things I Usually Do for Fun	Functional Assessment of Cancer Therapy-Lung Version 4 - Functional Well-Being: I am enjoying the things I usually do for fun.	FACT-L Version 4 - Enjoy Things I Usually Do for Fun
C151242	FAC016-Get Emotional Support From Family	FAC016-Get Emotional Support From Family	Functional Assessment of Cancer Therapy-Lung Version 4 - Social/Family Well-Being: I get emotional support from my family.	FACT-L Version 4 - Get Emotional Support From Family
C151269	FAC016-Have You Ever Smoked	FAC016-Have You Ever Smoked	Functional Assessment of Cancer Therapy-Lung Version 4 - Additional Concerns: Have you ever smoked?	FACT-L Version 4 - Have You Ever Smoked
C151256	FAC016-I Am Able to Enjoy Life	FAC016-I Am Able to Enjoy Life	Functional Assessment of Cancer Therapy-Lung Version 4 - Functional Well-Being: I am able to enjoy life.	FACT-L Version 4 - I Am Able to Enjoy Life
C151254	FAC016-I Am Able to Work	FAC016-I Am Able to Work	Functional Assessment of Cancer Therapy-Lung Version 4 - Functional Well-Being: I am able to work (include work at home).	FACT-L Version 4 - I Am Able to Work
C151265	FAC016-I Am Bothered by Hair Loss	FAC016-I Am Bothered by Hair Loss	Functional Assessment of Cancer Therapy-Lung Version 4 - Additional Concerns: I am bothered by hair loss.	FACT-L Version 4 - I Am Bothered by Hair Loss
C151240	FAC016-I am Forced to Spend Time in Bed	FAC016-I am Forced to Spend Time in Bed	Functional Assessment of Cancer Therapy-Lung Version 4 - Physical Well-Being: I am forced to spend time in bed.	FACT-L Version 4 - I am Forced to Spend Time in Bed
C151262	FAC016-I Am Losing Weight	FAC016-I Am Losing Weight	Functional Assessment of Cancer Therapy-Lung Version 4 - Additional Concerns: I am losing weight.	FACT-L Version 4 - I Am Losing Weight
C151247	FAC016-I Am Satisfied With My Sex Life	FAC016-I Am Satisfied With My Sex Life	Functional Assessment of Cancer Therapy-Lung Version 4 - Social/Family Well-Being: I am satisfied with my sex life.	FACT-L Version 4 - I Am Satisfied With My Sex Life
C151258	FAC016-I Am Sleeping Well	FAC016-I Am Sleeping Well	Functional Assessment of Cancer Therapy-Lung Version 4 - Functional Well-Being: I am sleeping well.	FACT-L Version 4 - I Am Sleeping Well
C151241	FAC016-I Feel Close to My Friends	FAC016-I Feel Close to My Friends	Functional Assessment of Cancer Therapy-Lung Version 4 - Social/Family Well-Being: I feel close to my friends.	FACT-L Version 4 - I Feel Close to My Friends
C151246	FAC016-I Feel Close to My Partner	FAC016-I Feel Close to My Partner	Functional Assessment of Cancer Therapy-Lung Version 4 - Social/Family Well-Being: I feel close to my partner (or the person who is my main support).	FACT-L Version 4 - I Feel Close to My Partner
C151239	FAC016-I Feel Ill	FAC016-I Feel Ill	Functional Assessment of Cancer Therapy-Lung Version 4 - Physical Well-Being: I feel ill.	FACT-L Version 4 - I Feel Ill
C151251	FAC016-I Feel Nervous	FAC016-I Feel Nervous	Functional Assessment of Cancer Therapy-Lung Version 4 - Emotional Well-Being: I feel nervous.	FACT-L Version 4 - I Feel Nervous
C151248	FAC016-I Feel Sad	FAC016-I Feel Sad	Functional Assessment of Cancer Therapy-Lung Version 4 - Emotional Well-Being: I feel sad.	FACT-L Version 4 - I Feel Sad
C151267	FAC016-I Feel Tightness in My Chest	FAC016-I Feel Tightness in My Chest	Functional Assessment of Cancer Therapy-Lung Version 4 - Additional Concerns: I feel tightness in my chest.	FACT-L Version 4 - I Feel Tightness in My Chest
C151243	FAC016-I Get Support From My Friends	FAC016-I Get Support From My Friends	Functional Assessment of Cancer Therapy-Lung Version 4 - Social/Family Well-Being: I get support from my friends.	FACT-L Version 4 - I Get Support From My Friends
C151266	FAC016-I Have a Good Appetite	FAC016-I Have a Good Appetite	Functional Assessment of Cancer Therapy-Lung Version 4 - Additional Concerns: I have a good appetite.	FACT-L Version 4 - I Have a Good Appetite
C151234	FAC016-I Have a Lack of Energy	FAC016-I Have a Lack of Energy	Functional Assessment of Cancer Therapy-Lung Version 4 - Physical Well-Being: I have a lack of energy.	FACT-L Version 4 - I Have a Lack of Energy
C151257	FAC016-I Have Accepted My Illness	FAC016-I Have Accepted My Illness	Functional Assessment of Cancer Therapy-Lung Version 4 - Functional Well-Being: I have accepted my illness.	FACT-L Version 4 - I Have Accepted My Illness
C151264	FAC016-I Have Been Coughing	FAC016-I Have Been Coughing	Functional Assessment of Cancer Therapy-Lung Version 4 - Additional Concerns: I have been coughing.	FACT-L Version 4 - I Have Been Coughing
C151261	FAC016-I Have Been Short of Breath	FAC016-I Have Been Short of Breath	Functional Assessment of Cancer Therapy-Lung Version 4 - Additional Concerns: I have been short of breath.	FACT-L Version 4 - I Have Been Short of Breath
C151235	FAC016-I Have Nausea	FAC016-I Have Nausea	Functional Assessment of Cancer Therapy-Lung Version 4 - Physical Well-Being: I have nausea.	FACT-L Version 4 - I Have Nausea

FACT-L Lung Version 4 Items				
C151237	FAC016-I Have Pain	FAC016-I Have Pain	Functional Assessment of Cancer Therapy-Lung Version 4 - Physical Well-Being: I have pain.	FACT-L Version 4 - I Have Pain
C151270	FAC016-I Regret My Smoking	FAC016-I Regret My Smoking	Functional Assessment of Cancer Therapy-Lung Version 4 - Additional Concerns: I regret my smoking.	FACT-L Version 4 - I Regret My Smoking
C151252	FAC016-I Worry About Dying	FAC016-I Worry About Dying	Functional Assessment of Cancer Therapy-Lung Version 4 - Emotional Well-Being: I worry about dying.	FACT-L Version 4 - I Worry About Dying
C151250	FAC016-Losing Hope Against Illness	FAC016-Losing Hope Against Illness	Functional Assessment of Cancer Therapy-Lung Version 4 - Emotional Well-Being: I am losing hope in the fight against my illness.	FACT-L Version 4 - Losing Hope Against Illness
C151244	FAC016-My Family Has Accepted My Illness	FAC016-My Family Has Accepted My Illness	Functional Assessment of Cancer Therapy-Lung Version 4 - Social/Family Well-Being: My family has accepted my illness.	FACT-L Version 4 - My Family Has Accepted My Illness
C151263	FAC016-My Thinking Is Clear	FAC016-My Thinking Is Clear	Functional Assessment of Cancer Therapy-Lung Version 4 - Additional Concerns: My thinking is clear.	FACT-L Version 4 - My Thinking Is Clear
C151255	FAC016-My Work Is Fulfilling	FAC016-My Work Is Fulfilling	Functional Assessment of Cancer Therapy-Lung Version 4 - Functional Well-Being: My work (include work at home) is fulfilling.	FACT-L Version 4 - My Work Is Fulfilling
C151245	FAC016-Satisfied Communication Illness	FAC016-Satisfied Communication Illness	Functional Assessment of Cancer Therapy-Lung Version 4 - Social/Family Well-Being: I am satisfied with family communication about my illness.	FACT-L Version 4 - Satisfied Communication Illness
C151249	FAC016-Satisfied With How I Am Coping	FAC016-Satisfied With How I Am Coping	Functional Assessment of Cancer Therapy-Lung Version 4 - Emotional Well-Being: I am satisfied with how I am coping with my illness.	FACT-L Version 4 - Satisfied With How I Am Coping
C151236	FAC016-Trouble Meeting Needs of Family	FAC016-Trouble Meeting Needs of Family	Functional Assessment of Cancer Therapy-Lung Version 4 - Physical Well-Being: Because of my physical condition, I have trouble meeting the needs of my family.	FACT-L Version 4 - Trouble Meeting Needs of Family
C151253	FAC016-Worry My Condition Will Get Worse	FAC016-Worry My Condition Will Get Worse	Functional Assessment of Cancer Therapy-Lung Version 4 - Emotional Well-Being: I worry that my condition will get worse.	FACT-L Version 4 - Worry My Condition Will Get Worse

C130414	FAC01701	FAC017-I Have a Lack of Energy	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Physical Well-Being: I have a lack of energy.	FACT-LEU Version 4 - I Have a Lack of Energy
C130415	FAC01702	FAC017-I Have Nausea	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Physical Well-Being: I have nausea.	FACT-LEU Version 4 - I Have Nausea
C130416	FAC01703	FAC017-Trouble Meeting Needs of Family	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Physical Well-Being: Because of my physical condition, I have trouble meeting the needs of my family.	FACT-LEU Version 4 - Trouble Meeting Needs of Family
C130417	FAC01704	FAC017-I Have Pain	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Physical Well-Being: I have pain.	FACT-LEU Version 4 - I Have Pain
C130418	FAC01705	FAC017-Bothered by Treatment Side Effect	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Physical Well-Being: I am bothered by side effects of treatment.	FACT-LEU Version 4 - Bothered by Treatment Side Effect
C130419	FAC01706	FAC017-I Feel Ill	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Physical Well-Being: I feel ill.	FACT-LEU Version 4 - I Feel Ill
C130420	FAC01707	FAC017-I Am Forced to Spend Time in Bed	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Physical Well-Being: I am forced to spend time in bed.	FACT-LEU Version 4 - I Am Forced to Spend Time in Bed
C130421	FAC01708	FAC017-I Feel Close to My Friends	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Social/Family Well-Being: I feel close to my friends.	FACT-LEU Version 4 - I Feel Close to My Friends
C130422	FAC01709	FAC017-Get Emotional Support From Family	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Social/Family Well-Being: I get emotional support from my family.	FACT-LEU Version 4 - Get Emotional Support From Family
C130423	FAC01710	FAC017-I Get Support From My Friends	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Social/Family Well-Being: I get support from my friends.	FACT-LEU Version 4 - I Get Support From My Friends
C130424	FAC01711	FAC017-My Family Has Accepted My Illness	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Social/Family Well-Being: My family has accepted my illness.	FACT-LEU Version 4 - My Family Has Accepted My Illness
C130425	FAC01712	FAC017-Satisfied Communication Illness	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Social/Family Well-Being: I am satisfied with family communication about my illness.	FACT-LEU Version 4 - Satisfied Communication Illness
C130426	FAC01713	FAC017-I Feel Close to My Partner	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Social/Family Well-Being: I feel close to my partner (or the person who is my main support).	FACT-LEU Version 4 - I Feel Close to My Partner
C130427	FAC01714	FAC017-I Am Satisfied With My Sex Life	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Social/Family Well-Being: I am satisfied with my sex life.	FACT-LEU Version 4 - I Am Satisfied With My Sex Life
C130428	FAC01715	FAC017-I Feel Sad	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Emotional Well-Being: I feel sad.	FACT-LEU Version 4 - I Feel Sad
C130429	FAC01716	FAC017-Satisfied With How I Am Coping	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Emotional Well-Being: I am satisfied with how I am coping with my illness.	FACT-LEU Version 4 - Satisfied With How I Am Coping
C130430	FAC01717	FAC017-Losing Hope Against Illness	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Emotional Well-Being: I am losing hope in the fight against my illness.	FACT-LEU Version 4 - Losing Hope Against Illness
C130431	FAC01718	FAC017-I Feel Nervous	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Emotional Well-Being: I feel nervous.	FACT-LEU Version 4 - I Feel Nervous
C130432	FAC01719	FAC017-I Worry About Dying	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Emotional Well-Being: I worry about dying.	FACT-LEU Version 4 - I Worry About Dying
C130433	FAC01720	FAC017-Worry My Condition Will Get Worse	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Emotional Well-Being: I worry that my condition will get worse.	FACT-LEU Version 4 - Worry My Condition Will Get Worse
C130434	FAC01721	FAC017-I Am Able to Work	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Functional Well-Being: I am able to work (include work at home).	FACT-LEU Version 4 - I Am Able to Work
C130435	FAC01722	FAC017-My Work Is Fulfilling	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Functional Well-Being: My work (include work at home) is fulfilling.	FACT-LEU Version 4 - My Work Is Fulfilling
C130436	FAC01723	FAC017-I Am Able to Enjoy Life	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Functional Well-Being: I am able to enjoy life.	FACT-LEU Version 4 - I Am Able to Enjoy Life
C130437	FAC01724	FAC017-I Have Accepted My Illness	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Functional Well-Being: I have accepted my illness.	FACT-LEU Version 4 - I Have Accepted My Illness

FACT-LEU Version 4 - I Am Sleeping Well				
C130438	FAC01725	FAC017-I Am Sleeping Well	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Functional Well-Being: I am sleeping well.	FACT-LEU Version 4 - I Am Sleeping Well
C130439	FAC01726	FAC017-Enjoy Things I Usually Do for Fun	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Functional Well-Being: I am enjoying the things I usually do for fun.	FACT-LEU Version 4 - Enjoy Things I Usually Do for Fun
C130440	FAC01727	FAC017-Content With Quality of My Life	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Functional Well-Being: I am content with the quality of my life right now.	FACT-LEU Version 4 - Content With Quality of My Life
C130441	FAC01728	FAC017-I Am Bothered by Fevers	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I am bothered by fevers (episodes of high body temperature).	FACT-LEU Version 4 - I Am Bothered by Fevers
C130442	FAC01729	FAC017-Certain Parts of Body Have Pain	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I have certain parts of my body where I experience pain.	FACT-LEU Version 4 - Certain Parts of Body Have Pain
C130443	FAC01730	FAC017-I Am Bothered by the Chills	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I am bothered by the chills.	FACT-LEU Version 4 - I Am Bothered by the Chills
C130444	FAC01731	FAC017-I Have Night Sweats	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I have night sweats.	FACT-LEU Version 4 - I Have Night Sweats
C130445	FAC01732	FAC017-Bothered by Lumps or Swelling	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I am bothered by lumps or swelling in certain parts of my body (e.g., neck, armpits, or groin).	FACT-LEU Version 4 - Bothered by Lumps or Swelling
C130446	FAC01733	FAC017-I Bleed Easily	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I bleed easily.	FACT-LEU Version 4 - I Bleed Easily
C130447	FAC01734	FAC017-I Bruise Easily	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I bruise easily.	FACT-LEU Version 4 - I Bruise Easily
C130448	FAC01735	FAC017-I Feel Weak All Over	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I feel weak all over.	FACT-LEU Version 4 - I Feel Weak All Over
C130449	FAC01736	FAC017-I Get Tired Easily	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I get tired easily.	FACT-LEU Version 4 - I Get Tired Easily
C130450	FAC01737	FAC017-I Am Losing Weight	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I am losing weight.	FACT-LEU Version 4 - I Am Losing Weight
C130451	FAC01738	FAC017-I Have a Good Appetite	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I have a good appetite.	FACT-LEU Version 4 - I Have a Good Appetite
C130452	FAC01739	FAC017-Able to Do My Usual Activities	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I am able to do my usual activities.	FACT-LEU Version 4 - Able to Do My Usual Activities
C130453	FAC01740	FAC017-I Worry About Getting Infections	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I worry about getting infections.	FACT-LEU Version 4 - I Worry About Getting Infections
C130454	FAC01741	FAC017-Uncertain About My Future Health	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I feel uncertain about my future health.	FACT-LEU Version 4 - Uncertain About My Future Health
C130455	FAC01742	FAC017-Worry I Might Get New Symptoms	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I worry that I might get new symptoms of my illness.	FACT-LEU Version 4 - Worry I Might Get New Symptoms
C130456	FAC01743	FAC017-I Have Emotional Ups and Downs	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I have emotional ups and downs.	FACT-LEU Version 4 - I Have Emotional Ups and Downs
C130457	FAC01744	FAC017-Feel Isolated Because of Illness	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I feel isolated from others because of my illness or treatment.	FACT-LEU Version 4 - Feel Isolated Because of Illness

C130452	FAC017-Able to Do My Usual Activities	FAC017-Able to Do My Usual Activities	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I am able to do my usual activities.	FACT-LEU Version 4 - Able to Do My Usual Activities
C130445	FAC017-Bothered by Lumps or Swelling	FAC017-Bothered by Lumps or Swelling	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I am bothered by lumps or swelling in certain parts of my body (e.g., neck, armpits, or groin).	FACT-LEU Version 4 - Bothered by Lumps or Swelling
C130418	FAC017-Bothered by Treatment Side Effect	FAC017-Bothered by Treatment Side Effect	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Physical Well-Being: I am bothered by side effects of treatment.	FACT-LEU Version 4 - Bothered by Treatment Side Effect
C130442	FAC017-Certain Parts of Body Have Pain	FAC017-Certain Parts of Body Have Pain	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I have certain parts of my body where I experience pain.	FACT-LEU Version 4 - Certain Parts of Body Have Pain
C130440	FAC017-Content With Quality of My Life	FAC017-Content With Quality of My Life	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Functional Well-Being: I am content with the quality of my life right now.	FACT-LEU Version 4 - Content With Quality of My Life
C130439	FAC017-Enjoy Things I Usually Do for Fun	FAC017-Enjoy Things I Usually Do for Fun	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Functional Well-Being: I am enjoying the things I usually do for fun.	FACT-LEU Version 4 - Enjoy Things I Usually Do for Fun
C130457	FAC017-Feel Isolated Because of Illness	FAC017-Feel Isolated Because of Illness	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I feel isolated from others because of my illness or treatment.	FACT-LEU Version 4 - Feel Isolated Because of Illness
C130422	FAC017-Get Emotional Support From Family	FAC017-Get Emotional Support From Family	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Social/Family Well-Being: I get emotional support from my family.	FACT-LEU Version 4 - Get Emotional Support From Family
C130436	FAC017-I Am Able to Enjoy Life	FAC017-I Am Able to Enjoy Life	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Functional Well-Being: I am able to enjoy life.	FACT-LEU Version 4 - I Am Able to Enjoy Life
C130434	FAC017-I Am Able to Work	FAC017-I Am Able to Work	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Functional Well-Being: I am able to work (include work at home).	FACT-LEU Version 4 - I Am Able to Work
C130441	FAC017-I Am Bothered by Fevers	FAC017-I Am Bothered by Fevers	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I am bothered by fevers (episodes of high body temperature).	FACT-LEU Version 4 - I Am Bothered by Fevers
C130443	FAC017-I Am Bothered by the Chills	FAC017-I Am Bothered by the Chills	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I am bothered by the chills.	FACT-LEU Version 4 - I Am Bothered by the Chills
C130420	FAC017-I Am Forced to Spend Time in Bed	FAC017-I Am Forced to Spend Time in Bed	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Physical Well-Being: I am forced to spend time in bed.	FACT-LEU Version 4 - I Am Forced to Spend Time in Bed
C130450	FAC017-I Am Losing Weight	FAC017-I Am Losing Weight	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I am losing weight.	FACT-LEU Version 4 - I Am Losing Weight
C130427	FAC017-I Am Satisfied With My Sex Life	FAC017-I Am Satisfied With My Sex Life	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Social/Family Well-Being: I am satisfied with my sex life.	FACT-LEU Version 4 - I Am Satisfied With My Sex Life
C130438	FAC017-I Am Sleeping Well	FAC017-I Am Sleeping Well	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Functional Well-Being: I am sleeping well.	FACT-LEU Version 4 - I Am Sleeping Well
C130446	FAC017-I Bleed Easily	FAC017-I Bleed Easily	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I bleed easily.	FACT-LEU Version 4 - I Bleed Easily
C130447	FAC017-I Bruise Easily	FAC017-I Bruise Easily	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I bruise easily.	FACT-LEU Version 4 - I Bruise Easily
C130421	FAC017-I Feel Close to My Friends	FAC017-I Feel Close to My Friends	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Social/Family Well-Being: I feel close to my friends.	FACT-LEU Version 4 - I Feel Close to My Friends
C130426	FAC017-I Feel Close to My Partner	FAC017-I Feel Close to My Partner	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Social/Family Well-Being: I feel close to my partner (or the person who is my main support).	FACT-LEU Version 4 - I Feel Close to My Partner
C130419	FAC017-I Feel Ill	FAC017-I Feel Ill	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Physical Well-Being: I feel ill.	FACT-LEU Version 4 - I Feel Ill
C130431	FAC017-I Feel Nervous	FAC017-I Feel Nervous	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Emotional Well-Being: I feel nervous.	FACT-LEU Version 4 - I Feel Nervous
C130428	FAC017-I Feel Sad	FAC017-I Feel Sad	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Emotional Well-Being: I feel sad.	FACT-LEU Version 4 - I Feel Sad
C130448	FAC017-I Feel Weak All Over	FAC017-I Feel Weak All Over	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I feel weak all over.	FACT-LEU Version 4 - I Feel Weak All Over

FACT-LEU Version 4 - I Get Support From My Friends				
C130423	FAC017-I Get Support From My Friends	FAC017-I Get Support From My Friends	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Social/Family Well-Being: I get support from my friends.	FACT-LEU Version 4 - I Get Support From My Friends
C130449	FAC017-I Get Tired Easily	FAC017-I Get Tired Easily	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I get tired easily.	FACT-LEU Version 4 - I Get Tired Easily
C130451	FAC017-I Have a Good Appetite	FAC017-I Have a Good Appetite	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I have a good appetite.	FACT-LEU Version 4 - I Have a Good Appetite
C130414	FAC017-I Have a Lack of Energy	FAC017-I Have a Lack of Energy	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Physical Well-Being: I have a lack of energy.	FACT-LEU Version 4 - I Have a Lack of Energy
C130437	FAC017-I Have Accepted My Illness	FAC017-I Have Accepted My Illness	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Functional Well-Being: I have accepted my illness.	FACT-LEU Version 4 - I Have Accepted My Illness
C130456	FAC017-I Have Emotional Ups and Downs	FAC017-I Have Emotional Ups and Downs	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I have emotional ups and downs.	FACT-LEU Version 4 - I Have Emotional Ups and Downs
C130415	FAC017-I Have Nausea	FAC017-I Have Nausea	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Physical Well-Being: I have nausea.	FACT-LEU Version 4 - I Have Nausea
C130444	FAC017-I Have Night Sweats	FAC017-I Have Night Sweats	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I have night sweats.	FACT-LEU Version 4 - I Have Night Sweats
C130417	FAC017-I Have Pain	FAC017-I Have Pain	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Physical Well-Being: I have pain.	FACT-LEU Version 4 - I Have Pain
C130432	FAC017-I Worry About Dying	FAC017-I Worry About Dying	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Emotional Well-Being: I worry about dying.	FACT-LEU Version 4 - I Worry About Dying
C130453	FAC017-I Worry About Getting Infections	FAC017-I Worry About Getting Infections	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I worry about getting infections.	FACT-LEU Version 4 - I Worry About Getting Infections
C130430	FAC017-Losing Hope Against Illness	FAC017-Losing Hope Against Illness	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Emotional Well-Being: I am losing hope in the fight against my illness.	FACT-LEU Version 4 - Losing Hope Against Illness
C130424	FAC017-My Family Has Accepted My Illness	FAC017-My Family Has Accepted My Illness	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Social/Family Well-Being: My family has accepted my illness.	FACT-LEU Version 4 - My Family Has Accepted My Illness
C130435	FAC017-My Work Is Fulfilling	FAC017-My Work Is Fulfilling	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Functional Well-Being: My work (include work at home) is fulfilling.	FACT-LEU Version 4 - My Work Is Fulfilling
C130425	FAC017-Satisfied Communication Illness	FAC017-Satisfied Communication Illness	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Social/Family Well-Being: I am satisfied with family communication about my illness.	FACT-LEU Version 4 - Satisfied Communication Illness
C130429	FAC017-Satisfied With How I Am Coping	FAC017-Satisfied With How I Am Coping	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Emotional Well-Being: I am satisfied with how I am coping with my illness.	FACT-LEU Version 4 - Satisfied With How I Am Coping
C130416	FAC017-Trouble Meeting Needs of Family	FAC017-Trouble Meeting Needs of Family	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Physical Well-Being: Because of my physical condition, I have trouble meeting the needs of my family.	FACT-LEU Version 4 - Trouble Meeting Needs of Family
C130454	FAC017-Uncertain About My Future Health	FAC017-Uncertain About My Future Health	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I feel uncertain about my future health.	FACT-LEU Version 4 - Uncertain About My Future Health
C130455	FAC017-Worry I Might Get New Symptoms	FAC017-Worry I Might Get New Symptoms	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I worry that I might get new symptoms of my illness.	FACT-LEU Version 4 - Worry I Might Get New Symptoms
C130433	FAC017-Worry My Condition Will Get Worse	FAC017-Worry My Condition Will Get Worse	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Emotional Well-Being: I worry that my condition will get worse.	FACT-LEU Version 4 - Worry My Condition Will Get Worse

C130503	FAC01801	FAC018-I Have a Lack of Energy	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Physical Well-Being: I have a lack of energy.	FACT-LYM Version 4 - I Have a Lack of Energy
C130504	FAC01802	FAC018-I Have Nausea	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Physical Well-Being: I have nausea.	FACT-LYM Version 4 - I Have Nausea
C130505	FAC01803	FAC018-Trouble Meeting Needs of Family	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Physical Well-Being: Because of my physical condition, I have trouble meeting the needs of my family.	FACT-LYM Version 4 - Trouble Meeting Needs of Family
C130506	FAC01804	FAC018-I Have Pain	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Physical Well-Being: I have pain.	FACT-LYM Version 4 - I Have Pain
C130507	FAC01805	FAC018-Bothered by Treatment Side Effect	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Physical Well-Being: I am bothered by side effects of treatment.	FACT-LYM Version 4 - Bothered by Treatment Side Effect
C130508	FAC01806	FAC018-I Feel Ill	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Physical Well-Being: I feel ill.	FACT-LYM Version 4 - I Feel Ill
C130509	FAC01807	FAC018-I Am Forced to Spend Time in Bed	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Physical Well-Being: I am forced to spend time in bed.	FACT-LYM Version 4 - I Am Forced to Spend Time in Bed
C130510	FAC01808	FAC018-I Feel Close to My Friends	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Social/Family Well-Being: I feel close to my friends.	FACT-LYM Version 4 - I Feel Close to My Friends
C130511	FAC01809	FAC018-Get Emotional Support From Family	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Social/Family Well-Being: I get emotional support from my family.	FACT-LYM Version 4 - Get Emotional Support From Family
C130512	FAC01810	FAC018-I Get Support From My Friends	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Social/Family Well-Being: I get support from my friends.	FACT-LYM Version 4 - I Get Support From My Friends
C130513	FAC01811	FAC018-My Family Has Accepted My Illness	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Social/Family Well-Being: My family has accepted my illness.	FACT-LYM Version 4 - My Family Has Accepted My Illness
C130514	FAC01812	FAC018-Satisfied Communication Illness	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Social/Family Well-Being: I am satisfied with family communication about my illness.	FACT-LYM Version 4 - Satisfied With Communication About Illness
C130515	FAC01813	FAC018-I Feel Close to My Partner	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Social/Family Well-Being: I feel close to my partner (or the person who is my main support).	FACT-LYM Version 4 - I Feel Close to My Partner
C130516	FAC01814	FAC018-I Am Satisfied With My Sex Life	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Social/Family Well-Being: I am satisfied with my sex life.	FACT-LYM Version 4 - I Am Satisfied With My Sex Life
C130517	FAC01815	FAC018-I Feel Sad	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Emotional Well-Being: I feel sad.	FACT-LYM Version 4 - I Feel Sad
C130518	FAC01816	FAC018-Satisfied With How I Am Coping	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Emotional Well-Being: I am satisfied with how I am coping with my illness.	FACT-LYM Version 4 - Satisfied With How I Am Coping
C130519	FAC01817	FAC018-Losing Hope Against Illness	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Emotional Well-Being: I am losing hope in the fight against my illness.	FACT-LYM Version 4 - Losing Hope Against Illness
C130520	FAC01818	FAC018-I Feel Nervous	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Emotional Well-Being: I feel nervous.	FACT-LYM Version 4 - I Feel Nervous
C130521	FAC01819	FAC018-I Worry About Dying	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Emotional Well-Being: I worry about dying.	FACT-LYM Version 4 - I Worry About Dying
C130522	FAC01820	FAC018-Worry My Condition Will Get Worse	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Emotional Well-Being: I worry that my condition will get worse.	FACT-LYM Version 4 - Worry My Condition Will Get Worse
C130523	FAC01821	FAC018-I Am Able to Work	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Functional Well-Being: I am able to work (include work at home).	FACT-LYM Version 4 - I Am Able to Work
C130524	FAC01822	FAC018-My Work Is Fulfilling	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Functional Well-Being: My work (include work at home) is fulfilling.	FACT-LYM Version 4 - My Work Is Fulfilling
C130525	FAC01823	FAC018-I Am Able to Enjoy Life	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Functional Well-Being: I am able to enjoy life.	FACT-LYM Version 4 - I Am Able to Enjoy Life
C130526	FAC01824	FAC018-I Have Accepted My Illness	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Functional Well-Being: I have accepted my illness.	FACT-LYM Version 4 - I Have Accepted My Illness

Functional Assessment of Cancer Therapy-Lymphoma Version 4 - FACT-LYM Version 4				
C130527	FAC01825	FAC018-I Am Sleeping Well	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Functional Well-Being: I am sleeping well.	FACT-LYM Version 4 - I Am Sleeping Well
C130528	FAC01826	FAC018-Enjoy Things I Usually Do for Fun	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Functional Well-Being: I am enjoying the things I usually do for fun.	FACT-LYM Version 4 - Enjoy Things I Usually Do for Fun
C130529	FAC01827	FAC018-Content With Quality of My Life	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Functional Well-Being: I am content with the quality of my life right now.	FACT-LYM Version 4 - Content With Quality of My Life
C130530	FAC01828	FAC018-Certain Parts of Body Have Pain	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: I have certain parts of my body where I experience pain.	FACT-LYM Version 4 - Certain Parts of Body Have Pain
C130531	FAC01829	FAC018-Bothered by Lumps or Swelling	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: I am bothered by lumps or swelling in certain parts of my body (e.g., neck, armpits, or groin).	FACT-LYM Version 4 - Bothered by Lumps or Swelling
C130532	FAC01830	FAC018-I Am Bothered by Fevers	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: I am bothered by fevers (episodes of high body temperature).	FACT-LYM Version 4 - I Am Bothered by Fevers
C130533	FAC01831	FAC018-I Have Night Sweats	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: I have night sweats.	FACT-LYM Version 4 - I Have Night Sweats
C130534	FAC01832	FAC018-I Am Bothered by Itching	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: I am bothered by itching.	FACT-LYM Version 4 - I Am Bothered by Itching
C130535	FAC01833	FAC018-I Have Trouble Sleeping at Night	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: I have trouble sleeping at night.	FACT-LYM Version 4 - I Have Trouble Sleeping at Night
C130536	FAC01834	FAC018-I Get Tired Easily	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: I get tired easily.	FACT-LYM Version 4 - I Get Tired Easily
C130537	FAC01835	FAC018-I Am Losing Weight	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: I am losing weight.	FACT-LYM Version 4 - I Am Losing Weight
C130538	FAC01836	FAC018-I Have a Loss of Appetite	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: I have a loss of appetite.	FACT-LYM Version 4 - I Have a Loss of Appetite
C130539	FAC01837	FAC018-I Have Trouble Concentrating	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: I have trouble concentrating.	FACT-LYM Version 4 - I Have Trouble Concentrating
C130540	FAC01838	FAC018-I Worry About Getting Infections	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: I worry about getting infections.	FACT-LYM Version 4 - I Worry About Getting Infections
C130541	FAC01839	FAC018-Worry I Might Get New Symptoms	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: I worry that I might get new symptoms of my illness.	FACT-LYM Version 4 - Worry I Might Get New Symptoms
C130542	FAC01840	FAC018-Feel Isolated Because of Illness	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: I feel isolated from others because of my illness or treatment.	FACT-LYM Version 4 - Feel Isolated Because of Illness
C130543	FAC01841	FAC018-I Have Emotional Ups and Downs	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: I have emotional ups and downs.	FACT-LYM Version 4 - I Have Emotional Ups and Downs
C130544	FAC01842	FAC018-Difficulty Planning for Future	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: Because of my illness, I have difficulty planning for the future.	FACT-LYM Version 4 - Difficulty Planning for Future

C130531	FAC018-Bothered by Lumps or Swelling	FAC018-Bothered by Lumps or Swelling	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: I am bothered by lumps or swelling in certain parts of my body (e.g., neck, armpits, or groin).	FACT-LYM Version 4 - Bothered by Lumps or Swelling
C130507	FAC018-Bothered by Treatment Side Effect	FAC018-Bothered by Treatment Side Effect	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Physical Well-Being: I am bothered by side effects of treatment.	FACT-LYM Version 4 - Bothered by Treatment Side Effect
C130530	FAC018-Certain Parts of Body Have Pain	FAC018-Certain Parts of Body Have Pain	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: I have certain parts of my body where I experience pain.	FACT-LYM Version 4 - Certain Parts of Body Have Pain
C130529	FAC018-Content With Quality of My Life	FAC018-Content With Quality of My Life	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Functional Well-Being: I am content with the quality of my life right now.	FACT-LYM Version 4 - Content With Quality of My Life
C130544	FAC018-Difficulty Planning for Future	FAC018-Difficulty Planning for Future	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: Because of my illness, I have difficulty planning for the future.	FACT-LYM Version 4 - Difficulty Planning for Future
C130528	FAC018-Enjoy Things I Usually Do for Fun	FAC018-Enjoy Things I Usually Do for Fun	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Functional Well-Being: I am enjoying the things I usually do for fun.	FACT-LYM Version 4 - Enjoy Things I Usually Do for Fun
C130542	FAC018-Feel Isolated Because of Illness	FAC018-Feel Isolated Because of Illness	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: I feel isolated from others because of my illness or treatment.	FACT-LYM Version 4 - Feel Isolated Because of Illness
C130511	FAC018-Get Emotional Support From Family	FAC018-Get Emotional Support From Family	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Social/Family Well-Being: I get emotional support from my family.	FACT-LYM Version 4 - Get Emotional Support From Family
C130525	FAC018-I Am Able to Enjoy Life	FAC018-I Am Able to Enjoy Life	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Functional Well-Being: I am able to enjoy life.	FACT-LYM Version 4 - I Am Able to Enjoy Life
C130523	FAC018-I Am Able to Work	FAC018-I Am Able to Work	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Functional Well-Being: I am able to work (include work at home).	FACT-LYM Version 4 - I Am Able to Work
C130532	FAC018-I Am Bothered by Fevers	FAC018-I Am Bothered by Fevers	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: I am bothered by fevers (episodes of high body temperature).	FACT-LYM Version 4 - I Am Bothered by Fevers
C130534	FAC018-I Am Bothered by Itching	FAC018-I Am Bothered by Itching	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: I am bothered by itching.	FACT-LYM Version 4 - I Am Bothered by Itching
C130509	FAC018-I Am Forced to Spend Time in Bed	FAC018-I Am Forced to Spend Time in Bed	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Physical Well-Being: I am forced to spend time in bed.	FACT-LYM Version 4 - I Am Forced to Spend Time in Bed
C130537	FAC018-I Am Losing Weight	FAC018-I Am Losing Weight	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: I am losing weight.	FACT-LYM Version 4 - I Am Losing Weight
C130516	FAC018-I Am Satisfied With My Sex Life	FAC018-I Am Satisfied With My Sex Life	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Social/Family Well-Being: I am satisfied with my sex life.	FACT-LYM Version 4 - I Am Satisfied With My Sex Life
C130527	FAC018-I Am Sleeping Well	FAC018-I Am Sleeping Well	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Functional Well-Being: I am sleeping well.	FACT-LYM Version 4 - I Am Sleeping Well
C130510	FAC018-I Feel Close to My Friends	FAC018-I Feel Close to My Friends	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Social/Family Well-Being: I feel close to my friends.	FACT-LYM Version 4 - I Feel Close to My Friends
C130515	FAC018-I Feel Close to My Partner	FAC018-I Feel Close to My Partner	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Social/Family Well-Being: I feel close to my partner (or the person who is my main support).	FACT-LYM Version 4 - I Feel Close to My Partner
C130508	FAC018-I Feel Ill	FAC018-I Feel Ill	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Physical Well-Being: I feel ill.	FACT-LYM Version 4 - I Feel Ill
C130520	FAC018-I Feel Nervous	FAC018-I Feel Nervous	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Emotional Well-Being: I feel nervous.	FACT-LYM Version 4 - I Feel Nervous
C130517	FAC018-I Feel Sad	FAC018-I Feel Sad	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Emotional Well-Being: I feel sad.	FACT-LYM Version 4 - I Feel Sad
C130512	FAC018-I Get Support From My Friends	FAC018-I Get Support From My Friends	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Social/Family Well-Being: I get support from my friends.	FACT-LYM Version 4 - I Get Support From My Friends
C130536	FAC018-I Get Tired Easily	FAC018-I Get Tired Easily	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: I get tired easily.	FACT-LYM Version 4 - I Get Tired Easily
C130503	FAC018-I Have a Lack of Energy	FAC018-I Have a Lack of Energy	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Physical Well-Being: I have a lack of energy.	FACT-LYM Version 4 - I Have a Lack of Energy

Functional Assessment of Cancer Therapy-Lymphoma Version 4 - FACT-LYM Version 4				
C130538	FAC018-I Have a Loss of Appetite	FAC018-I Have a Loss of Appetite	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: I have a loss of appetite.	FACT-LYM Version 4 - I Have a Loss of Appetite
C130526	FAC018-I Have Accepted My Illness	FAC018-I Have Accepted My Illness	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Functional Well-Being: I have accepted my illness.	FACT-LYM Version 4 - I Have Accepted My Illness
C130543	FAC018-I Have Emotional Ups and Downs	FAC018-I Have Emotional Ups and Downs	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: I have emotional ups and downs.	FACT-LYM Version 4 - I Have Emotional Ups and Downs
C130504	FAC018-I Have Nausea	FAC018-I Have Nausea	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Physical Well-Being: I have nausea.	FACT-LYM Version 4 - I Have Nausea
C130533	FAC018-I Have Night Sweats	FAC018-I Have Night Sweats	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: I have night sweats.	FACT-LYM Version 4 - I Have Night Sweats
C130506	FAC018-I Have Pain	FAC018-I Have Pain	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Physical Well-Being: I have pain.	FACT-LYM Version 4 - I Have Pain
C130539	FAC018-I Have Trouble Concentrating	FAC018-I Have Trouble Concentrating	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: I have trouble concentrating.	FACT-LYM Version 4 - I Have Trouble Concentrating
C130535	FAC018-I Have Trouble Sleeping at Night	FAC018-I Have Trouble Sleeping at Night	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: I have trouble sleeping at night.	FACT-LYM Version 4 - I Have Trouble Sleeping at Night
C130521	FAC018-I Worry About Dying	FAC018-I Worry About Dying	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Emotional Well-Being: I worry about dying.	FACT-LYM Version 4 - I Worry About Dying
C130540	FAC018-I Worry About Getting Infections	FAC018-I Worry About Getting Infections	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: I worry about getting infections.	FACT-LYM Version 4 - I Worry About Getting Infections
C130519	FAC018-Losing Hope Against Illness	FAC018-Losing Hope Against Illness	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Emotional Well-Being: I am losing hope in the fight against my illness.	FACT-LYM Version 4 - Losing Hope Against Illness
C130513	FAC018-My Family Has Accepted My Illness	FAC018-My Family Has Accepted My Illness	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Social/Family Well-Being: My family has accepted my illness.	FACT-LYM Version 4 - My Family Has Accepted My Illness
C130524	FAC018-My Work Is Fulfilling	FAC018-My Work Is Fulfilling	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Functional Well-Being: My work (include work at home) is fulfilling.	FACT-LYM Version 4 - My Work Is Fulfilling
C130514	FAC018-Satisfied Communication Illness	FAC018-Satisfied Communication Illness	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Social/Family Well-Being: I am satisfied with family communication about my illness.	FACT-LYM Version 4 - Satisfied With Communication About Illness
C130518	FAC018-Satisfied With How I Am Coping	FAC018-Satisfied With How I Am Coping	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Emotional Well-Being: I am satisfied with how I am coping with my illness.	FACT-LYM Version 4 - Satisfied With How I Am Coping
C130505	FAC018-Trouble Meeting Needs of Family	FAC018-Trouble Meeting Needs of Family	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Physical Well-Being: Because of my physical condition, I have trouble meeting the needs of my family.	FACT-LYM Version 4 - Trouble Meeting Needs of Family
C130541	FAC018-Worry I Might Get New Symptoms	FAC018-Worry I Might Get New Symptoms	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: I worry that I might get new symptoms of my illness.	FACT-LYM Version 4 - Worry I Might Get New Symptoms
C130522	FAC018-Worry My Condition Will Get Worse	FAC018-Worry My Condition Will Get Worse	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Emotional Well-Being: I worry that my condition will get worse.	FACT-LYM Version 4 - Worry My Condition Will Get Worse

C127465	FAC02301	FAC023-I Have a Lack of Energy	Functional Assessment of Cancer Therapy-Prostate Version 4 - Physical Well-Being: I have a lack of energy.	FACT-P Version 4 - I Have a Lack of Energy
C127466	FAC02302	FAC023-I Have Nausea	Functional Assessment of Cancer Therapy-Prostate Version 4 - Physical Well-Being: I have nausea.	FACT-P Version 4 - I Have Nausea
C127467	FAC02303	FAC023-Trouble Meeting Needs of Family	Functional Assessment of Cancer Therapy-Prostate Version 4 - Physical Well-Being: Because of my physical condition, I have trouble meeting the needs of my family.	FACT-P Version 4 - Trouble Meeting Needs of Family
C127468	FAC02304	FAC023-I Have Pain	Functional Assessment of Cancer Therapy-Prostate Version 4 - Physical Well-Being: I have pain.	FACT-P Version 4 - I Have Pain
C127469	FAC02305	FAC023-Bothered by Treatment Side Effect	Functional Assessment of Cancer Therapy-Prostate Version 4 - Physical Well-Being: I am bothered by side effects of treatment.	FACT-P Version 4 - Bothered by Treatment Side Effect
C127470	FAC02306	FAC023-I Feel Ill	Functional Assessment of Cancer Therapy-Prostate Version 4 - Physical Well-Being: I feel ill.	FACT-P Version 4 - I Feel Ill
C127471	FAC02307	FAC023-I Am Forced to Spend Time in Bed	Functional Assessment of Cancer Therapy-Prostate Version 4 - Physical Well-Being: I am forced to spend time in bed.	FACT-P Version 4 - I Am Forced to Spend Time in Bed
C127472	FAC02308	FAC023-I Feel Close to My Friends	Functional Assessment of Cancer Therapy-Prostate Version 4 - Social/Family Well-Being: I feel close to my friends.	FACT-P Version 4 - I Feel Close to My Friends
C127473	FAC02309	FAC023-Get Emotional Support From Family	Functional Assessment of Cancer Therapy-Prostate Version 4 - Social/Family Well-Being: I get emotional support from my family.	FACT-P Version 4 - Get Emotional Support From Family
C127474	FAC02310	FAC023-I Get Support From My Friends	Functional Assessment of Cancer Therapy-Prostate Version 4 - Social/Family Well-Being: I get support from my friends.	FACT-P Version 4 - I Get Support From My Friends
C127475	FAC02311	FAC023-My Family Has Accepted My Illness	Functional Assessment of Cancer Therapy-Prostate Version 4 - Social/Family Well-Being: My family has accepted my illness.	FACT-P Version 4 - My Family Has Accepted My Illness
C127476	FAC02312	FAC023-Satisfied Communication Illness	Functional Assessment of Cancer Therapy-Prostate Version 4 - Social/Family Well-Being: I am satisfied with family communication about my illness.	FACT-P Version 4 - Satisfied With Family Communication
C127477	FAC02313	FAC023-I Feel Close to My Partner	Functional Assessment of Cancer Therapy-Prostate Version 4 - Social/Family Well-Being: I feel close to my partner (or the person who is my main support).	FACT-P Version 4 - I Feel Close to My Partner
C127478	FAC02314	FAC023-I Am Satisfied With My Sex Life	Functional Assessment of Cancer Therapy-Prostate Version 4 - Social/Family Well-Being: I am satisfied with my sex life.	FACT-P Version 4 - I Am Satisfied With My Sex Life
C127479	FAC02315	FAC023-I Feel Sad	Functional Assessment of Cancer Therapy-Prostate Version 4 - Emotional Well-Being: I feel sad.	FACT-P Version 4 - I Feel Sad
C127480	FAC02316	FAC023-Satisfied With How I Am Coping	Functional Assessment of Cancer Therapy-Prostate Version 4 - Emotional Well-Being: I am satisfied with how I am coping with my illness.	FACT-P Version 4 - Satisfied With How I Am Coping
C127481	FAC02317	FAC023-Losing Hope Against Illness	Functional Assessment of Cancer Therapy-Prostate Version 4 - Emotional Well-Being: I am losing hope in the fight against my illness.	FACT-P Version 4 - Losing Hope Against Illness
C127482	FAC02318	FAC023-I Feel Nervous	Functional Assessment of Cancer Therapy-Prostate Version 4 - Emotional Well-Being: I feel nervous.	FACT-P Version 4 - I Feel Nervous
C127483	FAC02319	FAC023-I Worry About Dying	Functional Assessment of Cancer Therapy-Prostate Version 4 - Emotional Well-Being: I worry about dying.	FACT-P Version 4 - I Worry About Dying
C127484	FAC02320	FAC023-Worry My Condition Will Get Worse	Functional Assessment of Cancer Therapy-Prostate Version 4 - Emotional Well-Being: I worry that my condition will get worse.	FACT-P Version 4 - Worry My Condition Will Get Worse
C127485	FAC02321	FAC023-I Am Able to Work	Functional Assessment of Cancer Therapy-Prostate Version 4 - Functional Well-Being: I am able to work (include work at home).	FACT-P Version 4 - I Am Able to Work
C127486	FAC02322	FAC023-My Work Is Fulfilling	Functional Assessment of Cancer Therapy-Prostate Version 4 - Functional Well-Being: My work (include work at home) is fulfilling.	FACT-P Version 4 - My Work Is Fulfilling
C127487	FAC02323	FAC023-I Am Able to Enjoy Life	Functional Assessment of Cancer Therapy-Prostate Version 4 - Functional Well-Being: I am able to enjoy life.	FACT-P Version 4 - I Am Able to Enjoy Life
C127488	FAC02324	FAC023-I Have Accepted My Illness	Functional Assessment of Cancer Therapy-Prostate Version 4 - Functional Well-Being: I have accepted my illness.	FACT-P Version 4 - I Have Accepted My Illness
C127489	FAC02325	FAC023-I Am Sleeping Well	Functional Assessment of Cancer Therapy-Prostate Version 4 - Functional Well-Being: I am sleeping well.	FACT-P Version 4 - I Am Sleeping Well

Functional Assessment of Cancer Therapy-Prostate Version 4 - Additional Concerns				
C127490	FAC02326	FAC023-Enjoy Things I Usually Do for Fun	Functional Assessment of Cancer Therapy-Prostate Version 4 - Functional Well-Being: I am enjoying the things I usually do for fun.	FACT-P Version 4 - Enjoy Things I Usually Do for Fun
C127491	FAC02327	FAC023-Content With Quality of My Life	Functional Assessment of Cancer Therapy-Prostate Version 4 - Functional Well-Being: I am content with the quality of my life right now.	FACT-P Version 4 - Content With Quality of My Life
C127492	FAC02328	FAC023-I Am Losing Weight	Functional Assessment of Cancer Therapy-Prostate Version 4 - Additional Concerns: I am losing weight.	FACT-P Version 4 - I Am Losing Weight
C127493	FAC02329	FAC023-I Have a Good Appetite	Functional Assessment of Cancer Therapy-Prostate Version 4 - Additional Concerns: I have a good appetite.	FACT-P Version 4 - I Have a Good Appetite
C127494	FAC02330	FAC023-Have Aches/Pains That Bother Me	Functional Assessment of Cancer Therapy-Prostate Version 4 - Additional Concerns: I have aches and pains that bother me.	FACT-P Version 4 - Have Aches and Pains That Bother Me
C127495	FAC02331	FAC023-Certain Parts of Body Have Pain	Functional Assessment of Cancer Therapy-Prostate Version 4 - Additional Concerns: I have certain parts of my body where I experience pain.	FACT-P Version 4 - Certain Parts of Body Experience Pain
C127496	FAC02332	FAC023-Pain Keeps Me From Doing Things	Functional Assessment of Cancer Therapy-Prostate Version 4 - Additional Concerns: My pain keeps me from doing things I want to do.	FACT-P Version 4 - Pain Keeps Me From Doing Things
C127497	FAC02333	FAC023-Satisfied With Comfort Level	Functional Assessment of Cancer Therapy-Prostate Version 4 - Additional Concerns: I am satisfied with my present comfort level.	FACT-P Version 4 - Satisfied With Comfort Level
C127498	FAC02334	FAC023-I Am Able to Feel Like a Man	Functional Assessment of Cancer Therapy-Prostate Version 4 - Additional Concerns: I am able to feel like a man.	FACT-P Version 4 - I Am Able to Feel Like a Man
C127499	FAC02335	FAC023-I Have Trouble Moving My Bowels	Functional Assessment of Cancer Therapy-Prostate Version 4 - Additional Concerns: I have trouble moving my bowels.	FACT-P Version 4 - I Have Trouble Moving My Bowels
C127500	FAC02336	FAC023-I Have Difficulty Urinating	Functional Assessment of Cancer Therapy-Prostate Version 4 - Additional Concerns: I have difficulty urinating.	FACT-P Version 4 - I Have Difficulty Urinating
C127501	FAC02337	FAC023-I Urinate More Frequently	Functional Assessment of Cancer Therapy-Prostate Version 4 - Additional Concerns: I urinate more frequently than usual.	FACT-P Version 4 - I Urinate More Frequently
C127502	FAC02338	FAC023-Problem Urinating Limits Activity	Functional Assessment of Cancer Therapy-Prostate Version 4 - Additional Concerns: My problems with urinating limit my activities.	FACT-P Version 4 - Problem Urinating Limits Activity
C127503	FAC02339	FAC023-Able to Have/Maintain Erection	Functional Assessment of Cancer Therapy-Prostate Version 4 - Additional Concerns: I am able to have and maintain an erection.	FACT-P Version 4 - Able to Have and Maintain an Erection

C127503	FAC023-Able to Have/Maintain Erection	FAC023-Able to Have/Maintain Erection	Functional Assessment of Cancer Therapy-Prostate Version 4 - Additional Concerns: I am able to have and maintain an erection.	FACT-P Version 4 - Able to Have and Maintain an Erection
C127469	FAC023-Bothered by Treatment Side Effect	FAC023-Bothered by Treatment Side Effect	Functional Assessment of Cancer Therapy-Prostate Version 4 - Physical Well-Being: I am bothered by side effects of treatment.	FACT-P Version 4 - Bothered by Treatment Side Effect
C127495	FAC023-Certain Parts of Body Have Pain	FAC023-Certain Parts of Body Have Pain	Functional Assessment of Cancer Therapy-Prostate Version 4 - Additional Concerns: I have certain parts of my body where I experience pain.	FACT-P Version 4 - Certain Parts of Body Experience Pain
C127491	FAC023-Content With Quality of My Life	FAC023-Content With Quality of My Life	Functional Assessment of Cancer Therapy-Prostate Version 4 - Functional Well-Being: I am content with the quality of my life right now.	FACT-P Version 4 - Content With Quality of My Life
C127490	FAC023-Enjoy Things I Usually Do for Fun	FAC023-Enjoy Things I Usually Do for Fun	Functional Assessment of Cancer Therapy-Prostate Version 4 - Functional Well-Being: I am enjoying the things I usually do for fun.	FACT-P Version 4 - Enjoy Things I Usually Do for Fun
C127473	FAC023-Get Emotional Support From Family	FAC023-Get Emotional Support From Family	Functional Assessment of Cancer Therapy-Prostate Version 4 - Social/Family Well-Being: I get emotional support from my family.	FACT-P Version 4 - Get Emotional Support From Family
C127494	FAC023-Have Aches/Pains That Bother Me	FAC023-Have Aches/Pains That Bother Me	Functional Assessment of Cancer Therapy-Prostate Version 4 - Additional Concerns: I have aches and pains that bother me.	FACT-P Version 4 - Have Aches and Pains That Bother Me
C127487	FAC023-I Am Able to Enjoy Life	FAC023-I Am Able to Enjoy Life	Functional Assessment of Cancer Therapy-Prostate Version 4 - Functional Well-Being: I am able to enjoy life.	FACT-P Version 4 - I Am Able to Enjoy Life
C127498	FAC023-I Am Able to Feel Like a Man	FAC023-I Am Able to Feel Like a Man	Functional Assessment of Cancer Therapy-Prostate Version 4 - Additional Concerns: I am able to feel like a man.	FACT-P Version 4 - I Am Able to Feel Like a Man
C127485	FAC023-I Am Able to Work	FAC023-I Am Able to Work	Functional Assessment of Cancer Therapy-Prostate Version 4 - Functional Well-Being: I am able to work (include work at home).	FACT-P Version 4 - I Am Able to Work
C127471	FAC023-I Am Forced to Spend Time in Bed	FAC023-I Am Forced to Spend Time in Bed	Functional Assessment of Cancer Therapy-Prostate Version 4 - Physical Well-Being: I am forced to spend time in bed.	FACT-P Version 4 - I Am Forced to Spend Time in Bed
C127492	FAC023-I Am Losing Weight	FAC023-I Am Losing Weight	Functional Assessment of Cancer Therapy-Prostate Version 4 - Additional Concerns: I am losing weight.	FACT-P Version 4 - I Am Losing Weight
C127478	FAC023-I Am Satisfied With My Sex Life	FAC023-I Am Satisfied With My Sex Life	Functional Assessment of Cancer Therapy-Prostate Version 4 - Social/Family Well-Being: I am satisfied with my sex life.	FACT-P Version 4 - I Am Satisfied With My Sex Life
C127489	FAC023-I Am Sleeping Well	FAC023-I Am Sleeping Well	Functional Assessment of Cancer Therapy-Prostate Version 4 - Functional Well-Being: I am sleeping well.	FACT-P Version 4 - I Am Sleeping Well
C127472	FAC023-I Feel Close to My Friends	FAC023-I Feel Close to My Friends	Functional Assessment of Cancer Therapy-Prostate Version 4 - Social/Family Well-Being: I feel close to my friends.	FACT-P Version 4 - I Feel Close to My Friends
C127477	FAC023-I Feel Close to My Partner	FAC023-I Feel Close to My Partner	Functional Assessment of Cancer Therapy-Prostate Version 4 - Social/Family Well-Being: I feel close to my partner (or the person who is my main support).	FACT-P Version 4 - I Feel Close to My Partner
C127470	FAC023-I Feel Ill	FAC023-I Feel Ill	Functional Assessment of Cancer Therapy-Prostate Version 4 - Physical Well-Being: I feel ill.	FACT-P Version 4 - I Feel Ill
C127482	FAC023-I Feel Nervous	FAC023-I Feel Nervous	Functional Assessment of Cancer Therapy-Prostate Version 4 - Emotional Well-Being: I feel nervous.	FACT-P Version 4 - I Feel Nervous
C127479	FAC023-I Feel Sad	FAC023-I Feel Sad	Functional Assessment of Cancer Therapy-Prostate Version 4 - Emotional Well-Being: I feel sad.	FACT-P Version 4 - I Feel Sad
C127474	FAC023-I Get Support From My Friends	FAC023-I Get Support From My Friends	Functional Assessment of Cancer Therapy-Prostate Version 4 - Social/Family Well-Being: I get support from my friends.	FACT-P Version 4 - I Get Support From My Friends
C127493	FAC023-I Have a Good Appetite	FAC023-I Have a Good Appetite	Functional Assessment of Cancer Therapy-Prostate Version 4 - Additional Concerns: I have a good appetite.	FACT-P Version 4 - I Have a Good Appetite
C127465	FAC023-I Have a Lack of Energy	FAC023-I Have a Lack of Energy	Functional Assessment of Cancer Therapy-Prostate Version 4 - Physical Well-Being: I have a lack of energy.	FACT-P Version 4 - I Have a Lack of Energy
C127488	FAC023-I Have Accepted My Illness	FAC023-I Have Accepted My Illness	Functional Assessment of Cancer Therapy-Prostate Version 4 - Functional Well-Being: I have accepted my illness.	FACT-P Version 4 - I Have Accepted My Illness
C127500	FAC023-I Have Difficulty Urinating	FAC023-I Have Difficulty Urinating	Functional Assessment of Cancer Therapy-Prostate Version 4 - Additional Concerns: I have difficulty urinating.	FACT-P Version 4 - I Have Difficulty Urinating
C127466	FAC023-I Have Nausea	FAC023-I Have Nausea	Functional Assessment of Cancer Therapy-Prostate Version 4 - Physical Well-Being: I have nausea.	FACT-P Version 4 - I Have Nausea

Functional Assessment of Cancer Therapy-Prostate Version 4 - Additional Concerns				
C127468	FAC023-I Have Pain	FAC023-I Have Pain	Functional Assessment of Cancer Therapy-Prostate Version 4 - Physical Well-Being: I have pain.	FACT-P Version 4 - I Have Pain
C127499	FAC023-I Have Trouble Moving My Bowels	FAC023-I Have Trouble Moving My Bowels	Functional Assessment of Cancer Therapy-Prostate Version 4 - Additional Concerns: I have trouble moving my bowels.	FACT-P Version 4 - I Have Trouble Moving My Bowels
C127501	FAC023-I Urinate More Frequently	FAC023-I Urinate More Frequently	Functional Assessment of Cancer Therapy-Prostate Version 4 - Additional Concerns: I urinate more frequently than usual.	FACT-P Version 4 - I Urinate More Frequently
C127483	FAC023-I Worry About Dying	FAC023-I Worry About Dying	Functional Assessment of Cancer Therapy-Prostate Version 4 - Emotional Well-Being: I worry about dying.	FACT-P Version 4 - I Worry About Dying
C127481	FAC023-Losing Hope Against Illness	FAC023-Losing Hope Against Illness	Functional Assessment of Cancer Therapy-Prostate Version 4 - Emotional Well-Being: I am losing hope in the fight against my illness.	FACT-P Version 4 - Losing Hope Against Illness
C127475	FAC023-My Family Has Accepted My Illness	FAC023-My Family Has Accepted My Illness	Functional Assessment of Cancer Therapy-Prostate Version 4 - Social/Family Well-Being: My family has accepted my illness.	FACT-P Version 4 - My Family Has Accepted My Illness
C127486	FAC023-My Work Is Fulfilling	FAC023-My Work Is Fulfilling	Functional Assessment of Cancer Therapy-Prostate Version 4 - Functional Well-Being: My work (include work at home) is fulfilling.	FACT-P Version 4 - My Work Is Fulfilling
C127496	FAC023-Pain Keeps Me From Doing Things	FAC023-Pain Keeps Me From Doing Things	Functional Assessment of Cancer Therapy-Prostate Version 4 - Additional Concerns: My pain keeps me from doing things I want to do.	FACT-P Version 4 - Pain Keeps Me From Doing Things
C127502	FAC023-Problem Urinating Limits Activity	FAC023-Problem Urinating Limits Activity	Functional Assessment of Cancer Therapy-Prostate Version 4 - Additional Concerns: My problems with urinating limit my activities.	FACT-P Version 4 - Problem Urinating Limits Activity
C127476	FAC023-Satisfied Communication Illness	FAC023-Satisfied Communication Illness	Functional Assessment of Cancer Therapy-Prostate Version 4 - Social/Family Well-Being: I am satisfied with family communication about my illness.	FACT-P Version 4 - Satisfied With Family Communication
C127497	FAC023-Satisfied With Comfort Level	FAC023-Satisfied With Comfort Level	Functional Assessment of Cancer Therapy-Prostate Version 4 - Additional Concerns: I am satisfied with my present comfort level.	FACT-P Version 4 - Satisfied With Comfort Level
C127480	FAC023-Satisfied With How I Am Coping	FAC023-Satisfied With How I Am Coping	Functional Assessment of Cancer Therapy-Prostate Version 4 - Emotional Well-Being: I am satisfied with how I am coping with my illness.	FACT-P Version 4 - Satisfied With How I Am Coping
C127467	FAC023-Trouble Meeting Needs of Family	FAC023-Trouble Meeting Needs of Family	Functional Assessment of Cancer Therapy-Prostate Version 4 - Physical Well-Being: Because of my physical condition, I have trouble meeting the needs of my family.	FACT-P Version 4 - Trouble Meeting Needs of Family
C127484	FAC023-Worry My Condition Will Get Worse	FAC023-Worry My Condition Will Get Worse	Functional Assessment of Cancer Therapy-Prostate Version 4 - Emotional Well-Being: I worry that my condition will get worse.	FACT-P Version 4 - Worry My Condition Will Get Worse

C129170	FAC02801	FAC028-I Have Pain	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I have pain.	NCCN-FACT FBLSI-18 Version 2 - I Have Pain
C129171	FAC02802	FAC028-I Am Losing Weight	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I am losing weight.	NCCN-FACT FBLSI-18 Version 2 - I Am Losing Weight
C129172	FAC02803	FAC028-Have Trouble Controlling My Urine	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I have trouble controlling my urine.	NCCN-FACT FBLSI-18 Version 2 - Have Trouble Controlling My Urine
C129173	FAC02804	FAC028-I Feel Weak All Over	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I feel weak all over.	NCCN-FACT FBLSI-18 Version 2 - I Feel Weak All Over
C129174	FAC02805	FAC028-I Feel Light-headed	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I feel light-headed (dizzy).	NCCN-FACT FBLSI-18 Version 2 - I Feel Light-headed
C129175	FAC02806	FAC028-Trouble Meeting Needs of Family	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - Because of my physical condition, I have trouble meeting the needs of my family.	NCCN-FACT FBLSI-18 Version 2 - Trouble Meeting Needs of Family
C129176	FAC02807	FAC028-I Have a Good Appetite	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I have a good appetite.	NCCN-FACT FBLSI-18 Version 2 - I Have a Good Appetite
C129177	FAC02808	FAC028-Able to Have/Maintain Erection	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - (For men only) I am able to have and maintain an erection.	NCCN-FACT FBLSI-18 Version 2 - Able to Have, Maintain Erection
C129178	FAC02809	FAC028-I Am Sleeping Well	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I am sleeping well.	NCCN-FACT FBLSI-18 Version 2 - I Am Sleeping Well
C129179	FAC02810	FAC028-Worry My Condition Will Get Worse	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I worry that my condition will get worse.	NCCN-FACT FBLSI-18 Version 2 - Worry My Condition Will Get Worse
C129180	FAC02811	FAC028-I Feel Sad	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I feel sad.	NCCN-FACT FBLSI-18 Version 2 - I Feel Sad
C129181	FAC02812	FAC028-I Have Nausea	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I have nausea.	NCCN-FACT FBLSI-18 Version 2 - I Have Nausea
C129182	FAC02813	FAC028-I Have a Lack of Energy	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I have a lack of energy.	NCCN-FACT FBLSI-18 Version 2 - I Have a Lack of Energy
C129183	FAC02814	FAC028-I Feel Ill	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I feel ill.	NCCN-FACT FBLSI-18 Version 2 - I Feel Ill
C129184	FAC02815	FAC028-I Have Control of My Bowels	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I have control of my bowels.	NCCN-FACT FBLSI-18 Version 2 - I Have Control of My Bowels
C129185	FAC02816	FAC028-Bothered by Treatment Side Effect	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I am bothered by side effects of treatment.	NCCN-FACT FBLSI-18 Version 2 - Bothered by Treatment Side Effect
C129186	FAC02817	FAC028-I Am Able to Enjoy Life	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I am able to enjoy life.	NCCN-FACT FBLSI-18 Version 2 - I Am Able to Enjoy Life
C129187	FAC02818	FAC028-Content With Quality of My Life	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I am content with the quality of my life right now.	NCCN-FACT FBLSI-18 Version 2 - Content With Quality of My Life

C129177	FAC028-Able to Have/Maintain Erection	FAC028-Able to Have/Maintain Erection	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - (For men only) I am able to have and maintain an erection.	NCCN-FACT FBLSI-18 Version 2 - Able to Have, Maintain Erection
C129185	FAC028-Bothered by Treatment Side Effect	FAC028-Bothered by Treatment Side Effect	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I am bothered by side effects of treatment.	NCCN-FACT FBLSI-18 Version 2 - Bothered by Treatment Side Effect
C129187	FAC028-Content With Quality of My Life	FAC028-Content With Quality of My Life	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I am content with the quality of my life right now.	NCCN-FACT FBLSI-18 Version 2 - Content With Quality of My Life
C129172	FAC028-Have Trouble Controlling My Urine	FAC028-Have Trouble Controlling My Urine	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I have trouble controlling my urine.	NCCN-FACT FBLSI-18 Version 2 - Have Trouble Controlling My Urine
C129186	FAC028-I Am Able to Enjoy Life	FAC028-I Am Able to Enjoy Life	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I am able to enjoy life.	NCCN-FACT FBLSI-18 Version 2 - I Am Able to Enjoy Life
C129171	FAC028-I Am Losing Weight	FAC028-I Am Losing Weight	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I am losing weight.	NCCN-FACT FBLSI-18 Version 2 - I Am Losing Weight
C129178	FAC028-I Am Sleeping Well	FAC028-I Am Sleeping Well	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I am sleeping well.	NCCN-FACT FBLSI-18 Version 2 - I Am Sleeping Well
C129183	FAC028-I Feel Ill	FAC028-I Feel Ill	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I feel ill.	NCCN-FACT FBLSI-18 Version 2 - I Feel Ill
C129174	FAC028-I Feel Light-headed	FAC028-I Feel Light-headed	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I feel light-headed (dizzy).	NCCN-FACT FBLSI-18 Version 2 - I Feel Light-headed
C129180	FAC028-I Feel Sad	FAC028-I Feel Sad	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I feel sad.	NCCN-FACT FBLSI-18 Version 2 - I Feel Sad
C129173	FAC028-I Feel Weak All Over	FAC028-I Feel Weak All Over	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I feel weak all over.	NCCN-FACT FBLSI-18 Version 2 - I Feel Weak All Over
C129176	FAC028-I Have a Good Appetite	FAC028-I Have a Good Appetite	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I have a good appetite.	NCCN-FACT FBLSI-18 Version 2 - I Have a Good Appetite
C129182	FAC028-I Have a Lack of Energy	FAC028-I Have a Lack of Energy	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I have a lack of energy.	NCCN-FACT FBLSI-18 Version 2 - I Have a Lack of Energy
C129184	FAC028-I Have Control of My Bowels	FAC028-I Have Control of My Bowels	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I have control of my bowels.	NCCN-FACT FBLSI-18 Version 2 - I Have Control of My Bowels
C129181	FAC028-I Have Nausea	FAC028-I Have Nausea	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I have nausea.	NCCN-FACT FBLSI-18 Version 2 - I Have Nausea
C129170	FAC028-I Have Pain	FAC028-I Have Pain	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I have pain.	NCCN-FACT FBLSI-18 Version 2 - I Have Pain
C129175	FAC028-Trouble Meeting Needs of Family	FAC028-Trouble Meeting Needs of Family	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - Because of my physical condition, I have trouble meeting the needs of my family.	NCCN-FACT FBLSI-18 Version 2 - Trouble Meeting Needs of Family
C129179	FAC028-Worry My Condition Will Get Worse	FAC028-Worry My Condition Will Get Worse	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I worry that my condition will get worse.	NCCN-FACT FBLSI-18 Version 2 - Worry My Condition Will Get Worse

C138429	FAC02901	FAC029-I Get Headaches	Functional Assessment of Cancer Therapy-Brain Symptom Index - I get headaches.	FBRSI - I Get Headaches
C138430	FAC02902	FAC029-I Have Had Seizures	Functional Assessment of Cancer Therapy-Brain Symptom Index - I have had seizures (convulsions).	FBRSI - I Have Had Seizures
C138431	FAC02903	FAC029-Have Weakness in My Arms or Legs	Functional Assessment of Cancer Therapy-Brain Symptom Index - I have weakness in my arms or legs.	FBRSI - Have Weakness in My Arms or Legs
C138432	FAC02904	FAC029-I Need Help in Caring for Myself	Functional Assessment of Cancer Therapy-Brain Symptom Index - I need help in caring for myself (bathing, dressing, eating, etc.).	FBRSI - I Need Help in Caring for Myself
C138433	FAC02905	FAC029-I Have a Lack of Energy	Functional Assessment of Cancer Therapy-Brain Symptom Index - I have a lack of energy.	FBRSI - I Have a Lack of Energy
C138434	FAC02906	FAC029-Difficulty Expressing My Thoughts	Functional Assessment of Cancer Therapy-Brain Symptom Index - I have difficulty expressing my thoughts.	FBRSI - Difficulty Expressing My Thoughts
C138435	FAC02907	FAC029-I Have Trouble With Coordination	Functional Assessment of Cancer Therapy-Brain Symptom Index - I have trouble with coordination.	FBRSI - I Have Trouble With Coordination
C138436	FAC02908	FAC029-Frustrated I Cannot Do Things	Functional Assessment of Cancer Therapy-Brain Symptom Index - I get frustrated that I cannot do things I used to.	FBRSI - Frustrated I Cannot Do Things
C138437	FAC02909	FAC029-I Have Nausea	Functional Assessment of Cancer Therapy-Brain Symptom Index - I have nausea.	FBRSI - I Have Nausea
C138438	FAC02910	FAC029-Able to Find the Right Words	Functional Assessment of Cancer Therapy-Brain Symptom Index - I am able to find the right word(s) to say what I mean.	FBRSI - Able to Find the Right Words
C138439	FAC02911	FAC029-Losing Hope Against Illness	Functional Assessment of Cancer Therapy-Brain Symptom Index - I am losing hope in the fight against my illness.	FBRSI - Losing Hope Against Illness
C138440	FAC02912	FAC029-Trouble Meeting Needs of Family	Functional Assessment of Cancer Therapy-Brain Symptom Index - Because of my physical condition, I have trouble meeting the needs of my family.	FBRSI - Trouble Meeting Needs of Family
C138441	FAC02913	FAC029-Worry My Condition Will Get Worse	Functional Assessment of Cancer Therapy-Brain Symptom Index - I worry that my condition will get worse.	FBRSI - Worry My Condition Will Get Worse
C138442	FAC02914	FAC029-I Am Afraid of Having a Seizure	Functional Assessment of Cancer Therapy-Brain Symptom Index - I am afraid of having a seizure (convulsion).	FBRSI - I Am Afraid of Having a Seizure
C138443	FAC02915	FAC029-I Am Able to Enjoy Life	Functional Assessment of Cancer Therapy-Brain Symptom Index - I am able to enjoy life.	FBRSI - I Am Able to Enjoy Life

C138438	FAC029-Able to Find the Right Words	FAC029-Able to Find the Right Words	Functional Assessment of Cancer Therapy-Brain Symptom Index - I am able to find the right word(s) to say what I mean.	FBRSI - Able to Find the Right Words
C138434	FAC029-Difficulty Expressing My Thoughts	FAC029-Difficulty Expressing My Thoughts	Functional Assessment of Cancer Therapy-Brain Symptom Index - I have difficulty expressing my thoughts.	FBRSI - Difficulty Expressing My Thoughts
C138436	FAC029-Frustrated I Cannot Do Things	FAC029-Frustrated I Cannot Do Things	Functional Assessment of Cancer Therapy-Brain Symptom Index - I get frustrated that I cannot do things I used to.	FBRSI - Frustrated I Cannot Do Things
C138431	FAC029-Have Weakness in My Arms or Legs	FAC029-Have Weakness in My Arms or Legs	Functional Assessment of Cancer Therapy-Brain Symptom Index - I have weakness in my arms or legs.	FBRSI - Have Weakness in My Arms or Legs
C138443	FAC029-I Am Able to Enjoy Life	FAC029-I Am Able to Enjoy Life	Functional Assessment of Cancer Therapy-Brain Symptom Index - I am able to enjoy life.	FBRSI - I Am Able to Enjoy Life
C138442	FAC029-I Am Afraid of Having a Seizure	FAC029-I Am Afraid of Having a Seizure	Functional Assessment of Cancer Therapy-Brain Symptom Index - I am afraid of having a seizure (convulsion).	FBRSI - I Am Afraid of Having a Seizure
C138429	FAC029-I Get Headaches	FAC029-I Get Headaches	Functional Assessment of Cancer Therapy-Brain Symptom Index - I get headaches.	FBRSI - I Get Headaches
C138433	FAC029-I Have a Lack of Energy	FAC029-I Have a Lack of Energy	Functional Assessment of Cancer Therapy-Brain Symptom Index - I have a lack of energy.	FBRSI - I Have a Lack of Energy
C138430	FAC029-I Have Had Seizures	FAC029-I Have Had Seizures	Functional Assessment of Cancer Therapy-Brain Symptom Index - I have had seizures (convulsions).	FBRSI - I Have Had Seizures
C138437	FAC029-I Have Nausea	FAC029-I Have Nausea	Functional Assessment of Cancer Therapy-Brain Symptom Index - I have nausea.	FBRSI - I Have Nausea
C138435	FAC029-I Have Trouble With Coordination	FAC029-I Have Trouble With Coordination	Functional Assessment of Cancer Therapy-Brain Symptom Index - I have trouble with coordination.	FBRSI - I Have Trouble With Coordination
C138432	FAC029-I Need Help in Caring for Myself	FAC029-I Need Help in Caring for Myself	Functional Assessment of Cancer Therapy-Brain Symptom Index - I need help in caring for myself (bathing, dressing, eating, etc.).	FBRSI - I Need Help in Caring for Myself
C138439	FAC029-Losing Hope Against Illness	FAC029-Losing Hope Against Illness	Functional Assessment of Cancer Therapy-Brain Symptom Index - I am losing hope in the fight against my illness.	FBRSI - Losing Hope Against Illness
C138440	FAC029-Trouble Meeting Needs of Family	FAC029-Trouble Meeting Needs of Family	Functional Assessment of Cancer Therapy-Brain Symptom Index - Because of my physical condition, I have trouble meeting the needs of my family.	FBRSI - Trouble Meeting Needs of Family
C138441	FAC029-Worry My Condition Will Get Worse	FAC029-Worry My Condition Will Get Worse	Functional Assessment of Cancer Therapy-Brain Symptom Index - I worry that my condition will get worse.	FBRSI - Worry My Condition Will Get Worse

C151280	FAC03001	FAC030-I Get Headaches	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Brain Symptom Index-24 Version 2 - I get headaches.	NCCN-FACT FBRSI-24 Version 2 - I Get Headaches
C151281	FAC03002	FAC030-I Have Trouble With Coordination	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Brain Symptom Index-24 Version 2 - I have trouble with coordination.	NCCN-FACT FBRSI-24 Version 2 - I Have Trouble With Coordination
C151282	FAC03003	FAC030-I Have Had Seizures	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Brain Symptom Index-24 Version 2 - I have had seizures (convulsions).	NCCN-FACT FBRSI-24 Version 2 - I Have Had Seizures
C151283	FAC03004	FAC030-I Need Help in Caring for Myself	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Brain Symptom Index-24 Version 2 - I need help in caring for myself (bathing, dressing, eating, etc.).	NCCN-FACT FBRSI-24 Version 2 - I Need Help in Caring for Myself
C151284	FAC03005	FAC030-Have Weakness in My Arms or Legs	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Brain Symptom Index-24 Version 2 - I have weakness in my arms or legs.	NCCN-FACT FBRSI-24 Version 2 - Have Weakness in My Arms or Legs
C151285	FAC03006	FAC030-I Am Losing Weight	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Brain Symptom Index-24 Version 2 - I am losing weight.	NCCN-FACT FBRSI-24 Version 2 - I Am Losing Weight
C151286	FAC03007	FAC030-Trouble Meeting Needs of Family	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Brain Symptom Index-24 Version 2 - Because of my physical condition, I have trouble meeting the needs of my family.	NCCN-FACT FBRSI-24 Version 2 - Trouble Meeting Needs of Family
C151287	FAC03008	FAC030-Difficulty Expressing My Thoughts	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Brain Symptom Index-24 Version 2 - I have difficulty expressing my thoughts.	NCCN-FACT FBRSI-24 Version 2 - Difficulty Expressing My Thoughts
C151288	FAC03009	FAC030-I Am Sleeping Well	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Brain Symptom Index-24 Version 2 - I am sleeping well.	NCCN-FACT FBRSI-24 Version 2 - I Am Sleeping Well
C151289	FAC03010	FAC030-I Am Able to Concentrate	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Brain Symptom Index-24 Version 2 - I am able to concentrate.	NCCN-FACT FBRSI-24 Version 2 - I Am Able to Concentrate
C151290	FAC03011	FAC030-I Can Remember New Things	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Brain Symptom Index-24 Version 2 - I can remember new things.	NCCN-FACT FBRSI-24 Version 2 - I Can Remember New Things
C151291	FAC03012	FAC030-Able to Find the Right Words	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Brain Symptom Index-24 Version 2 - I am able to find the right word(s) to say what I mean.	NCCN-FACT FBRSI-24 Version 2 - Able to Find the Right Words
C151292	FAC03013	FAC030-Bothered by Change in Personality	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Brain Symptom Index-24 Version 2 - I am bothered by the change in my personality.	NCCN-FACT FBRSI-24 Version 2 - Bothered by Change in Personality
C151293	FAC03014	FAC030-Worry My Condition Will Get Worse	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Brain Symptom Index-24 Version 2 - I worry that my condition will get worse.	NCCN-FACT FBRSI-24 Version 2 - Worry My Condition Will Get Worse
C151294	FAC03015	FAC030-I Am Afraid of Having a Seizure	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Brain Symptom Index-24 Version 2 - I am afraid of having a seizure (convulsion).	NCCN-FACT FBRSI-24 Version 2 - I Am Afraid of Having a Seizure
C151295	FAC03016	FAC030-Frustrated I Cannot Do Things	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Brain Symptom Index-24 Version 2 - I get frustrated that I cannot do things I used to.	NCCN-FACT FBRSI-24 Version 2 - Frustrated I Cannot Do Things
C151296	FAC03017	FAC030-Losing Hope Against Illness	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Brain Symptom Index-24 Version 2 - I am losing hope in the fight against my illness.	NCCN-FACT FBRSI-24 Version 2 - Losing Hope Against Illness
C151297	FAC03018	FAC030-I Have a Lack of Energy	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Brain Symptom Index-24 Version 2 - I have a lack of energy.	NCCN-FACT FBRSI-24 Version 2 - I Have a Lack of Energy
C151298	FAC03019	FAC030-I Have Nausea	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Brain Symptom Index-24 Version 2 - I have nausea.	NCCN-FACT FBRSI-24 Version 2 - I Have Nausea
C151299	FAC03020	FAC030-Bothered by Treatment Side Effect	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Brain Symptom Index-24 Version 2 - I am bothered by side effects of treatment.	NCCN-FACT FBRSI-24 Version 2 - Bothered by Treatment Side Effect

National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Brain Symptom Index-24 Version 2					
C151300	FAC03021	FAC030-I Feel Fatigued	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Brain Symptom Index-24 Version 2 - I feel fatigued.	NCCN-FACT FBRSI-24 Version 2 - I Feel Fatigued	
C151301	FAC03022	FAC030-I Have a Good Appetite	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Brain Symptom Index-24 Version 2 - I have a good appetite.	NCCN-FACT FBRSI-24 Version 2 - I Have a Good Appetite	
C151302	FAC03023	FAC030-I Am Able to Enjoy Life	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Brain Symptom Index-24 Version 2 - I am able to enjoy life.	NCCN-FACT FBRSI-24 Version 2 - I Am Able to Enjoy Life	
C151303	FAC03024	FAC030-Content With Quality of My Life	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Brain Symptom Index-24 Version 2 - I am content with the quality of my life right now.	NCCN-FACT FBRSI-24 Version 2 - Content With Quality of My Life	

C151291	FAC030-Able to Find the Right Words	FAC030-Able to Find the Right Words	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Brain Symptom Index-24 Version 2 - I am able to find the right word(s) to say what I mean.	NCCN-FACT FBRSI-24 Version 2 - Able to Find the Right Words
C151292	FAC030-Bothered by Change in Personality	FAC030-Bothered by Change in Personality	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Brain Symptom Index-24 Version 2 - I am bothered by the change in my personality.	NCCN-FACT FBRSI-24 Version 2 - Bothered by Change in Personality
C151299	FAC030-Bothered by Treatment Side Effect	FAC030-Bothered by Treatment Side Effect	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Brain Symptom Index-24 Version 2 - I am bothered by side effects of treatment.	NCCN-FACT FBRSI-24 Version 2 - Bothered by Treatment Side Effect
C151303	FAC030-Content With Quality of My Life	FAC030-Content With Quality of My Life	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Brain Symptom Index-24 Version 2 - I am content with the quality of my life right now.	NCCN-FACT FBRSI-24 Version 2 - Content With Quality of My Life
C151287	FAC030-Difficulty Expressing My Thoughts	FAC030-Difficulty Expressing My Thoughts	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Brain Symptom Index-24 Version 2 - I have difficulty expressing my thoughts.	NCCN-FACT FBRSI-24 Version 2 - Difficulty Expressing My Thoughts
C151295	FAC030-Frustrated I Cannot Do Things	FAC030-Frustrated I Cannot Do Things	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Brain Symptom Index-24 Version 2 - I get frustrated that I cannot do things I used to.	NCCN-FACT FBRSI-24 Version 2 - Frustrated I Cannot Do Things
C151284	FAC030-Have Weakness in My Arms or Legs	FAC030-Have Weakness in My Arms or Legs	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Brain Symptom Index-24 Version 2 - I have weakness in my arms or legs.	NCCN-FACT FBRSI-24 Version 2 - Have Weakness in My Arms or Legs
C151289	FAC030-I Am Able to Concentrate	FAC030-I Am Able to Concentrate	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Brain Symptom Index-24 Version 2 - I am able to concentrate.	NCCN-FACT FBRSI-24 Version 2 - I Am Able to Concentrate
C151302	FAC030-I Am Able to Enjoy Life	FAC030-I Am Able to Enjoy Life	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Brain Symptom Index-24 Version 2 - I am able to enjoy life.	NCCN-FACT FBRSI-24 Version 2 - I Am Able to Enjoy Life
C151294	FAC030-I Am Afraid of Having a Seizure	FAC030-I Am Afraid of Having a Seizure	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Brain Symptom Index-24 Version 2 - I am afraid of having a seizure (convulsion).	NCCN-FACT FBRSI-24 Version 2 - I Am Afraid of Having a Seizure
C151285	FAC030-I Am Losing Weight	FAC030-I Am Losing Weight	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Brain Symptom Index-24 Version 2 - I am losing weight.	NCCN-FACT FBRSI-24 Version 2 - I Am Losing Weight
C151288	FAC030-I Am Sleeping Well	FAC030-I Am Sleeping Well	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Brain Symptom Index-24 Version 2 - I am sleeping well.	NCCN-FACT FBRSI-24 Version 2 - I Am Sleeping Well
C151290	FAC030-I Can Remember New Things	FAC030-I Can Remember New Things	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Brain Symptom Index-24 Version 2 - I can remember new things.	NCCN-FACT FBRSI-24 Version 2 - I Can Remember New Things
C151300	FAC030-I Feel Fatigued	FAC030-I Feel Fatigued	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Brain Symptom Index-24 Version 2 - I feel fatigued.	NCCN-FACT FBRSI-24 Version 2 - I Feel Fatigued
C151280	FAC030-I Get Headaches	FAC030-I Get Headaches	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Brain Symptom Index-24 Version 2 - I get headaches.	NCCN-FACT FBRSI-24 Version 2 - I Get Headaches
C151301	FAC030-I Have a Good Appetite	FAC030-I Have a Good Appetite	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Brain Symptom Index-24 Version 2 - I have a good appetite.	NCCN-FACT FBRSI-24 Version 2 - I Have a Good Appetite
C151297	FAC030-I Have a Lack of Energy	FAC030-I Have a Lack of Energy	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Brain Symptom Index-24 Version 2 - I have a lack of energy.	NCCN-FACT FBRSI-24 Version 2 - I Have a Lack of Energy
C151282	FAC030-I Have Had Seizures	FAC030-I Have Had Seizures	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Brain Symptom Index-24 Version 2 - I have had seizures (convulsions).	NCCN-FACT FBRSI-24 Version 2 - I Have Had Seizures
C151298	FAC030-I Have Nausea	FAC030-I Have Nausea	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Brain Symptom Index-24 Version 2 - I have nausea.	NCCN-FACT FBRSI-24 Version 2 - I Have Nausea
C151281	FAC030-I Have Trouble With Coordination	FAC030-I Have Trouble With Coordination	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Brain Symptom Index-24 Version 2 - I have trouble with coordination.	NCCN-FACT FBRSI-24 Version 2 - I Have Trouble With Coordination

National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Brain Symptom Index-24 Version 2					
C151283	FAC030-I Need Help in Caring for Myself	FAC030-I Need Help in Caring for Myself	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Brain Symptom Index-24 Version 2 - I need help in caring for myself (bathing, dressing, eating, etc.).	NCCN-FACT FBRSI-24 Version 2 - I Need Help in Caring for Myself	
C151296	FAC030-Losing Hope Against Illness	FAC030-Losing Hope Against Illness	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Brain Symptom Index-24 Version 2 - I am losing hope in the fight against my illness.	NCCN-FACT FBRSI-24 Version 2 - Losing Hope Against Illness	
C151286	FAC030-Trouble Meeting Needs of Family	FAC030-Trouble Meeting Needs of Family	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Brain Symptom Index-24 Version 2 - Because of my physical condition, I have trouble meeting the needs of my family.	NCCN-FACT FBRSI-24 Version 2 - Trouble Meeting Needs of Family	
C151293	FAC030-Worry My Condition Will Get Worse	FAC030-Worry My Condition Will Get Worse	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Brain Symptom Index-24 Version 2 - I worry that my condition will get worse.	NCCN-FACT FBRSI-24 Version 2 - Worry My Condition Will Get Worse	

C151304	FAC03601	FAC036-I Have Pain	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Head & Neck Symptom Index-22 Version 2 - I have pain.	NCCN-FACT FHNSI-22 Version 2 - I Have Pain
C151305	FAC03602	FAC036-I Am Losing Weight	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Head & Neck Symptom Index-22 Version 2 - I am losing weight.	NCCN-FACT FHNSI-22 Version 2 - I Am Losing Weight
C151306	FAC03603	FAC036-I Have Trouble Breathing	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Head & Neck Symptom Index-22 Version 2 - I have trouble breathing.	NCCN-FACT FHNSI-22 Version 2 - I Have Trouble Breathing
C151307	FAC03604	FAC036-I Feel Ill	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Head & Neck Symptom Index-22 Version 2 - I feel ill.	NCCN-FACT FHNSI-22 Version 2 - I Feel Ill
C151308	FAC03605	FAC036-Pain in My Mouth, Throat or Neck	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Head & Neck Symptom Index-22 Version 2 - I have pain in my mouth, throat or neck.	NCCN-FACT FHNSI-22 Version 2 - Pain in My Mouth, Throat or Neck
C151309	FAC03606	FAC036-Trouble Meeting Needs of Family	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Head & Neck Symptom Index-22 Version 2 - Because of my physical condition, I have trouble meeting the needs of my family.	NCCN-FACT FHNSI-22 Version 2 - Trouble Meeting Needs of Family
C151310	FAC03607	FAC036-Can Swallow Naturally and Easily	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Head & Neck Symptom Index-22 Version 2 - I can swallow naturally and easily.	NCCN-FACT FHNSI-22 Version 2 - Can Swallow Naturally and Easily
C151311	FAC03608	FAC036-Able to Eat the Foods That I Like	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Head & Neck Symptom Index-22 Version 2 - I am able to eat the foods that I like.	NCCN-FACT FHNSI-22 Version 2 - Able to Eat the Foods That I Like
C151312	FAC03609	FAC036-Able to Communicate With Others	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Head & Neck Symptom Index-22 Version 2 - I am able to communicate with others.	NCCN-FACT FHNSI-22 Version 2 - Able to Communicate With Others
C151313	FAC03610	FAC036-I Can Eat Solid Foods	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Head & Neck Symptom Index-22 Version 2 - I can eat solid foods.	NCCN-FACT FHNSI-22 Version 2 - I Can Eat Solid Foods
C151314	FAC03611	FAC036-I Am Sleeping Well	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Head & Neck Symptom Index-22 Version 2 - I am sleeping well.	NCCN-FACT FHNSI-22 Version 2 - I Am Sleeping Well
C151315	FAC03612	FAC036-Worry My Condition Will Get Worse	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Head & Neck Symptom Index-22 Version 2 - I worry that my condition will get worse.	NCCN-FACT FHNSI-22 Version 2 - Worry My Condition Will Get Worse
C151316	FAC03613	FAC036-I Have a Lack of Energy	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Head & Neck Symptom Index-22 Version 2 - I have a lack of energy.	NCCN-FACT FHNSI-22 Version 2 - I Have a Lack of Energy
C151317	FAC03614	FAC036-I Have Nausea	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Head & Neck Symptom Index-22 Version 2 - I have nausea.	NCCN-FACT FHNSI-22 Version 2 - I Have Nausea
C151318	FAC03615	FAC036-Had Change in the Way Food Tastes	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Head & Neck Symptom Index-22 Version 2 - I have had a change in the way food tastes.	NCCN-FACT FHNSI-22 Version 2 - Had Change in the Way Food Tastes
C151319	FAC03616	FAC036-I Have Mouth Sores	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Head & Neck Symptom Index-22 Version 2 - I have mouth sores.	NCCN-FACT FHNSI-22 Version 2 - I Have Mouth Sores
C151320	FAC03617	FAC036-I Am Bothered by Hair Loss	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Head & Neck Symptom Index-22 Version 2 - I am bothered by hair loss.	NCCN-FACT FHNSI-22 Version 2 - I Am Bothered by Hair Loss
C151321	FAC03618	FAC036-Bothered by Treatment Side Effect	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Head & Neck Symptom Index-22 Version 2 - I am bothered by side effects of treatment.	NCCN-FACT FHNSI-22 Version 2 - Bothered by Treatment Side Effect
C151322	FAC03619	FAC036-I Have a Good Appetite	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Head & Neck Symptom Index-22 Version 2 - I have a good appetite.	NCCN-FACT FHNSI-22 Version 2 - I Have a Good Appetite
C151323	FAC03620	FAC036-I Am Able to Work	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Head & Neck Symptom Index-22 Version 2 - I am able to work (include work at home).	NCCN-FACT FHNSI-22 Version 2 - I Am Able to Work

National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Head & Neck Symptom Index-22 Version 2 - I Am Able to Enjoy Life					
C151324	FAC03621	FAC036-I Am Able to Enjoy Life	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Head & Neck Symptom Index-22 Version 2 - I am able to enjoy life.	NCCN-FACT FHNSI-22 Version 2 - I Am Able to Enjoy Life	
C151325	FAC03622	FAC036-Content With Quality of My Life	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Head & Neck Symptom Index-22 Version 2 - I am content with the quality of my life right now.	NCCN-FACT FHNSI-22 Version 2 - Content With Quality of My Life	

C151312	FAC036-Able to Communicate With Others	FAC036-Able to Communicate With Others	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Head & Neck Symptom Index-22 Version 2 - I am able to communicate with others.	NCCN-FACT FHNSI-22 Version 2 - Able to Communicate With Others
C151311	FAC036-Able to Eat the Foods That I Like	FAC036-Able to Eat the Foods That I Like	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Head & Neck Symptom Index-22 Version 2 - I am able to eat the foods that I like.	NCCN-FACT FHNSI-22 Version 2 - Able to Eat the Foods That I Like
C151321	FAC036-Bothered by Treatment Side Effect	FAC036-Bothered by Treatment Side Effect	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Head & Neck Symptom Index-22 Version 2 - I am bothered by side effects of treatment.	NCCN-FACT FHNSI-22 Version 2 - Bothered by Treatment Side Effect
C151310	FAC036-Can Swallow Naturally and Easily	FAC036-Can Swallow Naturally and Easily	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Head & Neck Symptom Index-22 Version 2 - I can swallow naturally and easily.	NCCN-FACT FHNSI-22 Version 2 - Can Swallow Naturally and Easily
C151325	FAC036-Content With Quality of My Life	FAC036-Content With Quality of My Life	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Head & Neck Symptom Index-22 Version 2 - I am content with the quality of my life right now.	NCCN-FACT FHNSI-22 Version 2 - Content With Quality of My Life
C151318	FAC036-Had Change in the Way Food Tastes	FAC036-Had Change in the Way Food Tastes	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Head & Neck Symptom Index-22 Version 2 - I have had a change in the way food tastes.	NCCN-FACT FHNSI-22 Version 2 - Had Change in the Way Food Tastes
C151324	FAC036-I Am Able to Enjoy Life	FAC036-I Am Able to Enjoy Life	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Head & Neck Symptom Index-22 Version 2 - I am able to enjoy life.	NCCN-FACT FHNSI-22 Version 2 - I Am Able to Enjoy Life
C151323	FAC036-I Am Able to Work	FAC036-I Am Able to Work	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Head & Neck Symptom Index-22 Version 2 - I am able to work (include work at home).	NCCN-FACT FHNSI-22 Version 2 - I Am Able to Work
C151320	FAC036-I Am Bothered by Hair Loss	FAC036-I Am Bothered by Hair Loss	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Head & Neck Symptom Index-22 Version 2 - I am bothered by hair loss.	NCCN-FACT FHNSI-22 Version 2 - I Am Bothered by Hair Loss
C151305	FAC036-I Am Losing Weight	FAC036-I Am Losing Weight	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Head & Neck Symptom Index-22 Version 2 - I am losing weight.	NCCN-FACT FHNSI-22 Version 2 - I Am Losing Weight
C151314	FAC036-I Am Sleeping Well	FAC036-I Am Sleeping Well	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Head & Neck Symptom Index-22 Version 2 - I am sleeping well.	NCCN-FACT FHNSI-22 Version 2 - I Am Sleeping Well
C151313	FAC036-I Can Eat Solid Foods	FAC036-I Can Eat Solid Foods	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Head & Neck Symptom Index-22 Version 2 - I can eat solid foods.	NCCN-FACT FHNSI-22 Version 2 - I Can Eat Solid Foods
C151307	FAC036-I Feel Ill	FAC036-I Feel Ill	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Head & Neck Symptom Index-22 Version 2 - I feel ill.	NCCN-FACT FHNSI-22 Version 2 - I Feel Ill
C151322	FAC036-I Have a Good Appetite	FAC036-I Have a Good Appetite	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Head & Neck Symptom Index-22 Version 2 - I have a good appetite.	NCCN-FACT FHNSI-22 Version 2 - I Have a Good Appetite
C151316	FAC036-I Have a Lack of Energy	FAC036-I Have a Lack of Energy	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Head & Neck Symptom Index-22 Version 2 - I have a lack of energy.	NCCN-FACT FHNSI-22 Version 2 - I Have a Lack of Energy
C151319	FAC036-I Have Mouth Sores	FAC036-I Have Mouth Sores	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Head & Neck Symptom Index-22 Version 2 - I have mouth sores.	NCCN-FACT FHNSI-22 Version 2 - I Have Mouth Sores
C151317	FAC036-I Have Nausea	FAC036-I Have Nausea	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Head & Neck Symptom Index-22 Version 2 - I have nausea.	NCCN-FACT FHNSI-22 Version 2 - I Have Nausea
C151304	FAC036-I Have Pain	FAC036-I Have Pain	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Head & Neck Symptom Index-22 Version 2 - I have pain.	NCCN-FACT FHNSI-22 Version 2 - I Have Pain
C151306	FAC036-I Have Trouble Breathing	FAC036-I Have Trouble Breathing	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Head & Neck Symptom Index-22 Version 2 - I have trouble breathing.	NCCN-FACT FHNSI-22 Version 2 - I Have Trouble Breathing
C151308	FAC036-Pain in My Mouth, Throat or Neck	FAC036-Pain in My Mouth, Throat or Neck	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Head & Neck Symptom Index-22 Version 2 - I have pain in my mouth, throat or neck.	NCCN-FACT FHNSI-22 Version 2 - Pain in My Mouth, Throat or Neck

National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Head & Neck Symptom Index-22 Version 2 - I					
C151309	FAC036-Trouble Meeting Needs of Family	FAC036-Trouble Meeting Needs of Family	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Head & Neck Symptom Index-22 Version 2 - Because of my physical condition, I have trouble meeting the needs of my family.	NCCN-FACT FHNSI-22 Version 2 - Trouble Meeting Needs of Family	
C151315	FAC036-Worry My Condition Will Get Worse	FAC036-Worry My Condition Will Get Worse	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Head & Neck Symptom Index-22 Version 2 - I worry that my condition will get worse.	NCCN-FACT FHNSI-22 Version 2 - Worry My Condition Will Get Worse	

C138444	FAC03901	FAC039-I Have a Lack of Energy	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I have a lack of energy.	FKSI-15 - I Have a Lack of Energy
C138445	FAC03902	FAC039-Bothered by Treatment Side Effect	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I am bothered by side effects of treatment.	FKSI-15 - Bothered by Treatment Side Effect
C138446	FAC03903	FAC039-I Have Pain	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I have pain.	FKSI-15 - I Have Pain
C138447	FAC03904	FAC039-I Am Losing Weight	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I am losing weight.	FKSI-15 - I Am Losing Weight
C138448	FAC03905	FAC039-I Have Bone Pain	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I have bone pain.	FKSI-15 - I Have Bone Pain
C138449	FAC03906	FAC039-I Feel Fatigued	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I feel fatigued.	FKSI-15 - I Feel Fatigued
C138450	FAC03907	FAC039-I Am Able to Enjoy Life	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I am able to enjoy life.	FKSI-15 - I Am Able to Enjoy Life
C138451	FAC03908	FAC039-I Have Been Short of Breath	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I have been short of breath.	FKSI-15 - I Have Been Short of Breath
C138452	FAC03909	FAC039-Worry My Condition Will Get Worse	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I worry that my condition will get worse.	FKSI-15 - Worry My Condition Will Get Worse
C138453	FAC03910	FAC039-I Have a Good Appetite	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I have a good appetite.	FKSI-15 - I Have a Good Appetite
C138454	FAC03911	FAC039-I Have Been Coughing	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I have been coughing.	FKSI-15 - I Have Been Coughing
C138455	FAC03912	FAC039-I Am Bothered by Fevers	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I am bothered by fevers (episodes of high body temperature).	FKSI-15 - I Am Bothered by Fevers
C138456	FAC03913	FAC039-I Am Able to Work	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I am able to work (include work at home).	FKSI-15 - I Am Able to Work
C138457	FAC03914	FAC039-I Have Had Blood in My Urine	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I have had blood in my urine.	FKSI-15 - I Have Had Blood in My Urine
C138458	FAC03915	FAC039-I Am Sleeping Well	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I am sleeping well.	FKSI-15 - I Am Sleeping Well

C138445	FAC039-Bothered by Treatment Side Effect	FAC039-Bothered by Treatment Side Effect	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I am bothered by side effects of treatment.	FKSI-15 - Bothered by Treatment Side Effect
C138450	FAC039-I Am Able to Enjoy Life	FAC039-I Am Able to Enjoy Life	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I am able to enjoy life.	FKSI-15 - I Am Able to Enjoy Life
C138456	FAC039-I Am Able to Work	FAC039-I Am Able to Work	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I am able to work (include work at home).	FKSI-15 - I Am Able to Work
C138455	FAC039-I Am Bothered by Fevers	FAC039-I Am Bothered by Fevers	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I am bothered by fevers (episodes of high body temperature).	FKSI-15 - I Am Bothered by Fevers
C138447	FAC039-I Am Losing Weight	FAC039-I Am Losing Weight	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I am losing weight.	FKSI-15 - I Am Losing Weight
C138458	FAC039-I Am Sleeping Well	FAC039-I Am Sleeping Well	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I am sleeping well.	FKSI-15 - I Am Sleeping Well
C138449	FAC039-I Feel Fatigued	FAC039-I Feel Fatigued	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I feel fatigued.	FKSI-15 - I Feel Fatigued
C138453	FAC039-I Have a Good Appetite	FAC039-I Have a Good Appetite	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I have a good appetite.	FKSI-15 - I Have a Good Appetite
C138444	FAC039-I Have a Lack of Energy	FAC039-I Have a Lack of Energy	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I have a lack of energy.	FKSI-15 - I Have a Lack of Energy
C138454	FAC039-I Have Been Coughing	FAC039-I Have Been Coughing	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I have been coughing.	FKSI-15 - I Have Been Coughing
C138451	FAC039-I Have Been Short of Breath	FAC039-I Have Been Short of Breath	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I have been short of breath.	FKSI-15 - I Have Been Short of Breath
C138448	FAC039-I Have Bone Pain	FAC039-I Have Bone Pain	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I have bone pain.	FKSI-15 - I Have Bone Pain
C138457	FAC039-I Have Had Blood in My Urine	FAC039-I Have Had Blood in My Urine	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I have had blood in my urine.	FKSI-15 - I Have Had Blood in My Urine
C138446	FAC039-I Have Pain	FAC039-I Have Pain	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I have pain.	FKSI-15 - I Have Pain
C138452	FAC039-Worry My Condition Will Get Worse	FAC039-Worry My Condition Will Get Worse	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I worry that my condition will get worse.	FKSI-15 - Worry My Condition Will Get Worse

C151271	FAC04101	FAC041-I Have a Lack of Energy	Functional Assessment of Cancer Therapy-Kidney Symptom Index-Disease-Related Symptoms Version 4 - I have a lack of energy.	FKSI-DRS Version 4 - I Have a Lack of Energy
C151272	FAC04102	FAC041-I Have Pain	Functional Assessment of Cancer Therapy-Kidney Symptom Index-Disease-Related Symptoms Version 4 - I have pain.	FKSI-DRS Version 4 - I Have Pain
C151273	FAC04103	FAC041-I Am Losing Weight	Functional Assessment of Cancer Therapy-Kidney Symptom Index-Disease-Related Symptoms Version 4 - I am losing weight.	FKSI-DRS Version 4 - I Am Losing Weight
C151274	FAC04104	FAC041-I Have Bone Pain	Functional Assessment of Cancer Therapy-Kidney Symptom Index-Disease-Related Symptoms Version 4 - I have bone pain.	FKSI-DRS Version 4 - I Have Bone Pain
C151275	FAC04105	FAC041-I Feel Fatigued	Functional Assessment of Cancer Therapy-Kidney Symptom Index-Disease-Related Symptoms Version 4 - I feel fatigued.	FKSI-DRS Version 4 - I Feel Fatigued
C151276	FAC04106	FAC041-I Have Been Short of Breath	Functional Assessment of Cancer Therapy-Kidney Symptom Index-Disease-Related Symptoms Version 4 - I have been short of breath.	FKSI-DRS Version 4 - I Have Been Short of Breath
C151277	FAC04107	FAC041-I Have Been Coughing	Functional Assessment of Cancer Therapy-Kidney Symptom Index-Disease-Related Symptoms Version 4 - I have been coughing.	FKSI-DRS Version 4 - I Have Been Coughing
C151278	FAC04108	FAC041-I Am Bothered by Fevers	Functional Assessment of Cancer Therapy-Kidney Symptom Index-Disease-Related Symptoms Version 4 - I am bothered by fevers (episodes of high body temperature).	FKSI-DRS Version 4 - I Am Bothered by Fevers
C151279	FAC04109	FAC041-I Have Had Blood in My Urine	Functional Assessment of Cancer Therapy-Kidney Symptom Index-Disease-Related Symptoms Version 4 - I have had blood in my urine.	FKSI-DRS Version 4 - I Have Had Blood in My Urine

C151278	FAC041-I Am Bothered by Fevers	FAC041-I Am Bothered by Fevers	Functional Assessment of Cancer Therapy-Kidney Symptom Index-Disease-Related Symptoms Version 4 - I am bothered by fevers (episodes of high body temperature).	FKSI-DRS Version 4 - I Am Bothered by Fevers
C151273	FAC041-I Am Losing Weight	FAC041-I Am Losing Weight	Functional Assessment of Cancer Therapy-Kidney Symptom Index-Disease-Related Symptoms Version 4 - I am losing weight.	FKSI-DRS Version 4 - I Am Losing Weight
C151275	FAC041-I Feel Fatigued	FAC041-I Feel Fatigued	Functional Assessment of Cancer Therapy-Kidney Symptom Index-Disease-Related Symptoms Version 4 - I feel fatigued.	FKSI-DRS Version 4 - I Feel Fatigued
C151271	FAC041-I Have a Lack of Energy	FAC041-I Have a Lack of Energy	Functional Assessment of Cancer Therapy-Kidney Symptom Index-Disease-Related Symptoms Version 4 - I have a lack of energy.	FKSI-DRS Version 4 - I Have a Lack of Energy
C151277	FAC041-I Have Been Coughing	FAC041-I Have Been Coughing	Functional Assessment of Cancer Therapy-Kidney Symptom Index-Disease-Related Symptoms Version 4 - I have been coughing.	FKSI-DRS Version 4 - I Have Been Coughing
C151276	FAC041-I Have Been Short of Breath	FAC041-I Have Been Short of Breath	Functional Assessment of Cancer Therapy-Kidney Symptom Index-Disease-Related Symptoms Version 4 - I have been short of breath.	FKSI-DRS Version 4 - I Have Been Short of Breath
C151274	FAC041-I Have Bone Pain	FAC041-I Have Bone Pain	Functional Assessment of Cancer Therapy-Kidney Symptom Index-Disease-Related Symptoms Version 4 - I have bone pain.	FKSI-DRS Version 4 - I Have Bone Pain
C151279	FAC041-I Have Had Blood in My Urine	FAC041-I Have Had Blood in My Urine	Functional Assessment of Cancer Therapy-Kidney Symptom Index-Disease-Related Symptoms Version 4 - I have had blood in my urine.	FKSI-DRS Version 4 - I Have Had Blood in My Urine
C151272	FAC041-I Have Pain	FAC041-I Have Pain	Functional Assessment of Cancer Therapy-Kidney Symptom Index-Disease-Related Symptoms Version 4 - I have pain.	FKSI-DRS Version 4 - I Have Pain

C129151	FAC04201	FAC042-I Have a Lack of Energy	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I have a lack of energy.	NCCN-FACT Fksi-19 Version 2 - I Have a Lack of Energy
C129152	FAC04202	FAC042-I Have Pain	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I have pain.	NCCN-FACT Fksi-19 Version 2 - I Have Pain
C129153	FAC04203	FAC042-I Am Losing Weight	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I am losing weight.	NCCN-FACT Fksi-19 Version 2 - I Am Losing Weight
C129154	FAC04204	FAC042-I Feel Fatigued	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I feel fatigued.	NCCN-FACT Fksi-19 Version 2 - I Feel Fatigued
C129155	FAC04205	FAC042-I Have Been Short of Breath	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I have been short of breath.	NCCN-FACT Fksi-19 Version 2 - I Have Been Short of Breath
C129156	FAC04206	FAC042-I Am Bothered by Fevers	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I am bothered by fevers (episodes of high body temperature).	NCCN-FACT Fksi-19 Version 2 - I Am Bothered by Fevers
C129157	FAC04207	FAC042-I Have Bone Pain	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I have bone pain.	NCCN-FACT Fksi-19 Version 2 - I Have Bone Pain
C129158	FAC04208	FAC042-I Have Been Coughing	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I have been coughing.	NCCN-FACT Fksi-19 Version 2 - I Have Been Coughing
C129159	FAC04209	FAC042-I Feel Weak All Over	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I feel weak all over.	NCCN-FACT Fksi-19 Version 2 - I Feel Weak All Over
C129160	FAC04210	FAC042-I Have Had Blood in My Urine	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I have had blood in my urine.	NCCN-FACT Fksi-19 Version 2 - I Have Had Blood in My Urine
C129161	FAC04211	FAC042-I Have a Good Appetite	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I have a good appetite.	NCCN-FACT Fksi-19 Version 2 - I Have a Good Appetite
C129162	FAC04212	FAC042-I Am Sleeping Well	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I am sleeping well.	NCCN-FACT Fksi-19 Version 2 - I Am Sleeping Well
C129163	FAC04213	FAC042-Worry My Condition Will Get Worse	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I worry that my condition will get worse.	NCCN-FACT Fksi-19 Version 2 - Worry My Condition Will Get Worse
C129164	FAC04214	FAC042-I Have Nausea	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I have nausea.	NCCN-FACT Fksi-19 Version 2 - I Have Nausea
C129165	FAC04215	FAC042-I Have Diarrhea	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I have diarrhea (diarrhoea).	NCCN-FACT Fksi-19 Version 2 - I Have Diarrhea
C129166	FAC04216	FAC042-Bothered by Treatment Side Effect	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I am bothered by side effects of treatment.	NCCN-FACT Fksi-19 Version 2 - Bothered by Treatment Side Effect
C129167	FAC04217	FAC042-I Am Able to Work	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I am able to work (include work at home).	NCCN-FACT Fksi-19 Version 2 - I Am Able to Work
C129168	FAC04218	FAC042-I Am Able to Enjoy Life	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I am able to enjoy life.	NCCN-FACT Fksi-19 Version 2 - I Am Able to Enjoy Life
C129169	FAC04219	FAC042-Content With Quality of My Life	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I am content with the quality of my life right now.	NCCN-FACT Fksi-19 Version 2 - Content With Quality of My Life

C129166	FAC042-Bothered by Treatment Side Effect	FAC042-Bothered by Treatment Side Effect	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I am bothered by side effects of treatment.	NCCN-FACT Fksi-19 Version 2 - Bothered by Treatment Side Effect
C129169	FAC042-Content With Quality of My Life	FAC042-Content With Quality of My Life	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I am content with the quality of my life right now.	NCCN-FACT Fksi-19 Version 2 - Content With Quality of My Life
C129168	FAC042-I Am Able to Enjoy Life	FAC042-I Am Able to Enjoy Life	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I am able to enjoy life.	NCCN-FACT Fksi-19 Version 2 - I Am Able to Enjoy Life
C129167	FAC042-I Am Able to Work	FAC042-I Am Able to Work	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I am able to work (include work at home).	NCCN-FACT Fksi-19 Version 2 - I Am Able to Work
C129156	FAC042-I Am Bothered by Fevers	FAC042-I Am Bothered by Fevers	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I am bothered by fevers (episodes of high body temperature).	NCCN-FACT Fksi-19 Version 2 - I Am Bothered by Fevers
C129153	FAC042-I Am Losing Weight	FAC042-I Am Losing Weight	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I am losing weight.	NCCN-FACT Fksi-19 Version 2 - I Am Losing Weight
C129162	FAC042-I Am Sleeping Well	FAC042-I Am Sleeping Well	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I am sleeping well.	NCCN-FACT Fksi-19 Version 2 - I Am Sleeping Well
C129154	FAC042-I Feel Fatigued	FAC042-I Feel Fatigued	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I feel fatigued.	NCCN-FACT Fksi-19 Version 2 - I Feel Fatigued
C129159	FAC042-I Feel Weak All Over	FAC042-I Feel Weak All Over	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I feel weak all over.	NCCN-FACT Fksi-19 Version 2 - I Feel Weak All Over
C129161	FAC042-I Have a Good Appetite	FAC042-I Have a Good Appetite	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I have a good appetite.	NCCN-FACT Fksi-19 Version 2 - I Have a Good Appetite
C129151	FAC042-I Have a Lack of Energy	FAC042-I Have a Lack of Energy	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I have a lack of energy.	NCCN-FACT Fksi-19 Version 2 - I Have a Lack of Energy
C129158	FAC042-I Have Been Coughing	FAC042-I Have Been Coughing	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I have been coughing.	NCCN-FACT Fksi-19 Version 2 - I Have Been Coughing
C129155	FAC042-I Have Been Short of Breath	FAC042-I Have Been Short of Breath	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I have been short of breath.	NCCN-FACT Fksi-19 Version 2 - I Have Been Short of Breath
C129157	FAC042-I Have Bone Pain	FAC042-I Have Bone Pain	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I have bone pain.	NCCN-FACT Fksi-19 Version 2 - I Have Bone Pain
C129165	FAC042-I Have Diarrhea	FAC042-I Have Diarrhea	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I have diarrhea (diarrhoea).	NCCN-FACT Fksi-19 Version 2 - I Have Diarrhea
C129160	FAC042-I Have Had Blood in My Urine	FAC042-I Have Had Blood in My Urine	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I have had blood in my urine.	NCCN-FACT Fksi-19 Version 2 - I Have Had Blood in My Urine
C129164	FAC042-I Have Nausea	FAC042-I Have Nausea	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I have nausea.	NCCN-FACT Fksi-19 Version 2 - I Have Nausea
C129152	FAC042-I Have Pain	FAC042-I Have Pain	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I have pain.	NCCN-FACT Fksi-19 Version 2 - I Have Pain
C129163	FAC042-Worry My Condition Will Get Worse	FAC042-Worry My Condition Will Get Worse	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I worry that my condition will get worse.	NCCN-FACT Fksi-19 Version 2 - Worry My Condition Will Get Worse

C138459	FAC04301	FAC043-I Have Been Short of Breath	Functional Assessment of Cancer Therapy-Lung Symptom Index - I have been short of breath.	FLSI - I Have Been Short of Breath
C138460	FAC04302	FAC043-I Have a Lack of Energy	Functional Assessment of Cancer Therapy-Lung Symptom Index - I have a lack of energy.	FLSI - I Have a Lack of Energy
C138461	FAC04303	FAC043-I Have Pain	Functional Assessment of Cancer Therapy-Lung Symptom Index - I have pain.	FLSI - I Have Pain
C138462	FAC04304	FAC043-I Am Losing Weight	Functional Assessment of Cancer Therapy-Lung Symptom Index - I am losing weight.	FLSI - I Am Losing Weight
C138463	FAC04305	FAC043-I Have Been Coughing	Functional Assessment of Cancer Therapy-Lung Symptom Index - I have been coughing.	FLSI - I Have Been Coughing
C138464	FAC04306	FAC043-Certain Parts of Body Have Pain	Functional Assessment of Cancer Therapy-Lung Symptom Index - I have certain parts of my body where I experience pain.	FLSI - Certain Parts of Body Have Pain

C138464	FAC043-Certain Parts of Body Have Pain	FAC043-Certain Parts of Body Have Pain	Functional Assessment of Cancer Therapy-Lung Symptom Index - I have certain parts of my body where I experience pain.	FLSI - Certain Parts of Body Have Pain
C138462	FAC043-I Am Losing Weight	FAC043-I Am Losing Weight	Functional Assessment of Cancer Therapy-Lung Symptom Index - I am losing weight.	FLSI - I Am Losing Weight
C138460	FAC043-I Have a Lack of Energy	FAC043-I Have a Lack of Energy	Functional Assessment of Cancer Therapy-Lung Symptom Index - I have a lack of energy.	FLSI - I Have a Lack of Energy
C138463	FAC043-I Have Been Coughing	FAC043-I Have Been Coughing	Functional Assessment of Cancer Therapy-Lung Symptom Index - I have been coughing.	FLSI - I Have Been Coughing
C138459	FAC043-I Have Been Short of Breath	FAC043-I Have Been Short of Breath	Functional Assessment of Cancer Therapy-Lung Symptom Index - I have been short of breath.	FLSI - I Have Been Short of Breath
C138461	FAC043-I Have Pain	FAC043-I Have Pain	Functional Assessment of Cancer Therapy-Lung Symptom Index - I have pain.	FLSI - I Have Pain

C129225	FAC04901	FAC049-I Have a Lack of Energy	Functional Assessment of Cancer Therapy-Ovarian Symptom Index - I have a lack of energy.	FOSI - I Have a Lack of Energy
C129226	FAC04902	FAC049-I Have Been Vomiting	Functional Assessment of Cancer Therapy-Ovarian Symptom Index - I have been vomiting.	FOSI - I Have Been Vomiting
C129227	FAC04903	FAC049-I Have Pain	Functional Assessment of Cancer Therapy-Ovarian Symptom Index - I have pain.	FOSI - I Have Pain
C129228	FAC04904	FAC049-I Have Nausea	Functional Assessment of Cancer Therapy-Ovarian Symptom Index - I have nausea.	FOSI - I Have Nausea
C129229	FAC04905	FAC049-I Have Swelling in Stomach Area	Functional Assessment of Cancer Therapy-Ovarian Symptom Index - I have swelling in my stomach area.	FOSI - I Have Swelling in Stomach Area
C129230	FAC04906	FAC049-Worry My Condition Will Get Worse	Functional Assessment of Cancer Therapy-Ovarian Symptom Index - I worry that my condition will get worse.	FOSI - Worry My Condition Will Get Worse
C129231	FAC04907	FAC049-Content With Quality of My Life	Functional Assessment of Cancer Therapy-Ovarian Symptom Index - I am content with the quality of my life right now.	FOSI - Content With Quality of My Life
C129232	FAC04908	FAC049-I Have Cramps in My Stomach Area	Functional Assessment of Cancer Therapy-Ovarian Symptom Index - I have cramps in my stomach area.	FOSI - I Have Cramps in My Stomach Area

C129231	FAC049-Content With Quality of My Life	FAC049-Content With Quality of My Life	Functional Assessment of Cancer Therapy-Ovarian Symptom Index - I am content with the quality of my life right now.	FOSI - Content With Quality of My Life
C129225	FAC049-I Have a Lack of Energy	FAC049-I Have a Lack of Energy	Functional Assessment of Cancer Therapy-Ovarian Symptom Index - I have a lack of energy.	FOSI - I Have a Lack of Energy
C129226	FAC049-I Have Been Vomiting	FAC049-I Have Been Vomiting	Functional Assessment of Cancer Therapy-Ovarian Symptom Index - I have been vomiting.	FOSI - I Have Been Vomiting
C129232	FAC049-I Have Cramps in My Stomach Area	FAC049-I Have Cramps in My Stomach Area	Functional Assessment of Cancer Therapy-Ovarian Symptom Index - I have cramps in my stomach area.	FOSI - I Have Cramps in My Stomach Area
C129228	FAC049-I Have Nausea	FAC049-I Have Nausea	Functional Assessment of Cancer Therapy-Ovarian Symptom Index - I have nausea.	FOSI - I Have Nausea
C129227	FAC049-I Have Pain	FAC049-I Have Pain	Functional Assessment of Cancer Therapy-Ovarian Symptom Index - I have pain.	FOSI - I Have Pain
C129229	FAC049-I Have Swelling in Stomach Area	FAC049-I Have Swelling in Stomach Area	Functional Assessment of Cancer Therapy-Ovarian Symptom Index - I have swelling in my stomach area.	FOSI - I Have Swelling in Stomach Area
C129230	FAC049-Worry My Condition Will Get Worse	FAC049-Worry My Condition Will Get Worse	Functional Assessment of Cancer Therapy-Ovarian Symptom Index - I worry that my condition will get worse.	FOSI - Worry My Condition Will Get Worse

C129233	FAC05001	FAC050-I Have a Lack of Energy	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I have a lack of energy.	NCCN-FACT FOSI-18 Version 2 - I Have a Lack of Energy
C129234	FAC05002	FAC050-I Have Pain	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I have pain.	NCCN-FACT FOSI-18 Version 2 - I Have Pain
C129235	FAC05003	FAC050-I Feel Ill	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I feel ill.	NCCN-FACT FOSI-18 Version 2 - I Feel Ill
C129236	FAC05004	FAC050-I Have Cramps in My Stomach Area	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I have cramps in my stomach area.	NCCN-FACT FOSI-18 Version 2 - I Have Cramps in My Stomach Area
C129237	FAC05005	FAC050-I Feel Fatigued	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I feel fatigued.	NCCN-FACT FOSI-18 Version 2 - I Feel Fatigued
C129238	FAC05006	FAC050-I Am Bothered by Constipation	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I am bothered by constipation.	NCCN-FACT FOSI-18 Version 2 - I Am Bothered by Constipation
C129239	FAC05007	FAC050-I Have Swelling in Stomach Area	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I have swelling in my stomach area.	NCCN-FACT FOSI-18 Version 2 - I Have Swelling in Stomach Area
C129240	FAC05008	FAC050-I Have Control of My Bowels	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I have control of my bowels.	NCCN-FACT FOSI-18 Version 2 - I Have Control of My Bowels
C129241	FAC05009	FAC050-I Am Sleeping Well	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I am sleeping well.	NCCN-FACT FOSI-18 Version 2 - I Am Sleeping Well
C129242	FAC05010	FAC050-Worry My Condition Will Get Worse	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I worry that my condition will get worse.	NCCN-FACT FOSI-18 Version 2 - Worry My Condition Will Get Worse
C129243	FAC05011	FAC050-I Have Nausea	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I have nausea.	NCCN-FACT FOSI-18 Version 2 - I Have Nausea
C129244	FAC05012	FAC050-I Am Bothered by Hair Loss	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I am bothered by hair loss.	NCCN-FACT FOSI-18 Version 2 - I Am Bothered by Hair Loss
C129245	FAC05013	FAC050-Bothered by Treatment Side Effect	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I am bothered by side effects of treatment.	NCCN-FACT FOSI-18 Version 2 - Bothered by Treatment Side Effect
C129246	FAC05014	FAC050-I Have Been Vomiting	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I have been vomiting.	NCCN-FACT FOSI-18 Version 2 - I Have Been Vomiting
C129247	FAC05015	FAC050-I Am Bothered by Skin Problems	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I am bothered by skin problems.	NCCN-FACT FOSI-18 Version 2 - I Am Bothered by Skin Problems
C129248	FAC05016	FAC050-I Am Able to Get Around by Myself	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I am able to get around by myself.	NCCN-FACT FOSI-18 Version 2 - I Am Able to Get Around by Myself
C129249	FAC05017	FAC050-I Am Able to Enjoy Life	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I am able to enjoy life.	NCCN-FACT FOSI-18 Version 2 - I Am Able to Enjoy Life
C129250	FAC05018	FAC050-Content With Quality of My Life	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I am content with the quality of my life right now.	NCCN-FACT FOSI-18 Version 2 - Content With Quality of My Life

C129245	FAC050-Bothered by Treatment Side Effect	FAC050-Bothered by Treatment Side Effect	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I am bothered by side effects of treatment.	NCCN-FACT FOSI-18 Version 2 - Bothered by Treatment Side Effect
C129250	FAC050-Content With Quality of My Life	FAC050-Content With Quality of My Life	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I am content with the quality of my life right now.	NCCN-FACT FOSI-18 Version 2 - Content With Quality of My Life
C129249	FAC050-I Am Able to Enjoy Life	FAC050-I Am Able to Enjoy Life	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I am able to enjoy life.	NCCN-FACT FOSI-18 Version 2 - I Am Able to Enjoy Life
C129248	FAC050-I Am Able to Get Around by Myself	FAC050-I Am Able to Get Around by Myself	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I am able to get around by myself.	NCCN-FACT FOSI-18 Version 2 - I Am Able to Get Around by Myself
C129238	FAC050-I Am Bothered by Constipation	FAC050-I Am Bothered by Constipation	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I am bothered by constipation.	NCCN-FACT FOSI-18 Version 2 - I Am Bothered by Constipation
C129244	FAC050-I Am Bothered by Hair Loss	FAC050-I Am Bothered by Hair Loss	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I am bothered by hair loss.	NCCN-FACT FOSI-18 Version 2 - I Am Bothered by Hair Loss
C129247	FAC050-I Am Bothered by Skin Problems	FAC050-I Am Bothered by Skin Problems	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I am bothered by skin problems.	NCCN-FACT FOSI-18 Version 2 - I Am Bothered by Skin Problems
C129241	FAC050-I Am Sleeping Well	FAC050-I Am Sleeping Well	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I am sleeping well.	NCCN-FACT FOSI-18 Version 2 - I Am Sleeping Well
C129237	FAC050-I Feel Fatigued	FAC050-I Feel Fatigued	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I feel fatigued.	NCCN-FACT FOSI-18 Version 2 - I Feel Fatigued
C129235	FAC050-I Feel Ill	FAC050-I Feel Ill	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I feel ill.	NCCN-FACT FOSI-18 Version 2 - I Feel Ill
C129233	FAC050-I Have a Lack of Energy	FAC050-I Have a Lack of Energy	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I have a lack of energy.	NCCN-FACT FOSI-18 Version 2 - I Have a Lack of Energy
C129246	FAC050-I Have Been Vomiting	FAC050-I Have Been Vomiting	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I have been vomiting.	NCCN-FACT FOSI-18 Version 2 - I Have Been Vomiting
C129240	FAC050-I Have Control of My Bowels	FAC050-I Have Control of My Bowels	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I have control of my bowels.	NCCN-FACT FOSI-18 Version 2 - I Have Control of My Bowels
C129236	FAC050-I Have Cramps in My Stomach Area	FAC050-I Have Cramps in My Stomach Area	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I have cramps in my stomach area.	NCCN-FACT FOSI-18 Version 2 - I Have Cramps in My Stomach Area
C129243	FAC050-I Have Nausea	FAC050-I Have Nausea	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I have nausea.	NCCN-FACT FOSI-18 Version 2 - I Have Nausea
C129234	FAC050-I Have Pain	FAC050-I Have Pain	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I have pain.	NCCN-FACT FOSI-18 Version 2 - I Have Pain
C129239	FAC050-I Have Swelling in Stomach Area	FAC050-I Have Swelling in Stomach Area	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I have swelling in my stomach area.	NCCN-FACT FOSI-18 Version 2 - I Have Swelling in Stomach Area
C129242	FAC050-Worry My Condition Will Get Worse	FAC050-Worry My Condition Will Get Worse	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I worry that my condition will get worse.	NCCN-FACT FOSI-18 Version 2 - Worry My Condition Will Get Worse

C127448	FAC05201	FAC052-I Have a Lack of Energy	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I have a lack of energy.	NCCN-FACT-FPSI 17 Version 2 - I Have a Lack of Energy
C127449	FAC05202	FAC052-I Have Pain	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I have pain.	NCCN-FACT-FPSI 17 Version 2 - I Have Pain
C127450	FAC05203	FAC052-I Have Difficulty Urinating	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I have difficulty urinating.	NCCN-FACT-FPSI 17 Version 2 - I Have Difficulty Urinating
C127451	FAC05204	FAC052-I Am Losing Weight	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I am losing weight.	NCCN-FACT-FPSI 17 Version 2 - I Am Losing Weight
C127452	FAC05205	FAC052-I Have Bone Pain	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I have bone pain.	NCCN-FACT-FPSI 17 Version 2 - I Have Bone Pain
C127453	FAC05206	FAC052-I Feel Fatigued	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I feel fatigued.	NCCN-FACT-FPSI 17 Version 2 - I Feel Fatigued
C127454	FAC05207	FAC052-I Have Weakness in My Legs	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I have weakness in my legs.	NCCN-FACT-FPSI 17 Version 2 - I Have Weakness in My Legs
C127455	FAC05208	FAC052-Pain Keeps Me From Doing Things	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - My pain keeps me from doing things I want to do.	NCCN-FACT-FPSI 17 Version 2 - Pain Keeps Me From Doing Things
C127456	FAC05209	FAC052-I Have a Good Appetite	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I have a good appetite.	NCCN-FACT-FPSI 17 Version 2 - I Have a Good Appetite
C127457	FAC05210	FAC052-I Am Sleeping Well	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I am sleeping well.	NCCN-FACT-FPSI 17 Version 2 - I Am Sleeping Well
C127458	FAC05211	FAC052-Worry My Condition Will Get Worse	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I worry that my condition will get worse.	NCCN-FACT-FPSI 17 Version 2 - Worry My Condition Will Get Worse
C127459	FAC05212	FAC052-I Have Nausea	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I have nausea.	NCCN-FACT-FPSI 17 Version 2 - I Have Nausea
C127460	FAC05213	FAC052-I Have Trouble Moving My Bowels	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I have trouble moving my bowels.	NCCN-FACT-FPSI 17 Version 2 - I Have Trouble Moving My Bowels
C127461	FAC05214	FAC052-I Am Satisfied With My Sex Life	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I am satisfied with my sex life.	NCCN-FACT-FPSI 17 Version 2 - I Am Satisfied With My Sex Life
C127462	FAC05215	FAC052-Bothered by Treatment Side Effect	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I am bothered by side effects of treatment.	NCCN-FACT-FPSI 17 Version 2 - Bothered by Treatment Side Effect
C127463	FAC05216	FAC052-I Am Able to Enjoy Life	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I am able to enjoy life.	NCCN-FACT-FPSI 17 Version 2 - I Am Able to Enjoy Life
C127464	FAC05217	FAC052-Content With Quality of My Life	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I am content with the quality of my life right now.	NCCN-FACT-FPSI 17 Version 2 - Content With Quality of My Life

C127462	FAC052-Bothered by Treatment Side Effect	FAC052-Bothered by Treatment Side Effect	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I am bothered by side effects of treatment.	NCCN-FACT-FPSI 17 Version 2 - Bothered by Treatment Side Effect
C127464	FAC052-Content With Quality of My Life	FAC052-Content With Quality of My Life	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I am content with the quality of my life right now.	NCCN-FACT-FPSI 17 Version 2 - Content With Quality of My Life
C127463	FAC052-I Am Able to Enjoy Life	FAC052-I Am Able to Enjoy Life	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I am able to enjoy life.	NCCN-FACT-FPSI 17 Version 2 - I Am Able to Enjoy Life
C127451	FAC052-I Am Losing Weight	FAC052-I Am Losing Weight	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I am losing weight.	NCCN-FACT-FPSI 17 Version 2 - I Am Losing Weight
C127461	FAC052-I Am Satisfied With My Sex Life	FAC052-I Am Satisfied With My Sex Life	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I am satisfied with my sex life.	NCCN-FACT-FPSI 17 Version 2 - I Am Satisfied With My Sex Life
C127457	FAC052-I Am Sleeping Well	FAC052-I Am Sleeping Well	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I am sleeping well.	NCCN-FACT-FPSI 17 Version 2 - I Am Sleeping Well
C127453	FAC052-I Feel Fatigued	FAC052-I Feel Fatigued	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I feel fatigued.	NCCN-FACT-FPSI 17 Version 2 - I Feel Fatigued
C127456	FAC052-I Have a Good Appetite	FAC052-I Have a Good Appetite	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I have a good appetite.	NCCN-FACT-FPSI 17 Version 2 - I Have a Good Appetite
C127448	FAC052-I Have a Lack of Energy	FAC052-I Have a Lack of Energy	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I have a lack of energy.	NCCN-FACT-FPSI 17 Version 2 - I Have a Lack of Energy
C127452	FAC052-I Have Bone Pain	FAC052-I Have Bone Pain	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I have bone pain.	NCCN-FACT-FPSI 17 Version 2 - I Have Bone Pain
C127450	FAC052-I Have Difficulty Urinating	FAC052-I Have Difficulty Urinating	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I have difficulty urinating.	NCCN-FACT-FPSI 17 Version 2 - I Have Difficulty Urinating
C127459	FAC052-I Have Nausea	FAC052-I Have Nausea	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I have nausea.	NCCN-FACT-FPSI 17 Version 2 - I Have Nausea
C127449	FAC052-I Have Pain	FAC052-I Have Pain	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I have pain.	NCCN-FACT-FPSI 17 Version 2 - I Have Pain
C127460	FAC052-I Have Trouble Moving My Bowels	FAC052-I Have Trouble Moving My Bowels	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I have trouble moving my bowels.	NCCN-FACT-FPSI 17 Version 2 - I Have Trouble Moving My Bowels
C127454	FAC052-I Have Weakness in My Legs	FAC052-I Have Weakness in My Legs	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I have weakness in my legs.	NCCN-FACT-FPSI 17 Version 2 - I Have Weakness in My Legs
C127455	FAC052-Pain Keeps Me From Doing Things	FAC052-Pain Keeps Me From Doing Things	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - My pain keeps me from doing things I want to do.	NCCN-FACT-FPSI 17 Version 2 - Pain Keeps Me From Doing Things
C127458	FAC052-Worry My Condition Will Get Worse	FAC052-Worry My Condition Will Get Worse	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I worry that my condition will get worse.	NCCN-FACT-FPSI 17 Version 2 - Worry My Condition Will Get Worse

Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Physical Well-Being: I have a lack of energy.				
C151196	FAC05701	FAC057-I Have a Lack of Energy	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Physical Well-Being: I have a lack of energy.	FACT/GOG-NTX Version 4 - I Have a Lack of Energy
C151197	FAC05702	FAC057-I Have Nausea	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Physical Well-Being: I have nausea.	FACT/GOG-NTX Version 4 - I Have Nausea
C151198	FAC05703	FAC057-Trouble Meeting Needs of Family	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Physical Well-Being: Because of my physical condition, I have trouble meeting the needs of my family.	FACT/GOG-NTX Version 4 - Trouble Meeting Needs of Family
C151199	FAC05704	FAC057-I Have Pain	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Physical Well-Being: I have pain.	FACT/GOG-NTX Version 4 - I Have Pain
C151200	FAC05705	FAC057-Bothered by Treatment Side Effect	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Physical Well-Being: I am bothered by side effects of treatment.	FACT/GOG-NTX Version 4 - Bothersome by Treatment Side Effect
C151201	FAC05706	FAC057-I Feel Ill	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Physical Well-Being: I feel ill.	FACT/GOG-NTX Version 4 - I Feel Ill
C151202	FAC05707	FAC057-I Am Forced to Spend Time in Bed	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Physical Well-Being: I am forced to spend time in bed.	FACT/GOG-NTX Version 4 - I Am Forced to Spend Time in Bed
C151203	FAC05708	FAC057-I Feel Close to My Friends	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Social/Family Well-Being: I feel close to my friends.	FACT/GOG-NTX Version 4 - I Feel Close to My Friends
C151204	FAC05709	FAC057-Get Emotional Support From Family	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Social/Family Well-Being: I get emotional support from my family.	FACT/GOG-NTX Version 4 - Get Emotional Support From Family
C151205	FAC05710	FAC057-I Get Support From My Friends	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Social/Family Well-Being: I get support from my friends.	FACT/GOG-NTX Version 4 - I Get Support From My Friends
C151206	FAC05711	FAC057-My Family Has Accepted My Illness	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Social/Family Well-Being: My family has accepted my illness.	FACT/GOG-NTX Version 4 - My Family Has Accepted My Illness
C151207	FAC05712	FAC057-Satisfied Communication Illness	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Social/Family Well-Being: I am satisfied with family communication about my illness.	FACT/GOG-NTX Version 4 - Satisfied Communication Illness
C151208	FAC05713	FAC057-I Feel Close to My Partner	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Social/Family Well-Being: I feel close to my partner (or the person who is my main support).	FACT/GOG-NTX Version 4 - I Feel Close to My Partner
C151209	FAC05714	FAC057-I Am Satisfied With My Sex Life	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Social/Family Well-Being: I am satisfied with my sex life.	FACT/GOG-NTX Version 4 - I Am Satisfied With My Sex Life
C151210	FAC05715	FAC057-I Feel Sad	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Emotional Well-Being: I feel sad.	FACT/GOG-NTX Version 4 - I Feel Sad
C151211	FAC05716	FAC057-Satisfied With How I Am Coping	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Emotional Well-Being: I am satisfied with how I am coping with my illness.	FACT/GOG-NTX Version 4 - Satisfied With How I Am Coping
C151212	FAC05717	FAC057-Losing Hope Against Illness	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Emotional Well-Being: I am losing hope in the fight against my illness.	FACT/GOG-NTX Version 4 - Losing Hope Against Illness
C151213	FAC05718	FAC057-I Feel Nervous	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Emotional Well-Being: I feel nervous.	FACT/GOG-NTX Version 4 - I Feel Nervous
C151214	FAC05719	FAC057-I Worry About Dying	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Emotional Well-Being: I worry about dying.	FACT/GOG-NTX Version 4 - I Worry About Dying
C151215	FAC05720	FAC057-Worry My Condition Will Get Worse	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Emotional Well-Being: I worry that my condition will get worse.	FACT/GOG-NTX Version 4 - Worry My Condition Will Get Worse
C151216	FAC05721	FAC057-I Am Able to Work	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Functional Well-Being: I am able to work (include work at home).	FACT/GOG-NTX Version 4 - I Am Able to Work

Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Functional Well-Being				
C151217	FAC05722	FAC057-My Work Is Fulfilling	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Functional Well-Being: My work (include work at home) is fulfilling.	FACT/GOG-NTX Version 4 - My Work Is Fulfilling
C151218	FAC05723	FAC057-I Am Able to Enjoy Life	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Functional Well-Being: I am able to enjoy life.	FACT/GOG-NTX Version 4 - I Am Able to Enjoy Life
C151219	FAC05724	FAC057-I Have Accepted My Illness	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Functional Well-Being: I have accepted my illness.	FACT/GOG-NTX Version 4 - I Have Accepted My Illness
C151220	FAC05725	FAC057-I Am Sleeping Well	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Functional Well-Being: I am sleeping well.	FACT/GOG-NTX Version 4 - I Am Sleeping Well
C151221	FAC05726	FAC057-Enjoy Things I Usually Do for Fun	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Functional Well-Being: I am enjoying the things I usually do for fun.	FACT/GOG-NTX Version 4 - Enjoy Things I Usually Do for Fun
C151222	FAC05727	FAC057-Content With Quality of My Life	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Functional Well-Being: I am content with the quality of my life right now.	FACT/GOG-NTX Version 4 - Content With Quality of My Life
C151223	FAC05728	FAC057-Numbness or Tingling in My Hands	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Additional Concerns: I have numbness or tingling in my hands.	FACT/GOG-NTX Version 4 - Numbness or Tingling in My Hands
C151224	FAC05729	FAC057-Numbness or Tingling in My Feet	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Additional Concerns: I have numbness or tingling in my feet.	FACT/GOG-NTX Version 4 - Numbness or Tingling in My Feet
C151225	FAC05730	FAC057-I Feel Discomfort in My Hands	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Additional Concerns: I feel discomfort in my hands.	FACT/GOG-NTX Version 4 - I Feel Discomfort in My Hands
C151226	FAC05731	FAC057-I Feel Discomfort in My Feet	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Additional Concerns: I feel discomfort in my feet.	FACT/GOG-NTX Version 4 - I Feel Discomfort in My Feet
C151227	FAC05732	FAC057-Have Joint Pain or Muscle Cramps	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Additional Concerns: I have joint pain or muscle cramps.	FACT/GOG-NTX Version 4 - Have Joint Pain or Muscle Cramps
C151228	FAC05733	FAC057-I Feel Weak All Over	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Additional Concerns: I feel weak all over.	FACT/GOG-NTX Version 4 - I Feel Weak All Over
C151229	FAC05734	FAC057-I Have Trouble Hearing	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Additional Concerns: I have trouble hearing.	FACT/GOG-NTX Version 4 - I Have Trouble Hearing
C151230	FAC05735	FAC057-Get Ringing or Buzzing in My Ears	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Additional Concerns: I get a ringing or buzzing in my ears.	FACT/GOG-NTX Version 4 - Get Ringing or Buzzing in My Ears
C151231	FAC05736	FAC057-I Have Trouble Buttoning Buttons	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Additional Concerns: I have trouble buttoning buttons.	FACT/GOG-NTX Version 4 - I Have Trouble Buttoning Buttons
C151232	FAC05737	FAC057-Trouble Feeling Shape of Objects	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Additional Concerns: I have trouble feeling the shape of small objects when they are in my hand.	FACT/GOG-NTX Version 4 - Trouble Feeling Shape of Objects
C151233	FAC05738	FAC057-I Have Trouble Walking	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Additional Concerns: I have trouble walking.	FACT/GOG-NTX Version 4 - I Have Trouble Walking

C151200	FAC057-Bothered by Treatment Side Effect	FAC057-Bothered by Treatment Side Effect	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Physical Well-Being: I am bothered by side effects of treatment.	FACT/GOG-NTX Version 4 - Bothered by Treatment Side Effect
C151222	FAC057-Content With Quality of My Life	FAC057-Content With Quality of My Life	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Functional Well-Being: I am content with the quality of my life right now.	FACT/GOG-NTX Version 4 - Content With Quality of My Life
C151221	FAC057-Enjoy Things I Usually Do for Fun	FAC057-Enjoy Things I Usually Do for Fun	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Functional Well-Being: I am enjoying the things I usually do for fun.	FACT/GOG-NTX Version 4 - Enjoy Things I Usually Do for Fun
C151204	FAC057-Get Emotional Support From Family	FAC057-Get Emotional Support From Family	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Social/Family Well-Being: I get emotional support from my family.	FACT/GOG-NTX Version 4 - Get Emotional Support From Family
C151230	FAC057-Get Ringing or Buzzing in My Ears	FAC057-Get Ringing or Buzzing in My Ears	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Additional Concerns: I get a ringing or buzzing in my ears.	FACT/GOG-NTX Version 4 - Get Ringing or Buzzing in My Ears
C151227	FAC057-Have Joint Pain or Muscle Cramps	FAC057-Have Joint Pain or Muscle Cramps	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Additional Concerns: I have joint pain or muscle cramps.	FACT/GOG-NTX Version 4 - Have Joint Pain or Muscle Cramps
C151218	FAC057-I Am Able to Enjoy Life	FAC057-I Am Able to Enjoy Life	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Functional Well-Being: I am able to enjoy life.	FACT/GOG-NTX Version 4 - I Am Able to Enjoy Life
C151216	FAC057-I Am Able to Work	FAC057-I Am Able to Work	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Functional Well-Being: I am able to work (include work at home).	FACT/GOG-NTX Version 4 - I Am Able to Work
C151202	FAC057-I Am Forced to Spend Time in Bed	FAC057-I Am Forced to Spend Time in Bed	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Physical Well-Being: I am forced to spend time in bed.	FACT/GOG-NTX Version 4 - I Am Forced to Spend Time in Bed
C151209	FAC057-I Am Satisfied With My Sex Life	FAC057-I Am Satisfied With My Sex Life	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Social/Family Well-Being: I am satisfied with my sex life.	FACT/GOG-NTX Version 4 - I Am Satisfied With My Sex Life
C151220	FAC057-I Am Sleeping Well	FAC057-I Am Sleeping Well	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Functional Well-Being: I am sleeping well.	FACT/GOG-NTX Version 4 - I Am Sleeping Well
C151203	FAC057-I Feel Close to My Friends	FAC057-I Feel Close to My Friends	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Social/Family Well-Being: I feel close to my friends.	FACT/GOG-NTX Version 4 - I Feel Close to My Friends
C151208	FAC057-I Feel Close to My Partner	FAC057-I Feel Close to My Partner	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Social/Family Well-Being: I feel close to my partner (or the person who is my main support).	FACT/GOG-NTX Version 4 - I Feel Close to My Partner
C151226	FAC057-I Feel Discomfort in My Feet	FAC057-I Feel Discomfort in My Feet	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Additional Concerns: I feel discomfort in my feet.	FACT/GOG-NTX Version 4 - I Feel Discomfort in My Feet
C151225	FAC057-I Feel Discomfort in My Hands	FAC057-I Feel Discomfort in My Hands	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Additional Concerns: I feel discomfort in my hands.	FACT/GOG-NTX Version 4 - I Feel Discomfort in My Hands
C151201	FAC057-I Feel Ill	FAC057-I Feel Ill	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Physical Well-Being: I feel ill.	FACT/GOG-NTX Version 4 - I Feel Ill
C151213	FAC057-I Feel Nervous	FAC057-I Feel Nervous	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Emotional Well-Being: I feel nervous.	FACT/GOG-NTX Version 4 - I Feel Nervous
C151210	FAC057-I Feel Sad	FAC057-I Feel Sad	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Emotional Well-Being: I feel sad.	FACT/GOG-NTX Version 4 - I Feel Sad
C151228	FAC057-I Feel Weak All Over	FAC057-I Feel Weak All Over	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Additional Concerns: I feel weak all over.	FACT/GOG-NTX Version 4 - I Feel Weak All Over
C151205	FAC057-I Get Support From My Friends	FAC057-I Get Support From My Friends	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Social/Family Well-Being: I get support from my friends.	FACT/GOG-NTX Version 4 - I Get Support From My Friends
C151196	FAC057-I Have a Lack of Energy	FAC057-I Have a Lack of Energy	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Physical Well-Being: I have a lack of energy.	FACT/GOG-NTX Version 4 - I Have a Lack of Energy

FACT/GOG-NTX Version 4 - I Have Accepted My Illness				
C151219	FAC057-I Have Accepted My Illness	FAC057-I Have Accepted My Illness	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Functional Well-Being: I have accepted my illness.	FACT/GOG-NTX Version 4 - I Have Accepted My Illness
C151197	FAC057-I Have Nausea	FAC057-I Have Nausea	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Physical Well-Being: I have nausea.	FACT/GOG-NTX Version 4 - I Have Nausea
C151199	FAC057-I Have Pain	FAC057-I Have Pain	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Physical Well-Being: I have pain.	FACT/GOG-NTX Version 4 - I Have Pain
C151231	FAC057-I Have Trouble Buttoning Buttons	FAC057-I Have Trouble Buttoning Buttons	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Additional Concerns: I have trouble buttoning buttons.	FACT/GOG-NTX Version 4 - I Have Trouble Buttoning Buttons
C151229	FAC057-I Have Trouble Hearing	FAC057-I Have Trouble Hearing	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Additional Concerns: I have trouble hearing.	FACT/GOG-NTX Version 4 - I Have Trouble Hearing
C151233	FAC057-I Have Trouble Walking	FAC057-I Have Trouble Walking	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Additional Concerns: I have trouble walking.	FACT/GOG-NTX Version 4 - I Have Trouble Walking
C151214	FAC057-I Worry About Dying	FAC057-I Worry About Dying	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Emotional Well-Being: I worry about dying.	FACT/GOG-NTX Version 4 - I Worry About Dying
C151212	FAC057-Losing Hope Against Illness	FAC057-Losing Hope Against Illness	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Emotional Well-Being: I am losing hope in the fight against my illness.	FACT/GOG-NTX Version 4 - Losing Hope Against Illness
C151206	FAC057-My Family Has Accepted My Illness	FAC057-My Family Has Accepted My Illness	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Social/Family Well-Being: My family has accepted my illness.	FACT/GOG-NTX Version 4 - My Family Has Accepted My Illness
C151217	FAC057-My Work Is Fulfilling	FAC057-My Work Is Fulfilling	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Functional Well-Being: My work (include work at home) is fulfilling.	FACT/GOG-NTX Version 4 - My Work Is Fulfilling
C151224	FAC057-Numbness or Tingling in My Feet	FAC057-Numbness or Tingling in My Feet	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Additional Concerns: I have numbness or tingling in my feet.	FACT/GOG-NTX Version 4 - Numbness or Tingling in My Feet
C151223	FAC057-Numbness or Tingling in My Hands	FAC057-Numbness or Tingling in My Hands	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Additional Concerns: I have numbness or tingling in my hands.	FACT/GOG-NTX Version 4 - Numbness or Tingling in My Hands
C151207	FAC057-Satisfied Communication Illness	FAC057-Satisfied Communication Illness	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Social/Family Well-Being: I am satisfied with family communication about my illness.	FACT/GOG-NTX Version 4 - Satisfied Communication Illness
C151211	FAC057-Satisfied With How I Am Coping	FAC057-Satisfied With How I Am Coping	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Emotional Well-Being: I am satisfied with how I am coping with my illness.	FACT/GOG-NTX Version 4 - Satisfied With How I Am Coping
C151232	FAC057-Trouble Feeling Shape of Objects	FAC057-Trouble Feeling Shape of Objects	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Additional Concerns: I have trouble feeling the shape of small objects when they are in my hand.	FACT/GOG-NTX Version 4 - Trouble Feeling Shape of Objects
C151198	FAC057-Trouble Meeting Needs of Family	FAC057-Trouble Meeting Needs of Family	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Physical Well-Being: Because of my physical condition, I have trouble meeting the needs of my family.	FACT/GOG-NTX Version 4 - Trouble Meeting Needs of Family
C151215	FAC057-Worry My Condition Will Get Worse	FAC057-Worry My Condition Will Get Worse	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 - Emotional Well-Being: I worry that my condition will get worse.	FACT/GOG-NTX Version 4 - Worry My Condition Will Get Worse

C147593	FAC06101	FAC061-I Have a Lack of Energy	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I have a lack of energy.	FACT-BMT Version 4 - I Have a Lack of Energy
C147594	FAC06102	FAC061-I Have Nausea	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I have nausea.	FACT-BMT Version 4 - I Have Nausea
C147595	FAC06103	FAC061-Trouble Meeting Needs of Family	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - Because of my physical condition, I have trouble meeting the needs of my family.	FACT-BMT Version 4 - Trouble Meeting Needs of Family
C147596	FAC06104	FAC061-I Have Pain	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I have pain.	FACT-BMT Version 4 - I Have Pain
C147597	FAC06105	FAC061-Bothered by Treatment Side Effect	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am bothered by side effects of treatment.	FACT-BMT Version 4 - Bothered by Treatment Side Effect
C147598	FAC06106	FAC061-I Feel Ill	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I feel ill.	FACT-BMT Version 4 - I Feel Ill
C147599	FAC06107	FAC061-I Am Forced to Spend Time in Bed	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am forced to spend time in bed.	FACT-BMT Version 4 - I Am Forced to Spend Time in Bed
C147600	FAC06108	FAC061-I Feel Close to My Friends	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I feel close to my friends.	FACT-BMT Version 4 - I Feel Close to My Friends
C147601	FAC06109	FAC061-Get Emotional Support From Family	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I get emotional support from my family.	FACT-BMT Version 4 - Get Emotional Support From Family
C147602	FAC06110	FAC061-I Get Support From My Friends	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I get support from my friends.	FACT-BMT Version 4 - I Get Support From My Friends
C147603	FAC06111	FAC061-My Family Has Accepted My Illness	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - My family has accepted my illness.	FACT-BMT Version 4 - My Family Has Accepted My Illness
C147604	FAC06112	FAC061-Satisfied Communication Illness	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am satisfied with family communication about my illness.	FACT-BMT Version 4 - Satisfied Communication Illness
C147605	FAC06113	FAC061-I Feel Close to My Partner	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I feel close to my partner (or the person who is my main support).	FACT-BMT Version 4 - I Feel Close to My Partner
C147606	FAC06114	FAC061-I Am Satisfied With My Sex Life	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am satisfied with my sex life.	FACT-BMT Version 4 - I Am Satisfied With My Sex Life
C147607	FAC06115	FAC061-I Feel Sad	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I feel sad.	FACT-BMT Version 4 - I Feel Sad
C147608	FAC06116	FAC061-Satisfied With How I Am Coping	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am satisfied with how I am coping with my illness.	FACT-BMT Version 4 - Satisfied With How I Am Coping
C147609	FAC06117	FAC061-Losing Hope Against Illness	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am losing hope in the fight against my illness.	FACT-BMT Version 4 - Losing Hope Against Illness
C147610	FAC06118	FAC061-I Feel Nervous	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I feel nervous.	FACT-BMT Version 4 - I Feel Nervous
C147611	FAC06119	FAC061-I Worry About Dying	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I worry about dying.	FACT-BMT Version 4 - I Worry About Dying
C147612	FAC06120	FAC061-Worry My Condition Will Get Worse	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I worry that my condition will get worse.	FACT-BMT Version 4 - Worry My Condition Will Get Worse
C147613	FAC06121	FAC061-I Am Able to Work	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am able to work (include work at home).	FACT-BMT Version 4 - I Am Able to Work
C147614	FAC06122	FAC061-My Work Is Fulfilling	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - My work (include work at home) is fulfilling.	FACT-BMT Version 4 - My Work Is Fulfilling
C147615	FAC06123	FAC061-I Am Able to Enjoy Life	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am able to enjoy life.	FACT-BMT Version 4 - I Am Able to Enjoy Life
C147616	FAC06124	FAC061-I Have Accepted My Illness	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I have accepted my illness.	FACT-BMT Version 4 - I Have Accepted My Illness

FACT-BMT Version 4 - Item Details				
Item ID	Item Code	Item Description	Item Definition	Item Title
C147617	FAC06125	FAC061-I Am Sleeping Well	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am sleeping well.	FACT-BMT Version 4 - I Am Sleeping Well
C147618	FAC06126	FAC061-Enjoy Things I Usually Do for Fun	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am enjoying the things I usually do for fun.	FACT-BMT Version 4 - Enjoy Things I Usually Do for Fun
C147619	FAC06127	FAC061-Content With Quality of My Life	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am content with the quality of my life right now.	FACT-BMT Version 4 - Content With Quality of My Life
C147620	FAC06128	FAC061-I Am Concerned About Keeping Job	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am concerned about keeping my job (include work at home).	FACT-BMT Version 4 - I Am Concerned About Keeping Job
C147621	FAC06129	FAC061-I Feel Distant From Other People	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I feel distant from other people.	FACT-BMT Version 4 - I Feel Distant From Other People
C147622	FAC06130	FAC061-I Worry Transplant Will Not Work	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I worry that the transplant will not work.	FACT-BMT Version 4 - I Worry Transplant Will Not Work
C147623	FAC06131	FAC061-Side Effect of Treatment Worse	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - The side effects of treatment are worse than I had imagined.	FACT-BMT Version 4 - Side Effect of Treatment Worse
C147624	FAC06132	FAC061-I Have a Good Appetite	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I have a good appetite.	FACT-BMT Version 4 - I Have a Good Appetite
C147625	FAC06133	FAC061-I Like the Appearance of My Body	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I like the appearance of my body.	FACT-BMT Version 4 - I Like the Appearance of My Body
C147626	FAC06134	FAC061-I Am Able to Get Around by Myself	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am able to get around by myself.	FACT-BMT Version 4 - I Am Able to Get Around by Myself
C147627	FAC06135	FAC061-I Get Tired Easily	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I get tired easily.	FACT-BMT Version 4 - I Get Tired Easily
C147628	FAC06136	FAC061-I Am Interested in Sex	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am interested in sex.	FACT-BMT Version 4 - I Am Interested in Sex
C147629	FAC06137	FAC061-Concerns Ability to Have Children	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I have concerns about my ability to have children.	FACT-BMT Version 4 - Concerns Ability to Have Children
C147630	FAC06138	FAC061-Confidence in My Nurse(s)	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I have confidence in my nurse(s).	FACT-BMT Version 4 - Confidence in My Nurse(s)
C147631	FAC06139	FAC061-I Regret Bone Marrow Transplant	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I regret having the bone marrow transplant.	FACT-BMT Version 4 - I Regret Bone Marrow Transplant
C147632	FAC06140	FAC061-I Can Remember Things	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I can remember things.	FACT-BMT Version 4 - I Can Remember Things
C147633	FAC06141	FAC061-I Am Able to Concentrate	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am able to concentrate.	FACT-BMT Version 4 - I Am Able to Concentrate
C147634	FAC06142	FAC061-I Have Frequent Colds/Infections	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I have frequent colds/infections.	FACT-BMT Version 4 - I Have Frequent Colds/Infections
C147635	FAC06143	FAC061-My Eyesight Is Blurry	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - My eyesight is blurry.	FACT-BMT Version 4 - My Eyesight Is Blurry
C147636	FAC06144	FAC061-Bothered by Change in Food Tastes	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am bothered by a change in the way food tastes.	FACT-BMT Version 4 - Bothered by Change in Food Tastes
C147637	FAC06145	FAC061-I Have Tremors	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I have tremors.	FACT-BMT Version 4 - I Have Tremors
C147638	FAC06146	FAC061-I Have Been Short of Breath	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I have been short of breath.	FACT-BMT Version 4 - I Have Been Short of Breath
C147639	FAC06147	FAC061-I Am Bothered by Skin Problems	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am bothered by skin problems.	FACT-BMT Version 4 - I Am Bothered by Skin Problems
C147640	FAC06148	FAC061-I Have Trouble With My Bowels	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I have trouble with my bowels.	FACT-BMT Version 4 - I Have Trouble With My Bowels
C147641	FAC06149	FAC061-Illness Is Hardship for My Family	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - My illness is a personal hardship for my close family members.	FACT-BMT Version 4 - Illness Is Hardship for My Family

C147642	FAC06150	FAC061-Cost of Treatment Is Burden on Me	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - The cost of my treatment is a burden on me or my family.	FACT-BMT Version 4 - Cost of Treatment Is Burden on Me
---------	----------	------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------

C147636	FAC061-Bothered by Change in Food Tastes	FAC061-Bothered by Change in Food Tastes	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am bothered by a change in the way food tastes.	FACT-BMT Version 4 - Bothered by Change in Food Tastes	
C147597	FAC061-Bothered by Treatment Side Effect	FAC061-Bothered by Treatment Side Effect	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am bothered by side effects of treatment.	FACT-BMT Version 4 - Bothered by Treatment Side Effect	
C147629	FAC061-Concerns Ability to Have Children	FAC061-Concerns Ability to Have Children	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I have concerns about my ability to have children.	FACT-BMT Version 4 - Concerns Ability to Have Children	
C147630	FAC061-Confidence in My Nurse(s)	FAC061-Confidence in My Nurse(s)	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I have confidence in my nurse(s).	FACT-BMT Version 4 - Confidence in My Nurse(s)	
C147619	FAC061-Content With Quality of My Life	FAC061-Content With Quality of My Life	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am content with the quality of my life right now.	FACT-BMT Version 4 - Content With Quality of My Life	
C147642	FAC061-Cost of Treatment Is Burden on Me	FAC061-Cost of Treatment Is Burden on Me	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - The cost of my treatment is a burden on me or my family.	FACT-BMT Version 4 - Cost of Treatment Is Burden on Me	
C147618	FAC061-Enjoy Things I Usually Do for Fun	FAC061-Enjoy Things I Usually Do for Fun	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am enjoying the things I usually do for fun.	FACT-BMT Version 4 - Enjoy Things I Usually Do for Fun	
C147601	FAC061-Get Emotional Support From Family	FAC061-Get Emotional Support From Family	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I get emotional support from my family.	FACT-BMT Version 4 - Get Emotional Support From Family	
C147633	FAC061-I Am Able to Concentrate	FAC061-I Am Able to Concentrate	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am able to concentrate.	FACT-BMT Version 4 - I Am Able to Concentrate	
C147615	FAC061-I Am Able to Enjoy Life	FAC061-I Am Able to Enjoy Life	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am able to enjoy life.	FACT-BMT Version 4 - I Am Able to Enjoy Life	
C147626	FAC061-I Am Able to Get Around by Myself	FAC061-I Am Able to Get Around by Myself	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am able to get around by myself.	FACT-BMT Version 4 - I Am Able to Get Around by Myself	
C147613	FAC061-I Am Able to Work	FAC061-I Am Able to Work	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am able to work (include work at home).	FACT-BMT Version 4 - I Am Able to Work	
C147639	FAC061-I Am Bothered by Skin Problems	FAC061-I Am Bothered by Skin Problems	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am bothered by skin problems.	FACT-BMT Version 4 - I Am Bothered by Skin Problems	
C147620	FAC061-I Am Concerned About Keeping Job	FAC061-I Am Concerned About Keeping Job	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am concerned about keeping my job (include work at home).	FACT-BMT Version 4 - I Am Concerned About Keeping Job	
C147599	FAC061-I Am Forced to Spend Time in Bed	FAC061-I Am Forced to Spend Time in Bed	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am forced to spend time in bed.	FACT-BMT Version 4 - I Am Forced to Spend Time in Bed	
C147628	FAC061-I Am Interested in Sex	FAC061-I Am Interested in Sex	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am interested in sex.	FACT-BMT Version 4 - I Am Interested in Sex	
C147606	FAC061-I Am Satisfied With My Sex Life	FAC061-I Am Satisfied With My Sex Life	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am satisfied with my sex life.	FACT-BMT Version 4 - I Am Satisfied With My Sex Life	
C147617	FAC061-I Am Sleeping Well	FAC061-I Am Sleeping Well	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am sleeping well.	FACT-BMT Version 4 - I Am Sleeping Well	
C147632	FAC061-I Can Remember Things	FAC061-I Can Remember Things	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I can remember things.	FACT-BMT Version 4 - I Can Remember Things	
C147600	FAC061-I Feel Close to My Friends	FAC061-I Feel Close to My Friends	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I feel close to my friends.	FACT-BMT Version 4 - I Feel Close to My Friends	
C147605	FAC061-I Feel Close to My Partner	FAC061-I Feel Close to My Partner	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I feel close to my partner (or the person who is my main support).	FACT-BMT Version 4 - I Feel Close to My Partner	
C147621	FAC061-I Feel Distant From Other People	FAC061-I Feel Distant From Other People	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I feel distant from other people.	FACT-BMT Version 4 - I Feel Distant From Other People	
C147598	FAC061-I Feel Ill	FAC061-I Feel Ill	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I feel ill.	FACT-BMT Version 4 - I Feel Ill	
C147610	FAC061-I Feel Nervous	FAC061-I Feel Nervous	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I feel nervous.	FACT-BMT Version 4 - I Feel Nervous	

Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4				
C147607	FAC061-I Feel Sad	FAC061-I Feel Sad	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I feel sad.	FACT-BMT Version 4 - I Feel Sad
C147602	FAC061-I Get Support From My Friends	FAC061-I Get Support From My Friends	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I get support from my friends.	FACT-BMT Version 4 - I Get Support From My Friends
C147627	FAC061-I Get Tired Easily	FAC061-I Get Tired Easily	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I get tired easily.	FACT-BMT Version 4 - I Get Tired Easily
C147624	FAC061-I Have a Good Appetite	FAC061-I Have a Good Appetite	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I have a good appetite.	FACT-BMT Version 4 - I Have a Good Appetite
C147593	FAC061-I Have a Lack of Energy	FAC061-I Have a Lack of Energy	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I have a lack of energy.	FACT-BMT Version 4 - I Have a Lack of Energy
C147616	FAC061-I Have Accepted My Illness	FAC061-I Have Accepted My Illness	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I have accepted my illness.	FACT-BMT Version 4 - I Have Accepted My Illness
C147638	FAC061-I Have Been Short of Breath	FAC061-I Have Been Short of Breath	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I have been short of breath.	FACT-BMT Version 4 - I Have Been Short of Breath
C147634	FAC061-I Have Frequent Colds/Infections	FAC061-I Have Frequent Colds/Infections	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I have frequent colds/infections.	FACT-BMT Version 4 - I Have Frequent Colds/Infections
C147594	FAC061-I Have Nausea	FAC061-I Have Nausea	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I have nausea.	FACT-BMT Version 4 - I Have Nausea
C147596	FAC061-I Have Pain	FAC061-I Have Pain	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I have pain.	FACT-BMT Version 4 - I Have Pain
C147637	FAC061-I Have Tremors	FAC061-I Have Tremors	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I have tremors.	FACT-BMT Version 4 - I Have Tremors
C147640	FAC061-I Have Trouble With My Bowels	FAC061-I Have Trouble With My Bowels	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I have trouble with my bowels.	FACT-BMT Version 4 - I Have Trouble With My Bowels
C147625	FAC061-I Like the Appearance of My Body	FAC061-I Like the Appearance of My Body	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I like the appearance of my body.	FACT-BMT Version 4 - I Like the Appearance of My Body
C147631	FAC061-I Regret Bone Marrow Transplant	FAC061-I Regret Bone Marrow Transplant	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I regret having the bone marrow transplant.	FACT-BMT Version 4 - I Regret Bone Marrow Transplant
C147611	FAC061-I Worry About Dying	FAC061-I Worry About Dying	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I worry about dying.	FACT-BMT Version 4 - I Worry About Dying
C147622	FAC061-I Worry Transplant Will Not Work	FAC061-I Worry Transplant Will Not Work	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I worry that the transplant will not work.	FACT-BMT Version 4 - I Worry Transplant Will Not Work
C147641	FAC061-Illness Is Hardship for My Family	FAC061-Illness Is Hardship for My Family	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - My illness is a personal hardship for my close family members.	FACT-BMT Version 4 - Illness Is Hardship for My Family
C147609	FAC061-Losing Hope Against Illness	FAC061-Losing Hope Against Illness	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am losing hope in the fight against my illness.	FACT-BMT Version 4 - Losing Hope Against Illness
C147635	FAC061-My Eyesight Is Blurry	FAC061-My Eyesight Is Blurry	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - My eyesight is blurry.	FACT-BMT Version 4 - My Eyesight Is Blurry
C147603	FAC061-My Family Has Accepted My Illness	FAC061-My Family Has Accepted My Illness	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - My family has accepted my illness.	FACT-BMT Version 4 - My Family Has Accepted My Illness
C147614	FAC061-My Work Is Fulfilling	FAC061-My Work Is Fulfilling	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - My work (include work at home) is fulfilling.	FACT-BMT Version 4 - My Work Is Fulfilling
C147604	FAC061-Satisfied Communication Illness	FAC061-Satisfied Communication Illness	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am satisfied with family communication about my illness.	FACT-BMT Version 4 - Satisfied Communication Illness
C147608	FAC061-Satisfied With How I Am Coping	FAC061-Satisfied With How I Am Coping	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am satisfied with how I am coping with my illness.	FACT-BMT Version 4 - Satisfied With How I Am Coping
C147623	FAC061-Side Effect of Treatment Worse	FAC061-Side Effect of Treatment Worse	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - The side effects of treatment are worse than I had imagined.	FACT-BMT Version 4 - Side Effect of Treatment Worse
C147595	FAC061-Trouble Meeting Needs of Family	FAC061-Trouble Meeting Needs of Family	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - Because of my physical condition, I have trouble meeting the needs of my family.	FACT-BMT Version 4 - Trouble Meeting Needs of Family

C147612	FAC061-Worry My Condition Will Get Worse	FAC061-Worry My Condition Will Get Worse	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I worry that my condition will get worse.	FACT-BMT Version 4 - Worry My Condition Will Get Worse
---------	---------------------------------------------	---------------------------------------------	-------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------

C151156	FAC06201	FAC062-I Have a Lack of Energy	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Physical Well-Being: I have a lack of energy.	FACT-BRM Version 4 - I Have a Lack of Energy
C151157	FAC06202	FAC062-I Have Nausea	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Physical Well-Being: I have nausea.	FACT-BRM Version 4 - I Have Nausea
C151158	FAC06203	FAC062-Trouble Meeting Needs of Family	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Physical Well-Being: Because of my physical condition, I have trouble meeting the needs of my family.	FACT-BRM Version 4 - Trouble Meeting Needs of Family
C151159	FAC06204	FAC062-I Have Pain	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Physical Well-Being: I have pain.	FACT-BRM Version 4 - I Have Pain
C151160	FAC06205	FAC062-Bothered by Treatment Side Effect	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Physical Well-Being: I am bothered by side effects of treatment.	FACT-BRM Version 4 - Bothered by Treatment Side Effect
C151161	FAC06206	FAC062-I Feel Ill	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Physical Well-Being: I feel ill.	FACT-BRM Version 4 - I Feel Ill
C151162	FAC06207	FAC062-I Am Forced to Spend Time in Bed	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Physical Well-Being: I am forced to spend time in bed.	FACT-BRM Version 4 - I Am Forced to Spend Time in Bed
C151163	FAC06208	FAC062-I Feel Close to My Friends	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Social/Family Well-Being: I feel close to my friends.	FACT-BRM Version 4 - I Feel Close to My Friends
C151164	FAC06209	FAC062-Get Emotional Support From Family	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Social/Family Well-Being: I get emotional support from my family.	FACT-BRM Version 4 - Get Emotional Support From Family
C151165	FAC06210	FAC062-I Get Support From My Friends	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Social/Family Well-Being: I get support from my friends.	FACT-BRM Version 4 - I Get Support From My Friends
C151166	FAC06211	FAC062-My Family Has Accepted My Illness	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Social/Family Well-Being: My family has accepted my illness.	FACT-BRM Version 4 - My Family Has Accepted My Illness
C151167	FAC06212	FAC062-Satisfied Communication Illness	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Social/Family Well-Being: I am satisfied with family communication about my illness.	FACT-BRM Version 4 - Satisfied Communication Illness
C151168	FAC06213	FAC062-I Feel Close to My Partner	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Social/Family Well-Being: I feel close to my partner (or the person who is my main support).	FACT-BRM Version 4 - I Feel Close to My Partner
C151169	FAC06214	FAC062-I Am Satisfied With My Sex Life	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Social/Family Well-Being: I am satisfied with my sex life.	FACT-BRM Version 4 - I Am Satisfied With My Sex Life
C151170	FAC06215	FAC062-I Feel Sad	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Emotional Well-Being: I feel sad.	FACT-BRM Version 4 - I Feel Sad
C151171	FAC06216	FAC062-Satisfied With How I Am Coping	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Emotional Well-Being: I am satisfied with how I am coping with my illness.	FACT-BRM Version 4 - Satisfied With How I Am Coping
C151172	FAC06217	FAC062-Losing Hope Against Illness	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Emotional Well-Being: I am losing hope in the fight against my illness.	FACT-BRM Version 4 - Losing Hope Against Illness
C151173	FAC06218	FAC062-I Feel Nervous	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Emotional Well-Being: I feel nervous.	FACT-BRM Version 4 - I Feel Nervous
C151174	FAC06219	FAC062-I Worry About Dying	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Emotional Well-Being: I worry about dying.	FACT-BRM Version 4 - I Worry About Dying
C151175	FAC06220	FAC062-Worry My Condition Will Get Worse	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Emotional Well-Being: I worry that my condition will get worse.	FACT-BRM Version 4 - Worry My Condition Will Get Worse
C151176	FAC06221	FAC062-I Am Able to Work	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Functional Well-Being: I am able to work (include work at home).	FACT-BRM Version 4 - I Am Able to Work
C151177	FAC06222	FAC062-My Work Is Fulfilling	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Functional Well-Being: My work (include work at home) is fulfilling.	FACT-BRM Version 4 - My Work Is Fulfilling

FACT-BRM Version 4 - I Am Able to Enjoy Life				
C151178	FAC06223	FAC062-I Am Able to Enjoy Life	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Functional Well-Being: I am able to enjoy life.	FACT-BRM Version 4 - I Am Able to Enjoy Life
C151179	FAC06224	FAC062-I Have Accepted My Illness	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Functional Well-Being: I have accepted my illness.	FACT-BRM Version 4 - I Have Accepted My Illness
C151180	FAC06225	FAC062-I Am Sleeping Well	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Functional Well-Being: I am sleeping well.	FACT-BRM Version 4 - I Am Sleeping Well
C151181	FAC06226	FAC062-Enjoy Things I Usually Do for Fun	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Functional Well-Being: I am enjoying the things I usually do for fun.	FACT-BRM Version 4 - Enjoy Things I Usually Do for Fun
C151182	FAC06227	FAC062-Content With Quality of My Life	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Functional Well-Being: I am content with the quality of my life right now.	FACT-BRM Version 4 - Content With Quality of My Life
C151183	FAC06228	FAC062-I Get Tired Easily	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Additional Concerns-Physical: I get tired easily.	FACT-BRM Version 4 - I Get Tired Easily
C151184	FAC06229	FAC062-I Feel Weak All Over	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Additional Concerns-Physical: I feel weak all over.	FACT-BRM Version 4 - I Feel Weak All Over
C151185	FAC06230	FAC062-I Have a Good Appetite	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Additional Concerns-Physical: I have a good appetite.	FACT-BRM Version 4 - I Have a Good Appetite
C151186	FAC06231	FAC062-I Have Pain in My Joints	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Additional Concerns-Physical: I have pain in my joints.	FACT-BRM Version 4 - I Have Pain in My Joints
C151187	FAC06232	FAC062-I Am Bothered by the Chills	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Additional Concerns-Physical: I am bothered by the chills.	FACT-BRM Version 4 - I Am Bothered by the Chills
C151188	FAC06233	FAC062-I Am Bothered by Fevers	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Additional Concerns-Physical: I am bothered by fevers (episodes of high body temperature).	FACT-BRM Version 4 - I Am Bothered by Fevers
C151189	FAC06234	FAC062-I Am Bothered by Sweating	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Additional Concerns-Physical: I am bothered by sweating.	FACT-BRM Version 4 - I Am Bothered by Sweating
C151190	FAC06235	FAC062-I Have Trouble Concentrating	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Additional Concerns-Mental: I have trouble concentrating.	FACT-BRM Version 4 - I Have Trouble Concentrating
C151191	FAC06236	FAC062-I Have Trouble Remembering Things	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Additional Concerns-Mental: I have trouble remembering things.	FACT-BRM Version 4 - I Have Trouble Remembering Things
C151192	FAC06237	FAC062-I Get Depressed Easily	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Additional Concerns-Mental: I get depressed easily.	FACT-BRM Version 4 - I Get Depressed Easily
C151193	FAC06238	FAC062-I Get Annoyed Easily	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Additional Concerns-Mental: I get annoyed easily.	FACT-BRM Version 4 - I Get Annoyed Easily
C151194	FAC06239	FAC062-I Have Emotional Ups and Downs	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Additional Concerns-Mental: I have emotional ups and downs.	FACT-BRM Version 4 - I Have Emotional Ups and Downs
C151195	FAC06240	FAC062-I Feel Motivated to Do Things	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Additional Concerns-Mental: I feel motivated to do things.	FACT-BRM Version 4 - I Feel Motivated to Do Things

C151160	FAC062-Bothered by Treatment Side Effect	FAC062-Bothered by Treatment Side Effect	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Physical Well-Being: I am bothered by side effects of treatment.	FACT-BRM Version 4 - Bothered by Treatment Side Effect
C151182	FAC062-Content With Quality of My Life	FAC062-Content With Quality of My Life	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Functional Well-Being: I am content with the quality of my life right now.	FACT-BRM Version 4 - Content With Quality of My Life
C151181	FAC062-Enjoy Things I Usually Do for Fun	FAC062-Enjoy Things I Usually Do for Fun	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Functional Well-Being: I am enjoying the things I usually do for fun.	FACT-BRM Version 4 - Enjoy Things I Usually Do for Fun
C151164	FAC062-Get Emotional Support From Family	FAC062-Get Emotional Support From Family	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Social/Family Well-Being: I get emotional support from my family.	FACT-BRM Version 4 - Get Emotional Support From Family
C151178	FAC062-I Am Able to Enjoy Life	FAC062-I Am Able to Enjoy Life	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Functional Well-Being: I am able to enjoy life.	FACT-BRM Version 4 - I Am Able to Enjoy Life
C151176	FAC062-I Am Able to Work	FAC062-I Am Able to Work	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Functional Well-Being: I am able to work (include work at home).	FACT-BRM Version 4 - I Am Able to Work
C151188	FAC062-I Am Bothered by Fevers	FAC062-I Am Bothered by Fevers	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Additional Concerns-Physical: I am bothered by fevers (episodes of high body temperature).	FACT-BRM Version 4 - I Am Bothered by Fevers
C151189	FAC062-I Am Bothered by Sweating	FAC062-I Am Bothered by Sweating	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Additional Concerns-Physical: I am bothered by sweating.	FACT-BRM Version 4 - I Am Bothered by Sweating
C151187	FAC062-I Am Bothered by the Chills	FAC062-I Am Bothered by the Chills	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Additional Concerns-Physical: I am bothered by the chills.	FACT-BRM Version 4 - I Am Bothered by the Chills
C151162	FAC062-I Am Forced to Spend Time in Bed	FAC062-I Am Forced to Spend Time in Bed	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Physical Well-Being: I am forced to spend time in bed.	FACT-BRM Version 4 - I Am Forced to Spend Time in Bed
C151169	FAC062-I Am Satisfied With My Sex Life	FAC062-I Am Satisfied With My Sex Life	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Social/Family Well-Being: I am satisfied with my sex life.	FACT-BRM Version 4 - I Am Satisfied With My Sex Life
C151180	FAC062-I Am Sleeping Well	FAC062-I Am Sleeping Well	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Functional Well-Being: I am sleeping well.	FACT-BRM Version 4 - I Am Sleeping Well
C151163	FAC062-I Feel Close to My Friends	FAC062-I Feel Close to My Friends	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Social/Family Well-Being: I feel close to my friends.	FACT-BRM Version 4 - I Feel Close to My Friends
C151168	FAC062-I Feel Close to My Partner	FAC062-I Feel Close to My Partner	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Social/Family Well-Being: I feel close to my partner (or the person who is my main support).	FACT-BRM Version 4 - I Feel Close to My Partner
C151161	FAC062-I Feel Ill	FAC062-I Feel Ill	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Physical Well-Being: I feel ill.	FACT-BRM Version 4 - I Feel Ill
C151195	FAC062-I Feel Motivated to Do Things	FAC062-I Feel Motivated to Do Things	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Additional Concerns-Mental: I feel motivated to do things.	FACT-BRM Version 4 - I Feel Motivated to Do Things
C151173	FAC062-I Feel Nervous	FAC062-I Feel Nervous	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Emotional Well-Being: I feel nervous.	FACT-BRM Version 4 - I Feel Nervous
C151170	FAC062-I Feel Sad	FAC062-I Feel Sad	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Emotional Well-Being: I feel sad.	FACT-BRM Version 4 - I Feel Sad
C151184	FAC062-I Feel Weak All Over	FAC062-I Feel Weak All Over	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Additional Concerns-Physical: I feel weak all over.	FACT-BRM Version 4 - I Feel Weak All Over
C151193	FAC062-I Get Annoyed Easily	FAC062-I Get Annoyed Easily	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Additional Concerns-Mental: I get annoyed easily.	FACT-BRM Version 4 - I Get Annoyed Easily
C151192	FAC062-I Get Depressed Easily	FAC062-I Get Depressed Easily	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Additional Concerns-Mental: I get depressed easily.	FACT-BRM Version 4 - I Get Depressed Easily

FACT-BRM Version 4 - I Get Support From My Friends				
C151165	FAC062-I Get Support From My Friends	FAC062-I Get Support From My Friends	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Social/Family Well-Being: I get support from my friends.	FACT-BRM Version 4 - I Get Support From My Friends
C151183	FAC062-I Get Tired Easily	FAC062-I Get Tired Easily	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Additional Concerns-Physical: I get tired easily.	FACT-BRM Version 4 - I Get Tired Easily
C151185	FAC062-I Have a Good Appetite	FAC062-I Have a Good Appetite	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Additional Concerns-Physical: I have a good appetite.	FACT-BRM Version 4 - I Have a Good Appetite
C151156	FAC062-I Have a Lack of Energy	FAC062-I Have a Lack of Energy	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Physical Well-Being: I have a lack of energy.	FACT-BRM Version 4 - I Have a Lack of Energy
C151179	FAC062-I Have Accepted My Illness	FAC062-I Have Accepted My Illness	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Functional Well-Being: I have accepted my illness.	FACT-BRM Version 4 - I Have Accepted My Illness
C151194	FAC062-I Have Emotional Ups and Downs	FAC062-I Have Emotional Ups and Downs	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Additional Concerns-Mental: I have emotional ups and downs.	FACT-BRM Version 4 - I Have Emotional Ups and Downs
C151157	FAC062-I Have Nausea	FAC062-I Have Nausea	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Physical Well-Being: I have nausea.	FACT-BRM Version 4 - I Have Nausea
C151186	FAC062-I Have Pain in My Joints	FAC062-I Have Pain in My Joints	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Additional Concerns-Physical: I have pain in my joints.	FACT-BRM Version 4 - I Have Pain in My Joints
C151159	FAC062-I Have Pain	FAC062-I Have Pain	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Physical Well-Being: I have pain.	FACT-BRM Version 4 - I Have Pain
C151190	FAC062-I Have Trouble Concentrating	FAC062-I Have Trouble Concentrating	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Additional Concerns-Mental: I have trouble concentrating.	FACT-BRM Version 4 - I Have Trouble Concentrating
C151191	FAC062-I Have Trouble Remembering Things	FAC062-I Have Trouble Remembering Things	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Additional Concerns-Mental: I have trouble remembering things.	FACT-BRM Version 4 - I Have Trouble Remembering Things
C151174	FAC062-I Worry About Dying	FAC062-I Worry About Dying	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Emotional Well-Being: I worry about dying.	FACT-BRM Version 4 - I Worry About Dying
C151172	FAC062-Losing Hope Against Illness	FAC062-Losing Hope Against Illness	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Emotional Well-Being: I am losing hope in the fight against my illness.	FACT-BRM Version 4 - Losing Hope Against Illness
C151166	FAC062-My Family Has Accepted My Illness	FAC062-My Family Has Accepted My Illness	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Social/Family Well-Being: My family has accepted my illness.	FACT-BRM Version 4 - My Family Has Accepted My Illness
C151177	FAC062-My Work Is Fulfilling	FAC062-My Work Is Fulfilling	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Functional Well-Being: My work (include work at home) is fulfilling.	FACT-BRM Version 4 - My Work Is Fulfilling
C151167	FAC062-Satisfied Communication Illness	FAC062-Satisfied Communication Illness	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Social/Family Well-Being: I am satisfied with family communication about my illness.	FACT-BRM Version 4 - Satisfied Communication Illness
C151171	FAC062-Satisfied With How I Am Coping	FAC062-Satisfied With How I Am Coping	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Emotional Well-Being: I am satisfied with how I am coping with my illness.	FACT-BRM Version 4 - Satisfied With How I Am Coping
C151158	FAC062-Trouble Meeting Needs of Family	FAC062-Trouble Meeting Needs of Family	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Physical Well-Being: Because of my physical condition, I have trouble meeting the needs of my family.	FACT-BRM Version 4 - Trouble Meeting Needs of Family
C151175	FAC062-Worry My Condition Will Get Worse	FAC062-Worry My Condition Will Get Worse	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 - Emotional Well-Being: I worry that my condition will get worse.	FACT-BRM Version 4 - Worry My Condition Will Get Worse

C151113	FAC06301	FAC063-I Have a Lack of Energy	Functional Assessment of Cancer Therapy-Taxane Version 4 - Physical Well-Being: I have a lack of energy.	FACT-Taxane Version 4 - I Have a Lack of Energy
C151114	FAC06302	FAC063-I Have Nausea	Functional Assessment of Cancer Therapy-Taxane Version 4 - Physical Well-Being: I have nausea.	FACT-Taxane Version 4 - I Have Nausea
C151115	FAC06303	FAC063-Trouble Meeting Needs of Family	Functional Assessment of Cancer Therapy-Taxane Version 4 - Physical Well-Being: Because of my physical condition, I have trouble meeting the needs of my family.	FACT-Taxane Version 4 - Trouble Meeting Needs of Family
C151116	FAC06304	FAC063-I Have Pain	Functional Assessment of Cancer Therapy-Taxane Version 4 - Physical Well-Being: I have pain.	FACT-Taxane Version 4 - I Have Pain
C151117	FAC06305	FAC063-Bothered by Treatment Side Effect	Functional Assessment of Cancer Therapy-Taxane Version 4 - Physical Well-Being: I am bothered by side effects of treatment.	FACT-Taxane Version 4 - Bothered by Treatment Side Effect
C151118	FAC06306	FAC063-I Feel Ill	Functional Assessment of Cancer Therapy-Taxane Version 4 - Physical Well-Being: I feel ill.	FACT-Taxane Version 4 - I Feel Ill
C151119	FAC06307	FAC063-I Am Forced to Spend Time in Bed	Functional Assessment of Cancer Therapy-Taxane Version 4 - Physical Well-Being: I am forced to spend time in bed.	FACT-Taxane Version 4 - I Am Forced to Spend Time in Bed
C151120	FAC06308	FAC063-I Feel Close to My Friends	Functional Assessment of Cancer Therapy-Taxane Version 4 - Social/Family Well-Being: I feel close to my friends.	FACT-Taxane Version 4 - I Feel Close to My Friends
C151121	FAC06309	FAC063-Get Emotional Support From Family	Functional Assessment of Cancer Therapy-Taxane Version 4 - Social/Family Well-Being: I get emotional support from my family.	FACT-Taxane Version 4 - Get Emotional Support From Family
C151122	FAC06310	FAC063-I Get Support From My Friends	Functional Assessment of Cancer Therapy-Taxane Version 4 - Social/Family Well-Being: I get support from my friends.	FACT-Taxane Version 4 - I Get Support From My Friends
C151123	FAC06311	FAC063-My Family Has Accepted My Illness	Functional Assessment of Cancer Therapy-Taxane Version 4 - Social/Family Well-Being: My family has accepted my illness.	FACT-Taxane Version 4 - My Family Has Accepted My Illness
C151124	FAC06312	FAC063-Satisfied Communication Illness	Functional Assessment of Cancer Therapy-Taxane Version 4 - Social/Family Well-Being: I am satisfied with family communication about my illness.	FACT-Taxane Version 4 - Satisfied Communication Illness
C151125	FAC06313	FAC063-I Feel Close to My Partner	Functional Assessment of Cancer Therapy-Taxane Version 4 - Social/Family Well-Being: I feel close to my partner (or the person who is my main support).	FACT-Taxane Version 4 - I Feel Close to My Partner
C151126	FAC06314	FAC063-I Am Satisfied With My Sex Life	Functional Assessment of Cancer Therapy-Taxane Version 4 - Social/Family Well-Being: I am satisfied with my sex life.	FACT-Taxane Version 4 - I Am Satisfied With My Sex Life
C151127	FAC06315	FAC063-I Feel Sad	Functional Assessment of Cancer Therapy-Taxane Version 4 - Emotional Well-Being: I feel sad.	FACT-Taxane Version 4 - I Feel Sad
C151128	FAC06316	FAC063-Satisfied With How I Am Coping	Functional Assessment of Cancer Therapy-Taxane Version 4 - Emotional Well-Being: I am satisfied with how I am coping with my illness.	FACT-Taxane Version 4 - Satisfied With How I Am Coping
C151129	FAC06317	FAC063-Losing Hope Against Illness	Functional Assessment of Cancer Therapy-Taxane Version 4 - Emotional Well-Being: I am losing hope in the fight against my illness.	FACT-Taxane Version 4 - Losing Hope Against Illness
C151130	FAC06318	FAC063-I Feel Nervous	Functional Assessment of Cancer Therapy-Taxane Version 4 - Emotional Well-Being: I feel nervous.	FACT-Taxane Version 4 - I Feel Nervous
C151131	FAC06319	FAC063-I Worry About Dying	Functional Assessment of Cancer Therapy-Taxane Version 4 - Emotional Well-Being: I worry about dying.	FACT-Taxane Version 4 - I Worry About Dying
C151132	FAC06320	FAC063-Worry My Condition Will Get Worse	Functional Assessment of Cancer Therapy-Taxane Version 4 - Emotional Well-Being: I worry that my condition will get worse.	FACT-Taxane Version 4 - Worry My Condition Will Get Worse
C151133	FAC06321	FAC063-I Am Able to Work	Functional Assessment of Cancer Therapy-Taxane Version 4 - Functional Well-Being: I am able to work (include work at home).	FACT-Taxane Version 4 - I Am Able to Work
C151134	FAC06322	FAC063-My Work Is Fulfilling	Functional Assessment of Cancer Therapy-Taxane Version 4 - Functional Well-Being: My work (include work at home) is fulfilling.	FACT-Taxane Version 4 - My Work Is Fulfilling
C151135	FAC06323	FAC063-I Am Able to Enjoy Life	Functional Assessment of Cancer Therapy-Taxane Version 4 - Functional Well-Being: I am able to enjoy life.	FACT-Taxane Version 4 - I Am Able to Enjoy Life

FACT-Taxane Version 4 - I Have Accepted My Illness				
C151136	FAC06324	FAC063-I Have Accepted My Illness	Functional Assessment of Cancer Therapy-Taxane Version 4 - Functional Well-Being: I have accepted my illness.	FACT-Taxane Version 4 - I Have Accepted My Illness
C151137	FAC06325	FAC063-I Am Sleeping Well	Functional Assessment of Cancer Therapy-Taxane Version 4 - Functional Well-Being: I am sleeping well.	FACT-Taxane Version 4 - I Am Sleeping Well
C151138	FAC06326	FAC063-Enjoy Things I Usually Do for Fun	Functional Assessment of Cancer Therapy-Taxane Version 4 - Functional Well-Being: I am enjoying the things I usually do for fun.	FACT-Taxane Version 4 - Enjoy Things I Usually Do for Fun
C151139	FAC06327	FAC063-Content With Quality of My Life	Functional Assessment of Cancer Therapy-Taxane Version 4 - Functional Well-Being: I am content with the quality of my life right now.	FACT-Taxane Version 4 - Content With Quality of My Life
C151140	FAC06328	FAC063-Numbness or Tingling in My Hands	Functional Assessment of Cancer Therapy-Taxane Version 4 - Additional Concerns: I have numbness or tingling in my hands.	FACT-Taxane Version 4 - Numbness or Tingling in My Hands
C151141	FAC06329	FAC063-Numbness or Tingling in My Feet	Functional Assessment of Cancer Therapy-Taxane Version 4 - Additional Concerns: I have numbness or tingling in my feet.	FACT-Taxane Version 4 - Numbness or Tingling in My Feet
C151142	FAC06330	FAC063-I Feel Discomfort in My Hands	Functional Assessment of Cancer Therapy-Taxane Version 4 - Additional Concerns: I feel discomfort in my hands.	FACT-Taxane Version 4 - I Feel Discomfort in My Hands
C151143	FAC06331	FAC063-I Feel Discomfort in My Feet	Functional Assessment of Cancer Therapy-Taxane Version 4 - Additional Concerns: I feel discomfort in my feet.	FACT-Taxane Version 4 - I Feel Discomfort in My Feet
C151144	FAC06332	FAC063-Have Joint Pain or Muscle Cramps	Functional Assessment of Cancer Therapy-Taxane Version 4 - Additional Concerns: I have joint pain or muscle cramps.	FACT-Taxane Version 4 - Have Joint Pain or Muscle Cramps
C151145	FAC06333	FAC063-I Feel Weak All Over	Functional Assessment of Cancer Therapy-Taxane Version 4 - Additional Concerns: I feel weak all over.	FACT-Taxane Version 4 - I Feel Weak All Over
C151146	FAC06334	FAC063-I Have Trouble Hearing	Functional Assessment of Cancer Therapy-Taxane Version 4 - Additional Concerns: I have trouble hearing.	FACT-Taxane Version 4 - I Have Trouble Hearing
C151147	FAC06335	FAC063-Get Ringing or Buzzing in My Ears	Functional Assessment of Cancer Therapy-Taxane Version 4 - Additional Concerns: I get a ringing or buzzing in my ears.	FACT-Taxane Version 4 - Get Ringing or Buzzing in My Ears
C151148	FAC06336	FAC063-I Have Trouble Buttoning Buttons	Functional Assessment of Cancer Therapy-Taxane Version 4 - Additional Concerns: I have trouble buttoning buttons.	FACT-Taxane Version 4 - I Have Trouble Buttoning Buttons
C151149	FAC06337	FAC063-Trouble Feeling Shape of Objects	Functional Assessment of Cancer Therapy-Taxane Version 4 - Additional Concerns: I have trouble feeling the shape of small objects when they are in my hand.	FACT-Taxane Version 4 - Trouble Feeling Shape of Objects
C151150	FAC06338	FAC063-I Have Trouble Walking	Functional Assessment of Cancer Therapy-Taxane Version 4 - Additional Concerns: I have trouble walking.	FACT-Taxane Version 4 - I Have Trouble Walking
C151151	FAC06339	FAC063-I Feel Bloated	Functional Assessment of Cancer Therapy-Taxane Version 4 - Additional Concerns: I feel bloated.	FACT-Taxane Version 4 - I Feel Bloated
C151152	FAC06340	FAC063-My Hands Are Swollen	Functional Assessment of Cancer Therapy-Taxane Version 4 - Additional Concerns: My hands are swollen.	FACT-Taxane Version 4 - My Hands Are Swollen
C151153	FAC06341	FAC063-My Legs or Feet Are Swollen	Functional Assessment of Cancer Therapy-Taxane Version 4 - Additional Concerns: My legs or feet are swollen.	FACT-Taxane Version 4 - My Legs or Feet Are Swollen
C151154	FAC06342	FAC063-I Have Pain in My Fingertips	Functional Assessment of Cancer Therapy-Taxane Version 4 - Additional Concerns: I have pain in my fingertips.	FACT-Taxane Version 4 - I Have Pain in My Fingertips
C151155	FAC06343	FAC063-Bothered by My Hands/Nails Look	Functional Assessment of Cancer Therapy-Taxane Version 4 - Additional Concerns: I am bothered by the way my hands or nails look.	FACT-Taxane Version 4 - Bothered by My Hands/Nails Look

C151155	FAC063-Bothered by My Hands/Nails Look	FAC063-Bothered by My Hands/Nails Look	Functional Assessment of Cancer Therapy-Taxane Version 4 - Additional Concerns: I am bothered by the way my hands or nails look.	FACT-Taxane Version 4 - Bothered by My Hands/Nails Look
C151117	FAC063-Bothered by Treatment Side Effect	FAC063-Bothered by Treatment Side Effect	Functional Assessment of Cancer Therapy-Taxane Version 4 - Physical Well-Being: I am bothered by side effects of treatment.	FACT-Taxane Version 4 - Bothered by Treatment Side Effect
C151139	FAC063-Content With Quality of My Life	FAC063-Content With Quality of My Life	Functional Assessment of Cancer Therapy-Taxane Version 4 - Functional Well-Being: I am content with the quality of my life right now.	FACT-Taxane Version 4 - Content With Quality of My Life
C151138	FAC063-Enjoy Things I Usually Do for Fun	FAC063-Enjoy Things I Usually Do for Fun	Functional Assessment of Cancer Therapy-Taxane Version 4 - Functional Well-Being: I am enjoying the things I usually do for fun.	FACT-Taxane Version 4 - Enjoy Things I Usually Do for Fun
C151121	FAC063-Get Emotional Support From Family	FAC063-Get Emotional Support From Family	Functional Assessment of Cancer Therapy-Taxane Version 4 - Social/Family Well-Being: I get emotional support from my family.	FACT-Taxane Version 4 - Get Emotional Support From Family
C151147	FAC063-Get Ringing or Buzzing in My Ears	FAC063-Get Ringing or Buzzing in My Ears	Functional Assessment of Cancer Therapy-Taxane Version 4 - Additional Concerns: I get a ringing or buzzing in my ears.	FACT-Taxane Version 4 - Get Ringing or Buzzing in My Ears
C151144	FAC063-Have Joint Pain or Muscle Cramps	FAC063-Have Joint Pain or Muscle Cramps	Functional Assessment of Cancer Therapy-Taxane Version 4 - Additional Concerns: I have joint pain or muscle cramps.	FACT-Taxane Version 4 - Have Joint Pain or Muscle Cramps
C151135	FAC063-I Am Able to Enjoy Life	FAC063-I Am Able to Enjoy Life	Functional Assessment of Cancer Therapy-Taxane Version 4 - Functional Well-Being: I am able to enjoy life.	FACT-Taxane Version 4 - I Am Able to Enjoy Life
C151133	FAC063-I Am Able to Work	FAC063-I Am Able to Work	Functional Assessment of Cancer Therapy-Taxane Version 4 - Functional Well-Being: I am able to work (include work at home).	FACT-Taxane Version 4 - I Am Able to Work
C151119	FAC063-I Am Forced to Spend Time in Bed	FAC063-I Am Forced to Spend Time in Bed	Functional Assessment of Cancer Therapy-Taxane Version 4 - Physical Well-Being: I am forced to spend time in bed.	FACT-Taxane Version 4 - I Am Forced to Spend Time in Bed
C151126	FAC063-I Am Satisfied With My Sex Life	FAC063-I Am Satisfied With My Sex Life	Functional Assessment of Cancer Therapy-Taxane Version 4 - Social/Family Well-Being: I am satisfied with my sex life.	FACT-Taxane Version 4 - I Am Satisfied With My Sex Life
C151137	FAC063-I Am Sleeping Well	FAC063-I Am Sleeping Well	Functional Assessment of Cancer Therapy-Taxane Version 4 - Functional Well-Being: I am sleeping well.	FACT-Taxane Version 4 - I Am Sleeping Well
C151151	FAC063-I Feel Bloated	FAC063-I Feel Bloated	Functional Assessment of Cancer Therapy-Taxane Version 4 - Additional Concerns: I feel bloated.	FACT-Taxane Version 4 - I Feel Bloated
C151120	FAC063-I Feel Close to My Friends	FAC063-I Feel Close to My Friends	Functional Assessment of Cancer Therapy-Taxane Version 4 - Social/Family Well-Being: I feel close to my friends.	FACT-Taxane Version 4 - I Feel Close to My Friends
C151125	FAC063-I Feel Close to My Partner	FAC063-I Feel Close to My Partner	Functional Assessment of Cancer Therapy-Taxane Version 4 - Social/Family Well-Being: I feel close to my partner (or the person who is my main support).	FACT-Taxane Version 4 - I Feel Close to My Partner
C151143	FAC063-I Feel Discomfort in My Feet	FAC063-I Feel Discomfort in My Feet	Functional Assessment of Cancer Therapy-Taxane Version 4 - Additional Concerns: I feel discomfort in my feet.	FACT-Taxane Version 4 - I Feel Discomfort in My Feet
C151142	FAC063-I Feel Discomfort in My Hands	FAC063-I Feel Discomfort in My Hands	Functional Assessment of Cancer Therapy-Taxane Version 4 - Additional Concerns: I feel discomfort in my hands.	FACT-Taxane Version 4 - I Feel Discomfort in My Hands
C151118	FAC063-I Feel Ill	FAC063-I Feel Ill	Functional Assessment of Cancer Therapy-Taxane Version 4 - Physical Well-Being: I feel ill.	FACT-Taxane Version 4 - I Feel Ill
C151130	FAC063-I Feel Nervous	FAC063-I Feel Nervous	Functional Assessment of Cancer Therapy-Taxane Version 4 - Emotional Well-Being: I feel nervous.	FACT-Taxane Version 4 - I Feel Nervous
C151127	FAC063-I Feel Sad	FAC063-I Feel Sad	Functional Assessment of Cancer Therapy-Taxane Version 4 - Emotional Well-Being: I feel sad.	FACT-Taxane Version 4 - I Feel Sad
C151145	FAC063-I Feel Weak All Over	FAC063-I Feel Weak All Over	Functional Assessment of Cancer Therapy-Taxane Version 4 - Additional Concerns: I feel weak all over.	FACT-Taxane Version 4 - I Feel Weak All Over
C151122	FAC063-I Get Support From My Friends	FAC063-I Get Support From My Friends	Functional Assessment of Cancer Therapy-Taxane Version 4 - Social/Family Well-Being: I get support from my friends.	FACT-Taxane Version 4 - I Get Support From My Friends
C151113	FAC063-I Have a Lack of Energy	FAC063-I Have a Lack of Energy	Functional Assessment of Cancer Therapy-Taxane Version 4 - Physical Well-Being: I have a lack of energy.	FACT-Taxane Version 4 - I Have a Lack of Energy

Functional Assessment of Cancer Therapy-Taxane Version 4 - Additional Concerns				
C151136	FAC063-I Have Accepted My Illness	FAC063-I Have Accepted My Illness	Functional Assessment of Cancer Therapy-Taxane Version 4 - Functional Well-Being: I have accepted my illness.	FACT-Taxane Version 4 - I Have Accepted My Illness
C151114	FAC063-I Have Nausea	FAC063-I Have Nausea	Functional Assessment of Cancer Therapy-Taxane Version 4 - Physical Well-Being: I have nausea.	FACT-Taxane Version 4 - I Have Nausea
C151154	FAC063-I Have Pain in My Fingertips	FAC063-I Have Pain in My Fingertips	Functional Assessment of Cancer Therapy-Taxane Version 4 - Additional Concerns: I have pain in my fingertips.	FACT-Taxane Version 4 - I Have Pain in My Fingertips
C151116	FAC063-I Have Pain	FAC063-I Have Pain	Functional Assessment of Cancer Therapy-Taxane Version 4 - Physical Well-Being: I have pain.	FACT-Taxane Version 4 - I Have Pain
C151148	FAC063-I Have Trouble Buttoning Buttons	FAC063-I Have Trouble Buttoning Buttons	Functional Assessment of Cancer Therapy-Taxane Version 4 - Additional Concerns: I have trouble buttoning buttons.	FACT-Taxane Version 4 - I Have Trouble Buttoning Buttons
C151146	FAC063-I Have Trouble Hearing	FAC063-I Have Trouble Hearing	Functional Assessment of Cancer Therapy-Taxane Version 4 - Additional Concerns: I have trouble hearing.	FACT-Taxane Version 4 - I Have Trouble Hearing
C151150	FAC063-I Have Trouble Walking	FAC063-I Have Trouble Walking	Functional Assessment of Cancer Therapy-Taxane Version 4 - Additional Concerns: I have trouble walking.	FACT-Taxane Version 4 - I Have Trouble Walking
C151131	FAC063-I Worry About Dying	FAC063-I Worry About Dying	Functional Assessment of Cancer Therapy-Taxane Version 4 - Emotional Well-Being: I worry about dying.	FACT-Taxane Version 4 - I Worry About Dying
C151129	FAC063-Losing Hope Against Illness	FAC063-Losing Hope Against Illness	Functional Assessment of Cancer Therapy-Taxane Version 4 - Emotional Well-Being: I am losing hope in the fight against my illness.	FACT-Taxane Version 4 - Losing Hope Against Illness
C151123	FAC063-My Family Has Accepted My Illness	FAC063-My Family Has Accepted My Illness	Functional Assessment of Cancer Therapy-Taxane Version 4 - Social/Family Well-Being: My family has accepted my illness.	FACT-Taxane Version 4 - My Family Has Accepted My Illness
C151152	FAC063-My Hands Are Swollen	FAC063-My Hands Are Swollen	Functional Assessment of Cancer Therapy-Taxane Version 4 - Additional Concerns: My hands are swollen.	FACT-Taxane Version 4 - My Hands Are Swollen
C151153	FAC063-My Legs or Feet Are Swollen	FAC063-My Legs or Feet Are Swollen	Functional Assessment of Cancer Therapy-Taxane Version 4 - Additional Concerns: My legs or feet are swollen.	FACT-Taxane Version 4 - My Legs or Feet Are Swollen
C151134	FAC063-My Work Is Fulfilling	FAC063-My Work Is Fulfilling	Functional Assessment of Cancer Therapy-Taxane Version 4 - Functional Well-Being: My work (include work at home) is fulfilling.	FACT-Taxane Version 4 - My Work Is Fulfilling
C151141	FAC063-Numbness or Tingling in My Feet	FAC063-Numbness or Tingling in My Feet	Functional Assessment of Cancer Therapy-Taxane Version 4 - Additional Concerns: I have numbness or tingling in my feet.	FACT-Taxane Version 4 - Numbness or Tingling in My Feet
C151140	FAC063-Numbness or Tingling in My Hands	FAC063-Numbness or Tingling in My Hands	Functional Assessment of Cancer Therapy-Taxane Version 4 - Additional Concerns: I have numbness or tingling in my hands.	FACT-Taxane Version 4 - Numbness or Tingling in My Hands
C151124	FAC063-Satisfied Communication Illness	FAC063-Satisfied Communication Illness	Functional Assessment of Cancer Therapy-Taxane Version 4 - Social/Family Well-Being: I am satisfied with family communication about my illness.	FACT-Taxane Version 4 - Satisfied Communication Illness
C151128	FAC063-Satisfied With How I Am Coping	FAC063-Satisfied With How I Am Coping	Functional Assessment of Cancer Therapy-Taxane Version 4 - Emotional Well-Being: I am satisfied with how I am coping with my illness.	FACT-Taxane Version 4 - Satisfied With How I Am Coping
C151149	FAC063-Trouble Feeling Shape of Objects	FAC063-Trouble Feeling Shape of Objects	Functional Assessment of Cancer Therapy-Taxane Version 4 - Additional Concerns: I have trouble feeling the shape of small objects when they are in my hand.	FACT-Taxane Version 4 - Trouble Feeling Shape of Objects
C151115	FAC063-Trouble Meeting Needs of Family	FAC063-Trouble Meeting Needs of Family	Functional Assessment of Cancer Therapy-Taxane Version 4 - Physical Well-Being: Because of my physical condition, I have trouble meeting the needs of my family.	FACT-Taxane Version 4 - Trouble Meeting Needs of Family
C151132	FAC063-Worry My Condition Will Get Worse	FAC063-Worry My Condition Will Get Worse	Functional Assessment of Cancer Therapy-Taxane Version 4 - Emotional Well-Being: I worry that my condition will get worse.	FACT-Taxane Version 4 - Worry My Condition Will Get Worse

C179976	FAC06501	FAC065-I Have a Lack of Energy	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I have a lack of energy.	FAACT Version 4 - I Have a Lack of Energy
C179977	FAC06502	FAC065-I Have Nausea	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I have nausea.	FAACT Version 4 - I Have Nausea
C179978	FAC06503	FAC065-Trouble Meeting Needs of Family	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - Because of my physical condition, I have trouble meeting the needs of my family.	FAACT Version 4 - Trouble Meeting Needs of Family
C179979	FAC06504	FAC065-I Have Pain	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I have pain.	FAACT Version 4 - I Have Pain
C179980	FAC06505	FAC065-Bothered by Treatment Side Effect	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I am bothered by side effects of treatment.	FAACT Version 4 - Bothered by Treatment Side Effect
C179981	FAC06506	FAC065-I Feel Ill	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I feel ill.	FAACT Version 4 - I Feel Ill
C179982	FAC06507	FAC065-I Am Forced to Spend Time in Bed	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I am forced to spend time in bed.	FAACT Version 4 - I Am Forced to Spend Time in Bed
C179983	FAC06508	FAC065-I Feel Close to My Friends	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I feel close to my friends.	FAACT Version 4 - I Feel Close to My Friends
C179984	FAC06509	FAC065-Get Emotional Support From Family	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I get emotional support from my family.	FAACT Version 4 - Get Emotional Support From Family
C179985	FAC06510	FAC065-I Get Support From My Friends	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I get support from my friends.	FAACT Version 4 - I Get Support From My Friends
C179986	FAC06511	FAC065-My Family Has Accepted My Illness	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - My family accepts my illness.	FAACT Version 4 - My Family Has Accepted My Illness
C179987	FAC06512	FAC065-Satisfied Communication Illness	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I am satisfied with family communication about my illness.	FAACT Version 4 - Satisfied Communication Illness
C179988	FAC06513	FAC065-I Feel Close to My Partner	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I feel close to my partner (or the person who is my main support).	FAACT Version 4 - I Feel Close to My Partner
C179989	FAC06514	FAC065-I Am Satisfied With My Sex Life	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I am satisfied with my sex life.	FAACT Version 4 - I Am Satisfied With My Sex Life
C179990	FAC06515	FAC065-I Feel Sad	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I feel sad.	FAACT Version 4 - I Feel Sad
C179991	FAC06516	FAC065-Satisfied With How I Am Coping	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I am satisfied with how I am coping with my illness.	FAACT Version 4 - Satisfied With How I Am Coping
C179992	FAC06517	FAC065-Losing Hope Against Illness	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I am losing hope in the fight against my illness.	FAACT Version 4 - Losing Hope Against Illness
C179993	FAC06518	FAC065-I Feel Nervous	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I feel nervous.	FAACT Version 4 - I Feel Nervous
C179994	FAC06519	FAC065-I Worry About Dying	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I worry about dying.	FAACT Version 4 - I Worry About Dying
C179995	FAC06520	FAC065-Worry My Condition Will Get Worse	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I worry that my condition will get worse.	FAACT Version 4 - Worry My Condition Will Get Worse
C179996	FAC06521	FAC065-I Am Able to Work	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I am able to work (include work at home).	FAACT Version 4 - I Am Able to Work
C179997	FAC06522	FAC065-My Work Is Fulfilling	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - My work (include work at home) is fulfilling.	FAACT Version 4 - My Work Is Fulfilling
C179998	FAC06523	FAC065-I Am Able to Enjoy Life	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I am able to enjoy life.	FAACT Version 4 - I Am Able to Enjoy Life
C179999	FAC06524	FAC065-I Have Accepted My Illness	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I have accepted my illness.	FAACT Version 4 - I Have Accepted My Illness
C180000	FAC06525	FAC065-I Am Sleeping Well	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I am sleeping well.	FAACT Version 4 - I Am Sleeping Well
C180001	FAC06526	FAC065-Enjoy Things I Usually Do for Fun	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I am enjoying the things I usually do for fun.	FAACT Version 4 - Enjoy Things I Usually Do for Fun

C180002	FAC06527	FAC065-Content With Quality of My Life	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I am content with the quality of my life right now.	FAACT Version 4 - Content With Quality of My Life
C180003	FAC06528	FAC065-I Have a Good Appetite	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I have a good appetite.	FAACT Version 4 - I Have a Good Appetite
C180004	FAC06529	FAC065-Amount I Eat Is Sufficient	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - The amount I eat is sufficient to meet my needs.	FAACT Version 4 - Amount I Eat Is Sufficient
C180005	FAC06530	FAC065-I Am Worried About My Weight	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I am worried about my weight.	FAACT Version 4 - I Am Worried About My Weight
C180006	FAC06531	FAC065-Most Food Tastes Unpleasant to Me	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - Most food tastes unpleasant to me.	FAACT Version 4 - Most Food Tastes Unpleasant to Me
C180007	FAC06532	FAC065-I Am Concerned How Thin I Look	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I am concerned about how thin I look.	FAACT Version 4 - I Am Concerned How Thin I Look
C180008	FAC06533	FAC065-Interest in Food Drops Try to Eat	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - My interest in food drops as soon as I try to eat.	FAACT Version 4 - Interest in Food Drops Try to Eat
C180009	FAC06534	FAC065-Have Difficulty Eating Rich Foods	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I have difficulty eating rich or "heavy" foods.	FAACT Version 4 - Have Difficulty Eating Rich Foods
C180010	FAC06535	FAC065-My Family Pressuring Me to Eat	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - My family or friends are pressuring me to eat.	FAACT Version 4 - My Family Pressuring Me to Eat
C180011	FAC06536	FAC065-I Have Been Vomiting	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I have been vomiting.	FAACT Version 4 - I Have Been Vomiting
C180012	FAC06537	FAC065-I Seem to Get Full Quickly	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - When I eat, I seem to get full quickly.	FAACT Version 4 - I Seem to Get Full Quickly
C180013	FAC06538	FAC065-I Have Pain in My Stomach Area	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I have pain in my stomach area.	FAACT Version 4 - I Have Pain in My Stomach Area
C180014	FAC06539	FAC065-My General Health Is Improving	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - My general health is improving.	FAACT Version 4 - My General Health Is Improving
C180015	FAC06540	FAC065-Physical Subscale Score	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - Physical Well-Being: Subscale score.	FAACT Version 4 - Physical Subscale Score
C180016	FAC06541	FAC065-Social/Family Subscale Score	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - Social/Family Well-Being: Subscale score.	FAACT Version 4 - Social/Family Subscale Score
C180017	FAC06542	FAC065-Emotional Subscale Score	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - Emotional Well-Being: Subscale score.	FAACT Version 4 - Emotional Subscale Score
C180018	FAC06543	FAC065-Functional Subscale Score	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - Functional Well-Being: Subscale score.	FAACT Version 4 - Functional Subscale Score
C180019	FAC06544	FAC065-Additional Concern Subscale Score	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - Additional Concerns: Well-Being subscale score.	FAACT Version 4 - Additional Concern Subscale Score
C180020	FAC06545	FAC065-Trial Outcome Index Score	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - FAACT trial outcome index.	FAACT Version 4 - Trial Outcome Index Score
C180021	FAC06546	FAC065-FACT-G Total Score	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - FACT-G total score.	FAACT Version 4 - FACT-G Total Score
C180022	FAC06547	FAC065-Total Score	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - Total score.	FAACT Version 4 - Total Score

C180019	FAC065-Additional Concern Subscale Score	FAC065-Additional Concern Subscale Score	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - Additional Concerns: Well-Being subscale score.	FAACT Version 4 - Additional Concern Subscale Score
C180004	FAC065-Amount I Eat Is Sufficient	FAC065-Amount I Eat Is Sufficient	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - The amount I eat is sufficient to meet my needs.	FAACT Version 4 - Amount I Eat Is Sufficient
C179980	FAC065-Bothered by Treatment Side Effect	FAC065-Bothered by Treatment Side Effect	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I am bothered by side effects of treatment.	FAACT Version 4 - Bothered by Treatment Side Effect
C180002	FAC065-Content With Quality of My Life	FAC065-Content With Quality of My Life	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I am content with the quality of my life right now.	FAACT Version 4 - Content With Quality of My Life
C180017	FAC065-Emotional Subscale Score	FAC065-Emotional Subscale Score	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - Emotional Well-Being: Subscale score.	FAACT Version 4 - Emotional Subscale Score
C180001	FAC065-Enjoy Things I Usually Do for Fun	FAC065-Enjoy Things I Usually Do for Fun	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I am enjoying the things I usually do for fun.	FAACT Version 4 - Enjoy Things I Usually Do for Fun
C180021	FAC065-FACT-G Total Score	FAC065-FACT-G Total Score	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - FACT-G total score.	FAACT Version 4 - FACT-G Total Score
C180018	FAC065-Functional Subscale Score	FAC065-Functional Subscale Score	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - Functional Well-Being: Subscale score.	FAACT Version 4 - Functional Subscale Score
C179984	FAC065-Get Emotional Support From Family	FAC065-Get Emotional Support From Family	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I get emotional support from my family.	FAACT Version 4 - Get Emotional Support From Family
C180009	FAC065-Have Difficulty Eating Rich Foods	FAC065-Have Difficulty Eating Rich Foods	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I have difficulty eating rich or "heavy" foods.	FAACT Version 4 - Have Difficulty Eating Rich Foods
C179998	FAC065-I Am Able to Enjoy Life	FAC065-I Am Able to Enjoy Life	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I am able to enjoy life.	FAACT Version 4 - I Am Able to Enjoy Life
C179996	FAC065-I Am Able to Work	FAC065-I Am Able to Work	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I am able to work (include work at home).	FAACT Version 4 - I Am Able to Work
C180007	FAC065-I Am Concerned How Thin I Look	FAC065-I Am Concerned How Thin I Look	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I am concerned about how thin I look.	FAACT Version 4 - I Am Concerned How Thin I Look
C179982	FAC065-I Am Forced to Spend Time in Bed	FAC065-I Am Forced to Spend Time in Bed	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I am forced to spend time in bed.	FAACT Version 4 - I Am Forced to Spend Time in Bed
C179989	FAC065-I Am Satisfied With My Sex Life	FAC065-I Am Satisfied With My Sex Life	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I am satisfied with my sex life.	FAACT Version 4 - I Am Satisfied With My Sex Life
C180000	FAC065-I Am Sleeping Well	FAC065-I Am Sleeping Well	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I am sleeping well.	FAACT Version 4 - I Am Sleeping Well
C180005	FAC065-I Am Worried About My Weight	FAC065-I Am Worried About My Weight	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I am worried about my weight.	FAACT Version 4 - I Am Worried About My Weight
C179983	FAC065-I Feel Close to My Friends	FAC065-I Feel Close to My Friends	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I feel close to my friends.	FAACT Version 4 - I Feel Close to My Friends
C179988	FAC065-I Feel Close to My Partner	FAC065-I Feel Close to My Partner	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I feel close to my partner (or the person who is my main support).	FAACT Version 4 - I Feel Close to My Partner
C179981	FAC065-I Feel Ill	FAC065-I Feel Ill	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I feel ill.	FAACT Version 4 - I Feel Ill
C179993	FAC065-I Feel Nervous	FAC065-I Feel Nervous	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I feel nervous.	FAACT Version 4 - I Feel Nervous
C179990	FAC065-I Feel Sad	FAC065-I Feel Sad	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I feel sad.	FAACT Version 4 - I Feel Sad
C179985	FAC065-I Get Support From My Friends	FAC065-I Get Support From My Friends	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I get support from my friends.	FAACT Version 4 - I Get Support From My Friends
C180003	FAC065-I Have a Good Appetite	FAC065-I Have a Good Appetite	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I have a good appetite.	FAACT Version 4 - I Have a Good Appetite
C179976	FAC065-I Have a Lack of Energy	FAC065-I Have a Lack of Energy	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I have a lack of energy.	FAACT Version 4 - I Have a Lack of Energy
C179999	FAC065-I Have Accepted My Illness	FAC065-I Have Accepted My Illness	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I have accepted my illness.	FAACT Version 4 - I Have Accepted My Illness

FAC065 Subscales and FAACT Correspondence				
C180011	FAC065-I Have Been Vomiting	FAC065-I Have Been Vomiting	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I have been vomiting.	FAACT Version 4 - I Have Been Vomiting
C179977	FAC065-I Have Nausea	FAC065-I Have Nausea	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I have nausea.	FAACT Version 4 - I Have Nausea
C180013	FAC065-I Have Pain in My Stomach Area	FAC065-I Have Pain in My Stomach Area	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I have pain in my stomach area.	FAACT Version 4 - I Have Pain in My Stomach Area
C179979	FAC065-I Have Pain	FAC065-I Have Pain	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I have pain.	FAACT Version 4 - I Have Pain
C180012	FAC065-I Seem to Get Full Quickly	FAC065-I Seem to Get Full Quickly	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - When I eat, I seem to get full quickly.	FAACT Version 4 - I Seem to Get Full Quickly
C179994	FAC065-I Worry About Dying	FAC065-I Worry About Dying	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I worry about dying.	FAACT Version 4 - I Worry About Dying
C180008	FAC065-Interest in Food Drops Try to Eat	FAC065-Interest in Food Drops Try to Eat	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - My interest in food drops as soon as I try to eat.	FAACT Version 4 - Interest in Food Drops Try to Eat
C179992	FAC065-Losing Hope Against Illness	FAC065-Losing Hope Against Illness	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I am losing hope in the fight against my illness.	FAACT Version 4 - Losing Hope Against Illness
C180006	FAC065-Most Food Tastes Unpleasant to Me	FAC065-Most Food Tastes Unpleasant to Me	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - Most food tastes unpleasant to me.	FAACT Version 4 - Most Food Tastes Unpleasant to Me
C179986	FAC065-My Family Has Accepted My Illness	FAC065-My Family Has Accepted My Illness	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - My family accepts my illness.	FAACT Version 4 - My Family Has Accepted My Illness
C180010	FAC065-My Family Pressuring Me to Eat	FAC065-My Family Pressuring Me to Eat	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - My family or friends are pressuring me to eat.	FAACT Version 4 - My Family Pressuring Me to Eat
C180014	FAC065-My General Health Is Improving	FAC065-My General Health Is Improving	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - My general health is improving.	FAACT Version 4 - My General Health Is Improving
C179997	FAC065-My Work Is Fulfilling	FAC065-My Work Is Fulfilling	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - My work (include work at home) is fulfilling.	FAACT Version 4 - My Work Is Fulfilling
C180015	FAC065-Physical Subscale Score	FAC065-Physical Subscale Score	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - Physical Well-Being: Subscale score.	FAACT Version 4 - Physical Subscale Score
C179987	FAC065-Satisfied Communication Illness	FAC065-Satisfied Communication Illness	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I am satisfied with family communication about my illness.	FAACT Version 4 - Satisfied Communication Illness
C179991	FAC065-Satisfied With How I Am Coping	FAC065-Satisfied With How I Am Coping	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I am satisfied with how I am coping with my illness.	FAACT Version 4 - Satisfied With How I Am Coping
C180016	FAC065-Social/Family Subscale Score	FAC065-Social/Family Subscale Score	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - Social/Family Well-Being: Subscale score.	FAACT Version 4 - Social/Family Subscale Score
C180022	FAC065-Total Score	FAC065-Total Score	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - Total score.	FAACT Version 4 - Total Score
C180020	FAC065-Trial Outcome Index Score	FAC065-Trial Outcome Index Score	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - FAACT trial outcome index.	FAACT Version 4 - Trial Outcome Index Score
C179978	FAC065-Trouble Meeting Needs of Family	FAC065-Trouble Meeting Needs of Family	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - Because of my physical condition, I have trouble meeting the needs of my family.	FAACT Version 4 - Trouble Meeting Needs of Family
C179995	FAC065-Worry My Condition Will Get Worse	FAC065-Worry My Condition Will Get Worse	Functional Assessment of Anorexia/Cachexia Treatment Version 4 - I worry that my condition will get worse.	FAACT Version 4 - Worry My Condition Will Get Worse

Functional Assessment of Chronic Illness Therapy-Fatigue 13-Item Scale Version 4				
Code	Code Value	Display Name	Description	Category
C147673	FAC07001	FAC070-I Feel Fatigued	Functional Assessment of Chronic Illness Therapy-Fatigue 13-Item Scale Version 4 - I feel fatigued.	FACIT-Fatigue 13-Item Version 4 - I Feel Fatigued
C147674	FAC07002	FAC070-I Feel Weak All Over	Functional Assessment of Chronic Illness Therapy-Fatigue 13-Item Scale Version 4 - I feel weak all over.	FACIT-Fatigue 13-Item Version 4 - I Feel Weak All Over
C147675	FAC07003	FAC070-I Feel Listless	Functional Assessment of Chronic Illness Therapy-Fatigue 13-Item Scale Version 4 - I feel listless ("washed out").	FACIT-Fatigue 13-Item Version 4 - I Feel Listless
C147676	FAC07004	FAC070-I Feel Tired	Functional Assessment of Chronic Illness Therapy-Fatigue 13-Item Scale Version 4 - I feel tired.	FACIT-Fatigue 13-Item Version 4 - I Feel Tired
C147677	FAC07005	FAC070-Trouble Starting Things	Functional Assessment of Chronic Illness Therapy-Fatigue 13-Item Scale Version 4 - I have trouble starting things because I am tired.	FACIT-Fatigue 13-Item Version 4 - Trouble Starting Things
C147678	FAC07006	FAC070-Trouble Finishing Things	Functional Assessment of Chronic Illness Therapy-Fatigue 13-Item Scale Version 4 - I have trouble finishing things because I am tired.	FACIT-Fatigue 13-Item Version 4 - Trouble Finishing Things
C147679	FAC07007	FAC070-I Have Energy	Functional Assessment of Chronic Illness Therapy-Fatigue 13-Item Scale Version 4 - I have energy.	FACIT-Fatigue 13-Item Version 4 - I Have Energy
C147680	FAC07008	FAC070-Able to Do My Usual Activities	Functional Assessment of Chronic Illness Therapy-Fatigue 13-Item Scale Version 4 - I am able to do my usual activities.	FACIT-Fatigue 13-Item Version 4 - Able to Do My Usual Activities
C147681	FAC07009	FAC070-I Need to Sleep During the Day	Functional Assessment of Chronic Illness Therapy-Fatigue 13-Item Scale Version 4 - I need to sleep during the day.	FACIT-Fatigue 13-Item Version 4 - I Need to Sleep During the Day
C147682	FAC07010	FAC070-I Am Too Tired to Eat	Functional Assessment of Chronic Illness Therapy-Fatigue 13-Item Scale Version 4 - I am too tired to eat.	FACIT-Fatigue 13-Item Version 4 - I Am Too Tired to Eat
C147683	FAC07011	FAC070-Need Help Doing Usual Activities	Functional Assessment of Chronic Illness Therapy-Fatigue 13-Item Scale Version 4 - I need help doing my usual activities.	FACIT-Fatigue 13-Item Version 4 - Need Help Doing Usual Activities
C147684	FAC07012	FAC070-Frustrated by Being Too Tired	Functional Assessment of Chronic Illness Therapy-Fatigue 13-Item Scale Version 4 - I am frustrated by being too tired to do the things I want to do.	FACIT-Fatigue 13-Item Version 4 - Frustrated by Being Too Tired
C147685	FAC07013	FAC070-Limit Social Activity, I am Tired	Functional Assessment of Chronic Illness Therapy-Fatigue 13-Item Scale Version 4 - I have to limit my social activity because I am tired.	FACIT-Fatigue 13-Item Version 4 - Limit Social Activity, I am Tired
C163947	FAC07014	FAC070-Total Score	Functional Assessment of Chronic Illness Therapy-Fatigue 13-Item Scale Version 4 - Total score.	FACIT-Fatigue 13-Item Version 4 - Total Score

C147680	FAC070-Able to Do My Usual Activities	FAC070-Able to Do My Usual Activities	Functional Assessment of Chronic Illness Therapy-Fatigue 13-Item Scale Version 4 - I am able to do my usual activities.	FACIT-Fatigue 13-Item Version 4 - Able to Do My Usual Activities
C147684	FAC070-Frustrated by Being Too Tired	FAC070-Frustrated by Being Too Tired	Functional Assessment of Chronic Illness Therapy-Fatigue 13-Item Scale Version 4 - I am frustrated by being too tired to do the things I want to do.	FACIT-Fatigue 13-Item Version 4 - Frustrated by Being Too Tired
C147682	FAC070-I Am Too Tired to Eat	FAC070-I Am Too Tired to Eat	Functional Assessment of Chronic Illness Therapy-Fatigue 13-Item Scale Version 4 - I am too tired to eat.	FACIT-Fatigue 13-Item Version 4 - I Am Too Tired to Eat
C147673	FAC070-I Feel Fatigued	FAC070-I Feel Fatigued	Functional Assessment of Chronic Illness Therapy-Fatigue 13-Item Scale Version 4 - I feel fatigued.	FACIT-Fatigue 13-Item Version 4 - I Feel Fatigued
C147675	FAC070-I Feel Listless	FAC070-I Feel Listless	Functional Assessment of Chronic Illness Therapy-Fatigue 13-Item Scale Version 4 - I feel listless ("washed out").	FACIT-Fatigue 13-Item Version 4 - I Feel Listless
C147676	FAC070-I Feel Tired	FAC070-I Feel Tired	Functional Assessment of Chronic Illness Therapy-Fatigue 13-Item Scale Version 4 - I feel tired.	FACIT-Fatigue 13-Item Version 4 - I Feel Tired
C147674	FAC070-I Feel Weak All Over	FAC070-I Feel Weak All Over	Functional Assessment of Chronic Illness Therapy-Fatigue 13-Item Scale Version 4 - I feel weak all over.	FACIT-Fatigue 13-Item Version 4 - I Feel Weak All Over
C147679	FAC070-I Have Energy	FAC070-I Have Energy	Functional Assessment of Chronic Illness Therapy-Fatigue 13-Item Scale Version 4 - I have energy.	FACIT-Fatigue 13-Item Version 4 - I Have Energy
C147681	FAC070-I Need to Sleep During the Day	FAC070-I Need to Sleep During the Day	Functional Assessment of Chronic Illness Therapy-Fatigue 13-Item Scale Version 4 - I need to sleep during the day.	FACIT-Fatigue 13-Item Version 4 - I Need to Sleep During the Day
C147685	FAC070-Limit Social Activity, I am Tired	FAC070-Limit Social Activity, I am Tired	Functional Assessment of Chronic Illness Therapy-Fatigue 13-Item Scale Version 4 - I have to limit my social activity because I am tired.	FACIT-Fatigue 13-Item Version 4 - Limit Social Activity, I am Tired
C147683	FAC070-Need Help Doing Usual Activities	FAC070-Need Help Doing Usual Activities	Functional Assessment of Chronic Illness Therapy-Fatigue 13-Item Scale Version 4 - I need help doing my usual activities.	FACIT-Fatigue 13-Item Version 4 - Need Help Doing Usual Activities
C163947	FAC070-Total Score	FAC070-Total Score	Functional Assessment of Chronic Illness Therapy-Fatigue 13-Item Scale Version 4 - Total score.	FACIT-Fatigue 13-Item Version 4 - Total Score
C147678	FAC070-Trouble Finishing Things	FAC070-Trouble Finishing Things	Functional Assessment of Chronic Illness Therapy-Fatigue 13-Item Scale Version 4 - I have trouble finishing things because I am tired.	FACIT-Fatigue 13-Item Version 4 - Trouble Finishing Things
C147677	FAC070-Trouble Starting Things	FAC070-Trouble Starting Things	Functional Assessment of Chronic Illness Therapy-Fatigue 13-Item Scale Version 4 - I have trouble starting things because I am tired.	FACIT-Fatigue 13-Item Version 4 - Trouble Starting Things

C129111	FAC07101	FAC071-I Have a Lack of Energy	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Physical Well-Being: I have a lack of energy.	FACIT-F Version 4 - I Have a Lack of Energy
C129112	FAC07102	FAC071-I Have Nausea	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Physical Well-Being: I have nausea.	FACIT-F Version 4 - I Have Nausea
C129113	FAC07103	FAC071-Trouble Meeting Needs of Family	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Physical Well-Being: Because of my physical condition, I have trouble meeting the needs of my family.	FACIT-F Version 4 - Trouble Meeting Needs of Family
C129114	FAC07104	FAC071-I Have Pain	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Physical Well-Being: I have pain.	FACIT-F Version 4 - I Have Pain
C129115	FAC07105	FAC071-Bothered by Treatment Side Effect	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Physical Well-Being: I am bothered by side effects of treatment.	FACIT-F Version 4 - Bothered by Treatment Side Effect
C129116	FAC07106	FAC071-I Feel Ill	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Physical Well-Being: I feel ill.	FACIT-F Version 4 - I Feel Ill
C129117	FAC07107	FAC071-I Am Forced to Spend Time in Bed	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Physical Well-Being: I am forced to spend time in bed.	FACIT-F Version 4 - I Am Forced to Spend Time in Bed
C129118	FAC07108	FAC071-I Feel Close to My Friends	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Social/Family Well-Being: I feel close to my friends.	FACIT-F Version 4 - I Feel Close to My Friends
C129119	FAC07109	FAC071-Get Emotional Support From Family	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Social/Family Well-Being: I get emotional support from my family.	FACIT-F Version 4 - Get Emotional Support From Family
C129120	FAC07110	FAC071-I Get Support From My Friends	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Social/Family Well-Being: I get support from my friends.	FACIT-F Version 4 - I Get Support From My Friends
C129121	FAC07111	FAC071-My Family Has Accepted My Illness	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Social/Family Well-Being: My family has accepted my illness.	FACIT-F Version 4 - My Family Has Accepted My Illness
C129122	FAC07112	FAC071-Satisfied Communication Illness	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Social/Family Well-Being: I am satisfied with family communication about my illness.	FACIT-F Version 4 - Satisfied Family Communication of Illness
C129123	FAC07113	FAC071-I Feel Close to My Partner	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Social/Family Well-Being: I feel close to my partner (or the person who is my main support).	FACIT-F Version 4 - I Feel Close to My Partner
C129124	FAC07114	FAC071-I Am Satisfied With My Sex Life	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Social/Family Well-Being: I am satisfied with my sex life.	FACIT-F Version 4 - I Am Satisfied With My Sex Life
C129125	FAC07115	FAC071-I Feel Sad	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Emotional Well-Being: I feel sad.	FACIT-F Version 4 - I Feel Sad
C129126	FAC07116	FAC071-Satisfied With How I Am Coping	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Emotional Well-Being: I am satisfied with how I am coping with my illness.	FACIT-F Version 4 - Satisfied With How I Am Coping
C129127	FAC07117	FAC071-Losing Hope Against Illness	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Emotional Well-Being: I am losing hope in the fight against my illness.	FACIT-F Version 4 - Losing Hope Against Illness
C129128	FAC07118	FAC071-I Feel Nervous	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Emotional Well-Being: I feel nervous.	FACIT-F Version 4 - I Feel Nervous
C129129	FAC07119	FAC071-I Worry About Dying	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Emotional Well-Being: I worry about dying.	FACIT-F Version 4 - I Worry About Dying
C129130	FAC07120	FAC071-Worry My Condition Will Get Worse	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Emotional Well-Being: I worry that my condition will get worse.	FACIT-F Version 4 - Worry My Condition Will Get Worse
C129131	FAC07121	FAC071-I Am Able to Work	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Functional Well-Being: I am able to work (include work at home).	FACIT-F Version 4 - I Am Able to Work
C129132	FAC07122	FAC071-My Work Is Fulfilling	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Functional Well-Being: My work (include work at home) is fulfilling.	FACIT-F Version 4 - My Work Is Fulfilling
C129133	FAC07123	FAC071-I Am Able to Enjoy Life	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Functional Well-Being: I am able to enjoy life.	FACIT-F Version 4 - I Am Able to Enjoy Life

FACIT-F Version 4 - Functional Assessment of Chronic Illness Therapy-Fatigue				
C129134	FAC07124	FAC071-I Have Accepted My Illness	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Functional Well-Being: I have accepted my illness.	FACIT-F Version 4 - I Have Accepted My Illness
C129135	FAC07125	FAC071-I Am Sleeping Well	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Functional Well-Being: I am sleeping well.	FACIT-F Version 4 - I Am Sleeping Well
C129136	FAC07126	FAC071-Enjoy Things I Usually Do for Fun	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Functional Well-Being: I am enjoying the things I usually do for fun.	FACIT-F Version 4 - Enjoy Things I Usually Do for Fun
C129137	FAC07127	FAC071-Content With Quality of My Life	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Functional Well-Being: I am content with the quality of my life right now.	FACIT-F Version 4 - Content With Quality of My Life
C129138	FAC07128	FAC071-I Feel Fatigued	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Additional Concerns: I feel fatigued.	FACIT-F Version 4 - I Feel Fatigued
C129139	FAC07129	FAC071-I Feel Weak All Over	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Additional Concerns: I feel weak all over.	FACIT-F Version 4 - I Feel Weak All Over
C129140	FAC07130	FAC071-I Feel Listless	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Additional Concerns: I feel listless ('washed out').	FACIT-F Version 4 - I Feel Listless
C129141	FAC07131	FAC071-I Feel Tired	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Additional Concerns: I feel tired.	FACIT-F Version 4 - I Feel Tired
C129142	FAC07132	FAC071-Trouble Starting Things	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Additional Concerns: I have trouble starting things because I am tired.	FACIT-F Version 4 - Trouble Starting Things
C129143	FAC07133	FAC071-Trouble Finishing Things	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Additional Concerns: I have trouble finishing things because I am tired.	FACIT-F Version 4 - Trouble Finishing Things
C129144	FAC07134	FAC071-I Have Energy	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Additional Concerns: I have energy.	FACIT-F Version 4 - I Have Energy
C129145	FAC07135	FAC071-Able to Do My Usual Activities	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Additional Concerns: I am able to do my usual activities.	FACIT-F Version 4 - Able to Do My Usual Activities
C129146	FAC07136	FAC071-I Need to Sleep During the Day	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Additional Concerns: I need to sleep during the day.	FACIT-F Version 4 - I Need to Sleep During the Day
C129147	FAC07137	FAC071-I Am Too Tired to Eat	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Additional Concerns: I am too tired to eat.	FACIT-F Version 4 - I Am Too Tired to Eat
C129148	FAC07138	FAC071-Need Help Doing Usual Activities	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Additional Concerns: I need help doing my usual activities.	FACIT-F Version 4 - Need Help Doing Usual Activities
C129149	FAC07139	FAC071-Frustrated by Being Too Tired	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Additional Concerns: I am frustrated by being too tired to do the things I want to do.	FACIT-F Version 4 - Frustrated by Being Too Tired
C129150	FAC07140	FAC071-Limit Social Activity, I am Tired	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Additional Concerns: I have to limit my social activity because I am tired.	FACIT-F Version 4 - Limit Social Activity, I am Tired
C166341	FAC07141	FAC071-Physical Subscale Score	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Physical Well-Being: Subscale score.	FACIT-F Version 4 - Physical Subscale Score
C166342	FAC07142	FAC071-Social/Family Subscale Score	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Socia/Family Well-Being: Subscale score.	FACIT-F Version 4 - Social/Family Subscale Score
C166343	FAC07143	FAC071-Emotional Subscale Score	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Emotional Well-Being: Subscale score.	FACIT-F Version 4 - Emotional Subscale Score
C166344	FAC07144	FAC071-Functional Subscale Score	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Functional Well-Being: Subscale score.	FACIT-F Version 4 - Functional Subscale Score
C166345	FAC07145	FAC071-Additional Concern Subscale Score	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Additional Concerns: Subscale score.	FACIT-F Version 4 - Additional Concern Subscale Score
C166346	FAC07146	FAC071-Trial Outcome Index Score	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Trial outcome index score.	FACIT-F Version 4 - Trial Outcome Index Score
C166347	FAC07147	FAC071-FACT-G Total Score	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - FACT-G total score.	FACIT-F Version 4 - FACT-G Total Score
C166348	FAC07148	FAC071-Total Score	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Total score.	FACIT-F Version 4 - Total Score

C129145	FAC071-Able to Do My Usual Activities	FAC071-Able to Do My Usual Activities	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Additional Concerns: I am able to do my usual activities.	FACIT-F Version 4 - Able to Do My Usual Activities
C166345	FAC071-Additional Concern Subscale Score	FAC071-Additional Concern Subscale Score	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Additional Concerns: Subscale score.	FACIT-F Version 4 - Additional Concern Subscale Score
C129115	FAC071-Bothered by Treatment Side Effect	FAC071-Bothered by Treatment Side Effect	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Physical Well-Being: I am bothered by side effects of treatment.	FACIT-F Version 4 - Bothered by Treatment Side Effect
C129137	FAC071-Content With Quality of My Life	FAC071-Content With Quality of My Life	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Functional Well-Being: I am content with the quality of my life right now.	FACIT-F Version 4 - Content With Quality of My Life
C166343	FAC071-Emotional Subscale Score	FAC071-Emotional Subscale Score	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Emotional Well-Being: Subscale score.	FACIT-F Version 4 - Emotional Subscale Score
C129136	FAC071-Enjoy Things I Usually Do for Fun	FAC071-Enjoy Things I Usually Do for Fun	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Functional Well-Being: I am enjoying the things I usually do for fun.	FACIT-F Version 4 - Enjoy Things I Usually Do for Fun
C166347	FAC071-FACT-G Total Score	FAC071-FACT-G Total Score	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - FACT-G total score.	FACIT-F Version 4 - FACT-G Total Score
C129149	FAC071-Frustrated by Being Too Tired	FAC071-Frustrated by Being Too Tired	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Additional Concerns: I am frustrated by being too tired to do the things I want to do.	FACIT-F Version 4 - Frustrated by Being Too Tired
C166344	FAC071-Functional Subscale Score	FAC071-Functional Subscale Score	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Functional Well-Being: Subscale score.	FACIT-F Version 4 - Functional Subscale Score
C129119	FAC071-Get Emotional Support From Family	FAC071-Get Emotional Support From Family	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Social/Family Well-Being: I get emotional support from my family.	FACIT-F Version 4 - Get Emotional Support From Family
C129133	FAC071-I Am Able to Enjoy Life	FAC071-I Am Able to Enjoy Life	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Functional Well-Being: I am able to enjoy life.	FACIT-F Version 4 - I Am Able to Enjoy Life
C129131	FAC071-I Am Able to Work	FAC071-I Am Able to Work	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Functional Well-Being: I am able to work (include work at home).	FACIT-F Version 4 - I Am Able to Work
C129117	FAC071-I Am Forced to Spend Time in Bed	FAC071-I Am Forced to Spend Time in Bed	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Physical Well-Being: I am forced to spend time in bed.	FACIT-F Version 4 - I Am Forced to Spend Time in Bed
C129124	FAC071-I Am Satisfied With My Sex Life	FAC071-I Am Satisfied With My Sex Life	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Social/Family Well-Being: I am satisfied with my sex life.	FACIT-F Version 4 - I Am Satisfied With My Sex Life
C129135	FAC071-I Am Sleeping Well	FAC071-I Am Sleeping Well	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Functional Well-Being: I am sleeping well.	FACIT-F Version 4 - I Am Sleeping Well
C129147	FAC071-I Am Too Tired to Eat	FAC071-I Am Too Tired to Eat	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Additional Concerns: I am too tired to eat.	FACIT-F Version 4 - I Am Too Tired to Eat
C129118	FAC071-I Feel Close to My Friends	FAC071-I Feel Close to My Friends	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Social/Family Well-Being: I feel close to my friends.	FACIT-F Version 4 - I Feel Close to My Friends
C129123	FAC071-I Feel Close to My Partner	FAC071-I Feel Close to My Partner	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Social/Family Well-Being: I feel close to my partner (or the person who is my main support).	FACIT-F Version 4 - I Feel Close to My Partner
C129138	FAC071-I Feel Fatigued	FAC071-I Feel Fatigued	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Additional Concerns: I feel fatigued.	FACIT-F Version 4 - I Feel Fatigued
C129116	FAC071-I Feel Ill	FAC071-I Feel Ill	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Physical Well-Being: I feel ill.	FACIT-F Version 4 - I Feel Ill
C129140	FAC071-I Feel Listless	FAC071-I Feel Listless	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Additional Concerns: I feel listless ('washed out').	FACIT-F Version 4 - I Feel Listless
C129128	FAC071-I Feel Nervous	FAC071-I Feel Nervous	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Emotional Well-Being: I feel nervous.	FACIT-F Version 4 - I Feel Nervous
C129125	FAC071-I Feel Sad	FAC071-I Feel Sad	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Emotional Well-Being: I feel sad.	FACIT-F Version 4 - I Feel Sad
C129141	FAC071-I Feel Tired	FAC071-I Feel Tired	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Additional Concerns: I feel tired.	FACIT-F Version 4 - I Feel Tired

Chronic Illness Therapy-Fatigue Version 4 - Additional Concerns					
C129139	FAC071-I Feel Weak All Over	FAC071-I Feel Weak All Over	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Additional Concerns: I feel weak all over.	FACIT-F Version 4 - I Feel Weak All Over	
C129120	FAC071-I Get Support From My Friends	FAC071-I Get Support From My Friends	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Social/Family Well-Being: I get support from my friends.	FACIT-F Version 4 - I Get Support From My Friends	
C129111	FAC071-I Have a Lack of Energy	FAC071-I Have a Lack of Energy	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Physical Well-Being: I have a lack of energy.	FACIT-F Version 4 - I Have a Lack of Energy	
C129134	FAC071-I Have Accepted My Illness	FAC071-I Have Accepted My Illness	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Functional Well-Being: I have accepted my illness.	FACIT-F Version 4 - I Have Accepted My Illness	
C129144	FAC071-I Have Energy	FAC071-I Have Energy	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Additional Concerns: I have energy.	FACIT-F Version 4 - I Have Energy	
C129112	FAC071-I Have Nausea	FAC071-I Have Nausea	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Physical Well-Being: I have nausea.	FACIT-F Version 4 - I Have Nausea	
C129114	FAC071-I Have Pain	FAC071-I Have Pain	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Physical Well-Being: I have pain.	FACIT-F Version 4 - I Have Pain	
C129146	FAC071-I Need to Sleep During the Day	FAC071-I Need to Sleep During the Day	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Additional Concerns: I need to sleep during the day.	FACIT-F Version 4 - I Need to Sleep During the Day	
C129129	FAC071-I Worry About Dying	FAC071-I Worry About Dying	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Emotional Well-Being: I worry about dying.	FACIT-F Version 4 - I Worry About Dying	
C129150	FAC071-Limit Social Activity, I am Tired	FAC071-Limit Social Activity, I am Tired	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Additional Concerns: I have to limit my social activity because I am tired.	FACIT-F Version 4 - Limit Social Activity, I am Tired	
C129127	FAC071-Losing Hope Against Illness	FAC071-Losing Hope Against Illness	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Emotional Well-Being: I am losing hope in the fight against my illness.	FACIT-F Version 4 - Losing Hope Against Illness	
C129121	FAC071-My Family Has Accepted My Illness	FAC071-My Family Has Accepted My Illness	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Social/Family Well-Being: My family has accepted my illness.	FACIT-F Version 4 - My Family Has Accepted My Illness	
C129132	FAC071-My Work Is Fulfilling	FAC071-My Work Is Fulfilling	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Functional Well-Being: My work (include work at home) is fulfilling.	FACIT-F Version 4 - My Work Is Fulfilling	
C129148	FAC071-Need Help Doing Usual Activities	FAC071-Need Help Doing Usual Activities	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Additional Concerns: I need help doing my usual activities.	FACIT-F Version 4 - Need Help Doing Usual Activities	
C166341	FAC071-Physical Subscale Score	FAC071-Physical Subscale Score	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Physical Well-Being: Subscale score.	FACIT-F Version 4 - Physical Subscale Score	
C129122	FAC071-Satisfied Communication Illness	FAC071-Satisfied Communication Illness	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Social/Family Well-Being: I am satisfied with family communication about my illness.	FACIT-F Version 4 - Satisfied Family Communication of Illness	
C129126	FAC071-Satisfied With How I Am Coping	FAC071-Satisfied With How I Am Coping	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Emotional Well-Being: I am satisfied with how I am coping with my illness.	FACIT-F Version 4 - Satisfied With How I Am Coping	
C166342	FAC071-Social/Family Subscale Score	FAC071-Social/Family Subscale Score	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Socia/Family Well-Being: Subscale score.	FACIT-F Version 4 - Social/Family Subscale Score	
C166348	FAC071-Total Score	FAC071-Total Score	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Total score.	FACIT-F Version 4 - Total Score	
C166346	FAC071-Trial Outcome Index Score	FAC071-Trial Outcome Index Score	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Trial outcome index score.	FACIT-F Version 4 - Trial Outcome Index Score	
C129143	FAC071-Trouble Finishing Things	FAC071-Trouble Finishing Things	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Additional Concerns: I have trouble finishing things because I am tired.	FACIT-F Version 4 - Trouble Finishing Things	
C129113	FAC071-Trouble Meeting Needs of Family	FAC071-Trouble Meeting Needs of Family	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Physical Well-Being: Because of my physical condition, I have trouble meeting the needs of my family.	FACIT-F Version 4 - Trouble Meeting Needs of Family	
C129142	FAC071-Trouble Starting Things	FAC071-Trouble Starting Things	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Additional Concerns: I have trouble starting things because I am tired.	FACIT-F Version 4 - Trouble Starting Things	
C129130	FAC071-Worry My Condition Will Get Worse	FAC071-Worry My Condition Will Get Worse	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Emotional Well-Being: I worry that my condition will get worse.	FACIT-F Version 4 - Worry My Condition Will Get Worse	

FACT-BP Version 4 - How Many Places in Body Felt Pain				
C180023	FAC07401	FAC074-How Many Places in Body Felt Pain	Functional Assessment of Cancer Therapy - BP: for patients with bone pain: In how many places in your body have you felt bone pain.	FACT-BP Version 4 - How Many Places in Body Felt Pain
C180024	FAC07402	FAC074-Certain Parts of Body Have Pain	Functional Assessment of Cancer Therapy - BP: for patients with bone pain: I have certain parts of my body where I experience pain.	FACT-BP Version 4 - Certain Parts of Body Have Pain
C180025	FAC07403	FAC074-I Have Bone Pain	Functional Assessment of Cancer Therapy - BP: for patients with bone pain: I have bone pain.	FACT-BP Version 4 - I Have Bone Pain
C180026	FAC07404	FAC074-Hurts When Put Weight/Pressure on	Functional Assessment of Cancer Therapy - BP: for patients with bone pain: It hurts when I put weight or pressure on the place where I have bone pain.	FACT-BP Version 4 - Hurts When Put Weight/Pressure on
C180027	FAC07405	FAC074-Bone Pain Even When I Sit Still	Functional Assessment of Cancer Therapy - BP: for patients with bone pain: I have bone pain even when I sit still.	FACT-BP Version 4 - Bone Pain Even When I Sit Still
C180028	FAC07406	FAC074-Need Help Doing Usual Activities	Functional Assessment of Cancer Therapy - BP: for patients with bone pain: I need help doing my usual activities because of bone pain.	FACT-BP Version 4 - Need Help Doing Usual Activities
C180029	FAC07407	FAC074-Rest During Day Due to Bone Pain	Functional Assessment of Cancer Therapy - BP: for patients with bone pain: I am forced to rest during the day due to bone pain.	FACT-BP Version 4 - Rest During Day Due to Bone Pain
C180030	FAC07408	FAC074-Trouble Walking Because Bone Pain	Functional Assessment of Cancer Therapy - BP: for patients with bone pain: I have trouble walking because of bone pain.	FACT-BP Version 4 - Trouble Walking Because Bone Pain
C180031	FAC07409	FAC074-Bone Pain Interferes Care Myself	Functional Assessment of Cancer Therapy - BP: for patients with bone pain: Bone pain interferes with my ability to care for myself (bathing, dressing, eating, etc.).	FACT-BP Version 4 - Bone Pain Interferes Care Myself
C180032	FAC07410	FAC074-Bone Pain Interferes w/Social	Functional Assessment of Cancer Therapy - BP: for patients with bone pain: Bone pain interferes with my social activities.	FACT-BP Version 4 - Bone Pain Interferes w/Social
C180033	FAC07411	FAC074-Bone Pain Interferes w/My Sleep	Functional Assessment of Cancer Therapy - BP: for patients with bone pain: Bone pain interferes with my sleep.	FACT-BP Version 4 - Bone Pain Interferes w/My Sleep
C180034	FAC07412	FAC074-I am Frustrated by My Bone Pain	Functional Assessment of Cancer Therapy - BP: for patients with bone pain: I am frustrated by my bone pain.	FACT-BP Version 4 - I am Frustrated by My Bone Pain
C180035	FAC07413	FAC074-I Feel Depressed about Bone Pain	Functional Assessment of Cancer Therapy - BP: for patients with bone pain: I feel depressed about my bone pain.	FACT-BP Version 4 - I Feel Depressed about Bone Pain
C180036	FAC07414	FAC074-I Worry Bone Pain Will Get Worse	Functional Assessment of Cancer Therapy - BP: for patients with bone pain: I worry that my bone pain will get worse.	FACT-BP Version 4 - I Worry Bone Pain Will Get Worse
C180037	FAC07415	FAC074-Bone Pain Interferes w/My Family	Functional Assessment of Cancer Therapy - BP: for patients with bone pain: My bone pain interferes with my family life.	FACT-BP Version 4 - Bone Pain Interferes w/My Family
C180038	FAC07416	FAC074-Pain Interferes Vigorous Activity	Functional Assessment of Cancer Therapy - BP: for patients with bone pain: Bone pain interferes with my ability to do vigorous activity (exercise, heavy lifting, etc.).	FACT-BP Version 4 - Pain Interferes Vigorous Activity
C180039	FAC07417	FAC074-Trouble Concentrating Due to Pain	Functional Assessment of Cancer Therapy - BP: for patients with bone pain: I have trouble concentrating due to my bone pain.	FACT-BP Version 4 - Trouble Concentrating Due to Pain
C180040	FAC07418	FAC074-Difficulty Coping w/My Bone Pain	Functional Assessment of Cancer Therapy - BP: for patients with bone pain: I have difficulty coping with my bone pain.	FACT-BP Version 4 - Difficulty Coping w/My Bone Pain
C180041	FAC07419	FAC074-Difficulty Working Due to Pain	Functional Assessment of Cancer Therapy - BP: for patients with bone pain: I have difficulty working due to my bone pain (including work at home)	FACT-BP Version 4 - Difficulty Working Due to Pain
C180042	FAC07420	FAC074-Content With Quality of My Life	Functional Assessment of Cancer Therapy - BP: for patients with bone pain: I am content with the quality of my life right now.	FACT-BP Version 4 - Content With Quality of My Life
C180043	FAC07421	FAC074-Total Score	Functional Assessment of Cancer therapy - BP: BP subscale score.	FACT-BP Version 4 - Total Score

C180027	FAC074-Bone Pain Even When I Sit Still	FAC074-Bone Pain Even When I Sit Still	Functional Assessment of Cancer Therapy - BP: for patients with bone pain: I have bone pain even when I sit still.	FACT-BP Version 4 - Bone Pain Even When I Sit Still
C180031	FAC074-Bone Pain Interferes Care Myself	FAC074-Bone Pain Interferes Care Myself	Functional Assessment of Cancer Therapy - BP: for patients with bone pain: Bone pain interferes with my ability to care for myself (bathing, dressing, eating, etc.).	FACT-BP Version 4 - Bone Pain Interferes Care Myself
C180037	FAC074-Bone Pain Interferes w/My Family	FAC074-Bone Pain Interferes w/My Family	Functional Assessment of Cancer Therapy - BP: for patients with bone pain: My bone pain interferes with my family life.	FACT-BP Version 4 - Bone Pain Interferes w/My Family
C180033	FAC074-Bone Pain Interferes w/My Sleep	FAC074-Bone Pain Interferes w/My Sleep	Functional Assessment of Cancer Therapy - BP: for patients with bone pain: Bone pain interferes with my sleep.	FACT-BP Version 4 - Bone Pain Interferes w/My Sleep
C180032	FAC074-Bone Pain Interferes w/Social	FAC074-Bone Pain Interferes w/Social	Functional Assessment of Cancer Therapy - BP: for patients with bone pain: Bone pain interferes with my social activities.	FACT-BP Version 4 - Bone Pain Interferes w/Social
C180024	FAC074-Certain Parts of Body Have Pain	FAC074-Certain Parts of Body Have Pain	Functional Assessment of Cancer Therapy - BP: for patients with bone pain: I have certain parts of my body where I experience pain.	FACT-BP Version 4 - Certain Parts of Body Have Pain
C180042	FAC074-Content With Quality of My Life	FAC074-Content With Quality of My Life	Functional Assessment of Cancer Therapy - BP: for patients with bone pain: I am content with the quality of my life right now.	FACT-BP Version 4 - Content With Quality of My Life
C180040	FAC074-Difficulty Coping w/My Bone Pain	FAC074-Difficulty Coping w/My Bone Pain	Functional Assessment of Cancer Therapy - BP: for patients with bone pain: I have difficulty coping with my bone pain.	FACT-BP Version 4 - Difficulty Coping w/My Bone Pain
C180041	FAC074-Difficulty Working Due to Pain	FAC074-Difficulty Working Due to Pain	Functional Assessment of Cancer Therapy - BP: for patients with bone pain: I have difficulty working due to my bone pain (including work at home)	FACT-BP Version 4 - Difficulty Working Due to Pain
C180023	FAC074-How Many Places in Body Felt Pain	FAC074-How Many Places in Body Felt Pain	Functional Assessment of Cancer Therapy - BP: for patients with bone pain: In how many places in your body have you felt bone pain.	FACT-BP Version 4 - How Many Places in Body Felt Pain
C180026	FAC074-Hurts When Put Weight/Pressure on	FAC074-Hurts When Put Weight/Pressure on	Functional Assessment of Cancer Therapy - BP: for patients with bone pain: It hurts when I put weight or pressure on the place where I have bone pain.	FACT-BP Version 4 - Hurts When Put Weight/Pressure on
C180034	FAC074-I am Frustrated by My Bone Pain	FAC074-I am Frustrated by My Bone Pain	Functional Assessment of Cancer Therapy - BP: for patients with bone pain: I am frustrated by my bone pain.	FACT-BP Version 4 - I am Frustrated by My Bone Pain
C180035	FAC074-I Feel Depressed about Bone Pain	FAC074-I Feel Depressed about Bone Pain	Functional Assessment of Cancer Therapy - BP: for patients with bone pain: I feel depressed about my bone pain.	FACT-BP Version 4 - I Feel Depressed about Bone Pain
C180025	FAC074-I Have Bone Pain	FAC074-I Have Bone Pain	Functional Assessment of Cancer Therapy - BP: for patients with bone pain: I have bone pain.	FACT-BP Version 4 - I Have Bone Pain
C180036	FAC074-I Worry Bone Pain Will Get Worse	FAC074-I Worry Bone Pain Will Get Worse	Functional Assessment of Cancer Therapy - BP: for patients with bone pain: I worry that my bone pain will get worse.	FACT-BP Version 4 - I Worry Bone Pain Will Get Worse
C180028	FAC074-Need Help Doing Usual Activities	FAC074-Need Help Doing Usual Activities	Functional Assessment of Cancer Therapy - BP: for patients with bone pain: I need help doing my usual activities because of bone pain.	FACT-BP Version 4 - Need Help Doing Usual Activities
C180038	FAC074-Pain Interferes Vigorous Activity	FAC074-Pain Interferes Vigorous Activity	Functional Assessment of Cancer Therapy - BP: for patients with bone pain: Bone pain interferes with my ability to do vigorous activity (exercise, heavy lifting, etc.).	FACT-BP Version 4 - Pain Interferes Vigorous Activity
C180029	FAC074-Rest During Day Due to Bone Pain	FAC074-Rest During Day Due to Bone Pain	Functional Assessment of Cancer Therapy - BP: for patients with bone pain: I am forced to rest during the day due to bone pain.	FACT-BP Version 4 - Rest During Day Due to Bone Pain
C180043	FAC074-Total Score	FAC074-Total Score	Functional Assessment of Cancer therapy - BP: BP subscale score.	FACT-BP Version 4 - Total Score
C180039	FAC074-Trouble Concentrating Due to Pain	FAC074-Trouble Concentrating Due to Pain	Functional Assessment of Cancer Therapy - BP: for patients with bone pain: I have trouble concentrating due to my bone pain.	FACT-BP Version 4 - Trouble Concentrating Due to Pain
C180030	FAC074-Trouble Walking Because Bone Pain	FAC074-Trouble Walking Because Bone Pain	Functional Assessment of Cancer Therapy - BP: for patients with bone pain: I have trouble walking because of bone pain.	FACT-BP Version 4 - Trouble Walking Because Bone Pain

C166280	FAC07501	FAC075-I Have Trouble Forming Thoughts	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Impairments: I have had trouble forming thoughts.	FACT-COG Version 3 - I Have Trouble Forming Thoughts
C166281	FAC07502	FAC075-My Thinking Has Been Slow	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Impairments: My thinking has been slow.	FACT-COG Version 3 - My Thinking Has Been Slow
C166282	FAC07503	FAC075-I Have Had Trouble Concentrating	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Impairments: I have had trouble concentrating.	FACT-COG Version 3 - I Have Had Trouble Concentrating
C166283	FAC07504	FAC075-Trouble Finding Familiar Place	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Impairments: I have had trouble finding my way to a familiar place.	FACT-COG Version 3 - Trouble Finding Familiar Place
C166284	FAC07505	FAC075-Trouble Remember Where Put Things	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Impairments: I have had trouble remembering where I put things, like my keys or my wallet.	FACT-COG Version 3 - Trouble Remember Where Put Things
C166285	FAC07506	FAC075-Trouble Remembering New Info	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Impairments: I have had trouble remembering new information, like phone numbers or simple instructions.	FACT-COG Version 3 - Trouble Remembering New Info
C166286	FAC07507	FAC075-Trouble Recalling Name of Object	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Impairments: I have had trouble recalling the name of an object while talking to someone.	FACT-COG Version 3 - Trouble Recalling Name of Object
C166287	FAC07508	FAC075-Trouble Finding Right Words	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Impairments: I have had trouble finding the right word(s) to express myself.	FACT-COG Version 3 - Trouble Finding Right Words
C166288	FAC07509	FAC075-Used Wrong Word When Refer Object	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Impairments: I have used the wrong word when I referred to an object.	FACT-COG Version 3 - Used Wrong Word When Refer Object
C166289	FAC07510	FAC075-Trouble Saying What I Mean	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Impairments: I have had trouble saying what I mean in conversations with others.	FACT-COG Version 3 - Trouble Saying What I Mean
C166290	FAC07511	FAC075-Walked Into a Room and Forgotten	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Impairments: I have walked into a room and forgotten what I meant to get or do there.	FACT-COG Version 3 - Walked Into a Room and Forgotten
C166291	FAC07512	FAC075-Work Hard to Pay Attention	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Impairments: I have had to work really hard to pay attention or I would make a mistake.	FACT-COG Version 3 - Work Hard to Pay Attention
C166292	FAC07513	FAC075-Forgotten Names After Introduced	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Impairments: I have forgotten names of people soon after being introduced.	FACT-COG Version 3 - Forgotten Names After Introduced
C166293	FAC07514	FAC075-Reaction Everyday Situations Slow	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Impairments: My reactions in everyday situations have been slow.	FACT-COG Version 3 - Reaction Everyday Situations Slow
C166294	FAC07515	FAC075-Work Harder Than Usual to Track	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Impairments: I have had to work harder than usual to keep track of what I was doing.	FACT-COG Version 3 - Work Harder Than Usual to Track
C166295	FAC07516	FAC075-My Thinking Slower Than Usual	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Impairments: My thinking has been slower than usual.	FACT-COG Version 3 - My Thinking Slower Than Usual
C166296	FAC07517	FAC075-Work Harder Than Usual to Express	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Impairments: I have had to work harder than usual to express myself clearly.	FACT-COG Version 3 - Work Harder Than Usual to Express
C166297	FAC07518	FAC075-Use Written Lists More Often	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Impairments: I have had to use written lists more often than usual so I would not forget things.	FACT-COG Version 3 - Use Written Lists More Often
C166298	FAC07519	FAC075-Trouble Keeping Track Interrupted	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Impairments: I have trouble keeping track of what I am doing if I am interrupted.	FACT-COG Version 3 - Trouble Keeping Track Interrupted
C166299	FAC07520	FAC075-Trouble Shifting Back and Forth	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Impairments: I have trouble shifting back and forth between different activities that require thinking.	FACT-COG Version 3 - Trouble Shifting Back and Forth

Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Subscale Scores				
C166300	FAC07521	FAC075-Told Me Trouble Remembering Info	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Comments From Others: Other people have told me I seemed to have trouble remembering information.	FACT-COG Version 3 - Told Me Trouble Remembering Info
C166301	FAC07522	FAC075-Told Me Trouble Speaking Clearly	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Comments From Others: Other people have told me I seemed to have trouble speaking clearly.	FACT-COG Version 3 - Told Me Trouble Speaking Clearly
C166302	FAC07523	FAC075-Told Me Trouble Thinking Clearly	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Comments From Others: Other people have told me I seemed to have trouble thinking clearly.	FACT-COG Version 3 - Told Me Trouble Thinking Clearly
C166303	FAC07524	FAC075-People Told Me I Seemed Confused	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Comments From Others: Other people have told me I seemed confused.	FACT-COG Version 3 - People Told Me I Seemed Confused
C166304	FAC07525	FAC075-I Have Been Able to Concentrate	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Abilities: I have been able to concentrate.	FACT-COG Version 3 - I Have Been Able to Concentrate
C166305	FAC07526	FAC075-Able to Bring to Mind Words	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Abilities: I have been able to bring to mind words that I wanted to use while talking to someone.	FACT-COG Version 3 - Able to Bring to Mind Words
C166306	FAC07527	FAC075-Able Remember Things Where Left	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Abilities: I have been able to remember things, like where I left my keys or wallet.	FACT-COG Version 3 - Able Remember Things Where Left
C166307	FAC07528	FAC075-Able Remember to Do Things	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Abilities: I have been able to remember to do things, like take medicine or buy something I needed.	FACT-COG Version 3 - Able Remember to Do Things
C166308	FAC07529	FAC075-Able to Pay Attention w/o Effort	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Abilities: I am able to pay attention and keep track of what I am doing without extra effort.	FACT-COG Version 3 - Able to Pay Attention Without Effort
C166309	FAC07530	FAC075-Mind Is as Sharp as Always Been	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Abilities: My mind is as sharp as it has always been.	FACT-COG Version 3 - Mind Is as Sharp as Always Been
C166310	FAC07531	FAC075-Memory Is as Good as Always Been	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Abilities: My memory is as good as it has always been.	FACT-COG Version 3 - Memory Is as Good as Always Been
C166311	FAC07532	FAC075-Able to Shift Between Activities	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Abilities: I am able to shift back and forth between two activities that require thinking.	FACT-COG Version 3 - Able to Shift Between Activities
C166312	FAC07533	FAC075-Able to Track What I Am Doing	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Abilities: I am able to keep track of what I am doing, even if I am interrupted.	FACT-COG Version 3 - Able to Track What I Am Doing
C166313	FAC07534	FAC075-Been Upset about These Problems	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Impact on Quality of Life: I have been upset about these problems.	FACT-COG Version 3 - Been Upset about These Problems
C166314	FAC07535	FAC075-Problems Interfered Ability Work	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Impact on Quality of Life: These problems have interfered with my ability to work.	FACT-COG Version 3 - Problems Interfered Ability Work
C166315	FAC07536	FAC075-Problems Interfered Ability Enjoy	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Impact on Quality of Life: These problems have interfered with my ability to do things I enjoy.	FACT-COG Version 3 - Problems Interfered Ability Enjoy
C166316	FAC07537	FAC075-Problems Interfered Quality Life	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Impact on Quality of Life: These problems have interfered with the quality of my life.	FACT-COG Version 3 - Problems Interfered Quality Life
C166317	FAC07538	FAC075-Cognitive Impairments Score	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Impairments: Subscale score.	FACT-COG Version 3 - Cognitive Impairments Score
C166318	FAC07539	FAC075-Comments From Others Score	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Comments From Others: Subscale score.	FACT-COG Version 3 - Comments From Others Score
C166319	FAC07540	FAC075-Cognitive Abilities Score	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Abilities: Subscale score.	FACT-COG Version 3 - Cognitive Abilities Score
C166320	FAC07541	FAC075-Impact on Quality of Life Score	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Impact on Quality of Life: Subscale score.	FACT-COG Version 3 - Impact on Quality of Life Score

C166306	FAC075-Able Remember Things Where Left	FAC075-Able Remember Things Where Left	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Abilities: I have been able to remember things, like where I left my keys or wallet.	FACT-COG Version 3 - Able Remember Things Where Left
C166307	FAC075-Able Remember to Do Things	FAC075-Able Remember to Do Things	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Abilities: I have been able to remember to do things, like take medicine or buy something I needed.	FACT-COG Version 3 - Able Remember to Do Things
C166305	FAC075-Able to Bring to Mind Words	FAC075-Able to Bring to Mind Words	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Abilities: I have been able to bring to mind words that I wanted to use while talking to someone.	FACT-COG Version 3 - Able to Bring to Mind Words
C166308	FAC075-Able to Pay Attention w/o Effort	FAC075-Able to Pay Attention w/o Effort	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Abilities: I am able to pay attention and keep track of what I am doing without extra effort.	FACT-COG Version 3 - Able to Pay Attention Without Effort
C166311	FAC075-Able to Shift Between Activities	FAC075-Able to Shift Between Activities	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Abilities: I am able to shift back and forth between two activities that require thinking.	FACT-COG Version 3 - Able to Shift Between Activities
C166312	FAC075-Able to Track What I Am Doing	FAC075-Able to Track What I Am Doing	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Abilities: I am able to keep track of what I am doing, even if I am interrupted.	FACT-COG Version 3 - Able to Track What I Am Doing
C166313	FAC075-Been Upset about These Problems	FAC075-Been Upset about These Problems	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Impact on Quality of Life: I have been upset about these problems.	FACT-COG Version 3 - Been Upset about These Problems
C166319	FAC075-Cognitive Abilities Score	FAC075-Cognitive Abilities Score	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Abilities: Subscale score.	FACT-COG Version 3 - Cognitive Abilities Score
C166317	FAC075-Cognitive Impairments Score	FAC075-Cognitive Impairments Score	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Impairments: Subscale score.	FACT-COG Version 3 - Cognitive Impairments Score
C166318	FAC075-Comments From Others Score	FAC075-Comments From Others Score	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Comments From Others: Subscale score.	FACT-COG Version 3 - Comments From Others Score
C166292	FAC075-Forgotten Names After Introduced	FAC075-Forgotten Names After Introduced	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Impairments: I have forgotten names of people soon after being introduced.	FACT-COG Version 3 - Forgotten Names After Introduced
C166304	FAC075-I Have Been Able to Concentrate	FAC075-I Have Been Able to Concentrate	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Abilities: I have been able to concentrate.	FACT-COG Version 3 - I Have Been Able to Concentrate
C166282	FAC075-I Have Had Trouble Concentrating	FAC075-I Have Had Trouble Concentrating	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Impairments: I have had trouble concentrating.	FACT-COG Version 3 - I Have Had Trouble Concentrating
C166280	FAC075-I Have Trouble Forming Thoughts	FAC075-I Have Trouble Forming Thoughts	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Impairments: I have had trouble forming thoughts.	FACT-COG Version 3 - I Have Trouble Forming Thoughts
C166320	FAC075-Impact on Quality of Life Score	FAC075-Impact on Quality of Life Score	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Impact on Quality of Life: Subscale score.	FACT-COG Version 3 - Impact on Quality of Life Score
C166310	FAC075-Memory Is as Good as Always Been	FAC075-Memory Is as Good as Always Been	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Abilities: My memory is as good as it has always been.	FACT-COG Version 3 - Memory Is as Good as Always Been
C166309	FAC075-Mind Is as Sharp as Always Been	FAC075-Mind Is as Sharp as Always Been	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Abilities: My mind is as sharp as it has always been.	FACT-COG Version 3 - Mind Is as Sharp as Always Been
C166281	FAC075-My Thinking Has Been Slow	FAC075-My Thinking Has Been Slow	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Impairments: My thinking has been slow.	FACT-COG Version 3 - My Thinking Has Been Slow
C166295	FAC075-My Thinking Slower Than Usual	FAC075-My Thinking Slower Than Usual	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Impairments: My thinking has been slower than usual.	FACT-COG Version 3 - My Thinking Slower Than Usual
C166303	FAC075-People Told Me I Seemed Confused	FAC075-People Told Me I Seemed Confused	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Comments From Others: Other people have told me I seemed confused.	FACT-COG Version 3 - People Told Me I Seemed Confused
C166315	FAC075-Problems Interfered Ability Enjoy	FAC075-Problems Interfered Ability Enjoy	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Impact on Quality of Life: These problems have interfered with my ability to do things I enjoy.	FACT-COG Version 3 - Problems Interfered Ability Enjoy

Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Impairments				
C166314	FAC075-Problems Interfered Ability Work	FAC075-Problems Interfered Ability Work	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Impact on Quality of Life: These problems have interfered with my ability to work.	FACT-COG Version 3 - Problems Interfered Ability Work
C166316	FAC075-Problems Interfered Quality Life	FAC075-Problems Interfered Quality Life	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Impact on Quality of Life: These problems have interfered with the quality of my life.	FACT-COG Version 3 - Problems Interfered Quality Life
C166293	FAC075-Reaction Everyday Situations Slow	FAC075-Reaction Everyday Situations Slow	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Impairments: My reactions in everyday situations have been slow.	FACT-COG Version 3 - Reaction Everyday Situations Slow
C166300	FAC075-Told Me Trouble Remembering Info	FAC075-Told Me Trouble Remembering Info	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Comments From Others: Other people have told me I seemed to have trouble remembering information.	FACT-COG Version 3 - Told Me Trouble Remembering Info
C166301	FAC075-Told Me Trouble Speaking Clearly	FAC075-Told Me Trouble Speaking Clearly	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Comments From Others: Other people have told me I seemed to have trouble speaking clearly.	FACT-COG Version 3 - Told Me Trouble Speaking Clearly
C166302	FAC075-Told Me Trouble Thinking Clearly	FAC075-Told Me Trouble Thinking Clearly	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Comments From Others: Other people have told me I seemed to have trouble thinking clearly.	FACT-COG Version 3 - Told Me Trouble Thinking Clearly
C166283	FAC075-Trouble Finding Familiar Place	FAC075-Trouble Finding Familiar Place	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Impairments: I have had trouble finding my way to a familiar place.	FACT-COG Version 3 - Trouble Finding Familiar Place
C166287	FAC075-Trouble Finding Right Words	FAC075-Trouble Finding Right Words	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Impairments: I have had trouble finding the right word(s) to express myself.	FACT-COG Version 3 - Trouble Finding Right Words
C166298	FAC075-Trouble Keeping Track Interrupted	FAC075-Trouble Keeping Track Interrupted	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Impairments: I have trouble keeping track of what I am doing if I am interrupted.	FACT-COG Version 3 - Trouble Keeping Track Interrupted
C166286	FAC075-Trouble Recalling Name of Object	FAC075-Trouble Recalling Name of Object	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Impairments: I have had trouble recalling the name of an object while talking to someone.	FACT-COG Version 3 - Trouble Recalling Name of Object
C166284	FAC075-Trouble Remember Where Put Things	FAC075-Trouble Remember Where Put Things	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Impairments: I have had trouble remembering where I put things, like my keys or my wallet.	FACT-COG Version 3 - Trouble Remember Where Put Things
C166285	FAC075-Trouble Remembering New Info	FAC075-Trouble Remembering New Info	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Impairments: I have had trouble remembering new information, like phone numbers or simple instructions.	FACT-COG Version 3 - Trouble Remembering New Info
C166289	FAC075-Trouble Saying What I Mean	FAC075-Trouble Saying What I Mean	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Impairments: I have had trouble saying what I mean in conversations with others.	FACT-COG Version 3 - Trouble Saying What I Mean
C166299	FAC075-Trouble Shifting Back and Forth	FAC075-Trouble Shifting Back and Forth	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Impairments: I have trouble shifting back and forth between different activities that require thinking.	FACT-COG Version 3 - Trouble Shifting Back and Forth
C166297	FAC075-Use Written Lists More Often	FAC075-Use Written Lists More Often	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Impairments: I have had to use written lists more often than usual so I would not forget things.	FACT-COG Version 3 - Use Written Lists More Often
C166288	FAC075-Used Wrong Word When Refer Object	FAC075-Used Wrong Word When Refer Object	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Impairments: I have used the wrong word when I referred to an object.	FACT-COG Version 3 - Used Wrong Word When Refer Object
C166290	FAC075-Walked Into a Room and Forgotten	FAC075-Walked Into a Room and Forgotten	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Impairments: I have walked into a room and forgotten what I meant to get or do there.	FACT-COG Version 3 - Walked Into a Room and Forgotten
C166291	FAC075-Work Hard to Pay Attention	FAC075-Work Hard to Pay Attention	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Impairments: I have had to work really hard to pay attention or I would make a mistake.	FACT-COG Version 3 - Work Hard to Pay Attention
C166296	FAC075-Work Harder Than Usual to Express	FAC075-Work Harder Than Usual to Express	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Impairments: I have had to work harder than usual to express myself clearly.	FACT-COG Version 3 - Work Harder Than Usual to Express
C166294	FAC075-Work Harder Than Usual to Track	FAC075-Work Harder Than Usual to Track	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 - Perceived Cognitive Impairments: I have had to work harder than usual to keep track of what I was doing.	FACT-COG Version 3 - Work Harder Than Usual to Track

C147643	FAC08401	FAC084-Part I: Dressing Without Help	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Dressing yourself without help.	FACIT-Dyspnea 10 Item Short Form - Part I: Dressing Without Help
C147644	FAC08402	FAC084-Part I: Dressing Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Dressing yourself without help. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea 10 Item Short Form - Part I: Dressing Why Not
C147645	FAC08403	FAC084-Part I: Walk 50 Steps	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Walking 50 steps/paces on flat ground at a normal speed without stopping.	FACIT-Dyspnea 10 Item Short Form - Part I: Walk 50 Steps
C147646	FAC08404	FAC084-Part I: Walk 50 Steps Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Walking 50 steps/paces on flat ground at a normal speed without stopping. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea 10 Item Short Form - Part I: Walk 50 Steps Why Not
C147647	FAC08405	FAC084-Part I: Walk Up 20 Stairs	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Walking up 20 stairs (2 flights) without stopping.	FACIT-Dyspnea 10 Item Short Form - Part I: Walk Up 20 Stairs
C147648	FAC08406	FAC084-Part I: Walk Up 20 Stairs Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Walking up 20 stairs (2 flights) without stopping. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea 10 Item Short Form - Part I: Walk Up 20 Stairs Why Not
C147649	FAC08407	FAC084-Part I: Preparing Meals	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Preparing Meals.	FACIT-Dyspnea 10 Item Short Form - Part I: Preparing Meals
C147650	FAC08408	FAC084-Part I: Preparing Meals Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Preparing Meals. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea 10 Item Short Form - Part I: Preparing Meals Why Not
C147651	FAC08409	FAC084-Part I: Washing Dishes	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Washing dishes.	FACIT-Dyspnea 10 Item Short Form - Part I: Washing Dishes
C147652	FAC08410	FAC084-Part I: Washing Dishes Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Washing dishes. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea 10 Item Short Form - Part I: Washing Dishes Why Not
C147653	FAC08411	FAC084-Part I: Sweeping/Mopping	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Sweeping or mopping.	FACIT-Dyspnea 10 Item Short Form - Part I: Sweeping/Mopping
C147654	FAC08412	FAC084-Part I: Sweeping/Mopping Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Sweeping or mopping. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea 10 Item Short Form - Part I: Sweeping/Mopping Why Not
C147655	FAC08413	FAC084-Part I: Making a Bed	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Making a bed.	FACIT-Dyspnea 10 Item Short Form - Part I: Making a Bed
C147656	FAC08414	FAC084-Part I: Making a Bed Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Making a bed. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea 10 Item Short Form - Part I: Making a Bed Why Not
C147657	FAC08415	FAC084-Part I: Lifting 10-20 Lbs	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Lifting something weighing 10-20 lbs (about 4.5-9kg, like a large bag of groceries).	FACIT-Dyspnea 10 Item Short Form - Part I: Lifting 10-20 Lbs
C147658	FAC08416	FAC084-Part I: Lifting 10-20 Lbs Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Lifting something weighing 10-20 lbs (about 4.5-9kg, like a large bag of groceries). Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea 10 Item Short Form - Part I: Lifting 10-20 Lbs Why Not

C147659	FAC08417	FAC084-Part I: Carry 10-20 Lbs	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Carrying something weighing 10-20 lbs (about 4.5-9kg, like a large bag of groceries) from one room to another.	FACIT-Dyspnea 10 Item Short Form - Part I: Carry 10-20 Lbs
C147660	FAC08418	FAC084-Part I: Carry 10-20 Lbs Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Carrying something weighing 10-20 lbs (about 4.5-9kg, like a large bag of groceries) from one room to another. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea 10 Item Short Form - Part I: Carry 10-20 Lbs Why Not
C147661	FAC08419	FAC084-Part I: Walk for 1/2 Mile	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Walking (faster than your usual speed) for 1/2 mile (almost 1 km) without stopping.	FACIT-Dyspnea 10 Item Short Form - Part I: Walk for 1/2 Mile
C147662	FAC08420	FAC084-Part I: Walk for 1/2 Mile Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Walking (faster than your usual speed) for 1/2 mile (almost 1 km) without stopping. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea 10 Item Short Form - Part I: Walk for 1/2 Mile Why Not
C147663	FAC08421	FAC084-Part II: Dressing Without Help	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part II Functional Limitation. Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Dressing yourself without help.	FACIT-Dyspnea 10 Item Short Form - Part II: Dressing Without Help
C147664	FAC08422	FAC084-Part II: Walk 50 Steps	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part II Functional Limitation. Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Walking 50 steps/paces on flat ground at a normal speed without stopping.	FACIT-Dyspnea 10 Item Short Form - Part II: Walk 50 Steps
C147665	FAC08423	FAC084-Part II: Walk Up 20 Stairs	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part II Functional Limitation. Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Walking up 20 stairs (2 flights) without stopping.	FACIT-Dyspnea 10 Item Short Form - Part II: Walk Up 20 Stairs
C147666	FAC08424	FAC084-Part II: Preparing Meals	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part II Functional Limitation. Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Preparing meals.	FACIT-Dyspnea 10 Item Short Form - Part II: Preparing Meals
C147667	FAC08425	FAC084-Part II: Washing Dishes	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part II Functional Limitation. Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Washing dishes.	FACIT-Dyspnea 10 Item Short Form - Part II: Washing Dishes
C147668	FAC08426	FAC084-Part II: Sweeping/Mopping	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part II Functional Limitation. Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Sweeping or mopping.	FACIT-Dyspnea 10 Item Short Form - Part II: Sweeping/Mopping
C147669	FAC08427	FAC084-Part II: Making a Bed	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part II Functional Limitation. Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Making a bed.	FACIT-Dyspnea 10 Item Short Form - Part II: Making a Bed
C147670	FAC08428	FAC084-Part II: Lifting 10-20 Lbs	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part II Functional Limitation. Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Lifting something weighing 10-20 lbs (about 4.5-9kg, like a large bag of groceries).	FACIT-Dyspnea 10 Item Short Form - Part II: Lifting 10-20 Lbs
C147671	FAC08429	FAC084-Part II: Carry 10-20 Lbs	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part II Functional Limitation. Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Carrying something weighing 10-20 lbs (about 4.5-9kg, like a large bag of groceries) from one room to another.	FACIT-Dyspnea 10 Item Short Form - Part II: Carry 10-20 Lbs

C147672	FAC08430	FAC084-Part II: Walk for 1/2 Mile	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part II Functional Limitation. Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Walking (faster than your usual speed) for 1/2 mile (almost 1 km) without stopping.	FACIT-Dyspnea 10 Item Short Form - Part II: Walk for 1/2 Mile
---------	----------	-----------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------

C147660	FAC084-Part I: Carry 10-20 Lbs Why Not	FAC084-Part I: Carry 10-20 Lbs Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Carrying something weighing 10-20 lbs (about 4.5-9kg, like a large bag of groceries) from one room to another. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea 10 Item Short Form - Part I: Carry 10-20 Lbs Why Not
C147659	FAC084-Part I: Carry 10-20 Lbs	FAC084-Part I: Carry 10-20 Lbs	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Carrying something weighing 10-20 lbs (about 4.5-9kg, like a large bag of groceries) from one room to another.	FACIT-Dyspnea 10 Item Short Form - Part I: Carry 10-20 Lbs
C147644	FAC084-Part I: Dressing Why Not	FAC084-Part I: Dressing Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Dressing yourself without help. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea 10 Item Short Form - Part I: Dressing Why Not
C147643	FAC084-Part I: Dressing Without Help	FAC084-Part I: Dressing Without Help	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Dressing yourself without help.	FACIT-Dyspnea 10 Item Short Form - Part I: Dressing Without Help
C147658	FAC084-Part I: Lifting 10-20 Lbs Why Not	FAC084-Part I: Lifting 10-20 Lbs Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Lifting something weighing 10-20 lbs (about 4.5-9kg, like a large bag of groceries). Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea 10 Item Short Form - Part I: Lifting 10-20 Lbs Why Not
C147657	FAC084-Part I: Lifting 10-20 Lbs	FAC084-Part I: Lifting 10-20 Lbs	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Lifting something weighing 10-20 lbs (about 4.5-9kg, like a large bag of groceries).	FACIT-Dyspnea 10 Item Short Form - Part I: Lifting 10-20 Lbs
C147656	FAC084-Part I: Making a Bed Why Not	FAC084-Part I: Making a Bed Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Making a bed. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea 10 Item Short Form - Part I: Making a Bed Why Not
C147655	FAC084-Part I: Making a Bed	FAC084-Part I: Making a Bed	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Making a bed.	FACIT-Dyspnea 10 Item Short Form - Part I: Making a Bed
C147650	FAC084-Part I: Preparing Meals Why Not	FAC084-Part I: Preparing Meals Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Preparing Meals. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea 10 Item Short Form - Part I: Preparing Meals Why Not
C147649	FAC084-Part I: Preparing Meals	FAC084-Part I: Preparing Meals	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Preparing Meals.	FACIT-Dyspnea 10 Item Short Form - Part I: Preparing Meals
C147654	FAC084-Part I: Sweeping/Mopping Why Not	FAC084-Part I: Sweeping/Mopping Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Sweeping or mopping. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea 10 Item Short Form - Part I: Sweeping/Mopping Why Not
C147653	FAC084-Part I: Sweeping/Mopping	FAC084-Part I: Sweeping/Mopping	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Sweeping or mopping.	FACIT-Dyspnea 10 Item Short Form - Part I: Sweeping/Mopping
C147646	FAC084-Part I: Walk 50 Steps Why Not	FAC084-Part I: Walk 50 Steps Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Walking 50 steps/paces on flat ground at a normal speed without stopping. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea 10 Item Short Form - Part I: Walk 50 Steps Why Not
C147645	FAC084-Part I: Walk 50 Steps	FAC084-Part I: Walk 50 Steps	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Walking 50 steps/paces on flat ground at a normal speed without stopping.	FACIT-Dyspnea 10 Item Short Form - Part I: Walk 50 Steps
C147662	FAC084-Part I: Walk for 1/2 Mile Why Not	FAC084-Part I: Walk for 1/2 Mile Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Walking (faster than your usual speed) for 1/2 mile (almost 1 km) without stopping. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea 10 Item Short Form - Part I: Walk for 1/2 Mile Why Not

Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Walking (faster than your usual speed) for 1/2 mile (almost 1 km) without stopping.					
C147661	FAC084-Part I: Walk for 1/2 Mile	FAC084-Part I: Walk for 1/2 Mile	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Walking (faster than your usual speed) for 1/2 mile (almost 1 km) without stopping.	FACIT-Dyspnea 10 Item Short Form - Part I: Walk for 1/2 Mile	
C147648	FAC084-Part I: Walk Up 20 Stairs Why Not	FAC084-Part I: Walk Up 20 Stairs Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Walking up 20 stairs (2 flights) without stopping. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea 10 Item Short Form - Part I: Walk Up 20 Stairs Why Not	
C147647	FAC084-Part I: Walk Up 20 Stairs	FAC084-Part I: Walk Up 20 Stairs	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Walking up 20 stairs (2 flights) without stopping.	FACIT-Dyspnea 10 Item Short Form - Part I: Walk Up 20 Stairs	
C147652	FAC084-Part I: Washing Dishes Why Not	FAC084-Part I: Washing Dishes Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Washing dishes. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea 10 Item Short Form - Part I: Washing Dishes Why Not	
C147651	FAC084-Part I: Washing Dishes	FAC084-Part I: Washing Dishes	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Washing dishes.	FACIT-Dyspnea 10 Item Short Form - Part I: Washing Dishes	
C147671	FAC084-Part II: Carry 10-20 Lbs	FAC084-Part II: Carry 10-20 Lbs	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part II Functional Limitation. Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Carrying something weighing 10-20 lbs (about 4.5-9kg, like a large bag of groceries) from one room to another.	FACIT-Dyspnea 10 Item Short Form - Part II: Carry 10-20 Lbs	
C147663	FAC084-Part II: Dressing Without Help	FAC084-Part II: Dressing Without Help	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part II Functional Limitation. Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Dressing yourself without help.	FACIT-Dyspnea 10 Item Short Form - Part II: Dressing Without Help	
C147670	FAC084-Part II: Lifting 10-20 Lbs	FAC084-Part II: Lifting 10-20 Lbs	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part II Functional Limitation. Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Lifting something weighing 10-20 lbs (about 4.5-9kg, like a large bag of groceries).	FACIT-Dyspnea 10 Item Short Form - Part II: Lifting 10-20 Lbs	
C147669	FAC084-Part II: Making a Bed	FAC084-Part II: Making a Bed	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part II Functional Limitation. Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Making a bed.	FACIT-Dyspnea 10 Item Short Form - Part II: Making a Bed	
C147666	FAC084-Part II: Preparing Meals	FAC084-Part II: Preparing Meals	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part II Functional Limitation. Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Preparing meals.	FACIT-Dyspnea 10 Item Short Form - Part II: Preparing Meals	
C147668	FAC084-Part II: Sweeping/Mopping	FAC084-Part II: Sweeping/Mopping	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part II Functional Limitation. Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Sweeping or mopping.	FACIT-Dyspnea 10 Item Short Form - Part II: Sweeping/Mopping	
C147664	FAC084-Part II: Walk 50 Steps	FAC084-Part II: Walk 50 Steps	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part II Functional Limitation. Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Walking 50 steps/paces on flat ground at a normal speed without stopping.	FACIT-Dyspnea 10 Item Short Form - Part II: Walk 50 Steps	
C147672	FAC084-Part II: Walk for 1/2 Mile	FAC084-Part II: Walk for 1/2 Mile	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part II Functional Limitation. Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Walking (faster than your usual speed) for 1/2 mile (almost 1 km) without stopping.	FACIT-Dyspnea 10 Item Short Form - Part II: Walk for 1/2 Mile	
C147665	FAC084-Part II: Walk Up 20 Stairs	FAC084-Part II: Walk Up 20 Stairs	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part II Functional Limitation. Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Walking up 20 stairs (2 flights) without stopping.	FACIT-Dyspnea 10 Item Short Form - Part II: Walk Up 20 Stairs	

C147667	FAC084-Part II: Washing Dishes	FAC084-Part II: Washing Dishes	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part II Functional Limitation. Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Washing dishes.	FACIT-Dyspnea 10 Item Short Form - Part II: Washing Dishes
---------	--------------------------------	--------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------

Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue Items				
C147686	FAC09901	FAC099-I Feel Tired	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue - I feel tired.	Peds-FACIT-F - I Feel Tired
C147687	FAC09902	FAC099-I Have Energy	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue - I have energy (or strength).	Peds-FACIT-F - I Have Energy
C147688	FAC09903	FAC099-Could Do My Usual Things at Home	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue - I could do my usual things at home.	Peds-FACIT-F - Could Do My Usual Things at Home
C147689	FAC09904	FAC099-Trouble Starting Things	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue - I had trouble starting things because I was too tired.	Peds-FACIT-F - Trouble Starting Things
C147690	FAC09905	FAC099-Trouble Finishing Things	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue - I had trouble finishing things because I was too tired.	Peds-FACIT-F - Trouble Finishing Things
C147691	FAC09906	FAC099-I Needed to Sleep During the Day	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue - I needed to sleep during the day.	Peds-FACIT-F - I Needed to Sleep During the Day
C147692	FAC09907	FAC099-Upset by Being Too Tired	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue - I got upset by being too tired to do things I wanted to do.	Peds-FACIT-F - Upset by Being Too Tired
C147693	FAC09908	FAC099-Hard for Me to Play With Friends	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue - Being tired made it hard for me to play or go out with my friends as much as I'd like.	Peds-FACIT-F - Hard for Me to Play With Friends
C147694	FAC09909	FAC099-Needed Help Doing Usual Things	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue - I needed help doing my usual things at home.	Peds-FACIT-F - Needed Help Doing Usual Things
C147695	FAC09910	FAC099-I Feel Weak	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue - I feel weak.	Peds-FACIT-F - I Feel Weak
C147696	FAC09911	FAC099-I Was Too Tired to Eat	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue - I was too tired to eat.	Peds-FACIT-F - I Was Too Tired to Eat
C147697	FAC09912	FAC099-Being Tired Made Me Sad	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue - Being tired made me sad.	Peds-FACIT-F - Being Tired Made Me Sad
C147698	FAC09913	FAC099-Being Tired Made Me Mad	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue - Being tired made me mad (angry).	Peds-FACIT-F - Being Tired Made Me Mad

C147698	FAC099-Being Tired Made Me Mad	FAC099-Being Tired Made Me Mad	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue - Being tired made me mad (angry).	Peds-FACIT-F - Being Tired Made Me Mad
C147697	FAC099-Being Tired Made Me Sad	FAC099-Being Tired Made Me Sad	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue - Being tired made me sad.	Peds-FACIT-F - Being Tired Made Me Sad
C147688	FAC099-Could Do My Usual Things at Home	FAC099-Could Do My Usual Things at Home	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue - I could do my usual things at home.	Peds-FACIT-F - Could Do My Usual Things at Home
C147693	FAC099-Hard for Me to Play With Friends	FAC099-Hard for Me to Play With Friends	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue - Being tired made it hard for me to play or go out with my friends as much as I'd like.	Peds-FACIT-F - Hard for Me to Play With Friends
C147686	FAC099-I Feel Tired	FAC099-I Feel Tired	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue - I feel tired.	Peds-FACIT-F - I Feel Tired
C147695	FAC099-I Feel Weak	FAC099-I Feel Weak	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue - I feel weak.	Peds-FACIT-F - I Feel Weak
C147687	FAC099-I Have Energy	FAC099-I Have Energy	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue - I have energy (or strength).	Peds-FACIT-F - I Have Energy
C147691	FAC099-I Needed to Sleep During the Day	FAC099-I Needed to Sleep During the Day	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue - I needed to sleep during the day.	Peds-FACIT-F - I Needed to Sleep During the Day
C147696	FAC099-I Was Too Tired to Eat	FAC099-I Was Too Tired to Eat	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue - I was too tired to eat.	Peds-FACIT-F - I Was Too Tired to Eat
C147694	FAC099-Needed Help Doing Usual Things	FAC099-Needed Help Doing Usual Things	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue - I needed help doing my usual things at home.	Peds-FACIT-F - Needed Help Doing Usual Things
C147690	FAC099-Trouble Finishing Things	FAC099-Trouble Finishing Things	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue - I had trouble finishing things because I was too tired.	Peds-FACIT-F - Trouble Finishing Things
C147689	FAC099-Trouble Starting Things	FAC099-Trouble Starting Things	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue - I had trouble starting things because I was too tired.	Peds-FACIT-F - Trouble Starting Things
C147692	FAC099-Upset by Being Too Tired	FAC099-Upset by Being Too Tired	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue - I got upset by being too tired to do things I wanted to do.	Peds-FACIT-F - Upset by Being Too Tired

Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?:					
C155482	FAC10001	FAC100-Sev: Dressing Without Help	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Dressing yourself without help.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Dressing Without Help	
C155483	FAC10002	FAC100-Sev: Dressing Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Dressing yourself without help. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Dressing Why Not	
C155484	FAC10003	FAC100-Sev: Walk 50 Steps	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Walking 50 steps/paces on flat ground at a normal speed without stopping.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Walk 50 Steps	
C155485	FAC10004	FAC100-Sev: Walk 50 Steps Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Walking 50 steps/paces on flat ground at a normal speed without stopping. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Walk 50 Steps Why Not	
C155486	FAC10005	FAC100-Sev: Walk Up 20 Stairs	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Walking up 20 stairs (2 flights) without stopping.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Walk Up 20 Stairs	
C155487	FAC10006	FAC100-Sev: Walk Up 20 Stairs Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Walking up 20 stairs (2 flights) without stopping. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Walk Up 20 Stairs Why Not	
C155488	FAC10007	FAC100-Sev: Preparing Meals	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Preparing meals.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Preparing Meals	
C155489	FAC10008	FAC100-Sev: Preparing Meals Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Preparing meals. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Preparing Meals Why Not	
C155490	FAC10009	FAC100-Sev: Washing Dishes	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Washing dishes.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Washing Dishes	
C155491	FAC10010	FAC100-Sev: Washing Dishes Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Washing dishes. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Washing Dishes Why Not	
C155492	FAC10011	FAC100-Sev: Sweeping/Mopping	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Sweeping or mopping.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Sweeping/Mopping	
C155493	FAC10012	FAC100-Sev: Sweeping/Mopping Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Sweeping or mopping. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Sweeping/Mopping Why Not	
C155494	FAC10013	FAC100-Sev: Making a Bed	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Making a bed.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Making a Bed	
C155495	FAC10014	FAC100-Sev: Making a Bed Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Making a bed. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Making a Bed Why Not	
C155496	FAC10015	FAC100-Sev: Lifting 10-20 Lbs	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Lifting something weighing 10-20 lbs (about 4.5-9kg, like a large bag of groceries).	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Lifting 10-20 Lbs	

Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Lifting something weighing 10-20 lbs (about 4.5-9kg, like a large bag of groceries). Please indicate why you did not do this in the past 7 days.					
C155497	FAC10016	FAC100-Sev: Lifting 10-20 Lbs Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Lifting something weighing 10-20 lbs (about 4.5-9kg, like a large bag of groceries). Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Lifting 10-20 Lbs Why Not	
C155498	FAC10017	FAC100-Sev: Carry 10-20 Lbs	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Carrying something weighing 10-20 lbs (about 4.5-9kg, like a large bag of groceries) from one room to another.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Carry 10-20 Lbs	
C155499	FAC10018	FAC100-Sev: Carry 10-20 Lbs Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Carrying something weighing 10-20 lbs (about 4.5-9kg, like a large bag of groceries) from one room to another. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Carry 10-20 Lbs Why Not	
C155500	FAC10019	FAC100-Sev: Walk for 1/2 Mile	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Walking (faster than your usual speed) for 1/2 mile (almost 1 km) without stopping.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Walk for 1/2 Mile	
C155501	FAC10020	FAC100-Sev: Walk for 1/2 Mile Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Walking (faster than your usual speed) for 1/2 mile (almost 1 km) without stopping. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Walk for 1/2 Mile Why Not	
C155502	FAC10021	FAC100-Sev: Bath Without Help	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Taking a bath without help.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Bath Without Help	
C155503	FAC10022	FAC100-Sev: Bath Without Help Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Taking a bath without help. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Bath Without Help Why Not	
C155504	FAC10023	FAC100-Sev: Taking a Shower	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Taking a shower.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Taking a Shower	
C155505	FAC10024	FAC100-Sev: Taking a Shower Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Taking a shower. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Taking a Shower Why Not	
C155506	FAC10025	FAC100-Sev: Putting on Socks	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Putting on socks or stockings.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Putting on Socks	
C155507	FAC10026	FAC100-Sev: Putting on Socks Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Putting on socks or stockings. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Putting on Socks Why Not	
C155508	FAC10027	FAC100-Sev: Standing 5 Minutes	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Standing for at least 5 minutes.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Standing 5 Minutes	
C155509	FAC10028	FAC100-Sev: Standing 5 Minutes Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Standing for at least 5 minutes. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Standing 5 Minutes Why Not	
C155510	FAC10029	FAC100-Sev: Walking 10 Steps	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Walking 10 steps/paces on flat ground at a normal speed without stopping.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Walking 10 Steps	
C155511	FAC10030	FAC100-Sev: Walking 10 Steps Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Walking 10 steps/paces on flat ground at a normal speed without stopping. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Walking 10 Steps Why Not	

Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Walking 1/2 mile (almost 1 km) on flat ground at a normal speed without stopping.					
C155512	FAC10031	FAC100-Sev: Walking 1/2 Mile	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Walking 1/2 mile (almost 1 km) on flat ground at a normal speed without stopping.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Walking 1/2 Mile	
C155513	FAC10032	FAC100-Sev: Walking 1/2 Mile Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Walking 1/2 mile (almost 1 km) on flat ground at a normal speed without stopping. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Walking 1/2 Mile Why Not	
C155514	FAC10033	FAC100-Sev: Walking Up 5 Stairs	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Walking up 5 stairs without stopping.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Walking Up 5 Stairs	
C155515	FAC10034	FAC100-Sev: Walking Up 5 Stairs Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Walking up 5 stairs without stopping. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Walking Up 5 Stairs Why Not	
C155516	FAC10035	FAC100-Sev: Walking Up 10 Stairs	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Walking up 10 stairs (1 flight) without stopping.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Walking Up 10 Stairs	
C155517	FAC10036	FAC100-Sev: Walking Up 10 Stairs Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Walking up 10 stairs (1 flight) without stopping. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Walking Up 10 Stairs Why Not	
C155518	FAC10037	FAC100-Sev: Walking Up 30 Stairs	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Walking up 30 stairs (3 flights) without stopping.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Walking Up 30 Stairs	
C155519	FAC10038	FAC100-Sev: Walking Up 30 Stairs Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Walking up 30 stairs (3 flights) without stopping. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Walking Up 30 Stairs Why Not	
C155520	FAC10039	FAC100-Sev: Lift Less Than 5 Lbs	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Lifting something weighing less than 5 lbs (about 2 kg, like a houseplant).	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Lift Less Than 5 Lbs	
C155521	FAC10040	FAC100-Sev: Lift Less Than 5 Lbs Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Lifting something weighing less than 5 lbs (about 2 kg, like a houseplant). Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Lift Less Than 5 Lbs Why Not	
C155522	FAC10041	FAC100-Sev: Lifting 5-10 Lbs	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Lifting something weighing 5-10 lbs (about 2-4.5 kg, like a basket of clothes).	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Lifting 5-10 Lbs	
C155523	FAC10042	FAC100-Sev: Lifting 5-10 Lbs Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Lifting something weighing 5-10 lbs (about 2-4.5 kg, like a basket of clothes). Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Lifting 5-10 Lbs Why Not	
C155524	FAC10043	FAC100-Sev: Lift More Than 20 Lbs	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Lifting something weighing more than 20 lbs (about 9 kg, like a medium-sized suitcase).	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Lift More Than 20 Lbs	
C155525	FAC10044	FAC100-Sev: Lift More Than 20 Lb Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Lifting something weighing more than 20 lbs (about 9 kg, like a medium-sized suitcase). Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Lift More Than 20 Lbs Why Not	

Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Carrying something weighing less than 5 lbs (about 2 kg, like a houseplant) from one room to another.					
C155526	FAC10045	FAC100-Sev: Carrying Less Than 5 Lbs	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Carrying something weighing less than 5 lbs (about 2 kg, like a houseplant) from one room to another.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Carrying Less Than 5 Lbs	
C155527	FAC10046	FAC100-Sev: Carrying Less Than 5 Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Carrying something weighing less than 5 lbs (about 2 kg, like a houseplant) from one room to another. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Carrying Less Than 5 Why Not	
C155528	FAC10047	FAC100-Sev: Carrying 5-10 Lbs	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Carrying something weighing 5-10 lbs (about 2-4.5 kg, like a basket of clothes) from one room to another.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Carrying 5-10 Lbs	
C155529	FAC10048	FAC100-Sev: Carrying 5-10 Lbs Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Carrying something weighing 5-10 lbs (about 2-4.5 kg, like a basket of clothes) from one room to another. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Carrying 5-10 Lbs Why Not	
C155530	FAC10049	FAC100-Sev: Get In/Out of a Car	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Getting in or out of a car.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Get In/Out of a Car	
C155531	FAC10050	FAC100-Sev: Get In/Out of a Car Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Getting in or out of a car. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Get In/Out of a Car Why Not	
C155532	FAC10051	FAC100-Sev: Dining Out	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Dining out.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Dining Out	
C155533	FAC10052	FAC100-Sev: Dining Out Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Dining out. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Dining Out Why Not	
C155534	FAC10053	FAC100-Sev: Low-intensity Activ	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Low-intensity leisure activity (gardening, etc.).	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Low-intensity Activity	
C155535	FAC10054	FAC100-Sev: Low-intensity Activ Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Low-intensity leisure activity (gardening, etc.). Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Low-intensity Activity Why Not	
C155536	FAC10055	FAC100-Sev: Moderate Activity	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Moderate-intensity leisure activity (bicycling on level terrain, etc.).	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Moderate Activity	
C155537	FAC10056	FAC100-Sev: Moderate Activity Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Moderate-intensity leisure activity (bicycling on level terrain, etc.). Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Moderate Activity Why Not	
C155538	FAC10057	FAC100-Sev: Walk Fast 50 Steps	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Walking (faster than your usual speed) for 50 steps without stopping.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Walk Fast 50 Steps	
C155539	FAC10058	FAC100-Sev: Walk Fast 50 Steps Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Walking (faster than your usual speed) for 50 steps without stopping. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Walk Fast 50 Steps Why Not	
C155540	FAC10059	FAC100-Sev: Walking Fast 1 Mile	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Walking (faster than your usual speed) for at least 1 mile (a little more than 1.5 km) without stopping.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Walking Fast 1 Mile	

Chronic Illness Therapy-Dyspnea Scale Item Bank Version - Severity: Walking Fast 1 Mile Why Not					
C155541	FAC10060	FAC100-Sev: Walking Fast 1 Mile Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Walking (faster than your usual speed) for at least 1 mile (a little more than 1.5 km) without stopping. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Walking Fast 1 Mile Why Not	
C155542	FAC10061	FAC100-Sev: Singing or Humming	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Singing or humming.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Singing or Humming	
C155543	FAC10062	FAC100-Sev: Singing or Humming Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Singing or humming. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Singing or Humming Why Not	
C155544	FAC10063	FAC100-Sev: Talking While Walking	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Talking while walking.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Talking While Walking	
C155545	FAC10064	FAC100-Sev: Talking While Walk Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Talking while walking. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Talking While Walk Why Not	
C155546	FAC10065	FAC100-Sev: Scrubbing the Floor	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Scrubbing the floor or counter.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Scrubbing the Floor	
C155547	FAC10066	FAC100-Sev: Scrubbing the Floor Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Scrubbing the floor or counter. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Scrubbing the Floor Why Not	
C155548	FAC10067	FAC100-Limit: Dressing Without Help	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Dressing yourself without help.	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Dressing Without Help	
C155549	FAC10068	FAC100-Limit: Walk 50 Steps	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Walking 50 steps/paces on flat ground at a normal speed without stopping.	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Walk 50 Steps	
C155550	FAC10069	FAC100-Limit: Walk Up 20 Stairs	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Walking up 20 stairs (2 flights) without stopping.	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Walk Up 20 Stairs	
C155551	FAC10070	FAC100-Limit: Preparing Meals	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Preparing meals.	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Preparing Meals	
C155552	FAC10071	FAC100-Limit: Washing Dishes	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Washing dishes.	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Washing Dishes	
C155553	FAC10072	FAC100-Limit: Sweeping/Mopping	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Sweeping or mopping.	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Sweeping/Mopping	
C155554	FAC10073	FAC100-Limit: Making a Bed	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Making a bed.	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Making a Bed	
C155555	FAC10074	FAC100-Limit: Lifting 10-20 Lbs	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Lifting something weighing 10-20 lbs (about 4.5-9kg, like a large bag of groceries).	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Lifting 10-20 Lbs	

Functional Assessment of Chronic Illness Therapy-Dyspnea Scale Item Bank Version - Limit					
C155556	FAC10075	FAC100-Limit: Carry 10-20 Lbs	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Carrying something weighing 10-20 lbs (about 4.5-9kg, like a large bag of groceries) from one room to another.	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Carry 10-20 Lbs	
C155557	FAC10076	FAC100-Limit: Walk for 1/2 Mile	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Walking (faster than your usual speed) for 1/2 mile (almost 1 km) without stopping.	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Walk for 1/2 Mile	
C155558	FAC10077	FAC100-Limit: Taking a Bath Without Help	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Taking a bath without help.	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Taking a Bath Without Help	
C155559	FAC10078	FAC100-Limit: Taking a Shower	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Taking a shower.	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Taking a Shower	
C155560	FAC10079	FAC100-Limit: Putting on Socks	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Putting on socks or stockings.	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Putting on Socks	
C155561	FAC10080	FAC100-Limit: Standing 5 Minutes	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Standing for at least 5 minutes.	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Standing 5 Minutes	
C155562	FAC10081	FAC100-Limit: Walking 10 Steps	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Walking 10 steps/paces on flat ground at a normal speed without stopping.	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Walking 10 Steps	
C155563	FAC10082	FAC100-Limit: Walking 1/2 Mile	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Walking 1/2 mile (almost 1 km) on flat ground at a normal speed without stopping.	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Walking 1/2 Mile	
C155564	FAC10083	FAC100-Limit: Walking Up 5 Stairs	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Walking up 5 stairs without stopping.	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Walking Up 5 Stairs	
C155565	FAC10084	FAC100-Limit: Walking Up 10 Stairs	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Walking up 10 stairs (1 flight) without stopping.	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Walking Up 10 Stairs	
C155566	FAC10085	FAC100-Limit: Walking Up 30 Stairs	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Walking up 30 stairs (3 flights) without stopping.	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Walking Up 30 Stairs	
C155567	FAC10086	FAC100-Limit: Scrubbing the Floor	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Scrubbing the floor or counter.	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Scrubbing the Floor	
C155568	FAC10087	FAC100-Limit: Lifting Less Than 5 Lbs	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Lifting something weighing less than 5 lbs (about 2 kg, like a houseplant).	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Lifting Less Than 5 Lbs	
C155569	FAC10088	FAC100-Limit: Lifting 5-10 Lbs	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Lifting something weighing 5-10 lbs (about 2-4.5 kg, like a basket of clothes).	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Lifting 5-10 Lbs	

Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Lifting something weighing more than 20 lbs (about 9 kg, like a medium-sized suitcase).					
C155570	FAC10089	FAC100-Limit: Lifting More Than 20 Lbs	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Lifting something weighing more than 20 lbs (about 9 kg, like a medium-sized suitcase).	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Lifting More Than 20 Lbs	
C155571	FAC10090	FAC100-Limit: Carrying Less Than 5 Lbs	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Carrying something weighing less than 5 lbs (about 2 kg, like a houseplant) from one room to another.	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Carrying Less Than 5 Lbs	
C155572	FAC10091	FAC100-Limit: Carrying 5-10 Lbs	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Carrying something weighing 5-10 lbs (about 2-4.5 kg, like a basket of clothes) from one room to another.	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Carrying 5-10 Lbs	
C155573	FAC10092	FAC100-Limit: Get In/Out of a Car	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Getting in or out of a car.	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Get In/Out of a Car	
C155574	FAC10093	FAC100-Limit: Dining Out	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Dining out.	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Dining Out	
C155575	FAC10094	FAC100-Limit: Low-intensity Activity	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Low-intensity leisure activity (gardening, etc.).	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Low-intensity Activity	
C155576	FAC10095	FAC100-Limit: Moderate Activity	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Moderate-intensity leisure activity (bicycling on level terrain, etc.).	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Moderate Activity	
C155577	FAC10096	FAC100-Limit: Walk Fast 50 Steps	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Walking (faster than your usual speed) for 50 steps without stopping.	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Walk Fast 50 Steps	
C155578	FAC10097	FAC100-Limit: Walking Fast 1 Mile	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Walking (faster than your usual speed) for at least 1 mile (a little more than 1.5 km) without stopping.	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Walking Fast 1 Mile	
C155579	FAC10098	FAC100-Limit: Singing or Humming	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Singing or humming.	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Singing or Humming	
C155580	FAC10099	FAC100-Limit: Talking While Walking	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Talking while walking.	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Talking While Walking	

C155556	FAC100-Limit: Carry 10-20 Lbs	FAC100-Limit: Carry 10-20 Lbs	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Carrying something weighing 10-20 lbs (about 4.5-9kg, like a large bag of groceries) from one room to another.	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Carry 10-20 Lbs	
C155572	FAC100-Limit: Carrying 5-10 Lbs	FAC100-Limit: Carrying 5-10 Lbs	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Carrying something weighing 5-10 lbs (about 2-4.5 kg, like a basket of clothes) from one room to another.	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Carrying 5-10 Lbs	
C155571	FAC100-Limit: Carrying Less Than 5 Lbs	FAC100-Limit: Carrying Less Than 5 Lbs	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Carrying something weighing less than 5 lbs (about 2 kg, like a houseplant) from one room to another.	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Carrying Less Than 5 Lbs	
C155574	FAC100-Limit: Dining Out	FAC100-Limit: Dining Out	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Dining out.	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Dining Out	
C155548	FAC100-Limit: Dressing Without Help	FAC100-Limit: Dressing Without Help	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Dressing yourself without help.	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Dressing Without Help	
C155573	FAC100-Limit: Get In/Out of a Car	FAC100-Limit: Get In/Out of a Car	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Getting in or out of a car.	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Get In/Out of a Car	
C155555	FAC100-Limit: Lifting 10-20 Lbs	FAC100-Limit: Lifting 10-20 Lbs	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Lifting something weighing 10-20 lbs (about 4.5-9kg, like a large bag of groceries).	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Lifting 10-20 Lbs	
C155569	FAC100-Limit: Lifting 5-10 Lbs	FAC100-Limit: Lifting 5-10 Lbs	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Lifting something weighing 5-10 lbs (about 2-4.5 kg, like a basket of clothes).	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Lifting 5-10 Lbs	
C155568	FAC100-Limit: Lifting Less Than 5 Lbs	FAC100-Limit: Lifting Less Than 5 Lbs	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Lifting something weighing less than 5 lbs (about 2 kg, like a houseplant).	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Lifting Less Than 5 Lbs	
C155570	FAC100-Limit: Lifting More Than 20 Lbs	FAC100-Limit: Lifting More Than 20 Lbs	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Lifting something weighing more than 20 lbs (about 9 kg, like a medium-sized suitcase).	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Lifting More Than 20 Lbs	
C155575	FAC100-Limit: Low-intensity Activity	FAC100-Limit: Low-intensity Activity	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Low-intensity leisure activity (gardening, etc.).	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Low-intensity Activity	
C155554	FAC100-Limit: Making a Bed	FAC100-Limit: Making a Bed	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Making a bed.	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Making a Bed	
C155576	FAC100-Limit: Moderate Activity	FAC100-Limit: Moderate Activity	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Moderate-intensity leisure activity (bicycling on level terrain, etc.).	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Moderate Activity	
C155551	FAC100-Limit: Preparing Meals	FAC100-Limit: Preparing Meals	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Preparing meals.	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Preparing Meals	

Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities:					
C155560	FAC100-Limit: Putting on Socks	FAC100-Limit: Putting on Socks	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Putting on socks or stockings.	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Putting on Socks	
C155567	FAC100-Limit: Scrubbing the Floor	FAC100-Limit: Scrubbing the Floor	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Scrubbing the floor or counter.	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Scrubbing the Floor	
C155579	FAC100-Limit: Singing or Humming	FAC100-Limit: Singing or Humming	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Singing or humming.	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Singing or Humming	
C155561	FAC100-Limit: Standing 5 Minutes	FAC100-Limit: Standing 5 Minutes	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Standing for at least 5 minutes.	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Standing 5 Minutes	
C155553	FAC100-Limit: Sweeping/Mopping	FAC100-Limit: Sweeping/Mopping	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Sweeping or mopping.	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Sweeping/Mopping	
C155558	FAC100-Limit: Taking a Bath Without Help	FAC100-Limit: Taking a Bath Without Help	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Taking a bath without help.	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Taking a Bath Without Help	
C155559	FAC100-Limit: Taking a Shower	FAC100-Limit: Taking a Shower	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Taking a shower.	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Taking a Shower	
C155580	FAC100-Limit: Talking While Walking	FAC100-Limit: Talking While Walking	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Talking while walking.	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Talking While Walking	
C155549	FAC100-Limit: Walk 50 Steps	FAC100-Limit: Walk 50 Steps	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Walking 50 steps/paces on flat ground at a normal speed without stopping.	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Walk 50 Steps	
C155577	FAC100-Limit: Walk Fast 50 Steps	FAC100-Limit: Walk Fast 50 Steps	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Walking (faster than your usual speed) for 50 steps without stopping.	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Walk Fast 50 Steps	
C155557	FAC100-Limit: Walk for 1/2 Mile	FAC100-Limit: Walk for 1/2 Mile	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Walking (faster than your usual speed) for 1/2 mile (almost 1 km) without stopping.	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Walk for 1/2 Mile	
C155550	FAC100-Limit: Walk Up 20 Stairs	FAC100-Limit: Walk Up 20 Stairs	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Walking up 20 stairs (2 flights) without stopping.	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Walk Up 20 Stairs	
C155563	FAC100-Limit: Walking 1/2 Mile	FAC100-Limit: Walking 1/2 Mile	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Walking 1/2 mile (almost 1 km) on flat ground at a normal speed without stopping.	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Walking 1/2 Mile	
C155562	FAC100-Limit: Walking 10 Steps	FAC100-Limit: Walking 10 Steps	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Walking 10 steps/paces on flat ground at a normal speed without stopping.	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Walking 10 Steps	
C155578	FAC100-Limit: Walking Fast 1 Mile	FAC100-Limit: Walking Fast 1 Mile	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Walking (faster than your usual speed) for at least 1 mile (a little more than 1.5 km) without stopping.	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Walking Fast 1 Mile	

Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities:					
C155565	FAC100-Limit: Walking Up 10 Stairs	FAC100-Limit: Walking Up 10 Stairs	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Walking up 10 stairs (1 flight) without stopping.	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Walking Up 10 Stairs	
C155566	FAC100-Limit: Walking Up 30 Stairs	FAC100-Limit: Walking Up 30 Stairs	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Walking up 30 stairs (3 flights) without stopping.	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Walking Up 30 Stairs	
C155564	FAC100-Limit: Walking Up 5 Stairs	FAC100-Limit: Walking Up 5 Stairs	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Walking up 5 stairs without stopping.	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Walking Up 5 Stairs	
C155552	FAC100-Limit: Washing Dishes	FAC100-Limit: Washing Dishes	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Functional Limitation: Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Washing dishes.	FACIT-Dyspnea Scale 33 Item Bank Version - Limit: Washing Dishes	
C155503	FAC100-Sev: Bath Without Help Why Not	FAC100-Sev: Bath Without Help Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Taking a bath without help. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Bath Without Help Why Not	
C155502	FAC100-Sev: Bath Without Help	FAC100-Sev: Bath Without Help	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Taking a bath without help.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Bath Without Help	
C155499	FAC100-Sev: Carry 10-20 Lbs Why Not	FAC100-Sev: Carry 10-20 Lbs Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Carrying something weighing 10-20 lbs (about 4.5-9kg, like a large bag of groceries) from one room to another. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Carry 10-20 Lbs Why Not	
C155498	FAC100-Sev: Carry 10-20 Lbs	FAC100-Sev: Carry 10-20 Lbs	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Carrying something weighing 10-20 lbs (about 4.5-9kg, like a large bag of groceries) from one room to another.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Carry 10-20 Lbs	
C155529	FAC100-Sev: Carrying 5-10 Lbs Why Not	FAC100-Sev: Carrying 5-10 Lbs Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Carrying something weighing 5-10 lbs (about 2-4.5 kg, like a basket of clothes) from one room to another. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Carrying 5-10 Lbs Why Not	
C155528	FAC100-Sev: Carrying 5-10 Lbs	FAC100-Sev: Carrying 5-10 Lbs	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Carrying something weighing 5-10 lbs (about 2-4.5 kg, like a basket of clothes) from one room to another.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Carrying 5-10 Lbs	
C155526	FAC100-Sev: Carrying Less Than 5 Lbs	FAC100-Sev: Carrying Less Than 5 Lbs	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Carrying something weighing less than 5 lbs (about 2 kg, like a houseplant) from one room to another.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Carrying Less Than 5 Lbs	
C155527	FAC100-Sev: Carrying Less Than 5 Why Not	FAC100-Sev: Carrying Less Than 5 Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Carrying something weighing less than 5 lbs (about 2 kg, like a houseplant) from one room to another. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Carrying Less Than 5 Why Not	
C155533	FAC100-Sev: Dining Out Why Not	FAC100-Sev: Dining Out Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Dining out. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Dining Out Why Not	
C155532	FAC100-Sev: Dining Out	FAC100-Sev: Dining Out	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Dining out.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Dining Out	
C155483	FAC100-Sev: Dressing Why Not	FAC100-Sev: Dressing Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Dressing yourself without help. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Dressing Why Not	

Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Dressing yourself without help.					
C155482	FAC100-Sev: Dressing Without Help	FAC100-Sev: Dressing Without Help	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Dressing yourself without help.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Dressing Without Help	
C155531	FAC100-Sev: Get In/Out of a Car Why Not	FAC100-Sev: Get In/Out of a Car Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Getting in or out of a car. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Get In/Out of a Car Why Not	
C155530	FAC100-Sev: Get In/Out of a Car	FAC100-Sev: Get In/Out of a Car	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Getting in or out of a car.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Get In/Out of a Car	
C155521	FAC100-Sev: Lift Less Than 5 Lbs Why Not	FAC100-Sev: Lift Less Than 5 Lbs Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Lifting something weighing less than 5 lbs (about 2 kg, like a houseplant). Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Lift Less Than 5 Lbs Why Not	
C155520	FAC100-Sev: Lift Less Than 5 Lbs	FAC100-Sev: Lift Less Than 5 Lbs	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Lifting something weighing less than 5 lbs (about 2 kg, like a houseplant).	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Lift Less Than 5 Lbs	
C155525	FAC100-Sev: Lift More Than 20 Lb Why Not	FAC100-Sev: Lift More Than 20 Lb Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Lifting something weighing more than 20 lbs (about 9 kg, like a medium-sized suitcase). Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Lift More Than 20 Lbs Why Not	
C155524	FAC100-Sev: Lift More Than 20 Lbs	FAC100-Sev: Lift More Than 20 Lbs	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Lifting something weighing more than 20 lbs (about 9 kg, like a medium-sized suitcase).	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Lift More Than 20 Lbs	
C155497	FAC100-Sev: Lifting 10-20 Lbs Why Not	FAC100-Sev: Lifting 10-20 Lbs Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Lifting something weighing 10-20 lbs (about 4.5-9kg, like a large bag of groceries). Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Lifting 10-20 Lbs Why Not	
C155496	FAC100-Sev: Lifting 10-20 Lbs	FAC100-Sev: Lifting 10-20 Lbs	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Lifting something weighing 10-20 lbs (about 4.5-9kg, like a large bag of groceries).	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Lifting 10-20 Lbs	
C155523	FAC100-Sev: Lifting 5-10 Lbs Why Not	FAC100-Sev: Lifting 5-10 Lbs Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Lifting something weighing 5-10 lbs (about 2-4.5 kg, like a basket of clothes). Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Lifting 5-10 Lbs Why Not	
C155522	FAC100-Sev: Lifting 5-10 Lbs	FAC100-Sev: Lifting 5-10 Lbs	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Lifting something weighing 5-10 lbs (about 2-4.5 kg, like a basket of clothes).	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Lifting 5-10 Lbs	
C155535	FAC100-Sev: Low-intensity Activ Why Not	FAC100-Sev: Low-intensity Activ Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Low-intensity leisure activity (gardening, etc.). Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Low-intensity Activity Why Not	
C155534	FAC100-Sev: Low-intensity Activ	FAC100-Sev: Low-intensity Activ	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Low-intensity leisure activity (gardening, etc.).	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Low-intensity Activity	
C155495	FAC100-Sev: Making a Bed Why Not	FAC100-Sev: Making a Bed Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Making a bed. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Making a Bed Why Not	
C155494	FAC100-Sev: Making a Bed	FAC100-Sev: Making a Bed	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Making a bed.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Making a Bed	

Chronic Illness Therapy-Dyspnea Scale Item Bank Version - Severity					
C155537	FAC100-Sev: Moderate Activity Why Not	FAC100-Sev: Moderate Activity Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Moderate-intensity leisure activity (bicycling on level terrain, etc.). Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Moderate Activity Why Not	
C155536	FAC100-Sev: Moderate Activity	FAC100-Sev: Moderate Activity	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Moderate-intensity leisure activity (bicycling on level terrain, etc.).	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Moderate Activity	
C155489	FAC100-Sev: Preparing Meals Why Not	FAC100-Sev: Preparing Meals Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Preparing meals. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Preparing Meals Why Not	
C155488	FAC100-Sev: Preparing Meals	FAC100-Sev: Preparing Meals	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Preparing meals.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Preparing Meals	
C155507	FAC100-Sev: Putting on Socks Why Not	FAC100-Sev: Putting on Socks Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Putting on socks or stockings. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Putting on Socks Why Not	
C155506	FAC100-Sev: Putting on Socks	FAC100-Sev: Putting on Socks	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Putting on socks or stockings.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Putting on Socks	
C155547	FAC100-Sev: Scrubbing the Floor Why Not	FAC100-Sev: Scrubbing the Floor Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Scrubbing the floor or counter. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Scrubbing the Floor Why Not	
C155546	FAC100-Sev: Scrubbing the Floor	FAC100-Sev: Scrubbing the Floor	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Scrubbing the floor or counter.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Scrubbing the Floor	
C155543	FAC100-Sev: Singing or Humming Why Not	FAC100-Sev: Singing or Humming Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Singing or humming. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Singing or Humming Why Not	
C155542	FAC100-Sev: Singing or Humming	FAC100-Sev: Singing or Humming	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Singing or humming.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Singing or Humming	
C155509	FAC100-Sev: Standing 5 Minutes Why Not	FAC100-Sev: Standing 5 Minutes Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Standing for at least 5 minutes. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Standing 5 Minutes Why Not	
C155508	FAC100-Sev: Standing 5 Minutes	FAC100-Sev: Standing 5 Minutes	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Standing for at least 5 minutes.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Standing 5 Minutes	
C155493	FAC100-Sev: Sweeping/Mopping Why Not	FAC100-Sev: Sweeping/Mopping Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Sweeping or mopping. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Sweeping/Mopping Why Not	
C155492	FAC100-Sev: Sweeping/Mopping	FAC100-Sev: Sweeping/Mopping	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Sweeping or mopping.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Sweeping/Mopping	
C155505	FAC100-Sev: Taking a Shower Why Not	FAC100-Sev: Taking a Shower Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Taking a shower. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Taking a Shower Why Not	
C155504	FAC100-Sev: Taking a Shower	FAC100-Sev: Taking a Shower	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Taking a shower.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Taking a Shower	

Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Talking while walking. Please indicate why you did not do this in the past 7 days.					
C155545	FAC100-Sev: Talking While Walk Why Not	FAC100-Sev: Talking While Walk Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Talking while walking. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Talking While Walk Why Not	
C155544	FAC100-Sev: Talking While Walking	FAC100-Sev: Talking While Walking	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Talking while walking.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Talking While Walking	
C155485	FAC100-Sev: Walk 50 Steps Why Not	FAC100-Sev: Walk 50 Steps Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Walking 50 steps/paces on flat ground at a normal speed without stopping. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Walk 50 Steps Why Not	
C155484	FAC100-Sev: Walk 50 Steps	FAC100-Sev: Walk 50 Steps	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Walking 50 steps/paces on flat ground at a normal speed without stopping.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Walk 50 Steps	
C155539	FAC100-Sev: Walk Fast 50 Steps Why Not	FAC100-Sev: Walk Fast 50 Steps Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Walking (faster than your usual speed) for 50 steps without stopping. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Walk Fast 50 Steps Why Not	
C155538	FAC100-Sev: Walk Fast 50 Steps	FAC100-Sev: Walk Fast 50 Steps	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Walking (faster than your usual speed) for 50 steps without stopping.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Walk Fast 50 Steps	
C155501	FAC100-Sev: Walk for 1/2 Mile Why Not	FAC100-Sev: Walk for 1/2 Mile Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Walking (faster than your usual speed) for 1/2 mile (almost 1 km) without stopping. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Walk for 1/2 Mile Why Not	
C155500	FAC100-Sev: Walk for 1/2 Mile	FAC100-Sev: Walk for 1/2 Mile	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Walking (faster than your usual speed) for 1/2 mile (almost 1 km) without stopping.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Walk for 1/2 Mile	
C155487	FAC100-Sev: Walk Up 20 Stairs Why Not	FAC100-Sev: Walk Up 20 Stairs Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Walking up 20 stairs (2 flights) without stopping. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Walk Up 20 Stairs Why Not	
C155486	FAC100-Sev: Walk Up 20 Stairs	FAC100-Sev: Walk Up 20 Stairs	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Walking up 20 stairs (2 flights) without stopping.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Walk Up 20 Stairs	
C155513	FAC100-Sev: Walking 1/2 Mile Why Not	FAC100-Sev: Walking 1/2 Mile Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Walking 1/2 mile (almost 1 km) on flat ground at a normal speed without stopping. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Walking 1/2 Mile Why Not	
C155512	FAC100-Sev: Walking 1/2 Mile	FAC100-Sev: Walking 1/2 Mile	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Walking 1/2 mile (almost 1 km) on flat ground at a normal speed without stopping.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Walking 1/2 Mile	
C155511	FAC100-Sev: Walking 10 Steps Why Not	FAC100-Sev: Walking 10 Steps Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Walking 10 steps/paces on flat ground at a normal speed without stopping. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Walking 10 Steps Why Not	
C155510	FAC100-Sev: Walking 10 Steps	FAC100-Sev: Walking 10 Steps	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Walking 10 steps/paces on flat ground at a normal speed without stopping.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Walking 10 Steps	
C155541	FAC100-Sev: Walking Fast 1 Mile Why Not	FAC100-Sev: Walking Fast 1 Mile Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Walking (faster than your usual speed) for at least 1 mile (a little more than 1.5 km) without stopping. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Walking Fast 1 Mile Why Not	

Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Walking (faster than your usual speed) for at least 1 mile (a little more than 1.5 km) without stopping.					
C155540	FAC100-Sev: Walking Fast 1 Mile	FAC100-Sev: Walking Fast 1 Mile	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Walking (faster than your usual speed) for at least 1 mile (a little more than 1.5 km) without stopping.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Walking Fast 1 Mile	
C155517	FAC100-Sev: Walking Up 10 Stairs Why Not	FAC100-Sev: Walking Up 10 Stairs Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Walking up 10 stairs (1 flight) without stopping. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Walking Up 10 Stairs Why Not	
C155516	FAC100-Sev: Walking Up 10 Stairs	FAC100-Sev: Walking Up 10 Stairs	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Walking up 10 stairs (1 flight) without stopping.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Walking Up 10 Stairs	
C155519	FAC100-Sev: Walking Up 30 Stairs Why Not	FAC100-Sev: Walking Up 30 Stairs Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Walking up 30 stairs (3 flights) without stopping. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Walking Up 30 Stairs Why Not	
C155518	FAC100-Sev: Walking Up 30 Stairs	FAC100-Sev: Walking Up 30 Stairs	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Walking up 30 stairs (3 flights) without stopping.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Walking Up 30 Stairs	
C155515	FAC100-Sev: Walking Up 5 Stairs Why Not	FAC100-Sev: Walking Up 5 Stairs Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Walking up 5 stairs without stopping. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Walking Up 5 Stairs Why Not	
C155514	FAC100-Sev: Walking Up 5 Stairs	FAC100-Sev: Walking Up 5 Stairs	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Walking up 5 stairs without stopping.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Walking Up 5 Stairs	
C155491	FAC100-Sev: Washing Dishes Why Not	FAC100-Sev: Washing Dishes Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Washing dishes. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Washing Dishes Why Not	
C155490	FAC100-Sev: Washing Dishes	FAC100-Sev: Washing Dishes	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank - Dyspnea Severity: Over the past 7 days, how short of breath did you get with each of these activities?: Washing dishes.	FACIT-Dyspnea Scale 33 Item Bank Version - Severity: Washing Dishes	

C112551	FAMS0101	FAMS01-Trouble Meeting Needs of Family	Functional Assessment of Multiple Sclerosis - Mobility: Because of my physical condition, I have trouble meeting the needs of my family.	FAMS - Have Trouble Meeting Needs of Family Because of My Condition
C112552	FAMS0102	FAMS01-I Am Able to Work	Functional Assessment of Multiple Sclerosis - Mobility: I am able to work (include work at home).	FAMS - I Am Able to Work
C112553	FAMS0103	FAMS01-I Have Trouble Walking	Functional Assessment of Multiple Sclerosis - Mobility: I have trouble walking.	FAMS - I Have Trouble Walking
C112554	FAMS0104	FAMS01-Limit My Social Activity	Functional Assessment of Multiple Sclerosis - Mobility: I have to limit my social activity because of my condition.	FAMS - Limit Social Activity Because of Condition
C112555	FAMS0105	FAMS01-I Have Strength in My Legs	Functional Assessment of Multiple Sclerosis - Mobility: I have strength in my legs.	FAMS - I Have Strength in My Legs
C112556	FAMS0106	FAMS01-Trouble Getting Around in Public	Functional Assessment of Multiple Sclerosis - Mobility: I have trouble getting around in public places.	FAMS - Trouble Getting Around in Public Places
C112557	FAMS0107	FAMS01-Take My Condition Into Account	Functional Assessment of Multiple Sclerosis - Mobility: I have to take my condition into account when making plans.	FAMS - Have to Take Condition Into Account When Making Plans
C112558	FAMS0108	FAMS01-I Have Nausea	Functional Assessment of Multiple Sclerosis - Symptoms: I have nausea.	FAMS - I Have Nausea
C112559	FAMS0109	FAMS01-I Have Pain	Functional Assessment of Multiple Sclerosis - Symptoms: I have pain.	FAMS - I Have Pain
C112560	FAMS0110	FAMS01-I Feel Ill	Functional Assessment of Multiple Sclerosis - Symptoms: I feel ill.	FAMS - I Feel Ill
C112561	FAMS0111	FAMS01-I Feel Weak All Over	Functional Assessment of Multiple Sclerosis - Symptoms: I feel weak all over.	FAMS - I Feel Weak All Over
C112562	FAMS0112	FAMS01-I Have Pain in My Joints	Functional Assessment of Multiple Sclerosis - Symptoms: I have pain in my joints.	FAMS - I Have Pain in My Joints
C112563	FAMS0113	FAMS01-I Am Bothered by Headaches	Functional Assessment of Multiple Sclerosis - Symptoms: I am bothered by headaches.	FAMS - Bothered by Headaches
C112564	FAMS0114	FAMS01-I Am Bothered by Muscle Pains	Functional Assessment of Multiple Sclerosis - Symptoms: I am bothered by muscle pains.	FAMS - Bothered by Muscle Pains
C112565	FAMS0115	FAMS01-I Feel Sad	Functional Assessment of Multiple Sclerosis - Emotional Well-Being: I feel sad.	FAMS - I Feel Sad
C112566	FAMS0116	FAMS01-Losing Hope Against Illness	Functional Assessment of Multiple Sclerosis - Emotional Well-Being: I am losing hope in the fight against my illness.	FAMS - Losing Hope in Fight Against My Illness
C112567	FAMS0117	FAMS01-I Am Able to Enjoy Life	Functional Assessment of Multiple Sclerosis - Emotional Well-Being: I am able to enjoy life.	FAMS - I Am Able to Enjoy Life
C112568	FAMS0118	FAMS01-I Feel Trapped by My Condition	Functional Assessment of Multiple Sclerosis - Emotional Well-Being: I feel trapped by my condition.	FAMS - Feel Trapped by My Condition
C112569	FAMS0119	FAMS01-I Am Depressed About My Condition	Functional Assessment of Multiple Sclerosis - Emotional Well-Being: I am depressed about my condition.	FAMS - Depressed About My Condition
C112570	FAMS0120	FAMS01-I Feel Useless	Functional Assessment of Multiple Sclerosis - Emotional Well-Being: I feel useless.	FAMS - I Feel Useless
C112571	FAMS0121	FAMS01-Feel Overwhelmed by My Condition	Functional Assessment of Multiple Sclerosis - Emotional Well-Being: I feel overwhelmed by my condition.	FAMS - Feel Overwhelmed by My Condition
C112572	FAMS0122	FAMS01-My Work Is Fulfilling	Functional Assessment of Multiple Sclerosis - General Contentment: My work (include work at home) is fulfilling.	FAMS - My Work is Fulfilling
C112573	FAMS0123	FAMS01-I Have Accepted My Illness	Functional Assessment of Multiple Sclerosis - General Contentment: I have accepted my illness.	FAMS - I Have Accepted My Illness
C112574	FAMS0124	FAMS01-Enjoy Things I Usually Do for Fun	Functional Assessment of Multiple Sclerosis - General Contentment: I am enjoying the things I usually do for fun.	FAMS - Enjoying Things I Usually Do for Fun
C112575	FAMS0125	FAMS01-Content With Quality of My Life	Functional Assessment of Multiple Sclerosis - General Contentment: I am content with the quality of my life right now.	FAMS - Content With Quality of My Life Now
C112576	FAMS0126	FAMS01-I Am Frustrated by My Condition	Functional Assessment of Multiple Sclerosis - General Contentment: I am frustrated by my condition.	FAMS - I Am Frustrated by My Condition
C112577	FAMS0127	FAMS01-Feel Sense of Purpose in My Life	Functional Assessment of Multiple Sclerosis - General Contentment: I feel a sense of purpose in my life.	FAMS - Feel Sense of Purpose in My Life

FMS - Functional Assessment of Multiple Sclerosis				
C112578	FAMS0128	FAMS01-I Feel Motivated to Do Things	Functional Assessment of Multiple Sclerosis - General Contentment: I feel motivated to do things.	FAMS - Feel Motivated to Do Things
C112579	FAMS0129	FAMS01-I Have a Lack of Energy	Functional Assessment of Multiple Sclerosis - Thinking and Fatigue: I have a lack of energy.	FAMS - Have a Lack of Energy
C112580	FAMS0130	FAMS01-I Feel Tired	Functional Assessment of Multiple Sclerosis - Thinking and Fatigue: I feel tired.	FAMS - I Feel Tired
C112581	FAMS0131	FAMS01-Trouble Starting Things	Functional Assessment of Multiple Sclerosis - Thinking and Fatigue: I have trouble starting things because I am tired.	FAMS - Trouble Starting Things Because I Am Tired
C112582	FAMS0132	FAMS01-Trouble Finishing Things	Functional Assessment of Multiple Sclerosis - Thinking and Fatigue: I have trouble finishing things because I am tired.	FAMS - Trouble Finishing Things Because I Am Tired
C112583	FAMS0133	FAMS01-I Need to Rest During the Day	Functional Assessment of Multiple Sclerosis - Thinking and Fatigue: I need to rest during the day.	FAMS - Need to Rest During the Day
C112584	FAMS0134	FAMS01-I Have Trouble Remembering Things	Functional Assessment of Multiple Sclerosis - Thinking and Fatigue: I have trouble remembering things.	FAMS - Trouble Remembering Things
C112585	FAMS0135	FAMS01-I Have Trouble Concentrating	Functional Assessment of Multiple Sclerosis - Thinking and Fatigue: I have trouble concentrating.	FAMS - Trouble Concentrating
C112586	FAMS0136	FAMS01-My Thinking Is Slower Than Before	Functional Assessment of Multiple Sclerosis - Thinking and Fatigue: My thinking is slower than before.	FAMS - My Thinking is Slower Than Before
C112587	FAMS0137	FAMS01-I Have Trouble Learning New Tasks	Functional Assessment of Multiple Sclerosis - Thinking and Fatigue: I have trouble learning new tasks or directions.	FAMS - Trouble Learning New Tasks or Directions
C112588	FAMS0138	FAMS01-I Feel Close to My Friends	Functional Assessment of Multiple Sclerosis - Family/Social Well-Being: I feel close to my friends.	FAMS - Feel Close to My Friends
C112589	FAMS0139	FAMS01-Get Emotional Support From Family	Functional Assessment of Multiple Sclerosis - Family/Social Well-Being: I get emotional support from my family.	FAMS - Get Emotional Support From Family
C112590	FAMS0140	FAMS01-I Get Support From My Friends	Functional Assessment of Multiple Sclerosis - Family/Social Well-Being: I get support from my friends.	FAMS - Get Support From Friends
C112591	FAMS0141	FAMS01-My Family Has Accepted My Illness	Functional Assessment of Multiple Sclerosis - Family/Social Well-Being: My family has accepted my illness.	FAMS - Family Has Accepted My Illness
C112592	FAMS0142	FAMS01-Satisfied Communication Illness	Functional Assessment of Multiple Sclerosis - Family/Social Well-Being: I am satisfied with family communication about my illness.	FAMS - Satisfied With Family Communication About My Illness
C112593	FAMS0143	FAMS01-Trouble Understanding Worsening	Functional Assessment of Multiple Sclerosis - Family/Social Well-Being: My family has trouble understanding when my condition gets worse.	FAMS - Family Has Trouble Understanding When My Condition Gets Worse
C112594	FAMS0144	FAMS01-I Feel Left Out of Things	Functional Assessment of Multiple Sclerosis - Family/Social Well-Being: I feel 'left out' of things.	FAMS - Feel Left Out of Things
C112595	FAMS0145	FAMS01-Bothered by Treatment Side Effect	Functional Assessment of Multiple Sclerosis - Additional Concerns: I am bothered by side effects of treatment.	FAMS - Bothered by Side Effects of Treatment
C112596	FAMS0146	FAMS01-I Am Forced to Spend Time in Bed	Functional Assessment of Multiple Sclerosis - Additional Concerns: I am forced to spend time in bed.	FAMS - Forced to Spend Time in Bed
C112597	FAMS0147	FAMS01-I Feel Close to My Partner	Functional Assessment of Multiple Sclerosis - Additional Concerns: I feel close to my partner (or the person who is my main support).	FAMS - Feel Close to My Partner
C112598	FAMS0148	FAMS01-I Am Satisfied With My Sex Life	Functional Assessment of Multiple Sclerosis - Additional Concerns: I am satisfied with my sex life.	FAMS - Satisfied With My Sex Life
C112599	FAMS0149	FAMS01-Satisfied With How I Am Coping	Functional Assessment of Multiple Sclerosis - Additional Concerns: I am satisfied with how I am coping with my illness.	FAMS - Satisfied With How I Am Coping With Illness
C112600	FAMS0150	FAMS01-I Feel Nervous	Functional Assessment of Multiple Sclerosis - Additional Concerns: I feel nervous.	FAMS - I Feel Nervous
C112601	FAMS0151	FAMS01-Worry My Condition Will Get Worse	Functional Assessment of Multiple Sclerosis - Additional Concerns: I worry that my condition will get worse.	FAMS - Worry My Condition Will Get Worse
C112602	FAMS0152	FAMS01-I Am Sleeping Well	Functional Assessment of Multiple Sclerosis - Additional Concerns: I am sleeping well.	FAMS - I Am Sleeping Well
C112603	FAMS0153	FAMS01-Heat Worsens My Symptoms	Functional Assessment of Multiple Sclerosis - Additional Concerns: Heat worsens my symptoms.	FAMS - Heat Worsens My Symptoms
C112604	FAMS0154	FAMS01-Have Trouble Controlling My Urine	Functional Assessment of Multiple Sclerosis - Additional Concerns: I have trouble controlling my urine.	FAMS - Trouble Controlling My Urine

Functional Assessment of Multiple Sclerosis - Additional Concerns				
C112605	FAMS0155	FAMS01-I Urinate More Frequently	Functional Assessment of Multiple Sclerosis - Additional Concerns: I urinate more frequently than usual.	FAMS - Urinate More Frequently Than Usual
C112606	FAMS0156	FAMS01-I Am Bothered by the Chills	Functional Assessment of Multiple Sclerosis - Additional Concerns: I am bothered by the chills.	FAMS - Bothered by Chills
C112607	FAMS0157	FAMS01-I Am Bothered by Fevers	Functional Assessment of Multiple Sclerosis - Additional Concerns: I am bothered by fevers (episodes of high body temperature).	FAMS - Bothered by Fevers
C112608	FAMS0158	FAMS01-I Am Bothered by Muscle Spasms	Functional Assessment of Multiple Sclerosis - Additional Concerns: I am bothered by muscle spasms.	FAMS - Bothered by Muscle Spasms

C112595	FAMS01-Bothered by Treatment Side Effect	FAMS01-Bothered by Treatment Side Effect	Functional Assessment of Multiple Sclerosis - Additional Concerns: I am bothered by side effects of treatment.	FAMS - Bothered by Side Effects of Treatment
C112575	FAMS01-Content With Quality of My Life	FAMS01-Content With Quality of My Life	Functional Assessment of Multiple Sclerosis - General Contentment: I am content with the quality of my life right now.	FAMS - Content With Quality of My Life Now
C112574	FAMS01-Enjoy Things I Usually Do for Fun	FAMS01-Enjoy Things I Usually Do for Fun	Functional Assessment of Multiple Sclerosis - General Contentment: I am enjoying the things I usually do for fun.	FAMS - Enjoying Things I Usually Do for Fun
C112571	FAMS01-Feel Overwhelmed by My Condition	FAMS01-Feel Overwhelmed by My Condition	Functional Assessment of Multiple Sclerosis - Emotional Well-Being: I feel overwhelmed by my condition.	FAMS - Feel Overwhelmed by My Condition
C112577	FAMS01-Feel Sense of Purpose in My Life	FAMS01-Feel Sense of Purpose in My Life	Functional Assessment of Multiple Sclerosis - General Contentment: I feel a sense of purpose in my life.	FAMS - Feel Sense of Purpose in My Life
C112589	FAMS01-Get Emotional Support From Family	FAMS01-Get Emotional Support From Family	Functional Assessment of Multiple Sclerosis - Family/Social Well-Being: I get emotional support from my family.	FAMS - Get Emotional Support From Family
C112604	FAMS01-Have Trouble Controlling My Urine	FAMS01-Have Trouble Controlling My Urine	Functional Assessment of Multiple Sclerosis - Additional Concerns: I have trouble controlling my urine.	FAMS - Trouble Controlling My Urine
C112603	FAMS01-Heat Worsens My Symptoms	FAMS01-Heat Worsens My Symptoms	Functional Assessment of Multiple Sclerosis - Additional Concerns: Heat worsens my symptoms.	FAMS - Heat Worsens My Symptoms
C112567	FAMS01-I Am Able to Enjoy Life	FAMS01-I Am Able to Enjoy Life	Functional Assessment of Multiple Sclerosis - Emotional Well-Being: I am able to enjoy life.	FAMS - I Am Able to Enjoy Life
C112552	FAMS01-I Am Able to Work	FAMS01-I Am Able to Work	Functional Assessment of Multiple Sclerosis - Mobility: I am able to work (include work at home).	FAMS - I Am Able to Work
C112607	FAMS01-I Am Bothered by Fevers	FAMS01-I Am Bothered by Fevers	Functional Assessment of Multiple Sclerosis - Additional Concerns: I am bothered by fevers (episodes of high body temperature).	FAMS - Bothered by Fevers
C112563	FAMS01-I Am Bothered by Headaches	FAMS01-I Am Bothered by Headaches	Functional Assessment of Multiple Sclerosis - Symptoms: I am bothered by headaches.	FAMS - Bothered by Headaches
C112564	FAMS01-I Am Bothered by Muscle Pains	FAMS01-I Am Bothered by Muscle Pains	Functional Assessment of Multiple Sclerosis - Symptoms: I am bothered by muscle pains.	FAMS - Bothered by Muscle Pains
C112608	FAMS01-I Am Bothered by Muscle Spasms	FAMS01-I Am Bothered by Muscle Spasms	Functional Assessment of Multiple Sclerosis - Additional Concerns: I am bothered by muscle spasms.	FAMS - Bothered by Muscle Spasms
C112606	FAMS01-I Am Bothered by the Chills	FAMS01-I Am Bothered by the Chills	Functional Assessment of Multiple Sclerosis - Additional Concerns: I am bothered by the chills.	FAMS - Bothered by Chills
C112569	FAMS01-I Am Depressed About My Condition	FAMS01-I Am Depressed About My Condition	Functional Assessment of Multiple Sclerosis - Emotional Well-Being: I am depressed about my condition.	FAMS - Depressed About My Condition
C112596	FAMS01-I Am Forced to Spend Time in Bed	FAMS01-I Am Forced to Spend Time in Bed	Functional Assessment of Multiple Sclerosis - Additional Concerns: I am forced to spend time in bed.	FAMS - Forced to Spend Time in Bed
C112576	FAMS01-I Am Frustrated by My Condition	FAMS01-I Am Frustrated by My Condition	Functional Assessment of Multiple Sclerosis - General Contentment: I am frustrated by my condition.	FAMS - I Am Frustrated by My Condition
C112598	FAMS01-I Am Satisfied With My Sex Life	FAMS01-I Am Satisfied With My Sex Life	Functional Assessment of Multiple Sclerosis - Additional Concerns: I am satisfied with my sex life.	FAMS - Satisfied With My Sex Life
C112602	FAMS01-I Am Sleeping Well	FAMS01-I Am Sleeping Well	Functional Assessment of Multiple Sclerosis - Additional Concerns: I am sleeping well.	FAMS - I Am Sleeping Well
C112588	FAMS01-I Feel Close to My Friends	FAMS01-I Feel Close to My Friends	Functional Assessment of Multiple Sclerosis - Family/Social Well-Being: I feel close to my friends.	FAMS - Feel Close to My Friends
C112597	FAMS01-I Feel Close to My Partner	FAMS01-I Feel Close to My Partner	Functional Assessment of Multiple Sclerosis - Additional Concerns: I feel close to my partner (or the person who is my main support).	FAMS - Feel Close to My Partner
C112560	FAMS01-I Feel Ill	FAMS01-I Feel Ill	Functional Assessment of Multiple Sclerosis - Symptoms: I feel ill.	FAMS - I Feel Ill
C112594	FAMS01-I Feel Left Out of Things	FAMS01-I Feel Left Out of Things	Functional Assessment of Multiple Sclerosis - Family/Social Well-Being: I feel 'left out' of things.	FAMS - Feel Left Out of Things
C112578	FAMS01-I Feel Motivated to Do Things	FAMS01-I Feel Motivated to Do Things	Functional Assessment of Multiple Sclerosis - General Contentment: I feel motivated to do things.	FAMS - Feel Motivated to Do Things
C112600	FAMS01-I Feel Nervous	FAMS01-I Feel Nervous	Functional Assessment of Multiple Sclerosis - Additional Concerns: I feel nervous.	FAMS - I Feel Nervous
C112565	FAMS01-I Feel Sad	FAMS01-I Feel Sad	Functional Assessment of Multiple Sclerosis - Emotional Well-Being: I feel sad.	FAMS - I Feel Sad

Functional Assessment of Multiple Sclerosis - General Contentment				
C112580	FAMS01-I Feel Tired	FAMS01-I Feel Tired	Functional Assessment of Multiple Sclerosis - Thinking and Fatigue: I feel tired.	FAMS - I Feel Tired
C112568	FAMS01-I Feel Trapped by My Condition	FAMS01-I Feel Trapped by My Condition	Functional Assessment of Multiple Sclerosis - Emotional Well-Being: I feel trapped by my condition.	FAMS - Feel Trapped by My Condition
C112570	FAMS01-I Feel Useless	FAMS01-I Feel Useless	Functional Assessment of Multiple Sclerosis - Emotional Well-Being: I feel useless.	FAMS - I Feel Useless
C112561	FAMS01-I Feel Weak All Over	FAMS01-I Feel Weak All Over	Functional Assessment of Multiple Sclerosis - Symptoms: I feel weak all over.	FAMS - I Feel Weak All Over
C112590	FAMS01-I Get Support From My Friends	FAMS01-I Get Support From My Friends	Functional Assessment of Multiple Sclerosis - Family/Social Well-Being: I get support from my friends.	FAMS - Get Support From Friends
C112579	FAMS01-I Have a Lack of Energy	FAMS01-I Have a Lack of Energy	Functional Assessment of Multiple Sclerosis - Thinking and Fatigue: I have a lack of energy.	FAMS - Have a Lack of Energy
C112573	FAMS01-I Have Accepted My Illness	FAMS01-I Have Accepted My Illness	Functional Assessment of Multiple Sclerosis - General Contentment: I have accepted my illness.	FAMS - I Have Accepted My Illness
C112558	FAMS01-I Have Nausea	FAMS01-I Have Nausea	Functional Assessment of Multiple Sclerosis - Symptoms: I have nausea.	FAMS - I Have Nausea
C112562	FAMS01-I Have Pain in My Joints	FAMS01-I Have Pain in My Joints	Functional Assessment of Multiple Sclerosis - Symptoms: I have pain in my joints.	FAMS - I Have Pain in My Joints
C112559	FAMS01-I Have Pain	FAMS01-I Have Pain	Functional Assessment of Multiple Sclerosis - Symptoms: I have pain.	FAMS - I Have Pain
C112555	FAMS01-I Have Strength in My Legs	FAMS01-I Have Strength in My Legs	Functional Assessment of Multiple Sclerosis - Mobility: I have strength in my legs.	FAMS - I Have Strength in My Legs
C112585	FAMS01-I Have Trouble Concentrating	FAMS01-I Have Trouble Concentrating	Functional Assessment of Multiple Sclerosis - Thinking and Fatigue: I have trouble concentrating.	FAMS - Trouble Concentrating
C112587	FAMS01-I Have Trouble Learning New Tasks	FAMS01-I Have Trouble Learning New Tasks	Functional Assessment of Multiple Sclerosis - Thinking and Fatigue: I have trouble learning new tasks or directions.	FAMS - Trouble Learning New Tasks or Directions
C112584	FAMS01-I Have Trouble Remembering Things	FAMS01-I Have Trouble Remembering Things	Functional Assessment of Multiple Sclerosis - Thinking and Fatigue: I have trouble remembering things.	FAMS - Trouble Remembering Things
C112553	FAMS01-I Have Trouble Walking	FAMS01-I Have Trouble Walking	Functional Assessment of Multiple Sclerosis - Mobility: I have trouble walking.	FAMS - I Have Trouble Walking
C112583	FAMS01-I Need to Rest During the Day	FAMS01-I Need to Rest During the Day	Functional Assessment of Multiple Sclerosis - Thinking and Fatigue: I need to rest during the day.	FAMS - Need to Rest During the Day
C112605	FAMS01-I Urinate More Frequently	FAMS01-I Urinate More Frequently	Functional Assessment of Multiple Sclerosis - Additional Concerns: I urinate more frequently than usual.	FAMS - Urinate More Frequently Than Usual
C112554	FAMS01-Limit My Social Activity	FAMS01-Limit My Social Activity	Functional Assessment of Multiple Sclerosis - Mobility: I have to limit my social activity because of my condition.	FAMS - Limit Social Activity Because of Condition
C112566	FAMS01-Losing Hope Against Illness	FAMS01-Losing Hope Against Illness	Functional Assessment of Multiple Sclerosis - Emotional Well-Being: I am losing hope in the fight against my illness.	FAMS - Losing Hope in Fight Against My Illness
C112591	FAMS01-My Family Has Accepted My Illness	FAMS01-My Family Has Accepted My Illness	Functional Assessment of Multiple Sclerosis - Family/Social Well-Being: My family has accepted my illness.	FAMS - Family Has Accepted My Illness
C112586	FAMS01-My Thinking Is Slower Than Before	FAMS01-My Thinking Is Slower Than Before	Functional Assessment of Multiple Sclerosis - Thinking and Fatigue: My thinking is slower than before.	FAMS - My Thinking is Slower Than Before
C112572	FAMS01-My Work Is Fulfilling	FAMS01-My Work Is Fulfilling	Functional Assessment of Multiple Sclerosis - General Contentment: My work (include work at home) is fulfilling.	FAMS - My Work is Fulfilling
C112592	FAMS01-Satisfied Communication Illness	FAMS01-Satisfied Communication Illness	Functional Assessment of Multiple Sclerosis - Family/Social Well-Being: I am satisfied with family communication about my illness.	FAMS - Satisfied With Family Communication About My Illness
C112599	FAMS01-Satisfied With How I Am Coping	FAMS01-Satisfied With How I Am Coping	Functional Assessment of Multiple Sclerosis - Additional Concerns: I am satisfied with how I am coping with my illness.	FAMS - Satisfied With How I Am Coping With Illness
C112557	FAMS01-Take My Condition Into Account	FAMS01-Take My Condition Into Account	Functional Assessment of Multiple Sclerosis - Mobility: I have to take my condition into account when making plans.	FAMS - Have to Take Condition Into Account When Making Plans
C112582	FAMS01-Trouble Finishing Things	FAMS01-Trouble Finishing Things	Functional Assessment of Multiple Sclerosis - Thinking and Fatigue: I have trouble finishing things because I am tired.	FAMS - Trouble Finishing Things Because I Am Tired
C112556	FAMS01-Trouble Getting Around in Public	FAMS01-Trouble Getting Around in Public	Functional Assessment of Multiple Sclerosis - Mobility: I have trouble getting around in public places.	FAMS - Trouble Getting Around in Public Places

FAMS - Functional Assessment of Multiple Sclerosis				
C112551	FAMS01-Trouble Meeting Needs of Family	FAMS01-Trouble Meeting Needs of Family	Functional Assessment of Multiple Sclerosis - Mobility: Because of my physical condition, I have trouble meeting the needs of my family.	FAMS - Have Trouble Meeting Needs of Family Because of My Condition
C112581	FAMS01-Trouble Starting Things	FAMS01-Trouble Starting Things	Functional Assessment of Multiple Sclerosis - Thinking and Fatigue: I have trouble starting things because I am tired.	FAMS - Trouble Starting Things Because I Am Tired
C112593	FAMS01-Trouble Understanding Worsening	FAMS01-Trouble Understanding Worsening	Functional Assessment of Multiple Sclerosis - Family/Social Well-Being: My family has trouble understanding when my condition gets worse.	FAMS - Family Has Trouble Understanding When My Condition Gets Worse
C112601	FAMS01-Worry My Condition Will Get Worse	FAMS01-Worry My Condition Will Get Worse	Functional Assessment of Multiple Sclerosis - Additional Concerns: I worry that my condition will get worse.	FAMS - Worry My Condition Will Get Worse

C111499	FAQ0101	FAQ01-Write Checks/Pay Bills/Checkbook	Functional Activities Questionnaire - Writing checks, paying bills, balancing checkbook.	FAQ - Write checks, Pay bills, Balance checkbook
C111500	FAQ0102	FAQ01-Assembling	Functional Activities Questionnaire - Assembling tax records, business affairs, or papers.	FAQ - Assemble
C111501	FAQ0103	FAQ01-Shopping Alone	Functional Activities Questionnaire - Shopping alone for clothes, household necessities, or groceries.	FAQ - Shop Alone
C111502	FAQ0104	FAQ01-Playing a Game of Skill	Functional Activities Questionnaire - Playing a game of skill, working on a hobby.	FAQ - Play Game of Skill, Work on Hobby
C111503	FAQ0105	FAQ01-Heat Water/Make Coffee/Stove Off	Functional Activities Questionnaire - Heating water, making a cup of coffee, turning off stove after use.	FAQ - Heat water, Make Coffee, Turn Off Stove
C111504	FAQ0106	FAQ01-Preparing a Balanced Meal	Functional Activities Questionnaire - Preparing a balanced meal.	FAQ - Prepare a Meal
C111505	FAQ0107	FAQ01-Keeping Track of Current Events	Functional Activities Questionnaire - Keeping track of current events.	FAQ - Keep Track of Current Events
C111506	FAQ0108	FAQ01-Paying Attention	Functional Activities Questionnaire - Paying attention to, understanding, discussing TV, book, magazine.	FAQ - Pay Attention, Understand, Discuss
C111507	FAQ0109	FAQ01-Remembering	Functional Activities Questionnaire - Remembering appointments, family occasions, holidays, medications.	FAQ - Remember
C111508	FAQ0110	FAQ01-Traveling	Functional Activities Questionnaire - Traveling out of neighborhood, driving, arranging to take buses.	FAQ - Travel
C111509	FAQ0111	FAQ01-Total Score	Functional Activities Questionnaire - Total Score.	FAQ - Total Score

C111500	FAQ01-Assembling	FAQ01-Assembling	Functional Activities Questionnaire - Assembling tax records, business affairs, or papers.	FAQ - Assemble
C111503	FAQ01-Heat Water/Make Coffee/Stove Off	FAQ01-Heat Water/Make Coffee/Stove Off	Functional Activities Questionnaire - Heating water, making a cup of coffee, turning off stove after use.	FAQ - Heat water, Make Coffee, Turn Off Stove
C111505	FAQ01-Keeping Track of Current Events	FAQ01-Keeping Track of Current Events	Functional Activities Questionnaire - Keeping track of current events.	FAQ - Keep Track of Current Events
C111506	FAQ01-Paying Attention	FAQ01-Paying Attention	Functional Activities Questionnaire - Paying attention to, understanding, discussing TV, book, magazine.	FAQ - Pay Attention, Understand, Discuss
C111502	FAQ01-Playing a Game of Skill	FAQ01-Playing a Game of Skill	Functional Activities Questionnaire - Playing a game of skill, working on a hobby.	FAQ - Play Game of Skill, Work on Hobby
C111504	FAQ01-Preparing a Balanced Meal	FAQ01-Preparing a Balanced Meal	Functional Activities Questionnaire - Preparing a balanced meal.	FAQ - Prepare a Meal
C111507	FAQ01-Remembering	FAQ01-Remembering	Functional Activities Questionnaire - Remembering appointments, family occasions, holidays, medications.	FAQ - Remember
C111501	FAQ01-Shopping Alone	FAQ01-Shopping Alone	Functional Activities Questionnaire - Shopping alone for clothes, household necessities, or groceries.	FAQ - Shop Alone
C111509	FAQ01-Total Score	FAQ01-Total Score	Functional Activities Questionnaire - Total Score.	FAQ - Total Score
C111508	FAQ01-Traveling	FAQ01-Traveling	Functional Activities Questionnaire - Traveling out of neighborhood, driving, arranging to take buses.	FAQ - Travel
C111499	FAQ01-Write Checks/Pay Bills/Checkbook	FAQ01-Write Checks/Pay Bills/Checkbook	Functional Activities Questionnaire - Writing checks, paying bills, balancing checkbook.	FAQ - Write checks, Pay bills, Balance checkbook

C111510	FAQNA101	FAQNA1-Write Checks/Pay Bills/Checkbook	Functional Assessment Questionnaire-NACC UDS V2.0 - Writing checks, paying bills, or balancing a checkbook.	FAQ-NACC UDS Version 2.0 - Write checks, Pay bills, Balance checkbook
C111511	FAQNA102	FAQNA1-Assembling	Functional Assessment Questionnaire-NACC UDS V2.0 - Assembling tax records, business affairs, or other papers.	FAQ-NACC UDS Version 2.0 - Assemble
C111512	FAQNA103	FAQNA1-Shopping Alone	Functional Assessment Questionnaire-NACC UDS V2.0 - Shopping alone for clothes, household necessities, or groceries.	FAQ-NACC UDS Version 2.0 - Shop Alone
C111513	FAQNA104	FAQNA1-Playing a Game of Skill	Functional Assessment Questionnaire-NACC UDS V2.0 - Playing a game of skill such as bridge or chess, working on a hobby.	FAQ-NACC UDS Version 2.0 - Play Game of Skill, Work on Hobby
C111514	FAQNA105	FAQNA1-Heat Water/Make Coffee/Stove Off	Functional Assessment Questionnaire-NACC UDS V2.0 - Heating water, making a cup of coffee, turning off the stove.	FAQ-NACC UDS Version 2.0 - Heat water, Make Coffee, Turn Off Stove
C111515	FAQNA106	FAQNA1-Preparing a Balanced Meal	Functional Assessment Questionnaire-NACC UDS V2.0 - Preparing a balanced meal.	FAQ-NACC UDS Version 2.0 - Prepare a Meal
C111516	FAQNA107	FAQNA1-Keeping Track of Current Events	Functional Assessment Questionnaire-NACC UDS V2.0 - Keeping track of current events.	FAQ-NACC UDS Version 2.0 - Keep Track of Current Events
C111517	FAQNA108	FAQNA1-Paying Attention	Functional Assessment Questionnaire-NACC UDS V2.0 - Paying attention to and understanding a TV program, book, or magazine.	FAQ-NACC UDS Version 2.0 - Pay Attention, Understand, Discuss
C111518	FAQNA109	FAQNA1-Remembering	Functional Assessment Questionnaire-NACC UDS V2.0 - Remembering appointments, family occasions, holidays, medications.	FAQ-NACC UDS Version 2.0 - Remember
C111519	FAQNA110	FAQNA1-Travelling	Functional Assessment Questionnaire-NACC UDS V2.0 - Traveling out of the neighborhood, driving, or arranging to take public transportation.	FAQ-NACC UDS Version 2.0 - Travel

C111511	FAQNA1-Assembling	FAQNA1-Assembling	Functional Assessment Questionnaire-NACC UDS V2.0 - Assembling tax records, business affairs, or other papers.	FAQ-NACC UDS Version 2.0 - Assemble
C111514	FAQNA1-Heat Water/Make Coffee/Stove Off	FAQNA1-Heat Water/Make Coffee/Stove Off	Functional Assessment Questionnaire-NACC UDS V2.0 - Heating water, making a cup of coffee, turning off the stove.	FAQ-NACC UDS Version 2.0 - Heat water, Make Coffee, Turn Off Stove
C111516	FAQNA1-Keeping Track of Current Events	FAQNA1-Keeping Track of Current Events	Functional Assessment Questionnaire-NACC UDS V2.0 - Keeping track of current events.	FAQ-NACC UDS Version 2.0 - Keep Track of Current Events
C111517	FAQNA1-Paying Attention	FAQNA1-Paying Attention	Functional Assessment Questionnaire-NACC UDS V2.0 - Paying attention to and understanding a TV program, book, or magazine.	FAQ-NACC UDS Version 2.0 - Pay Attention, Understand, Discuss
C111513	FAQNA1-Playing a Game of Skill	FAQNA1-Playing a Game of Skill	Functional Assessment Questionnaire-NACC UDS V2.0 - Playing a game of skill such as bridge or chess, working on a hobby.	FAQ-NACC UDS Version 2.0 - Play Game of Skill, Work on Hobby
C111515	FAQNA1-Preparing a Balanced Meal	FAQNA1-Preparing a Balanced Meal	Functional Assessment Questionnaire-NACC UDS V2.0 - Preparing a balanced meal.	FAQ-NACC UDS Version 2.0 - Prepare a Meal
C111518	FAQNA1-Remembering	FAQNA1-Remembering	Functional Assessment Questionnaire-NACC UDS V2.0 - Remembering appointments, family occasions, holidays, medications.	FAQ-NACC UDS Version 2.0 - Remember
C111512	FAQNA1-Shopping Alone	FAQNA1-Shopping Alone	Functional Assessment Questionnaire-NACC UDS V2.0 - Shopping alone for clothes, household necessities, or groceries.	FAQ-NACC UDS Version 2.0 - Shop Alone
C111519	FAQNA1-Traveling	FAQNA1-Traveling	Functional Assessment Questionnaire-NACC UDS V2.0 - Traveling out of the neighborhood, driving, or arranging to take public transportation.	FAQ-NACC UDS Version 2.0 - Travel
C111510	FAQNA1-Write Checks/Pay Bills/Checkbook	FAQNA1-Write Checks/Pay Bills/Checkbook	Functional Assessment Questionnaire-NACC UDS V2.0 - Writing checks, paying bills, or balancing a checkbook.	FAQ-NACC UDS Version 2.0 - Write checks, Pay bills, Balance checkbook

C170647	FASNA101	FASNA1-Writing Checks, Paying Bills	Functional Assessment Scale-NACC UDS V3.0 - Writing checks, paying bills, or balancing a checkbook.	FAS-NACC UDS Version 3.0 - Writing Checks, Paying Bills
C170648	FASNA102	FASNA1-Assembling Tax Records	Functional Assessment Scale-NACC UDS V3.0 - Assembling tax records, business affairs, or other papers.	FAS-NACC UDS Version 3.0 - Assembling Tax Records
C170649	FASNA103	FASNA1-Shopping Alone for Clothes	Functional Assessment Scale-NACC UDS V3.0 - Shopping alone for clothes, household necessities, or groceries.	FAS-NACC UDS Version 3.0 - Shopping Alone for Clothes
C170650	FASNA104	FASNA1-Playing a Game of Skill	Functional Assessment Scale-NACC UDS V3.0 - Playing a game of skill such as bridge or chess, working on a hobby.	FAS-NACC UDS Version 3.0 - Playing a Game of Skill
C170651	FASNA105	FASNA1-Heating Water, Making Coffee	Functional Assessment Scale-NACC UDS V3.0 - Heating water, making a cup of coffee, turning off the stove.	FAS-NACC UDS Version 3.0 - Heating Water, Making Coffee
C170652	FASNA106	FASNA1-Preparing a Balanced Meal	Functional Assessment Scale-NACC UDS V3.0 - Preparing a balanced meal.	FAS-NACC UDS Version 3.0 - Preparing a Balanced Meal
C170653	FASNA107	FASNA1-Keeping Track of Current Events	Functional Assessment Scale-NACC UDS V3.0 - Keeping track of current events.	FAS-NACC UDS Version 3.0 - Keeping Track of Current Events
C170654	FASNA108	FASNA1-Paying Attention/Understanding TV	Functional Assessment Scale-NACC UDS V3.0 - Paying attention to and understanding a TV program, book, or magazine.	FAS-NACC UDS Version 3.0 - Paying Attention and Understanding TV
C170655	FASNA109	FASNA1-Remembering Appointments	Functional Assessment Scale-NACC UDS V3.0 - Remembering appointments, family occasions, holidays, medications.	FAS-NACC UDS Version 3.0 - Remembering Appointments
C170656	FASNA110	FASNA1-Traveling Out of the Neighborhood	Functional Assessment Scale-NACC UDS V3.0 - Traveling out of the neighborhood, driving, or arranging to take public transportation.	FAS-NACC UDS Version 3.0 - Traveling Out of the Neighborhood

C170648	FASNA1-Assembling Tax Records	FASNA1-Assembling Tax Records	Functional Assessment Scale-NACC UDS V3.0 - Assembling tax records, business affairs, or other papers.	FAS-NACC UDS Version 3.0 - Assembling Tax Records
C170651	FASNA1-Heating Water, Making Coffee	FASNA1-Heating Water, Making Coffee	Functional Assessment Scale-NACC UDS V3.0 - Heating water, making a cup of coffee, turning off the stove.	FAS-NACC UDS Version 3.0 - Heating Water, Making Coffee
C170653	FASNA1-Keeping Track of Current Events	FASNA1-Keeping Track of Current Events	Functional Assessment Scale-NACC UDS V3.0 - Keeping track of current events.	FAS-NACC UDS Version 3.0 - Keeping Track of Current Events
C170654	FASNA1-Paying Attention/Understanding TV	FASNA1-Paying Attention/Understanding TV	Functional Assessment Scale-NACC UDS V3.0 - Paying attention to and understanding a TV program, book, or magazine.	FAS-NACC UDS Version 3.0 - Paying Attention and Understanding TV
C170650	FASNA1-Playing a Game of Skill	FASNA1-Playing a Game of Skill	Functional Assessment Scale-NACC UDS V3.0 - Playing a game of skill such as bridge or chess, working on a hobby.	FAS-NACC UDS Version 3.0 - Playing a Game of Skill
C170652	FASNA1-Preparing a Balanced Meal	FASNA1-Preparing a Balanced Meal	Functional Assessment Scale-NACC UDS V3.0 - Preparing a balanced meal.	FAS-NACC UDS Version 3.0 - Preparing a Balanced Meal
C170655	FASNA1-Remembering Appointments	FASNA1-Remembering Appointments	Functional Assessment Scale-NACC UDS V3.0 - Remembering appointments, family occasions, holidays, medications.	FAS-NACC UDS Version 3.0 - Remembering Appointments
C170649	FASNA1-Shopping Alone for Clothes	FASNA1-Shopping Alone for Clothes	Functional Assessment Scale-NACC UDS V3.0 - Shopping alone for clothes, household necessities, or groceries.	FAS-NACC UDS Version 3.0 - Shopping Alone for Clothes
C170656	FASNA1-Traveling Out of the Neighborhood	FASNA1-Traveling Out of the Neighborhood	Functional Assessment Scale-NACC UDS V3.0 - Traveling out of the neighborhood, driving, or arranging to take public transportation.	FAS-NACC UDS Version 3.0 - Traveling Out of the Neighborhood
C170647	FASNA1-Writing Checks, Paying Bills	FASNA1-Writing Checks, Paying Bills	Functional Assessment Scale-NACC UDS V3.0 - Writing checks, paying bills, or balancing a checkbook.	FAS-NACC UDS Version 3.0 - Writing Checks, Paying Bills

NCI Code: C124670, Codelist extensible: No

C124722	FCVD101	FCVD1-Framingham CVD 10-Year Risk Score	Framingham Heart Study Cardiovascular Disease 10-Year Risk Score - Cardiovascular disease 10-year risk score.	FHS CVD 10-Year Risk Score - Risk Score
---------	---------	--------------------------------------------	------------------------------------------------------------------------------------------------------------------	--------------------------------------------

NCI Code: C124669, Codelist extensible: No

C124722	FCVD1-Framingham CVD 10-Year Risk Score	FCVD1-Framingham CVD 10-Year Risk Score	Framingham Heart Study Cardiovascular Disease 10-Year Risk Score - Cardiovascular disease 10-year risk score.	FHS CVD 10-Year Risk Score - Risk Score
---------	--------------------------------------------	--------------------------------------------	------------------------------------------------------------------------------------------------------------------	--------------------------------------------

Fibromyalgia Impact Questionnaire (FIQR) Items				
C103544	FIQR0101	FIQR01-Brush or Comb Your Hair	Revised Fibromyalgia Impact Questionnaire - Brush or comb your hair.	FIQR - Brush or Comb Your Hair
C103545	FIQR0102	FIQR01-Walk Continuously for 20 Minutes	Revised Fibromyalgia Impact Questionnaire - Walk continuously for 20 minutes.	FIQR - Walk Continuously for 20 Minutes
C103546	FIQR0103	FIQR01-Prepare a Homemade Meal	Revised Fibromyalgia Impact Questionnaire - Prepare a homemade meal.	FIQR - Prepare a Homemade Meal
C103547	FIQR0104	FIQR01-Vacuum Scrub or Sweep Floors	Revised Fibromyalgia Impact Questionnaire - Vacuum, scrub or sweep floors.	FIQR - Vacuum Scrub or Sweep Floors
C103548	FIQR0105	FIQR01-Lift/Carry Bag Full of Groceries	Revised Fibromyalgia Impact Questionnaire - Lift and carry a bag full of groceries.	FIQR - Lift and Carry a Bag Full of Groceries
C103549	FIQR0106	FIQR01-Climb One Flight of Stairs	Revised Fibromyalgia Impact Questionnaire - Climb one flight of stairs.	FIQR - Climb One Flight of Stairs
C103550	FIQR0107	FIQR01-Change Bed Sheets	Revised Fibromyalgia Impact Questionnaire - Change bed sheets.	FIQR - Change Bed Sheets
C103551	FIQR0108	FIQR01-Sit in a Chair for 45 Minutes	Revised Fibromyalgia Impact Questionnaire - Sit in a chair for 45 minutes.	FIQR - Sit in a Chair for 45 Minutes
C103552	FIQR0109	FIQR01-Go Shopping for Groceries	Revised Fibromyalgia Impact Questionnaire - Go shopping for groceries.	FIQR - Go Shopping for Groceries
C103553	FIQR0110	FIQR01-Fibromyalgia Prevented Goals	Revised Fibromyalgia Impact Questionnaire - Fibromyalgia prevented me from accomplishing goals for the week.	FIQR - Fibromyalgia Prevented Me from Accomplishing Goals for the Week
C103554	FIQR0111	FIQR01-Overwhelmed by Fibromyalgia	Revised Fibromyalgia Impact Questionnaire - I was completely overwhelmed by my fibromyalgia symptoms.	FIQR - I was Completely Overwhelmed by My Fibromyalgia Symptoms
C103555	FIQR0112	FIQR01-Pain	Revised Fibromyalgia Impact Questionnaire - Please rate your level of pain.	FIQR - Pain
C103556	FIQR0113	FIQR01-Energy	Revised Fibromyalgia Impact Questionnaire - Please rate your level of energy.	FIQR - Energy
C103557	FIQR0114	FIQR01-Stiffness	Revised Fibromyalgia Impact Questionnaire - Please rate your level of stiffness.	FIQR - Stiffness
C103558	FIQR0115	FIQR01-Your Sleep	Revised Fibromyalgia Impact Questionnaire - Please rate the quality of your sleep.	FIQR - Your Sleep
C103559	FIQR0116	FIQR01-Depression	Revised Fibromyalgia Impact Questionnaire - Please rate your level of depression.	FIQR - Depression
C103560	FIQR0117	FIQR01-Memory Problems	Revised Fibromyalgia Impact Questionnaire - Please rate your level of memory problems.	FIQR - Memory Problems
C103561	FIQR0118	FIQR01-Anxiety	Revised Fibromyalgia Impact Questionnaire - Please rate your level of anxiety.	FIQR - Anxiety
C103562	FIQR0119	FIQR01-Tenderness to Touch	Revised Fibromyalgia Impact Questionnaire - Please rate your level of tenderness to touch.	FIQR - Tenderness to Touch
C103563	FIQR0120	FIQR01-Balance Problems	Revised Fibromyalgia Impact Questionnaire - Please rate your level of balance problems.	FIQR - Balance Problems
C103564	FIQR0121	FIQR01-Sensitivity Noise/Light/Odor/Cold	Revised Fibromyalgia Impact Questionnaire - Please rate your level of sensitivity to loud noises, bright lights, odors and cold.	FIQR - Sensitivity to Loud Noises, Bright Lights, Odors and Cold
C118107	FIQR0122	FIQR01-Activities Sub-Total	Revised Fibromyalgia Impact Questionnaire - Sub-total for activities subcategory.	FIQR - Activities Sub-Total
C118108	FIQR0123	FIQR01-Overall Impact Sub-Total	Revised Fibromyalgia Impact Questionnaire - Sub-total for overall impact subcategory.	FIQR - Overall Impact Sub-Total
C118109	FIQR0124	FIQR01-Symptoms Sub-Total	Revised Fibromyalgia Impact Questionnaire - Sub-total for symptoms subcategory.	FIQR - Symptoms Sub-Total
C118110	FIQR0125	FIQR01-FIQR Total	Revised Fibromyalgia Impact Questionnaire - FIQR total.	FIQR - FIQR Total

C118107	FIQR01-Activities Sub-Total	FIQR01-Activities Sub-Total	Revised Fibromyalgia Impact Questionnaire - Sub-total for activities subcategory.	FIQR - Activities Sub-Total
C103561	FIQR01-Anxiety	FIQR01-Anxiety	Revised Fibromyalgia Impact Questionnaire - Please rate your level of anxiety.	FIQR - Anxiety
C103563	FIQR01-Balance Problems	FIQR01-Balance Problems	Revised Fibromyalgia Impact Questionnaire - Please rate your level of balance problems.	FIQR - Balance Problems
C103544	FIQR01-Brush or Comb Your Hair	FIQR01-Brush or Comb Your Hair	Revised Fibromyalgia Impact Questionnaire - Brush or comb your hair.	FIQR - Brush or Comb Your Hair
C103550	FIQR01-Change Bed Sheets	FIQR01-Change Bed Sheets	Revised Fibromyalgia Impact Questionnaire - Change bed sheets.	FIQR - Change Bed Sheets
C103549	FIQR01-Climb One Flight of Stairs	FIQR01-Climb One Flight of Stairs	Revised Fibromyalgia Impact Questionnaire - Climb one flight of stairs.	FIQR - Climb One Flight of Stairs
C103559	FIQR01-Depression	FIQR01-Depression	Revised Fibromyalgia Impact Questionnaire - Please rate your level of depression.	FIQR - Depression
C103556	FIQR01-Energy	FIQR01-Energy	Revised Fibromyalgia Impact Questionnaire - Please rate your level of energy.	FIQR - Energy
C103553	FIQR01-Fibromyalgia Prevented Goals	FIQR01-Fibromyalgia Prevented Goals	Revised Fibromyalgia Impact Questionnaire - Fibromyalgia prevented me from accomplishing goals for the week.	FIQR - Fibromyalgia Prevented Me from Accomplishing Goals for the Week
C118110	FIQR01-FIQR Total	FIQR01-FIQR Total	Revised Fibromyalgia Impact Questionnaire - FIQR total.	FIQR - FIQR Total
C103552	FIQR01-Go Shopping for Groceries	FIQR01-Go Shopping for Groceries	Revised Fibromyalgia Impact Questionnaire - Go shopping for groceries.	FIQR - Go Shopping for Groceries
C103548	FIQR01-Lift/Carry Bag Full of Groceries	FIQR01-Lift/Carry Bag Full of Groceries	Revised Fibromyalgia Impact Questionnaire - Lift and carry a bag full of groceries.	FIQR - Lift and Carry a Bag Full of Groceries
C103560	FIQR01-Memory Problems	FIQR01-Memory Problems	Revised Fibromyalgia Impact Questionnaire - Please rate your level of memory problems.	FIQR - Memory Problems
C118108	FIQR01-Overall Impact Sub-Total	FIQR01-Overall Impact Sub-Total	Revised Fibromyalgia Impact Questionnaire - Sub-total for overall impact subcategory.	FIQR - Overall Impact Sub-Total
C103554	FIQR01-Overwhelmed by Fibromyalgia	FIQR01-Overwhelmed by Fibromyalgia	Revised Fibromyalgia Impact Questionnaire - I was completely overwhelmed by my fibromyalgia symptoms.	FIQR - I was Completely Overwhelmed by My Fibromyalgia Symptoms
C103555	FIQR01-Pain	FIQR01-Pain	Revised Fibromyalgia Impact Questionnaire - Please rate your level of pain.	FIQR - Pain
C103546	FIQR01-Prepare a Homemade Meal	FIQR01-Prepare a Homemade Meal	Revised Fibromyalgia Impact Questionnaire - Prepare a homemade meal.	FIQR - Prepare a Homemade Meal
C103564	FIQR01-Sensitivity Noise/Light/Odor/Cold	FIQR01-Sensitivity Noise/Light/Odor/Cold	Revised Fibromyalgia Impact Questionnaire - Please rate your level of sensitivity to loud noises, bright lights, odors and cold.	FIQR - Sensitivity to Loud Noises, Bright Lights, Odors and Cold
C103551	FIQR01-Sit in a Chair for 45 Minutes	FIQR01-Sit in a Chair for 45 Minutes	Revised Fibromyalgia Impact Questionnaire - Sit in a chair for 45 minutes.	FIQR - Sit in a Chair for 45 Minutes
C103557	FIQR01-Stiffness	FIQR01-Stiffness	Revised Fibromyalgia Impact Questionnaire - Please rate your level of stiffness.	FIQR - Stiffness
C118109	FIQR01-Symptoms Sub-Total	FIQR01-Symptoms Sub-Total	Revised Fibromyalgia Impact Questionnaire - Sub-total for symptoms subcategory.	FIQR - Symptoms Sub-Total
C103562	FIQR01-Tenderness to Touch	FIQR01-Tenderness to Touch	Revised Fibromyalgia Impact Questionnaire - Please rate your level of tenderness to touch.	FIQR - Tenderness to Touch
C103547	FIQR01-Vacuum Scrub or Sweep Floors	FIQR01-Vacuum Scrub or Sweep Floors	Revised Fibromyalgia Impact Questionnaire - Vacuum, scrub or sweep floors.	FIQR - Vacuum Scrub or Sweep Floors
C103545	FIQR01-Walk Continuously for 20 Minutes	FIQR01-Walk Continuously for 20 Minutes	Revised Fibromyalgia Impact Questionnaire - Walk continuously for 20 minutes.	FIQR - Walk Continuously for 20 Minutes
C103558	FIQR01-Your Sleep	FIQR01-Your Sleep	Revised Fibromyalgia Impact Questionnaire - Please rate the quality of your sleep.	FIQR - Your Sleep

C101013	FPSR101	FPSR1-How Much Do You Hurt	Faces Pain Scale - Revised - Point to the face that shows how much you hurt [right now].	FPSR - How Much Do You Hurt
---------	---------	----------------------------	------------------------------------------------------------------------------------------	-----------------------------

C101013	FPSR1-How Much Do You Hurt	FPSR1-How Much Do You Hurt	Faces Pain Scale - Revised - Point to the face that shows how much you hurt [right now].	FPSR - How Much Do You Hurt
---------	----------------------------	----------------------------	------------------------------------------------------------------------------------------	-----------------------------

C183618	FSIL0001	FSIL-Fatigue Keeps Me From Doing Things	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My fatigue keeps me from doing the things I want to do.	FACIT-Searchable Item Library Adult Version - Fatigue Keeps Me From Doing Things
C183619	FSIL0002	FSIL-Bothered by Swelling Certain Areas	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by swelling in certain areas of my body.	FACIT-Searchable Item Library Adult Version - Bothered by Swelling Certain Areas
C183620	FSIL0003	FSIL-Bothered by Mouth Sores/Tenderness	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by mouth sores or tenderness.	FACIT-Searchable Item Library Adult Version - Bothered by Mouth Sores/Tenderness
C183621	FSIL0004	FSIL-Because of Sores Eating Difficult	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Because of my mouth sores, eating is difficult.	FACIT-Searchable Item Library Adult Version - Because of Sores Eating Difficult
C183622	FSIL0005	FSIL-The Skin on My Hands Hurts	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: The skin on my hands hurts.	FACIT-Searchable Item Library Adult Version - The Skin on My Hands Hurts
C183623	FSIL0006	FSIL-Hand Pain Interferes Daily Activ	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Hand pain or tenderness interferes with my daily activities.	FACIT-Searchable Item Library Adult Version - Hand Pain Interferes Daily Activ
C183624	FSIL0007	FSIL-The Skin on My Feet Hurts	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: The skin on my feet hurts.	FACIT-Searchable Item Library Adult Version - The Skin on My Feet Hurts
C183625	FSIL0008	FSIL-Pain on My Feet Interferes Walking	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Pain on the bottom of my feet interferes with my walking.	FACIT-Searchable Item Library Adult Version - Pain on My Feet Interferes Walking
C183626	FSIL0009	FSIL-Limit Activities Because Diarrhea	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have to limit my activities because of diarrhea (diarrhoea).	FACIT-Searchable Item Library Adult Version - Limit Activities Because Diarrhea
C183627	FSIL0010	FSIL-Bothered by a Skin Rash	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by a skin rash.	FACIT-Searchable Item Library Adult Version - Bothered by a Skin Rash
C183628	FSIL0011	FSIL-Amount I Eat Is Sufficient	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: The amount I eat is sufficient to meet my needs.	FACIT-Searchable Item Library Adult Version - Amount I Eat Is Sufficient
C183629	FSIL0012	FSIL-I Seem to Get Full Quickly	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: When I eat, I seem to get full quickly.	FACIT-Searchable Item Library Adult Version - I Seem to Get Full Quickly
C183630	FSIL0013	FSIL-I Have Pain in My Stomach Area	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have pain in my stomach area.	FACIT-Searchable Item Library Adult Version - I Have Pain in My Stomach Area
C183631	FSIL0014	FSIL-My General Health Is Improving	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My general health is improving.	FACIT-Searchable Item Library Adult Version - My General Health Is Improving
C183632	FSIL0015	FSIL-Worried About My Weight	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am worried about my weight.	FACIT-Searchable Item Library Adult Version - Worried About My Weight
C183633	FSIL0016	FSIL-Most Food Tastes Unpleasant to Me	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Most food tastes unpleasant to me.	FACIT-Searchable Item Library Adult Version - Most Food Tastes Unpleasant to Me
C183634	FSIL0017	FSIL-Concerned About How Thin I Look	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am concerned about how thin I look.	FACIT-Searchable Item Library Adult Version - Concerned About How Thin I Look
C183635	FSIL0018	FSIL-Interest in Food Drops Try to Eat	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My interest in food drops as soon as I try to eat.	FACIT-Searchable Item Library Adult Version - Interest in Food Drops Try to Eat

Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult				
C183636	FSIL0019	FSIL-Have Difficulty Eating Rich Foods	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have difficulty eating rich or "heavy" foods.	FACIT-Searchable Item Library Adult Version - Have Difficulty Eating Rich Foods
C183637	FSIL0020	FSIL-My Family Pressuring Me to Eat	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My family or friends are pressuring me to eat.	FACIT-Searchable Item Library Adult Version - My Family Pressuring Me to Eat
C183638	FSIL0021	FSIL-Stomach Pain Interferes Functioning	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Stomach pain interferes with my daily functioning.	FACIT-Searchable Item Library Adult Version - Stomach Pain Interferes Functioning
C183639	FSIL0022	FSIL-I Have Been Emotionally Distressed	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have been emotionally distressed.	FACIT-Searchable Item Library Adult Version - I Have Been Emotionally Distressed
C183640	FSIL0023	FSIL-I Feel Listless	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel listless ("washed out").	FACIT-Searchable Item Library Adult Version - I Feel Listless
C183641	FSIL0024	FSIL-I Get Headaches	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I get headaches.	FACIT-Searchable Item Library Adult Version - I Get Headaches
C183642	FSIL0025	FSIL-I Have Pain in My Chest	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have pain in my chest.	FACIT-Searchable Item Library Adult Version - I Have Pain in My Chest
C183643	FSIL0026	FSIL-Too Tired to Eat	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am too tired to eat.	FACIT-Searchable Item Library Adult Version - Too Tired to Eat
C183644	FSIL0027	FSIL-Motivated to Do Activities	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am motivated to do my usual activities.	FACIT-Searchable Item Library Adult Version - Motivated to Do Activities
C183645	FSIL0028	FSIL-Need Help Doing Usual Activities	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I need help doing my usual activities.	FACIT-Searchable Item Library Adult Version - Need Help Doing Usual Activities
C183646	FSIL0029	FSIL-Frustrated by Being Too Tired	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am frustrated by being too tired to do the things I want to do.	FACIT-Searchable Item Library Adult Version - Frustrated by Being Too Tired
C183647	FSIL0030	FSIL-Limit Social Activity B/c Tired	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have to limit my social activity because I am tired.	FACIT-Searchable Item Library Adult Version - Limit Social Activity B/c Tired
C183648	FSIL0031	FSIL-I Feel Tired	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel tired.	FACIT-Searchable Item Library Adult Version - I Feel Tired
C183649	FSIL0032	FSIL-Trouble Starting Things	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have trouble starting things because I am tired.	FACIT-Searchable Item Library Adult Version - Trouble Starting Things
C183650	FSIL0033	FSIL-Trouble Finishing Things	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have trouble finishing things because I am tired.	FACIT-Searchable Item Library Adult Version - Trouble Finishing Things
C183651	FSIL0034	FSIL-I Have Energy	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have energy.	FACIT-Searchable Item Library Adult Version - I Have Energy
C183652	FSIL0035	FSIL-I Have Trouble Walking	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have trouble walking.	FACIT-Searchable Item Library Adult Version - I Have Trouble Walking
C183653	FSIL0036	FSIL-Able to Do My Usual Activities	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am able to do my usual activities.	FACIT-Searchable Item Library Adult Version - Able to Do My Usual Activities
C183654	FSIL0037	FSIL-I Need to Sleep During the Day	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I need to sleep during the day.	FACIT-Searchable Item Library Adult Version - I Need to Sleep During the Day
C183655	FSIL0038	FSIL-I Feel Lightheaded	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel lightheaded (dizzy).	FACIT-Searchable Item Library Adult Version - I Feel Lightheaded
C183656	FSIL0039	FSIL-I Have Been Short of Breath	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have been short of breath.	FACIT-Searchable Item Library Adult Version - I Have Been Short of Breath

Functional Assessment of Chronic Illness Therapy-Searchable Item Library				
C183657	FSIL0040	FSIL-Movement of Arm This Side Painful	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Movement of my arm on this side is painful.	FACIT-Searchable Item Library Adult Version - Movement of Arm This Side Painful
C183658	FSIL0041	FSIL-Poor Range Arm Movements This Side	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have a poor range of arm movements on this side.	FACIT-Searchable Item Library Adult Version - Poor Range Arm Movements This Side
C183659	FSIL0042	FSIL-My Arm on This Side Feels Numb	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My arm on this side feels numb.	FACIT-Searchable Item Library Adult Version - My Arm on This Side Feels Numb
C183660	FSIL0043	FSIL-Have Stiffness of Arm on This Side	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have stiffness of my arm on this side.	FACIT-Searchable Item Library Adult Version - Have Stiffness of Arm on This Side
C183661	FSIL0044	FSIL-Self-conscious About Way I Dress	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am self-conscious about the way I dress.	FACIT-Searchable Item Library Adult Version - Self-conscious About Way I Dress
C183662	FSIL0045	FSIL-One/Both Arms Are Swollen/Tender	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: One or both of my arms are swollen or tender.	FACIT-Searchable Item Library Adult Version - One/Both Arms Are Swollen/Tender
C183663	FSIL0046	FSIL-I Feel Sexually Attractive	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel sexually attractive.	FACIT-Searchable Item Library Adult Version - I Feel Sexually Attractive
C183664	FSIL0047	FSIL-Bothered by Hair Loss	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by hair loss.	FACIT-Searchable Item Library Adult Version - Bothered by Hair Loss
C183665	FSIL0048	FSIL-Worry Family Will Get Illness	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry that other members of my family might someday get the same illness I have.	FACIT-Searchable Item Library Adult Version - Worry Family Will Get Illness
C183666	FSIL0049	FSIL-Worry About the Effect of Stress	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry about the effect of stress on my illness.	FACIT-Searchable Item Library Adult Version - Worry About the Effect of Stress
C183667	FSIL0050	FSIL-Bothered by Change in Weight	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by a change in weight.	FACIT-Searchable Item Library Adult Version - Bothered by Change in Weight
C183668	FSIL0051	FSIL-Able to Feel Like a Woman	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am able to feel like a woman.	FACIT-Searchable Item Library Adult Version - Able to Feel Like a Woman
C183669	FSIL0052	FSIL-Have Trouble Controlling My Urine	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have trouble controlling my urine.	FACIT-Searchable Item Library Adult Version - Have Trouble Controlling My Urine
C183670	FSIL0053	FSIL-I Urinate More Frequently	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I urinate more frequently than usual.	FACIT-Searchable Item Library Adult Version - I Urinate More Frequently
C183671	FSIL0054	FSIL-It Burns When I Urinate	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: It burns when I urinate.	FACIT-Searchable Item Library Adult Version - It Burns When I Urinate
C183672	FSIL0055	FSIL-Interested in Sex	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am interested in sex.	FACIT-Searchable Item Library Adult Version - Interested in Sex
C183673	FSIL0056	FSIL-Able to Have/Maintain Erection	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am able to have and maintain an erection. (For men only)	FACIT-Searchable Item Library Adult Version - Able to Have/Maintain Erection
C183674	FSIL0057	FSIL-Concerned About Keeping My Job	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am concerned about keeping my job (include work at home).	FACIT-Searchable Item Library Adult Version - Concerned About Keeping My Job
C183675	FSIL0058	FSIL-I Can Remember Things	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I can remember things.	FACIT-Searchable Item Library Adult Version - I Can Remember Things
C183676	FSIL0059	FSIL-I Have Frequent Colds/Infections	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have frequent colds/infections.	FACIT-Searchable Item Library Adult Version - I Have Frequent Colds/Infections

Functional Assessment of Chronic Illness Therapy-Searchable Item Library				
C183677	FSIL0060	FSIL-My Eyesight Is Blurry	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My eyesight is blurry.	FACIT-Searchable Item Library Adult Version - My Eyesight Is Blurry
C183678	FSIL0061	FSIL-Bothered by Change in Food Tastes	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by a change in the way food tastes.	FACIT-Searchable Item Library Adult Version - Bothered by Change in Food Tastes
C183679	FSIL0062	FSIL-I Have Tremors	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have tremors.	FACIT-Searchable Item Library Adult Version - I Have Tremors
C183680	FSIL0063	FSIL-Bothered by Skin Problems	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by skin problems.	FACIT-Searchable Item Library Adult Version - Bothered by Skin Problems
C183681	FSIL0064	FSIL-I Have Trouble With My Bowels	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have trouble with my bowels.	FACIT-Searchable Item Library Adult Version - I Have Trouble With My Bowels
C183682	FSIL0065	FSIL-Illness Is Hardship for My Family	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My illness is a personal hardship for my close family members.	FACIT-Searchable Item Library Adult Version - Illness Is Hardship for My Family
C183683	FSIL0066	FSIL-Cost of Treatment Is Burden on Me	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: The cost of my treatment is a burden on me or my family.	FACIT-Searchable Item Library Adult Version - Cost of Treatment Is Burden on Me
C183684	FSIL0067	FSIL-I Feel Distant From Other People	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel distant from other people.	FACIT-Searchable Item Library Adult Version - I Feel Distant From Other People
C183685	FSIL0068	FSIL-I Worry Transplant Will Not Work	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry that the transplant will not work.	FACIT-Searchable Item Library Adult Version - I Worry Transplant Will Not Work
C183686	FSIL0069	FSIL-Side Effects of Treatment Worse	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: The side effects of treatment are worse than I had imagined.	FACIT-Searchable Item Library Adult Version - Side Effects of Treatment Worse
C183687	FSIL0070	FSIL-Able to Get Around by Myself	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am able to get around by myself.	FACIT-Searchable Item Library Adult Version - Able to Get Around by Myself
C183688	FSIL0071	FSIL-I Get Tired Easily	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I get tired easily.	FACIT-Searchable Item Library Adult Version - I Get Tired Easily
C183689	FSIL0072	FSIL-Concerns Ability to Have Children	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have concerns about my ability to have children.	FACIT-Searchable Item Library Adult Version - Concerns Ability to Have Children
C183690	FSIL0073	FSIL-Confidence in My Nurse(s)	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have confidence in my nurse(s).	FACIT-Searchable Item Library Adult Version - Confidence in My Nurse(s)
C183691	FSIL0074	FSIL-I Regret Bone Marrow Transplant	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I regret having the bone marrow transplant.	FACIT-Searchable Item Library Adult Version - I Regret Bone Marrow Transplant
C183692	FSIL0075	FSIL-I Have Bone Pain	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have bone pain.	FACIT-Searchable Item Library Adult Version - I Have Bone Pain
C183693	FSIL0076	FSIL-Frustrated by My Bone Pain	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am frustrated by my bone pain.	FACIT-Searchable Item Library Adult Version - Frustrated by My Bone Pain
C183694	FSIL0077	FSIL-I Feel Depressed about Bone Pain	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel depressed about my bone pain.	FACIT-Searchable Item Library Adult Version - I Feel Depressed about Bone Pain
C183695	FSIL0078	FSIL-I Worry Bone Pain Will Get Worse	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry that my bone pain will get worse.	FACIT-Searchable Item Library Adult Version - I Worry Bone Pain Will Get Worse
C183696	FSIL0079	FSIL-Family Trouble Understand Bone Pain	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My family has trouble understanding when my bone pain interferes with my activity.	FACIT-Searchable Item Library Adult Version - Family Trouble Understand Bone Pain

Functional Assessment of Chronic Illness Therapy-Searchable Item Library				
C183697	FSIL0080	FSIL-Hurts When Put Weight/Pressure on	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: It hurts when I put weight or pressure on the place where I have bone pain.	FACIT-Searchable Item Library Adult Version - Hurts When Put Weight/Pressure on
C183698	FSIL0081	FSIL-Bone Pain Even When I Sit/Lie Still	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have bone pain even when I sit or lie still.	FACIT-Searchable Item Library Adult Version - Bone Pain Even When I Sit/Lie Still
C183699	FSIL0082	FSIL-Need Help Doing Activ B/c Bone Pain	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I need help doing my usual activities because of bone pain.	FACIT-Searchable Item Library Adult Version - Need Help Doing Activ B/c Bone Pain
C183700	FSIL0083	FSIL-Rest During Day B/c of Bone Pain	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am forced to rest during the day because of bone pain.	FACIT-Searchable Item Library Adult Version - Rest During Day B/c of Bone Pain
C183701	FSIL0084	FSIL-Trouble Walking Because Bone Pain	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have trouble walking because of bone pain.	FACIT-Searchable Item Library Adult Version - Trouble Walking Because Bone Pain
C183702	FSIL0085	FSIL-Bone Pain Interferes Care Myself	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Bone pain interferes with my ability to care for myself (bathing, dressing, eating, etc.).	FACIT-Searchable Item Library Adult Version - Bone Pain Interferes Care Myself
C183703	FSIL0086	FSIL-Bone Pain Interferes w/Social	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Bone pain interferes with my social activities.	FACIT-Searchable Item Library Adult Version - Bone Pain Interferes w/Social
C183704	FSIL0087	FSIL-Bone Pain Wakes Me Up at Night	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Bone pain wakes me up at night.	FACIT-Searchable Item Library Adult Version - Bone Pain Wakes Me Up at Night
C183705	FSIL0088	FSIL-Able to Concentrate	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am able to concentrate.	FACIT-Searchable Item Library Adult Version - Able to Concentrate
C183706	FSIL0089	FSIL-Bothered by Change in Personality	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by a change in my personality.	FACIT-Searchable Item Library Adult Version - Bothered by Change in Personality
C183707	FSIL0090	FSIL-Make Decisions Take Responsibility	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am able to make decisions and take responsibility.	FACIT-Searchable Item Library Adult Version - Make Decisions Take Responsibility
C183708	FSIL0091	FSIL-Bothered by Drop in My Contribution	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by the drop in my contribution to the family.	FACIT-Searchable Item Library Adult Version - Bothered by Drop in My Contribution
C183709	FSIL0092	FSIL-Able to Put My Thoughts Together	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am able to put my thoughts together.	FACIT-Searchable Item Library Adult Version - Able to Put My Thoughts Together
C183710	FSIL0093	FSIL-I Need Help in Caring for Myself	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I need help in caring for myself (bathing, dressing, eating, etc.).	FACIT-Searchable Item Library Adult Version - I Need Help in Caring for Myself
C183711	FSIL0094	FSIL-Able to Put My thoughts Into Action	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am able to put my thoughts into action.	FACIT-Searchable Item Library Adult Version - Able to Put My thoughts Into Action
C183712	FSIL0095	FSIL-Able to Read Like I Used to	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am able to read like I used to.	FACIT-Searchable Item Library Adult Version - Able to Read Like I Used to
C183713	FSIL0096	FSIL-Able to Write Like I Used to	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am able to write like I used to.	FACIT-Searchable Item Library Adult Version - Able to Write Like I Used to
C183714	FSIL0097	FSIL-Able to Drive a Vehicle	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am able to drive a vehicle (my car, truck, etc.).	FACIT-Searchable Item Library Adult Version - Able to Drive a Vehicle
C183715	FSIL0098	FSIL-Trouble Feeling Arm/Hands/Legs	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have trouble feeling sensations in my arm, hands or legs.	FACIT-Searchable Item Library Adult Version - Trouble Feeling Arm/Hands/Legs

Functional Assessment of Chronic Illness Therapy-Searchable Item Library				
C183716	FSIL0099	FSIL-I Have Had Seizures	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have had seizures (convulsions).	FACIT-Searchable Item Library Adult Version - I Have Had Seizures
C183717	FSIL0100	FSIL-Have Weakness in My Arms or Legs	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have weakness in my arms or legs.	FACIT-Searchable Item Library Adult Version - Have Weakness in My Arms or Legs
C183718	FSIL0101	FSIL-I Have Trouble With Coordination	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have trouble with coordination.	FACIT-Searchable Item Library Adult Version - I Have Trouble With Coordination
C183719	FSIL0102	FSIL-I Can Remember New Things	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I can remember new things.	FACIT-Searchable Item Library Adult Version - I Can Remember New Things
C183720	FSIL0103	FSIL-Frustrated I Cannot Do Things	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I get frustrated that I cannot do things I used to.	FACIT-Searchable Item Library Adult Version - Frustrated I Cannot Do Things
C183721	FSIL0104	FSIL-Afraid of Having a Seizure	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am afraid of having a seizure (convulsion).	FACIT-Searchable Item Library Adult Version - Afraid of Having a Seizure
C183722	FSIL0105	FSIL-I Have Trouble With My Eyesight	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have trouble with my eyesight.	FACIT-Searchable Item Library Adult Version - I Have Trouble With My Eyesight
C183723	FSIL0106	FSIL-I Feel Independent	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel independent.	FACIT-Searchable Item Library Adult Version - I Feel Independent
C183724	FSIL0107	FSIL-Able to Find the Right Words	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am able to find the right word(s) to say what I mean.	FACIT-Searchable Item Library Adult Version - Able to Find the Right Words
C183725	FSIL0108	FSIL-Difficulty Expressing My Thoughts	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have difficulty expressing my thoughts.	FACIT-Searchable Item Library Adult Version - Difficulty Expressing My Thoughts
C183726	FSIL0109	FSIL-I Have Pain in My Joints	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have pain in my joints.	FACIT-Searchable Item Library Adult Version - I Have Pain in My Joints
C183727	FSIL0110	FSIL-Bothered by Sweating	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by sweating.	FACIT-Searchable Item Library Adult Version - Bothered by Sweating
C183728	FSIL0111	FSIL-Bothered by the Chills	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by the chills.	FACIT-Searchable Item Library Adult Version - Bothered by the Chills
C183729	FSIL0112	FSIL-Bothered by Fevers	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by fevers (episodes of high body temperature).	FACIT-Searchable Item Library Adult Version - Bothered by Fevers
C183730	FSIL0113	FSIL-Bothered by Dry Mouth	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by dry mouth.	FACIT-Searchable Item Library Adult Version - Bothered by Dry Mouth
C183731	FSIL0114	FSIL-I Get Depressed Easily	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I get depressed easily.	FACIT-Searchable Item Library Adult Version - I Get Depressed Easily
C183732	FSIL0115	FSIL-I Get Annoyed Easily	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I get annoyed easily.	FACIT-Searchable Item Library Adult Version - I Get Annoyed Easily
C183733	FSIL0116	FSIL-I Have Emotional Ups and Downs	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have emotional ups and downs.	FACIT-Searchable Item Library Adult Version - I Have Emotional Ups and Downs
C183734	FSIL0117	FSIL-Treatment Bone Disease Takes Time	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Treatment for bone disease takes up my time.	FACIT-Searchable Item Library Adult Version - Treatment Bone Disease Takes Time
C183735	FSIL0118	FSIL-Bothered by Effects Treatment Bone	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by side effects of treatment for bone disease.	FACIT-Searchable Item Library Adult Version - Bothered by Effects Treatment Bone

Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult				
C183736	FSIL0119	FSIL-Satisfied With Results of Treatment	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Are you satisfied with the results of the treatment for your bone disease so far?	FACIT-Searchable Item Library Adult Version - Satisfied With Results of Treatment
C183737	FSIL0120	FSIL-Treatment Bone Disease to Others	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Would you recommend this treatment for bone disease to others with your illness?	FACIT-Searchable Item Library Adult Version - Treatment Bone Disease to Others
C183738	FSIL0121	FSIL-Choose This Treatment Bone Again	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Would you choose this treatment for bone disease again?	FACIT-Searchable Item Library Adult Version - Choose This Treatment Bone Again
C183739	FSIL0122	FSIL-Treatment Takes Up My Family's Time	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My treatment for bone disease takes up my family's time.	FACIT-Searchable Item Library Adult Version - Treatment Takes Up My Family's Time
C183740	FSIL0123	FSIL-Worry About Side Effects Treatment	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry about side effects from treatment for bone disease.	FACIT-Searchable Item Library Adult Version - Worry About Side Effects Treatment
C183741	FSIL0124	FSIL-Taking Drug Infusion Inconvenient	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Taking the drug by infusion is inconvenient.	FACIT-Searchable Item Library Adult Version - Taking Drug Infusion Inconvenient
C183742	FSIL0125	FSIL-Infusion Causes Me Physical Pain	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: The infusion for my bone treatment causes me physical pain.	FACIT-Searchable Item Library Adult Version - Infusion Causes Me Physical Pain
C183743	FSIL0126	FSIL-Treatment Causes Me Physical Pain	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My treatment for bone disease causes me physical pain.	FACIT-Searchable Item Library Adult Version - Treatment Causes Me Physical Pain
C183744	FSIL0127	FSIL-Receiving Treatment Is Inconvenient	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Receiving treatment for bone disease is inconvenient.	FACIT-Searchable Item Library Adult Version - Receiving Treatment Is Inconvenient
C183745	FSIL0128	FSIL-Waiting Breakfast Is Inconvenient	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Waiting up to 60 minutes before eating breakfast in the morning is inconvenient.	FACIT-Searchable Item Library Adult Version - Waiting Breakfast Is Inconvenient
C183746	FSIL0129	FSIL-Having Blood Drawn Is Inconvenient	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Having my blood drawn is inconvenient.	FACIT-Searchable Item Library Adult Version - Having Blood Drawn Is Inconvenient
C183747	FSIL0130	FSIL-Worry Treatment Not Effective	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry that my treatment for bone disease will not be effective.	FACIT-Searchable Item Library Adult Version - Worry Treatment Not Effective
C183748	FSIL0131	FSIL-Treatment Seems Harmful to Me	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Treatment for bone disease seems harmful to me.	FACIT-Searchable Item Library Adult Version - Treatment Seems Harmful to Me
C183749	FSIL0132	FSIL-Treatment Schedule Stressful to Me	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My treatment schedule for bone disease is stressful to me.	FACIT-Searchable Item Library Adult Version - Treatment Schedule Stressful to Me
C183750	FSIL0133	FSIL-Treatment Schedule Stressful Family	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My treatment schedule for bone disease is stressful to my family.	FACIT-Searchable Item Library Adult Version - Treatment Schedule Stressful Family
C183751	FSIL0134	FSIL-Believe Treatment Will Take Up Time	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I believe that treatment for bone disease will take up my time.	FACIT-Searchable Item Library Adult Version - Believe Treatment Will Take Up Time
C183752	FSIL0135	FSIL-Believe Will Be Bothered by Effects	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I believe that I will be bothered by side effects of treatment for bone disease.	FACIT-Searchable Item Library Adult Version - Believe Will Be Bothered by Effects
C183753	FSIL0136	FSIL-Believe Eating Will Be Inconvenient	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I believe that waiting up to 60 minutes before eating breakfast in the morning will be inconvenient.	FACIT-Searchable Item Library Adult Version - Believe Eating Will Be Inconvenient

Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I believe that an infusion for my bone treatment will cause me physical pain.				
C183754	FSIL0137	FSIL-Believe Infusion Will Cause Pain	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I believe that an infusion for my bone treatment will cause me physical pain.	FACIT-Searchable Item Library Adult Version - Believe Infusion Will Cause Pain
C183755	FSIL0138	FSIL-Believe Blood Will Be Inconvenient	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I believe that having my blood drawn will be inconvenient.	FACIT-Searchable Item Library Adult Version - Believe Blood Will Be Inconvenient
C183756	FSIL0139	FSIL-Believe Treatment Take Family Time	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I believe that my treatment for bone disease will take up my family's time.	FACIT-Searchable Item Library Adult Version - Believe Treatment Take Family Time
C183757	FSIL0140	FSIL-Believe Treatment Will Cause Pain	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I believe that my treatment for bone disease will cause me physical pain.	FACIT-Searchable Item Library Adult Version - Believe Treatment Will Cause Pain
C183758	FSIL0141	FSIL-Believe Treatment Inconvenient	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I believe that receiving treatment for bone disease will be inconvenient.	FACIT-Searchable Item Library Adult Version - Believe Treatment Inconvenient
C183759	FSIL0142	FSIL-Believe Treatment Will Be Harmful	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I believe that treatment for bone disease will be harmful to me.	FACIT-Searchable Item Library Adult Version - Believe Treatment Will Be Harmful
C183760	FSIL0143	FSIL-Believe Schedule Stressful to Me	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I believe that my treatment schedule for bone disease will be stressful to me.	FACIT-Searchable Item Library Adult Version - Believe Schedule Stressful to Me
C183761	FSIL0144	FSIL-Believe Schedule Stressful Family	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I believe that my treatment schedule for bone disease will be stressful to my family.	FACIT-Searchable Item Library Adult Version - Believe Schedule Stressful Family
C183762	FSIL0145	FSIL-Swelling/Cramps in Stomach Area	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have swelling or cramps in my stomach area.	FACIT-Searchable Item Library Adult Version - Swelling/Cramps in Stomach Area
C183763	FSIL0146	FSIL-Losing Weight	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am losing weight.	FACIT-Searchable Item Library Adult Version - Losing Weight
C183764	FSIL0147	FSIL-I Have Control of My Bowels	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have control of my bowels.	FACIT-Searchable Item Library Adult Version - I Have Control of My Bowels
C183765	FSIL0148	FSIL-I Can Digest My Food Well	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I can digest my food well.	FACIT-Searchable Item Library Adult Version - I Can Digest My Food Well
C183766	FSIL0149	FSIL-I Have Diarrhea	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have diarrhea (diarrhoea).	FACIT-Searchable Item Library Adult Version - I Have Diarrhea
C183767	FSIL0150	FSIL-I Have a Good Appetite	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have a good appetite.	FACIT-Searchable Item Library Adult Version - I Have a Good Appetite
C183768	FSIL0151	FSIL-I Like the Appearance of My Body	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I like the appearance of my body.	FACIT-Searchable Item Library Adult Version - I Like the Appearance of My Body
C183769	FSIL0152	FSIL-Embarrassed by Ostomy Appliance	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am embarrassed by my ostomy appliance.	FACIT-Searchable Item Library Adult Version - Embarrassed by Ostomy Appliance
C183770	FSIL0153	FSIL-Caring for Ostomy Is Difficult	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Caring for my ostomy appliance is difficult.	FACIT-Searchable Item Library Adult Version - Caring for Ostomy Is Difficult
C183771	FSIL0154	FSIL-Bothered by Hot Flashes	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by hot flashes.	FACIT-Searchable Item Library Adult Version - Bothered by Hot Flashes
C183772	FSIL0155	FSIL-My Breasts Are Swollen	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My breasts are swollen.	FACIT-Searchable Item Library Adult Version - My Breasts Are Swollen

Functional Assessment of Chronic Illness Therapy-Searchable Item Library				
C183773	FSIL0156	FSIL-My Breasts Are Painful	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My breasts are painful.	FACIT-Searchable Item Library Adult Version - My Breasts Are Painful
C183774	FSIL0157	FSIL-Discomfort in My Pelvic Area	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have discomfort in my pelvic area.	FACIT-Searchable Item Library Adult Version - Discomfort in My Pelvic Area
C183775	FSIL0158	FSIL-Accepted I Have This Infection	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have accepted that I have this infection.	FACIT-Searchable Item Library Adult Version - Accepted I Have This Infection
C183776	FSIL0159	FSIL-Worry Infection Will Get Worse	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry that the infection will get worse.	FACIT-Searchable Item Library Adult Version - Worry Infection Will Get Worse
C183777	FSIL0160	FSIL-Hidden Problem Others Not Notice	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have hidden this problem so others will not notice.	FACIT-Searchable Item Library Adult Version - Hidden Problem Others Not Notice
C183778	FSIL0161	FSIL-Concerns Ability Become Pregnant	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have concerns about my ability to become pregnant.	FACIT-Searchable Item Library Adult Version - Concerns Ability Become Pregnant
C183779	FSIL0162	FSIL-Worry About Attitudes Towards Me	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry about other people's attitudes towards me.	FACIT-Searchable Item Library Adult Version - Worry About Attitudes Towards Me
C183780	FSIL0163	FSIL-Embarrassed About the Infection	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel embarrassed about the infection.	FACIT-Searchable Item Library Adult Version - Embarrassed About the Infection
C183781	FSIL0164	FSIL-Blame Myself for the Infection	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I tend to blame myself for the infection.	FACIT-Searchable Item Library Adult Version - Blame Myself for the Infection
C183782	FSIL0165	FSIL-Careful Who I told About Infection	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I was careful who I told about the infection.	FACIT-Searchable Item Library Adult Version - Careful Who I told About Infection
C183783	FSIL0166	FSIL-Difficulty Telling Partner/Spouse	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have had difficulty telling my partner/spouse about the infection.	FACIT-Searchable Item Library Adult Version - Difficulty Telling Partner/Spouse
C183784	FSIL0167	FSIL-Frustrated by the Infection	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am frustrated by the infection.	FACIT-Searchable Item Library Adult Version - Frustrated by the Infection
C183785	FSIL0168	FSIL-I Have Pain in My Pelvic Area	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have pain in my pelvic area.	FACIT-Searchable Item Library Adult Version - I Have Pain in My Pelvic Area
C183786	FSIL0169	FSIL-Depressed About the Infection	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am depressed about the infection.	FACIT-Searchable Item Library Adult Version - Depressed About the Infection
C183787	FSIL0170	FSIL-Get Emotional Support Partner	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I get emotional support from my partner/spouse.	FACIT-Searchable Item Library Adult Version - Get Emotional Support Partner
C183788	FSIL0171	FSIL-Emotional Support Family Members	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I get emotional support from family members.	FACIT-Searchable Item Library Adult Version - Emotional Support Family Members
C183789	FSIL0172	FSIL-I Have Cramping in My Pelvic Area	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have cramping in my pelvic area.	FACIT-Searchable Item Library Adult Version - I Have Cramping in My Pelvic Area
C183790	FSIL0173	FSIL-Limit My Sexual Activity Infection	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have to limit my sexual activity because of the infection.	FACIT-Searchable Item Library Adult Version - Limit My Sexual Activity Infection
C183791	FSIL0174	FSIL-Worry About Spreading the Infection	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry about spreading the infection.	FACIT-Searchable Item Library Adult Version - Worry About Spreading the Infection

Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult				
C183792	FSIL0175	FSIL-Received Treatment That Was Right	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel that I received the treatment that was right for me.	FACIT-Searchable Item Library Adult Version - Received Treatment That Was Right
C183793	FSIL0176	FSIL-Doctor Gave Explanations Understand	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My doctor gave me explanations that I could understand.	FACIT-Searchable Item Library Adult Version - Doctor Gave Explanations Understand
C183794	FSIL0177	FSIL-Doctor Explained Possible Benefits	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My doctor explained the possible benefits of my treatment.	FACIT-Searchable Item Library Adult Version - Doctor Explained Possible Benefits
C183795	FSIL0178	FSIL-Can Manage Things Around Infection	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel that I can manage things that come up around this infection.	FACIT-Searchable Item Library Adult Version - Can Manage Things Around Infection
C183796	FSIL0179	FSIL-Able to Maintain My Balance	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am able to maintain my balance.	FACIT-Searchable Item Library Adult Version - Able to Maintain My Balance
C183797	FSIL0180	FSIL-Able to Walk	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am able to walk.	FACIT-Searchable Item Library Adult Version - Able to Walk
C183798	FSIL0181	FSIL-I Have Strength in My Arm(s)	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have strength in my arm(s).	FACIT-Searchable Item Library Adult Version - I Have Strength in My Arm(s)
C183799	FSIL0182	FSIL-I Have Strength in My Legs	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have strength in my legs.	FACIT-Searchable Item Library Adult Version - I Have Strength in My Legs
C183800	FSIL0183	FSIL-I Have Numbness in My Legs	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have numbness in my legs.	FACIT-Searchable Item Library Adult Version - I Have Numbness in My Legs
C183801	FSIL0184	FSIL-I Have Pain in My Back	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have pain in my back.	FACIT-Searchable Item Library Adult Version - I Have Pain in My Back
C183802	FSIL0185	FSIL-I Have Trouble Forming Thoughts	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have had trouble forming thoughts.	FACIT-Searchable Item Library Adult Version - I Have Trouble Forming Thoughts
C183803	FSIL0186	FSIL-My Thinking Has Been Slow	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My thinking has been slow.	FACIT-Searchable Item Library Adult Version - My Thinking Has Been Slow
C183804	FSIL0187	FSIL-Work Harder Than Usual to Track	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have had to work harder than usual to keep track of what I was doing.	FACIT-Searchable Item Library Adult Version - Work Harder Than Usual to Track
C183805	FSIL0188	FSIL-My Thinking Slower Than Usual	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My thinking has been slower than usual.	FACIT-Searchable Item Library Adult Version - My Thinking Slower Than Usual
C183806	FSIL0189	FSIL-Work Harder Than Usual to Express	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have had to work harder than usual to express myself clearly.	FACIT-Searchable Item Library Adult Version - Work Harder Than Usual to Express
C183807	FSIL0190	FSIL-Use Written Lists More Often	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have had to use written lists more often than usual so I would not forget things.	FACIT-Searchable Item Library Adult Version - Use Written Lists More Often
C183808	FSIL0191	FSIL-I Have Had Trouble Concentrating	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have had trouble concentrating.	FACIT-Searchable Item Library Adult Version - I Have Had Trouble Concentrating
C183809	FSIL0192	FSIL-Walked Into a Room and Forgotten	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have walked into a room and forgotten what I meant to get or do there.	FACIT-Searchable Item Library Adult Version - Walked Into a Room and Forgotten
C183810	FSIL0193	FSIL-Work Hard to Pay Attention	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have had to work really hard to pay attention or I would make a mistake.	FACIT-Searchable Item Library Adult Version - Work Hard to Pay Attention
C183811	FSIL0194	FSIL-Forgotten Names After Introduced	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have forgotten names of people soon after being introduced.	FACIT-Searchable Item Library Adult Version - Forgotten Names After Introduced

Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult				
C183812	FSIL0195	FSIL-Reaction Everyday Situations Slow	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My reactions in everyday situations have been slow.	FACIT-Searchable Item Library Adult Version - Reaction Everyday Situations Slow
C183813	FSIL0196	FSIL-Trouble Remember Where Put Things	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have had trouble remembering where I put things, like my keys or my wallet.	FACIT-Searchable Item Library Adult Version - Trouble Remember Where Put Things
C183814	FSIL0197	FSIL-Trouble Remembering New Info	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have had trouble remembering new information, like phone numbers or simple instructions.	FACIT-Searchable Item Library Adult Version - Trouble Remembering New Info
C183815	FSIL0198	FSIL-Trouble Finding Familiar Place	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have had trouble finding my way to a familiar place.	FACIT-Searchable Item Library Adult Version - Trouble Finding Familiar Place
C183816	FSIL0199	FSIL-Trouble Keeping Track Interrupted	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have trouble keeping track of what I am doing if I am interrupted.	FACIT-Searchable Item Library Adult Version - Trouble Keeping Track Interrupted
C183817	FSIL0200	FSIL-Trouble Shifting Back and Forth	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have trouble shifting back and forth between different activities that require thinking.	FACIT-Searchable Item Library Adult Version - Trouble Shifting Back and Forth
C183818	FSIL0201	FSIL-Told Me Trouble Remembering Info	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Other people have told me I seemed to have trouble remembering information.	FACIT-Searchable Item Library Adult Version - Told Me Trouble Remembering Info
C183819	FSIL0202	FSIL-Told Me Trouble Speaking Clearly	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Other people have told me I seemed to have trouble speaking clearly.	FACIT-Searchable Item Library Adult Version - Told Me Trouble Speaking Clearly
C183820	FSIL0203	FSIL-Told Me Trouble Thinking Clearly	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Other people have told me I seemed to have trouble thinking clearly.	FACIT-Searchable Item Library Adult Version - Told Me Trouble Thinking Clearly
C183821	FSIL0204	FSIL-People Told Me I Seemed Confused	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Other people have told me I seemed confused.	FACIT-Searchable Item Library Adult Version - People Told Me I Seemed Confused
C183822	FSIL0205	FSIL-I Have Been Able to Concentrate	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have been able to concentrate.	FACIT-Searchable Item Library Adult Version - I Have Been Able to Concentrate
C183823	FSIL0206	FSIL-Mind Is as Sharp as Always Been	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My mind is as sharp as it has always been.	FACIT-Searchable Item Library Adult Version - Mind Is as Sharp as Always Been
C183824	FSIL0207	FSIL-Memory Is as Good as Always Been	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My memory is as good as it has always been.	FACIT-Searchable Item Library Adult Version - Memory Is as Good as Always Been
C183825	FSIL0208	FSIL-Able to Pay Attention w/o Effort	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am able to pay attention and keep track of what I am doing without extra effort.	FACIT-Searchable Item Library Adult Version - Able to Pay Attention w/o Effort
C183826	FSIL0209	FSIL-Able Remember Things Where Left	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have been able to remember things, like where I left my keys or wallet.	FACIT-Searchable Item Library Adult Version - Able Remember Things Where Left
C183827	FSIL0210	FSIL-Able Remember to Do Things	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have been able to remember to do things, like take medicine or buy something I needed.	FACIT-Searchable Item Library Adult Version - Able Remember to Do Things
C183828	FSIL0211	FSIL-Able to Shift Between Activities	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am able to shift back and forth between two activities that require thinking.	FACIT-Searchable Item Library Adult Version - Able to Shift Between Activities
C183829	FSIL0212	FSIL-Able to Track What I Am Doing	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am able to keep track of what I am doing, even if I am interrupted.	FACIT-Searchable Item Library Adult Version - Able to Track What I Am Doing
C183830	FSIL0213	FSIL-Able to Bring to Mind Words	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have been able to bring to mind words that I wanted to use while talking to someone.	FACIT-Searchable Item Library Adult Version - Able to Bring to Mind Words

Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult				
C183831	FSIL0214	FSIL-I Have Been Upset About Problems	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have been upset about these problems.	FACIT-Searchable Item Library Adult Version - I Have Been Upset About Problems
C183832	FSIL0215	FSIL-Problems Interfered Ability Work	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: These problems have interfered with my ability to work.	FACIT-Searchable Item Library Adult Version - Problems Interfered Ability Work
C183833	FSIL0216	FSIL-Problems Interfered Ability Enjoy	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: These problems have interfered with my ability to do things I enjoy.	FACIT-Searchable Item Library Adult Version - Problems Interfered Ability Enjoy
C183834	FSIL0217	FSIL-Problems Interfered Quality Life	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: These problems have interfered with the quality of my life.	FACIT-Searchable Item Library Adult Version - Problems Interfered Quality Life
C183835	FSIL0218	FSIL-Trouble Recalling Name of Object	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have had trouble recalling the name of an object while talking to someone.	FACIT-Searchable Item Library Adult Version - Trouble Recalling Name of Object
C183836	FSIL0219	FSIL-Trouble Finding Right Words	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have had trouble finding the right word(s) to express myself.	FACIT-Searchable Item Library Adult Version - Trouble Finding Right Words
C183837	FSIL0220	FSIL-Used Wrong Word When Refer Object	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have used the wrong word when I referred to an object.	FACIT-Searchable Item Library Adult Version - Used Wrong Word When Refer Object
C183838	FSIL0221	FSIL-Trouble Saying What I Mean	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have had trouble saying what I mean in conversations with others.	FACIT-Searchable Item Library Adult Version - Trouble Saying What I Mean
C183839	FSIL0222	FSIL-Chemo Treatment Takes Up My Time	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Chemotherapy treatment takes up my time.	FACIT-Searchable Item Library Adult Version - Chemo Treatment Takes Up My Time
C183840	FSIL0223	FSIL-Satisfied With Results Chemo	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Are you satisfied with the current results of your chemotherapy?	FACIT-Searchable Item Library Adult Version - Satisfied With Results Chemo
C183841	FSIL0224	FSIL-Recommend Chemo to Others	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Would you recommend this chemotherapy to others with your illness?	FACIT-Searchable Item Library Adult Version - Recommend Chemo to Others
C183842	FSIL0225	FSIL-Choose This Chemo Again	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Would you choose this chemotherapy again?	FACIT-Searchable Item Library Adult Version - Choose This Chemo Again
C183843	FSIL0226	FSIL-Rate This Chemo	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: How would you rate this chemotherapy?	FACIT-Searchable Item Library Adult Version - Rate This Chemo
C183844	FSIL0227	FSIL-Chemo Takes Family Time	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My chemotherapy treatment takes up my family's time.	FACIT-Searchable Item Library Adult Version - Chemo Takes Family Time
C183845	FSIL0228	FSIL-Worry Side Effects From Chemo	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry about side effects from chemotherapy treatment.	FACIT-Searchable Item Library Adult Version - Worry Side Effects From Chemo
C183846	FSIL0229	FSIL-Chemo Causes Physical Pain	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My chemotherapy treatment causes me physical pain.	FACIT-Searchable Item Library Adult Version - Chemo Causes Physical Pain
C183847	FSIL0230	FSIL-Receiving Chemo Inconvenient	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Receiving chemotherapy is inconvenient.	FACIT-Searchable Item Library Adult Version - Receiving Chemo Inconvenient
C183848	FSIL0231	FSIL-Worry Chemo Not Effective	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry that my chemotherapy will not be effective.	FACIT-Searchable Item Library Adult Version - Worry Chemo Not Effective
C183849	FSIL0232	FSIL-Chemo Seems Harmful	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Chemotherapy treatment seems harmful to me.	FACIT-Searchable Item Library Adult Version - Chemo Seems Harmful

Functional Assessment of Chronic Illness Therapy-Searchable Item Library				
C183850	FSIL0233	FSIL-Chemo Schedule Is Stressful Me	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My chemotherapy schedule is stressful to me.	FACIT-Searchable Item Library Adult Version - Chemo Schedule Is Stressful Me
C183851	FSIL0234	FSIL-Chemo Schedule Is Stressful Family	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My chemotherapy schedule is stressful to my family.	FACIT-Searchable Item Library Adult Version - Chemo Schedule Is Stressful Family
C183852	FSIL0235	FSIL-Believe Chemo Take Up My Time	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I believe chemotherapy treatment will take up my time.	FACIT-Searchable Item Library Adult Version - Believe Chemo Take Up My Time
C183853	FSIL0236	FSIL-Believe Chemo Cause Physical Pain	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I believe my chemotherapy treatment will cause me physical pain.	FACIT-Searchable Item Library Adult Version - Believe Chemo Cause Physical Pain
C183854	FSIL0237	FSIL-Believe Chemo Inconvenient	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I believe receiving chemotherapy will be inconvenient.	FACIT-Searchable Item Library Adult Version - Believe Chemo Inconvenient
C183855	FSIL0238	FSIL-Believe Chemo Harmful to Me	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I believe chemotherapy treatment will be harmful to me.	FACIT-Searchable Item Library Adult Version - Believe Chemo Harmful to Me
C183856	FSIL0239	FSIL-Believe Chemo Schedule Stressful Me	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I believe my chemotherapy schedule will be stressful to me.	FACIT-Searchable Item Library Adult Version - Believe Chemo Schedule Stressful Me
C183857	FSIL0240	FSIL-Believe Chemo Sched Stress Family	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I believe my chemotherapy schedule will be stressful to my family.	FACIT-Searchable Item Library Adult Version - Believe Chemo Sched Stress Family
C183858	FSIL0241	FSIL-My Skin Itches	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My skin itches.	FACIT-Searchable Item Library Adult Version - My Skin Itches
C183859	FSIL0242	FSIL-Trouble Sleeping B/c Skin Condition	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have trouble sleeping because of my skin condition.	FACIT-Searchable Item Library Adult Version - Trouble Sleeping B/c Skin Condition
C183860	FSIL0243	FSIL-Family Bothered by Skin Condition	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My family is bothered by my skin condition.	FACIT-Searchable Item Library Adult Version - Family Bothered by Skin Condition
C183861	FSIL0244	FSIL-Difficulty Doing Things B/c of Skin	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have difficulty doing things with my hands because of the condition of my skin.	FACIT-Searchable Item Library Adult Version - Difficulty Doing Things B/c of Skin
C183862	FSIL0245	FSIL-Difficulty Walking B/c of Skin	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have difficulty walking because of my skin condition.	FACIT-Searchable Item Library Adult Version - Difficulty Walking B/c of Skin
C183863	FSIL0246	FSIL-Bothered Red/Pink Appearance Skin	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by the red or pink appearance of my skin.	FACIT-Searchable Item Library Adult Version - Bothered Red/Pink Appearance Skin
C183864	FSIL0247	FSIL-Bothered by Uncertainty Prognosis	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by uncertainty about my prognosis.	FACIT-Searchable Item Library Adult Version - Bothered by Uncertainty Prognosis
C183865	FSIL0248	FSIL-Tired Dealing With Skin Condition	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am tired of dealing with my skin condition.	FACIT-Searchable Item Library Adult Version - Tired Dealing With Skin Condition
C183866	FSIL0249	FSIL-Painful Lesions/Tumors on My Skin	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have painful lesions or tumors on my skin.	FACIT-Searchable Item Library Adult Version - Painful Lesions/Tumors on My Skin
C183867	FSIL0250	FSIL-Bothered Inconvenience Treat Skin	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by the inconvenience of treatment for my skin condition.	FACIT-Searchable Item Library Adult Version - Bothered Inconvenience Treat Skin

Functional Assessment of Chronic Illness Therapy-Searchable Item Library				
C183868	FSIL0251	FSIL-Skin Feels Sensitive or Raw	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My skin feels sensitive or "raw".	FACIT-Searchable Item Library Adult Version - Skin Feels Sensitive or Raw
C183869	FSIL0252	FSIL-Painful Cracks Skin on Hands/Feet	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have painful cracks in the skin on my hands or feet.	FACIT-Searchable Item Library Adult Version - Painful Cracks Skin on Hands/Feet
C183870	FSIL0253	FSIL-My Skin Feels Irritated	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My skin feels irritated.	FACIT-Searchable Item Library Adult Version - My Skin Feels Irritated
C183871	FSIL0254	FSIL-Worry Skin condition Get Worse	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry that my skin condition may get worse.	FACIT-Searchable Item Library Adult Version - Worry Skin condition Get Worse
C183872	FSIL0255	FSIL-Embarrassed by Appearance of Skin	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am embarrassed by the appearance of my skin.	FACIT-Searchable Item Library Adult Version - Embarrassed by Appearance of Skin
C183873	FSIL0256	FSIL-Frustrated by My Skin Condition	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am frustrated by my skin condition.	FACIT-Searchable Item Library Adult Version - Frustrated by My Skin Condition
C183874	FSIL0257	FSIL-Skin Is Dry or Flaky	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My skin is dry or "flaky".	FACIT-Searchable Item Library Adult Version - Skin Is Dry or Flaky
C183875	FSIL0258	FSIL-Bothered Discharge/Bleeding Vagina	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by discharge or bleeding from my vagina.	FACIT-Searchable Item Library Adult Version - Bothered Discharge/Bleeding Vagina
C183876	FSIL0259	FSIL-Bothered by Odor From Vagina	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by odor coming from my vagina.	FACIT-Searchable Item Library Adult Version - Bothered by Odor From Vagina
C183877	FSIL0260	FSIL-Afraid to Have Sex	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am afraid to have sex.	FACIT-Searchable Item Library Adult Version - Afraid to Have Sex
C183878	FSIL0261	FSIL-Vagina Feels Too Narrow/Short	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My vagina feels too narrow or short.	FACIT-Searchable Item Library Adult Version - Vagina Feels Too Narrow/Short
C183879	FSIL0262	FSIL-Afraid Treatment May Harm Body	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am afraid the treatment may harm my body.	FACIT-Searchable Item Library Adult Version - Afraid Treatment May Harm Body
C183880	FSIL0263	FSIL-Bothered by Constipation	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by constipation.	FACIT-Searchable Item Library Adult Version - Bothered by Constipation
C183881	FSIL0264	FSIL-I Have Discomfort When I Urinate	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have discomfort when I urinate.	FACIT-Searchable Item Library Adult Version - I Have Discomfort When I Urinate
C183882	FSIL0265	FSIL-Limit Social Activity B/c Diarrhea	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have to limit my social activity because of diarrhea (diarrhoea).	FACIT-Searchable Item Library Adult Version - Limit Social Activity B/c Diarrhea
C183883	FSIL0266	FSIL-Limit Physical Activ B/c Diarrhea	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have to limit my physical activity because of diarrhea (diarrhoea).	FACIT-Searchable Item Library Adult Version - Limit Physical Activ B/c Diarrhea
C183884	FSIL0267	FSIL-Limit Sexual Activity B/c Diarrhea	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have to limit my sexual activity because of diarrhea (diarrhoea).	FACIT-Searchable Item Library Adult Version - Limit Sexual Activity B/c Diarrhea
C183885	FSIL0268	FSIL-Embarrassed by Having Diarrhea	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am embarrassed by having diarrhea (diarrhoea).	FACIT-Searchable Item Library Adult Version - Embarrassed by Having Diarrhea
C183886	FSIL0269	FSIL-Abdominal Cramps Diarrhea	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have abdominal cramps or discomfort due to my diarrhea (diarrhoea).	FACIT-Searchable Item Library Adult Version - Abdominal Cramps Diarrhea

Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult Version				
C183887	FSIL0270	FSIL-Diarrhea Keeps/Wakes Me Up at Night	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My problem with diarrhea (diarrhoea) keeps/wakes me up at night.	FACIT-Searchable Item Library Adult Version - Diarrhea Keeps/Wakes Me Up at Night
C183888	FSIL0271	FSIL-Dressing Yourself Without Help	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Dressing yourself without help.	FACIT-Searchable Item Library Adult Version - Dressing Yourself Without Help
C183889	FSIL0272	FSIL-Walking 50 Steps Flat Normal Speed	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Walking 50 steps/paces on flat ground at a normal speed without stopping.	FACIT-Searchable Item Library Adult Version - Walking 50 Steps Flat Normal Speed
C183890	FSIL0273	FSIL-Walking Up 20 Stairs w/o Stopping	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Walking up 20 stairs (2 flights) without stopping.	FACIT-Searchable Item Library Adult Version - Walking Up 20 Stairs w/o Stopping
C183891	FSIL0274	FSIL-Preparing Meals	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Preparing meals.	FACIT-Searchable Item Library Adult Version - Preparing Meals
C183892	FSIL0275	FSIL-Washing Dishes	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Washing dishes.	FACIT-Searchable Item Library Adult Version - Washing Dishes
C183893	FSIL0276	FSIL-Sweeping/Mopping	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Sweeping or mopping.	FACIT-Searchable Item Library Adult Version - Sweeping/Mopping
C183894	FSIL0277	FSIL-Making a Bed	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Making a bed.	FACIT-Searchable Item Library Adult Version - Making a Bed
C183895	FSIL0278	FSIL-Lifting 10-20 Lbs	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Lifting something weighing 10-20 lbs (about 4.5-9kg, like a large bag of groceries).	FACIT-Searchable Item Library Adult Version - Lifting 10-20 Lbs
C183896	FSIL0279	FSIL-Carrying 10-20 Lbs	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Carrying something weighing 10-20 lbs (about 4.5-9kg, like a large bag of groceries) from one room to another.	FACIT-Searchable Item Library Adult Version - Carrying 10-20 Lbs
C183897	FSIL0280	FSIL-Walking for 1/2 Mile w/o Stopping	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Walking (faster than your usual speed) for 1/2 mile (almost 1 km) without stopping.	FACIT-Searchable Item Library Adult Version - Walking for 1/2 Mile w/o Stopping
C183898	FSIL0281	FSIL-Difficulty Swallowing Solid Foods	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have difficulty swallowing solid foods.	FACIT-Searchable Item Library Adult Version - Difficulty Swallowing Solid Foods
C183899	FSIL0282	FSIL-Difficulty Swallowing Soft Foods	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have difficulty swallowing soft or mashed foods.	FACIT-Searchable Item Library Adult Version - Difficulty Swallowing Soft Foods
C183900	FSIL0283	FSIL-Difficulty Swallowing Liquids	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have difficulty swallowing liquids.	FACIT-Searchable Item Library Adult Version - Difficulty Swallowing Liquids
C183901	FSIL0284	FSIL-Pain in My Chest When I Swallow	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have pain in my chest when I swallow.	FACIT-Searchable Item Library Adult Version - Pain in My Chest When I Swallow
C183902	FSIL0285	FSIL-I Choke When I Swallow	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I choke when I swallow.	FACIT-Searchable Item Library Adult Version - I Choke When I Swallow
C183903	FSIL0286	FSIL-Enjoy Meals With Family/Friends	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am able to enjoy meals with family or friends.	FACIT-Searchable Item Library Adult Version - Enjoy Meals With Family/Friends
C183904	FSIL0287	FSIL-Wake at Night Because of Coughing	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I wake at night because of coughing.	FACIT-Searchable Item Library Adult Version - Wake at Night Because of Coughing
C183905	FSIL0288	FSIL-Pleasant Feel Fullness Tube Feeding	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I experience a pleasant feeling of fullness during or after my tube feeding.	FACIT-Searchable Item Library Adult Version - Pleasant Feel Fullness Tube Feeding

Functional Assessment of Chronic Illness Therapy-Searchable Item Library				
C183906	FSIL0289	FSIL-I Have the Desire to Eat	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have the desire to eat.	FACIT-Searchable Item Library Adult Version - I Have the Desire to Eat
C183907	FSIL0290	FSIL-Worry Feeding Tube Health Is Worse	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry that having a feeding tube means my health is worse.	FACIT-Searchable Item Library Adult Version - Worry Feeding Tube Health Is Worse
C183908	FSIL0291	FSIL-Worry Tube Coming Out by Accident	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry about the tube coming out by accident.	FACIT-Searchable Item Library Adult Version - Worry Tube Coming Out by Accident
C183909	FSIL0292	FSIL-Worry Tube Getting Plugged/Blocked	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry about the tube getting plugged or blocked.	FACIT-Searchable Item Library Adult Version - Worry Tube Getting Plugged/Blocked
C183910	FSIL0293	FSIL-Worry Infection From Feeding Tube	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry about getting an infection from the feeding tube.	FACIT-Searchable Item Library Adult Version - Worry Infection From Feeding Tube
C183911	FSIL0294	FSIL-Worry Losing Weight Feeding Tube	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry about losing weight because I have a feeding tube.	FACIT-Searchable Item Library Adult Version - Worry Losing Weight Feeding Tube
C183912	FSIL0295	FSIL-Lost Food Choices Feeding Tube	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel that I have lost control of my food choices because I have a feeding tube.	FACIT-Searchable Item Library Adult Version - Lost Food Choices Feeding Tube
C183913	FSIL0296	FSIL-Dependent on Others Feeding Tube	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel dependent on others because I have a feeding tube.	FACIT-Searchable Item Library Adult Version - Dependent on Others Feeding Tube
C183914	FSIL0297	FSIL-Left Out When Others Are Eating	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel left out when others are eating.	FACIT-Searchable Item Library Adult Version - Left Out When Others Are Eating
C183915	FSIL0298	FSIL-Confident Nutrition Feeding Tube	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am more confident about my nutrition because of my feeding tube.	FACIT-Searchable Item Library Adult Version - Confident Nutrition Feeding Tube
C183916	FSIL0299	FSIL-Uncomfortably Full Tube Feeding	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel uncomfortably full during or after my tube feeding.	FACIT-Searchable Item Library Adult Version - Uncomfortably Full Tube Feeding
C183917	FSIL0300	FSIL-Feeding Tube Was Right Decision	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Getting a feeding tube was the right decision for me.	FACIT-Searchable Item Library Adult Version - Feeding Tube Was Right Decision
C183918	FSIL0301	FSIL-Constipation Dur/After Tube Feeding	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have constipation during or after my tube feeding.	FACIT-Searchable Item Library Adult Version - Constipation Dur/After Tube Feeding
C183919	FSIL0302	FSIL-Vomiting Dur/After Tube Feeding	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I experience vomiting during or after my tube feeding.	FACIT-Searchable Item Library Adult Version - Vomiting Dur/After Tube Feeding
C183920	FSIL0303	FSIL-Tube Feed Limits Do Inside House	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Tube feeding limits what I can do inside the house (for example housework, watching TV or reading).	FACIT-Searchable Item Library Adult Version - Tube Feed Limits Do Inside House
C183921	FSIL0304	FSIL-Tube Feeding Limits Do Outside	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Tube feeding limits what I can do outside of the house (for example shopping, driving or yard work).	FACIT-Searchable Item Library Adult Version - Tube Feeding Limits Do Outside
C183922	FSIL0305	FSIL-Tube Feeding Limits Activities	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Tube feeding limits my activities with my friends.	FACIT-Searchable Item Library Adult Version - Tube Feeding Limits Activities
C183923	FSIL0306	FSIL-Dur Tube Feeding Eat/Drink by Mouth	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: During the use of tube feeding, I can eat and drink by mouth.	FACIT-Searchable Item Library Adult Version - Dur Tube Feeding Eat/Drink by Mouth
C183924	FSIL0307	FSIL-Miss Food/Drink Mouth Feeding Tube	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I miss being able to take more food or drink by mouth now that I have a feeding tube.	FACIT-Searchable Item Library Adult Version - Miss Food/Drink Mouth Feeding Tube

Functional Assessment of Chronic Illness Therapy-Searchable Item Library				
C183925	FSIL0308	FSIL-Trouble Digesting Food	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have trouble digesting food.	FACIT-Searchable Item Library Adult Version - Trouble Digesting Food
C183926	FSIL0309	FSIL-Discomfort/Pain in My Pelvic Area	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have discomfort or pain in my pelvic area.	FACIT-Searchable Item Library Adult Version - Discomfort/Pain in My Pelvic Area
C183927	FSIL0310	FSIL-I Have Hot Flashes/Hot Flushes	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have hot flashes/hot flushes.	FACIT-Searchable Item Library Adult Version - I Have Hot Flashes/Hot Flushes
C183928	FSIL0311	FSIL-I Have Gained Weight	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have gained weight.	FACIT-Searchable Item Library Adult Version - I Have Gained Weight
C183929	FSIL0312	FSIL-Have Breast Sensitivity/Tenderness	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have breast sensitivity/tenderness.	FACIT-Searchable Item Library Adult Version - Have Breast Sensitivity/Tenderness
C183930	FSIL0313	FSIL-I Have Mood Swings	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have mood swings.	FACIT-Searchable Item Library Adult Version - I Have Mood Swings
C183931	FSIL0314	FSIL-Irritable	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am irritable.	FACIT-Searchable Item Library Adult Version - Irritable
C183932	FSIL0315	FSIL-I Have Cold Sweats	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have cold sweats.	FACIT-Searchable Item Library Adult Version - I Have Cold Sweats
C183933	FSIL0316	FSIL-I Have Night Sweats	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have night sweats.	FACIT-Searchable Item Library Adult Version - I Have Night Sweats
C183934	FSIL0317	FSIL-I Have Vaginal Discharge	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have vaginal discharge.	FACIT-Searchable Item Library Adult Version - I Have Vaginal Discharge
C183935	FSIL0318	FSIL-I Have Vaginal Itching/Irritation	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have vaginal itching/irritation.	FACIT-Searchable Item Library Adult Version - I Have Vaginal Itching/Irritation
C183936	FSIL0319	FSIL-I Have Vaginal Bleeding or Spotting	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have vaginal bleeding or spotting.	FACIT-Searchable Item Library Adult Version - I Have Vaginal Bleeding or Spotting
C183937	FSIL0320	FSIL-I Have Vaginal Dryness	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have vaginal dryness.	FACIT-Searchable Item Library Adult Version - I Have Vaginal Dryness
C183938	FSIL0321	FSIL-Have Pain/Discomfort w/Intercourse	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have pain or discomfort with intercourse.	FACIT-Searchable Item Library Adult Version - Have Pain/Discomfort w/Intercourse
C183939	FSIL0322	FSIL-I Have Lost Interest in Sex	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have lost interest in sex.	FACIT-Searchable Item Library Adult Version - I Have Lost Interest in Sex
C183940	FSIL0323	FSIL-Enough Money to Cover Treatment	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I know that I have enough money in savings, retirement, or assets to cover the costs of my treatment.	FACIT-Searchable Item Library Adult Version - Enough Money to Cover Treatment
C183941	FSIL0324	FSIL-Reduced Satisfaction Financial	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My cancer or treatment has reduced my satisfaction with my present financial situation.	FACIT-Searchable Item Library Adult Version - Reduced Satisfaction Financial
C183942	FSIL0325	FSIL-In control of Financial Situation	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel in control of my financial situation.	FACIT-Searchable Item Library Adult Version - In control of Financial Situation
C183943	FSIL0326	FSIL-Illness a Financial Hardship	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My illness has been a financial hardship to my family and me.	FACIT-Searchable Item Library Adult Version - Illness a Financial Hardship
C183944	FSIL0327	FSIL-Medical Expense More Than I Thought	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My out-of-pocket medical expenses are more than I thought they would be.	FACIT-Searchable Item Library Adult Version - Medical Expense More Than I Thought

Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult				
C183945	FSIL0328	FSIL-Worry Financial Problems in Future	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry about the financial problems I will have in the future as a result of my illness or treatment.	FACIT-Searchable Item Library Adult Version - Worry Financial Problems in Future
C183946	FSIL0329	FSIL-No Choice Money Spend on Care	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel I have no choice about the amount of money I spend on care.	FACIT-Searchable Item Library Adult Version - No Choice Money Spend on Care
C183947	FSIL0330	FSIL-Frustrated Cannot Work as Usual	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am frustrated that I cannot work or contribute as much as I usually do.	FACIT-Searchable Item Library Adult Version - Frustrated Cannot Work as Usual
C183948	FSIL0331	FSIL-Satisfied With Financial Situation	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am satisfied with my current financial situation.	FACIT-Searchable Item Library Adult Version - Satisfied With Financial Situation
C183949	FSIL0332	FSIL-Able to Meet My Monthly Expenses	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am able to meet my monthly expenses.	FACIT-Searchable Item Library Adult Version - Able to Meet My Monthly Expenses
C183950	FSIL0333	FSIL-Feel Financially Stressed	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel financially stressed.	FACIT-Searchable Item Library Adult Version - Feel Financially Stressed
C183951	FSIL0334	FSIL-Concerned Keeping My Job and Income	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am concerned about keeping my job and income, including work at home.	FACIT-Searchable Item Library Adult Version - Concerned Keeping My Job and Income
C183952	FSIL0335	FSIL-I Have a Loss of Appetite	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have a loss of appetite.	FACIT-Searchable Item Library Adult Version - I Have a Loss of Appetite
C183953	FSIL0336	FSIL-Digestive Problems Interfere Activ	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My digestive problems interfere with my usual activities.	FACIT-Searchable Item Library Adult Version - Digestive Problems Interfere Activ
C183954	FSIL0337	FSIL-Have Trouble Swallowing Food	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have trouble swallowing food.	FACIT-Searchable Item Library Adult Version - Have Trouble Swallowing Food
C183955	FSIL0338	FSIL-Bothered by Gas	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by gas (flatulence).	FACIT-Searchable Item Library Adult Version - Bothered by Gas
C183956	FSIL0339	FSIL-Bothered by Reflux or Heartburn	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by reflux or heartburn.	FACIT-Searchable Item Library Adult Version - Bothered by Reflux or Heartburn
C183957	FSIL0340	FSIL-Bothered by Change in Eating Habits	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by a change in my eating habits.	FACIT-Searchable Item Library Adult Version - Bothered by Change in Eating Habits
C183958	FSIL0341	FSIL-Fullness/Heaviness in Stomach Area	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have a feeling of fullness or heaviness in my stomach area.	FACIT-Searchable Item Library Adult Version - Fullness/Heaviness in Stomach Area
C183959	FSIL0342	FSIL-Discomfort or Pain When I Eat	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have discomfort or pain when I eat.	FACIT-Searchable Item Library Adult Version - Discomfort or Pain When I Eat
C183960	FSIL0343	FSIL-Stomach Problems That Worry Me	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have stomach problems that worry me.	FACIT-Searchable Item Library Adult Version - Stomach Problems That Worry Me
C183961	FSIL0344	FSIL-Avoid Going Out to Eat B/c Illness	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I avoid going out to eat because of my illness.	FACIT-Searchable Item Library Adult Version - Avoid Going Out to Eat B/c Illness
C183962	FSIL0345	FSIL-I Feel Sad	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel sad.	FACIT-Searchable Item Library Adult Version - I Feel Sad

Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult				
C183963	FSIL0346	FSIL-Satisfied With How I Am Coping	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am satisfied with how I am coping with my illness.	FACIT-Searchable Item Library Adult Version - Satisfied With How I Am Coping
C183964	FSIL0347	FSIL-Losing Hope Fight Against Illness	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am losing hope in the fight against my illness.	FACIT-Searchable Item Library Adult Version - Losing Hope Fight Against Illness
C183965	FSIL0348	FSIL-I Feel Nervous	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel nervous.	FACIT-Searchable Item Library Adult Version - I Feel Nervous
C183966	FSIL0349	FSIL-I Worry About Dying	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry about dying.	FACIT-Searchable Item Library Adult Version - I Worry About Dying
C183967	FSIL0350	FSIL-Worry My Condition Will Get Worse	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry that my condition will get worse.	FACIT-Searchable Item Library Adult Version - Worry My Condition Will Get Worse
C183968	FSIL0351	FSIL-Able to Work	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am able to work (include work at home).	FACIT-Searchable Item Library Adult Version - Able to Work
C183969	FSIL0352	FSIL-My Work Is Fulfilling	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My work (include work at home) is fulfilling.	FACIT-Searchable Item Library Adult Version - My Work Is Fulfilling
C183970	FSIL0353	FSIL-Able to Enjoy Life	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am able to enjoy life.	FACIT-Searchable Item Library Adult Version - Able to Enjoy Life
C183971	FSIL0354	FSIL-I Have Accepted My Illness	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have accepted my illness.	FACIT-Searchable Item Library Adult Version - I Have Accepted My Illness
C183972	FSIL0355	FSIL-Sleeping Well	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am sleeping well.	FACIT-Searchable Item Library Adult Version - Sleeping Well
C183973	FSIL0356	FSIL-Enjoy Things I Usually Do for Fun	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am enjoying the things I usually do for fun.	FACIT-Searchable Item Library Adult Version - Enjoy Things I Usually Do for Fun
C183974	FSIL0357	FSIL-Content With Quality of My Life Now	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am content with the quality of my life right now.	FACIT-Searchable Item Library Adult Version - Content With Quality of My Life Now
C183975	FSIL0358	FSIL-I Have a Lack of Energy	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have a lack of energy.	FACIT-Searchable Item Library Adult Version - I Have a Lack of Energy
C183976	FSIL0359	FSIL-I Have Nausea	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have nausea.	FACIT-Searchable Item Library Adult Version - I Have Nausea
C183977	FSIL0360	FSIL-Trouble Meeting Needs of Family	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Because of my physical condition, I have trouble meeting the needs of my family.	FACIT-Searchable Item Library Adult Version - Trouble Meeting Needs of Family
C183978	FSIL0361	FSIL-I Have Pain	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have pain.	FACIT-Searchable Item Library Adult Version - I Have Pain
C183979	FSIL0362	FSIL-Bothered by Side Effects Treatment	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by side effects of treatment.	FACIT-Searchable Item Library Adult Version - Bothered by Side Effects Treatment
C183980	FSIL0363	FSIL-I Feel Ill	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel ill.	FACIT-Searchable Item Library Adult Version - I Feel Ill
C183981	FSIL0364	FSIL-Forced to Spend Time in Bed	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am forced to spend time in bed.	FACIT-Searchable Item Library Adult Version - Forced to Spend Time in Bed
C183982	FSIL0365	FSIL-Believe Bothered by Side Effects	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I believe I will be bothered by side effects of treatment.	FACIT-Searchable Item Library Adult Version - Believe Bothered by Side Effects

Functional Assessment of Chronic Illness Therapy-Searchable Item Library				
C183983	FSIL0366	FSIL-I Have Confidence in My Doctor(s)	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have confidence in my doctor(s).	FACIT-Searchable Item Library Adult Version - I Have Confidence in My Doctor(s)
C183984	FSIL0367	FSIL-Doctor Available Answer Questions	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My doctor is available to answer my questions.	FACIT-Searchable Item Library Adult Version - Doctor Available Answer Questions
C183985	FSIL0368	FSIL-I Feel Close to My Friends	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel close to my friends.	FACIT-Searchable Item Library Adult Version - I Feel Close to My Friends
C183986	FSIL0369	FSIL-Emotional Support From My Family	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I get emotional support from my family.	FACIT-Searchable Item Library Adult Version - Emotional Support From My Family
C183987	FSIL0370	FSIL-I Get Support From My Friends	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I get support from my friends.	FACIT-Searchable Item Library Adult Version - I Get Support From My Friends
C183988	FSIL0371	FSIL-My Family Has Accepted My Illness	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My family has accepted my illness.	FACIT-Searchable Item Library Adult Version - My Family Has Accepted My Illness
C183989	FSIL0372	FSIL-Satisfied Communication Illness	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am satisfied with family communication about my illness.	FACIT-Searchable Item Library Adult Version - Satisfied Communication Illness
C183990	FSIL0373	FSIL-I Feel Close to My Partner	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel close to my partner (or the person who is my main support).	FACIT-Searchable Item Library Adult Version - I Feel Close to My Partner
C183991	FSIL0374	FSIL-Satisfied With My Sex Life	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am satisfied with my sex life.	FACIT-Searchable Item Library Adult Version - Satisfied With My Sex Life
C183992	FSIL0375	FSIL-I Feel Close to My Family	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel close to my family.	FACIT-Searchable Item Library Adult Version - I Feel Close to My Family
C183993	FSIL0376	FSIL-Family Is Well Despite My Illness	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My family is doing well despite my illness.	FACIT-Searchable Item Library Adult Version - Family Is Well Despite My Illness
C183994	FSIL0377	FSIL-Illness Caused Problems w/ Sex Life	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My illness or treatment has caused problems with my sex life.	FACIT-Searchable Item Library Adult Version - Illness Caused Problems w/ Sex Life
C183995	FSIL0378	FSIL-Unhappy About Change in My Appear	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am unhappy about a change in my appearance.	FACIT-Searchable Item Library Adult Version - Unhappy About Change in My Appear
C183996	FSIL0379	FSIL-Bothered by Jaundice/Yellow Skin	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by jaundice or yellow color to my skin.	FACIT-Searchable Item Library Adult Version - Bothered by Jaundice/Yellow Skin
C183997	FSIL0380	FSIL-I Have Had Fevers	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have had fevers (episodes of high body temperature).	FACIT-Searchable Item Library Adult Version - I Have Had Fevers
C183998	FSIL0381	FSIL-I Have Had Itching	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have had itching.	FACIT-Searchable Item Library Adult Version - I Have Had Itching
C183999	FSIL0382	FSIL-Had Change in the Way Food Tastes	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have had a change in the way food tastes.	FACIT-Searchable Item Library Adult Version - Had Change in the Way Food Tastes
C184000	FSIL0383	FSIL-I Have Had Chills	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have had chills.	FACIT-Searchable Item Library Adult Version - I Have Had Chills
C184001	FSIL0384	FSIL-Discomfort/Pain in Stomach Area	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have discomfort or pain in my stomach area.	FACIT-Searchable Item Library Adult Version - Discomfort/Pain in Stomach Area

Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult				
C184002	FSIL0385	FSIL-Unhappy With My Appearance	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am unhappy with my appearance.	FACIT-Searchable Item Library Adult Version - Unhappy With My Appearance
C184003	FSIL0386	FSIL-Embarrassed by My Illness	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am embarrassed by my illness.	FACIT-Searchable Item Library Adult Version - Embarrassed by My Illness
C184004	FSIL0387	FSIL-Hopeful About the Future	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am hopeful about the future.	FACIT-Searchable Item Library Adult Version - Hopeful About the Future
C184005	FSIL0388	FSIL-I Feel Weak All Over	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel weak all over.	FACIT-Searchable Item Library Adult Version - I Feel Weak All Over
C184006	FSIL0389	FSIL-Hard to Tell People About Infection	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: It is hard to tell other people about my infection.	FACIT-Searchable Item Library Adult Version - Hard to Tell People About Infection
C184007	FSIL0390	FSIL-Have People to Help Me if I Need It	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have people to help me if I need it.	FACIT-Searchable Item Library Adult Version - Have People to Help Me if I Need It
C184008	FSIL0391	FSIL-Worry About Spreading My Infection	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry about spreading my infection.	FACIT-Searchable Item Library Adult Version - Worry About Spreading My Infection
C184009	FSIL0392	FSIL-Concerned What the Future Holds	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am concerned about what the future holds for me.	FACIT-Searchable Item Library Adult Version - Concerned What the Future Holds
C184010	FSIL0393	FSIL-I Feel Motivated to Do Things	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel motivated to do things.	FACIT-Searchable Item Library Adult Version - I Feel Motivated to Do Things
C184011	FSIL0394	FSIL-I Feel Fatigued	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel fatigued.	FACIT-Searchable Item Library Adult Version - I Feel Fatigued
C184012	FSIL0395	FSIL-I Have Trouble Concentrating	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have trouble concentrating.	FACIT-Searchable Item Library Adult Version - I Have Trouble Concentrating
C184013	FSIL0396	FSIL-I Have Trouble Remembering Things	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have trouble remembering things.	FACIT-Searchable Item Library Adult Version - I Have Trouble Remembering Things
C184014	FSIL0397	FSIL-Able to Eat the Foods That I Like	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am able to eat the foods that I like.	FACIT-Searchable Item Library Adult Version - Able to Eat the Foods That I Like
C184015	FSIL0398	FSIL-Able to Communicate With Others	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am able to communicate with others.	FACIT-Searchable Item Library Adult Version - Able to Communicate With Others
C184016	FSIL0399	FSIL-I Can Eat Solid Foods	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I can eat solid foods.	FACIT-Searchable Item Library Adult Version - I Can Eat Solid Foods
C184017	FSIL0400	FSIL-Pain in My Mouth, Throat or Neck	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have pain in my mouth, throat or neck.	FACIT-Searchable Item Library Adult Version - Pain in My Mouth, Throat or Neck
C184018	FSIL0401	FSIL-My Mouth Is Dry	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My mouth is dry.	FACIT-Searchable Item Library Adult Version - My Mouth Is Dry
C184019	FSIL0402	FSIL-I Have Trouble Breathing	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have trouble breathing.	FACIT-Searchable Item Library Adult Version - I Have Trouble Breathing
C184020	FSIL0403	FSIL-Voice Has Usual Quality & Strength	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My voice has its usual quality and strength.	FACIT-Searchable Item Library Adult Version - Voice Has Usual Quality & Strength
C184021	FSIL0404	FSIL-Able to Eat as Much Food as I Want	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am able to eat as much food as I want.	FACIT-Searchable Item Library Adult Version - Able to Eat as Much Food as I Want

Functional Assessment of Chronic Illness Therapy-Searchable Item Library				
C184022	FSIL0405	FSIL-Unhappy With How Face & Neck Look	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am unhappy with how my face and neck look.	FACIT-Searchable Item Library Adult Version - Unhappy With How Face & Neck Look
C184023	FSIL0406	FSIL-Can Swallow Naturally and Easily	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I can swallow naturally and easily.	FACIT-Searchable Item Library Adult Version - Can Swallow Naturally and Easily
C184024	FSIL0407	FSIL-Smoke Cigarettes/Other Tobacco	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I smoke cigarettes or other tobacco products.	FACIT-Searchable Item Library Adult Version - Smoke Cigarettes/Other Tobacco
C184025	FSIL0408	FSIL-I Drink Alcohol	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I drink alcohol (e.g. beer, wine, etc.).	FACIT-Searchable Item Library Adult Version - I Drink Alcohol
C184026	FSIL0409	FSIL-I Have Been Bothered by Diarrhea	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have been bothered by diarrhea (diarrhoea).	FACIT-Searchable Item Library Adult Version - I Have Been Bothered by Diarrhea
C184027	FSIL0410	FSIL-Bothered by Blistering of My Skin	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by blistering of my skin.	FACIT-Searchable Item Library Adult Version - Bothered by Blistering of My Skin
C184028	FSIL0411	FSIL-I Have Been Wheezing	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have been wheezing (whistling sound when I breathe).	FACIT-Searchable Item Library Adult Version - I Have Been Wheezing
C184029	FSIL0412	FSIL-Stiffness/Tightness in My Joints	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have stiffness or tightness in my joints.	FACIT-Searchable Item Library Adult Version - Stiffness/Tightness in My Joints
C184030	FSIL0413	FSIL-Joint Stiffness/Tight Limits Activ	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Joint stiffness or tightness limits my usual activities.	FACIT-Searchable Item Library Adult Version - Joint Stiffness/Tight Limits Activ
C184031	FSIL0414	FSIL-Joint Pain Limits My Usual Activ	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Joint pain limits my usual activities.	FACIT-Searchable Item Library Adult Version - Joint Pain Limits My Usual Activ
C184032	FSIL0415	FSIL-I Have Episodes of Heart Racing	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have episodes of heart racing.	FACIT-Searchable Item Library Adult Version - I Have Episodes of Heart Racing
C184033	FSIL0416	FSIL-My Eyes Feel Sandy or Gritty	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My eyes feel sandy or gritty.	FACIT-Searchable Item Library Adult Version - My Eyes Feel Sandy or Gritty
C184034	FSIL0417	FSIL-I Have Pain in My Sinus Area	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have pain in my sinus area.	FACIT-Searchable Item Library Adult Version - I Have Pain in My Sinus Area
C184035	FSIL0418	FSIL-Bothered by Dry Skin	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by dry skin.	FACIT-Searchable Item Library Adult Version - Bothered by Dry Skin
C184036	FSIL0419	FSIL-Bothered by Vitiligo	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by vitiligo (white patches appearing on my skin).	FACIT-Searchable Item Library Adult Version - Bothered by Vitiligo
C184037	FSIL0420	FSIL-Pain/Soreness/Aches in Some Muscles	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel pain, soreness or aches in some of my muscles.	FACIT-Searchable Item Library Adult Version - Pain/Soreness/Aches in Some Muscles
C184038	FSIL0421	FSIL-Worry Neg Impacts Long-term Health	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry about negative impacts that my treatment may have upon my long-term health.	FACIT-Searchable Item Library Adult Version - Worry Neg Impacts Long-term Health
C184039	FSIL0422	FSIL-Bothered by Short-term Reactions	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by short-term treatment reactions that I experience immediately after, or within 24 hours of, an infusion (such as chills, dizziness, hives, rashes lasting no more than 24 hours).	FACIT-Searchable Item Library Adult Version - Bothered by Short-term Reactions
C184040	FSIL0423	FSIL-Troubled Not Knowing Side Effects	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am troubled by not knowing when exactly my side effects will happen, how long they will last and how bad they will be.	FACIT-Searchable Item Library Adult Version - Troubled Not Knowing Side Effects

Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult				
C184041	FSIL0424	FSIL-Bothered New Allergy-like Reactions	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by new allergy-like reactions (e.g., to foods, insects, pollen).	FACIT-Searchable Item Library Adult Version - Bothered New Allergy-like Reactions
C184042	FSIL0425	FSIL-Bothered by Cracking/Peeling Skin	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by cracking or peeling of my skin.	FACIT-Searchable Item Library Adult Version - Bothered by Cracking/Peeling Skin
C184043	FSIL0426	FSIL-Move My Bowels More Than Usual	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I move my bowels more frequently than usual.	FACIT-Searchable Item Library Adult Version - Move My Bowels More Than Usual
C184044	FSIL0427	FSIL-Condition Wakes/Keeps Me Up Night	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My condition wakes or keeps me up at night.	FACIT-Searchable Item Library Adult Version - Condition Wakes/Keeps Me Up Night
C184045	FSIL0428	FSIL-Move Bowels Freq to Avoid Accidents	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I must move my bowels frequently to avoid accidents.	FACIT-Searchable Item Library Adult Version - Move Bowels Freq to Avoid Accidents
C184046	FSIL0429	FSIL-Far From Home/Work W/o Fear Soilage	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I can be far from home/work without fearing soilage.	FACIT-Searchable Item Library Adult Version - Far From Home/Work W/o Fear Soilage
C184047	FSIL0430	FSIL-Wear Pads/Protect Prevent Soiling	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I wear pads or protection to prevent soiling my underwear.	FACIT-Searchable Item Library Adult Version - Wear Pads/Protect Prevent Soiling
C184048	FSIL0431	FSIL-Comfortable Discuss Cond w/Friends	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am comfortable discussing my condition with friends.	FACIT-Searchable Item Library Adult Version - Comfortable Discuss Cond w/Friends
C184049	FSIL0432	FSIL-Afraid to Be Far From a Toilet	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am afraid to be far from a toilet.	FACIT-Searchable Item Library Adult Version - Afraid to Be Far From a Toilet
C184050	FSIL0433	FSIL-Limit My Social Activity	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have to limit my social activity because of my condition.	FACIT-Searchable Item Library Adult Version - Limit My Social Activity
C184051	FSIL0434	FSIL-Limit Physical Activ B/c Condition	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have to limit my physical activity because of my condition.	FACIT-Searchable Item Library Adult Version - Limit Physical Activ B/c Condition
C184052	FSIL0435	FSIL-Limit Sexual Activ B/c Condition	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have to limit my sexual activity because of my condition.	FACIT-Searchable Item Library Adult Version - Limit Sexual Activ B/c Condition
C184053	FSIL0436	FSIL-Embarrassed by My Condition	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am embarrassed by my condition.	FACIT-Searchable Item Library Adult Version - Embarrassed by My Condition
C184054	FSIL0437	FSIL-My Condition Wakes Me Up at Night	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My condition wakes me up at night.	FACIT-Searchable Item Library Adult Version - My Condition Wakes Me Up at Night
C184055	FSIL0438	FSIL-Urinate Frequently to Avoid Leaking	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I must urinate frequently to avoid leaking.	FACIT-Searchable Item Library Adult Version - Urinate Frequently to Avoid Leaking
C184056	FSIL0439	FSIL-Wear Protection Leakage of Urine	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I wear protection for leakage of urine.	FACIT-Searchable Item Library Adult Version - Wear Protection Leakage of Urine
C184057	FSIL0440	FSIL-My Thinking Is Clear	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My thinking is clear.	FACIT-Searchable Item Library Adult Version - My Thinking Is Clear
C184058	FSIL0441	FSIL-I Have Been Coughing	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have been coughing.	FACIT-Searchable Item Library Adult Version - I Have Been Coughing
C184059	FSIL0442	FSIL-I Feel Tightness in My Chest	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel tightness in my chest.	FACIT-Searchable Item Library Adult Version - I Feel Tightness in My Chest

Functional Assessment of Chronic Illness Therapy-Searchable Item Library				
C184060	FSIL0443	FSIL-Breathing Is Easy for Me	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Breathing is easy for me.	FACIT-Searchable Item Library Adult Version - Breathing Is Easy for Me
C184061	FSIL0444	FSIL-I Regret My Smoking	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I regret my smoking.	FACIT-Searchable Item Library Adult Version - I Regret My Smoking
C184062	FSIL0445	FSIL-Bothered by Lumps or Swelling	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by lumps or swelling in certain parts of my body (e.g., neck, armpits, or groin).	FACIT-Searchable Item Library Adult Version - Bothered by Lumps or Swelling
C184063	FSIL0446	FSIL-Frustrated Unable Do Things I Want	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am frustrated by being unable to do the things I want to do.	FACIT-Searchable Item Library Adult Version - Frustrated Unable Do Things I Want
C184064	FSIL0447	FSIL-I Feel Discouraged About My Illness	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel discouraged about my illness.	FACIT-Searchable Item Library Adult Version - I Feel Discouraged About My Illness
C184065	FSIL0448	FSIL-Difficulty Planning for Future	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Because of my illness, I have difficulty planning for the future.	FACIT-Searchable Item Library Adult Version - Difficulty Planning for Future
C184066	FSIL0449	FSIL-Uncertain About My Future Health	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel uncertain about my future health.	FACIT-Searchable Item Library Adult Version - Uncertain About My Future Health
C184067	FSIL0450	FSIL-Worry I Might Get New Symptoms	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry that I might get new symptoms of my illness.	FACIT-Searchable Item Library Adult Version - Worry I Might Get New Symptoms
C184068	FSIL0451	FSIL-Feel Isolated Because of Illness	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel isolated from others because of my illness or treatment.	FACIT-Searchable Item Library Adult Version - Feel Isolated Because of Illness
C184069	FSIL0452	FSIL-Worry Support Myself/Family Illness	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry about being able to support myself or my family due to my illness.	FACIT-Searchable Item Library Adult Version - Worry Support Myself/Family Illness
C184070	FSIL0453	FSIL-Bothered by Itching	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by itching.	FACIT-Searchable Item Library Adult Version - Bothered by Itching
C184071	FSIL0454	FSIL-I Have Trouble Sleeping at Night	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have trouble sleeping at night.	FACIT-Searchable Item Library Adult Version - I Have Trouble Sleeping at Night
C184072	FSIL0455	FSIL-Nervous Making Decisions Treatment	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I get nervous about making decisions regarding treatment.	FACIT-Searchable Item Library Adult Version - Nervous Making Decisions Treatment
C184073	FSIL0456	FSIL-Pain at My Melanoma/Surgical Site	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have pain at my melanoma site or surgical site.	FACIT-Searchable Item Library Adult Version - Pain at My Melanoma/Surgical Site
C184074	FSIL0457	FSIL-I Have Swelling at My Melanoma Site	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have swelling at my melanoma site.	FACIT-Searchable Item Library Adult Version - I Have Swelling at My Melanoma Site
C184075	FSIL0458	FSIL-Swelling as a Result of Surgery	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have swelling as a result of surgery.	FACIT-Searchable Item Library Adult Version - Swelling as a Result of Surgery
C184076	FSIL0459	FSIL-Bothered by the Amount of Swelling	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by the amount of swelling.	FACIT-Searchable Item Library Adult Version - Bothered by the Amount of Swelling
C184077	FSIL0460	FSIL-Movement of Swollen Area Is Painful	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Movement of my swollen area is painful.	FACIT-Searchable Item Library Adult Version - Movement of Swollen Area Is Painful
C184078	FSIL0461	FSIL-Swelling Keeps Me From Doing Things	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Swelling keeps me from doing the things I want to do.	FACIT-Searchable Item Library Adult Version - Swelling Keeps Me From Doing Things

Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult				
C184079	FSIL0462	FSIL-Swelling Keeps Me From Wearing	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Swelling keeps me from wearing clothes or shoes I want to wear.	FACIT-Searchable Item Library Adult Version - Swelling Keeps Me From Wearing
C184080	FSIL0463	FSIL-I Feel Numbness at My Surgical Site	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel numbness at my surgical site.	FACIT-Searchable Item Library Adult Version - I Feel Numbness at My Surgical Site
C184081	FSIL0464	FSIL-Good Range of Movement in Arm/Leg	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have good range of movement in my arm or leg.	FACIT-Searchable Item Library Adult Version - Good Range of Movement in Arm/Leg
C184082	FSIL0465	FSIL-Noticed New Changes in My Skin	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have noticed new changes in my skin (lumps, bumps, color (colour)).	FACIT-Searchable Item Library Adult Version - Noticed New Changes in My Skin
C184083	FSIL0466	FSIL-Worry Appearance of Surgical Scars	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry about the appearance of surgical scars.	FACIT-Searchable Item Library Adult Version - Worry Appearance of Surgical Scars
C184084	FSIL0467	FSIL-I Have Aches and Pains in My Bones	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have aches and pains in my bones.	FACIT-Searchable Item Library Adult Version - I Have Aches and Pains in My Bones
C184085	FSIL0468	FSIL-I Have Noticed Blood in My Stool	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have noticed blood in my stool.	FACIT-Searchable Item Library Adult Version - I Have Noticed Blood in My Stool
C184086	FSIL0469	FSIL-Isolate From Others B/c Condition	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I isolate myself from others because of my condition.	FACIT-Searchable Item Library Adult Version - Isolate From Others B/c Condition
C184087	FSIL0470	FSIL-I Have Difficulty Thinking Clearly	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have difficulty thinking clearly (remembering, concentrating).	FACIT-Searchable Item Library Adult Version - I Have Difficulty Thinking Clearly
C184088	FSIL0471	FSIL-Trouble Walking Because of Pain	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have trouble walking because of pain.	FACIT-Searchable Item Library Adult Version - Trouble Walking Because of Pain
C184089	FSIL0472	FSIL-Trouble Getting Around in Public	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have trouble getting around in public places.	FACIT-Searchable Item Library Adult Version - Trouble Getting Around in Public
C184090	FSIL0473	FSIL-I Need to Rest During the Day	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I need to rest during the day.	FACIT-Searchable Item Library Adult Version - I Need to Rest During the Day
C184091	FSIL0474	FSIL-My Thinking Is Slower Than Before	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My thinking is slower than before.	FACIT-Searchable Item Library Adult Version - My Thinking Is Slower Than Before
C184092	FSIL0475	FSIL-I Have Trouble Learning New Tasks	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have trouble learning new tasks or directions.	FACIT-Searchable Item Library Adult Version - I Have Trouble Learning New Tasks
C184093	FSIL0476	FSIL-Family Trouble Understand Worse	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My family has trouble understanding when my condition gets worse.	FACIT-Searchable Item Library Adult Version - Family Trouble Understand Worse
C184094	FSIL0477	FSIL-I Feel Left Out of Things	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel "left out" of things.	FACIT-Searchable Item Library Adult Version - I Feel Left Out of Things
C184095	FSIL0478	FSIL-Heat Worsens My Symptoms	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Heat worsens my symptoms.	FACIT-Searchable Item Library Adult Version - Heat Worsens My Symptoms
C184096	FSIL0479	FSIL-Bothered by Muscle Spasms	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by muscle spasms.	FACIT-Searchable Item Library Adult Version - Bothered by Muscle Spasms
C184097	FSIL0480	FSIL-Take My Condition Into Account	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have to take my condition into account when making plans.	FACIT-Searchable Item Library Adult Version - Take My Condition Into Account

Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by headaches.				
C184098	FSIL0481	FSIL-Bothered by Headaches	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by headaches.	FACIT-Searchable Item Library Adult Version - Bothered by Headaches
C184099	FSIL0482	FSIL-Bothered by Muscle Pains	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by muscle pains.	FACIT-Searchable Item Library Adult Version - Bothered by Muscle Pains
C184100	FSIL0483	FSIL-I Feel Trapped by My Condition	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel trapped by my condition.	FACIT-Searchable Item Library Adult Version - I Feel Trapped by My Condition
C184101	FSIL0484	FSIL-Depressed About My Condition	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am depressed about my condition.	FACIT-Searchable Item Library Adult Version - Depressed About My Condition
C184102	FSIL0485	FSIL-I Feel Useless	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel useless.	FACIT-Searchable Item Library Adult Version - I Feel Useless
C184103	FSIL0486	FSIL-Feel Overwhelmed by My Condition	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel overwhelmed by my condition.	FACIT-Searchable Item Library Adult Version - Feel Overwhelmed by My Condition
C184104	FSIL0487	FSIL-Frustrated by My Condition	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am frustrated by my condition.	FACIT-Searchable Item Library Adult Version - Frustrated by My Condition
C184105	FSIL0488	FSIL-Worry Getting Sick Low Blood Counts	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry about getting sick due to low blood counts.	FACIT-Searchable Item Library Adult Version - Worry Getting Sick Low Blood Counts
C184106	FSIL0489	FSIL-Avoid Public Places Fear Infection	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I avoid public places for fear of getting an infection.	FACIT-Searchable Item Library Adult Version - Avoid Public Places Fear Infection
C184107	FSIL0490	FSIL-I Worry About Getting Infections	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry about getting infections.	FACIT-Searchable Item Library Adult Version - I Worry About Getting Infections
C184108	FSIL0491	FSIL-Worry Not improve Treatment Delayed	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry my condition will not improve if my treatment is delayed.	FACIT-Searchable Item Library Adult Version - Worry Not improve Treatment Delayed
C184109	FSIL0492	FSIL-I Have Mouth Sores	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have mouth sores.	FACIT-Searchable Item Library Adult Version - I Have Mouth Sores
C184110	FSIL0493	FSIL-Partner Worries My Blood Counts Low	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My partner worries about me when my blood counts are low.	FACIT-Searchable Item Library Adult Version - Partner Worries My Blood Counts Low
C184111	FSIL0494	FSIL-Low Blood Counts Interfere Relation	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My low blood counts interfere with my intimate relationships.	FACIT-Searchable Item Library Adult Version - Low Blood Counts Interfere Relation
C184112	FSIL0495	FSIL-I Have Weakness in My Legs	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have weakness in my legs.	FACIT-Searchable Item Library Adult Version - I Have Weakness in My Legs
C184113	FSIL0496	FSIL-Diff Moving Neck & Shoulders Stiff	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have difficulty moving my neck and shoulders because of stiffness.	FACIT-Searchable Item Library Adult Version - Diff Moving Neck & Shoulders Stiff
C184114	FSIL0497	FSIL-Bothered by Ringing in My Ear	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by ringing in my ear(s).	FACIT-Searchable Item Library Adult Version - Bothered by Ringing in My Ear
C184115	FSIL0498	FSIL-Bothered by Worsening Eyesight	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by worsening eyesight.	FACIT-Searchable Item Library Adult Version - Bothered by Worsening Eyesight
C184116	FSIL0499	FSIL-I Have Trouble Smelling	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have trouble smelling.	FACIT-Searchable Item Library Adult Version - I Have Trouble Smelling

Functional Assessment of Chronic Illness Therapy-Searchable Item Library				
C184117	FSIL0500	FSIL-I Can Enjoy the Taste of Food	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I can enjoy the taste of food.	FACIT-Searchable Item Library Adult Version - I Can Enjoy the Taste of Food
C184118	FSIL0501	FSIL-Bothered by Having a Blocked Nose	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by having a blocked nose.	FACIT-Searchable Item Library Adult Version - Bothered by Having a Blocked Nose
C184119	FSIL0502	FSIL-Numbness or Tingling in My Hands	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have numbness or tingling in my hands.	FACIT-Searchable Item Library Adult Version - Numbness or Tingling in My Hands
C184120	FSIL0503	FSIL-Pain in Hands/Feet Exposed to Cold	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have pain in my hands or feet when I am exposed to cold temperatures.	FACIT-Searchable Item Library Adult Version - Pain in Hands/Feet Exposed to Cold
C184121	FSIL0504	FSIL-Difficulty Breathing Exposed Cold	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have difficulty breathing when I am exposed to cold temperatures.	FACIT-Searchable Item Library Adult Version - Difficulty Breathing Exposed Cold
C184122	FSIL0505	FSIL-Numbness or Tingling in My Feet	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have numbness or tingling in my feet.	FACIT-Searchable Item Library Adult Version - Numbness or Tingling in My Feet
C184123	FSIL0506	FSIL-I Feel Discomfort in My Hands	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel discomfort in my hands.	FACIT-Searchable Item Library Adult Version - I Feel Discomfort in My Hands
C184124	FSIL0507	FSIL-I Feel Discomfort in My Feet	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel discomfort in my feet.	FACIT-Searchable Item Library Adult Version - I Feel Discomfort in My Feet
C184125	FSIL0508	FSIL-Have Joint Pain or Muscle Cramps	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have joint pain or muscle cramps.	FACIT-Searchable Item Library Adult Version - Have Joint Pain or Muscle Cramps
C184126	FSIL0509	FSIL-I Have Trouble Hearing	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have trouble hearing.	FACIT-Searchable Item Library Adult Version - I Have Trouble Hearing
C184127	FSIL0510	FSIL-Get Ringing or Buzzing in My Ears	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I get a ringing or buzzing in my ears.	FACIT-Searchable Item Library Adult Version - Get Ringing or Buzzing in My Ears
C184128	FSIL0511	FSIL-I Have Trouble Buttoning Buttons	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have trouble buttoning buttons.	FACIT-Searchable Item Library Adult Version - I Have Trouble Buttoning Buttons
C184129	FSIL0512	FSIL-Trouble Feeling Shape of Objects	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have trouble feeling the shape of small objects when they are in my hand.	FACIT-Searchable Item Library Adult Version - Trouble Feeling Shape of Objects
C184130	FSIL0513	FSIL-I Have Swelling in Stomach Area	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have swelling in my stomach area.	FACIT-Searchable Item Library Adult Version - I Have Swelling in Stomach Area
C184131	FSIL0514	FSIL-I Have Been Vomiting	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have been vomiting.	FACIT-Searchable Item Library Adult Version - I Have Been Vomiting
C184132	FSIL0515	FSIL-I Have Cramps in My Stomach Area	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have cramps in my stomach area.	FACIT-Searchable Item Library Adult Version - I Have Cramps in My Stomach Area
C184133	FSIL0516	FSIL-I Have Aches/Pains That Bother Me	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have aches and pains that bother me.	FACIT-Searchable Item Library Adult Version - I Have Aches/Pains That Bother Me
C184134	FSIL0517	FSIL-Certain Parts of Body Have Pain	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have certain parts of my body where I experience pain.	FACIT-Searchable Item Library Adult Version - Certain Parts of Body Have Pain
C184135	FSIL0518	FSIL-Pain Keeps Me From Doing Things	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My pain keeps me from doing things I want to do.	FACIT-Searchable Item Library Adult Version - Pain Keeps Me From Doing Things

Functional Assessment of Chronic Illness Therapy-Searchable Item Library				
C184136	FSIL0519	FSIL-Satisfied With Comfort Level	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am satisfied with my present comfort level.	FACIT-Searchable Item Library Adult Version - Satisfied With Comfort Level
C184137	FSIL0520	FSIL-Able to Feel Like a Man	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am able to feel like a man.	FACIT-Searchable Item Library Adult Version - Able to Feel Like a Man
C184138	FSIL0521	FSIL-I Have Trouble Moving My Bowels	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have trouble moving my bowels.	FACIT-Searchable Item Library Adult Version - I Have Trouble Moving My Bowels
C184139	FSIL0522	FSIL-I Have Difficulty Urinating	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have difficulty urinating.	FACIT-Searchable Item Library Adult Version - I Have Difficulty Urinating
C184140	FSIL0523	FSIL-Problem Urinating Limits Activity	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My problems with urinating limit my activities.	FACIT-Searchable Item Library Adult Version - Problem Urinating Limits Activity
C184141	FSIL0524	FSIL-I Maintain Contact With My Friends	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I maintain contact with my friends.	FACIT-Searchable Item Library Adult Version - I Maintain Contact With My Friends
C184142	FSIL0525	FSIL-I Have Peace of Mind	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have peace of mind.	FACIT-Searchable Item Library Adult Version - I Have Peace of Mind
C184143	FSIL0526	FSIL-Able to Make Decisions	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am able to make decisions.	FACIT-Searchable Item Library Adult Version - Able to Make Decisions
C184144	FSIL0527	FSIL-Able to Reconcile With Other People	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have been able to reconcile (make peace) with other people.	FACIT-Searchable Item Library Adult Version - Able to Reconcile With Other People
C184145	FSIL0528	FSIL-Discuss Concerns w/ People Closest	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am able to openly discuss my concerns with the people closest to me.	FACIT-Searchable Item Library Adult Version - Discuss Concerns w/ People Closest
C184146	FSIL0529	FSIL-Family Who Take My Responsibilities	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have family members who will take on my responsibilities.	FACIT-Searchable Item Library Adult Version - Family Who Take My Responsibilities
C184147	FSIL0530	FSIL-Feel That My Family Appreciates Me	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel that my family appreciates me.	FACIT-Searchable Item Library Adult Version - Feel That My Family Appreciates Me
C184148	FSIL0531	FSIL-I Feel Like a Burden to My Family	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel like a burden to my family.	FACIT-Searchable Item Library Adult Version - I Feel Like a Burden to My Family
C184149	FSIL0532	FSIL-Constipated	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am constipated.	FACIT-Searchable Item Library Adult Version - Constipated
C184150	FSIL0533	FSIL-Have Swelling in Parts of My Body	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have swelling in parts of my body.	FACIT-Searchable Item Library Adult Version - Have Swelling in Parts of My Body
C184151	FSIL0534	FSIL-My Mouth and Throat Are Dry	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My mouth and throat are dry.	FACIT-Searchable Item Library Adult Version - My Mouth and Throat Are Dry
C184152	FSIL0535	FSIL-I Feel Useful	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel useful.	FACIT-Searchable Item Library Adult Version - I Feel Useful
C184153	FSIL0536	FSIL-I Make Each Day Count	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I make each day count.	FACIT-Searchable Item Library Adult Version - I Make Each Day Count
C184154	FSIL0537	FSIL-Told Family Members About Infection	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have told family members about my infection.	FACIT-Searchable Item Library Adult Version - Told Family Members About Infection

Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult				
C184155	FSIL0538	FSIL-Do You Have an Ostomy Appliance	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Do you have an ostomy appliance?	FACIT-Searchable Item Library Adult Version - Do You Have an Ostomy Appliance
C184156	FSIL0539	FSIL-Have You Ever Smoked	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Have you ever smoked?	FACIT-Searchable Item Library Adult Version - Have You Ever Smoked
C184157	FSIL0540	FSIL-Which Side Was Breast Operation	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: On which side was your breast operation?	FACIT-Searchable Item Library Adult Version - Which Side Was Breast Operation
C184158	FSIL0541	FSIL-How Many Places in Body Felt Pain	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: In how many places in your body have you felt bone pain?	FACIT-Searchable Item Library Adult Version - How Many Places in Body Felt Pain
C184159	FSIL0542	FSIL-Told Partner/Spouse About Infection	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have told my partner/spouse about my infection.	FACIT-Searchable Item Library Adult Version - Told Partner/Spouse About Infection
C184160	FSIL0543	FSIL-I Have Had Blood in My Urine	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have had blood in my urine.	FACIT-Searchable Item Library Adult Version - I Have Had Blood in My Urine
C184161	FSIL0544	FSIL-Inconvenient to Come for Radiation	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: It is inconvenient for me to come for my radiation treatments.	FACIT-Searchable Item Library Adult Version - Inconvenient to Come for Radiation
C184162	FSIL0545	FSIL-I Have Difficulty Raising My Arm	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have difficulty raising my arm.	FACIT-Searchable Item Library Adult Version - I Have Difficulty Raising My Arm
C184163	FSIL0546	FSIL-Difficulty Moving My Arm Sideways	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have difficulty moving my arm sideways.	FACIT-Searchable Item Library Adult Version - Difficulty Moving My Arm Sideways
C184164	FSIL0547	FSIL-Numbness/Tingling in Arm/Shoulder	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have numbness or tingling in my arm, shoulder, or breast.	FACIT-Searchable Item Library Adult Version - Numbness/Tingling in Arm/Shoulder
C184165	FSIL0548	FSIL-I Have Difficulty Breathing	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have difficulty breathing.	FACIT-Searchable Item Library Adult Version - I Have Difficulty Breathing
C184166	FSIL0549	FSIL-Bothered by Appearance Skin Breast	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by the appearance of the skin in my breast area.	FACIT-Searchable Item Library Adult Version - Bothered by Appearance Skin Breast
C184167	FSIL0550	FSIL-I Have Pain in My Breast	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have pain in my breast.	FACIT-Searchable Item Library Adult Version - I Have Pain in My Breast
C184168	FSIL0551	FSIL-I Have Pain in Arm and/or Shoulder	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have pain in my arm and/or shoulder.	FACIT-Searchable Item Library Adult Version - I Have Pain in Arm and/or Shoulder
C184169	FSIL0552	FSIL-My Chest Area Is Sore	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My chest area (not including the breast itself) is sore.	FACIT-Searchable Item Library Adult Version - My Chest Area Is Sore
C184170	FSIL0553	FSIL-Bothered by Swelling in My Breast	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by swelling in my breast.	FACIT-Searchable Item Library Adult Version - Bothered by Swelling in My Breast
C184171	FSIL0554	FSIL-My Breast Is Sensitive/Tender	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My breast is sensitive/tender.	FACIT-Searchable Item Library Adult Version - My Breast Is Sensitive/Tender
C184172	FSIL0555	FSIL-My Underarm Area Sensitive/Tender	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My underarm area is sensitive/tender.	FACIT-Searchable Item Library Adult Version - My Underarm Area Sensitive/Tender
C184173	FSIL0556	FSIL-Skin in Breast Area Itchy/Flaky/Dry	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: The skin in my breast area is itchy, flaky or dry.	FACIT-Searchable Item Library Adult Version - Skin in Breast Area Itchy/Flaky/Dry

Functional Assessment of Chronic Illness Therapy-Searchable Item Library				
C184174	FSIL0557	FSIL-Bothered by Skin Problems Underarm	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by skin problems in my underarm area.	FACIT-Searchable Item Library Adult Version - Bothered by Skin Problems Underarm
C184175	FSIL0558	FSIL-I Feel Peaceful	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel peaceful.	FACIT-Searchable Item Library Adult Version - I Feel Peaceful
C184176	FSIL0559	FSIL-Strength in Faith/Spiritual Beliefs	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I find strength in my faith or spiritual beliefs.	FACIT-Searchable Item Library Adult Version - Strength in Faith/Spiritual Beliefs
C184177	FSIL0560	FSIL-Illness Strengthen Faith/Spiritual	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My illness has strengthened my faith or spiritual beliefs.	FACIT-Searchable Item Library Adult Version - Illness Strengthen Faith/Spiritual
C184178	FSIL0561	FSIL-Whatever Happens Illness Will Be OK	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I know that whatever happens with my illness, things will be okay.	FACIT-Searchable Item Library Adult Version - Whatever Happens Illness Will Be OK
C184179	FSIL0562	FSIL-I Feel Connected to Higher Power	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel connected to a higher power (or God).	FACIT-Searchable Item Library Adult Version - I Feel Connected to Higher Power
C184180	FSIL0563	FSIL-I Feel Connected to Other People	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel connected to other people.	FACIT-Searchable Item Library Adult Version - I Feel Connected to Other People
C184181	FSIL0564	FSIL-I Feel Loved	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel loved.	FACIT-Searchable Item Library Adult Version - I Feel Loved
C184182	FSIL0565	FSIL-I Feel Love for Others	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel love for others.	FACIT-Searchable Item Library Adult Version - I Feel Love for Others
C184183	FSIL0566	FSIL-Forgive Others for Harm Caused Me	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am able to forgive others for any harm they have ever caused me.	FACIT-Searchable Item Library Adult Version - Forgive Others for Harm Caused Me
C184184	FSIL0567	FSIL-Feel Forgiven for Harm I Caused	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel forgiven for any harm I may have ever caused.	FACIT-Searchable Item Library Adult Version - Feel Forgiven for Harm I Caused
C184185	FSIL0568	FSIL-Feel Sense of Thankfulness for Life	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Throughout the course of my day, I feel a sense of thankfulness for my life.	FACIT-Searchable Item Library Adult Version - Feel Sense of Thankfulness for Life
C184186	FSIL0569	FSIL-I Have a Reason for Living	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have a reason for living.	FACIT-Searchable Item Library Adult Version - I Have a Reason for Living
C184187	FSIL0570	FSIL-Thankfulness Others Bring to Life	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Throughout the course of my day, I feel a sense of thankfulness for what others bring to my life.	FACIT-Searchable Item Library Adult Version - Thankfulness Others Bring to Life
C184188	FSIL0571	FSIL-I Feel Hopeful	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel hopeful.	FACIT-Searchable Item Library Adult Version - I Feel Hopeful
C184189	FSIL0572	FSIL-Appreciation for Beauty of Nature	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel a sense of appreciation for the beauty of nature.	FACIT-Searchable Item Library Adult Version - Appreciation for Beauty of Nature
C184190	FSIL0573	FSIL-Compassion for Others Difficulties	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel compassion for others in the difficulties they are facing.	FACIT-Searchable Item Library Adult Version - Compassion for Others Difficulties
C184191	FSIL0574	FSIL-My Life Has Been Productive	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My life has been productive.	FACIT-Searchable Item Library Adult Version - My Life Has Been Productive
C184192	FSIL0575	FSIL-Have Trouble Feeling Peace of Mind	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have trouble feeling peace of mind.	FACIT-Searchable Item Library Adult Version - Have Trouble Feeling Peace of Mind

Functional Assessment of Chronic Illness Therapy-Searchable Item Library				
C184193	FSIL0576	FSIL-Feel Sense of Purpose in My Life	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel a sense of purpose in my life.	FACIT-Searchable Item Library Adult Version - Feel Sense of Purpose in My Life
C184194	FSIL0577	FSIL-Reach Into Myself for Comfort	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am able to reach down deep into myself for comfort.	FACIT-Searchable Item Library Adult Version - Reach Into Myself for Comfort
C184195	FSIL0578	FSIL-Feel Sense of Harmony Within Myself	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel a sense of harmony within myself.	FACIT-Searchable Item Library Adult Version - Feel Sense of Harmony Within Myself
C184196	FSIL0579	FSIL-My Life Lacks Meaning and Purpose	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My life lacks meaning and purpose.	FACIT-Searchable Item Library Adult Version - My Life Lacks Meaning and Purpose
C184197	FSIL0580	FSIL-Comfort in Faith/Spiritual Beliefs	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I find comfort in my faith or spiritual beliefs.	FACIT-Searchable Item Library Adult Version - Comfort in Faith/Spiritual Beliefs
C184198	FSIL0581	FSIL-Difficult Times Strengthened Faith	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Difficult times have strengthened my faith or spiritual beliefs.	FACIT-Searchable Item Library Adult Version - Difficult Times Strengthened Faith
C184199	FSIL0582	FSIL-During Difficult Times Things Be OK	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Even during difficult times, I know that things will be okay.	FACIT-Searchable Item Library Adult Version - During Difficult Times Things Be OK
C184200	FSIL0583	FSIL-Bothered by Increased Facial Hair	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by increased facial hair.	FACIT-Searchable Item Library Adult Version - Bothered by Increased Facial Hair
C184201	FSIL0584	FSIL-Bothered by Sensitivity Fingernails	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by sensitivity around my fingernails or toenails.	FACIT-Searchable Item Library Adult Version - Bothered by Sensitivity Fingernails
C184202	FSIL0585	FSIL-My Eyes Are Dry	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My eyes are dry.	FACIT-Searchable Item Library Adult Version - My Eyes Are Dry
C184203	FSIL0586	FSIL-Skin Cond Interferes w/ Social Life	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My skin condition interferes with my social life.	FACIT-Searchable Item Library Adult Version - Skin Cond Interferes w/ Social Life
C184204	FSIL0587	FSIL-My Skin Condition Affects My Mood	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My skin condition affects my mood.	FACIT-Searchable Item Library Adult Version - My Skin Condition Affects My Mood
C184205	FSIL0588	FSIL-Embarrassed by My Skin Condition	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am embarrassed by my skin condition.	FACIT-Searchable Item Library Adult Version - Embarrassed by My Skin Condition
C184206	FSIL0589	FSIL-Unattractive B/c How My Skin Looks	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel unattractive because of how my skin looks.	FACIT-Searchable Item Library Adult Version - Unattractive B/c How My Skin Looks
C184207	FSIL0590	FSIL-Sensitivity Fingernails Diff Tasks	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Sensitivity around my fingernails makes it difficult to perform household tasks.	FACIT-Searchable Item Library Adult Version - Sensitivity Fingernails Diff Tasks
C184208	FSIL0591	FSIL-Skin Condition Interferes w/ Sleep	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My skin condition interferes with my ability to sleep.	FACIT-Searchable Item Library Adult Version - Skin Condition Interferes w/ Sleep
C184209	FSIL0592	FSIL-Skin Condition Make Life Difficult	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Changes in my skin condition make daily life difficult.	FACIT-Searchable Item Library Adult Version - Skin Condition Make Life Difficult
C184210	FSIL0593	FSIL-Avoid Public B/c How My Skin Looks	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I avoid going out in public because of how my skin looks.	FACIT-Searchable Item Library Adult Version - Avoid Public B/c How My Skin Looks
C184211	FSIL0594	FSIL-Skin Side Effects Interfered Tasks	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: The skin side effects from treatment have interfered with household tasks.	FACIT-Searchable Item Library Adult Version - Skin Side Effects Interfered Tasks

Functional Assessment of Chronic Illness Therapy-Searchable Item Library				
C184212	FSIL0595	FSIL-My Skin or Scalp Feels Irritated	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My skin or scalp feels irritated.	FACIT-Searchable Item Library Adult Version - My Skin or Scalp Feels Irritated
C184213	FSIL0596	FSIL-My Skin or Scalp Is Dry or Flaky	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My skin or scalp is dry or "flaky".	FACIT-Searchable Item Library Adult Version - My Skin or Scalp Is Dry or Flaky
C184214	FSIL0597	FSIL-My Skin or Scalp Itches	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My skin or scalp itches.	FACIT-Searchable Item Library Adult Version - My Skin or Scalp Itches
C184215	FSIL0598	FSIL-My Skin Bleeds Easily	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My skin bleeds easily.	FACIT-Searchable Item Library Adult Version - My Skin Bleeds Easily
C184216	FSIL0599	FSIL-Bothered by Skin Sensitivity to Sun	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by a change in my skin's sensitivity to the sun.	FACIT-Searchable Item Library Adult Version - Bothered by Skin Sensitivity to Sun
C184217	FSIL0600	FSIL-Pharmacist Advises Use of Medicines	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My pharmacist advises me on the proper use of my medicines.	FACIT-Searchable Item Library Adult Version - Pharmacist Advises Use of Medicines
C184218	FSIL0601	FSIL-Pharmacist Advises Adverse Effects	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My pharmacist advises me on the adverse (side) effects of my medicines.	FACIT-Searchable Item Library Adult Version - Pharmacist Advises Adverse Effects
C184219	FSIL0602	FSIL-I Have Confidence in My Pharmacist	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have confidence in my pharmacist(s).	FACIT-Searchable Item Library Adult Version - I Have Confidence in My Pharmacist
C184220	FSIL0603	FSIL-Pharmacist Available Questions	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My pharmacist is available to answer my questions.	FACIT-Searchable Item Library Adult Version - Pharmacist Available Questions
C184221	FSIL0604	FSIL-Helps Arrangements Obtain Medicines	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My pharmacist helps with the arrangements necessary to obtain my medicines.	FACIT-Searchable Item Library Adult Version - Helps Arrangements Obtain Medicines
C184222	FSIL0605	FSIL-Pharmacist Aware Treatment Needs	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My pharmacist is aware of my treatment-related needs.	FACIT-Searchable Item Library Adult Version - Pharmacist Aware Treatment Needs
C184223	FSIL0606	FSIL-Pharmacist Responds Treatment Needs	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My pharmacist responds to my treatment-related needs.	FACIT-Searchable Item Library Adult Version - Pharmacist Responds Treatment Needs
C184224	FSIL0607	FSIL-I Feel Bloated	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel bloated.	FACIT-Searchable Item Library Adult Version - I Feel Bloated
C184225	FSIL0608	FSIL-My Hands Are Swollen	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My hands are swollen.	FACIT-Searchable Item Library Adult Version - My Hands Are Swollen
C184226	FSIL0609	FSIL-My Legs or Feet Are Swollen	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My legs or feet are swollen.	FACIT-Searchable Item Library Adult Version - My Legs or Feet Are Swollen
C184227	FSIL0610	FSIL-I Have Pain in My Fingertips	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have pain in my fingertips.	FACIT-Searchable Item Library Adult Version - I Have Pain in My Fingertips
C184228	FSIL0611	FSIL-Bothered by My Hands/Nails Look	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by the way my hands or nails look.	FACIT-Searchable Item Library Adult Version - Bothered by My Hands/Nails Look
C184229	FSIL0612	FSIL-I Bleed Easily	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I bleed easily.	FACIT-Searchable Item Library Adult Version - I Bleed Easily
C184230	FSIL0613	FSIL-Avoid or Limit Physical Activity	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I avoid or limit physical activity (because of concern with bleeding or bruising).	FACIT-Searchable Item Library Adult Version - Avoid or Limit Physical Activity

Functional Assessment of Chronic Illness Therapy-Searchable Item Library				
C184231	FSIL0614	FSIL-Avoid or Limit Social Activity	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I avoid or limit social activity (because of concern with bleeding or bruising).	FACIT-Searchable Item Library Adult Version - Avoid or Limit Social Activity
C184232	FSIL0615	FSIL-Frustrated Not Do Usual Activities	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am frustrated by not being able to do my usual activities.	FACIT-Searchable Item Library Adult Version - Frustrated Not Do Usual Activities
C184233	FSIL0616	FSIL-Worry Treatment Will Be Delayed	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry that my treatment will be delayed (because of low blood counts).	FACIT-Searchable Item Library Adult Version - Worry Treatment Will Be Delayed
C184234	FSIL0617	FSIL-Worry Treatment Dose Will Reduced	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry that my treatment dose will be reduced (because of low blood counts).	FACIT-Searchable Item Library Adult Version - Worry Treatment Dose Will Reduced
C184235	FSIL0618	FSIL-Women: Bothered by Vaginal Bleeding	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: For women only: I am bothered by vaginal bleeding.	FACIT-Searchable Item Library Adult Version - Women: Bothered by Vaginal Bleeding
C184236	FSIL0619	FSIL-I Bruise Easily	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I bruise easily.	FACIT-Searchable Item Library Adult Version - I Bruise Easily
C184237	FSIL0620	FSIL-Worry Problems Bruising/Bleeding	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry about problems with bruising or bleeding.	FACIT-Searchable Item Library Adult Version - Worry Problems Bruising/Bleeding
C184238	FSIL0621	FSIL-Worry About Serious Bleeding	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry about the possibility of serious bleeding.	FACIT-Searchable Item Library Adult Version - Worry About Serious Bleeding
C184239	FSIL0622	FSIL-Bothered by Nosebleeds	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by nosebleeds.	FACIT-Searchable Item Library Adult Version - Bothered by Nosebleeds
C184240	FSIL0623	FSIL-Bothered by Bleeding in Gums/Mouth	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by bleeding in my gums or mouth.	FACIT-Searchable Item Library Adult Version - Bothered by Bleeding in Gums/Mouth
C184241	FSIL0624	FSIL-Bothered by Bruising Beneath Skin	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by pinpoint bruising beneath my skin.	FACIT-Searchable Item Library Adult Version - Bothered by Bruising Beneath Skin
C184242	FSIL0625	FSIL-Bothered by Blood in My Urine/Stool	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by blood in my urine or stool.	FACIT-Searchable Item Library Adult Version - Bothered by Blood in My Urine/Stool
C184243	FSIL0626	FSIL-Inconvenienced Platelet Transfusion	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am inconvenienced by platelet transfusions.	FACIT-Searchable Item Library Adult Version - Inconvenienced Platelet Transfusion
C184244	FSIL0627	FSIL-Effectiveness of Treatment So Far	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Compared to what you expected, how do you rate the effectiveness of the treatment so far?	FACIT-Searchable Item Library Adult Version - Effectiveness of Treatment So Far
C184245	FSIL0628	FSIL-Doctor Explain Benefits Treatment	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Did your doctor(s) explain the possible benefits of your treatment?	FACIT-Searchable Item Library Adult Version - Doctor Explain Benefits Treatment
C184246	FSIL0629	FSIL-Doctor Explain Side Effects/Risks	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Did your doctor(s) explain the possible side effects or risks of your treatment?	FACIT-Searchable Item Library Adult Version - Doctor Explain Side Effects/Risks
C184247	FSIL0630	FSIL-Have Opportunity to Ask Questions	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Did you have an opportunity to ask questions?	FACIT-Searchable Item Library Adult Version - Have Opportunity to Ask Questions
C184248	FSIL0631	FSIL-Get to Say Things Important to You	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Did you get to say the things that were important to you?	FACIT-Searchable Item Library Adult Version - Get to Say Things Important to You
C184249	FSIL0632	FSIL-Doctor Understand Important to You	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Did your doctor(s) seem to understand what was important to you?	FACIT-Searchable Item Library Adult Version - Doctor Understand Important to You

Functional Assessment of Chronic Illness Therapy-Searchable Item Library				
C184250	FSIL0633	FSIL-Doctor Show Genuine Concern for You	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Did your doctor(s) show genuine concern for you?	FACIT-Searchable Item Library Adult Version - Doctor Show Genuine Concern for You
C184251	FSIL0634	FSIL-Doctor Seem Understand Your Needs	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Did your doctor(s) seem to understand your needs?	FACIT-Searchable Item Library Adult Version - Doctor Seem Understand Your Needs
C184252	FSIL0635	FSIL-Able to Talk to Doctor When Needed	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Were you able to talk to your doctor(s) when you needed to?	FACIT-Searchable Item Library Adult Version - Able to Talk to Doctor When Needed
C184253	FSIL0636	FSIL-Treatment Staff Discuss Work	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Did the treatment staff discuss how your health and treatment may affect your normal work (including housework)?	FACIT-Searchable Item Library Adult Version - Treatment Staff Discuss Work
C184254	FSIL0637	FSIL-Side Effects of Treatment So Far	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Compared to what you expected, how do you rate the side effects of treatment so far?	FACIT-Searchable Item Library Adult Version - Side Effects of Treatment So Far
C184255	FSIL0638	FSIL-Treatment Staff Discuss Activities	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Did the treatment staff discuss how your health and treatment may affect your normal daily activities?	FACIT-Searchable Item Library Adult Version - Treatment Staff Discuss Activities
C184256	FSIL0639	FSIL-Treatment Staff Discuss Relation	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Did the treatment staff discuss how your health and treatment may affect your personal relationships?	FACIT-Searchable Item Library Adult Version - Treatment Staff Discuss Relation
C184257	FSIL0640	FSIL-Treatment Staff Discuss Emotionally	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Did the treatment staff discuss how your health and treatment may affect you emotionally?	FACIT-Searchable Item Library Adult Version - Treatment Staff Discuss Emotionally
C184258	FSIL0641	FSIL-Doctor Experience Treating Illness	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Did you feel your doctor(s) had experience treating your illness?	FACIT-Searchable Item Library Adult Version - Doctor Experience Treating Illness
C184259	FSIL0642	FSIL-Doctor Knew Medical Developments	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Did you feel your doctor(s) knew about the latest medical developments for your illness?	FACIT-Searchable Item Library Adult Version - Doctor Knew Medical Developments
C184260	FSIL0643	FSIL-Treatment Staff Thorough Examining	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Was the treatment staff thorough in examining and treating you?	FACIT-Searchable Item Library Adult Version - Treatment Staff Thorough Examining
C184261	FSIL0644	FSIL-Participate Decisions Health Care	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Were you encouraged to participate in decisions about your health care?	FACIT-Searchable Item Library Adult Version - Participate Decisions Health Care
C184262	FSIL0645	FSIL-Have Enough Time to Make Decisions	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Did you have enough time to make decisions about your health care?	FACIT-Searchable Item Library Adult Version - Have Enough Time to Make Decisions
C184263	FSIL0646	FSIL-Doctor Evaluate Effects Treatment	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Did your doctor(s) help you evaluate the effects of your treatment so far?	FACIT-Searchable Item Library Adult Version - Doctor Evaluate Effects Treatment
C184264	FSIL0647	FSIL-Doctor Seem Respect Your Opinions	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Did your doctor(s) seem to respect your opinions?	FACIT-Searchable Item Library Adult Version - Doctor Seem Respect Your Opinions
C184265	FSIL0648	FSIL-Nurse Explanations You Understand	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Did your nurse(s) give explanations that you could understand?	FACIT-Searchable Item Library Adult Version - Nurse Explanations You Understand
C184266	FSIL0649	FSIL-Nurse Show Genuine Concern for You	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Did your nurse(s) show genuine concern for you?	FACIT-Searchable Item Library Adult Version - Nurse Show Genuine Concern for You
C184267	FSIL0650	FSIL-Nurse Seem to Understand Your Needs	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Did your nurse(s) seem to understand your needs?	FACIT-Searchable Item Library Adult Version - Nurse Seem to Understand Your Needs

Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult				
C184268	FSIL0651	FSIL-Treatment Staff Answered Honestly	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Did you feel that the treatment staff answered your questions honestly?	FACIT-Searchable Item Library Adult Version - Treatment Staff Answered Honestly
C184269	FSIL0652	FSIL-Treatment Staff Respect Privacy	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Did the treatment staff respect your privacy?	FACIT-Searchable Item Library Adult Version - Treatment Staff Respect Privacy
C184270	FSIL0653	FSIL-Have Confidence in Your Doctor	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Did you have confidence in your doctor(s)?	FACIT-Searchable Item Library Adult Version - Have Confidence in Your Doctor
C184271	FSIL0654	FSIL-Trust Doctor Suggestions Treatment	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Did you trust your doctor(s)' suggestions for treatment?	FACIT-Searchable Item Library Adult Version - Trust Doctor Suggestions Treatment
C184272	FSIL0655	FSIL-Recommend Clinic/Office to Others	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Would you recommend this clinic or office to others?	FACIT-Searchable Item Library Adult Version - Recommend Clinic/Office to Others
C184273	FSIL0656	FSIL-Choose This Clinic/Office Again	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Would you choose this clinic or office again?	FACIT-Searchable Item Library Adult Version - Choose This Clinic/Office Again
C184274	FSIL0657	FSIL-Received Treatment Right for You	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Do you feel you received the treatment that was right for you?	FACIT-Searchable Item Library Adult Version - Received Treatment Right for You
C184275	FSIL0658	FSIL-Rate the Care You Received	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: How do you rate the care you received?	FACIT-Searchable Item Library Adult Version - Rate the Care You Received
C184276	FSIL0659	FSIL-Satisfied With Effects of Treatment	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Are you satisfied with the effects of this treatment so far?	FACIT-Searchable Item Library Adult Version - Satisfied With Effects of Treatment
C184277	FSIL0660	FSIL-Recommend This Treatment to Others	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Would you recommend this treatment to others with your illness?	FACIT-Searchable Item Library Adult Version - Recommend This Treatment to Others
C184278	FSIL0661	FSIL-Choose This Treatment Again	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Would you choose this treatment again?	FACIT-Searchable Item Library Adult Version - Choose This Treatment Again
C184279	FSIL0662	FSIL-Rate This Treatment Overall	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: How do you rate this treatment overall?	FACIT-Searchable Item Library Adult Version - Rate This Treatment Overall
C184280	FSIL0663	FSIL-Doctor Explanations You Understand	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Did your doctor(s) give explanations that you could understand?	FACIT-Searchable Item Library Adult Version - Doctor Explanations You Understand
C184281	FSIL0664	FSIL-Bothered by Discharge From Vulva	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by discharge or bleeding from my vulva.	FACIT-Searchable Item Library Adult Version - Bothered by Discharge From Vulva
C184282	FSIL0665	FSIL-Bothered by Odor From Vulva	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by odor coming from my vulva.	FACIT-Searchable Item Library Adult Version - Bothered by Odor From Vulva
C184283	FSIL0666	FSIL-Bothered by Swelling/Fluid in Legs	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by swelling/fluid in my legs.	FACIT-Searchable Item Library Adult Version - Bothered by Swelling/Fluid in Legs
C184284	FSIL0667	FSIL-Bothered by Discomfort Groin/Legs	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by discomfort in my groin or legs.	FACIT-Searchable Item Library Adult Version - Bothered by Discomfort Groin/Legs
C184285	FSIL0668	FSIL-Bothered by Itching/Burning Vulva	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by itching/burning in my vulva area.	FACIT-Searchable Item Library Adult Version - Bothered by Itching/Burning Vulva

Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult				
C184286	FSIL0669	FSIL-Bothered by Pain/Numbness in Vulva	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by pain or numbness in my vulva area.	FACIT-Searchable Item Library Adult Version - Bothered by Pain/Numbness in Vulva
C184287	FSIL0670	FSIL-I Have Trouble Bending	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have trouble bending.	FACIT-Searchable Item Library Adult Version - I Have Trouble Bending
C184288	FSIL0671	FSIL-I Have Discomfort When I Am Sitting	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have discomfort when I am sitting.	FACIT-Searchable Item Library Adult Version - I Have Discomfort When I Am Sitting
C184289	FSIL0672	FSIL-Bothered by Compression Stockings	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by wearing compression stockings.	FACIT-Searchable Item Library Adult Version - Bothered by Compression Stockings
C184290	FSIL0673	FSIL-Satisfied With Urinary Condition	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am satisfied with my urinary condition.	FACIT-Searchable Item Library Adult Version - Satisfied With Urinary Condition
C184291	FSIL0674	FSIL-Caring Urinary Condition Difficult	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Caring for my urinary condition is difficult.	FACIT-Searchable Item Library Adult Version - Caring Urinary Condition Difficult

C183886	FSIL-Abdominal Cramps Diarrhea	FSIL-Abdominal Cramps Diarrhea	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have abdominal cramps or discomfort due to my diarrhea (diarrhoea).	FACIT-Searchable Item Library Adult Version - Abdominal Cramps Diarrhea
C183826	FSIL-Able Remember Things Where Left	FSIL-Able Remember Things Where Left	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have been able to remember things, like where I left my keys or wallet.	FACIT-Searchable Item Library Adult Version - Able Remember Things Where Left
C183827	FSIL-Able Remember to Do Things	FSIL-Able Remember to Do Things	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have been able to remember to do things, like take medicine or buy something I needed.	FACIT-Searchable Item Library Adult Version - Able Remember to Do Things
C183830	FSIL-Able to Bring to Mind Words	FSIL-Able to Bring to Mind Words	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have been able to bring to mind words that I wanted to use while talking to someone.	FACIT-Searchable Item Library Adult Version - Able to Bring to Mind Words
C184015	FSIL-Able to Communicate With Others	FSIL-Able to Communicate With Others	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am able to communicate with others.	FACIT-Searchable Item Library Adult Version - Able to Communicate With Others
C183705	FSIL-Able to Concentrate	FSIL-Able to Concentrate	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am able to concentrate.	FACIT-Searchable Item Library Adult Version - Able to Concentrate
C183653	FSIL-Able to Do My Usual Activities	FSIL-Able to Do My Usual Activities	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am able to do my usual activities.	FACIT-Searchable Item Library Adult Version - Able to Do My Usual Activities
C183714	FSIL-Able to Drive a Vehicle	FSIL-Able to Drive a Vehicle	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am able to drive a vehicle (my car, truck, etc.).	FACIT-Searchable Item Library Adult Version - Able to Drive a Vehicle
C184021	FSIL-Able to Eat as Much Food as I Want	FSIL-Able to Eat as Much Food as I Want	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am able to eat as much food as I want.	FACIT-Searchable Item Library Adult Version - Able to Eat as Much Food as I Want
C184014	FSIL-Able to Eat the Foods That I Like	FSIL-Able to Eat the Foods That I Like	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am able to eat the foods that I like.	FACIT-Searchable Item Library Adult Version - Able to Eat the Foods That I Like
C183970	FSIL-Able to Enjoy Life	FSIL-Able to Enjoy Life	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am able to enjoy life.	FACIT-Searchable Item Library Adult Version - Able to Enjoy Life
C184137	FSIL-Able to Feel Like a Man	FSIL-Able to Feel Like a Man	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am able to feel like a man.	FACIT-Searchable Item Library Adult Version - Able to Feel Like a Man
C183668	FSIL-Able to Feel Like a Woman	FSIL-Able to Feel Like a Woman	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am able to feel like a woman.	FACIT-Searchable Item Library Adult Version - Able to Feel Like a Woman
C183724	FSIL-Able to Find the Right Words	FSIL-Able to Find the Right Words	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am able to find the right word(s) to say what I mean.	FACIT-Searchable Item Library Adult Version - Able to Find the Right Words
C183687	FSIL-Able to Get Around by Myself	FSIL-Able to Get Around by Myself	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am able to get around by myself.	FACIT-Searchable Item Library Adult Version - Able to Get Around by Myself
C183673	FSIL-Able to Have/Maintain Erection	FSIL-Able to Have/Maintain Erection	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am able to have and maintain an erection. (For men only)	FACIT-Searchable Item Library Adult Version - Able to Have/Maintain Erection
C183796	FSIL-Able to Maintain My Balance	FSIL-Able to Maintain My Balance	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am able to maintain my balance.	FACIT-Searchable Item Library Adult Version - Able to Maintain My Balance
C184143	FSIL-Able to Make Decisions	FSIL-Able to Make Decisions	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am able to make decisions.	FACIT-Searchable Item Library Adult Version - Able to Make Decisions
C183949	FSIL-Able to Meet My Monthly Expenses	FSIL-Able to Meet My Monthly Expenses	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am able to meet my monthly expenses.	FACIT-Searchable Item Library Adult Version - Able to Meet My Monthly Expenses
C183825	FSIL-Able to Pay Attention w/o Effort	FSIL-Able to Pay Attention w/o Effort	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am able to pay attention and keep track of what I am doing without extra effort.	FACIT-Searchable Item Library Adult Version - Able to Pay Attention w/o Effort

Functional Assessment of Chronic Illness Therapy-Searchable Item Library				
C183711	FSIL-Able to Put My thoughts Into Action	FSIL-Able to Put My thoughts Into Action	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am able to put my thoughts into action.	FACIT-Searchable Item Library Adult Version - Able to Put My thoughts Into Action
C183709	FSIL-Able to Put My Thoughts Together	FSIL-Able to Put My Thoughts Together	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am able to put my thoughts together.	FACIT-Searchable Item Library Adult Version - Able to Put My Thoughts Together
C183712	FSIL-Able to Read Like I Used to	FSIL-Able to Read Like I Used to	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am able to read like I used to.	FACIT-Searchable Item Library Adult Version - Able to Read Like I Used to
C184144	FSIL-Able to Reconcile With Other People	FSIL-Able to Reconcile With Other People	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have been able to reconcile (make peace) with other people.	FACIT-Searchable Item Library Adult Version - Able to Reconcile With Other People
C183828	FSIL-Able to Shift Between Activities	FSIL-Able to Shift Between Activities	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am able to shift back and forth between two activities that require thinking.	FACIT-Searchable Item Library Adult Version - Able to Shift Between Activities
C184252	FSIL-Able to Talk to Doctor When Needed	FSIL-Able to Talk to Doctor When Needed	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Were you able to talk to your doctor(s) when you needed to?	FACIT-Searchable Item Library Adult Version - Able to Talk to Doctor When Needed
C183829	FSIL-Able to Track What I Am Doing	FSIL-Able to Track What I Am Doing	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am able to keep track of what I am doing, even if I am interrupted.	FACIT-Searchable Item Library Adult Version - Able to Track What I Am Doing
C183797	FSIL-Able to Walk	FSIL-Able to Walk	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am able to walk.	FACIT-Searchable Item Library Adult Version - Able to Walk
C183968	FSIL-Able to Work	FSIL-Able to Work	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am able to work (include work at home).	FACIT-Searchable Item Library Adult Version - Able to Work
C183713	FSIL-Able to Write Like I Used to	FSIL-Able to Write Like I Used to	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am able to write like I used to.	FACIT-Searchable Item Library Adult Version - Able to Write Like I Used to
C183775	FSIL-Accepted I Have This Infection	FSIL-Accepted I Have This Infection	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have accepted that I have this infection.	FACIT-Searchable Item Library Adult Version - Accepted I Have This Infection
C183721	FSIL-Afraid of Having a Seizure	FSIL-Afraid of Having a Seizure	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am afraid of having a seizure (convulsion).	FACIT-Searchable Item Library Adult Version - Afraid of Having a Seizure
C184049	FSIL-Afraid to Be Far From a Toilet	FSIL-Afraid to Be Far From a Toilet	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am afraid to be far from a toilet.	FACIT-Searchable Item Library Adult Version - Afraid to Be Far From a Toilet
C183877	FSIL-Afraid to Have Sex	FSIL-Afraid to Have Sex	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am afraid to have sex.	FACIT-Searchable Item Library Adult Version - Afraid to Have Sex
C183879	FSIL-Afraid Treatment May Harm Body	FSIL-Afraid Treatment May Harm Body	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am afraid the treatment may harm my body.	FACIT-Searchable Item Library Adult Version - Afraid Treatment May Harm Body
C183628	FSIL-Amount I Eat Is Sufficient	FSIL-Amount I Eat Is Sufficient	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: The amount I eat is sufficient to meet my needs.	FACIT-Searchable Item Library Adult Version - Amount I Eat Is Sufficient
C184189	FSIL-Appreciation for Beauty of Nature	FSIL-Appreciation for Beauty of Nature	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel a sense of appreciation for the beauty of nature.	FACIT-Searchable Item Library Adult Version - Appreciation for Beauty of Nature
C183961	FSIL-Avoid Going Out to Eat B/c Illness	FSIL-Avoid Going Out to Eat B/c Illness	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I avoid going out to eat because of my illness.	FACIT-Searchable Item Library Adult Version - Avoid Going Out to Eat B/c Illness
C184230	FSIL-Avoid or Limit Physical Activity	FSIL-Avoid or Limit Physical Activity	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I avoid or limit physical activity (because of concern with bleeding or bruising).	FACIT-Searchable Item Library Adult Version - Avoid or Limit Physical Activity
C184231	FSIL-Avoid or Limit Social Activity	FSIL-Avoid or Limit Social Activity	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I avoid or limit social activity (because of concern with bleeding or bruising).	FACIT-Searchable Item Library Adult Version - Avoid or Limit Social Activity

Functional Assessment of Chronic Illness Therapy-Searchable Item Library					
C184210	FSIL-Avoid Public B/c How My Skin Looks	FSIL-Avoid Public B/c How My Skin Looks	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I avoid going out in public because of how my skin looks.	FACIT-Searchable Item Library Adult Version - Avoid Public B/c How My Skin Looks	
C184106	FSIL-Avoid Public Places Fear Infection	FSIL-Avoid Public Places Fear Infection	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I avoid public places for fear of getting an infection.	FACIT-Searchable Item Library Adult Version - Avoid Public Places Fear Infection	
C183621	FSIL-Because of Sores Eating Difficult	FSIL-Because of Sores Eating Difficult	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Because of my mouth sores, eating is difficult.	FACIT-Searchable Item Library Adult Version - Because of Sores Eating Difficult	
C183755	FSIL-Believe Blood Will Be Inconvenient	FSIL-Believe Blood Will Be Inconvenient	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I believe that having my blood drawn will be inconvenient.	FACIT-Searchable Item Library Adult Version - Believe Blood Will Be Inconvenient	
C183982	FSIL-Believe Bothered by Side Effects	FSIL-Believe Bothered by Side Effects	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I believe I will be bothered by side effects of treatment.	FACIT-Searchable Item Library Adult Version - Believe Bothered by Side Effects	
C183853	FSIL-Believe Chemo Cause Physical Pain	FSIL-Believe Chemo Cause Physical Pain	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I believe my chemotherapy treatment will cause me physical pain.	FACIT-Searchable Item Library Adult Version - Believe Chemo Cause Physical Pain	
C183855	FSIL-Believe Chemo Harmful to Me	FSIL-Believe Chemo Harmful to Me	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I believe chemotherapy treatment will be harmful to me.	FACIT-Searchable Item Library Adult Version - Believe Chemo Harmful to Me	
C183854	FSIL-Believe Chemo Inconvenient	FSIL-Believe Chemo Inconvenient	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I believe receiving chemotherapy will be inconvenient.	FACIT-Searchable Item Library Adult Version - Believe Chemo Inconvenient	
C183857	FSIL-Believe Chemo Sched Stress Family	FSIL-Believe Chemo Sched Stress Family	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I believe my chemotherapy schedule will be stressful to my family.	FACIT-Searchable Item Library Adult Version - Believe Chemo Sched Stress Family	
C183856	FSIL-Believe Chemo Schedule Stressful Me	FSIL-Believe Chemo Schedule Stressful Me	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I believe my chemotherapy schedule will be stressful to me.	FACIT-Searchable Item Library Adult Version - Believe Chemo Schedule Stressful Me	
C183852	FSIL-Believe Chemo Take Up My Time	FSIL-Believe Chemo Take Up My Time	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I believe chemotherapy treatment will take up my time.	FACIT-Searchable Item Library Adult Version - Believe Chemo Take Up My Time	
C183753	FSIL-Believe Eating Will Be Inconvenient	FSIL-Believe Eating Will Be Inconvenient	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I believe that waiting up to 60 minutes before eating breakfast in the morning will be inconvenient.	FACIT-Searchable Item Library Adult Version - Believe Eating Will Be Inconvenient	
C183754	FSIL-Believe Infusion Will Cause Pain	FSIL-Believe Infusion Will Cause Pain	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I believe that an infusion for my bone treatment will cause me physical pain.	FACIT-Searchable Item Library Adult Version - Believe Infusion Will Cause Pain	
C183761	FSIL-Believe Schedule Stressful Family	FSIL-Believe Schedule Stressful Family	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I believe that my treatment schedule for bone disease will be stressful to my family.	FACIT-Searchable Item Library Adult Version - Believe Schedule Stressful Family	
C183760	FSIL-Believe Schedule Stressful to Me	FSIL-Believe Schedule Stressful to Me	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I believe that my treatment schedule for bone disease will be stressful to me.	FACIT-Searchable Item Library Adult Version - Believe Schedule Stressful to Me	
C183758	FSIL-Believe Treatment Inconvenient	FSIL-Believe Treatment Inconvenient	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I believe that receiving treatment for bone disease will be inconvenient.	FACIT-Searchable Item Library Adult Version - Believe Treatment Inconvenient	
C183756	FSIL-Believe Treatment Take Family Time	FSIL-Believe Treatment Take Family Time	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I believe that my treatment for bone disease will take up my family's time.	FACIT-Searchable Item Library Adult Version - Believe Treatment Take Family Time	

Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult					
C183759	FSIL-Believe Treatment Will Be Harmful	FSIL-Believe Treatment Will Be Harmful	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I believe that treatment for bone disease will be harmful to me.	FACIT-Searchable Item Library Adult Version - Believe Treatment Will Be Harmful	
C183757	FSIL-Believe Treatment Will Cause Pain	FSIL-Believe Treatment Will Cause Pain	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I believe that my treatment for bone disease will cause me physical pain.	FACIT-Searchable Item Library Adult Version - Believe Treatment Will Cause Pain	
C183751	FSIL-Believe Treatment Will Take Up Time	FSIL-Believe Treatment Will Take Up Time	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I believe that treatment for bone disease will take up my time.	FACIT-Searchable Item Library Adult Version - Believe Treatment Will Take Up Time	
C183752	FSIL-Believe Will Be Bothered by Effects	FSIL-Believe Will Be Bothered by Effects	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I believe that I will be bothered by side effects of treatment for bone disease.	FACIT-Searchable Item Library Adult Version - Believe Will Be Bothered by Effects	
C183781	FSIL-Blame Myself for the Infection	FSIL-Blame Myself for the Infection	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I tend to blame myself for the infection.	FACIT-Searchable Item Library Adult Version - Blame Myself for the Infection	
C183698	FSIL-Bone Pain Even When I Sit/Lie Still	FSIL-Bone Pain Even When I Sit/Lie Still	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have bone pain even when I sit or lie still.	FACIT-Searchable Item Library Adult Version - Bone Pain Even When I Sit/Lie Still	
C183702	FSIL-Bone Pain Interferes Care Myself	FSIL-Bone Pain Interferes Care Myself	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Bone pain interferes with my ability to care for myself (bathing, dressing, eating, etc.).	FACIT-Searchable Item Library Adult Version - Bone Pain Interferes Care Myself	
C183703	FSIL-Bone Pain Interferes w/Social	FSIL-Bone Pain Interferes w/Social	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Bone pain interferes with my social activities.	FACIT-Searchable Item Library Adult Version - Bone Pain Interferes w/Social	
C183704	FSIL-Bone Pain Wakes Me Up at Night	FSIL-Bone Pain Wakes Me Up at Night	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Bone pain wakes me up at night.	FACIT-Searchable Item Library Adult Version - Bone Pain Wakes Me Up at Night	
C183627	FSIL-Bothered by a Skin Rash	FSIL-Bothered by a Skin Rash	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by a skin rash.	FACIT-Searchable Item Library Adult Version - Bothered by a Skin Rash	
C184166	FSIL-Bothered by Appearance Skin Breast	FSIL-Bothered by Appearance Skin Breast	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by the appearance of the skin in my breast area.	FACIT-Searchable Item Library Adult Version - Bothered by Appearance Skin Breast	
C184240	FSIL-Bothered by Bleeding in Gums/Mouth	FSIL-Bothered by Bleeding in Gums/Mouth	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by bleeding in my gums or mouth.	FACIT-Searchable Item Library Adult Version - Bothered by Bleeding in Gums/Mouth	
C184027	FSIL-Bothered by Blistering of My Skin	FSIL-Bothered by Blistering of My Skin	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by blistering of my skin.	FACIT-Searchable Item Library Adult Version - Bothered by Blistering of My Skin	
C184242	FSIL-Bothered by Blood in My Urine/Stool	FSIL-Bothered by Blood in My Urine/Stool	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by blood in my urine or stool.	FACIT-Searchable Item Library Adult Version - Bothered by Blood in My Urine/Stool	
C184241	FSIL-Bothered by Bruising Beneath Skin	FSIL-Bothered by Bruising Beneath Skin	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by pinpoint bruising beneath my skin.	FACIT-Searchable Item Library Adult Version - Bothered by Bruising Beneath Skin	
C183957	FSIL-Bothered by Change in Eating Habits	FSIL-Bothered by Change in Eating Habits	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by a change in my eating habits.	FACIT-Searchable Item Library Adult Version - Bothered by Change in Eating Habits	
C183678	FSIL-Bothered by Change in Food Tastes	FSIL-Bothered by Change in Food Tastes	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by a change in the way food tastes.	FACIT-Searchable Item Library Adult Version - Bothered by Change in Food Tastes	
C183706	FSIL-Bothered by Change in Personality	FSIL-Bothered by Change in Personality	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by a change in my personality.	FACIT-Searchable Item Library Adult Version - Bothered by Change in Personality	

Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by a change in weight.				
C183667	FSIL-Bothered by Change in Weight	FSIL-Bothered by Change in Weight	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by a change in weight.	FACIT-Searchable Item Library Adult Version - Bothered by Change in Weight
C184289	FSIL-Bothered by Compression Stockings	FSIL-Bothered by Compression Stockings	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by wearing compression stockings.	FACIT-Searchable Item Library Adult Version - Bothered by Compression Stockings
C183880	FSIL-Bothered by Constipation	FSIL-Bothered by Constipation	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by constipation.	FACIT-Searchable Item Library Adult Version - Bothered by Constipation
C184042	FSIL-Bothered by Cracking/Peeling Skin	FSIL-Bothered by Cracking/Peeling Skin	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by cracking or peeling of my skin.	FACIT-Searchable Item Library Adult Version - Bothered by Cracking/Peeling Skin
C184281	FSIL-Bothered by Discharge From Vulva	FSIL-Bothered by Discharge From Vulva	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by discharge or bleeding from my vulva.	FACIT-Searchable Item Library Adult Version - Bothered by Discharge From Vulva
C184284	FSIL-Bothered by Discomfort Groin/Legs	FSIL-Bothered by Discomfort Groin/Legs	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by discomfort in my groin or legs.	FACIT-Searchable Item Library Adult Version - Bothered by Discomfort Groin/Legs
C183708	FSIL-Bothered by Drop in My Contribution	FSIL-Bothered by Drop in My Contribution	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by the drop in my contribution to the family.	FACIT-Searchable Item Library Adult Version - Bothered by Drop in My Contribution
C183730	FSIL-Bothered by Dry Mouth	FSIL-Bothered by Dry Mouth	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by dry mouth.	FACIT-Searchable Item Library Adult Version - Bothered by Dry Mouth
C184035	FSIL-Bothered by Dry Skin	FSIL-Bothered by Dry Skin	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by dry skin.	FACIT-Searchable Item Library Adult Version - Bothered by Dry Skin
C183735	FSIL-Bothered by Effects Treatment Bone	FSIL-Bothered by Effects Treatment Bone	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by side effects of treatment for bone disease.	FACIT-Searchable Item Library Adult Version - Bothered by Effects Treatment Bone
C183729	FSIL-Bothered by Fevers	FSIL-Bothered by Fevers	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by fevers (episodes of high body temperature).	FACIT-Searchable Item Library Adult Version - Bothered by Fevers
C183955	FSIL-Bothered by Gas	FSIL-Bothered by Gas	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by gas (flatulence).	FACIT-Searchable Item Library Adult Version - Bothered by Gas
C183664	FSIL-Bothered by Hair Loss	FSIL-Bothered by Hair Loss	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by hair loss.	FACIT-Searchable Item Library Adult Version - Bothered by Hair Loss
C184118	FSIL-Bothered by Having a Blocked Nose	FSIL-Bothered by Having a Blocked Nose	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by having a blocked nose.	FACIT-Searchable Item Library Adult Version - Bothered by Having a Blocked Nose
C184098	FSIL-Bothered by Headaches	FSIL-Bothered by Headaches	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by headaches.	FACIT-Searchable Item Library Adult Version - Bothered by Headaches
C183771	FSIL-Bothered by Hot Flashes	FSIL-Bothered by Hot Flashes	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by hot flashes.	FACIT-Searchable Item Library Adult Version - Bothered by Hot Flashes
C184200	FSIL-Bothered by Increased Facial Hair	FSIL-Bothered by Increased Facial Hair	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by increased facial hair.	FACIT-Searchable Item Library Adult Version - Bothered by Increased Facial Hair
C184070	FSIL-Bothered by Itching	FSIL-Bothered by Itching	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by itching.	FACIT-Searchable Item Library Adult Version - Bothered by Itching
C184285	FSIL-Bothered by Itching/Burning Vulva	FSIL-Bothered by Itching/Burning Vulva	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by itching/burning in my vulva area.	FACIT-Searchable Item Library Adult Version - Bothered by Itching/Burning Vulva

Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by [bothered item].				
C183996	FSIL-Bothered by Jaundice/Yellow Skin	FSIL-Bothered by Jaundice/Yellow Skin	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by jaundice or yellow color to my skin.	FACIT-Searchable Item Library Adult Version - Bothered by Jaundice/Yellow Skin
C184062	FSIL-Bothered by Lumps or Swelling	FSIL-Bothered by Lumps or Swelling	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by lumps or swelling in certain parts of my body (e.g., neck, armpits, or groin).	FACIT-Searchable Item Library Adult Version - Bothered by Lumps or Swelling
C183620	FSIL-Bothered by Mouth Sores/Tenderness	FSIL-Bothered by Mouth Sores/Tenderness	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by mouth sores or tenderness.	FACIT-Searchable Item Library Adult Version - Bothered by Mouth Sores/Tenderness
C184099	FSIL-Bothered by Muscle Pains	FSIL-Bothered by Muscle Pains	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by muscle pains.	FACIT-Searchable Item Library Adult Version - Bothered by Muscle Pains
C184096	FSIL-Bothered by Muscle Spasms	FSIL-Bothered by Muscle Spasms	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by muscle spasms.	FACIT-Searchable Item Library Adult Version - Bothered by Muscle Spasms
C184228	FSIL-Bothered by My Hands/Nails Look	FSIL-Bothered by My Hands/Nails Look	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by the way my hands or nails look.	FACIT-Searchable Item Library Adult Version - Bothered by My Hands/Nails Look
C184239	FSIL-Bothered by Nosebleeds	FSIL-Bothered by Nosebleeds	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by nosebleeds.	FACIT-Searchable Item Library Adult Version - Bothered by Nosebleeds
C183876	FSIL-Bothered by Odor From Vagina	FSIL-Bothered by Odor From Vagina	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by odor coming from my vagina.	FACIT-Searchable Item Library Adult Version - Bothered by Odor From Vagina
C184282	FSIL-Bothered by Odor From Vulva	FSIL-Bothered by Odor From Vulva	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by odor coming from my vulva.	FACIT-Searchable Item Library Adult Version - Bothered by Odor From Vulva
C184286	FSIL-Bothered by Pain/Numbness in Vulva	FSIL-Bothered by Pain/Numbness in Vulva	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by pain or numbness in my vulva area.	FACIT-Searchable Item Library Adult Version - Bothered by Pain/Numbness in Vulva
C183956	FSIL-Bothered by Reflux or Heartburn	FSIL-Bothered by Reflux or Heartburn	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by reflux or heartburn.	FACIT-Searchable Item Library Adult Version - Bothered by Reflux or Heartburn
C184114	FSIL-Bothered by Ringing in My Ear	FSIL-Bothered by Ringing in My Ear	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by ringing in my ear(s).	FACIT-Searchable Item Library Adult Version - Bothered by Ringing in My Ear
C184201	FSIL-Bothered by Sensitivity Fingernails	FSIL-Bothered by Sensitivity Fingernails	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by sensitivity around my fingernails or toenails.	FACIT-Searchable Item Library Adult Version - Bothered by Sensitivity Fingernails
C184039	FSIL-Bothered by Short-term Reactions	FSIL-Bothered by Short-term Reactions	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by short-term treatment reactions that I experience immediately after, or within 24 hours of, an infusion (such as chills, dizziness, hives, rashes lasting no more than 24 hours).	FACIT-Searchable Item Library Adult Version - Bothered by Short-term Reactions
C183979	FSIL-Bothered by Side Effects Treatment	FSIL-Bothered by Side Effects Treatment	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by side effects of treatment.	FACIT-Searchable Item Library Adult Version - Bothered by Side Effects Treatment
C184174	FSIL-Bothered by Skin Problems Underarm	FSIL-Bothered by Skin Problems Underarm	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by skin problems in my underarm area.	FACIT-Searchable Item Library Adult Version - Bothered by Skin Problems Underarm
C183680	FSIL-Bothered by Skin Problems	FSIL-Bothered by Skin Problems	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by skin problems.	FACIT-Searchable Item Library Adult Version - Bothered by Skin Problems
C184216	FSIL-Bothered by Skin Sensitivity to Sun	FSIL-Bothered by Skin Sensitivity to Sun	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by a change in my skin's sensitivity to the sun.	FACIT-Searchable Item Library Adult Version - Bothered by Skin Sensitivity to Sun

Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult				
C183727	FSIL-Bothered by Sweating	FSIL-Bothered by Sweating	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by sweating.	FACIT-Searchable Item Library Adult Version - Bothered by Sweating
C183619	FSIL-Bothered by Swelling Certain Areas	FSIL-Bothered by Swelling Certain Areas	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by swelling in certain areas of my body.	FACIT-Searchable Item Library Adult Version - Bothered by Swelling Certain Areas
C184170	FSIL-Bothered by Swelling in My Breast	FSIL-Bothered by Swelling in My Breast	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by swelling in my breast.	FACIT-Searchable Item Library Adult Version - Bothered by Swelling in My Breast
C184283	FSIL-Bothered by Swelling/Fluid in Legs	FSIL-Bothered by Swelling/Fluid in Legs	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by swelling/fluid in my legs.	FACIT-Searchable Item Library Adult Version - Bothered by Swelling/Fluid in Legs
C184076	FSIL-Bothered by the Amount of Swelling	FSIL-Bothered by the Amount of Swelling	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by the amount of swelling.	FACIT-Searchable Item Library Adult Version - Bothered by the Amount of Swelling
C183728	FSIL-Bothered by the Chills	FSIL-Bothered by the Chills	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by the chills.	FACIT-Searchable Item Library Adult Version - Bothered by the Chills
C183864	FSIL-Bothered by Uncertainty Prognosis	FSIL-Bothered by Uncertainty Prognosis	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by uncertainty about my prognosis.	FACIT-Searchable Item Library Adult Version - Bothered by Uncertainty Prognosis
C184036	FSIL-Bothered by Vitiligo	FSIL-Bothered by Vitiligo	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by vitiligo (white patches appearing on my skin).	FACIT-Searchable Item Library Adult Version - Bothered by Vitiligo
C184115	FSIL-Bothered by Worsening Eyesight	FSIL-Bothered by Worsening Eyesight	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by worsening eyesight.	FACIT-Searchable Item Library Adult Version - Bothered by Worsening Eyesight
C183875	FSIL-Bothered Discharge/Bleeding Vagina	FSIL-Bothered Discharge/Bleeding Vagina	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by discharge or bleeding from my vagina.	FACIT-Searchable Item Library Adult Version - Bothered Discharge/Bleeding Vagina
C183867	FSIL-Bothered Inconvenience Treat Skin	FSIL-Bothered Inconvenience Treat Skin	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by the inconvenience of treatment for my skin condition.	FACIT-Searchable Item Library Adult Version - Bothered Inconvenience Treat Skin
C184041	FSIL-Bothered New Allergy-like Reactions	FSIL-Bothered New Allergy-like Reactions	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by new allergy-like reactions (e.g., to foods, insects, pollen).	FACIT-Searchable Item Library Adult Version - Bothered New Allergy-like Reactions
C183863	FSIL-Bothered Red/Pink Appearance Skin	FSIL-Bothered Red/Pink Appearance Skin	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am bothered by the red or pink appearance of my skin.	FACIT-Searchable Item Library Adult Version - Bothered Red/Pink Appearance Skin
C184060	FSIL-Breathing Is Easy for Me	FSIL-Breathing Is Easy for Me	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Breathing is easy for me.	FACIT-Searchable Item Library Adult Version - Breathing Is Easy for Me
C183795	FSIL-Can Manage Things Around Infection	FSIL-Can Manage Things Around Infection	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel that I can manage things that come up around this infection.	FACIT-Searchable Item Library Adult Version - Can Manage Things Around Infection
C184023	FSIL-Can Swallow Naturally and Easily	FSIL-Can Swallow Naturally and Easily	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I can swallow naturally and easily.	FACIT-Searchable Item Library Adult Version - Can Swallow Naturally and Easily
C183782	FSIL-Careful Who I told About Infection	FSIL-Careful Who I told About Infection	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I was careful who I told about the infection.	FACIT-Searchable Item Library Adult Version - Careful Who I told About Infection
C183770	FSIL-Caring for Ostomy Is Difficult	FSIL-Caring for Ostomy Is Difficult	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Caring for my ostomy appliance is difficult.	FACIT-Searchable Item Library Adult Version - Caring for Ostomy Is Difficult

Functional Assessment of Chronic Illness Therapy-Searchable Item Library				
C184291	FSIL-Caring Urinary Condition Difficult	FSIL-Caring Urinary Condition Difficult	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Caring for my urinary condition is difficult.	FACIT-Searchable Item Library Adult Version - Caring Urinary Condition Difficult
C183896	FSIL-Carrying 10-20 Lbs	FSIL-Carrying 10-20 Lbs	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Carrying something weighing 10-20 lbs (about 4.5-9kg, like a large bag of groceries) from one room to another.	FACIT-Searchable Item Library Adult Version - Carrying 10-20 Lbs
C184134	FSIL-Certain Parts of Body Have Pain	FSIL-Certain Parts of Body Have Pain	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have certain parts of my body where I experience pain.	FACIT-Searchable Item Library Adult Version - Certain Parts of Body Have Pain
C183846	FSIL-Chemo Causes Physical Pain	FSIL-Chemo Causes Physical Pain	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My chemotherapy treatment causes me physical pain.	FACIT-Searchable Item Library Adult Version - Chemo Causes Physical Pain
C183851	FSIL-Chemo Schedule Is Stressful Family	FSIL-Chemo Schedule Is Stressful Family	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My chemotherapy schedule is stressful to my family.	FACIT-Searchable Item Library Adult Version - Chemo Schedule Is Stressful Family
C183850	FSIL-Chemo Schedule Is Stressful Me	FSIL-Chemo Schedule Is Stressful Me	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My chemotherapy schedule is stressful to me.	FACIT-Searchable Item Library Adult Version - Chemo Schedule Is Stressful Me
C183849	FSIL-Chemo Seems Harmful	FSIL-Chemo Seems Harmful	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Chemotherapy treatment seems harmful to me.	FACIT-Searchable Item Library Adult Version - Chemo Seems Harmful
C183844	FSIL-Chemo Takes Family Time	FSIL-Chemo Takes Family Time	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My chemotherapy treatment takes up my family's time.	FACIT-Searchable Item Library Adult Version - Chemo Takes Family Time
C183839	FSIL-Chemo Treatment Takes Up My Time	FSIL-Chemo Treatment Takes Up My Time	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Chemotherapy treatment takes up my time.	FACIT-Searchable Item Library Adult Version - Chemo Treatment Takes Up My Time
C183842	FSIL-Choose This Chemo Again	FSIL-Choose This Chemo Again	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Would you choose this chemotherapy again?	FACIT-Searchable Item Library Adult Version - Choose This Chemo Again
C184273	FSIL-Choose This Clinic/Office Again	FSIL-Choose This Clinic/Office Again	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Would you choose this clinic or office again?	FACIT-Searchable Item Library Adult Version - Choose This Clinic/Office Again
C184278	FSIL-Choose This Treatment Again	FSIL-Choose This Treatment Again	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Would you choose this treatment again?	FACIT-Searchable Item Library Adult Version - Choose This Treatment Again
C183738	FSIL-Choose This Treatment Bone Again	FSIL-Choose This Treatment Bone Again	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Would you choose this treatment for bone disease again?	FACIT-Searchable Item Library Adult Version - Choose This Treatment Bone Again
C184197	FSIL-Comfort in Faith/Spiritual Beliefs	FSIL-Comfort in Faith/Spiritual Beliefs	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I find comfort in my faith or spiritual beliefs.	FACIT-Searchable Item Library Adult Version - Comfort in Faith/Spiritual Beliefs
C184048	FSIL-Comfortable Discuss Cond w/Friends	FSIL-Comfortable Discuss Cond w/Friends	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am comfortable discussing my condition with friends.	FACIT-Searchable Item Library Adult Version - Comfortable Discuss Cond w/Friends
C184190	FSIL-Compassion for Others Difficulties	FSIL-Compassion for Others Difficulties	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel compassion for others in the difficulties they are facing.	FACIT-Searchable Item Library Adult Version - Compassion for Others Difficulties
C183634	FSIL-Concerned About How Thin I Look	FSIL-Concerned About How Thin I Look	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am concerned about how thin I look.	FACIT-Searchable Item Library Adult Version - Concerned About How Thin I Look
C183674	FSIL-Concerned About Keeping My Job	FSIL-Concerned About Keeping My Job	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am concerned about keeping my job (include work at home).	FACIT-Searchable Item Library Adult Version - Concerned About Keeping My Job

Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult				
C183951	FSIL-Concerned Keeping My Job and Income	FSIL-Concerned Keeping My Job and Income	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am concerned about keeping my job and income, including work at home.	FACIT-Searchable Item Library Adult Version - Concerned Keeping My Job and Income
C184009	FSIL-Concerned What the Future Holds	FSIL-Concerned What the Future Holds	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am concerned about what the future holds for me.	FACIT-Searchable Item Library Adult Version - Concerned What the Future Holds
C183778	FSIL-Concerns Ability Become Pregnant	FSIL-Concerns Ability Become Pregnant	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have concerns about my ability to become pregnant.	FACIT-Searchable Item Library Adult Version - Concerns Ability Become Pregnant
C183689	FSIL-Concerns Ability to Have Children	FSIL-Concerns Ability to Have Children	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have concerns about my ability to have children.	FACIT-Searchable Item Library Adult Version - Concerns Ability to Have Children
C184044	FSIL-Condition Wakes/Keeps Me Up Night	FSIL-Condition Wakes/Keeps Me Up Night	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My condition wakes or keeps me up at night.	FACIT-Searchable Item Library Adult Version - Condition Wakes/Keeps Me Up Night
C183690	FSIL-Confidence in My Nurse(s)	FSIL-Confidence in My Nurse(s)	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have confidence in my nurse(s).	FACIT-Searchable Item Library Adult Version - Confidence in My Nurse(s)
C183915	FSIL-Confident Nutrition Feeding Tube	FSIL-Confident Nutrition Feeding Tube	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am more confident about my nutrition because of my feeding tube.	FACIT-Searchable Item Library Adult Version - Confident Nutrition Feeding Tube
C184149	FSIL-Constipated	FSIL-Constipated	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am constipated.	FACIT-Searchable Item Library Adult Version - Constipated
C183918	FSIL-Constipation Dur/After Tube Feeding	FSIL-Constipation Dur/After Tube Feeding	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have constipation during or after my tube feeding.	FACIT-Searchable Item Library Adult Version - Constipation Dur/After Tube Feeding
C183974	FSIL-Content With Quality of My Life Now	FSIL-Content With Quality of My Life Now	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am content with the quality of my life right now.	FACIT-Searchable Item Library Adult Version - Content With Quality of My Life Now
C183683	FSIL-Cost of Treatment Is Burden on Me	FSIL-Cost of Treatment Is Burden on Me	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: The cost of my treatment is a burden on me or my family.	FACIT-Searchable Item Library Adult Version - Cost of Treatment Is Burden on Me
C183913	FSIL-Dependent on Others Feeding Tube	FSIL-Dependent on Others Feeding Tube	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel dependent on others because I have a feeding tube.	FACIT-Searchable Item Library Adult Version - Dependent on Others Feeding Tube
C184101	FSIL-Depressed About My Condition	FSIL-Depressed About My Condition	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am depressed about my condition.	FACIT-Searchable Item Library Adult Version - Depressed About My Condition
C183786	FSIL-Depressed About the Infection	FSIL-Depressed About the Infection	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am depressed about the infection.	FACIT-Searchable Item Library Adult Version - Depressed About the Infection
C183887	FSIL-Diarrhea Keeps/Wakes Me Up at Night	FSIL-Diarrhea Keeps/Wakes Me Up at Night	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My problem with diarrhea (diarrhoea) keeps/wakes me up at night.	FACIT-Searchable Item Library Adult Version - Diarrhea Keeps/Wakes Me Up at Night
C184113	FSIL-Diff Moving Neck & Shoulders Stiff	FSIL-Diff Moving Neck & Shoulders Stiff	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have difficulty moving my neck and shoulders because of stiffness.	FACIT-Searchable Item Library Adult Version - Diff Moving Neck & Shoulders Stiff
C184198	FSIL-Difficult Times Strengthened Faith	FSIL-Difficult Times Strengthened Faith	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Difficult times have strengthened my faith or spiritual beliefs.	FACIT-Searchable Item Library Adult Version - Difficult Times Strengthened Faith

Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult				
C184121	FSIL-Difficulty Breathing Exposed Cold	FSIL-Difficulty Breathing Exposed Cold	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have difficulty breathing when I am exposed to cold temperatures.	FACIT-Searchable Item Library Adult Version - Difficulty Breathing Exposed Cold
C183861	FSIL-Difficulty Doing Things B/c of Skin	FSIL-Difficulty Doing Things B/c of Skin	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have difficulty doing things with my hands because of the condition of my skin.	FACIT-Searchable Item Library Adult Version - Difficulty Doing Things B/c of Skin
C183725	FSIL-Difficulty Expressing My Thoughts	FSIL-Difficulty Expressing My Thoughts	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have difficulty expressing my thoughts.	FACIT-Searchable Item Library Adult Version - Difficulty Expressing My Thoughts
C184163	FSIL-Difficulty Moving My Arm Sideways	FSIL-Difficulty Moving My Arm Sideways	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have difficulty moving my arm sideways.	FACIT-Searchable Item Library Adult Version - Difficulty Moving My Arm Sideways
C184065	FSIL-Difficulty Planning for Future	FSIL-Difficulty Planning for Future	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Because of my illness, I have difficulty planning for the future.	FACIT-Searchable Item Library Adult Version - Difficulty Planning for Future
C183900	FSIL-Difficulty Swallowing Liquids	FSIL-Difficulty Swallowing Liquids	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have difficulty swallowing liquids.	FACIT-Searchable Item Library Adult Version - Difficulty Swallowing Liquids
C183899	FSIL-Difficulty Swallowing Soft Foods	FSIL-Difficulty Swallowing Soft Foods	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have difficulty swallowing soft or mashed foods.	FACIT-Searchable Item Library Adult Version - Difficulty Swallowing Soft Foods
C183898	FSIL-Difficulty Swallowing Solid Foods	FSIL-Difficulty Swallowing Solid Foods	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have difficulty swallowing solid foods.	FACIT-Searchable Item Library Adult Version - Difficulty Swallowing Solid Foods
C183783	FSIL-Difficulty Telling Partner/Spouse	FSIL-Difficulty Telling Partner/Spouse	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have had difficulty telling my partner/spouse about the infection.	FACIT-Searchable Item Library Adult Version - Difficulty Telling Partner/Spouse
C183862	FSIL-Difficulty Walking B/c of Skin	FSIL-Difficulty Walking B/c of Skin	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have difficulty walking because of my skin condition.	FACIT-Searchable Item Library Adult Version - Difficulty Walking B/c of Skin
C183953	FSIL-Digestive Problems Interfere Activ	FSIL-Digestive Problems Interfere Activ	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My digestive problems interfere with my usual activities.	FACIT-Searchable Item Library Adult Version - Digestive Problems Interfere Activ
C183774	FSIL-Discomfort in My Pelvic Area	FSIL-Discomfort in My Pelvic Area	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have discomfort in my pelvic area.	FACIT-Searchable Item Library Adult Version - Discomfort in My Pelvic Area
C183959	FSIL-Discomfort or Pain When I Eat	FSIL-Discomfort or Pain When I Eat	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have discomfort or pain when I eat.	FACIT-Searchable Item Library Adult Version - Discomfort or Pain When I Eat
C183926	FSIL-Discomfort/Pain in My Pelvic Area	FSIL-Discomfort/Pain in My Pelvic Area	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have discomfort or pain in my pelvic area.	FACIT-Searchable Item Library Adult Version - Discomfort/Pain in My Pelvic Area
C184001	FSIL-Discomfort/Pain in Stomach Area	FSIL-Discomfort/Pain in Stomach Area	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have discomfort or pain in my stomach area.	FACIT-Searchable Item Library Adult Version - Discomfort/Pain in Stomach Area
C184145	FSIL-Discuss Concerns w/ People Closest	FSIL-Discuss Concerns w/ People Closest	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am able to openly discuss my concerns with the people closest to me.	FACIT-Searchable Item Library Adult Version - Discuss Concerns w/ People Closest
C184155	FSIL-Do You Have an Ostomy Appliance	FSIL-Do You Have an Ostomy Appliance	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Do you have an ostomy appliance?	FACIT-Searchable Item Library Adult Version - Do You Have an Ostomy Appliance
C183984	FSIL-Doctor Available Answer Questions	FSIL-Doctor Available Answer Questions	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My doctor is available to answer my questions.	FACIT-Searchable Item Library Adult Version - Doctor Available Answer Questions

Functional Assessment of Chronic Illness Therapy-Searchable Item Library					
C184263	FSIL-Doctor Evaluate Effects Treatment	FSIL-Doctor Evaluate Effects Treatment	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Did your doctor(s) help you evaluate the effects of your treatment so far?	FACIT-Searchable Item Library Adult Version - Doctor Evaluate Effects Treatment	
C184258	FSIL-Doctor Experience Treating Illness	FSIL-Doctor Experience Treating Illness	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Did you feel your doctor(s) had experience treating your illness?	FACIT-Searchable Item Library Adult Version - Doctor Experience Treating Illness	
C184245	FSIL-Doctor Explain Benefits Treatment	FSIL-Doctor Explain Benefits Treatment	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Did your doctor(s) explain the possible benefits of your treatment?	FACIT-Searchable Item Library Adult Version - Doctor Explain Benefits Treatment	
C184246	FSIL-Doctor Explain Side Effects/Risks	FSIL-Doctor Explain Side Effects/Risks	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Did your doctor(s) explain the possible side effects or risks of your treatment?	FACIT-Searchable Item Library Adult Version - Doctor Explain Side Effects/Risks	
C183794	FSIL-Doctor Explained Possible Benefits	FSIL-Doctor Explained Possible Benefits	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My doctor explained the possible benefits of my treatment.	FACIT-Searchable Item Library Adult Version - Doctor Explained Possible Benefits	
C184280	FSIL-Doctor Explanations You Understand	FSIL-Doctor Explanations You Understand	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Did your doctor(s) give explanations that you could understand?	FACIT-Searchable Item Library Adult Version - Doctor Explanations You Understand	
C183793	FSIL-Doctor Gave Explanations Understand	FSIL-Doctor Gave Explanations Understand	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My doctor gave me explanations that I could understand.	FACIT-Searchable Item Library Adult Version - Doctor Gave Explanations Understand	
C184259	FSIL-Doctor Knew Medical Developments	FSIL-Doctor Knew Medical Developments	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Did you feel your doctor(s) knew about the latest medical developments for your illness?	FACIT-Searchable Item Library Adult Version - Doctor Knew Medical Developments	
C184264	FSIL-Doctor Seem Respect Your Opinions	FSIL-Doctor Seem Respect Your Opinions	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Did your doctor(s) seem to respect your opinions?	FACIT-Searchable Item Library Adult Version - Doctor Seem Respect Your Opinions	
C184251	FSIL-Doctor Seem Understand Your Needs	FSIL-Doctor Seem Understand Your Needs	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Did your doctor(s) seem to understand your needs?	FACIT-Searchable Item Library Adult Version - Doctor Seem Understand Your Needs	
C184250	FSIL-Doctor Show Genuine Concern for You	FSIL-Doctor Show Genuine Concern for You	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Did your doctor(s) show genuine concern for you?	FACIT-Searchable Item Library Adult Version - Doctor Show Genuine Concern for You	
C184249	FSIL-Doctor Understand Important to You	FSIL-Doctor Understand Important to You	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Did your doctor(s) seem to understand what was important to you?	FACIT-Searchable Item Library Adult Version - Doctor Understand Important to You	
C183888	FSIL-Dressing Yourself Without Help	FSIL-Dressing Yourself Without Help	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Dressing yourself without help.	FACIT-Searchable Item Library Adult Version - Dressing Yourself Without Help	
C183923	FSIL-Dur Tube Feeding Eat/Drink by Mouth	FSIL-Dur Tube Feeding Eat/Drink by Mouth	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: During the use of tube feeding, I can eat and drink by mouth.	FACIT-Searchable Item Library Adult Version - Dur Tube Feeding Eat/Drink by Mouth	
C184199	FSIL-During Difficult Times Things Be OK	FSIL-During Difficult Times Things Be OK	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Even during difficult times, I know that things will be okay.	FACIT-Searchable Item Library Adult Version - During Difficult Times Things Be OK	
C184244	FSIL-Effectiveness of Treatment So Far	FSIL-Effectiveness of Treatment So Far	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Compared to what you expected, how do you rate the effectiveness of the treatment so far?	FACIT-Searchable Item Library Adult Version - Effectiveness of Treatment So Far	
C183780	FSIL-Embarrassed About the Infection	FSIL-Embarrassed About the Infection	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel embarrassed about the infection.	FACIT-Searchable Item Library Adult Version - Embarrassed About the Infection	
C183872	FSIL-Embarrassed by Appearance of Skin	FSIL-Embarrassed by Appearance of Skin	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am embarrassed by the appearance of my skin.	FACIT-Searchable Item Library Adult Version - Embarrassed by Appearance of Skin	
C183885	FSIL-Embarrassed by Having Diarrhea	FSIL-Embarrassed by Having Diarrhea	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am embarrassed by having diarrhea (diarrhoea).	FACIT-Searchable Item Library Adult Version - Embarrassed by Having Diarrhea	

Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult				
C184053	FSIL-Embarrassed by My Condition	FSIL-Embarrassed by My Condition	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am embarrassed by my condition.	FACIT-Searchable Item Library Adult Version - Embarrassed by My Condition
C184003	FSIL-Embarrassed by My Illness	FSIL-Embarrassed by My Illness	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am embarrassed by my illness.	FACIT-Searchable Item Library Adult Version - Embarrassed by My Illness
C184205	FSIL-Embarrassed by My Skin Condition	FSIL-Embarrassed by My Skin Condition	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am embarrassed by my skin condition.	FACIT-Searchable Item Library Adult Version - Embarrassed by My Skin Condition
C183769	FSIL-Embarrassed by Ostomy Appliance	FSIL-Embarrassed by Ostomy Appliance	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am embarrassed by my ostomy appliance.	FACIT-Searchable Item Library Adult Version - Embarrassed by Ostomy Appliance
C183788	FSIL-Emotional Support Family Members	FSIL-Emotional Support Family Members	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I get emotional support from family members.	FACIT-Searchable Item Library Adult Version - Emotional Support Family Members
C183986	FSIL-Emotional Support From My Family	FSIL-Emotional Support From My Family	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I get emotional support from my family.	FACIT-Searchable Item Library Adult Version - Emotional Support From My Family
C183903	FSIL-Enjoy Meals With Family/Friends	FSIL-Enjoy Meals With Family/Friends	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am able to enjoy meals with family or friends.	FACIT-Searchable Item Library Adult Version - Enjoy Meals With Family/Friends
C183973	FSIL-Enjoy Things I Usually Do for Fun	FSIL-Enjoy Things I Usually Do for Fun	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am enjoying the things I usually do for fun.	FACIT-Searchable Item Library Adult Version - Enjoy Things I Usually Do for Fun
C183940	FSIL-Enough Money to Cover Treatment	FSIL-Enough Money to Cover Treatment	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I know that I have enough money in savings, retirement, or assets to cover the costs of my treatment.	FACIT-Searchable Item Library Adult Version - Enough Money to Cover Treatment
C183860	FSIL-Family Bothered by Skin Condition	FSIL-Family Bothered by Skin Condition	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My family is bothered by my skin condition.	FACIT-Searchable Item Library Adult Version - Family Bothered by Skin Condition
C183993	FSIL-Family Is Well Despite My Illness	FSIL-Family Is Well Despite My Illness	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My family is doing well despite my illness.	FACIT-Searchable Item Library Adult Version - Family Is Well Despite My Illness
C183696	FSIL-Family Trouble Understand Bone Pain	FSIL-Family Trouble Understand Bone Pain	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My family has trouble understanding when my bone pain interferes with my activity.	FACIT-Searchable Item Library Adult Version - Family Trouble Understand Bone Pain
C184093	FSIL-Family Trouble Understand Worse	FSIL-Family Trouble Understand Worse	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My family has trouble understanding when my condition gets worse.	FACIT-Searchable Item Library Adult Version - Family Trouble Understand Worse
C184146	FSIL-Family Who Take My Responsibilities	FSIL-Family Who Take My Responsibilities	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have family members who will take on my responsibilities.	FACIT-Searchable Item Library Adult Version - Family Who Take My Responsibilities
C184046	FSIL-Far From Home/Work W/o Fear Soilage	FSIL-Far From Home/Work W/o Fear Soilage	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I can be far from home/work without fearing soilage.	FACIT-Searchable Item Library Adult Version - Far From Home/Work W/o Fear Soilage
C183618	FSIL-Fatigue Keeps Me From Doing Things	FSIL-Fatigue Keeps Me From Doing Things	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My fatigue keeps me from doing the things I want to do.	FACIT-Searchable Item Library Adult Version - Fatigue Keeps Me From Doing Things
C183917	FSIL-Feeding Tube Was Right Decision	FSIL-Feeding Tube Was Right Decision	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Getting a feeding tube was the right decision for me.	FACIT-Searchable Item Library Adult Version - Feeding Tube Was Right Decision
C183950	FSIL-Feel Financially Stressed	FSIL-Feel Financially Stressed	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel financially stressed.	FACIT-Searchable Item Library Adult Version - Feel Financially Stressed
C184184	FSIL-Feel Forgiven for Harm I Caused	FSIL-Feel Forgiven for Harm I Caused	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel forgiven for any harm I may have ever caused.	FACIT-Searchable Item Library Adult Version - Feel Forgiven for Harm I Caused

Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult				
C184068	FSIL-Feel Isolated Because of Illness	FSIL-Feel Isolated Because of Illness	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel isolated from others because of my illness or treatment.	FACIT-Searchable Item Library Adult Version - Feel Isolated Because of Illness
C184103	FSIL-Feel Overwhelmed by My Condition	FSIL-Feel Overwhelmed by My Condition	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel overwhelmed by my condition.	FACIT-Searchable Item Library Adult Version - Feel Overwhelmed by My Condition
C184195	FSIL-Feel Sense of Harmony Within Myself	FSIL-Feel Sense of Harmony Within Myself	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel a sense of harmony within myself.	FACIT-Searchable Item Library Adult Version - Feel Sense of Harmony Within Myself
C184193	FSIL-Feel Sense of Purpose in My Life	FSIL-Feel Sense of Purpose in My Life	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel a sense of purpose in my life.	FACIT-Searchable Item Library Adult Version - Feel Sense of Purpose in My Life
C184185	FSIL-Feel Sense of Thankfulness for Life	FSIL-Feel Sense of Thankfulness for Life	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Throughout the course of my day, I feel a sense of thankfulness for my life.	FACIT-Searchable Item Library Adult Version - Feel Sense of Thankfulness for Life
C184147	FSIL-Feel That My Family Appreciates Me	FSIL-Feel That My Family Appreciates Me	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel that my family appreciates me.	FACIT-Searchable Item Library Adult Version - Feel That My Family Appreciates Me
C183981	FSIL-Forced to Spend Time in Bed	FSIL-Forced to Spend Time in Bed	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am forced to spend time in bed.	FACIT-Searchable Item Library Adult Version - Forced to Spend Time in Bed
C184183	FSIL-Forgive Others for Harm Caused Me	FSIL-Forgive Others for Harm Caused Me	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am able to forgive others for any harm they have ever caused me.	FACIT-Searchable Item Library Adult Version - Forgive Others for Harm Caused Me
C183811	FSIL-Forgotten Names After Introduced	FSIL-Forgotten Names After Introduced	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have forgotten names of people soon after being introduced.	FACIT-Searchable Item Library Adult Version - Forgotten Names After Introduced
C183646	FSIL-Frustrated by Being Too Tired	FSIL-Frustrated by Being Too Tired	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am frustrated by being too tired to do the things I want to do.	FACIT-Searchable Item Library Adult Version - Frustrated by Being Too Tired
C183693	FSIL-Frustrated by My Bone Pain	FSIL-Frustrated by My Bone Pain	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am frustrated by my bone pain.	FACIT-Searchable Item Library Adult Version - Frustrated by My Bone Pain
C184104	FSIL-Frustrated by My Condition	FSIL-Frustrated by My Condition	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am frustrated by my condition.	FACIT-Searchable Item Library Adult Version - Frustrated by My Condition
C183873	FSIL-Frustrated by My Skin Condition	FSIL-Frustrated by My Skin Condition	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am frustrated by my skin condition.	FACIT-Searchable Item Library Adult Version - Frustrated by My Skin Condition
C183784	FSIL-Frustrated by the Infection	FSIL-Frustrated by the Infection	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am frustrated by the infection.	FACIT-Searchable Item Library Adult Version - Frustrated by the Infection
C183947	FSIL-Frustrated Cannot Work as Usual	FSIL-Frustrated Cannot Work as Usual	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am frustrated that I cannot work or contribute as much as I usually do.	FACIT-Searchable Item Library Adult Version - Frustrated Cannot Work as Usual
C183720	FSIL-Frustrated I Cannot Do Things	FSIL-Frustrated I Cannot Do Things	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I get frustrated that I cannot do things I used to.	FACIT-Searchable Item Library Adult Version - Frustrated I Cannot Do Things
C184232	FSIL-Frustrated Not Do Usual Activities	FSIL-Frustrated Not Do Usual Activities	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am frustrated by not being able to do my usual activities.	FACIT-Searchable Item Library Adult Version - Frustrated Not Do Usual Activities
C184063	FSIL-Frustrated Unable Do Things I Want	FSIL-Frustrated Unable Do Things I Want	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am frustrated by being unable to do the things I want to do.	FACIT-Searchable Item Library Adult Version - Frustrated Unable Do Things I Want

Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult				
C183958	FSIL-Fullness/Heaviness in Stomach Area	FSIL-Fullness/Heaviness in Stomach Area	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have a feeling of fullness or heaviness in my stomach area.	FACIT-Searchable Item Library Adult Version - Fullness/Heaviness in Stomach Area
C183787	FSIL-Get Emotional Support Partner	FSIL-Get Emotional Support Partner	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I get emotional support from my partner/spouse.	FACIT-Searchable Item Library Adult Version - Get Emotional Support Partner
C184127	FSIL-Get Ringing or Buzzing in My Ears	FSIL-Get Ringing or Buzzing in My Ears	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I get a ringing or buzzing in my ears.	FACIT-Searchable Item Library Adult Version - Get Ringing or Buzzing in My Ears
C184248	FSIL-Get to Say Things Important to You	FSIL-Get to Say Things Important to You	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Did you get to say the things that were important to you?	FACIT-Searchable Item Library Adult Version - Get to Say Things Important to You
C184081	FSIL-Good Range of Movement in Arm/Leg	FSIL-Good Range of Movement in Arm/Leg	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have good range of movement in my arm or leg.	FACIT-Searchable Item Library Adult Version - Good Range of Movement in Arm/Leg
C183999	FSIL-Had Change in the Way Food Tastes	FSIL-Had Change in the Way Food Tastes	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have had a change in the way food tastes.	FACIT-Searchable Item Library Adult Version - Had Change in the Way Food Tastes
C183623	FSIL-Hand Pain Interferes Daily Activ	FSIL-Hand Pain Interferes Daily Activ	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Hand pain or tenderness interferes with my daily activities.	FACIT-Searchable Item Library Adult Version - Hand Pain Interferes Daily Activ
C184006	FSIL-Hard to Tell People About Infection	FSIL-Hard to Tell People About Infection	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: It is hard to tell other people about my infection.	FACIT-Searchable Item Library Adult Version - Hard to Tell People About Infection
C183929	FSIL-Have Breast Sensitivity/Tenderness	FSIL-Have Breast Sensitivity/Tenderness	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have breast sensitivity/tenderness.	FACIT-Searchable Item Library Adult Version - Have Breast Sensitivity/Tenderness
C184270	FSIL-Have Confidence in Your Doctor	FSIL-Have Confidence in Your Doctor	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Did you have confidence in your doctor(s)?	FACIT-Searchable Item Library Adult Version - Have Confidence in Your Doctor
C183636	FSIL-Have Difficulty Eating Rich Foods	FSIL-Have Difficulty Eating Rich Foods	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have difficulty eating rich or "heavy" foods.	FACIT-Searchable Item Library Adult Version - Have Difficulty Eating Rich Foods
C184262	FSIL-Have Enough Time to Make Decisions	FSIL-Have Enough Time to Make Decisions	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Did you have enough time to make decisions about your health care?	FACIT-Searchable Item Library Adult Version - Have Enough Time to Make Decisions
C184125	FSIL-Have Joint Pain or Muscle Cramps	FSIL-Have Joint Pain or Muscle Cramps	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have joint pain or muscle cramps.	FACIT-Searchable Item Library Adult Version - Have Joint Pain or Muscle Cramps
C184247	FSIL-Have Opportunity to Ask Questions	FSIL-Have Opportunity to Ask Questions	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Did you have an opportunity to ask questions?	FACIT-Searchable Item Library Adult Version - Have Opportunity to Ask Questions
C183938	FSIL-Have Pain/Discomfort w/Intercourse	FSIL-Have Pain/Discomfort w/Intercourse	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have pain or discomfort with intercourse.	FACIT-Searchable Item Library Adult Version - Have Pain/Discomfort w/Intercourse
C184007	FSIL-Have People to Help Me if I Need It	FSIL-Have People to Help Me if I Need It	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have people to help me if I need it.	FACIT-Searchable Item Library Adult Version - Have People to Help Me if I Need It
C183660	FSIL-Have Stiffness of Arm on This Side	FSIL-Have Stiffness of Arm on This Side	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have stiffness of my arm on this side.	FACIT-Searchable Item Library Adult Version - Have Stiffness of Arm on This Side
C184150	FSIL-Have Swelling in Parts of My Body	FSIL-Have Swelling in Parts of My Body	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have swelling in parts of my body.	FACIT-Searchable Item Library Adult Version - Have Swelling in Parts of My Body
C183669	FSIL-Have Trouble Controlling My Urine	FSIL-Have Trouble Controlling My Urine	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have trouble controlling my urine.	FACIT-Searchable Item Library Adult Version - Have Trouble Controlling My Urine

Functional Assessment of Chronic Illness Therapy-Searchable Item Library				
C184192	FSIL-Have Trouble Feeling Peace of Mind	FSIL-Have Trouble Feeling Peace of Mind	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have trouble feeling peace of mind.	FACIT-Searchable Item Library Adult Version - Have Trouble Feeling Peace of Mind
C183954	FSIL-Have Trouble Swallowing Food	FSIL-Have Trouble Swallowing Food	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have trouble swallowing food.	FACIT-Searchable Item Library Adult Version - Have Trouble Swallowing Food
C183717	FSIL-Have Weakness in My Arms or Legs	FSIL-Have Weakness in My Arms or Legs	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have weakness in my arms or legs.	FACIT-Searchable Item Library Adult Version - Have Weakness in My Arms or Legs
C184156	FSIL-Have You Ever Smoked	FSIL-Have You Ever Smoked	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Have you ever smoked?	FACIT-Searchable Item Library Adult Version - Have You Ever Smoked
C183746	FSIL-Having Blood Drawn Is Inconvenient	FSIL-Having Blood Drawn Is Inconvenient	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Having my blood drawn is inconvenient.	FACIT-Searchable Item Library Adult Version - Having Blood Drawn Is Inconvenient
C184095	FSIL-Heat Worsens My Symptoms	FSIL-Heat Worsens My Symptoms	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Heat worsens my symptoms.	FACIT-Searchable Item Library Adult Version - Heat Worsens My Symptoms
C184221	FSIL-Helps Arrangements Obtain Medicines	FSIL-Helps Arrangements Obtain Medicines	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My pharmacist helps with the arrangements necessary to obtain my medicines.	FACIT-Searchable Item Library Adult Version - Helps Arrangements Obtain Medicines
C183777	FSIL-Hidden Problem Others Not Notice	FSIL-Hidden Problem Others Not Notice	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have hidden this problem so others will not notice.	FACIT-Searchable Item Library Adult Version - Hidden Problem Others Not Notice
C184004	FSIL-Hopeful About the Future	FSIL-Hopeful About the Future	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am hopeful about the future.	FACIT-Searchable Item Library Adult Version - Hopeful About the Future
C184158	FSIL-How Many Places in Body Felt Pain	FSIL-How Many Places in Body Felt Pain	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: In how many places in your body have you felt bone pain?	FACIT-Searchable Item Library Adult Version - How Many Places in Body Felt Pain
C183697	FSIL-Hurts When Put Weight/Pressure on	FSIL-Hurts When Put Weight/Pressure on	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: It hurts when I put weight or pressure on the place where I have bone pain.	FACIT-Searchable Item Library Adult Version - Hurts When Put Weight/Pressure on
C184229	FSIL-I Bleed Easily	FSIL-I Bleed Easily	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I bleed easily.	FACIT-Searchable Item Library Adult Version - I Bleed Easily
C184236	FSIL-I Bruise Easily	FSIL-I Bruise Easily	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I bruise easily.	FACIT-Searchable Item Library Adult Version - I Bruise Easily
C183765	FSIL-I Can Digest My Food Well	FSIL-I Can Digest My Food Well	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I can digest my food well.	FACIT-Searchable Item Library Adult Version - I Can Digest My Food Well
C184016	FSIL-I Can Eat Solid Foods	FSIL-I Can Eat Solid Foods	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I can eat solid foods.	FACIT-Searchable Item Library Adult Version - I Can Eat Solid Foods
C184117	FSIL-I Can Enjoy the Taste of Food	FSIL-I Can Enjoy the Taste of Food	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I can enjoy the taste of food.	FACIT-Searchable Item Library Adult Version - I Can Enjoy the Taste of Food
C183719	FSIL-I Can Remember New Things	FSIL-I Can Remember New Things	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I can remember new things.	FACIT-Searchable Item Library Adult Version - I Can Remember New Things
C183675	FSIL-I Can Remember Things	FSIL-I Can Remember Things	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I can remember things.	FACIT-Searchable Item Library Adult Version - I Can Remember Things
C183902	FSIL-I Choke When I Swallow	FSIL-I Choke When I Swallow	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I choke when I swallow.	FACIT-Searchable Item Library Adult Version - I Choke When I Swallow
C184025	FSIL-I Drink Alcohol	FSIL-I Drink Alcohol	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I drink alcohol (e.g. beer, wine, etc.).	FACIT-Searchable Item Library Adult Version - I Drink Alcohol

Functional Assessment of Chronic Illness Therapy-Searchable Item Library				
C184224	FSIL-I Feel Bloated	FSIL-I Feel Bloated	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel bloated.	FACIT-Searchable Item Library Adult Version - I Feel Bloated
C183992	FSIL-I Feel Close to My Family	FSIL-I Feel Close to My Family	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel close to my family.	FACIT-Searchable Item Library Adult Version - I Feel Close to My Family
C183985	FSIL-I Feel Close to My Friends	FSIL-I Feel Close to My Friends	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel close to my friends.	FACIT-Searchable Item Library Adult Version - I Feel Close to My Friends
C183990	FSIL-I Feel Close to My Partner	FSIL-I Feel Close to My Partner	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel close to my partner (or the person who is my main support).	FACIT-Searchable Item Library Adult Version - I Feel Close to My Partner
C184179	FSIL-I Feel Connected to Higher Power	FSIL-I Feel Connected to Higher Power	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel connected to a higher power (or God).	FACIT-Searchable Item Library Adult Version - I Feel Connected to Higher Power
C184180	FSIL-I Feel Connected to Other People	FSIL-I Feel Connected to Other People	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel connected to other people.	FACIT-Searchable Item Library Adult Version - I Feel Connected to Other People
C183694	FSIL-I Feel Depressed about Bone Pain	FSIL-I Feel Depressed about Bone Pain	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel depressed about my bone pain.	FACIT-Searchable Item Library Adult Version - I Feel Depressed about Bone Pain
C184124	FSIL-I Feel Discomfort in My Feet	FSIL-I Feel Discomfort in My Feet	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel discomfort in my feet.	FACIT-Searchable Item Library Adult Version - I Feel Discomfort in My Feet
C184123	FSIL-I Feel Discomfort in My Hands	FSIL-I Feel Discomfort in My Hands	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel discomfort in my hands.	FACIT-Searchable Item Library Adult Version - I Feel Discomfort in My Hands
C184064	FSIL-I Feel Discouraged About My Illness	FSIL-I Feel Discouraged About My Illness	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel discouraged about my illness.	FACIT-Searchable Item Library Adult Version - I Feel Discouraged About My Illness
C183684	FSIL-I Feel Distant From Other People	FSIL-I Feel Distant From Other People	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel distant from other people.	FACIT-Searchable Item Library Adult Version - I Feel Distant From Other People
C184011	FSIL-I Feel Fatigued	FSIL-I Feel Fatigued	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel fatigued.	FACIT-Searchable Item Library Adult Version - I Feel Fatigued
C184188	FSIL-I Feel Hopeful	FSIL-I Feel Hopeful	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel hopeful.	FACIT-Searchable Item Library Adult Version - I Feel Hopeful
C183980	FSIL-I Feel Ill	FSIL-I Feel Ill	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel ill.	FACIT-Searchable Item Library Adult Version - I Feel Ill
C183723	FSIL-I Feel Independent	FSIL-I Feel Independent	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel independent.	FACIT-Searchable Item Library Adult Version - I Feel Independent
C184094	FSIL-I Feel Left Out of Things	FSIL-I Feel Left Out of Things	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel "left out" of things.	FACIT-Searchable Item Library Adult Version - I Feel Left Out of Things
C183655	FSIL-I Feel Lightheaded	FSIL-I Feel Lightheaded	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel lightheaded (dizzy).	FACIT-Searchable Item Library Adult Version - I Feel Lightheaded
C184148	FSIL-I Feel Like a Burden to My Family	FSIL-I Feel Like a Burden to My Family	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel like a burden to my family.	FACIT-Searchable Item Library Adult Version - I Feel Like a Burden to My Family
C183640	FSIL-I Feel Listless	FSIL-I Feel Listless	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel listless ("washed out").	FACIT-Searchable Item Library Adult Version - I Feel Listless
C184182	FSIL-I Feel Love for Others	FSIL-I Feel Love for Others	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel love for others.	FACIT-Searchable Item Library Adult Version - I Feel Love for Others
C184181	FSIL-I Feel Loved	FSIL-I Feel Loved	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel loved.	FACIT-Searchable Item Library Adult Version - I Feel Loved

Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult				
C184010	FSIL-I Feel Motivated to Do Things	FSIL-I Feel Motivated to Do Things	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel motivated to do things.	FACIT-Searchable Item Library Adult Version - I Feel Motivated to Do Things
C183965	FSIL-I Feel Nervous	FSIL-I Feel Nervous	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel nervous.	FACIT-Searchable Item Library Adult Version - I Feel Nervous
C184080	FSIL-I Feel Numbness at My Surgical Site	FSIL-I Feel Numbness at My Surgical Site	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel numbness at my surgical site.	FACIT-Searchable Item Library Adult Version - I Feel Numbness at My Surgical Site
C184175	FSIL-I Feel Peaceful	FSIL-I Feel Peaceful	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel peaceful.	FACIT-Searchable Item Library Adult Version - I Feel Peaceful
C183962	FSIL-I Feel Sad	FSIL-I Feel Sad	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel sad.	FACIT-Searchable Item Library Adult Version - I Feel Sad
C183663	FSIL-I Feel Sexually Attractive	FSIL-I Feel Sexually Attractive	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel sexually attractive.	FACIT-Searchable Item Library Adult Version - I Feel Sexually Attractive
C184059	FSIL-I Feel Tightness in My Chest	FSIL-I Feel Tightness in My Chest	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel tightness in my chest.	FACIT-Searchable Item Library Adult Version - I Feel Tightness in My Chest
C183648	FSIL-I Feel Tired	FSIL-I Feel Tired	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel tired.	FACIT-Searchable Item Library Adult Version - I Feel Tired
C184100	FSIL-I Feel Trapped by My Condition	FSIL-I Feel Trapped by My Condition	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel trapped by my condition.	FACIT-Searchable Item Library Adult Version - I Feel Trapped by My Condition
C184152	FSIL-I Feel Useful	FSIL-I Feel Useful	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel useful.	FACIT-Searchable Item Library Adult Version - I Feel Useful
C184102	FSIL-I Feel Useless	FSIL-I Feel Useless	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel useless.	FACIT-Searchable Item Library Adult Version - I Feel Useless
C184005	FSIL-I Feel Weak All Over	FSIL-I Feel Weak All Over	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel weak all over.	FACIT-Searchable Item Library Adult Version - I Feel Weak All Over
C183732	FSIL-I Get Annoyed Easily	FSIL-I Get Annoyed Easily	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I get annoyed easily.	FACIT-Searchable Item Library Adult Version - I Get Annoyed Easily
C183731	FSIL-I Get Depressed Easily	FSIL-I Get Depressed Easily	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I get depressed easily.	FACIT-Searchable Item Library Adult Version - I Get Depressed Easily
C183641	FSIL-I Get Headaches	FSIL-I Get Headaches	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I get headaches.	FACIT-Searchable Item Library Adult Version - I Get Headaches
C183987	FSIL-I Get Support From My Friends	FSIL-I Get Support From My Friends	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I get support from my friends.	FACIT-Searchable Item Library Adult Version - I Get Support From My Friends
C183688	FSIL-I Get Tired Easily	FSIL-I Get Tired Easily	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I get tired easily.	FACIT-Searchable Item Library Adult Version - I Get Tired Easily
C183767	FSIL-I Have a Good Appetite	FSIL-I Have a Good Appetite	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have a good appetite.	FACIT-Searchable Item Library Adult Version - I Have a Good Appetite
C183975	FSIL-I Have a Lack of Energy	FSIL-I Have a Lack of Energy	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have a lack of energy.	FACIT-Searchable Item Library Adult Version - I Have a Lack of Energy
C183952	FSIL-I Have a Loss of Appetite	FSIL-I Have a Loss of Appetite	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have a loss of appetite.	FACIT-Searchable Item Library Adult Version - I Have a Loss of Appetite
C184186	FSIL-I Have a Reason for Living	FSIL-I Have a Reason for Living	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have a reason for living.	FACIT-Searchable Item Library Adult Version - I Have a Reason for Living

Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult				
C183971	FSIL-I Have Accepted My Illness	FSIL-I Have Accepted My Illness	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have accepted my illness.	FACIT-Searchable Item Library Adult Version - I Have Accepted My Illness
C184084	FSIL-I Have Aches and Pains in My Bones	FSIL-I Have Aches and Pains in My Bones	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have aches and pains in my bones.	FACIT-Searchable Item Library Adult Version - I Have Aches and Pains in My Bones
C184133	FSIL-I Have Aches/Pains That Bother Me	FSIL-I Have Aches/Pains That Bother Me	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have aches and pains that bother me.	FACIT-Searchable Item Library Adult Version - I Have Aches/Pains That Bother Me
C183822	FSIL-I Have Been Able to Concentrate	FSIL-I Have Been Able to Concentrate	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have been able to concentrate.	FACIT-Searchable Item Library Adult Version - I Have Been Able to Concentrate
C184026	FSIL-I Have Been Bothered by Diarrhea	FSIL-I Have Been Bothered by Diarrhea	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have been bothered by diarrhea (diarrhoea).	FACIT-Searchable Item Library Adult Version - I Have Been Bothered by Diarrhea
C184058	FSIL-I Have Been Coughing	FSIL-I Have Been Coughing	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have been coughing.	FACIT-Searchable Item Library Adult Version - I Have Been Coughing
C183639	FSIL-I Have Been Emotionally Distressed	FSIL-I Have Been Emotionally Distressed	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have been emotionally distressed.	FACIT-Searchable Item Library Adult Version - I Have Been Emotionally Distressed
C183656	FSIL-I Have Been Short of Breath	FSIL-I Have Been Short of Breath	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have been short of breath.	FACIT-Searchable Item Library Adult Version - I Have Been Short of Breath
C183831	FSIL-I Have Been Upset About Problems	FSIL-I Have Been Upset About Problems	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have been upset about these problems.	FACIT-Searchable Item Library Adult Version - I Have Been Upset About Problems
C184131	FSIL-I Have Been Vomiting	FSIL-I Have Been Vomiting	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have been vomiting.	FACIT-Searchable Item Library Adult Version - I Have Been Vomiting
C184028	FSIL-I Have Been Wheezing	FSIL-I Have Been Wheezing	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have been wheezing (whistling sound when breathe).	FACIT-Searchable Item Library Adult Version - I Have Been Wheezing
C183692	FSIL-I Have Bone Pain	FSIL-I Have Bone Pain	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have bone pain.	FACIT-Searchable Item Library Adult Version - I Have Bone Pain
C183932	FSIL-I Have Cold Sweats	FSIL-I Have Cold Sweats	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have cold sweats.	FACIT-Searchable Item Library Adult Version - I Have Cold Sweats
C183983	FSIL-I Have Confidence in My Doctor(s)	FSIL-I Have Confidence in My Doctor(s)	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have confidence in my doctor(s).	FACIT-Searchable Item Library Adult Version - I Have Confidence in My Doctor(s)
C184219	FSIL-I Have Confidence in My Pharmacist	FSIL-I Have Confidence in My Pharmacist	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have confidence in my pharmacist(s).	FACIT-Searchable Item Library Adult Version - I Have Confidence in My Pharmacist
C183764	FSIL-I Have Control of My Bowels	FSIL-I Have Control of My Bowels	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have control of my bowels.	FACIT-Searchable Item Library Adult Version - I Have Control of My Bowels
C183789	FSIL-I Have Cramping in My Pelvic Area	FSIL-I Have Cramping in My Pelvic Area	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have cramping in my pelvic area.	FACIT-Searchable Item Library Adult Version - I Have Cramping in My Pelvic Area
C184132	FSIL-I Have Cramps in My Stomach Area	FSIL-I Have Cramps in My Stomach Area	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have cramps in my stomach area.	FACIT-Searchable Item Library Adult Version - I Have Cramps in My Stomach Area
C183766	FSIL-I Have Diarrhea	FSIL-I Have Diarrhea	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have diarrhea (diarrhoea).	FACIT-Searchable Item Library Adult Version - I Have Diarrhea
C184162	FSIL-I Have Difficulty Raising My Arm	FSIL-I Have Difficulty Raising My Arm	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have difficulty raising my arm.	FACIT-Searchable Item Library Adult Version - I Have Difficulty Raising My Arm
C184165	FSIL-I Have Difficulty Breathing	FSIL-I Have Difficulty Breathing	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have difficulty breathing.	FACIT-Searchable Item Library Adult Version - I Have Difficulty Breathing

C184087	FSIL-I Have Difficulty Thinking Clearly	FSIL-I Have Difficulty Thinking Clearly	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have difficulty thinking clearly (remembering, concentrating).	FACIT-Searchable Item Library Adult Version - I Have Difficulty Thinking Clearly
C184139	FSIL-I Have Difficulty Urinating	FSIL-I Have Difficulty Urinating	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have difficulty urinating.	FACIT-Searchable Item Library Adult Version - I Have Difficulty Urinating
C184288	FSIL-I Have Discomfort When I Am Sitting	FSIL-I Have Discomfort When I Am Sitting	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have discomfort when I am sitting.	FACIT-Searchable Item Library Adult Version - I Have Discomfort When I Am Sitting
C183881	FSIL-I Have Discomfort When I Urinate	FSIL-I Have Discomfort When I Urinate	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have discomfort when I urinate.	FACIT-Searchable Item Library Adult Version - I Have Discomfort When I Urinate
C183733	FSIL-I Have Emotional Ups and Downs	FSIL-I Have Emotional Ups and Downs	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have emotional ups and downs.	FACIT-Searchable Item Library Adult Version - I Have Emotional Ups and Downs
C183651	FSIL-I Have Energy	FSIL-I Have Energy	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have energy.	FACIT-Searchable Item Library Adult Version - I Have Energy
C184032	FSIL-I Have Episodes of Heart Racing	FSIL-I Have Episodes of Heart Racing	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have episodes of heart racing.	FACIT-Searchable Item Library Adult Version - I Have Episodes of Heart Racing
C183676	FSIL-I Have Frequent Colds/Infections	FSIL-I Have Frequent Colds/Infections	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have frequent colds/infections.	FACIT-Searchable Item Library Adult Version - I Have Frequent Colds/Infections
C183928	FSIL-I Have Gained Weight	FSIL-I Have Gained Weight	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have gained weight.	FACIT-Searchable Item Library Adult Version - I Have Gained Weight
C184160	FSIL-I Have Had Blood in My Urine	FSIL-I Have Had Blood in My Urine	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have had blood in my urine.	FACIT-Searchable Item Library Adult Version - I Have Had Blood in My Urine
C184000	FSIL-I Have Had Chills	FSIL-I Have Had Chills	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have had chills.	FACIT-Searchable Item Library Adult Version - I Have Had Chills
C183997	FSIL-I Have Had Fevers	FSIL-I Have Had Fevers	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have had fevers (episodes of high body temperature).	FACIT-Searchable Item Library Adult Version - I Have Had Fevers
C183998	FSIL-I Have Had Itching	FSIL-I Have Had Itching	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have had itching.	FACIT-Searchable Item Library Adult Version - I Have Had Itching
C183716	FSIL-I Have Had Seizures	FSIL-I Have Had Seizures	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have had seizures (convulsions).	FACIT-Searchable Item Library Adult Version - I Have Had Seizures
C183808	FSIL-I Have Had Trouble Concentrating	FSIL-I Have Had Trouble Concentrating	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have had trouble concentrating.	FACIT-Searchable Item Library Adult Version - I Have Had Trouble Concentrating
C183927	FSIL-I Have Hot Flashes/Hot Flushes	FSIL-I Have Hot Flashes/Hot Flushes	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have hot flashes/hot flushes.	FACIT-Searchable Item Library Adult Version - I Have Hot Flashes/Hot Flushes
C183939	FSIL-I Have Lost Interest in Sex	FSIL-I Have Lost Interest in Sex	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have lost interest in sex.	FACIT-Searchable Item Library Adult Version - I Have Lost Interest in Sex
C183930	FSIL-I Have Mood Swings	FSIL-I Have Mood Swings	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have mood swings.	FACIT-Searchable Item Library Adult Version - I Have Mood Swings
C184109	FSIL-I Have Mouth Sores	FSIL-I Have Mouth Sores	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have mouth sores.	FACIT-Searchable Item Library Adult Version - I Have Mouth Sores
C183976	FSIL-I Have Nausea	FSIL-I Have Nausea	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have nausea.	FACIT-Searchable Item Library Adult Version - I Have Nausea
C183933	FSIL-I Have Night Sweats	FSIL-I Have Night Sweats	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have night sweats.	FACIT-Searchable Item Library Adult Version - I Have Night Sweats

Functional Assessment of Chronic Illness Therapy-Searchable Item Library				
C184085	FSIL-I Have Noticed Blood in My Stool	FSIL-I Have Noticed Blood in My Stool	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have noticed blood in my stool.	FACIT-Searchable Item Library Adult Version - I Have Noticed Blood in My Stool
C183800	FSIL-I Have Numbness in My Legs	FSIL-I Have Numbness in My Legs	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have numbness in my legs.	FACIT-Searchable Item Library Adult Version - I Have Numbness in My Legs
C184168	FSIL-I Have Pain in Arm and/or Shoulder	FSIL-I Have Pain in Arm and/or Shoulder	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have pain in my arm and/or shoulder.	FACIT-Searchable Item Library Adult Version - I Have Pain in Arm and/or Shoulder
C183801	FSIL-I Have Pain in My Back	FSIL-I Have Pain in My Back	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have pain in my back.	FACIT-Searchable Item Library Adult Version - I Have Pain in My Back
C184167	FSIL-I Have Pain in My Breast	FSIL-I Have Pain in My Breast	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have pain in my breast.	FACIT-Searchable Item Library Adult Version - I Have Pain in My Breast
C183642	FSIL-I Have Pain in My Chest	FSIL-I Have Pain in My Chest	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have pain in my chest.	FACIT-Searchable Item Library Adult Version - I Have Pain in My Chest
C184227	FSIL-I Have Pain in My Fingertips	FSIL-I Have Pain in My Fingertips	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have pain in my fingertips.	FACIT-Searchable Item Library Adult Version - I Have Pain in My Fingertips
C183726	FSIL-I Have Pain in My Joints	FSIL-I Have Pain in My Joints	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have pain in my joints.	FACIT-Searchable Item Library Adult Version - I Have Pain in My Joints
C183785	FSIL-I Have Pain in My Pelvic Area	FSIL-I Have Pain in My Pelvic Area	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have pain in my pelvic area.	FACIT-Searchable Item Library Adult Version - I Have Pain in My Pelvic Area
C184034	FSIL-I Have Pain in My Sinus Area	FSIL-I Have Pain in My Sinus Area	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have pain in my sinus area.	FACIT-Searchable Item Library Adult Version - I Have Pain in My Sinus Area
C183630	FSIL-I Have Pain in My Stomach Area	FSIL-I Have Pain in My Stomach Area	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have pain in my stomach area.	FACIT-Searchable Item Library Adult Version - I Have Pain in My Stomach Area
C183978	FSIL-I Have Pain	FSIL-I Have Pain	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have pain.	FACIT-Searchable Item Library Adult Version - I Have Pain
C184142	FSIL-I Have Peace of Mind	FSIL-I Have Peace of Mind	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have peace of mind.	FACIT-Searchable Item Library Adult Version - I Have Peace of Mind
C183798	FSIL-I Have Strength in My Arm(s)	FSIL-I Have Strength in My Arm(s)	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have strength in my arm(s).	FACIT-Searchable Item Library Adult Version - I Have Strength in My Arm(s)
C183799	FSIL-I Have Strength in My Legs	FSIL-I Have Strength in My Legs	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have strength in my legs.	FACIT-Searchable Item Library Adult Version - I Have Strength in My Legs
C184074	FSIL-I Have Swelling at My Melanoma Site	FSIL-I Have Swelling at My Melanoma Site	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have swelling at my melanoma site.	FACIT-Searchable Item Library Adult Version - I Have Swelling at My Melanoma Site
C184130	FSIL-I Have Swelling in Stomach Area	FSIL-I Have Swelling in Stomach Area	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have swelling in my stomach area.	FACIT-Searchable Item Library Adult Version - I Have Swelling in Stomach Area
C183906	FSIL-I Have the Desire to Eat	FSIL-I Have the Desire to Eat	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have the desire to eat.	FACIT-Searchable Item Library Adult Version - I Have the Desire to Eat
C183679	FSIL-I Have Tremors	FSIL-I Have Tremors	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have tremors.	FACIT-Searchable Item Library Adult Version - I Have Tremors
C184287	FSIL-I Have Trouble Bending	FSIL-I Have Trouble Bending	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have trouble bending.	FACIT-Searchable Item Library Adult Version - I Have Trouble Bending
C184019	FSIL-I Have Trouble Breathing	FSIL-I Have Trouble Breathing	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have trouble breathing.	FACIT-Searchable Item Library Adult Version - I Have Trouble Breathing

Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult				
C184128	FSIL-I Have Trouble Buttoning Buttons	FSIL-I Have Trouble Buttoning Buttons	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have trouble buttoning buttons.	FACIT-Searchable Item Library Adult Version - I Have Trouble Buttoning Buttons
C184012	FSIL-I Have Trouble Concentrating	FSIL-I Have Trouble Concentrating	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have trouble concentrating.	FACIT-Searchable Item Library Adult Version - I Have Trouble Concentrating
C183802	FSIL-I Have Trouble Forming Thoughts	FSIL-I Have Trouble Forming Thoughts	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have had trouble forming thoughts.	FACIT-Searchable Item Library Adult Version - I Have Trouble Forming Thoughts
C184126	FSIL-I Have Trouble Hearing	FSIL-I Have Trouble Hearing	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have trouble hearing.	FACIT-Searchable Item Library Adult Version - I Have Trouble Hearing
C184092	FSIL-I Have Trouble Learning New Tasks	FSIL-I Have Trouble Learning New Tasks	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have trouble learning new tasks or directions.	FACIT-Searchable Item Library Adult Version - I Have Trouble Learning New Tasks
C184138	FSIL-I Have Trouble Moving My Bowels	FSIL-I Have Trouble Moving My Bowels	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have trouble moving my bowels.	FACIT-Searchable Item Library Adult Version - I Have Trouble Moving My Bowels
C184013	FSIL-I Have Trouble Remembering Things	FSIL-I Have Trouble Remembering Things	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have trouble remembering things.	FACIT-Searchable Item Library Adult Version - I Have Trouble Remembering Things
C184071	FSIL-I Have Trouble Sleeping at Night	FSIL-I Have Trouble Sleeping at Night	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have trouble sleeping at night.	FACIT-Searchable Item Library Adult Version - I Have Trouble Sleeping at Night
C184116	FSIL-I Have Trouble Smelling	FSIL-I Have Trouble Smelling	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have trouble smelling.	FACIT-Searchable Item Library Adult Version - I Have Trouble Smelling
C183652	FSIL-I Have Trouble Walking	FSIL-I Have Trouble Walking	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have trouble walking.	FACIT-Searchable Item Library Adult Version - I Have Trouble Walking
C183718	FSIL-I Have Trouble With Coordination	FSIL-I Have Trouble With Coordination	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have trouble with coordination.	FACIT-Searchable Item Library Adult Version - I Have Trouble With Coordination
C183681	FSIL-I Have Trouble With My Bowels	FSIL-I Have Trouble With My Bowels	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have trouble with my bowels.	FACIT-Searchable Item Library Adult Version - I Have Trouble With My Bowels
C183722	FSIL-I Have Trouble With My Eyesight	FSIL-I Have Trouble With My Eyesight	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have trouble with my eyesight.	FACIT-Searchable Item Library Adult Version - I Have Trouble With My Eyesight
C183936	FSIL-I Have Vaginal Bleeding or Spotting	FSIL-I Have Vaginal Bleeding or Spotting	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have vaginal bleeding or spotting.	FACIT-Searchable Item Library Adult Version - I Have Vaginal Bleeding or Spotting
C183934	FSIL-I Have Vaginal Discharge	FSIL-I Have Vaginal Discharge	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have vaginal discharge.	FACIT-Searchable Item Library Adult Version - I Have Vaginal Discharge
C183937	FSIL-I Have Vaginal Dryness	FSIL-I Have Vaginal Dryness	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have vaginal dryness.	FACIT-Searchable Item Library Adult Version - I Have Vaginal Dryness
C183935	FSIL-I Have Vaginal Itching/Irritation	FSIL-I Have Vaginal Itching/Irritation	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have vaginal itching/irritation.	FACIT-Searchable Item Library Adult Version - I Have Vaginal Itching/Irritation
C184112	FSIL-I Have Weakness in My Legs	FSIL-I Have Weakness in My Legs	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have weakness in my legs.	FACIT-Searchable Item Library Adult Version - I Have Weakness in My Legs
C183768	FSIL-I Like the Appearance of My Body	FSIL-I Like the Appearance of My Body	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I like the appearance of my body.	FACIT-Searchable Item Library Adult Version - I Like the Appearance of My Body
C184141	FSIL-I Maintain Contact With My Friends	FSIL-I Maintain Contact With My Friends	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I maintain contact with my friends.	FACIT-Searchable Item Library Adult Version - I Maintain Contact With My Friends
C184153	FSIL-I Make Each Day Count	FSIL-I Make Each Day Count	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I make each day count.	FACIT-Searchable Item Library Adult Version - I Make Each Day Count

Functional Assessment of Chronic Illness Therapy-Searchable Item Library				
C183710	FSIL-I Need Help in Caring for Myself	FSIL-I Need Help in Caring for Myself	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I need help in caring for myself (bathing, dressing, eating, etc.).	FACIT-Searchable Item Library Adult Version - I Need Help in Caring for Myself
C184090	FSIL-I Need to Rest During the Day	FSIL-I Need to Rest During the Day	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I need to rest during the day.	FACIT-Searchable Item Library Adult Version - I Need to Rest During the Day
C183654	FSIL-I Need to Sleep During the Day	FSIL-I Need to Sleep During the Day	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I need to sleep during the day.	FACIT-Searchable Item Library Adult Version - I Need to Sleep During the Day
C183691	FSIL-I Regret Bone Marrow Transplant	FSIL-I Regret Bone Marrow Transplant	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I regret having the bone marrow transplant.	FACIT-Searchable Item Library Adult Version - I Regret Bone Marrow Transplant
C184061	FSIL-I Regret My Smoking	FSIL-I Regret My Smoking	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I regret my smoking.	FACIT-Searchable Item Library Adult Version - I Regret My Smoking
C183629	FSIL-I Seem to Get Full Quickly	FSIL-I Seem to Get Full Quickly	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: When I eat, I seem to get full quickly.	FACIT-Searchable Item Library Adult Version - I Seem to Get Full Quickly
C183670	FSIL-I Urinate More Frequently	FSIL-I Urinate More Frequently	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I urinate more frequently than usual.	FACIT-Searchable Item Library Adult Version - I Urinate More Frequently
C183966	FSIL-I Worry About Dying	FSIL-I Worry About Dying	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry about dying.	FACIT-Searchable Item Library Adult Version - I Worry About Dying
C184107	FSIL-I Worry About Getting Infections	FSIL-I Worry About Getting Infections	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry about getting infections.	FACIT-Searchable Item Library Adult Version - I Worry About Getting Infections
C183695	FSIL-I Worry Bone Pain Will Get Worse	FSIL-I Worry Bone Pain Will Get Worse	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry that my bone pain will get worse.	FACIT-Searchable Item Library Adult Version - I Worry Bone Pain Will Get Worse
C183685	FSIL-I Worry Transplant Will Not Work	FSIL-I Worry Transplant Will Not Work	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry that the transplant will not work.	FACIT-Searchable Item Library Adult Version - I Worry Transplant Will Not Work
C183943	FSIL-Illness a Financial Hardship	FSIL-Illness a Financial Hardship	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My illness has been a financial hardship to my family and me.	FACIT-Searchable Item Library Adult Version - Illness a Financial Hardship
C183994	FSIL-Illness Caused Problems w/ Sex Life	FSIL-Illness Caused Problems w/ Sex Life	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My illness or treatment has caused problems with my sex life.	FACIT-Searchable Item Library Adult Version - Illness Caused Problems w/ Sex Life
C183682	FSIL-Illness Is Hardship for My Family	FSIL-Illness Is Hardship for My Family	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My illness is a personal hardship for my close family members.	FACIT-Searchable Item Library Adult Version - Illness Is Hardship for My Family
C184177	FSIL-Illness Strengthen Faith/Spiritual	FSIL-Illness Strengthen Faith/Spiritual	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My illness has strengthened my faith or spiritual beliefs.	FACIT-Searchable Item Library Adult Version - Illness Strengthen Faith/Spiritual
C183942	FSIL-In control of Financial Situation	FSIL-In control of Financial Situation	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel in control of my financial situation.	FACIT-Searchable Item Library Adult Version - In control of Financial Situation
C184243	FSIL-Inconvenienced Platelet Transfusion	FSIL-Inconvenienced Platelet Transfusion	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am inconvenienced by platelet transfusions.	FACIT-Searchable Item Library Adult Version - Inconvenienced Platelet Transfusion
C184161	FSIL-Inconvenient to Come for Radiation	FSIL-Inconvenient to Come for Radiation	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: It is inconvenient for me to come for my radiation treatments.	FACIT-Searchable Item Library Adult Version - Inconvenient to Come for Radiation
C183742	FSIL-Infusion Causes Me Physical Pain	FSIL-Infusion Causes Me Physical Pain	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: The infusion for my bone treatment causes me physical pain.	FACIT-Searchable Item Library Adult Version - Infusion Causes Me Physical Pain

Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult				
C183635	FSIL-Interest in Food Drops Try to Eat	FSIL-Interest in Food Drops Try to Eat	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My interest in food drops as soon as I try to eat.	FACIT-Searchable Item Library Adult Version - Interest in Food Drops Try to Eat
C183672	FSIL-Interested in Sex	FSIL-Interested in Sex	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am interested in sex.	FACIT-Searchable Item Library Adult Version - Interested in Sex
C183931	FSIL-Irritable	FSIL-Irritable	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am irritable.	FACIT-Searchable Item Library Adult Version - Irritable
C184086	FSIL-Isolate From Others B/c Condition	FSIL-Isolate From Others B/c Condition	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I isolate myself from others because of my condition.	FACIT-Searchable Item Library Adult Version - Isolate From Others B/c Condition
C183671	FSIL-It Burns When I Urinate	FSIL-It Burns When I Urinate	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: It burns when I urinate.	FACIT-Searchable Item Library Adult Version - It Burns When I Urinate
C184031	FSIL-Joint Pain Limits My Usual Activ	FSIL-Joint Pain Limits My Usual Activ	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Joint pain limits my usual activities.	FACIT-Searchable Item Library Adult Version - Joint Pain Limits My Usual Activ
C184030	FSIL-Joint Stiffness/Tight Limits Activ	FSIL-Joint Stiffness/Tight Limits Activ	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Joint stiffness or tightness limits my usual activities.	FACIT-Searchable Item Library Adult Version - Joint Stiffness/Tight Limits Activ
C183914	FSIL-Left Out When Others Are Eating	FSIL-Left Out When Others Are Eating	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel left out when others are eating.	FACIT-Searchable Item Library Adult Version - Left Out When Others Are Eating
C183895	FSIL-Lifting 10-20 Lbs	FSIL-Lifting 10-20 Lbs	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Lifting something weighing 10-20 lbs (about 4.5-9kg, like a large bag of groceries).	FACIT-Searchable Item Library Adult Version - Lifting 10-20 Lbs
C183626	FSIL-Limit Activities Because Diarrhea	FSIL-Limit Activities Because Diarrhea	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have to limit my activities because of diarrhea (diarrhoea).	FACIT-Searchable Item Library Adult Version - Limit Activities Because Diarrhea
C183790	FSIL-Limit My Sexual Activity Infection	FSIL-Limit My Sexual Activity Infection	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have to limit my sexual activity because of the infection.	FACIT-Searchable Item Library Adult Version - Limit My Sexual Activity Infection
C184050	FSIL-Limit My Social Activity	FSIL-Limit My Social Activity	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have to limit my social activity because of my condition.	FACIT-Searchable Item Library Adult Version - Limit My Social Activity
C184051	FSIL-Limit Physical Activ B/c Condition	FSIL-Limit Physical Activ B/c Condition	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have to limit my physical activity because of my condition.	FACIT-Searchable Item Library Adult Version - Limit Physical Activ B/c Condition
C183883	FSIL-Limit Physical Activ B/c Diarrhea	FSIL-Limit Physical Activ B/c Diarrhea	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have to limit my physical activity because of diarrhea (diarrhoea).	FACIT-Searchable Item Library Adult Version - Limit Physical Activ B/c Diarrhea
C184052	FSIL-Limit Sexual Activ B/c Condition	FSIL-Limit Sexual Activ B/c Condition	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have to limit my sexual activity because of my condition.	FACIT-Searchable Item Library Adult Version - Limit Sexual Activ B/c Condition
C183884	FSIL-Limit Sexual Activity B/c Diarrhea	FSIL-Limit Sexual Activity B/c Diarrhea	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have to limit my sexual activity because of diarrhea (diarrhoea).	FACIT-Searchable Item Library Adult Version - Limit Sexual Activity B/c Diarrhea
C183882	FSIL-Limit Social Activity B/c Diarrhea	FSIL-Limit Social Activity B/c Diarrhea	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have to limit my social activity because of diarrhea (diarrhoea).	FACIT-Searchable Item Library Adult Version - Limit Social Activity B/c Diarrhea
C183647	FSIL-Limit Social Activity B/c Tired	FSIL-Limit Social Activity B/c Tired	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have to limit my social activity because I am tired.	FACIT-Searchable Item Library Adult Version - Limit Social Activity B/c Tired
C183964	FSIL-Losing Hope Fight Against Illness	FSIL-Losing Hope Fight Against Illness	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am losing hope in the fight against my illness.	FACIT-Searchable Item Library Adult Version - Losing Hope Fight Against Illness
C183763	FSIL-Losing Weight	FSIL-Losing Weight	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am losing weight.	FACIT-Searchable Item Library Adult Version - Losing Weight
C183912	FSIL-Lost Food Choices Feeding Tube	FSIL-Lost Food Choices Feeding Tube	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel that I have lost control of my food choices because I have a feeding tube.	FACIT-Searchable Item Library Adult Version - Lost Food Choices Feeding Tube

Functional Assessment of Chronic Illness Therapy-Searchable Item Library				
C184111	FSIL-Low Blood Counts Interfere Relation	FSIL-Low Blood Counts Interfere Relation	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My low blood counts interfere with my intimate relationships.	FACIT-Searchable Item Library Adult Version - Low Blood Counts Interfere Relation
C183707	FSIL-Make Decisions Take Responsibility	FSIL-Make Decisions Take Responsibility	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am able to make decisions and take responsibility.	FACIT-Searchable Item Library Adult Version - Make Decisions Take Responsibility
C183894	FSIL-Making a Bed	FSIL-Making a Bed	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Making a bed.	FACIT-Searchable Item Library Adult Version - Making a Bed
C183944	FSIL-Medical Expense More Than I Thought	FSIL-Medical Expense More Than I Thought	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My out-of-pocket medical expenses are more than I thought they would be.	FACIT-Searchable Item Library Adult Version - Medical Expense More Than I Thought
C183824	FSIL-Memory Is as Good as Always Been	FSIL-Memory Is as Good as Always Been	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My memory is as good as it has always been.	FACIT-Searchable Item Library Adult Version - Memory Is as Good as Always Been
C183823	FSIL-Mind Is as Sharp as Always Been	FSIL-Mind Is as Sharp as Always Been	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My mind is as sharp as it has always been.	FACIT-Searchable Item Library Adult Version - Mind Is as Sharp as Always Been
C183924	FSIL-Miss Food/Drink Mouth Feeding Tube	FSIL-Miss Food/Drink Mouth Feeding Tube	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I miss being able to take more food or drink by mouth now that I have a feeding tube.	FACIT-Searchable Item Library Adult Version - Miss Food/Drink Mouth Feeding Tube
C183633	FSIL-Most Food Tastes Unpleasant to Me	FSIL-Most Food Tastes Unpleasant to Me	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Most food tastes unpleasant to me.	FACIT-Searchable Item Library Adult Version - Most Food Tastes Unpleasant to Me
C183644	FSIL-Motivated to Do Activities	FSIL-Motivated to Do Activities	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am motivated to do my usual activities.	FACIT-Searchable Item Library Adult Version - Motivated to Do Activities
C184045	FSIL-Move Bowels Freq to Avoid Accidents	FSIL-Move Bowels Freq to Avoid Accidents	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I must move my bowels frequently to avoid accidents.	FACIT-Searchable Item Library Adult Version - Move Bowels Freq to Avoid Accidents
C184043	FSIL-Move My Bowels More Than Usual	FSIL-Move My Bowels More Than Usual	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I move my bowels more frequently than usual.	FACIT-Searchable Item Library Adult Version - Move My Bowels More Than Usual
C183657	FSIL-Movement of Arm This Side Painful	FSIL-Movement of Arm This Side Painful	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Movement of my arm on this side is painful.	FACIT-Searchable Item Library Adult Version - Movement of Arm This Side Painful
C184077	FSIL-Movement of Swollen Area Is Painful	FSIL-Movement of Swollen Area Is Painful	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Movement of my swollen area is painful.	FACIT-Searchable Item Library Adult Version - Movement of Swollen Area Is Painful
C183659	FSIL-My Arm on This Side Feels Numb	FSIL-My Arm on This Side Feels Numb	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My arm on this side feels numb.	FACIT-Searchable Item Library Adult Version - My Arm on This Side Feels Numb
C184171	FSIL-My Breast Is Sensitive/Tender	FSIL-My Breast Is Sensitive/Tender	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My breast is sensitive/tender.	FACIT-Searchable Item Library Adult Version - My Breast Is Sensitive/Tender
C183773	FSIL-My Breasts Are Painful	FSIL-My Breasts Are Painful	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My breasts are painful.	FACIT-Searchable Item Library Adult Version - My Breasts Are Painful
C183772	FSIL-My Breasts Are Swollen	FSIL-My Breasts Are Swollen	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My breasts are swollen.	FACIT-Searchable Item Library Adult Version - My Breasts Are Swollen
C184169	FSIL-My Chest Area Is Sore	FSIL-My Chest Area Is Sore	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My chest area (not including the breast itself) is sore.	FACIT-Searchable Item Library Adult Version - My Chest Area Is Sore
C184054	FSIL-My Condition Wakes Me Up at Night	FSIL-My Condition Wakes Me Up at Night	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My condition wakes me up at night.	FACIT-Searchable Item Library Adult Version - My Condition Wakes Me Up at Night

Functional Assessment of Chronic Illness Therapy-Searchable Item Library				
C184202	FSIL-My Eyes Are Dry	FSIL-My Eyes Are Dry	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My eyes are dry.	FACIT-Searchable Item Library Adult Version - My Eyes Are Dry
C184033	FSIL-My Eyes Feel Sandy or Gritty	FSIL-My Eyes Feel Sandy or Gritty	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My eyes feel sandy or gritty.	FACIT-Searchable Item Library Adult Version - My Eyes Feel Sandy or Gritty
C183677	FSIL-My Eyesight Is Blurry	FSIL-My Eyesight Is Blurry	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My eyesight is blurry.	FACIT-Searchable Item Library Adult Version - My Eyesight Is Blurry
C183988	FSIL-My Family Has Accepted My Illness	FSIL-My Family Has Accepted My Illness	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My family has accepted my illness.	FACIT-Searchable Item Library Adult Version - My Family Has Accepted My Illness
C183637	FSIL-My Family Pressuring Me to Eat	FSIL-My Family Pressuring Me to Eat	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My family or friends are pressuring me to eat.	FACIT-Searchable Item Library Adult Version - My Family Pressuring Me to Eat
C183631	FSIL-My General Health Is Improving	FSIL-My General Health Is Improving	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My general health is improving.	FACIT-Searchable Item Library Adult Version - My General Health Is Improving
C184225	FSIL-My Hands Are Swollen	FSIL-My Hands Are Swollen	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My hands are swollen.	FACIT-Searchable Item Library Adult Version - My Hands Are Swollen
C184226	FSIL-My Legs or Feet Are Swollen	FSIL-My Legs or Feet Are Swollen	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My legs or feet are swollen.	FACIT-Searchable Item Library Adult Version - My Legs or Feet Are Swollen
C184191	FSIL-My Life Has Been Productive	FSIL-My Life Has Been Productive	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My life has been productive.	FACIT-Searchable Item Library Adult Version - My Life Has Been Productive
C184196	FSIL-My Life Lacks Meaning and Purpose	FSIL-My Life Lacks Meaning and Purpose	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My life lacks meaning and purpose.	FACIT-Searchable Item Library Adult Version - My Life Lacks Meaning and Purpose
C184151	FSIL-My Mouth and Throat Are Dry	FSIL-My Mouth and Throat Are Dry	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My mouth and throat are dry.	FACIT-Searchable Item Library Adult Version - My Mouth and Throat Are Dry
C184018	FSIL-My Mouth Is Dry	FSIL-My Mouth Is Dry	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My mouth is dry.	FACIT-Searchable Item Library Adult Version - My Mouth Is Dry
C184215	FSIL-My Skin Bleeds Easily	FSIL-My Skin Bleeds Easily	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My skin bleeds easily.	FACIT-Searchable Item Library Adult Version - My Skin Bleeds Easily
C184204	FSIL-My Skin Condition Affects My Mood	FSIL-My Skin Condition Affects My Mood	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My skin condition affects my mood.	FACIT-Searchable Item Library Adult Version - My Skin Condition Affects My Mood
C183870	FSIL-My Skin Feels Irritated	FSIL-My Skin Feels Irritated	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My skin feels irritated.	FACIT-Searchable Item Library Adult Version - My Skin Feels Irritated
C183858	FSIL-My Skin Itches	FSIL-My Skin Itches	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My skin itches.	FACIT-Searchable Item Library Adult Version - My Skin Itches
C184212	FSIL-My Skin or Scalp Feels Irritated	FSIL-My Skin or Scalp Feels Irritated	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My skin or scalp feels irritated.	FACIT-Searchable Item Library Adult Version - My Skin or Scalp Feels Irritated
C184213	FSIL-My Skin or Scalp Is Dry or Flaky	FSIL-My Skin or Scalp Is Dry or Flaky	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My skin or scalp is dry or "flaky".	FACIT-Searchable Item Library Adult Version - My Skin or Scalp Is Dry or Flaky
C184214	FSIL-My Skin or Scalp Itches	FSIL-My Skin or Scalp Itches	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My skin or scalp itches.	FACIT-Searchable Item Library Adult Version - My Skin or Scalp Itches
C183803	FSIL-My Thinking Has Been Slow	FSIL-My Thinking Has Been Slow	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My thinking has been slow.	FACIT-Searchable Item Library Adult Version - My Thinking Has Been Slow
C184057	FSIL-My Thinking Is Clear	FSIL-My Thinking Is Clear	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My thinking is clear.	FACIT-Searchable Item Library Adult Version - My Thinking Is Clear

Functional Assessment of Chronic Illness Therapy-Searchable Item Library				
C184091	FSIL-My Thinking Is Slower Than Before	FSIL-My Thinking Is Slower Than Before	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My thinking is slower than before.	FACIT-Searchable Item Library Adult Version - My Thinking Is Slower Than Before
C183805	FSIL-My Thinking Slower Than Usual	FSIL-My Thinking Slower Than Usual	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My thinking has been slower than usual.	FACIT-Searchable Item Library Adult Version - My Thinking Slower Than Usual
C184172	FSIL-My Underarm Area Sensitive/Tender	FSIL-My Underarm Area Sensitive/Tender	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My underarm area is sensitive/tender.	FACIT-Searchable Item Library Adult Version - My Underarm Area Sensitive/Tender
C183969	FSIL-My Work Is Fulfilling	FSIL-My Work Is Fulfilling	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My work (include work at home) is fulfilling.	FACIT-Searchable Item Library Adult Version - My Work Is Fulfilling
C183699	FSIL-Need Help Doing Activ B/c Bone Pain	FSIL-Need Help Doing Activ B/c Bone Pain	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I need help doing my usual activities because of bone pain.	FACIT-Searchable Item Library Adult Version - Need Help Doing Activ B/c Bone Pain
C183645	FSIL-Need Help Doing Usual Activities	FSIL-Need Help Doing Usual Activities	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I need help doing my usual activities.	FACIT-Searchable Item Library Adult Version - Need Help Doing Usual Activities
C184072	FSIL-Nervous Making Decisions Treatment	FSIL-Nervous Making Decisions Treatment	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I get nervous about making decisions regarding treatment.	FACIT-Searchable Item Library Adult Version - Nervous Making Decisions Treatment
C183946	FSIL-No Choice Money Spend on Care	FSIL-No Choice Money Spend on Care	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel I have no choice about the amount of money I spend on care.	FACIT-Searchable Item Library Adult Version - No Choice Money Spend on Care
C184082	FSIL-Noticed New Changes in My Skin	FSIL-Noticed New Changes in My Skin	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have noticed new changes in my skin (lumps, bumps, color (colour)).	FACIT-Searchable Item Library Adult Version - Noticed New Changes in My Skin
C184122	FSIL-Numbness or Tingling in My Feet	FSIL-Numbness or Tingling in My Feet	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have numbness or tingling in my feet.	FACIT-Searchable Item Library Adult Version - Numbness or Tingling in My Feet
C184119	FSIL-Numbness or Tingling in My Hands	FSIL-Numbness or Tingling in My Hands	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have numbness or tingling in my hands.	FACIT-Searchable Item Library Adult Version - Numbness or Tingling in My Hands
C184164	FSIL-Numbness/Tingling in Arm/Shoulder	FSIL-Numbness/Tingling in Arm/Shoulder	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have numbness or tingling in my arm, shoulder, or breast.	FACIT-Searchable Item Library Adult Version - Numbness/Tingling in Arm/Shoulder
C184265	FSIL-Nurse Explanations You Understand	FSIL-Nurse Explanations You Understand	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Did your nurse(s) give explanations that you could understand?	FACIT-Searchable Item Library Adult Version - Nurse Explanations You Understand
C184267	FSIL-Nurse Seem to Understand Your Needs	FSIL-Nurse Seem to Understand Your Needs	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Did your nurse(s) seem to understand your needs?	FACIT-Searchable Item Library Adult Version - Nurse Seem to Understand Your Needs
C184266	FSIL-Nurse Show Genuine Concern for You	FSIL-Nurse Show Genuine Concern for You	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Did your nurse(s) show genuine concern for you?	FACIT-Searchable Item Library Adult Version - Nurse Show Genuine Concern for You
C183662	FSIL-One/Both Arms Are Swollen/Tender	FSIL-One/Both Arms Are Swollen/Tender	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: One or both of my arms are swollen or tender.	FACIT-Searchable Item Library Adult Version - One/Both Arms Are Swollen/Tender
C184073	FSIL-Pain at My Melanoma/Surgical Site	FSIL-Pain at My Melanoma/Surgical Site	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have pain at my melanoma site or surgical site.	FACIT-Searchable Item Library Adult Version - Pain at My Melanoma/Surgical Site
C184120	FSIL-Pain in Hands/Feet Exposed to Cold	FSIL-Pain in Hands/Feet Exposed to Cold	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have pain in my hands or feet when I am exposed to cold temperatures.	FACIT-Searchable Item Library Adult Version - Pain in Hands/Feet Exposed to Cold

Functional Assessment of Chronic Illness Therapy-Searchable Item Library				
C183901	FSIL-Pain in My Chest When I Swallow	FSIL-Pain in My Chest When I Swallow	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have pain in my chest when I swallow.	FACIT-Searchable Item Library Adult Version - Pain in My Chest When I Swallow
C184017	FSIL-Pain in My Mouth, Throat or Neck	FSIL-Pain in My Mouth, Throat or Neck	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have pain in my mouth, throat or neck.	FACIT-Searchable Item Library Adult Version - Pain in My Mouth, Throat or Neck
C184135	FSIL-Pain Keeps Me From Doing Things	FSIL-Pain Keeps Me From Doing Things	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My pain keeps me from doing things I want to do.	FACIT-Searchable Item Library Adult Version - Pain Keeps Me From Doing Things
C183625	FSIL-Pain on My Feet Interferes Walking	FSIL-Pain on My Feet Interferes Walking	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Pain on the bottom of my feet interferes with my walking.	FACIT-Searchable Item Library Adult Version - Pain on My Feet Interferes Walking
C184037	FSIL-Pain/Soreness/Aches in Some Muscles	FSIL-Pain/Soreness/Aches in Some Muscles	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel pain, soreness or aches in some of my muscles.	FACIT-Searchable Item Library Adult Version - Pain/Soreness/Aches in Some Muscles
C183869	FSIL-Painful Cracks Skin on Hands/Feet	FSIL-Painful Cracks Skin on Hands/Feet	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have painful cracks in the skin on my hands or feet.	FACIT-Searchable Item Library Adult Version - Painful Cracks Skin on Hands/Feet
C183866	FSIL-Painful Lesions/Tumors on My Skin	FSIL-Painful Lesions/Tumors on My Skin	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have painful lesions or tumors on my skin.	FACIT-Searchable Item Library Adult Version - Painful Lesions/Tumors on My Skin
C184261	FSIL-Participate Decisions Health Care	FSIL-Participate Decisions Health Care	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Were you encouraged to participate in decisions about your health care?	FACIT-Searchable Item Library Adult Version - Participate Decisions Health Care
C184110	FSIL-Partner Worries My Blood Counts Low	FSIL-Partner Worries My Blood Counts Low	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My partner worries about me when my blood counts are low.	FACIT-Searchable Item Library Adult Version - Partner Worries My Blood Counts Low
C183821	FSIL-People Told Me I Seemed Confused	FSIL-People Told Me I Seemed Confused	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Other people have told me I seemed confused.	FACIT-Searchable Item Library Adult Version - People Told Me I Seemed Confused
C184218	FSIL-Pharmacist Advises Adverse Effects	FSIL-Pharmacist Advises Adverse Effects	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My pharmacist advises me on the adverse (side) effects of my medicines.	FACIT-Searchable Item Library Adult Version - Pharmacist Advises Adverse Effects
C184217	FSIL-Pharmacist Advises Use of Medicines	FSIL-Pharmacist Advises Use of Medicines	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My pharmacist advises me on the proper use of my medicines.	FACIT-Searchable Item Library Adult Version - Pharmacist Advises Use of Medicines
C184220	FSIL-Pharmacist Available Questions	FSIL-Pharmacist Available Questions	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My pharmacist is available to answer my questions.	FACIT-Searchable Item Library Adult Version - Pharmacist Available Questions
C184222	FSIL-Pharmacist Aware Treatment Needs	FSIL-Pharmacist Aware Treatment Needs	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My pharmacist is aware of my treatment-related needs.	FACIT-Searchable Item Library Adult Version - Pharmacist Aware Treatment Needs
C184223	FSIL-Pharmacist Responds Treatment Needs	FSIL-Pharmacist Responds Treatment Needs	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My pharmacist responds to my treatment-related needs.	FACIT-Searchable Item Library Adult Version - Pharmacist Responds Treatment Needs
C183905	FSIL-Pleasant Feel Fullness Tube Feeding	FSIL-Pleasant Feel Fullness Tube Feeding	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I experience a pleasant feeling of fullness during or after my tube feeding.	FACIT-Searchable Item Library Adult Version - Pleasant Feel Fullness Tube Feeding
C183658	FSIL-Poor Range Arm Movements This Side	FSIL-Poor Range Arm Movements This Side	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have a poor range of arm movements on this side.	FACIT-Searchable Item Library Adult Version - Poor Range Arm Movements This Side
C183891	FSIL-Preparing Meals	FSIL-Preparing Meals	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Preparing meals.	FACIT-Searchable Item Library Adult Version - Preparing Meals

Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult				
C184140	FSIL-Problem Urinating Limits Activity	FSIL-Problem Urinating Limits Activity	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My problems with urinating limit my activities.	FACIT-Searchable Item Library Adult Version - Problem Urinating Limits Activity
C183833	FSIL-Problems Interfered Ability Enjoy	FSIL-Problems Interfered Ability Enjoy	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: These problems have interfered with my ability to do things I enjoy.	FACIT-Searchable Item Library Adult Version - Problems Interfered Ability Enjoy
C183832	FSIL-Problems Interfered Ability Work	FSIL-Problems Interfered Ability Work	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: These problems have interfered with my ability to work.	FACIT-Searchable Item Library Adult Version - Problems Interfered Ability Work
C183834	FSIL-Problems Interfered Quality Life	FSIL-Problems Interfered Quality Life	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: These problems have interfered with the quality of my life.	FACIT-Searchable Item Library Adult Version - Problems Interfered Quality Life
C184275	FSIL-Rate the Care You Received	FSIL-Rate the Care You Received	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: How do you rate the care you received?	FACIT-Searchable Item Library Adult Version - Rate the Care You Received
C183843	FSIL-Rate This Chemo	FSIL-Rate This Chemo	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: How would you rate this chemotherapy?	FACIT-Searchable Item Library Adult Version - Rate This Chemo
C184279	FSIL-Rate This Treatment Overall	FSIL-Rate This Treatment Overall	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: How do you rate this treatment overall?	FACIT-Searchable Item Library Adult Version - Rate This Treatment Overall
C184194	FSIL-Reach Into Myself for Comfort	FSIL-Reach Into Myself for Comfort	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am able to reach down deep into myself for comfort.	FACIT-Searchable Item Library Adult Version - Reach Into Myself for Comfort
C183812	FSIL-Reaction Everyday Situations Slow	FSIL-Reaction Everyday Situations Slow	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My reactions in everyday situations have been slow.	FACIT-Searchable Item Library Adult Version - Reaction Everyday Situations Slow
C184274	FSIL-Received Treatment Right for You	FSIL-Received Treatment Right for You	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Do you feel you received the treatment that was right for you?	FACIT-Searchable Item Library Adult Version - Received Treatment Right for You
C183792	FSIL-Received Treatment That Was Right	FSIL-Received Treatment That Was Right	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel that I received the treatment that was right for me.	FACIT-Searchable Item Library Adult Version - Received Treatment That Was Right
C183847	FSIL-Receiving Chemo Inconvenient	FSIL-Receiving Chemo Inconvenient	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Receiving chemotherapy is inconvenient.	FACIT-Searchable Item Library Adult Version - Receiving Chemo Inconvenient
C183744	FSIL-Receiving Treatment Is Inconvenient	FSIL-Receiving Treatment Is Inconvenient	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Receiving treatment for bone disease is inconvenient.	FACIT-Searchable Item Library Adult Version - Receiving Treatment Is Inconvenient
C183841	FSIL-Recommend Chemo to Others	FSIL-Recommend Chemo to Others	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Would you recommend this chemotherapy to others with your illness?	FACIT-Searchable Item Library Adult Version - Recommend Chemo to Others
C184272	FSIL-Recommend Clinic/Office to Others	FSIL-Recommend Clinic/Office to Others	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Would you recommend this clinic or office to others?	FACIT-Searchable Item Library Adult Version - Recommend Clinic/Office to Others
C184277	FSIL-Recommend This Treatment to Others	FSIL-Recommend This Treatment to Others	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Would you recommend this treatment to others with your illness?	FACIT-Searchable Item Library Adult Version - Recommend This Treatment to Others
C183941	FSIL-Reduced Satisfaction Financial	FSIL-Reduced Satisfaction Financial	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My cancer or treatment has reduced my satisfaction with my present financial situation.	FACIT-Searchable Item Library Adult Version - Reduced Satisfaction Financial
C183700	FSIL-Rest During Day B/c of Bone Pain	FSIL-Rest During Day B/c of Bone Pain	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am forced to rest during the day because of bone pain.	FACIT-Searchable Item Library Adult Version - Rest During Day B/c of Bone Pain

Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult				
C183989	FSIL-Satisfied Communication Illness	FSIL-Satisfied Communication Illness	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am satisfied with family communication about my illness.	FACIT-Searchable Item Library Adult Version - Satisfied Communication Illness
C184136	FSIL-Satisfied With Comfort Level	FSIL-Satisfied With Comfort Level	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am satisfied with my present comfort level.	FACIT-Searchable Item Library Adult Version - Satisfied With Comfort Level
C184276	FSIL-Satisfied With Effects of Treatment	FSIL-Satisfied With Effects of Treatment	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Are you satisfied with the effects of this treatment so far?	FACIT-Searchable Item Library Adult Version - Satisfied With Effects of Treatment
C183948	FSIL-Satisfied With Financial Situation	FSIL-Satisfied With Financial Situation	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am satisfied with my current financial situation.	FACIT-Searchable Item Library Adult Version - Satisfied With Financial Situation
C183963	FSIL-Satisfied With How I Am Coping	FSIL-Satisfied With How I Am Coping	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am satisfied with how I am coping with my illness.	FACIT-Searchable Item Library Adult Version - Satisfied With How I Am Coping
C183991	FSIL-Satisfied With My Sex Life	FSIL-Satisfied With My Sex Life	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am satisfied with my sex life.	FACIT-Searchable Item Library Adult Version - Satisfied With My Sex Life
C183840	FSIL-Satisfied With Results Chemo	FSIL-Satisfied With Results Chemo	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Are you satisfied with the current results of your chemotherapy?	FACIT-Searchable Item Library Adult Version - Satisfied With Results Chemo
C183736	FSIL-Satisfied With Results of Treatment	FSIL-Satisfied With Results of Treatment	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Are you satisfied with the results of the treatment for your bone disease so far?	FACIT-Searchable Item Library Adult Version - Satisfied With Results of Treatment
C184290	FSIL-Satisfied With Urinary Condition	FSIL-Satisfied With Urinary Condition	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am satisfied with my urinary condition.	FACIT-Searchable Item Library Adult Version - Satisfied With Urinary Condition
C183661	FSIL-Self-conscious About Way I Dress	FSIL-Self-conscious About Way I Dress	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am self-conscious about the way I dress.	FACIT-Searchable Item Library Adult Version - Self-conscious About Way I Dress
C184207	FSIL-Sensitivity Fingernails Diff Tasks	FSIL-Sensitivity Fingernails Diff Tasks	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Sensitivity around my fingernails makes it difficult to perform household tasks.	FACIT-Searchable Item Library Adult Version - Sensitivity Fingernails Diff Tasks
C184254	FSIL-Side Effects of Treatment So Far	FSIL-Side Effects of Treatment So Far	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Compared to what you expected, how do you rate the side effects of treatment so far?	FACIT-Searchable Item Library Adult Version - Side Effects of Treatment So Far
C183686	FSIL-Side Effects of Treatment Worse	FSIL-Side Effects of Treatment Worse	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: The side effects of treatment are worse than I had imagined.	FACIT-Searchable Item Library Adult Version - Side Effects of Treatment Worse
C184203	FSIL-Skin Cond Interferes w/ Social Life	FSIL-Skin Cond Interferes w/ Social Life	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My skin condition interferes with my social life.	FACIT-Searchable Item Library Adult Version - Skin Cond Interferes w/ Social Life
C184208	FSIL-Skin Condition Interferes w/ Sleep	FSIL-Skin Condition Interferes w/ Sleep	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My skin condition interferes with my ability to sleep.	FACIT-Searchable Item Library Adult Version - Skin Condition Interferes w/ Sleep
C184209	FSIL-Skin Condition Make Life Difficult	FSIL-Skin Condition Make Life Difficult	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Changes in my skin condition make daily life difficult.	FACIT-Searchable Item Library Adult Version - Skin Condition Make Life Difficult
C183868	FSIL-Skin Feels Sensitive or Raw	FSIL-Skin Feels Sensitive or Raw	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My skin feels sensitive or "raw".	FACIT-Searchable Item Library Adult Version - Skin Feels Sensitive or Raw
C184173	FSIL-Skin in Breast Area Itchy/Flaky/Dry	FSIL-Skin in Breast Area Itchy/Flaky/Dry	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: The skin in my breast area is itchy, flaky or dry.	FACIT-Searchable Item Library Adult Version - Skin in Breast Area Itchy/Flaky/Dry
C183874	FSIL-Skin Is Dry or Flaky	FSIL-Skin Is Dry or Flaky	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My skin is dry or "flaky".	FACIT-Searchable Item Library Adult Version - Skin Is Dry or Flaky

Functional Assessment of Chronic Illness Therapy-Searchable Item Library				
C184211	FSIL-Skin Side Effects Interfered Tasks	FSIL-Skin Side Effects Interfered Tasks	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: The skin side effects from treatment have interfered with household tasks.	FACIT-Searchable Item Library Adult Version - Skin Side Effects Interfered Tasks
C183972	FSIL-Sleeping Well	FSIL-Sleeping Well	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am sleeping well.	FACIT-Searchable Item Library Adult Version - Sleeping Well
C184024	FSIL-Smoke Cigarettes/Other Tobacco	FSIL-Smoke Cigarettes/Other Tobacco	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I smoke cigarettes or other tobacco products.	FACIT-Searchable Item Library Adult Version - Smoke Cigarettes/Other Tobacco
C184029	FSIL-Stiffness/Tightness in My Joints	FSIL-Stiffness/Tightness in My Joints	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have stiffness or tightness in my joints.	FACIT-Searchable Item Library Adult Version - Stiffness/Tightness in My Joints
C183638	FSIL-Stomach Pain Interferes Functioning	FSIL-Stomach Pain Interferes Functioning	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Stomach pain interferes with my daily functioning.	FACIT-Searchable Item Library Adult Version - Stomach Pain Interferes Functioning
C183960	FSIL-Stomach Problems That Worry Me	FSIL-Stomach Problems That Worry Me	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have stomach problems that worry me.	FACIT-Searchable Item Library Adult Version - Stomach Problems That Worry Me
C184176	FSIL-Strength in Faith/Spiritual Beliefs	FSIL-Strength in Faith/Spiritual Beliefs	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I find strength in my faith or spiritual beliefs.	FACIT-Searchable Item Library Adult Version - Strength in Faith/Spiritual Beliefs
C183893	FSIL-Sweeping/Mopping	FSIL-Sweeping/Mopping	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Sweeping or mopping.	FACIT-Searchable Item Library Adult Version - Sweeping/Mopping
C184075	FSIL-Swelling as a Result of Surgery	FSIL-Swelling as a Result of Surgery	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have swelling as a result of surgery.	FACIT-Searchable Item Library Adult Version - Swelling as a Result of Surgery
C184078	FSIL-Swelling Keeps Me From Doing Things	FSIL-Swelling Keeps Me From Doing Things	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Swelling keeps me from doing the things I want to do.	FACIT-Searchable Item Library Adult Version - Swelling Keeps Me From Doing Things
C184079	FSIL-Swelling Keeps Me From Wearing	FSIL-Swelling Keeps Me From Wearing	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Swelling keeps me from wearing clothes or shoes I want to wear.	FACIT-Searchable Item Library Adult Version - Swelling Keeps Me From Wearing
C183762	FSIL-Swelling/Cramps in Stomach Area	FSIL-Swelling/Cramps in Stomach Area	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have swelling or cramps in my stomach area.	FACIT-Searchable Item Library Adult Version - Swelling/Cramps in Stomach Area
C184097	FSIL-Take My Condition Into Account	FSIL-Take My Condition Into Account	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have to take my condition into account when making plans.	FACIT-Searchable Item Library Adult Version - Take My Condition Into Account
C183741	FSIL-Taking Drug Infusion Inconvenient	FSIL-Taking Drug Infusion Inconvenient	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Taking the drug by infusion is inconvenient.	FACIT-Searchable Item Library Adult Version - Taking Drug Infusion Inconvenient
C184187	FSIL-Thankfulness Others Bring to Life	FSIL-Thankfulness Others Bring to Life	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Throughout the course of my day, I feel a sense of thankfulness for what others bring to my life.	FACIT-Searchable Item Library Adult Version - Thankfulness Others Bring to Life
C183624	FSIL-The Skin on My Feet Hurts	FSIL-The Skin on My Feet Hurts	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: The skin on my feet hurts.	FACIT-Searchable Item Library Adult Version - The Skin on My Feet Hurts
C183622	FSIL-The Skin on My Hands Hurts	FSIL-The Skin on My Hands Hurts	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: The skin on my hands hurts.	FACIT-Searchable Item Library Adult Version - The Skin on My Hands Hurts
C183865	FSIL-Tired Dealing With Skin Condition	FSIL-Tired Dealing With Skin Condition	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am tired of dealing with my skin condition.	FACIT-Searchable Item Library Adult Version - Tired Dealing With Skin Condition
C184154	FSIL-Told Family Members About Infection	FSIL-Told Family Members About Infection	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have told family members about my infection.	FACIT-Searchable Item Library Adult Version - Told Family Members About Infection

Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult				
C183818	FSIL-Told Me Trouble Remembering Info	FSIL-Told Me Trouble Remembering Info	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Other people have told me I seemed to have trouble remembering information.	FACIT-Searchable Item Library Adult Version - Told Me Trouble Remembering Info
C183819	FSIL-Told Me Trouble Speaking Clearly	FSIL-Told Me Trouble Speaking Clearly	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Other people have told me I seemed to have trouble speaking clearly.	FACIT-Searchable Item Library Adult Version - Told Me Trouble Speaking Clearly
C183820	FSIL-Told Me Trouble Thinking Clearly	FSIL-Told Me Trouble Thinking Clearly	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Other people have told me I seemed to have trouble thinking clearly.	FACIT-Searchable Item Library Adult Version - Told Me Trouble Thinking Clearly
C184159	FSIL-Told Partner/Spouse About Infection	FSIL-Told Partner/Spouse About Infection	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have told my partner/spouse about my infection.	FACIT-Searchable Item Library Adult Version - Told Partner/Spouse About Infection
C183643	FSIL-Too Tired to Eat	FSIL-Too Tired to Eat	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am too tired to eat.	FACIT-Searchable Item Library Adult Version - Too Tired to Eat
C183734	FSIL-Treatment Bone Disease Takes Time	FSIL-Treatment Bone Disease Takes Time	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Treatment for bone disease takes up my time.	FACIT-Searchable Item Library Adult Version - Treatment Bone Disease Takes Time
C183737	FSIL-Treatment Bone Disease to Others	FSIL-Treatment Bone Disease to Others	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Would you recommend this treatment for bone disease to others with your illness?	FACIT-Searchable Item Library Adult Version - Treatment Bone Disease to Others
C183743	FSIL-Treatment Causes Me Physical Pain	FSIL-Treatment Causes Me Physical Pain	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My treatment for bone disease causes me physical pain.	FACIT-Searchable Item Library Adult Version - Treatment Causes Me Physical Pain
C183750	FSIL-Treatment Schedule Stressful Family	FSIL-Treatment Schedule Stressful Family	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My treatment schedule for bone disease is stressful to my family.	FACIT-Searchable Item Library Adult Version - Treatment Schedule Stressful Family
C183749	FSIL-Treatment Schedule Stressful to Me	FSIL-Treatment Schedule Stressful to Me	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My treatment schedule for bone disease is stressful to me.	FACIT-Searchable Item Library Adult Version - Treatment Schedule Stressful to Me
C183748	FSIL-Treatment Seems Harmful to Me	FSIL-Treatment Seems Harmful to Me	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Treatment for bone disease seems harmful to me.	FACIT-Searchable Item Library Adult Version - Treatment Seems Harmful to Me
C184268	FSIL-Treatment Staff Answered Honestly	FSIL-Treatment Staff Answered Honestly	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Did you feel that the treatment staff answered your questions honestly?	FACIT-Searchable Item Library Adult Version - Treatment Staff Answered Honestly
C184255	FSIL-Treatment Staff Discuss Activities	FSIL-Treatment Staff Discuss Activities	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Did the treatment staff discuss how your health and treatment may affect your normal daily activities?	FACIT-Searchable Item Library Adult Version - Treatment Staff Discuss Activities
C184257	FSIL-Treatment Staff Discuss Emotionally	FSIL-Treatment Staff Discuss Emotionally	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Did the treatment staff discuss how your health and treatment may affect you emotionally?	FACIT-Searchable Item Library Adult Version - Treatment Staff Discuss Emotionally
C184256	FSIL-Treatment Staff Discuss Relation	FSIL-Treatment Staff Discuss Relation	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Did the treatment staff discuss how your health and treatment may affect your personal relationships?	FACIT-Searchable Item Library Adult Version - Treatment Staff Discuss Relation
C184253	FSIL-Treatment Staff Discuss Work	FSIL-Treatment Staff Discuss Work	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Did the treatment staff discuss how your health and treatment may affect your normal work (including housework)?	FACIT-Searchable Item Library Adult Version - Treatment Staff Discuss Work
C184269	FSIL-Treatment Staff Respect Privacy	FSIL-Treatment Staff Respect Privacy	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Did the treatment staff respect your privacy?	FACIT-Searchable Item Library Adult Version - Treatment Staff Respect Privacy
C184260	FSIL-Treatment Staff Thorough Examining	FSIL-Treatment Staff Thorough Examining	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Was the treatment staff thorough in examining and treating you?	FACIT-Searchable Item Library Adult Version - Treatment Staff Thorough Examining

Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult					
C183739	FSIL-Treatment Takes Up My Family's Time	FSIL-Treatment Takes Up My Family's Time	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My treatment for bone disease takes up my family's time.	FACIT-Searchable Item Library Adult Version - Treatment Takes Up My Family's Time	
C183925	FSIL-Trouble Digesting Food	FSIL-Trouble Digesting Food	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have trouble digesting food.	FACIT-Searchable Item Library Adult Version - Trouble Digesting Food	
C183715	FSIL-Trouble Feeling Arm/Hands/Legs	FSIL-Trouble Feeling Arm/Hands/Legs	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have trouble feeling sensations in my arm, hands or legs.	FACIT-Searchable Item Library Adult Version - Trouble Feeling Arm/Hands/Legs	
C184129	FSIL-Trouble Feeling Shape of Objects	FSIL-Trouble Feeling Shape of Objects	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have trouble feeling the shape of small objects when they are in my hand.	FACIT-Searchable Item Library Adult Version - Trouble Feeling Shape of Objects	
C183815	FSIL-Trouble Finding Familiar Place	FSIL-Trouble Finding Familiar Place	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have had trouble finding my way to a familiar place.	FACIT-Searchable Item Library Adult Version - Trouble Finding Familiar Place	
C183836	FSIL-Trouble Finding Right Words	FSIL-Trouble Finding Right Words	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have had trouble finding the right word(s) to express myself.	FACIT-Searchable Item Library Adult Version - Trouble Finding Right Words	
C183650	FSIL-Trouble Finishing Things	FSIL-Trouble Finishing Things	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have trouble finishing things because I am tired.	FACIT-Searchable Item Library Adult Version - Trouble Finishing Things	
C184089	FSIL-Trouble Getting Around in Public	FSIL-Trouble Getting Around in Public	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have trouble getting around in public places.	FACIT-Searchable Item Library Adult Version - Trouble Getting Around in Public	
C183816	FSIL-Trouble Keeping Track Interrupted	FSIL-Trouble Keeping Track Interrupted	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have trouble keeping track of what I am doing if I am interrupted.	FACIT-Searchable Item Library Adult Version - Trouble Keeping Track Interrupted	
C183977	FSIL-Trouble Meeting Needs of Family	FSIL-Trouble Meeting Needs of Family	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Because of my physical condition, I have trouble meeting the needs of my family.	FACIT-Searchable Item Library Adult Version - Trouble Meeting Needs of Family	
C183835	FSIL-Trouble Recalling Name of Object	FSIL-Trouble Recalling Name of Object	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have had trouble recalling the name of an object while talking to someone.	FACIT-Searchable Item Library Adult Version - Trouble Recalling Name of Object	
C183813	FSIL-Trouble Remember Where Put Things	FSIL-Trouble Remember Where Put Things	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have had trouble remembering where I put things, like my keys or my wallet.	FACIT-Searchable Item Library Adult Version - Trouble Remember Where Put Things	
C183814	FSIL-Trouble Remembering New Info	FSIL-Trouble Remembering New Info	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have had trouble remembering new information, like phone numbers or simple instructions.	FACIT-Searchable Item Library Adult Version - Trouble Remembering New Info	
C183838	FSIL-Trouble Saying What I Mean	FSIL-Trouble Saying What I Mean	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have had trouble saying what I mean in conversations with others.	FACIT-Searchable Item Library Adult Version - Trouble Saying What I Mean	
C183817	FSIL-Trouble Shifting Back and Forth	FSIL-Trouble Shifting Back and Forth	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have trouble shifting back and forth between different activities that require thinking.	FACIT-Searchable Item Library Adult Version - Trouble Shifting Back and Forth	
C183859	FSIL-Trouble Sleeping B/c Skin Condition	FSIL-Trouble Sleeping B/c Skin Condition	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have trouble sleeping because of my skin condition.	FACIT-Searchable Item Library Adult Version - Trouble Sleeping B/c Skin Condition	
C183649	FSIL-Trouble Starting Things	FSIL-Trouble Starting Things	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have trouble starting things because I am tired.	FACIT-Searchable Item Library Adult Version - Trouble Starting Things	
C183701	FSIL-Trouble Walking Because Bone Pain	FSIL-Trouble Walking Because Bone Pain	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have trouble walking because of bone pain.	FACIT-Searchable Item Library Adult Version - Trouble Walking Because Bone Pain	

Functional Assessment of Chronic Illness Therapy-Searchable Item Library				
C184088	FSIL-Trouble Walking Because of Pain	FSIL-Trouble Walking Because of Pain	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have trouble walking because of pain.	FACIT-Searchable Item Library Adult Version - Trouble Walking Because of Pain
C184040	FSIL-Troubled Not Knowing Side Effects	FSIL-Troubled Not Knowing Side Effects	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am troubled by not knowing when exactly my side effects will happen, how long they will last and how bad they will be.	FACIT-Searchable Item Library Adult Version - Troubled Not Knowing Side Effects
C184271	FSIL-Trust Doctor Suggestions Treatment	FSIL-Trust Doctor Suggestions Treatment	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Did you trust your doctor(s)' suggestions for treatment?	FACIT-Searchable Item Library Adult Version - Trust Doctor Suggestions Treatment
C183920	FSIL-Tube Feed Limits Do Inside House	FSIL-Tube Feed Limits Do Inside House	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Tube feeding limits what I can do inside the house (for example housework, watching TV or reading).	FACIT-Searchable Item Library Adult Version - Tube Feed Limits Do Inside House
C183922	FSIL-Tube Feeding Limits Activities	FSIL-Tube Feeding Limits Activities	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Tube feeding limits my activities with my friends.	FACIT-Searchable Item Library Adult Version - Tube Feeding Limits Activities
C183921	FSIL-Tube Feeding Limits Do Outside	FSIL-Tube Feeding Limits Do Outside	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Tube feeding limits what I can do outside of the house (for example shopping, driving or yard work).	FACIT-Searchable Item Library Adult Version - Tube Feeding Limits Do Outside
C184206	FSIL-Unattractive B/c How My Skin Looks	FSIL-Unattractive B/c How My Skin Looks	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel unattractive because of how my skin looks.	FACIT-Searchable Item Library Adult Version - Unattractive B/c How My Skin Looks
C184066	FSIL-Uncertain About My Future Health	FSIL-Uncertain About My Future Health	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel uncertain about my future health.	FACIT-Searchable Item Library Adult Version - Uncertain About My Future Health
C183916	FSIL-Uncomfortably Full Tube Feeding	FSIL-Uncomfortably Full Tube Feeding	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I feel uncomfortably full during or after my tube feeding.	FACIT-Searchable Item Library Adult Version - Uncomfortably Full Tube Feeding
C183995	FSIL-Unhappy About Change in My Appear	FSIL-Unhappy About Change in My Appear	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am unhappy about a change in my appearance.	FACIT-Searchable Item Library Adult Version - Unhappy About Change in My Appear
C184022	FSIL-Unhappy With How Face & Neck Look	FSIL-Unhappy With How Face & Neck Look	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am unhappy with how my face and neck look.	FACIT-Searchable Item Library Adult Version - Unhappy With How Face & Neck Look
C184002	FSIL-Unhappy With My Appearance	FSIL-Unhappy With My Appearance	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am unhappy with my appearance.	FACIT-Searchable Item Library Adult Version - Unhappy With My Appearance
C184055	FSIL-Urinate Frequently to Avoid Leaking	FSIL-Urinate Frequently to Avoid Leaking	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I must urinate frequently to avoid leaking.	FACIT-Searchable Item Library Adult Version - Urinate Frequently to Avoid Leaking
C183807	FSIL-Use Written Lists More Often	FSIL-Use Written Lists More Often	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have had to use written lists more often than usual so I would not forget things.	FACIT-Searchable Item Library Adult Version - Use Written Lists More Often
C183837	FSIL-Used Wrong Word When Refer Object	FSIL-Used Wrong Word When Refer Object	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have used the wrong word when I referred to an object.	FACIT-Searchable Item Library Adult Version - Used Wrong Word When Refer Object
C183878	FSIL-Vagina Feels Too Narrow/Short	FSIL-Vagina Feels Too Narrow/Short	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My vagina feels too narrow or short.	FACIT-Searchable Item Library Adult Version - Vagina Feels Too Narrow/Short
C184020	FSIL-Voice Has Usual Quality & Strength	FSIL-Voice Has Usual Quality & Strength	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: My voice has its usual quality and strength.	FACIT-Searchable Item Library Adult Version - Voice Has Usual Quality & Strength
C183919	FSIL-Vomiting Dur/After Tube Feeding	FSIL-Vomiting Dur/After Tube Feeding	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I experience vomiting during or after my tube feeding.	FACIT-Searchable Item Library Adult Version - Vomiting Dur/After Tube Feeding

Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult Version				
C183745	FSIL-Waiting Breakfast Is Inconvenient	FSIL-Waiting Breakfast Is Inconvenient	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Waiting up to 60 minutes before eating breakfast in the morning is inconvenient.	FACIT-Searchable Item Library Adult Version - Waiting Breakfast Is Inconvenient
C183904	FSIL-Wake at Night Because of Coughing	FSIL-Wake at Night Because of Coughing	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I wake at night because of coughing.	FACIT-Searchable Item Library Adult Version - Wake at Night Because of Coughing
C183809	FSIL-Walked Into a Room and Forgotten	FSIL-Walked Into a Room and Forgotten	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have walked into a room and forgotten what I meant to get or do there.	FACIT-Searchable Item Library Adult Version - Walked Into a Room and Forgotten
C183889	FSIL-Walking 50 Steps Flat Normal Speed	FSIL-Walking 50 Steps Flat Normal Speed	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Walking 50 steps/paces on flat ground at a normal speed without stopping.	FACIT-Searchable Item Library Adult Version - Walking 50 Steps Flat Normal Speed
C183897	FSIL-Walking for 1/2 Mile w/o Stopping	FSIL-Walking for 1/2 Mile w/o Stopping	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Walking (faster than your usual speed) for 1/2 mile (almost 1 km) without stopping.	FACIT-Searchable Item Library Adult Version - Walking for 1/2 Mile w/o Stopping
C183890	FSIL-Walking Up 20 Stairs w/o Stopping	FSIL-Walking Up 20 Stairs w/o Stopping	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Walking up 20 stairs (2 flights) without stopping.	FACIT-Searchable Item Library Adult Version - Walking Up 20 Stairs w/o Stopping
C183892	FSIL-Washing Dishes	FSIL-Washing Dishes	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Washing dishes.	FACIT-Searchable Item Library Adult Version - Washing Dishes
C184047	FSIL-Wear Pads/Protect Prevent Soiling	FSIL-Wear Pads/Protect Prevent Soiling	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I wear pads or protection to prevent soiling my underwear.	FACIT-Searchable Item Library Adult Version - Wear Pads/Protect Prevent Soiling
C184056	FSIL-Wear Protection Leakage of Urine	FSIL-Wear Protection Leakage of Urine	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I wear protection for leakage of urine.	FACIT-Searchable Item Library Adult Version - Wear Protection Leakage of Urine
C184178	FSIL-Whatever Happens Illness Will Be OK	FSIL-Whatever Happens Illness Will Be OK	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I know that whatever happens with my illness, things will be okay.	FACIT-Searchable Item Library Adult Version - Whatever Happens Illness Will Be OK
C184157	FSIL-Which Side Was Breast Operation	FSIL-Which Side Was Breast Operation	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: On which side was your breast operation?	FACIT-Searchable Item Library Adult Version - Which Side Was Breast Operation
C184235	FSIL-Women: Bothered by Vaginal Bleeding	FSIL-Women: Bothered by Vaginal Bleeding	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: For women only: I am bothered by vaginal bleeding.	FACIT-Searchable Item Library Adult Version - Women: Bothered by Vaginal Bleeding
C183810	FSIL-Work Hard to Pay Attention	FSIL-Work Hard to Pay Attention	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have had to work really hard to pay attention or I would make a mistake.	FACIT-Searchable Item Library Adult Version - Work Hard to Pay Attention
C183806	FSIL-Work Harder Than Usual to Express	FSIL-Work Harder Than Usual to Express	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have had to work harder than usual to express myself clearly.	FACIT-Searchable Item Library Adult Version - Work Harder Than Usual to Express
C183804	FSIL-Work Harder Than Usual to Track	FSIL-Work Harder Than Usual to Track	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I have had to work harder than usual to keep track of what I was doing.	FACIT-Searchable Item Library Adult Version - Work Harder Than Usual to Track
C183632	FSIL-Worried About My Weight	FSIL-Worried About My Weight	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I am worried about my weight.	FACIT-Searchable Item Library Adult Version - Worried About My Weight
C183779	FSIL-Worry About Attitudes Towards Me	FSIL-Worry About Attitudes Towards Me	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry about other people's attitudes towards me.	FACIT-Searchable Item Library Adult Version - Worry About Attitudes Towards Me
C184238	FSIL-Worry About Serious Bleeding	FSIL-Worry About Serious Bleeding	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry about the possibility of serious bleeding.	FACIT-Searchable Item Library Adult Version - Worry About Serious Bleeding
C183740	FSIL-Worry About Side Effects Treatment	FSIL-Worry About Side Effects Treatment	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry about side effects from treatment for bone disease.	FACIT-Searchable Item Library Adult Version - Worry About Side Effects Treatment

Functional Assessment of Chronic Illness Therapy-Searchable Item Library				
C184008	FSIL-Worry About Spreading My Infection	FSIL-Worry About Spreading My Infection	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry about spreading my infection.	FACIT-Searchable Item Library Adult Version - Worry About Spreading My Infection
C183791	FSIL-Worry About Spreading the Infection	FSIL-Worry About Spreading the Infection	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry about spreading the infection.	FACIT-Searchable Item Library Adult Version - Worry About Spreading the Infection
C183666	FSIL-Worry About the Effect of Stress	FSIL-Worry About the Effect of Stress	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry about the effect of stress on my illness.	FACIT-Searchable Item Library Adult Version - Worry About the Effect of Stress
C184083	FSIL-Worry Appearance of Surgical Scars	FSIL-Worry Appearance of Surgical Scars	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry about the appearance of surgical scars.	FACIT-Searchable Item Library Adult Version - Worry Appearance of Surgical Scars
C183848	FSIL-Worry Chemo Not Effective	FSIL-Worry Chemo Not Effective	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry that my chemotherapy will not be effective.	FACIT-Searchable Item Library Adult Version - Worry Chemo Not Effective
C183665	FSIL-Worry Family Will Get Illness	FSIL-Worry Family Will Get Illness	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry that other members of my family might someday get the same illness I have.	FACIT-Searchable Item Library Adult Version - Worry Family Will Get Illness
C183907	FSIL-Worry Feeding Tube Health Is Worse	FSIL-Worry Feeding Tube Health Is Worse	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry that having a feeding tube means my health is worse.	FACIT-Searchable Item Library Adult Version - Worry Feeding Tube Health Is Worse
C183945	FSIL-Worry Financial Problems in Future	FSIL-Worry Financial Problems in Future	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry about the financial problems I will have in the future as a result of my illness or treatment.	FACIT-Searchable Item Library Adult Version - Worry Financial Problems in Future
C184105	FSIL-Worry Getting Sick Low Blood Counts	FSIL-Worry Getting Sick Low Blood Counts	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry about getting sick due to low blood counts.	FACIT-Searchable Item Library Adult Version - Worry Getting Sick Low Blood Counts
C184067	FSIL-Worry I Might Get New Symptoms	FSIL-Worry I Might Get New Symptoms	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry that I might get new symptoms of my illness.	FACIT-Searchable Item Library Adult Version - Worry I Might Get New Symptoms
C183910	FSIL-Worry Infection From Feeding Tube	FSIL-Worry Infection From Feeding Tube	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry about getting an infection from the feeding tube.	FACIT-Searchable Item Library Adult Version - Worry Infection From Feeding Tube
C183776	FSIL-Worry Infection Will Get Worse	FSIL-Worry Infection Will Get Worse	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry that the infection will get worse.	FACIT-Searchable Item Library Adult Version - Worry Infection Will Get Worse
C183911	FSIL-Worry Losing Weight Feeding Tube	FSIL-Worry Losing Weight Feeding Tube	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry about losing weight because I have a feeding tube.	FACIT-Searchable Item Library Adult Version - Worry Losing Weight Feeding Tube
C183967	FSIL-Worry My Condition Will Get Worse	FSIL-Worry My Condition Will Get Worse	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry that my condition will get worse.	FACIT-Searchable Item Library Adult Version - Worry My Condition Will Get Worse
C184038	FSIL-Worry Neg Impacts Long-term Health	FSIL-Worry Neg Impacts Long-term Health	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry about negative impacts that my treatment may have upon my long-term health.	FACIT-Searchable Item Library Adult Version - Worry Neg Impacts Long-term Health
C184108	FSIL-Worry Not improve Treatment Delayed	FSIL-Worry Not improve Treatment Delayed	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry my condition will not improve if my treatment is delayed.	FACIT-Searchable Item Library Adult Version - Worry Not improve Treatment Delayed
C184237	FSIL-Worry Problems Bruising/Bleeding	FSIL-Worry Problems Bruising/Bleeding	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry about problems with bruising or bleeding.	FACIT-Searchable Item Library Adult Version - Worry Problems Bruising/Bleeding
C183845	FSIL-Worry Side Effects From Chemo	FSIL-Worry Side Effects From Chemo	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry about side effects from chemotherapy treatment.	FACIT-Searchable Item Library Adult Version - Worry Side Effects From Chemo
C183871	FSIL-Worry Skin condition Get Worse	FSIL-Worry Skin condition Get Worse	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry that my skin condition may get worse.	FACIT-Searchable Item Library Adult Version - Worry Skin condition Get Worse
C184069	FSIL-Worry Support Myself/Family Illness	FSIL-Worry Support Myself/Family Illness	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry about being able to support myself or my family due to my illness.	FACIT-Searchable Item Library Adult Version - Worry Support Myself/Family Illness

Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: Worry				
C184234	FSIL-Worry Treatment Dose Will Reduced	FSIL-Worry Treatment Dose Will Reduced	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry that my treatment dose will be reduced (because of low blood counts).	FACIT-Searchable Item Library Adult Version - Worry Treatment Dose Will Reduced
C183747	FSIL-Worry Treatment Not Effective	FSIL-Worry Treatment Not Effective	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry that my treatment for bone disease will not be effective.	FACIT-Searchable Item Library Adult Version - Worry Treatment Not Effective
C184233	FSIL-Worry Treatment Will Be Delayed	FSIL-Worry Treatment Will Be Delayed	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry that my treatment will be delayed (because of low blood counts).	FACIT-Searchable Item Library Adult Version - Worry Treatment Will Be Delayed
C183908	FSIL-Worry Tube Coming Out by Accident	FSIL-Worry Tube Coming Out by Accident	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry about the tube coming out by accident.	FACIT-Searchable Item Library Adult Version - Worry Tube Coming Out by Accident
C183909	FSIL-Worry Tube Getting Plugged/Blocked	FSIL-Worry Tube Getting Plugged/Blocked	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult: I worry about the tube getting plugged or blocked.	FACIT-Searchable Item Library Adult Version - Worry Tube Getting Plugged/Blocked

C113944	FSS0101	FSS01-Motivation Is Lower When Fatigued	Fatigue Severity Scale - My motivation is lower when I am fatigued.	FSS - Motivation is Lower When Fatigued
C113945	FSS0102	FSS01-Exercise Brings on My Fatigue	Fatigue Severity Scale - Exercise brings on my fatigue.	FSS - Exercise Brings on My Fatigue
C113946	FSS0103	FSS01-I Am Easily Fatigued	Fatigue Severity Scale - I am easily fatigued.	FSS - I Am Easily Fatigued
C113947	FSS0104	FSS01-Interferes With Phys Function	Fatigue Severity Scale - Fatigue interferes with my physical functioning.	FSS - Fatigue Interferes With Physical Functioning
C113948	FSS0105	FSS01-Fatigue Causes Frequent Problems	Fatigue Severity Scale - Fatigue causes frequent problems for me.	FSS - Fatigue Causes Frequent Problems
C113949	FSS0106	FSS01-Prevents Sustained Phys Function	Fatigue Severity Scale - My fatigue prevents sustained physical functioning.	FSS - Fatigue Prevents Sustained Physical Functioning
C113950	FSS0107	FSS01-Fatigue Interferes With Duties	Fatigue Severity Scale - Fatigue interferes with carrying out certain duties and responsibilities.	FSS - Fatigue Interferes With Carrying Out Duties
C113951	FSS0108	FSS01-Bmong My 3 Most Disabling Symptoms	Fatigue Severity Scale - Fatigue is among my three most disabling symptoms.	FSS - Fatigue is Among Most Disabling Symptoms
C113952	FSS0109	FSS01-Fatigue Interferes With My Life	Fatigue Severity Scale - Fatigue interferes with my work, family, or social life.	FSS - Fatigue Interferes With Work

C113951	FSS01-Among My 3 Most Disabling Symptoms	FSS01-Among My 3 Most Disabling Symptoms	Fatigue Severity Scale - Fatigue is among my three most disabling symptoms.	FSS - Fatigue is Among Most Disabling Symptoms
C113945	FSS01-Exercise Brings on My Fatigue	FSS01-Exercise Brings on My Fatigue	Fatigue Severity Scale - Exercise brings on my fatigue.	FSS - Exercise Brings on My Fatigue
C113948	FSS01-Fatigue Causes Frequent Problems	FSS01-Fatigue Causes Frequent Problems	Fatigue Severity Scale - Fatigue causes frequent problems for me.	FSS - Fatigue Causes Frequent Problems
C113950	FSS01-Fatigue Interferes With Duties	FSS01-Fatigue Interferes With Duties	Fatigue Severity Scale - Fatigue interferes with carrying out certain duties and responsibilities.	FSS - Fatigue Interferes With Carrying Out Duties
C113952	FSS01-Fatigue Interferes With My Life	FSS01-Fatigue Interferes With My Life	Fatigue Severity Scale - Fatigue interferes with my work, family, or social life.	FSS - Fatigue Interferes With Work
C113946	FSS01-I Am Easily Fatigued	FSS01-I Am Easily Fatigued	Fatigue Severity Scale - I am easily fatigued.	FSS - I Am Easily Fatigued
C113947	FSS01-Interferes With Phys Function	FSS01-Interferes With Phys Function	Fatigue Severity Scale - Fatigue interferes with my physical functioning.	FSS - Fatigue Interferes With Physical Functioning
C113944	FSS01-Motivation Is Lower When Fatigued	FSS01-Motivation Is Lower When Fatigued	Fatigue Severity Scale - My motivation is lower when I am fatigued.	FSS - Motivation is Lower When Fatigued
C113949	FSS01-Prevents Sustained Phys Function	FSS01-Prevents Sustained Phys Function	Fatigue Severity Scale - My fatigue prevents sustained physical functioning.	FSS - Fatigue Prevents Sustained Physical Functioning

C141686	10-METER WALK/RUN	TENMW1;Ten Meter Walk/Run	10-Meter Walk/Run (McDonald CM, Henricson EK, Abresch RT, et al. The 6-minute walk test and other clinical endpoints in duchenne muscular dystrophy: reliability, concurrent validity, and minimal clinically important differences from a multicenter study. Muscle Nerve. 2013;48(3):357-68.). CDISC believes this instrument to be in the public domain, but you should perform your own assessment.	10-Meter Walk/Run Test Functional Test
C141689	4-STAIR ASCEND	A4STR1	4 Stair Ascend (McDonald CM, Henricson EK, Abresch RT, et al. The 6-minute walk test and other clinical endpoints in duchenne muscular dystrophy: reliability, concurrent validity, and minimal clinically important differences from a multicenter study. Muscle Nerve. 2013;48(3):357-68.). CDISC believes this instrument to be in the public domain, but you should perform your own assessment.	Four Stair Ascend Test Functional Test
C141688	4-STAIR DESCEND	D4STR1	4-Stair Descend (McDonald CM, Henricson EK, Abresch RT, et al. The 6-minute walk test and other clinical endpoints in duchenne muscular dystrophy: reliability, concurrent validity, and minimal clinically important differences from a multicenter study. Muscle Nerve. 2013;48(3):357-68.). CDISC believes this instrument to be in the public domain, but you should perform your own assessment.	Four Stair Descend Test Functional Test
C102112	AVLT	AVL01	The Alzheimer's Disease Neuroimaging Initiative's (ADNI) version of the Auditory Verbal Learning Test (AVLT Version A) modified from Rey A. L'examen clinique en psychologie [Clinical tests in psychology]. Paris: Presses Universitaires de France; 1964.	Alzheimer's Disease Neuroimaging Initiative Auditory Verbal Learning Test Functional Test
C123668	AVLT-REY	AVL02	Auditory Verbal Learning Test (AVLT-Rey) (Modified from Rey A. L'examen clinique en psychologie [Clinical tests in psychology]. Paris: Presses Universitaires de France; 1964. Test-Retest Reliability of a New Form of Auditory Verbal Learning Test (AVLT); Archives of Clinical Neuropsychology, Vol. 9, No. 4, pp. 303-316, 1994. Performance of Healthy Subjects and Patients with Resection from the Anterior Temporal Lobe on Matched Tests of Verbal and Visoperceptual Learning; Journal of Clinical and Experimental Neuropsychology 1996, Vol. 18, No. 3, pp. 416-430).	Rey Auditory Verbal Learning Functional Test
C121004	BACS	BACS1	Brief Assessment of Cognition in Schizophrenia (BACS) (Richard Keefe, PhD, Copyright 1999 Duke University Medical Center, Licenses available through Neurocog Trials, Inc.).	Brief Assessment of Cognition in Schizophrenia Functional Test
C114144	COWAT	COWAT1	Controlled Oral Word Association Test (COWAT) (Benton, A.L., Hamsher, K., & Sivan, A.B. (1994). Multilingual Aphasia Examination (3rd ed.). Iowa City, IA: AJA Associates).	Controlled Oral Word Association Test
C150909	EMOTION RECOGNITION	EMO1	Emotion Recognition (Ekman P, Friesen WV. Measuring facial movement. Environmental Psychology and Nonverbal Behavior. 1976;1(1):56-75).	Emotion Recognition Test Functional Test
C115790	HAUSER AMBULATION INDEX	HAI01	Hauser Ambulation Index (AI) (Hauser SL, Dawson DM, Lehrich JR, Beal MF, Kevy SV, Propper RD, Mills JA, Weiner HL. Intensive immunosuppression in progressive multiple sclerosis. A randomized, three-arm study of high-dose intravenous cyclophosphamide, plasma exchange, and ACTH. N Engl J Med. 1983 Jan 27;308(4):173-80).	Hauser Ambulation Index Functional Test
C166278	HD-CAB	HDCAB1	Huntington's Disease Cognitive Assessment Battery (HD-CAB) (Copyright 2014 Monash University. All Rights Reserved. Stout, J.C. et al. HD-CAB: A cognitive assessment battery for clinical trials in Huntington's disease. Movement Disorders. 2014;29(10):1281-1288).	Huntington's Disease Cognitive Assessment Battery Functional Test
C74982	MMSE	MMS1	Mini-Mental State Examination (MMSE) (MMSE Copyright 1975, 1998, 2001 by MiniMental, LLC All rights reserved. Published 2001 by Psychological Assessment Resources, Inc. May not be reproduced in whole or in part in any form or by any means without written permission of Psychological Assessment Resources, Inc.).	Mini-Mental Status Exam
C150910	MMSE-2 STANDARD VERSION	MMS2	Mini-Mental State Examination 2 Standard Version (MMSE-2 STANDARD VERSION) (MMSE-2 Copyright 2010 by Mini Mental LLC. All rights reserved. Published 2010 by Psychological Assessment Resources, Inc (PAR). May not be reproduced in whole or in part in any form or by any means without written permission of Psychological Assessment Resources, Inc.).	Mini-Mental State Examination 2 Standard Version Functional Test

Functional Test Details				
Test ID	Test Name	Code	Description	Functional Test Name
C123667	MOCA	MOCA01	Montreal Cognitive Assessment (MoCA) (Copyright Z. Nasreddine MD. Ziad S. Nasreddine, Natalie A. Phillips, Valerie Bedirian, Simon Charbonneau, Victor Whitehead, Isabelle Collin, Jeffrey L. Cummings and Howard Chertkow. The Montreal Cognitive Assessment, MoCA: A Brief Screening Tool For Mild Cognitive Impairment. J Am Geriatr Soc. 2005 Apr;53(4):695-9).	Montreal Cognitive Assessment Functional Test
C115791	NHPT	NHPT01	Nine-Hole Peg Test (NHPT) (Copyright 2001, National Multiple Sclerosis Society).	Nine-Hole Peg Functional Test
C150911	PACED TAPPING	PTAP1	Paced Tapping (Rowe KC, Paulsen JS, Langbehn DR, et al. Self-paced timing detects and tracks change in prodromal Huntington disease. Neuropsychology. 2010;24(4):435-442).	Paced Tapping Test Functional Test
C115792	PASAT	PASAT1	Paced Auditory Serial Addition Test (PASAT) (Copyright 2001, National Multiple Sclerosis Society).	Paced Auditory Serial Addition Functional Test
C138334	PUL V1.2	PUL01	Performance of the Upper Limb Module for DMD Version 1.2 (PUL V1.2) (Mayhew A, Mazzone ES, Eagle M, et al. (2013). Development of the Performance of the Upper Limb module for Duchenne muscular dystrophy. Dev Med Child Neurol; 55:1038-45).	Performance of the Upper Limb Module for DMD 1.2 Functional Test
C138335	PUL V2.0	PUL02	Performance of the Upper Limb Module for DMD Version 2.0 (PUL V2.0) (Mayhew A, Mazzone ES, Eagle M, et al. (2013). Development of the Performance of the Upper Limb module for Duchenne muscular dystrophy. Dev Med Child Neurol; 55:1038-45).	Performance of the Upper Limb Module for DMD 2.0 Functional Test
C141687	RISING FROM FLOOR	RISEF1;Stand From Supine	Rising From Floor (McDonald CM, Henricson EK, Abresch RT, et al. The 6-minute walk test and other clinical endpoints in duchenne muscular dystrophy: reliability, concurrent validity, and minimal clinically important differences from a multicenter study. Muscle Nerve. 2013;48(3):357-68.). CDISC believes this instrument to be in the public domain, but you should perform your own assessment.	Rising From Floor Test Functional Test
C166279	ROCKPORT ONE MILE WALK TEST V1.0	ROCK01	Rockport One Mile Walk Test Version 1.0 (ROCKPORT ONE MILE WALK TEST V1.0) (Kline GM, Porcari JP, Hintermeister R, et. al. 1987. Estimation of VO2 Max from a one mile track walk, gender, age, and body weight. Medicine and Science in sports and Exercise. 19:253-59).	Rockport One Mile Walk Test Version 1.0 Functional Test
C115793	SDMT	SDMT01	Symbol Digit Modalities Test (SDMT) (Copyright 1973 by Western Psychological Services).	Symbol Digit Modalities Functional Test
C115789	SIX MINUTE WALK	SIXMW1	6 Minute Walk Test (6MWT) (Goldman MD, Marrie RA, Cohen JA. Evaluation of the six-minute walk in multiple sclerosis subjects and healthy controls. Multiple Sclerosis 2008; 14: 383-390).	6 Minute Walk Functional Test
C170646	SPPB V1.2	SPPB1	Short Physical Performance Battery V1.2 (SPPB V1.2) (Guralnik JM, Ferrucci L, Pieper CF, Leveille SG, Markides KS, Ostir GV, Studenski S, Berkman LF, Wallace RB. Lower extremity function and subsequent disability: consistency across studies, predictive models, and value of gait speed alone compared with the short physical performance battery. J Gerontol A Biol Sci Med Sci 2000 April;55(4):M221-M231).	Short Physical Performance Battery Version 1.2 Functional Test
C115794	T25FW	T25FW1	Timed 25-Foot Walk (T25FW) (Copyright 2001, National Multiple Sclerosis Society).	Timed 25-Foot Walk Functional Test
C92205	TMT	TMT01	Trail Making Test (TMT) [(Copyright Owner: Dr. Jim Horn, The Neuropsychology Center, 500 N. Central Expressway, Suite 272, Plano TX 75074-6877. Ph: 469-429-8890, www.neuropsych.com.) (Manual: Army Individual Test. War Department, The Adjutant General's Office, 1944.) (Reitan RM. The Relation of the Trail Making Test to Organic Brain Damage; Journal of Consulting Psychology 1955 Oct 19(5):393-4.) (Reitan R.M. (1958). The validity of the Trail Making Test as an indicator of organic brain damage; Perceptual and Motor Skills, 8, 271-276.)].	Trail Making Test
C115795	TUG	TUG01	Timed Up and Go (TUG) (Podsiadlo D, Richardson S. The Timed 'Up & Go': a test of basic functional mobility for frail elderly persons. J Am Geriatr Soc. 1991; 39:142-148).	Timed Up and Go Functional Test

C103565	GAD0101	GAD01-Feeling Nervous Anxious or On Edge	Generalized Anxiety Disorder - 7 - Feeling nervous, anxious or on edge.	GAD-7 - Feeling Nervous Anxious or On Edge
C103566	GAD0102	GAD01-Not Able to Stop/Control Worrying	Generalized Anxiety Disorder - 7 - Not being able to stop or control worrying.	GAD-7 - Not Being Able to Stop or Control Worrying
C103567	GAD0103	GAD01-Worrying Too Much About Things	Generalized Anxiety Disorder - 7 - Worrying too much about different things.	GAD-7 - Worrying Too Much About Different Things
C103568	GAD0104	GAD01-Trouble Relaxing	Generalized Anxiety Disorder - 7 - Trouble relaxing.	GAD-7 - Trouble Relaxing
C103569	GAD0105	GAD01-Being Restless Hard to Sit Still	Generalized Anxiety Disorder - 7 - Being so restless that it is hard to sit still.	GAD-7 - Being so Restless That it is Hard to Sit Still
C103570	GAD0106	GAD01-Becoming Easily Annoyed/Irritable	Generalized Anxiety Disorder - 7 - Becoming easily annoyed or irritable.	GAD-7 - Becoming Easily Annoyed or Irritable
C103571	GAD0107	GAD01-Feel Afraid/Something Awful Happen	Generalized Anxiety Disorder - 7 - Feeling afraid as if something awful might happen.	GAD-7 - Feel Afraid as if Something Awful Might Happen
C103572	GAD0108	GAD01-Difficult to Work/Take Care Things	Generalized Anxiety Disorder - 7 - If you checked off any problems, how difficult have these problems made it for you to do your work, take care of things at home, or get along with other people?	GAD-7 - Problems Made it Difficult to Work, Take Care of Things, or Get Along with Other People
C113886	GAD0109	GAD01-Total Score	Generalized Anxiety Disorder - 7 - Total score.	GAD-7 - Total Score

C103570	GAD01-Becoming Easily Annoyed/Irritable	GAD01-Becoming Easily Annoyed/Irritable	Generalized Anxiety Disorder - 7 - Becoming easily annoyed or irritable.	GAD-7 - Becoming Easily Annoyed or Irritable
C103569	GAD01-Being Restless Hard to Sit Still	GAD01-Being Restless Hard to Sit Still	Generalized Anxiety Disorder - 7 - Being so restless that it is hard to sit still.	GAD-7 - Being so Restless That it is Hard to Sit Still
C103572	GAD01-Difficult to Work/Take Care Things	GAD01-Difficult to Work/Take Care Things	Generalized Anxiety Disorder - 7 - If you checked off any problems, how difficult have these problems made it for you to do your work, take care of things at home, or get along with other people?	GAD-7 - Problems Made it Difficult to Work, Take Care of Things, or Get Along with Other People
C103571	GAD01-Feel Afraid/Something Awful Happen	GAD01-Feel Afraid/Something Awful Happen	Generalized Anxiety Disorder - 7 - Feeling afraid as if something awful might happen.	GAD-7 - Feel Afraid as if Something Awful Might Happen
C103565	GAD01-Feeling Nervous Anxious or On Edge	GAD01-Feeling Nervous Anxious or On Edge	Generalized Anxiety Disorder - 7 - Feeling nervous, anxious or on edge.	GAD-7 - Feeling Nervous Anxious or On Edge
C103566	GAD01-Not Able to Stop/Control Worrying	GAD01-Not Able to Stop/Control Worrying	Generalized Anxiety Disorder - 7 - Not being able to stop or control worrying.	GAD-7 - Not Being Able to Stop or Control Worrying
C113886	GAD01-Total Score	GAD01-Total Score	Generalized Anxiety Disorder - 7 - Total score.	GAD-7 - Total Score
C103568	GAD01-Trouble Relaxing	GAD01-Trouble Relaxing	Generalized Anxiety Disorder - 7 - Trouble relaxing.	GAD-7 - Trouble Relaxing
C103567	GAD01-Worrying Too Much About Things	GAD01-Worrying Too Much About Things	Generalized Anxiety Disorder - 7 - Worrying too much about different things.	GAD-7 - Worrying Too Much About Different Things

C163832	GAD0201	GAD02-Feeling Nervous Anxious or On Edge	Generalized Anxiety Disorder - 7 Version 2 - Feeling nervous, anxious or on edge.	GAD-7 Version 2 - Feeling Nervous Anxious or On Edge
C163833	GAD0202	GAD02-Not Able to Stop/Control Worrying	Generalized Anxiety Disorder - 7 Version 2 - Not being able to stop or control worrying.	GAD-7 Version 2 - Not Able to Stop or Control Worrying
C163834	GAD0203	GAD02-Worrying Too Much About Things	Generalized Anxiety Disorder - 7 Version 2 - Worrying too much about different things.	GAD-7 Version 2 - Worrying Too Much About Things
C163835	GAD0204	GAD02-Trouble Relaxing	Generalized Anxiety Disorder - 7 Version 2 - Trouble relaxing.	GAD-7 Version 2 - Trouble Relaxing
C163836	GAD0205	GAD02-Being Restless Hard to Sit Still	Generalized Anxiety Disorder - 7 Version 2 - Being so restless that it is hard to sit still.	GAD-7 Version 2 - Being Restless Hard to Sit Still
C163837	GAD0206	GAD02-Becoming Easily Annoyed/Irritable	Generalized Anxiety Disorder - 7 Version 2 - Becoming easily annoyed or irritable.	GAD-7 Version 2 - Becoming Easily Annoyed or Irritable
C163838	GAD0207	GAD02-Feel Afraid/Something Awful Happen	Generalized Anxiety Disorder - 7 Version 2 - Feeling afraid as if something awful might happen.	GAD-7 Version 2 - Feel Afraid If Something Awful Happen
C163839	GAD0208	GAD02-Total Score	Generalized Anxiety Disorder - 7 Version 2 - Total score.	GAD-7 Version 2 - Total Score

C163837	GAD02-Becoming Easily Annoyed/Irritable	GAD02-Becoming Easily Annoyed/Irritable	Generalized Anxiety Disorder - 7 Version 2 - Becoming easily annoyed or irritable.	GAD-7 Version 2 - Becoming Easily Annoyed or Irritable
C163836	GAD02-Being Restless Hard to Sit Still	GAD02-Being Restless Hard to Sit Still	Generalized Anxiety Disorder - 7 Version 2 - Being so restless that it is hard to sit still.	GAD-7 Version 2 - Being Restless Hard to Sit Still
C163838	GAD02-Feel Afraid/Something Awful Happen	GAD02-Feel Afraid/Something Awful Happen	Generalized Anxiety Disorder - 7 Version 2 - Feeling afraid as if something awful might happen.	GAD-7 Version 2 - Feel Afraid If Something Awful Happen
C163832	GAD02-Feeling Nervous Anxious or On Edge	GAD02-Feeling Nervous Anxious or On Edge	Generalized Anxiety Disorder - 7 Version 2 - Feeling nervous, anxious or on edge.	GAD-7 Version 2 - Feeling Nervous Anxious or On Edge
C163833	GAD02-Not Able to Stop/Control Worrying	GAD02-Not Able to Stop/Control Worrying	Generalized Anxiety Disorder - 7 Version 2 - Not being able to stop or control worrying.	GAD-7 Version 2 - Not Able to Stop or Control Worrying
C163839	GAD02-Total Score	GAD02-Total Score	Generalized Anxiety Disorder - 7 Version 2 - Total score.	GAD-7 Version 2 - Total Score
C163835	GAD02-Trouble Relaxing	GAD02-Trouble Relaxing	Generalized Anxiety Disorder - 7 Version 2 - Trouble relaxing.	GAD-7 Version 2 - Trouble Relaxing
C163834	GAD02-Worrying Too Much About Things	GAD02-Worrying Too Much About Things	Generalized Anxiety Disorder - 7 Version 2 - Worrying too much about different things.	GAD-7 Version 2 - Worrying Too Much About Things

C105278	GCGI0101	GCGI01-Global Severity of Pain	General Clinical Global Impressions - Global severity of pain.	GCGI - Global Severity of Pain
C105279	GCGI0102	GCGI01-Global Improvement of Pain	General Clinical Global Impressions - Global improvement of pain.	GCGI - Global Improvement of Pain
C105280	GCGI0103	GCGI01-Global Disease Status of Pain	General Clinical Global Impressions - Global disease status of pain.	GCGI - Global Disease Status of Pain
C105281	GCGI0104	GCGI01-Pain Treatment Preference	General Clinical Global Impressions - Pain treatment preference.	GCGI - Pain Treatment Preference
C105282	GCGI0105	GCGI01-Global Rating of Pain Medication	General Clinical Global Impressions - Global rating of pain medication.	GCGI - Global Rating of Pain Medication

C105280	GCGI01-Global Disease Status of Pain	GCGI01-Global Disease Status of Pain	General Clinical Global Impressions - Global disease status of pain.	GCGI - Global Disease Status of Pain
C105279	GCGI01-Global Improvement of Pain	GCGI01-Global Improvement of Pain	General Clinical Global Impressions - Global improvement of pain.	GCGI - Global Improvement of Pain
C105282	GCGI01-Global Rating of Pain Medication	GCGI01-Global Rating of Pain Medication	General Clinical Global Impressions - Global rating of pain medication.	GCGI - Global Rating of Pain Medication
C105278	GCGI01-Global Severity of Pain	GCGI01-Global Severity of Pain	General Clinical Global Impressions - Global severity of pain.	GCGI - Global Severity of Pain
C105281	GCGI01-Pain Treatment Preference	GCGI01-Pain Treatment Preference	General Clinical Global Impressions - Pain treatment preference.	GCGI - Pain Treatment Preference

GCS NINDS Version - Best Eye Response				
C124724	GCS0101	GCS01-Best Eye Response	Glasgow Coma Scale - Best eye response.	GCS NINDS Version - Best Eye Response
C124725	GCS0102	GCS01-Motor Response	Glasgow Coma Scale - Motor response.	GCS NINDS Version - Motor Response
C124726	GCS0103	GCS01-Verbal Response	Glasgow Coma Scale - Verbal response.	GCS NINDS Version - Verbal Response
C124727	GCS0104	GCS01-Total Score	Glasgow Coma Scale - Total score.	GCS NINDS Version - Total Score
C124728	GCS0105A	GCS01-Confounder: GCS Accurate	Glasgow Coma Scale - GCS Confounder Type: GCS accurate.	GCS NINDS Version - Confounder: GCS Accurate
C124729	GCS0105B	GCS01-Confounder: Paralytic	Glasgow Coma Scale - GCS Confounder Type: paralytic.	GCS NINDS Version - Confounder: Paralytic
C124730	GCS0105C	GCS01-Confounder: Alcohol/Drug of Abuse	Glasgow Coma Scale - GCS Confounder Type: alcohol/drugs of abuse.	GCS NINDS Version - Confounder: Alcohol or Drug of Abuse
C124731	GCS0105D	GCS01-Confounder: C-Spine Injury	Glasgow Coma Scale - GCS Confounder Type: C-spine injury.	GCS NINDS Version - Confounder: C-Spine Injury
C124732	GCS0105E	GCS01-Confounder: Hypoxia/Hypotension	Glasgow Coma Scale - GCS Confounder Type: hypoxia/hypotension.	GCS NINDS Version - Confounder: Hypoxia or Hypotension
C124733	GCS0105F	GCS01-Confounder: Hypothermia	Glasgow Coma Scale - GCS Confounder Type: hypothermia.	GCS NINDS Version - Confounder: Hypothermia
C124734	GCS0105G	GCS01-Confounder: Sedation	Glasgow Coma Scale - GCS Confounder Type: sedation.	GCS NINDS Version - Confounder: Sedation
C124735	GCS0105H	GCS01-Confounder: Unknown	Glasgow Coma Scale - GCS Confounder Type: unknown.	GCS NINDS Version - Confounder: Unknown

C124724	GCS01-Best Eye Response	GCS01-Best Eye Response	Glasgow Coma Scale - Best eye response.	GCS NINDS Version - Best Eye Response
C124730	GCS01-Confounder: Alcohol/Drug of Abuse	GCS01-Confounder: Alcohol/Drug of Abuse	Glasgow Coma Scale - GCS Confounder Type: alcohol/drugs of abuse.	GCS NINDS Version - Confounder: Alcohol or Drug of Abuse
C124731	GCS01-Confounder: C-Spine Injury	GCS01-Confounder: C-Spine Injury	Glasgow Coma Scale - GCS Confounder Type: C-spine injury.	GCS NINDS Version - Confounder: C-Spine Injury
C124728	GCS01-Confounder: GCS Accurate	GCS01-Confounder: GCS Accurate	Glasgow Coma Scale - GCS Confounder Type: GCS accurate.	GCS NINDS Version - Confounder: GCS Accurate
C124733	GCS01-Confounder: Hypothermia	GCS01-Confounder: Hypothermia	Glasgow Coma Scale - GCS Confounder Type: hypothermia.	GCS NINDS Version - Confounder: Hypothermia
C124732	GCS01-Confounder: Hypoxia/Hypotension	GCS01-Confounder: Hypoxia/Hypotension	Glasgow Coma Scale - GCS Confounder Type: hypoxia/hypotension.	GCS NINDS Version - Confounder: Hypoxia or Hypotension
C124729	GCS01-Confounder: Paralytic	GCS01-Confounder: Paralytic	Glasgow Coma Scale - GCS Confounder Type: paralytic.	GCS NINDS Version - Confounder: Paralytic
C124734	GCS01-Confounder: Sedation	GCS01-Confounder: Sedation	Glasgow Coma Scale - GCS Confounder Type: sedation.	GCS NINDS Version - Confounder: Sedation
C124735	GCS01-Confounder: Unknown	GCS01-Confounder: Unknown	Glasgow Coma Scale - GCS Confounder Type: unknown.	GCS NINDS Version - Confounder: Unknown
C124725	GCS01-Motor Response	GCS01-Motor Response	Glasgow Coma Scale - Motor response.	GCS NINDS Version - Motor Response
C124727	GCS01-Total Score	GCS01-Total Score	Glasgow Coma Scale - Total score.	GCS NINDS Version - Total Score
C124726	GCS01-Verbal Response	GCS01-Verbal Response	Glasgow Coma Scale - Verbal response.	GCS NINDS Version - Verbal Response

Geriatric Depression Scale Items				
C106764	GDS0101	GDS01-Satisfied With Life	Geriatric Depression Scale - Are you basically satisfied with your life?	GDS - Basically Satisfied With Life
C106765	GDS0102	GDS01-Dropped Activities and Interests	Geriatric Depression Scale - Have you dropped many of your activities and interests?	GDS - Dropped Activities and Interests
C106766	GDS0103	GDS01-Life Is Empty	Geriatric Depression Scale - Do you feel that your life is empty?	GDS - Feel Life Is Empty
C106767	GDS0104	GDS01-Bored Often	Geriatric Depression Scale - Do you often get bored?	GDS - Often Get Bored
C106768	GDS0105	GDS01-Hopeful About Future	Geriatric Depression Scale - Are you hopeful about the future?	GDS - Hopeful About Future
C106769	GDS0106	GDS01-Bothered by Thoughts	Geriatric Depression Scale - Are you bothered by thoughts you can't get out of your head?	GDS - Bothered by Thoughts
C106770	GDS0107	GDS01-Good Spirits Most of Time	Geriatric Depression Scale - Are you in good spirits most of the time?	GDS - Good Spirits Most of Time
C106771	GDS0108	GDS01-Afraid of Something Bad Happening	Geriatric Depression Scale - Are you afraid that something bad is going to happen to you?	GDS - Afraid of Something Bad Happening
C106772	GDS0109	GDS01-Feel Happy Most of Time	Geriatric Depression Scale - Do you feel happy most of the time?	GDS - Feel Happy Most of Time
C106773	GDS0110	GDS01-Often Feel Helpless	Geriatric Depression Scale - Do you often feel helpless?	GDS - Often Feel Helpless
C106774	GDS0111	GDS01-Get Restless and Fidgety	Geriatric Depression Scale - Do you often get restless and fidgety?	GDS - Get Restless and Fidgety
C106775	GDS0112	GDS01-Prefer to Stay Home	Geriatric Depression Scale - Do you prefer to stay at home, rather than going out and doing new things?	GDS - Prefer to Stay Home
C106776	GDS0113	GDS01-Worry About Future	Geriatric Depression Scale - Do you frequently worry about the future?	GDS - Frequently Worry About Future
C106777	GDS0114	GDS01-Memory Problems	Geriatric Depression Scale - Do you feel you have more problems with memory than most?	GDS - More Memory Problems Than Most
C106778	GDS0115	GDS01-Wonderful to Be Alive	Geriatric Depression Scale - Do you think it is wonderful to be alive now?	GDS - Think Wonderful to Be Alive
C106779	GDS0116	GDS01-Feel Downhearted and Blue	Geriatric Depression Scale - Do you often feel downhearted and blue?	GDS - Feel Downhearted and Blue
C106780	GDS0117	GDS01-Feel Worthless	Geriatric Depression Scale - Do you feel pretty worthless the way you are now?	GDS - Feel Worthless
C106781	GDS0118	GDS01-Worry About the Past	Geriatric Depression Scale - Do you worry a lot about the past?	GDS - Worry About the Past
C106782	GDS0119	GDS01-Find Life Exciting	Geriatric Depression Scale - Do you find life very exciting?	GDS - Find Life Exciting
C106783	GDS0120	GDS01-Hard to Start New Projects	Geriatric Depression Scale - Is it hard for you to get started on new projects?	GDS - Hard to Start New Projects
C106784	GDS0121	GDS01-Feel Full of Energy	Geriatric Depression Scale - Do you feel full of energy?	GDS - Feel Full of Energy
C106785	GDS0122	GDS01-Feel Hopeless	Geriatric Depression Scale - Do you feel that your situation is hopeless?	GDS - Feel Situation Is Hopeless
C106786	GDS0123	GDS01-Most People Better Off Than You	Geriatric Depression Scale - Do you think that most people are better off than you are?	GDS - Think Most People Better Off Than You
C106787	GDS0124	GDS01-Often Upset Over Little Things	Geriatric Depression Scale - Do you frequently get upset over little things?	GDS - Often Upset Over Little Things
C106788	GDS0125	GDS01-Frequently Feel Like Crying	Geriatric Depression Scale - Do you frequently feel like crying?	GDS - Frequently Feel Like Crying
C106789	GDS0126	GDS01-Trouble Concentrating	Geriatric Depression Scale - Do you have trouble concentrating?	GDS - Have Trouble Concentrating
C106790	GDS0127	GDS01-Enjoy Getting Up in the Morning	Geriatric Depression Scale - Do you enjoy getting up in the morning?	GDS - Enjoy Getting Up in the Morning
C106791	GDS0128	GDS01-Avoid Social Gatherings	Geriatric Depression Scale - Do you prefer to avoid social gatherings?	GDS - Prefer to Avoid Social Gatherings
C106792	GDS0129	GDS01-Easy to Make Decisions	Geriatric Depression Scale - Is it easy for you to make decisions?	GDS - Easy to Make Decisions

Geriatric Depression Scale (GDS)				
C106793	GDS0130	GDS01-Mind as Clear as It Used to Be	Geriatric Depression Scale - Is your mind as clear as it used to be?	GDS - Mind as Clear as It Used to Be
C163949	GDS0131	GDS01-Total Score	Geriatric Depression Scale - Total score.	GDS - Total Score

C106771	GDS01-Afraid of Something Bad Happening	GDS01-Afraid of Something Bad Happening	Geriatric Depression Scale - Are you afraid that something bad is going to happen to you?	GDS - Afraid of Something Bad Happening
C106791	GDS01-Avoid Social Gatherings	GDS01-Avoid Social Gatherings	Geriatric Depression Scale - Do you prefer to avoid social gatherings?	GDS - Prefer to Avoid Social Gatherings
C106767	GDS01-Bored Often	GDS01-Bored Often	Geriatric Depression Scale - Do you often get bored?	GDS - Often Get Bored
C106769	GDS01-Bothered by Thoughts	GDS01-Bothered by Thoughts	Geriatric Depression Scale - Are you bothered by thoughts you can't get out of your head?	GDS - Bothered by Thoughts
C106765	GDS01-Dropped Activities and Interests	GDS01-Dropped Activities and Interests	Geriatric Depression Scale - Have you dropped many of your activities and interests?	GDS - Dropped Activities and Interests
C106792	GDS01-Easy to Make Decisions	GDS01-Easy to Make Decisions	Geriatric Depression Scale - Is it easy for you to make decisions?	GDS - Easy to Make Decisions
C106790	GDS01-Enjoy Getting Up in the Morning	GDS01-Enjoy Getting Up in the Morning	Geriatric Depression Scale - Do you enjoy getting up in the morning?	GDS - Enjoy Getting Up in the Morning
C106779	GDS01-Feel Downhearted and Blue	GDS01-Feel Downhearted and Blue	Geriatric Depression Scale - Do you often feel downhearted and blue?	GDS - Feel Downhearted and Blue
C106784	GDS01-Feel Full of Energy	GDS01-Feel Full of Energy	Geriatric Depression Scale - Do you feel full of energy?	GDS - Feel Full of Energy
C106772	GDS01-Feel Happy Most of Time	GDS01-Feel Happy Most of Time	Geriatric Depression Scale - Do you feel happy most of the time?	GDS - Feel Happy Most of Time
C106785	GDS01-Feel Hopeless	GDS01-Feel Hopeless	Geriatric Depression Scale - Do you feel that your situation is hopeless?	GDS - Feel Situation Is Hopeless
C106780	GDS01-Feel Worthless	GDS01-Feel Worthless	Geriatric Depression Scale - Do you feel pretty worthless the way you are now?	GDS - Feel Worthless
C106782	GDS01-Find Life Exciting	GDS01-Find Life Exciting	Geriatric Depression Scale - Do you find life very exciting?	GDS - Find Life Exciting
C106788	GDS01-Frequently Feel Like Crying	GDS01-Frequently Feel Like Crying	Geriatric Depression Scale - Do you frequently feel like crying?	GDS - Frequently Feel Like Crying
C106774	GDS01-Get Restless and Fidgety	GDS01-Get Restless and Fidgety	Geriatric Depression Scale - Do you often get restless and fidgety?	GDS - Get Restless and Fidgety
C106770	GDS01-Good Spirits Most of Time	GDS01-Good Spirits Most of Time	Geriatric Depression Scale - Are you in good spirits most of the time?	GDS - Good Spirits Most of Time
C106783	GDS01-Hard to Start New Projects	GDS01-Hard to Start New Projects	Geriatric Depression Scale - Is it hard for you to get started on new projects?	GDS - Hard to Start New Projects
C106768	GDS01-Hopeful About Future	GDS01-Hopeful About Future	Geriatric Depression Scale - Are you hopeful about the future?	GDS - Hopeful About Future
C106766	GDS01-Life Is Empty	GDS01-Life Is Empty	Geriatric Depression Scale - Do you feel that your life is empty?	GDS - Feel Life Is Empty
C106777	GDS01-Memory Problems	GDS01-Memory Problems	Geriatric Depression Scale - Do you feel you have more problems with memory than most?	GDS - More Memory Problems Than Most
C106793	GDS01-Mind as Clear as It Used to Be	GDS01-Mind as Clear as It Used to Be	Geriatric Depression Scale - Is your mind as clear as it used to be?	GDS - Mind as Clear as It Used to Be
C106786	GDS01-Most People Better Off Than You	GDS01-Most People Better Off Than You	Geriatric Depression Scale - Do you think that most people are better off than you are?	GDS - Think Most People Better Off Than You
C106773	GDS01-Often Feel Helpless	GDS01-Often Feel Helpless	Geriatric Depression Scale - Do you often feel helpless?	GDS - Often Feel Helpless
C106787	GDS01-Often Upset Over Little Things	GDS01-Often Upset Over Little Things	Geriatric Depression Scale - Do you frequently get upset over little things?	GDS - Often Upset Over Little Things
C106775	GDS01-Prefer to Stay Home	GDS01-Prefer to Stay Home	Geriatric Depression Scale - Do you prefer to stay at home, rather than going out and doing new things?	GDS - Prefer to Stay Home
C106764	GDS01-Satisfied With Life	GDS01-Satisfied With Life	Geriatric Depression Scale - Are you basically satisfied with your life?	GDS - Basically Satisfied With Life
C163949	GDS01-Total Score	GDS01-Total Score	Geriatric Depression Scale - Total score.	GDS - Total Score
C106789	GDS01-Trouble Concentrating	GDS01-Trouble Concentrating	Geriatric Depression Scale - Do you have trouble concentrating?	GDS - Have Trouble Concentrating
C106778	GDS01-Wonderful to Be Alive	GDS01-Wonderful to Be Alive	Geriatric Depression Scale - Do you think it is wonderful to be alive now?	GDS - Think Wonderful to Be Alive

Geriatric Depression Scale - Do you frequently worry about the future?					
C106776	GDS01-Worry About Future	GDS01-Worry About Future	Geriatric Depression Scale - Do you frequently worry about the future?	GDS - Frequently Worry About Future	
C106781	GDS01-Worry About the Past	GDS01-Worry About the Past	Geriatric Depression Scale - Do you worry a lot about the past?	GDS - Worry About the Past	

C106794	GDS0201	GDS02-Satisfied With Life	Geriatric Depression Scale Short Form - Are you basically satisfied with your life?	GDS-SF - Basically Satisfied With Life
C106795	GDS0202	GDS02-Dropped Activities and Interests	Geriatric Depression Scale Short Form - Have you dropped many of your activities and interests?	GDS-SF - Dropped Activities and Interests
C106796	GDS0203	GDS02-Life Is Empty	Geriatric Depression Scale Short Form - Do you feel that your life is empty?	GDS-SF - Feel Life Is Empty
C106797	GDS0204	GDS02-Bored Often	Geriatric Depression Scale Short Form - Do you often get bored?	GDS-SF - Often Get Bored
C106798	GDS0205	GDS02-Good Spirits Most of Time	Geriatric Depression Scale Short Form - Are you in good spirits most of the time?	GDS-SF - Good Spirits Most of Time
C106799	GDS0206	GDS02-Afraid of Something Bad Happening	Geriatric Depression Scale Short Form - Are you afraid that something bad is going to happen to you?	GDS-SF - Afraid of Something Bad Happening
C106800	GDS0207	GDS02-Feel Happy Most of Time	Geriatric Depression Scale Short Form - Do you feel happy most of the time?	GDS-SF - Feel Happy Most of Time
C106801	GDS0208	GDS02-Often Feel Helpless	Geriatric Depression Scale Short Form - Do you often feel helpless?	GDS-SF - Often Feel Helpless
C106802	GDS0209	GDS02-Prefer to Stay Home	Geriatric Depression Scale Short Form - Do you prefer to stay at home rather than going out and doing new things?	GDS-SF - Prefer to Stay Home
C106803	GDS0210	GDS02-Memory Problems	Geriatric Depression Scale Short Form - Do you feel you have more problems with memory than most?	GDS-SF - More Memory Problems Than Most
C106804	GDS0211	GDS02-Wonderful to Be Alive	Geriatric Depression Scale Short Form - Do you think it is wonderful to be alive now?	GDS-SF - Think Wonderful to Be Alive
C106805	GDS0212	GDS02-Feel Worthless	Geriatric Depression Scale Short Form - Do you feel pretty worthless the way you are now?	GDS-SF - Feel Worthless
C106806	GDS0213	GDS02-Feel Full of Energy	Geriatric Depression Scale Short Form - Do you feel full of energy?	GDS-SF - Feel Full of Energy
C106807	GDS0214	GDS02-Feel Hopeless	Geriatric Depression Scale Short Form - Do you feel that your situation is hopeless?	GDS-SF - Feel Situation is Hopeless
C106808	GDS0215	GDS02-Most People Better Off Than You	Geriatric Depression Scale Short Form - Do you think that most people are better off than you are?	GDS-SF - Think Most People Better Off Than You
C163948	GDS0216	GDS02-Total Score	Geriatric Depression Scale Short Form - Total score.	GDS-SF - Total Score

C106799	GDS02-Afraid of Something Bad Happening	GDS02-Afraid of Something Bad Happening	Geriatric Depression Scale Short Form - Are you afraid that something bad is going to happen to you?	GDS-SF - Afraid of Something Bad Happening
C106797	GDS02-Bored Often	GDS02-Bored Often	Geriatric Depression Scale Short Form - Do you often get bored?	GDS-SF - Often Get Bored
C106795	GDS02-Dropped Activities and Interests	GDS02-Dropped Activities and Interests	Geriatric Depression Scale Short Form - Have you dropped many of your activities and interests?	GDS-SF - Dropped Activities and Interests
C106806	GDS02-Feel Full of Energy	GDS02-Feel Full of Energy	Geriatric Depression Scale Short Form - Do you feel full of energy?	GDS-SF - Feel Full of Energy
C106800	GDS02-Feel Happy Most of Time	GDS02-Feel Happy Most of Time	Geriatric Depression Scale Short Form - Do you feel happy most of the time?	GDS-SF - Feel Happy Most of Time
C106807	GDS02-Feel Hopeless	GDS02-Feel Hopeless	Geriatric Depression Scale Short Form - Do you feel that your situation is hopeless?	GDS-SF - Feel Situation is Hopeless
C106805	GDS02-Feel Worthless	GDS02-Feel Worthless	Geriatric Depression Scale Short Form - Do you feel pretty worthless the way you are now?	GDS-SF - Feel Worthless
C106798	GDS02-Good Spirits Most of Time	GDS02-Good Spirits Most of Time	Geriatric Depression Scale Short Form - Are you in good spirits most of the time?	GDS-SF - Good Spirits Most of Time
C106796	GDS02-Life Is Empty	GDS02-Life Is Empty	Geriatric Depression Scale Short Form - Do you feel that your life is empty?	GDS-SF - Feel Life Is Empty
C106803	GDS02-Memory Problems	GDS02-Memory Problems	Geriatric Depression Scale Short Form - Do you feel you have more problems with memory than most?	GDS-SF - More Memory Problems Than Most
C106808	GDS02-Most People Better Off Than You	GDS02-Most People Better Off Than You	Geriatric Depression Scale Short Form - Do you think that most people are better off than you are?	GDS-SF - Think Most People Better Off Than You
C106801	GDS02-Often Feel Helpless	GDS02-Often Feel Helpless	Geriatric Depression Scale Short Form - Do you often feel helpless?	GDS-SF - Often Feel Helpless
C106802	GDS02-Prefer to Stay Home	GDS02-Prefer to Stay Home	Geriatric Depression Scale Short Form - Do you prefer to stay at home rather than going out and doing new things?	GDS-SF - Prefer to Stay Home
C106794	GDS02-Satisfied With Life	GDS02-Satisfied With Life	Geriatric Depression Scale Short Form - Are you basically satisfied with your life?	GDS-SF - Basically Satisfied With Life
C163948	GDS02-Total Score	GDS02-Total Score	Geriatric Depression Scale Short Form - Total score.	GDS-SF - Total Score
C106804	GDS02-Wonderful to Be Alive	GDS02-Wonderful to Be Alive	Geriatric Depression Scale Short Form - Do you think it is wonderful to be alive now?	GDS-SF - Think Wonderful to Be Alive

C163840	GMSS0101	GMSS01-More Satisfied With My Diabetes	The Glucose Monitoring System Satisfaction Survey Version: Type 1 Diabetes - My current monitor: Helps me feel more satisfied with how things are going with my diabetes.	GMSS Version Type 1 Diabetes - More Satisfied With My Diabetes
C163841	GMSS0102	GMSS01-Think About Diabetes More	The Glucose Monitoring System Satisfaction Survey Version: Type 1 Diabetes - My current monitor: Makes me think about diabetes more than I want to.	GMSS Version Type 1 Diabetes - Think About Diabetes More
C163842	GMSS0103	GMSS01-Takes Too Much Time to Use	The Glucose Monitoring System Satisfaction Survey Version: Type 1 Diabetes - My current monitor: Takes too much time to use.	GMSS Version Type 1 Diabetes - Takes Too Much Time to Use
C163843	GMSS0104	GMSS01-Doesn't Seem as Accurate	The Glucose Monitoring System Satisfaction Survey Version: Type 1 Diabetes - My current monitor: Doesn't seem to be as accurate as I would like it to be.	GMSS Version Type 1 Diabetes - Doesn't Seem as Accurate
C163844	GMSS0105	GMSS01-Makes Me Worry a Lot	The Glucose Monitoring System Satisfaction Survey Version: Type 1 Diabetes - My current monitor: Makes me worry a lot.	GMSS Version Type 1 Diabetes - Makes Me Worry a Lot
C163845	GMSS0106	GMSS01-Is Too Much of a Hassle to Use	The Glucose Monitoring System Satisfaction Survey Version: Type 1 Diabetes - My current monitor: Is too much of a hassle to use.	GMSS Version Type 1 Diabetes - Is Too Much of a Hassle to Use
C163846	GMSS0107	GMSS01-Gives Me Numbers I Don't Trust	The Glucose Monitoring System Satisfaction Survey Version: Type 1 Diabetes - My current monitor: Gives me numbers that I don't entirely trust.	GMSS Version Type 1 Diabetes - Gives Me Numbers I Don't Trust
C163847	GMSS0108	GMSS01-Feel Less Restricted by Diabetes	The Glucose Monitoring System Satisfaction Survey Version: Type 1 Diabetes - My current monitor: Helps me feel less restricted by diabetes.	GMSS Version Type 1 Diabetes - Feel Less Restricted by Diabetes
C163848	GMSS0109	GMSS01-More Frustrated With My Diabetes	The Glucose Monitoring System Satisfaction Survey Version: Type 1 Diabetes - My current monitor: Makes me feel more frustrated with my diabetes.	GMSS Version Type 1 Diabetes - More Frustrated With My Diabetes
C163849	GMSS0110	GMSS01-Be More Spontaneous in My Life	The Glucose Monitoring System Satisfaction Survey Version: Type 1 Diabetes - My current monitor: Helps me be more spontaneous in my life.	GMSS Version Type 1 Diabetes - Be More Spontaneous in My Life
C163850	GMSS0111	GMSS01-Too Many Skin Irritations/Bruises	The Glucose Monitoring System Satisfaction Survey Version: Type 1 Diabetes - My current monitor: Causes too many skin irritations or bruises.	GMSS Version Type 1 Diabetes - Too Many Skin Irritations/Bruises
C163851	GMSS0112	GMSS01-Gives Me Results Don't Make Sense	The Glucose Monitoring System Satisfaction Survey Version: Type 1 Diabetes - My current monitor: Often gives me results that don't make sense.	GMSS Version Type 1 Diabetes - Gives Me Results Don't Make Sense
C163852	GMSS0113	GMSS01-Feel More Down and Depressed	The Glucose Monitoring System Satisfaction Survey Version: Type 1 Diabetes - My current monitor: Makes me feel more down and depressed.	GMSS Version Type 1 Diabetes - Feel More Down and Depressed
C163853	GMSS0114	GMSS01-More Open to New Experiences	The Glucose Monitoring System Satisfaction Survey Version: Type 1 Diabetes - My current monitor: Helps me be more open to new experiences in life.	GMSS Version Type 1 Diabetes - More Open to New Experiences
C163854	GMSS0115	GMSS01-Is Too Painful to Use	The Glucose Monitoring System Satisfaction Survey Version: Type 1 Diabetes - My current monitor: Is too painful to use.	GMSS Version Type 1 Diabetes - Is Too Painful to Use
C163855	GMSS0116	GMSS01-Subscale: Openness	The Glucose Monitoring System Satisfaction Survey Version: Type 1 Diabetes - Subscale: Openness.	GMSS Version Type 1 Diabetes - Subscale: Openness
C163856	GMSS0117	GMSS01-Subscale: Emotional Burden	The Glucose Monitoring System Satisfaction Survey Version: Type 1 Diabetes - Subscale: Emotional burden.	GMSS Version Type 1 Diabetes - Subscale: Emotional Burden
C163857	GMSS0118	GMSS01-Subscale: Behavioral Burden	The Glucose Monitoring System Satisfaction Survey Version: Type 1 Diabetes - Subscale: Behavioral burden.	GMSS Version Type 1 Diabetes - Subscale: Behavioral Burden
C163858	GMSS0119	GMSS01-Subscale: Trust	The Glucose Monitoring System Satisfaction Survey Version: Type 1 Diabetes - Subscale: Trust.	GMSS Version Type 1 Diabetes - Subscale: Trust
C163859	GMSS0120	GMSS01-Total Scale	The Glucose Monitoring System Satisfaction Survey Version: Type 1 Diabetes - Total scale.	GMSS Version Type 1 Diabetes - Total Scale

C163849	GMSS01-Be More Spontaneous in My Life	GMSS01-Be More Spontaneous in My Life	The Glucose Monitoring System Satisfaction Survey Version: Type 1 Diabetes - My current monitor: Helps me be more spontaneous in my life.	GMSS Version Type 1 Diabetes - Be More Spontaneous in My Life
C163843	GMSS01-Doesn't Seem as Accurate	GMSS01-Doesn't Seem as Accurate	The Glucose Monitoring System Satisfaction Survey Version: Type 1 Diabetes - My current monitor: Doesn't seem to be as accurate as I would like it to be.	GMSS Version Type 1 Diabetes - Doesn't Seem as Accurate
C163847	GMSS01-Feel Less Restricted by Diabetes	GMSS01-Feel Less Restricted by Diabetes	The Glucose Monitoring System Satisfaction Survey Version: Type 1 Diabetes - My current monitor: Helps me feel less restricted by diabetes.	GMSS Version Type 1 Diabetes - Feel Less Restricted by Diabetes
C163852	GMSS01-Feel More Down and Depressed	GMSS01-Feel More Down and Depressed	The Glucose Monitoring System Satisfaction Survey Version: Type 1 Diabetes - My current monitor: Makes me feel more down and depressed.	GMSS Version Type 1 Diabetes - Feel More Down and Depressed
C163846	GMSS01-Gives Me Numbers I Don't Trust	GMSS01-Gives Me Numbers I Don't Trust	The Glucose Monitoring System Satisfaction Survey Version: Type 1 Diabetes - My current monitor: Gives me numbers that I don't entirely trust.	GMSS Version Type 1 Diabetes - Gives Me Numbers I Don't Trust
C163851	GMSS01-Gives Me Results Don't Make Sense	GMSS01-Gives Me Results Don't Make Sense	The Glucose Monitoring System Satisfaction Survey Version: Type 1 Diabetes - My current monitor: Often gives me results that don't make sense.	GMSS Version Type 1 Diabetes - Gives Me Results Don't Make Sense
C163845	GMSS01-Is Too Much of a Hassle to Use	GMSS01-Is Too Much of a Hassle to Use	The Glucose Monitoring System Satisfaction Survey Version: Type 1 Diabetes - My current monitor: Is too much of a hassle to use.	GMSS Version Type 1 Diabetes - Is Too Much of a Hassle to Use
C163854	GMSS01-Is Too Painful to Use	GMSS01-Is Too Painful to Use	The Glucose Monitoring System Satisfaction Survey Version: Type 1 Diabetes - My current monitor: Is too painful to use.	GMSS Version Type 1 Diabetes - Is Too Painful to Use
C163844	GMSS01-Makes Me Worry a Lot	GMSS01-Makes Me Worry a Lot	The Glucose Monitoring System Satisfaction Survey Version: Type 1 Diabetes - My current monitor: Makes me worry a lot.	GMSS Version Type 1 Diabetes - Makes Me Worry a Lot
C163848	GMSS01-More Frustrated With My Diabetes	GMSS01-More Frustrated With My Diabetes	The Glucose Monitoring System Satisfaction Survey Version: Type 1 Diabetes - My current monitor: Makes me feel more frustrated with my diabetes.	GMSS Version Type 1 Diabetes - More Frustrated With My Diabetes
C163853	GMSS01-More Open to New Experiences	GMSS01-More Open to New Experiences	The Glucose Monitoring System Satisfaction Survey Version: Type 1 Diabetes - My current monitor: Helps me be more open to new experiences in life.	GMSS Version Type 1 Diabetes - More Open to New Experiences
C163840	GMSS01-More Satisfied With My Diabetes	GMSS01-More Satisfied With My Diabetes	The Glucose Monitoring System Satisfaction Survey Version: Type 1 Diabetes - My current monitor: Helps me feel more satisfied with how things are going with my diabetes.	GMSS Version Type 1 Diabetes - More Satisfied With My Diabetes
C163857	GMSS01-Subscale: Behavioral Burden	GMSS01-Subscale: Behavioral Burden	The Glucose Monitoring System Satisfaction Survey Version: Type 1 Diabetes - Subscale: Behavioral burden.	GMSS Version Type 1 Diabetes - Subscale: Behavioral Burden
C163856	GMSS01-Subscale: Emotional Burden	GMSS01-Subscale: Emotional Burden	The Glucose Monitoring System Satisfaction Survey Version: Type 1 Diabetes - Subscale: Emotional burden.	GMSS Version Type 1 Diabetes - Subscale: Emotional Burden
C163855	GMSS01-Subscale: Openness	GMSS01-Subscale: Openness	The Glucose Monitoring System Satisfaction Survey Version: Type 1 Diabetes - Subscale: Openness.	GMSS Version Type 1 Diabetes - Subscale: Openness
C163858	GMSS01-Subscale: Trust	GMSS01-Subscale: Trust	The Glucose Monitoring System Satisfaction Survey Version: Type 1 Diabetes - Subscale: Trust.	GMSS Version Type 1 Diabetes - Subscale: Trust
C163842	GMSS01-Takes Too Much Time to Use	GMSS01-Takes Too Much Time to Use	The Glucose Monitoring System Satisfaction Survey Version: Type 1 Diabetes - My current monitor: Takes too much time to use.	GMSS Version Type 1 Diabetes - Takes Too Much Time to Use
C163841	GMSS01-Think About Diabetes More	GMSS01-Think About Diabetes More	The Glucose Monitoring System Satisfaction Survey Version: Type 1 Diabetes - My current monitor: Makes me think about diabetes more than I want to.	GMSS Version Type 1 Diabetes - Think About Diabetes More
C163850	GMSS01-Too Many Skin Irritations/Bruises	GMSS01-Too Many Skin Irritations/Bruises	The Glucose Monitoring System Satisfaction Survey Version: Type 1 Diabetes - My current monitor: Causes too many skin irritations or bruises.	GMSS Version Type 1 Diabetes - Too Many Skin Irritations/Bruises
C163859	GMSS01-Total Scale	GMSS01-Total Scale	The Glucose Monitoring System Satisfaction Survey Version: Type 1 Diabetes - Total scale.	GMSS Version Type 1 Diabetes - Total Scale

C115828	GOSE101	GOSE1-Obey Simple Commands or Say Words	Extended Glasgow Outcome Scale - Is the head injured person able to obey simple commands, or say any words?	GOSE - Consciousness: Obey Simple Commands
C115829	GOSE102A	GOSE1-Daily Assistance at Home Essential	Extended Glasgow Outcome Scale - Is the assistance of another person at home essential every day for some activities of daily living?	GOSE - Independence in the Home: Assistance Essential for Daily Living
C115830	GOSE102B	GOSE1-Need Frequent Help at Home	Extended Glasgow Outcome Scale - Do they need frequent help or someone to be around at home most of the time?	GOSE - Independence in the Home: Need Frequent Help at Home
C115831	GOSE102C	GOSE1-Assistance at Home Before Injury	Extended Glasgow Outcome Scale - Was assistance at home essential before the injury?	GOSE - Independence in the Home: Assistance at Home Before Injury
C115832	GOSE103A	GOSE1-Shop Without Assistance	Extended Glasgow Outcome Scale - Are they able to shop without assistance?	GOSE - Independence Outside the Home: Able to Shop Without Assistance
C115833	GOSE103B	GOSE1-Shop Without Assist Before Injury	Extended Glasgow Outcome Scale - Were they able to shop without assistance before the injury?	GOSE - Independence Outside the Home: Able to Shop Without Assistance Before Injury
C115834	GOSE104A	GOSE1-Travel Locally Without Assistance	Extended Glasgow Outcome Scale - Are they able to travel locally without assistance?	GOSE - Independence Outside the Home: Travel Locally Without Assistance
C115835	GOSE104B	GOSE1-Travel Without Assist Before Inj	Extended Glasgow Outcome Scale - Were they able to travel without assistance before the injury?	GOSE - Independence Outside the Home: Travel Locally Without Assistance Before Injury
C115836	GOSE105A	GOSE1-Able to Work to Previous Capacity	Extended Glasgow Outcome Scale - Are they currently able to work to their previous capacity?	GOSE - Work: Able to Work to Previous Capacity
C115837	GOSE105B	GOSE1-How Restricted Are They	Extended Glasgow Outcome Scale - How restricted are they?	GOSE - Work: How Restricted Are They
C115838	GOSE105C	GOSE1-Working Before Injury	Extended Glasgow Outcome Scale - Were they either working or seeking employment before the injury (answer 'yes') or were they doing neither (answer 'no')?	GOSE - Work: Working or Seeking Employment Before the Injury
C115839	GOSE106A	GOSE1-Resume Social/Leisure Outside Home	Extended Glasgow Outcome Scale - Are they able to resume regular social and leisure activities outside home?	GOSE - Social and Leisure Activities: Resume Regular Social and Leisure Activities
C115840	GOSE106B	GOSE1-Extent Social/Leisure Restriction	Extended Glasgow Outcome Scale - What is the extent of restriction on their social and leisure activities?	GOSE - Social and Leisure Activities: Extent of Restriction on Social and Leisure Activities
C115841	GOSE106C	GOSE1-Engage Social/Leisure Before Inj	Extended Glasgow Outcome Scale - Did they engage in regular social and leisure activities outside home before the injury?	GOSE - Social and Leisure Activities: Engage Regular Social and Leisure Activities Before Injury
C115842	GOSE107A	GOSE1-Disruptive Psychological Problems	Extended Glasgow Outcome Scale - Have there been psychological problems which have resulted in ongoing family disruption or disruption to friendships?	GOSE - Family and Friendships: Disruptive Psychological Problems
C115843	GOSE107B	GOSE1-Extent of Disruption	Extended Glasgow Outcome Scale - What has been the extent of disruption or strain?	GOSE - Family and Friendships: Extent of Disruption or Strain
C115844	GOSE107C	GOSE1-Family/Friends Probs Before Injury	Extended Glasgow Outcome Scale - Were there problems with family or friends before the injury?	GOSE - Family and Friendships: Problems with Family or Friends Before Injury
C115845	GOSE108A	GOSE1-Other Problems Related to Injury	Extended Glasgow Outcome Scale - Are there any other current problems relating to the injury which affect daily life?	GOSE - Return to Normal Life: Other Current Problems Relating to Injury
C115846	GOSE108B	GOSE1-Similar Problems Before Injury	Extended Glasgow Outcome Scale - Were similar problems present before the injury?	GOSE - Return to Normal Life: Similar Problems Before Injury
C115847	GOSE109	GOSE1-Since Injury Any Epileptic Fits	Extended Glasgow Outcome Scale - Since the injury has the head injured person had any epileptic fits?	GOSE - Epilepsy: Since Injury Any Epileptic Fits

C115848	GOSE110	GOSE1-At Risk of Developing Epilepsy	Extended Glasgow Outcome Scale - Have they been told that they are currently at risk of developing epilepsy?	GOSE - Epilepsy: At Risk of Developing Epilepsy
C115849	GOSE111	GOSE1-Most Important Factor in Outcome	Extended Glasgow Outcome Scale - What is the most important factor in outcome?	GOSE - Epilepsy: Most Important Factor in Outcome
C115850	GOSE112	GOSE1-GOSE Overall Score	Extended Glasgow Outcome Scale - Scoring: The patient's overall rating is based on the lowest outcome category indicated on the scale.	GOSE - GOSE Overall Score

C115836	GOSE1-Able to Work to Previous Capacity	GOSE1-Able to Work to Previous Capacity	Extended Glasgow Outcome Scale - Are they currently able to work to their previous capacity?	GOSE - Work: Able to Work to Previous Capacity
C115831	GOSE1-Assistance at Home Before Injury	GOSE1-Assistance at Home Before Injury	Extended Glasgow Outcome Scale - Was assistance at home essential before the injury?	GOSE - Independence in the Home: Assistance at Home Before Injury
C115848	GOSE1-At Risk of Developing Epilepsy	GOSE1-At Risk of Developing Epilepsy	Extended Glasgow Outcome Scale - Have they been told that they are currently at risk of developing epilepsy?	GOSE - Epilepsy: At Risk of Developing Epilepsy
C115829	GOSE1-Daily Assistance at Home Essential	GOSE1-Daily Assistance at Home Essential	Extended Glasgow Outcome Scale - Is the assistance of another person at home essential every day for some activities of daily living?	GOSE - Independence in the Home: Assistance Essential for Daily Living
C115842	GOSE1-Disruptive Psychological Problems	GOSE1-Disruptive Psychological Problems	Extended Glasgow Outcome Scale - Have there been psychological problems which have resulted in ongoing family disruption or disruption to friendships?	GOSE - Family and Friendships: Disruptive Psychological Problems
C115841	GOSE1-Engage Social/Leisure Before Inj	GOSE1-Engage Social/Leisure Before Inj	Extended Glasgow Outcome Scale - Did they engage in regular social and leisure activities outside home before the injury?	GOSE - Social and Leisure Activities: Engage Regular Social and Leisure Activities Before Injury
C115843	GOSE1-Extent of Disruption	GOSE1-Extent of Disruption	Extended Glasgow Outcome Scale - What has been the extent of disruption or strain?	GOSE - Family and Friendships: Extent of Disruption or Strain
C115840	GOSE1-Extent Social/Leisure Restriction	GOSE1-Extent Social/Leisure Restriction	Extended Glasgow Outcome Scale - What is the extent of restriction on their social and leisure activities?	GOSE - Social and Leisure Activities: Extent of Restriction on Social and Leisure Activities
C115844	GOSE1-Family/Friends Probs Before Injury	GOSE1-Family/Friends Probs Before Injury	Extended Glasgow Outcome Scale - Were there problems with family or friends before the injury?	GOSE - Family and Friendships: Problems with Family or Friends Before Injury
C115850	GOSE1-GOSE Overall Score	GOSE1-GOSE Overall Score	Extended Glasgow Outcome Scale - Scoring: The patient's overall rating is based on the lowest outcome category indicated on the scale.	GOSE - GOSE Overall Score
C115837	GOSE1-How Restricted Are They	GOSE1-How Restricted Are They	Extended Glasgow Outcome Scale - How restricted are they?	GOSE - Work: How Restricted Are They
C115849	GOSE1-Most Important Factor in Outcome	GOSE1-Most Important Factor in Outcome	Extended Glasgow Outcome Scale - What is the most important factor in outcome?	GOSE - Epilepsy: Most Important Factor in Outcome
C115830	GOSE1-Need Frequent Help at Home	GOSE1-Need Frequent Help at Home	Extended Glasgow Outcome Scale - Do they need frequent help or someone to be around at home most of the time?	GOSE - Independence in the Home: Need Frequent Help at Home
C115828	GOSE1-Obey Simple Commands or Say Words	GOSE1-Obey Simple Commands or Say Words	Extended Glasgow Outcome Scale - Is the head injured person able to obey simple commands, or say any words?	GOSE - Consciousness: Obey Simple Commands
C115845	GOSE1-Other Problems Related to Injury	GOSE1-Other Problems Related to Injury	Extended Glasgow Outcome Scale - Are there any other current problems relating to the injury which affect daily life?	GOSE - Return to Normal Life: Other Current Problems Relating to Injury
C115839	GOSE1-Resume Social/Leisure Outside Home	GOSE1-Resume Social/Leisure Outside Home	Extended Glasgow Outcome Scale - Are they able to resume regular social and leisure activities outside home?	GOSE - Social and Leisure Activities: Resume Regular Social and Leisure Activities
C115833	GOSE1-Shop Without Assist Before Injury	GOSE1-Shop Without Assist Before Injury	Extended Glasgow Outcome Scale - Were they able to shop without assistance before the injury?	GOSE - Independence Outside the Home: Able to Shop Without Assistance Before Injury
C115832	GOSE1-Shop Without Assistance	GOSE1-Shop Without Assistance	Extended Glasgow Outcome Scale - Are they able to shop without assistance?	GOSE - Independence Outside the Home: Able to Shop Without Assistance
C115846	GOSE1-Similar Problems Before Injury	GOSE1-Similar Problems Before Injury	Extended Glasgow Outcome Scale - Were similar problems present before the injury?	GOSE - Return to Normal Life: Similar Problems Before Injury
C115847	GOSE1-Since Injury Any Epileptic Fits	GOSE1-Since Injury Any Epileptic Fits	Extended Glasgow Outcome Scale - Since the injury has the head injured person had any epileptic fits?	GOSE - Epilepsy: Since Injury Any Epileptic Fits
C115834	GOSE1-Travel Locally Without Assistance	GOSE1-Travel Locally Without Assistance	Extended Glasgow Outcome Scale - Are they able to travel locally without assistance?	GOSE - Independence Outside the Home: Travel Locally Without Assistance

Extended Glasgow Outcome Scale - Were they able to travel without assistance before the injury?					
	GOSE1-Travel Without Assist Before Inj	GOSE1-Travel Without Assist Before Inj	Extended Glasgow Outcome Scale - Were they able to travel without assistance before the injury?	GOSE - Independence Outside the Home: Travel Locally Without Assistance Before Injury	
C115838	GOSE1-Working Before Injury	GOSE1-Working Before Injury	Extended Glasgow Outcome Scale - Were they either working or seeking employment before the injury (answer 'yes') or were they doing neither (answer 'no')?	GOSE - Work: Working or Seeking Employment Before the Injury	

HADS Items				
C103573	HADS0101	HADS01-I Feel Tense or Wound Up	Hospital Anxiety and Depression Scale - I feel tense or 'wound up.'	HADS - I Feel Tense or Wound Up
C103574	HADS0102	HADS01-Enjoy the Things I Used to Enjoy	Hospital Anxiety and Depression Scale - I still enjoy the things I used to enjoy.	HADS - I Still Enjoy the Things I Used to Enjoy
C103575	HADS0103	HADS01-Something Awful About to Happen	Hospital Anxiety and Depression Scale - I get a sort of frightened feeling as if something awful is about to happen.	HADS - I Get a Frightened Feeling Something Awful is About to Happen
C103576	HADS0104	HADS01-I Can Laugh and See Funny Side	Hospital Anxiety and Depression Scale - I can laugh and see the funny side of things.	HADS - I Can Laugh and See Funny Side of Things
C103577	HADS0105	HADS01-Worrying Thoughts Go Through Mind	Hospital Anxiety and Depression Scale - Worrying thoughts go through my mind.	HADS - Worrying Thoughts Go Through My Mind
C103578	HADS0106	HADS01-I Feel Cheerful	Hospital Anxiety and Depression Scale - I feel cheerful.	HADS - I Feel Cheerful
C103579	HADS0107	HADS01-Sit at Ease and Feel Relaxed	Hospital Anxiety and Depression Scale - I can sit at ease and feel relaxed.	HADS - I Can Sit at Ease and Feel Relaxed
C103580	HADS0108	HADS01-I Feel as if I am Slowed Down	Hospital Anxiety and Depression Scale - I feel as if I am slowed down.	HADS - I Feel as if I am Slowed Down
C103581	HADS0109	HADS01-Butterflies in the Stomach	Hospital Anxiety and Depression Scale - I get a sort of frightened feeling like 'butterflies' in the stomach.	HADS - I Get Frightened Feeling Like Butterflies in the Stomach
C103582	HADS0110	HADS01-Lost Interest in My Appearance	Hospital Anxiety and Depression Scale - I have lost interest in my appearance.	HADS - I Have Lost Interest in My Appearance
C103583	HADS0111	HADS01-Feel Restless be on the Move	Hospital Anxiety and Depression Scale - I feel restless as if I have to be on the move.	HADS - I Feel Restless as if I Have to be on the Move
C103584	HADS0112	HADS01-Look Forward with Enjoyment	Hospital Anxiety and Depression Scale - I look forward with enjoyment to things.	HADS - I Look Forward with Enjoyment to Things
C103585	HADS0113	HADS01-I Get Sudden Feelings of Panic	Hospital Anxiety and Depression Scale - I get sudden feelings of panic.	HADS - I Get Sudden Feelings of Panic
C103586	HADS0114	HADS01-Enjoy Good Book/Radio/Television	Hospital Anxiety and Depression Scale - I can enjoy a good book or radio or television programme.	HADS - I Can Enjoy a Good Book or Radio or Television Programme
C118111	HADS0115	HADS01-Total Score Anxiety	Hospital Anxiety and Depression Scale - Total score anxiety.	HADS - Total Score Anxiety
C118112	HADS0116	HADS01-Total Score Depression	Hospital Anxiety and Depression Scale - Total score depression.	HADS - Total Score Depression

C103581	HADS01-Butterflies in the Stomach	HADS01-Butterflies in the Stomach	Hospital Anxiety and Depression Scale - I get a sort of frightened feeling like 'butterflies' in the stomach.	HADS - I Get Frightened Feeling Like Butterflies in the Stomach
C103586	HADS01-Enjoy Good Book/Radio/Television	HADS01-Enjoy Good Book/Radio/Television	Hospital Anxiety and Depression Scale - I can enjoy a good book or radio or television programme.	HADS - I Can Enjoy a Good Book or Radio or Television Programme
C103574	HADS01-Enjoy the Things I Used to Enjoy	HADS01-Enjoy the Things I Used to Enjoy	Hospital Anxiety and Depression Scale - I still enjoy the things I used to enjoy.	HADS - I Still Enjoy the Things I Used to Enjoy
C103583	HADS01-Feel Restless be on the Move	HADS01-Feel Restless be on the Move	Hospital Anxiety and Depression Scale - I feel restless as if I have to be on the move.	HADS - I Feel Restless as if I Have to be on the Move
C103576	HADS01-I Can Laugh and See Funny Side	HADS01-I Can Laugh and See Funny Side	Hospital Anxiety and Depression Scale - I can laugh and see the funny side of things.	HADS - I Can Laugh and See Funny Side of Things
C103580	HADS01-I Feel as if I am Slowed Down	HADS01-I Feel as if I am Slowed Down	Hospital Anxiety and Depression Scale - I feel as if I am slowed down.	HADS - I Feel as if I am Slowed Down
C103578	HADS01-I Feel Cheerful	HADS01-I Feel Cheerful	Hospital Anxiety and Depression Scale - I feel cheerful.	HADS - I Feel Cheerful
C103573	HADS01-I Feel Tense or Wound Up	HADS01-I Feel Tense or Wound Up	Hospital Anxiety and Depression Scale - I feel tense or 'wound up.'	HADS - I Feel Tense or Wound Up
C103585	HADS01-I Get Sudden Feelings of Panic	HADS01-I Get Sudden Feelings of Panic	Hospital Anxiety and Depression Scale - I get sudden feelings of panic.	HADS - I Get Sudden Feelings of Panic
C103584	HADS01-Look Forward with Enjoyment	HADS01-Look Forward with Enjoyment	Hospital Anxiety and Depression Scale - I look forward with enjoyment to things.	HADS - I Look Forward with Enjoyment to Things
C103582	HADS01-Lost Interest in My Appearance	HADS01-Lost Interest in My Appearance	Hospital Anxiety and Depression Scale - I have lost interest in my appearance.	HADS - I Have Lost Interest in My Appearance
C103579	HADS01-Sit at Ease and Feel Relaxed	HADS01-Sit at Ease and Feel Relaxed	Hospital Anxiety and Depression Scale - I can sit at ease and feel relaxed.	HADS - I Can Sit at Ease and Feel Relaxed
C103575	HADS01-Something Awful About to Happen	HADS01-Something Awful About to Happen	Hospital Anxiety and Depression Scale - I get a sort of frightened feeling as if something awful is about to happen.	HADS - I Get a Frightened Feeling Something Awful is About to Happen
C118111	HADS01-Total Score Anxiety	HADS01-Total Score Anxiety	Hospital Anxiety and Depression Scale - Total score anxiety.	HADS - Total Score Anxiety
C118112	HADS01-Total Score Depression	HADS01-Total Score Depression	Hospital Anxiety and Depression Scale - Total score depression.	HADS - Total Score Depression
C103577	HADS01-Worrying Thoughts Go Through Mind	HADS01-Worrying Thoughts Go Through Mind	Hospital Anxiety and Depression Scale - Worrying thoughts go through my mind.	HADS - Worrying Thoughts Go Through My Mind

NCI Code: C115390, Codelist extensible: No

C115806 HAI0101

HAI01-Ambulation Index

Hauser Ambulation Index - Ambulation index.

HAI - Ambulation Index

NCI Code: C115389, Codelist extensible: No

C115806	HAI01-Ambulation Index	HAI01-Ambulation Index	Hauser Ambulation Index - Ambulation index.	HAI - Ambulation Index
---------	------------------------	------------------------	---------------------------------------------	------------------------

C182707	Mild	HAMA101 through HAMA114-Mild	Hamilton Anxiety Rating Scale original result for HAMA101 through HAMA114-Mild.	Hamilton Anxiety Rating Scale HAMA101 Through HAMA114 Original Result - Mild
C182708	Moderate	HAMA101 through HAMA114-Moderate	Hamilton Anxiety Rating Scale original result for HAMA101 through HAMA114-Moderate.	Hamilton Anxiety Rating Scale HAMA101 Through HAMA114 Original Result - Moderate
C182706	Not present	HAMA101 through HAMA114-Not present	Hamilton Anxiety Rating Scale original result for HAMA101 through HAMA114-Not present.	Hamilton Anxiety Rating Scale HAMA101 Through HAMA114 Original Result - Not present
C182709	Severe	HAMA101 through HAMA114-Severe	Hamilton Anxiety Rating Scale original result for HAMA101 through HAMA114-Severe.	Hamilton Anxiety Rating Scale HAMA101 Through HAMA114 Original Result - Severe
C182710	Very severe	HAMA101 through HAMA114-Very severe	Hamilton Anxiety Rating Scale original result for HAMA101 through HAMA114-Very severe.	Hamilton Anxiety Rating Scale HAMA101 Through HAMA114 Original Result - Very severe

C182711	0	HAMA101 through HAMA114-0	Hamilton Anxiety Rating Scale standard character result for HAMA101 through HAMA114-Not present.	Hamilton Anxiety Rating Scale HAMA101 Through HAMA114 Standardized Character Result 0
C182712	1	HAMA101 through HAMA114-1	Hamilton Anxiety Rating Scale standard character result for HAMA101 through HAMA114-Mild.	Hamilton Anxiety Rating Scale HAMA101 Through HAMA114 Standardized Character Result 1
C182713	2	HAMA101 through HAMA114-2	Hamilton Anxiety Rating Scale standard character result for HAMA101 through HAMA114-Moderate.	Hamilton Anxiety Rating Scale HAMA101 Through HAMA114 Standardized Character Result 2
C182714	3	HAMA101 through HAMA114-3	Hamilton Anxiety Rating Scale standard character result for HAMA101 through HAMA114-Severe.	Hamilton Anxiety Rating Scale HAMA101 Through HAMA114 Standardized Character Result 3
C182715	4	HAMA101 through HAMA114-4	Hamilton Anxiety Rating Scale standard character result for HAMA101 through HAMA114-Very severe.	Hamilton Anxiety Rating Scale HAMA101 Through HAMA114 Standardized Character Result 4

C102073	HAMA101	HAMA1-Anxious Mood	Hamilton Anxiety Rating Scale - Anxious mood: worries, anticipation of the worst, fearful anticipation, irritability.	HAMA - Anxious Mood
C102074	HAMA102	HAMA1-Tension	Hamilton Anxiety Rating Scale - Tension: feelings of tension, fatigability, startle response, moved to tears easily, trembling, feelings of restlessness, inability to relax.	HAMA - Tension
C102075	HAMA103	HAMA1-Fears	Hamilton Anxiety Rating Scale - Fears: of dark, of strangers, of being left alone, of animals, of traffic, of crowds.	HAMA - Fears
C102076	HAMA104	HAMA1-Insomnia	Hamilton Anxiety Rating Scale - Insomnia: difficulty falling asleep, broken sleep, unsatisfying sleep and fatigue on waking, dreams, nightmares, night terrors.	HAMA - Insomnia
C102077	HAMA105	HAMA1-Intellectual	Hamilton Anxiety Rating Scale - Intellectual: difficulty in concentration, poor memory.	HAMA - Intellectual
C102078	HAMA106	HAMA1-Depressed Mood	Hamilton Anxiety Rating Scale - Depressed mood: loss of interest, lack of pleasure in hobbies, depression, early waking, diurnal swing.	HAMA - Depressed Mood
C102079	HAMA107	HAMA1-Somatic (Muscular)	Hamilton Anxiety Rating Scale - Somatic (muscular): pains and aches, twitching, stiffness, myoclonic jerks, grinding of teeth, unsteady voice, increased muscular tone.	HAMA - Somatic (Muscular)
C102080	HAMA108	HAMA1-Somatic (Sensory)	Hamilton Anxiety Rating Scale - Somatic (sensory): tinnitus, blurring of vision, hot and cold flushes, feelings of weakness, pricking sensation.	HAMA - Somatic (Sensory)
C102081	HAMA109	HAMA1-Cardiovascular Symptoms	Hamilton Anxiety Rating Scale - Cardiovascular symptoms: tachycardia, palpitations, pain in chest, throbbing of vessels, fainting feelings, missing beat.	HAMA - Cardiovascular Symptoms
C102082	HAMA110	HAMA1-Respiratory Symptoms	Hamilton Anxiety Rating Scale - Respiratory symptoms: pressure or constriction in chest, choking feelings, sighing, dyspnea.	HAMA - Respiratory Symptoms
C102083	HAMA111	HAMA1-Gastrointestinal Symptoms	Hamilton Anxiety Rating Scale - Gastrointestinal symptoms: difficulty swallowing, wind abdominal pain, burning sensations, abdominal fullness, nausea, vomiting, borborygmi, looseness of bowels, loss of weight, constipation.	HAMA - Gastrointestinal Symptoms
C102084	HAMA112	HAMA1-Genitourinary Symptoms	Hamilton Anxiety Rating Scale - Genitourinary symptoms: frequency of micturition, urgency of micturition, amenorrhea, menorrhagia, development of frigidity, premature ejaculation, loss of libido, impotence.	HAMA - Genitourinary Symptoms
C102085	HAMA113	HAMA1-Autonomic Symptoms	Hamilton Anxiety Rating Scale - Autonomic symptoms: dry mouth, flushing, pallor, tendency to sweat, giddiness, tension, headache, raising of hair.	HAMA - Autonomic Symptoms
C102086	HAMA114	HAMA1-Behavior at Interview	Hamilton Anxiety Rating Scale - Behavior at interview: fidgeting, restlessness or pacing, tremor of hands, furrowed brow, strained face, sighing or rapid respiration, facial pallor, swallowing, etc.	HAMA - Behavior at Interview
C155646	HAMA115	HAMA1-Total Score	Hamilton Anxiety Rating Scale - Total score.	HAMA - Total Score

C102073	HAMA1-Anxious Mood	HAMA1-Anxious Mood	Hamilton Anxiety Rating Scale - Anxious mood: worries, anticipation of the worst, fearful anticipation, irritability.	HAMA - Anxious Mood
C102085	HAMA1-Autonomic Symptoms	HAMA1-Autonomic Symptoms	Hamilton Anxiety Rating Scale - Autonomic symptoms: dry mouth, flushing, pallor, tendency to sweat, giddiness, tension, headache, raising of hair.	HAMA - Autonomic Symptoms
C102086	HAMA1-Behavior at Interview	HAMA1-Behavior at Interview	Hamilton Anxiety Rating Scale - Behavior at interview: fidgeting, restlessness or pacing, tremor of hands, furrowed brow, strained face, sighing or rapid respiration, facial pallor, swallowing, etc.	HAMA - Behavior at Interview
C102081	HAMA1-Cardiovascular Symptoms	HAMA1-Cardiovascular Symptoms	Hamilton Anxiety Rating Scale - Cardiovascular symptoms: tachycardia, palpitations, pain in chest, throbbing of vessels, fainting feelings, missing beat.	HAMA - Cardiovascular Symptoms
C102078	HAMA1-Depressed Mood	HAMA1-Depressed Mood	Hamilton Anxiety Rating Scale - Depressed mood: loss of interest, lack of pleasure in hobbies, depression, early waking, diurnal swing.	HAMA - Depressed Mood
C102075	HAMA1-Fears	HAMA1-Fears	Hamilton Anxiety Rating Scale - Fears: of dark, of strangers, of being left alone, of animals, of traffic, of crowds.	HAMA - Fears
C102083	HAMA1-Gastrointestinal Symptoms	HAMA1-Gastrointestinal Symptoms	Hamilton Anxiety Rating Scale - Gastrointestinal symptoms: difficulty swallowing, wind abdominal pain, burning sensations, abdominal fullness, nausea, vomiting, borborygmi, looseness of bowels, loss of weight, constipation.	HAMA - Gastrointestinal Symptoms
C102084	HAMA1-Genitourinary Symptoms	HAMA1-Genitourinary Symptoms	Hamilton Anxiety Rating Scale - Genitourinary symptoms: frequency of micturition, urgency of micturition, amenorrhea, menorrhagia, development of frigidity, premature ejaculation, loss of libido, impotence.	HAMA - Genitourinary Symptoms
C102076	HAMA1-Insomnia	HAMA1-Insomnia	Hamilton Anxiety Rating Scale - Insomnia: difficulty falling asleep, broken sleep, unsatisfying sleep and fatigue on waking, dreams, nightmares, night terrors.	HAMA - Insomnia
C102077	HAMA1-Intellectual	HAMA1-Intellectual	Hamilton Anxiety Rating Scale - Intellectual: difficulty in concentration, poor memory.	HAMA - Intellectual
C102082	HAMA1-Respiratory Symptoms	HAMA1-Respiratory Symptoms	Hamilton Anxiety Rating Scale - Respiratory symptoms: pressure or constriction in chest, choking feelings, sighing, dyspnea.	HAMA - Respiratory Symptoms
C102079	HAMA1-Somatic (Muscular)	HAMA1-Somatic (Muscular)	Hamilton Anxiety Rating Scale - Somatic (muscular): pains and aches, twitching, stiffness, myoclonic jerks, grinding of teeth, unsteady voice, increased muscular tone.	HAMA - Somatic (Muscular)
C102080	HAMA1-Somatic (Sensory)	HAMA1-Somatic (Sensory)	Hamilton Anxiety Rating Scale - Somatic (sensory): tinnitus, blurring of vision, hot and cold flushes, feelings of weakness, pricking sensation.	HAMA - Somatic (Sensory)
C102074	HAMA1-Tension	HAMA1-Tension	Hamilton Anxiety Rating Scale - Tension: feelings of tension, fatigability, startle response, moved to tears easily, trembling, feelings of restlessness, inability to relax.	HAMA - Tension
C155646	HAMA1-Total Score	HAMA1-Total Score	Hamilton Anxiety Rating Scale - Total score.	HAMA - Total Score

C100398	HAMD101	HAMD1-Depressed Mood	Hamilton Depression Rating Scale 17 Item - Depressed mood.	HAMD-17 - Depressed Mood
C100399	HAMD102	HAMD1-Feelings of Guilt	Hamilton Depression Rating Scale 17 Item - Feelings of guilt.	HAMD-17 - Feelings of Guilt
C100400	HAMD103	HAMD1-Suicide	Hamilton Depression Rating Scale 17 Item - Suicide.	HAMD-17 - Suicide
C100401	HAMD104	HAMD1-Insomnia Early - Early Night	Hamilton Depression Rating Scale 17 Item - Insomnia: early in the night.	HAMD-17 - Insomnia - Early Night
C100402	HAMD105	HAMD1-Insomnia Middle - Middle Night	Hamilton Depression Rating Scale 17 Item - Insomnia: middle of the night.	HAMD-17 - Insomnia - Middle Night
C100403	HAMD106	HAMD1-Insomnia Early Hours - Morning	Hamilton Depression Rating Scale 17 Item - Insomnia: early hours of the morning.	HAMD-17 - Insomnia - Early Morning
C100404	HAMD107	HAMD1-Work and Activities	Hamilton Depression Rating Scale 17 Item - Work and activities.	HAMD-17 - Work and Activities
C100405	HAMD108	HAMD1-Retardation	Hamilton Depression Rating Scale 17 Item - Retardation.	HAMD-17 - Retardation
C100406	HAMD109	HAMD1-Agitation	Hamilton Depression Rating Scale 17 Item - Agitation.	HAMD-17 - Agitation
C100407	HAMD110	HAMD1-Anxiety Psychic	Hamilton Depression Rating Scale 17 Item - Anxiety psychic.	HAMD-17 - Psychic Anxiety
C100408	HAMD111	HAMD1-Anxiety Somatic	Hamilton Depression Rating Scale 17 Item - Anxiety somatic: physiological concomitants of anxiety.	HAMD-17 - Somatic Anxiety
C100409	HAMD112	HAMD1-Somatic Symptoms Gastrointestinal	Hamilton Depression Rating Scale 17 Item - Somatic symptoms gastrointestinal.	HAMD-17 - Somatic Symptoms Gastrointestinal
C100410	HAMD113	HAMD1-General Somatic Symptoms	Hamilton Depression Rating Scale 17 Item - General somatic symptoms.	HAMD-17 - General Somatic Symptoms
C100411	HAMD114	HAMD1-Genital Symptoms	Hamilton Depression Rating Scale 17 Item - Genital symptoms.	HAMD-17 - Genital Symptoms
C100412	HAMD115	HAMD1-Hypochondriasis	Hamilton Depression Rating Scale 17 Item - Hypochondriasis.	HAMD-17 - Hypochondriasis
C100413	HAMD116A	HAMD1-Loss of WT According to Patient	Hamilton Depression Rating Scale 17 Item - Loss of weight according to the patient.	HAMD-17 - Loss of Weight According to Patient
C100414	HAMD116B	HAMD1-Loss of WT According to WK Meas	Hamilton Depression Rating Scale 17 Item - Loss of weight according to weekly measurements.	HAMD-17 - Loss of Weight According to Weekly Measurements
C100415	HAMD117	HAMD1-Insight	Hamilton Depression Rating Scale 17 Item - Insight.	HAMD-17 - Insight
C100416	HAMD118	HAMD1-Total Score	Hamilton Depression Rating Scale 17 Item - Total Score.	HAMD-17 - Total Score

C100406	HAMD1-Agitation	HAMD1-Agitation	Hamilton Depression Rating Scale 17 Item - Agitation.	HAMD-17 - Agitation
C100407	HAMD1-Anxiety Psychic	HAMD1-Anxiety Psychic	Hamilton Depression Rating Scale 17 Item - Anxiety psychic.	HAMD-17 - Psychic Anxiety
C100408	HAMD1-Anxiety Somatic	HAMD1-Anxiety Somatic	Hamilton Depression Rating Scale 17 Item - Anxiety somatic: physiological concomitants of anxiety.	HAMD-17 - Somatic Anxiety
C100398	HAMD1-Depressed Mood	HAMD1-Depressed Mood	Hamilton Depression Rating Scale 17 Item - Depressed mood.	HAMD-17 - Depressed Mood
C100399	HAMD1-Feelings of Guilt	HAMD1-Feelings of Guilt	Hamilton Depression Rating Scale 17 Item - Feelings of guilt.	HAMD-17 - Feelings of Guilt
C100410	HAMD1-General Somatic Symptoms	HAMD1-General Somatic Symptoms	Hamilton Depression Rating Scale 17 Item - General somatic symptoms.	HAMD-17 - General Somatic Symptoms
C100411	HAMD1-Genital Symptoms	HAMD1-Genital Symptoms	Hamilton Depression Rating Scale 17 Item - Genital symptoms.	HAMD-17 - Genital Symptoms
C100412	HAMD1-Hypochondriasis	HAMD1-Hypochondriasis	Hamilton Depression Rating Scale 17 Item - Hypochondriasis.	HAMD-17 - Hypochondriasis
C100415	HAMD1-Insight	HAMD1-Insight	Hamilton Depression Rating Scale 17 Item - Insight.	HAMD-17 - Insight
C100401	HAMD1-Insomnia Early - Early Night	HAMD1-Insomnia Early - Early Night	Hamilton Depression Rating Scale 17 Item - Insomnia: early in the night.	HAMD-17 - Insomnia - Early Night
C100403	HAMD1-Insomnia Early Hours - Morning	HAMD1-Insomnia Early Hours - Morning	Hamilton Depression Rating Scale 17 Item - Insomnia: early hours of the morning.	HAMD-17 - Insomnia - Early Morning
C100402	HAMD1-Insomnia Middle - Middle Night	HAMD1-Insomnia Middle - Middle Night	Hamilton Depression Rating Scale 17 Item - Insomnia: middle of the night.	HAMD-17 - Insomnia - Middle Night
C100413	HAMD1-Loss of WT According to Patient	HAMD1-Loss of WT According to Patient	Hamilton Depression Rating Scale 17 Item - Loss of weight according to the patient.	HAMD-17 - Loss of Weight According to Patient
C100414	HAMD1-Loss of WT According to WK Meas	HAMD1-Loss of WT According to WK Meas	Hamilton Depression Rating Scale 17 Item - Loss of weight according to weekly measurements.	HAMD-17 - Loss of Weight According to Weekly Measurements
C100405	HAMD1-Retardation	HAMD1-Retardation	Hamilton Depression Rating Scale 17 Item - Retardation.	HAMD-17 - Retardation
C100409	HAMD1-Somatic Symptoms Gastrointestinal	HAMD1-Somatic Symptoms Gastrointestinal	Hamilton Depression Rating Scale 17 Item - Somatic symptoms gastrointestinal.	HAMD-17 - Somatic Symptoms Gastrointestinal
C100400	HAMD1-Suicide	HAMD1-Suicide	Hamilton Depression Rating Scale 17 Item - Suicide.	HAMD-17 - Suicide
C100416	HAMD1-Total Score	HAMD1-Total Score	Hamilton Depression Rating Scale 17 Item - Total Score.	HAMD-17 - Total Score
C100404	HAMD1-Work and Activities	HAMD1-Work and Activities	Hamilton Depression Rating Scale 17 Item - Work and activities.	HAMD-17 - Work and Activities

C102087	HAMD201	HAMD2-Depressed Mood	Hamilton Depression Rating Scale 21 Item - Depressed mood: sadness, hopeless, helpless, worthless.	HAMD-21 - Depressed Mood
C102088	HAMD202	HAMD2-Feelings of Guilt	Hamilton Depression Rating Scale 21 Item - Feelings of guilt.	HAMD-21 - Feelings of Guilt
C102089	HAMD203	HAMD2-Suicide	Hamilton Depression Rating Scale 21 Item - Suicide.	HAMD-21 - Suicide
C102090	HAMD204	HAMD2-Insomnia Early	Hamilton Depression Rating Scale 21 Item - Insomnia early.	HAMD-21 - Insomnia Early
C102091	HAMD205	HAMD2-Insomnia Middle	Hamilton Depression Rating Scale 21 Item - Insomnia middle.	HAMD-21 - Insomnia Middle
C102092	HAMD206	HAMD2-Insomnia Late	Hamilton Depression Rating Scale 21 Item - Insomnia late.	HAMD-21 - Insomnia Late
C102093	HAMD207	HAMD2-Work and Activities	Hamilton Depression Rating Scale 21 Item - Work and activities.	HAMD-21 - Work and Activities
C102094	HAMD208	HAMD2-Retardation	Hamilton Depression Rating Scale 21 Item - Retardation: psychomotor (slowness of thought and speech; impaired ability to concentrate; decreased motor activity).	HAMD-21 - Retardation
C102095	HAMD209	HAMD2-Agitation	Hamilton Depression Rating Scale 21 Item - Agitation.	HAMD-21 - Agitation
C102096	HAMD210	HAMD2-Anxiety Psychological	Hamilton Depression Rating Scale 21 Item - Anxiety Psychological.	HAMD-21 - Anxiety Psychological
C102097	HAMD211	HAMD2-Anxiety Somatic	Hamilton Depression Rating Scale 21 Item - Anxiety somatic: physiological concomitants of anxiety, (i.e., effects of autonomic overactivity, 'butterflies,' indigestion, stomach cramps, belching, diarrhea, palpitations, hyperventilation, paresthesia, sweating, flushing, tremor, headache, urinary frequency).	HAMD-21 - Anxiety Somatic
C102098	HAMD212	HAMD2-Somatic Symptoms Gastro-intestinal	Hamilton Depression Rating Scale 21 Item - Somatic symptoms gastro-intestinal.	HAMD-21 - Somatic Symptoms Gastro-intestinal
C102099	HAMD213	HAMD2-Somatic Symptoms General	Hamilton Depression Rating Scale 21 Item - Somatic symptoms general.	HAMD-21 - Somatic Symptoms General
C102100	HAMD214	HAMD2-Genital Symptoms	Hamilton Depression Rating Scale 21 Item - Genital symptoms: symptoms such as: loss of libido; impaired sexual performance; menstrual disturbances.	HAMD-21 - Genital Symptoms
C102101	HAMD215	HAMD2-Hypochondriasis	Hamilton Depression Rating Scale 21 Item - Hypochondriasis.	HAMD-21 - Hypochondriasis
C102102	HAMD216A	HAMD2-Loss of Weight by History	Hamilton Depression Rating Scale 21 Item - Loss of weight when rating by history.	HAMD-21 - Loss of Weight by History
C102103	HAMD216B	HAMD2-Loss of Weight Measured	Hamilton Depression Rating Scale 21 Item - Loss of weight on weekly ratings by war psychiatrist, when actual weight changes are measured.	HAMD-21 - Loss of Weight Measured
C102104	HAMD217	HAMD2-Insight	Hamilton Depression Rating Scale 21 Item - Insight.	HAMD-21 - Insight
C102105	HAMD218A	HAMD2-Diurnal Variation	Hamilton Depression Rating Scale 21 Item - Diurnal variation.	HAMD-21 - Diurnal Variation
C102106	HAMD218B	HAMD2-Diurnal Variation Severity	Hamilton Depression Rating Scale 21 Item - Diurnal variation severity.	HAMD-21 - Diurnal Variation Severity
C102107	HAMD219	HAMD2-Depersonalization/Derealization	Hamilton Depression Rating Scale 21 Item - Depersonalization and derealization: such as feelings of unreality; nihilistic ideas.	HAMD-21 - Depersonalization and Derealization
C102108	HAMD220	HAMD2-Paranoid Symptoms	Hamilton Depression Rating Scale 21 Item - Paranoid symptoms.	HAMD-21 - Paranoid Symptoms
C102109	HAMD221	HAMD2-Obsessional/Compulsive Symptoms	Hamilton Depression Rating Scale 21 Item - Obsessional and compulsive symptoms.	HAMD-21 - Obsessional and Compulsive Symptoms
C102110	HAMD222	HAMD2-Total Score	Hamilton Depression Rating Scale 21 Item - Total score.	HAMD-21 - Total Score

C102095	HAMD2-Agitation	HAMD2-Agitation	Hamilton Depression Rating Scale 21 Item - Agitation.	HAMD-21 - Agitation
C102096	HAMD2-Anxiety Psychological	HAMD2-Anxiety Psychological	Hamilton Depression Rating Scale 21 Item - Anxiety Psychological.	HAMD-21 - Anxiety Psychological
C102097	HAMD2-Anxiety Somatic	HAMD2-Anxiety Somatic	Hamilton Depression Rating Scale 21 Item - Anxiety somatic: physiological concomitants of anxiety, (i.e., effects of autonomic overactivity, 'butterflies,' indigestion, stomach cramps, belching, diarrhea, palpitations, hyperventilation, paresthesia, sweating, flushing, tremor, headache, urinary frequency).	HAMD-21 - Anxiety Somatic
C102107	HAMD2-Depersonalization/Derealization	HAMD2-Depersonalization/Derealization	Hamilton Depression Rating Scale 21 Item - Depersonalization and derealization: such as feelings of unreality; nihilistic ideas.	HAMD-21 - Depersonalization and Derealization
C102087	HAMD2-Depressed Mood	HAMD2-Depressed Mood	Hamilton Depression Rating Scale 21 Item - Depressed mood: sadness, hopeless, helpless, worthless.	HAMD-21 - Depressed Mood
C102106	HAMD2-Diurnal Variation Severity	HAMD2-Diurnal Variation Severity	Hamilton Depression Rating Scale 21 Item - Diurnal variation severity.	HAMD-21 - Diurnal Variation Severity
C102105	HAMD2-Diurnal Variation	HAMD2-Diurnal Variation	Hamilton Depression Rating Scale 21 Item - Diurnal variation.	HAMD-21 - Diurnal Variation
C102088	HAMD2-Feelings of Guilt	HAMD2-Feelings of Guilt	Hamilton Depression Rating Scale 21 Item - Feelings of guilt.	HAMD-21 - Feelings of Guilt
C102100	HAMD2-Genital Symptoms	HAMD2-Genital Symptoms	Hamilton Depression Rating Scale 21 Item - Genital symptoms: symptoms such as: loss of libido; impaired sexual performance; menstrual disturbances.	HAMD-21 - Genital Symptoms
C102101	HAMD2-Hypochondriasis	HAMD2-Hypochondriasis	Hamilton Depression Rating Scale 21 Item - Hypochondriasis.	HAMD-21 - Hypochondriasis
C102104	HAMD2-Insight	HAMD2-Insight	Hamilton Depression Rating Scale 21 Item - Insight.	HAMD-21 - Insight
C102090	HAMD2-Insomnia Early	HAMD2-Insomnia Early	Hamilton Depression Rating Scale 21 Item - Insomnia early.	HAMD-21 - Insomnia Early
C102092	HAMD2-Insomnia Late	HAMD2-Insomnia Late	Hamilton Depression Rating Scale 21 Item - Insomnia late.	HAMD-21 - Insomnia Late
C102091	HAMD2-Insomnia Middle	HAMD2-Insomnia Middle	Hamilton Depression Rating Scale 21 Item - Insomnia middle.	HAMD-21 - Insomnia Middle
C102102	HAMD2-Loss of Weight by History	HAMD2-Loss of Weight by History	Hamilton Depression Rating Scale 21 Item - Loss of weight when rating by history.	HAMD-21 - Loss of Weight by History
C102103	HAMD2-Loss of Weight Measured	HAMD2-Loss of Weight Measured	Hamilton Depression Rating Scale 21 Item - Loss of weight on weekly ratings by war psychiatrist, when actual weight changes are measured.	HAMD-21 - Loss of Weight Measured
C102109	HAMD2-Obsessional/Compulsive Symptoms	HAMD2-Obsessional/Compulsive Symptoms	Hamilton Depression Rating Scale 21 Item - Obsessional and compulsive symptoms.	HAMD-21 - Obsessional and Compulsive Symptoms
C102108	HAMD2-Paranoid Symptoms	HAMD2-Paranoid Symptoms	Hamilton Depression Rating Scale 21 Item - Paranoid symptoms.	HAMD-21 - Paranoid Symptoms
C102094	HAMD2-Retardation	HAMD2-Retardation	Hamilton Depression Rating Scale 21 Item - Retardation: psychomotor (slowness of thought and speech; impaired ability to concentrate; decreased motor activity).	HAMD-21 - Retardation
C102098	HAMD2-Somatic Symptoms Gastro-intestinal	HAMD2-Somatic Symptoms Gastro-intestinal	Hamilton Depression Rating Scale 21 Item - Somatic symptoms gastro-intestinal.	HAMD-21 - Somatic Symptoms Gastro-intestinal
C102099	HAMD2-Somatic Symptoms General	HAMD2-Somatic Symptoms General	Hamilton Depression Rating Scale 21 Item - Somatic symptoms general.	HAMD-21 - Somatic Symptoms General
C102089	HAMD2-Suicide	HAMD2-Suicide	Hamilton Depression Rating Scale 21 Item - Suicide.	HAMD-21 - Suicide
C102110	HAMD2-Total Score	HAMD2-Total Score	Hamilton Depression Rating Scale 21 Item - Total score.	HAMD-21 - Total Score
C102093	HAMD2-Work and Activities	HAMD2-Work and Activities	Hamilton Depression Rating Scale 21 Item - Work and activities.	HAMD-21 - Work and Activities

C130335	HAMD301	HAMD3-Depressed Mood	Hamilton Depression Rating Scale 24 Item - Depressed mood.	HAMD 24 - Depressed Mood
C130336	HAMD302	HAMD3-Low Self-Esteem, Guilt	Hamilton Depression Rating Scale 24 Item - Low self-esteem, guilt.	HAMD 24 - Low Self-esteem, Guilt
C130337	HAMD303	HAMD3-Suicidal Thoughts	Hamilton Depression Rating Scale 24 Item - Suicidal thoughts.	HAMD 24 - Suicidal Thoughts
C130338	HAMD304	HAMD3-Insomnia - Initial	Hamilton Depression Rating Scale 24 Item - Insomnia - initial.	HAMD 24 - Insomnia - Initial
C130339	HAMD305	HAMD3-Insomnia - Middle	Hamilton Depression Rating Scale 24 Item - Insomnia - middle.	HAMD 24 - Insomnia - Middle
C130340	HAMD306	HAMD3-Insomnia - Late	Hamilton Depression Rating Scale 24 Item - Insomnia - late.	HAMD 24 - Insomnia - Late
C130341	HAMD307	HAMD3-Work and Interests	Hamilton Depression Rating Scale 24 Item - Work and interests.	HAMD 24 - Work and Interests
C130342	HAMD308	HAMD3-Psychomotor Retardation	Hamilton Depression Rating Scale 24 Item - Psychomotor retardation.	HAMD 24 - Psychomotor Retardation
C130343	HAMD309	HAMD3-Psychomotor Agitation	Hamilton Depression Rating Scale 24 Item - Psychomotor agitation.	HAMD 24 - Psychomotor Agitation
C130344	HAMD310	HAMD3-Anxiety - Psychic	Hamilton Depression Rating Scale 24 Item - Anxiety - psychic.	HAMD 24 - Anxiety, Psychic
C130345	HAMD311	HAMD3-Anxiety - Somatic	Hamilton Depression Rating Scale 24 Item - Anxiety - somatic.	HAMD 24 - Anxiety, Somatic
C130346	HAMD312	HAMD3-GI Symptoms (Appetite)	Hamilton Depression Rating Scale 24 Item - Gastrointestinal symptoms (appetite).	HAMD 24 - Gastrointestinal Symptoms (Appetite)
C130347	HAMD313	HAMD3-Somatic Symptoms - General	Hamilton Depression Rating Scale 24 Item - Somatic symptoms - general.	HAMD 24 - Somatic Symptoms, General
C130348	HAMD314	HAMD3-Sexual Disturbances	Hamilton Depression Rating Scale 24 Item - Sexual disturbances.	HAMD 24 - Sexual Disturbances
C130349	HAMD315	HAMD3-Hypochondriasis (Somatisation)	Hamilton Depression Rating Scale 24 Item - Hypochondriasis (somatisation).	HAMD 24 - Hypochondriasis (Somatisation)
C130350	HAMD316	HAMD3-Insight	Hamilton Depression Rating Scale 24 Item - Insight.	HAMD 24 - Insight
C130351	HAMD317	HAMD3-Weight Loss	Hamilton Depression Rating Scale 24 Item - Weight loss.	HAMD 24 - Weight Loss
C130352	HAMD318	HAMD3-Diurnal Variation	Hamilton Depression Rating Scale 24 Item - Diurnal variation.	HAMD 24 - Diurnal Variation
C130353	HAMD319	HAMD3-Depersonalization/Derealization	Hamilton Depression Rating Scale 24 Item - Depersonalization/derealization.	HAMD 24 - Depersonalization and Derealisation
C130354	HAMD320	HAMD3-Paranoid Symptoms	Hamilton Depression Rating Scale 24 Item - Paranoid symptoms.	HAMD 24 - Paranoid Symptoms
C130355	HAMD321	HAMD3-Observational/Compulsive Symptoms	Hamilton Depression Rating Scale 24 Item - Observational/compulsive symptoms.	HAMD 24 - Obsessional and Compulsive Symptoms
C130356	HAMD322	HAMD3-Helplessness	Hamilton Depression Rating Scale 24 Item - Helplessness.	HAMD 24 - Helplessness
C130357	HAMD323	HAMD3-Hopelessness	Hamilton Depression Rating Scale 24 Item - Hopelessness.	HAMD 24 - Hopelessness
C130358	HAMD324	HAMD3-Worthlessness	Hamilton Depression Rating Scale 24 Item - Worthlessness.	HAMD 24 - Worthlessness
C130359	HAMD325	HAMD3-Total Score	Hamilton Depression Rating Scale 24 Item - Total score.	HAMD 24 - Total Score

C130344	HAMD3-Anxiety - Psychic	HAMD3-Anxiety - Psychic	Hamilton Depression Rating Scale 24 Item - Anxiety - psychic.	HAMD 24 - Anxiety, Psychic
C130345	HAMD3-Anxiety - Somatic	HAMD3-Anxiety - Somatic	Hamilton Depression Rating Scale 24 Item - Anxiety - somatic.	HAMD 24 - Anxiety, Somatic
C130353	HAMD3-Depersonalization/Derealization	HAMD3-Depersonalization/Derealization	Hamilton Depression Rating Scale 24 Item - Depersonalization/derealization.	HAMD 24 - Depersonalization and Derealisation
C130335	HAMD3-Depressed Mood	HAMD3-Depressed Mood	Hamilton Depression Rating Scale 24 Item - Depressed mood.	HAMD 24 - Depressed Mood
C130352	HAMD3-Diurnal Variation	HAMD3-Diurnal Variation	Hamilton Depression Rating Scale 24 Item - Diurnal variation.	HAMD 24 - Diurnal Variation
C130346	HAMD3-GI Symptoms (Appetite)	HAMD3-GI Symptoms (Appetite)	Hamilton Depression Rating Scale 24 Item - Gastrointestinal symptoms (appetite).	HAMD 24 - Gastrointestinal Symptoms (Appetite)
C130356	HAMD3-Helplessness	HAMD3-Helplessness	Hamilton Depression Rating Scale 24 Item - Helplessness.	HAMD 24 - Helplessness
C130357	HAMD3-Hopelessness	HAMD3-Hopelessness	Hamilton Depression Rating Scale 24 Item - Hopelessness.	HAMD 24 - Hopelessness
C130349	HAMD3-Hypochondriasis (Somatisation)	HAMD3-Hypochondriasis (Somatisation)	Hamilton Depression Rating Scale 24 Item - Hypochondriasis (somatisation).	HAMD 24 - Hypochondriasis (Somatisation)
C130350	HAMD3-Insight	HAMD3-Insight	Hamilton Depression Rating Scale 24 Item - Insight.	HAMD 24 - Insight
C130338	HAMD3-Insomnia - Initial	HAMD3-Insomnia - Initial	Hamilton Depression Rating Scale 24 Item - Insomnia	HAMD 24 - Insomnia - Initial
C130340	HAMD3-Insomnia - Late	HAMD3-Insomnia - Late	Hamilton Depression Rating Scale 24 Item - Insomnia - late.	HAMD 24 - Insomnia - Late
C130339	HAMD3-Insomnia - Middle	HAMD3-Insomnia - Middle	Hamilton Depression Rating Scale 24 Item - Insomnia - middle.	HAMD 24 - Insomnia - Middle
C130336	HAMD3-Low Self-Esteem, Guilt	HAMD3-Low Self-Esteem, Guilt	Hamilton Depression Rating Scale 24 Item - Low self-esteem, guilt.	HAMD 24 - Low Self-esteem, Guilt
C130355	HAMD3-Observational/Compulsive Symptoms	HAMD3-Observational/Compulsive Symptoms	Hamilton Depression Rating Scale 24 Item - Observational/compulsive symptoms.	HAMD 24 - Obsessional and Compulsive Symptoms
C130354	HAMD3-Paranoid Symptoms	HAMD3-Paranoid Symptoms	Hamilton Depression Rating Scale 24 Item - Paranoid symptoms.	HAMD 24 - Paranoid Symptoms
C130343	HAMD3-Psychomotor Agitation	HAMD3-Psychomotor Agitation	Hamilton Depression Rating Scale 24 Item - Psychomotor agitation.	HAMD 24 - Psychomotor Agitation
C130342	HAMD3-Psychomotor Retardation	HAMD3-Psychomotor Retardation	Hamilton Depression Rating Scale 24 Item - Psychomotor retardation.	HAMD 24 - Psychomotor Retardation
C130348	HAMD3-Sexual Disturbances	HAMD3-Sexual Disturbances	Hamilton Depression Rating Scale 24 Item - Sexual disturbances.	HAMD 24 - Sexual Disturbances
C130347	HAMD3-Somatic Symptoms - General	HAMD3-Somatic Symptoms - General	Hamilton Depression Rating Scale 24 Item - Somatic symptoms - general.	HAMD 24 - Somatic Symptoms, General
C130337	HAMD3-Suicidal Thoughts	HAMD3-Suicidal Thoughts	Hamilton Depression Rating Scale 24 Item - Suicidal thoughts.	HAMD 24 - Suicidal Thoughts
C130359	HAMD3-Total Score	HAMD3-Total Score	Hamilton Depression Rating Scale 24 Item - Total score.	HAMD 24 - Total Score
C130351	HAMD3-Weight Loss	HAMD3-Weight Loss	Hamilton Depression Rating Scale 24 Item - Weight loss.	HAMD 24 - Weight Loss
C130341	HAMD3-Work and Interests	HAMD3-Work and Interests	Hamilton Depression Rating Scale 24 Item - Work and interests.	HAMD 24 - Work and Interests
C130358	HAMD3-Worthlessness	HAMD3-Worthlessness	Hamilton Depression Rating Scale 24 Item - Worthlessness.	HAMD 24 - Worthlessness

C130328	HAMD401	HAMD4-Depressed Mood	The Hamilton Depression Rating Scale 6 - Clinician Version - Depressed mood.	HAM-D6 - Clinician Version - Depressed Mood
C130329	HAMD402	HAMD4-Low Self-esteem and Guilt	The Hamilton Depression Rating Scale 6 - Clinician Version - Low self-esteem and guilt.	HAM-D6 - Clinician Version - Low Self-esteem and Guilt
C130330	HAMD403	HAMD4-Social Life Activities/Interests	The Hamilton Depression Rating Scale 6 - Clinician Version - Social life activities and interests.	HAM-D6 - Clinician Version - Social Life Activities or Interests
C130331	HAMD404	HAMD4-Psychomotor Retardation, General	The Hamilton Depression Rating Scale 6 - Clinician Version - Psychomotor retardation, general.	HAM-D6 - Clinician Version - Psychomotor Retardation, General
C130332	HAMD405	HAMD4-Psychic Anxiety	The Hamilton Depression Rating Scale 6 - Clinician Version - Psychic anxiety.	HAM-D6 - Clinician Version - Psychic Anxiety
C130333	HAMD406	HAMD4-Tiredness and Pains	The Hamilton Depression Rating Scale 6 - Clinician Version - Tiredness and pains.	HAM-D6 - Clinician Version - Tiredness and Pains
C130334	HAMD407	HAMD4-Total Score	The Hamilton Depression Rating Scale 6 - Clinician Version - Total score.	HAM-D6 - Clinician Version - Total Score

C130328	HAMD4-Depressed Mood	HAMD4-Depressed Mood	The Hamilton Depression Rating Scale 6 - Clinician Version - Depressed mood.	HAM-D6 - Clinician Version - Depressed Mood
C130329	HAMD4-Low Self-esteem and Guilt	HAMD4-Low Self-esteem and Guilt	The Hamilton Depression Rating Scale 6 - Clinician Version - Low self-esteem and guilt.	HAM-D6 - Clinician Version - Low Self-esteem and Guilt
C130332	HAMD4-Psychic Anxiety	HAMD4-Psychic Anxiety	The Hamilton Depression Rating Scale 6 - Clinician Version - Psychic anxiety.	HAM-D6 - Clinician Version - Psychic Anxiety
C130331	HAMD4-Psychomotor Retardation, General	HAMD4-Psychomotor Retardation, General	The Hamilton Depression Rating Scale 6 - Clinician Version - Psychomotor retardation, general.	HAM-D6 - Clinician Version - Psychomotor Retardation, General
C130330	HAMD4-Social Life Activities/Interests	HAMD4-Social Life Activities/Interests	The Hamilton Depression Rating Scale 6 - Clinician Version - Social life activities and interests.	HAM-D6 - Clinician Version - Social Life Activities or Interests
C130333	HAMD4-Tiredness and Pains	HAMD4-Tiredness and Pains	The Hamilton Depression Rating Scale 6 - Clinician Version - Tiredness and pains.	HAM-D6 - Clinician Version - Tiredness and Pains
C130334	HAMD4-Total Score	HAMD4-Total Score	The Hamilton Depression Rating Scale 6 - Clinician Version - Total score.	HAM-D6 - Clinician Version - Total Score

C130545	HAMDS101	HAMDS1-Depressed Mood	Hamilton Depression Rating Scale 6 - Self-Report Version - (1)=Depressed mood per clinician version: How you have been feeling over the past three days, including today.	HAM-D6 Self-Report Version - Depressed Mood
C130546	HAMDS102	HAMDS1-Low Self-esteem and Guilt	Hamilton Depression Rating Scale 6 - Self-Report Version - (2)=Low self-esteem and guilt per clinician version: How you have been feeling over the past three days, including today.	HAM-D6 Self-Report Version - Low Self-esteem and Guilt
C130547	HAMDS103	HAMDS1-Social Life Activities/Interests	Hamilton Depression Rating Scale 6 - Self-Report Version - (3)=Social life activities and interests per clinician version: How you have been feeling over the past three days, including today.	HAM-D6 Self-Report Version - Social Life Activities or Interests
C130548	HAMDS104	HAMDS1-Psychomotor Retardation, General	Hamilton Depression Rating Scale 6 - Self-Report Version - (4)=Psychomotor retardation, general per clinician version: How you have been feeling over the past three days, including today.	HAM-D6 Self-Report Version - Psychomotor Retardation
C130549	HAMDS105	HAMDS1-Psychic Anxiety	Hamilton Depression Rating Scale 6 - Self-Report Version - (5)=Psychic anxiety per clinician version: How you have been feeling over the past three days, including today.	HAM-D6 Self-Report Version - Psychic Anxiety
C130550	HAMDS106	HAMDS1-Tiredness and Pains	Hamilton Depression Rating Scale 6 - Self-Report Version - (6)=Tiredness and pains per clinician version: How you have been feeling over the past three days, including today.	HAM-D6 Self-Report Version - Tiredness and Pains

C130545	HAMDS1-Depressed Mood	HAMDS1-Depressed Mood	Hamilton Depression Rating Scale 6 - Self-Report Version - (1)=Depressed mood per clinician version: How you have been feeling over the past three days, including today.	HAM-D6 Self-Report Version - Depressed Mood
C130546	HAMDS1-Low Self-esteem and Guilt	HAMDS1-Low Self-esteem and Guilt	Hamilton Depression Rating Scale 6 - Self-Report Version - (2)=Low self-esteem and guilt per clinician version: How you have been feeling over the past three days, including today.	HAM-D6 Self-Report Version - Low Self-esteem and Guilt
C130549	HAMDS1-Psychic Anxiety	HAMDS1-Psychic Anxiety	Hamilton Depression Rating Scale 6 - Self-Report Version - (5)=Psychic anxiety per clinician version: How you have been feeling over the past three days, including today.	HAM-D6 Self-Report Version - Psychic Anxiety
C130548	HAMDS1-Psychomotor Retardation, General	HAMDS1-Psychomotor Retardation, General	Hamilton Depression Rating Scale 6 - Self-Report Version - (4)=Psychomotor retardation, general per clinician version: How you have been feeling over the past three days, including today.	HAM-D6 Self-Report Version - Psychomotor Retardation
C130547	HAMDS1-Social Life Activities/Interests	HAMDS1-Social Life Activities/Interests	Hamilton Depression Rating Scale 6 - Self-Report Version - (3)=Social life activities and interests per clinician version: How you have been feeling over the past three days, including today.	HAM-D6 Self-Report Version - Social Life Activities or Interests
C130550	HAMDS1-Tiredness and Pains	HAMDS1-Tiredness and Pains	Hamilton Depression Rating Scale 6 - Self-Report Version - (6)=Tiredness and pains per clinician version: How you have been feeling over the past three days, including today.	HAM-D6 Self-Report Version - Tiredness and Pains

Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Activities of Daily Living				
Code	Code Description	Activity Description	Question Text	Response Description
C106809	HAQ0101	HAQ01-Dress Yourself	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Dressing & Grooming: Are you able to dress yourself, including tying shoelaces and doing buttons?	HAQ-DI With VAS - Able to Dress Yourself
C106810	HAQ0102	HAQ01-Shampoo Your Hair	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Dressing & Grooming: Are you able to shampoo your hair?	HAQ-DI With VAS - Able to Shampoo Hair
C106811	HAQ0103	HAQ01-Stand Up From a Straight Chair	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Arising: Are you able to stand up from a straight chair?	HAQ-DI With VAS - Able to Stand Up From Chair
C106812	HAQ0104	HAQ01-Get In and Out of Bed	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Arising: Are you able to get in and out of bed?	HAQ-DI With VAS - Able to Get In and Out of Bed
C106813	HAQ0105	HAQ01-Cut Your Meat	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Eating: Are you able to cut your meat?	HAQ-DI With VAS - Able to Cut Meat
C106814	HAQ0106	HAQ01-Lift a Full Cup or Glass to Mouth	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Eating: Are you able to lift a full cup or glass to your mouth?	HAQ-DI With VAS - Able to Lift Cup or Glass to Mouth
C106815	HAQ0107	HAQ01-Open a New Milk Carton	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Eating: Are you able to open a new milk carton?	HAQ-DI With VAS - Able to Open Milk Carton
C106816	HAQ0108	HAQ01-Walk Outdoors on Flat Ground	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Walking: Are you able to walk outdoors on flat ground?	HAQ-DI With VAS - Able to Walk Outdoors On Flat Ground
C106817	HAQ0109	HAQ01-Climb Up Five Steps	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Walking: Are you able to climb up five steps?	HAQ-DI With VAS - Able to Climb Up Steps
C106818	HAQ0110	HAQ01-Aid: Cane	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Cane.	HAQ-DI With VAS - Aids or Devices - Cane
C106819	HAQ0111	HAQ01-Aid: Walker	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Walker.	HAQ-DI With VAS - Aids or Devices - Walker
C106820	HAQ0112	HAQ01-Aid: Crutches	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Crutches.	HAQ-DI With VAS - Aids or Devices - Crutches
C106821	HAQ0113	HAQ01-Aid: Wheelchair	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Wheelchair.	HAQ-DI With VAS - Aids or Devices - Wheelchair
C106822	HAQ0114	HAQ01-Aid: Devices Used for Dressing	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Devices used for dressing (button hook, zipper pull, long-handled shoe horn, etc.).	HAQ-DI With VAS - Aids or Devices - Used For Dressing
C106823	HAQ0115	HAQ01-Aid: Built Up or Special Utensils	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Built up or special utensils.	HAQ-DI With VAS - Aids or Devices - Built Up or Special Utensils
C106824	HAQ0116	HAQ01-Aid: Special or Built Up Chair	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Special or built up chair.	HAQ-DI With VAS - Aids or Devices - Special or Built Up Chair
C106825	HAQ0117	HAQ01-Othr Aid (Dress/Arising/Eat/Walk)	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Other.	HAQ-DI With VAS - Aids or Devices For Dress/Arising/Eat/Walk-Other
C106826	HAQ0118	HAQ01-Spec Aid (Dress/Arising/Eat/Walk)	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Other (specify).	HAQ-DI With VAS - Aids or Devices For Dress/Arising/Eat/Walk-Specify
C106827	HAQ0119	HAQ01-Help: Dressing and Grooming	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Usually need help from another person: Dressing and grooming.	HAQ-DI With VAS - Help From Another Person - Dressing and Grooming
C106828	HAQ0120	HAQ01-Help: Arising	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Usually need help from another person: Arising.	HAQ-DI With VAS - Help From Another Person - Arising

Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Usually need help from another person: Eating.				
C106829	HAQ0121	HAQ01-Help: Eating	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Usually need help from another person: Eating.	HAQ-DI With VAS - Help From Another Person - Eating
C106830	HAQ0122	HAQ01-Help: Walking	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Usually need help from another person: Walking.	HAQ-DI With VAS - Help From Another Person - Walking
C106831	HAQ0123	HAQ01-Wash and Dry Your Body	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Hygiene: Are you able to wash and dry your body?	HAQ-DI With VAS - Able to Wash and Dry Body
C106832	HAQ0124	HAQ01-Take a Tub Bath	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Hygiene: Are you able to take a tub bath?	HAQ-DI With VAS - Able to Take Tub Bath
C106833	HAQ0125	HAQ01-Get On and Off The Toilet	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Hygiene: Are you able to get on and off the toilet?	HAQ-DI With VAS - Able to Get On and Off Toilet
C106834	HAQ0126	HAQ01-Reach-Get Down 5 Lb Obj Above Head	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Reach: Are you able to reach and get down a 5 pound object (such as a bag of sugar) from just above your head?	HAQ-DI With VAS - Able to Reach and Get Down Object From Above Head
C106835	HAQ0127	HAQ01-Bend Down Pick Up Clothing - Floor	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Reach: Are you able to bend down to pick up clothing from the floor?	HAQ-DI With VAS - Able to Bend Down and Pick Up Clothing From Floor
C106836	HAQ0128	HAQ01-Open Car Doors	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Grip: Are you able to open car doors?	HAQ-DI With VAS - Able to Open Car Doors
C106837	HAQ0129	HAQ01-Open Jars Previously Opened	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Grip: Are you able to open jars which have been previously opened?	HAQ-DI With VAS - Able to Open Previously Opened Jars
C106838	HAQ0130	HAQ01-Turn Faucets On And Off	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Grip: Are you able to turn faucets on and off?	HAQ-DI With VAS - Able to Turn Faucets On and Off
C106839	HAQ0131	HAQ01-Run Errands and Shop	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Activities: Are you able to run errands and shop?	HAQ-DI With VAS - Able to Run Errands and Shop
C106840	HAQ0132	HAQ01-Get In and Out of a Car	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Activities: Are you able to get in and out of a car?	HAQ-DI With VAS - Able to Get In and Out of Car
C106841	HAQ0133	HAQ01-Able to Do Chores	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Activities: Are you able to do chores such as vacuuming or yardwork?	HAQ-DI With VAS - Able to Do Chores - Vacuuming or Yardwork
C106842	HAQ0134	HAQ01-Aid: Raised Toilet Seat	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Raised toilet seat.	HAQ-DI With VAS - Aids or Devices - Raised Toilet Seat
C106843	HAQ0135	HAQ01-Aid: Bathtub Seat	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Bathtub seat.	HAQ-DI With VAS - Aids or Devices - Bathtub Seat
C107020	HAQ0136	HAQ01-Aid: Jar Opener (Previously Open)	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Jar opener (for jars previously opened).	HAQ-DI With VAS - Aids or Devices - Jar Opener (Jars Previously Opened)
C106844	HAQ0137	HAQ01-Aid: Bathtub Bar	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Bathtub bar.	HAQ-DI With VAS - Aids or Devices - Bathtub Bar
C106845	HAQ0138	HAQ01-Aid: Long-Handled Appl Reach	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Long-handled appliances for reach.	HAQ-DI With VAS - Aids or Devices - Long-Handled Appliances for Reach
C106846	HAQ0139	HAQ01-Aid: Long-Handled Appl Bathroom	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Long-handled appliances in bathroom.	HAQ-DI With VAS - Aids or Devices - Long-Handled Appliances in Bathroom
C107093	HAQ0140	HAQ01-Othr Aid (Hygiene/Reach/Grip/Act)	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Other.	HAQ-DI With VAS - Aids or Devices For Hygiene/Reach/Grip/Act-Other
C107094	HAQ0141	HAQ01-Spec Aid (Hygiene/Reach/Grip/Act)	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Other (specify).	HAQ-DI With VAS - Aids or Devices For Hygiene/Reach/Grip/Act-Specify

Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale				
C106847	HAQ0142	HAQ01-Help: Hygiene	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Usually need help from another person: Hygiene.	HAQ-DI With VAS - Help From Another Person - Hygiene
C106848	HAQ0143	HAQ01-Help: Reach	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Usually need help from another person: Reach.	HAQ-DI With VAS - Help From Another Person - Reach
C106849	HAQ0144	HAQ01-Help: Gripping and Opening Things	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Usually need help from another person: Gripping and opening things.	HAQ-DI With VAS - Help From Another Person - Gripping and Opening Things
C106850	HAQ0145	HAQ01-Help: Errands and Chores	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Usually need help from another person: Errands and chores.	HAQ-DI With VAS - Help From Another Person - Errands and Chores
C106851	HAQ0146	HAQ01-Severity of Pain	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - How much pain have you had because of your illness in the past week?	HAQ-DI With VAS - Severity of Pain in the Past Week

C106841	HAQ01-Able to Do Chores	HAQ01-Able to Do Chores	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Activities: Are you able to do chores such as vacuuming or yardwork?	HAQ-DI With VAS - Able to Do Chores - Vacuuming or Yardwork
C106844	HAQ01-Aid: Bathtub Bar	HAQ01-Aid: Bathtub Bar	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Bathtub bar.	HAQ-DI With VAS - Aids or Devices - Bathtub Bar
C106843	HAQ01-Aid: Bathtub Seat	HAQ01-Aid: Bathtub Seat	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Bathtub seat.	HAQ-DI With VAS - Aids or Devices - Bathtub Seat
C106823	HAQ01-Aid: Built Up or Special Utensils	HAQ01-Aid: Built Up or Special Utensils	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Built up or special utensils.	HAQ-DI With VAS - Aids or Devices - Built Up or Special Utensils
C106818	HAQ01-Aid: Cane	HAQ01-Aid: Cane	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Cane.	HAQ-DI With VAS - Aids or Devices - Cane
C106820	HAQ01-Aid: Crutches	HAQ01-Aid: Crutches	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Crutches.	HAQ-DI With VAS - Aids or Devices - Crutches
C106822	HAQ01-Aid: Devices Used for Dressing	HAQ01-Aid: Devices Used for Dressing	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Devices used for dressing (button hook, zipper pull, long-handled shoe horn, etc.).	HAQ-DI With VAS - Aids or Devices - Used For Dressing
C107020	HAQ01-Aid: Jar Opener (Previously Open)	HAQ01-Aid: Jar Opener (Previously Open)	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Jar opener (for jars previously opened).	HAQ-DI With VAS - Aids or Devices - Jar Opener (Jars Previously Opened)
C106846	HAQ01-Aid: Long-Handled Appl Bathroom	HAQ01-Aid: Long-Handled Appl Bathroom	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Long-handled appliances in bathroom.	HAQ-DI With VAS - Aids or Devices - Long-Handled Appliances in Bathroom
C106845	HAQ01-Aid: Long-Handled Appl Reach	HAQ01-Aid: Long-Handled Appl Reach	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Long-handled appliances for reach.	HAQ-DI With VAS - Aids or Devices - Long-Handled Appliances for Reach
C106842	HAQ01-Aid: Raised Toilet Seat	HAQ01-Aid: Raised Toilet Seat	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Raised toilet seat.	HAQ-DI With VAS - Aids or Devices - Raised Toilet Seat
C106824	HAQ01-Aid: Special or Built Up Chair	HAQ01-Aid: Special or Built Up Chair	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Special or built up chair.	HAQ-DI With VAS - Aids or Devices - Special or Built Up Chair
C106819	HAQ01-Aid: Walker	HAQ01-Aid: Walker	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Walker.	HAQ-DI With VAS - Aids or Devices - Walker
C106821	HAQ01-Aid: Wheelchair	HAQ01-Aid: Wheelchair	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Wheelchair.	HAQ-DI With VAS - Aids or Devices - Wheelchair
C106835	HAQ01-Bend Down Pick Up Clothing - Floor	HAQ01-Bend Down Pick Up Clothing - Floor	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Reach: Are you able to bend down to pick up clothing from the floor?	HAQ-DI With VAS - Able to Bend Down and Pick Up Clothing From Floor
C106817	HAQ01-Climb Up Five Steps	HAQ01-Climb Up Five Steps	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Walking: Are you able to climb up five steps?	HAQ-DI With VAS - Able to Climb Up Steps
C106813	HAQ01-Cut Your Meat	HAQ01-Cut Your Meat	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Eating: Are you able to cut your meat?	HAQ-DI With VAS - Able to Cut Meat
C106809	HAQ01-Dress Yourself	HAQ01-Dress Yourself	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Dressing & Grooming: Are you able to dress yourself, including tying shoelaces and doing buttons?	HAQ-DI With VAS - Able to Dress Yourself
C106840	HAQ01-Get In and Out of a Car	HAQ01-Get In and Out of a Car	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Activities: Are you able to get in and out of a car?	HAQ-DI With VAS - Able to Get In and Out of Car
C106812	HAQ01-Get In and Out of Bed	HAQ01-Get In and Out of Bed	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Arising: Are you able to get in and out of bed?	HAQ-DI With VAS - Able to Get In and Out of Bed

Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Activities					
C106833	HAQ01-Get On and Off The Toilet	HAQ01-Get On and Off The Toilet	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Hygiene: Are you able to get on and off the toilet?	HAQ-DI With VAS - Able to Get On and Off Toilet	
C106828	HAQ01-Help: Arising	HAQ01-Help: Arising	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Usually need help from another person: Arising.	HAQ-DI With VAS - Help From Another Person - Arising	
C106827	HAQ01-Help: Dressing and Grooming	HAQ01-Help: Dressing and Grooming	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Usually need help from another person: Dressing and grooming.	HAQ-DI With VAS - Help From Another Person - Dressing and Grooming	
C106829	HAQ01-Help: Eating	HAQ01-Help: Eating	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Usually need help from another person: Eating.	HAQ-DI With VAS - Help From Another Person - Eating	
C106850	HAQ01-Help: Errands and Chores	HAQ01-Help: Errands and Chores	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Usually need help from another person: Errands and chores.	HAQ-DI With VAS - Help From Another Person - Errands and Chores	
C106849	HAQ01-Help: Gripping and Opening Things	HAQ01-Help: Gripping and Opening Things	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Usually need help from another person: Gripping and opening things.	HAQ-DI With VAS - Help From Another Person - Gripping and Opening Things	
C106847	HAQ01-Help: Hygiene	HAQ01-Help: Hygiene	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Usually need help from another person: Hygiene.	HAQ-DI With VAS - Help From Another Person - Hygiene	
C106848	HAQ01-Help: Reach	HAQ01-Help: Reach	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Usually need help from another person: Reach.	HAQ-DI With VAS - Help From Another Person - Reach	
C106830	HAQ01-Help: Walking	HAQ01-Help: Walking	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Usually need help from another person: Walking.	HAQ-DI With VAS - Help From Another Person - Walking	
C106814	HAQ01-Lift a Full Cup or Glass to Mouth	HAQ01-Lift a Full Cup or Glass to Mouth	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Eating: Are you able to lift a full cup or glass to your mouth?	HAQ-DI With VAS - Able to Lift Cup or Glass to Mouth	
C106815	HAQ01-Open a New Milk Carton	HAQ01-Open a New Milk Carton	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Eating: Are you able to open a new milk carton?	HAQ-DI With VAS - Able to Open Milk Carton	
C106836	HAQ01-Open Car Doors	HAQ01-Open Car Doors	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Grip: Are you able to open car doors?	HAQ-DI With VAS - Able to Open Car Doors	
C106837	HAQ01-Open Jars Previously Opened	HAQ01-Open Jars Previously Opened	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Grip: Are you able to open jars which have been previously opened?	HAQ-DI With VAS - Able to Open Previously Opened Jars	
C106825	HAQ01-Othr Aid (Dress/Arising/Eat/Walk)	HAQ01-Othr Aid (Dress/Arising/Eat/Walk)	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Other.	HAQ-DI With VAS - Aids or Devices For Dress/Arising/Eat/Walk-Other	
C107093	HAQ01-Othr Aid (Hygiene/Reach/Grip/Act)	HAQ01-Othr Aid (Hygiene/Reach/Grip/Act)	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Other.	HAQ-DI With VAS - Aids or Devices For Hygiene/Reach/Grip/Act-Other	
C106834	HAQ01-Reach-Get Down 5 Lb Obj Above Head	HAQ01-Reach-Get Down 5 Lb Obj Above Head	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Reach: Are you able to reach and get down a 5 pound object (such as a bag of sugar) from just above your head?	HAQ-DI With VAS - Able to Reach and Get Down Object From Above Head	
C106839	HAQ01-Run Errands and Shop	HAQ01-Run Errands and Shop	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Activities: Are you able to run errands and shop?	HAQ-DI With VAS - Able to Run Errands and Shop	
C106851	HAQ01-Severity of Pain	HAQ01-Severity of Pain	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - How much pain have you had because of your illness in the past week?	HAQ-DI With VAS - Severity of Pain in the Past Week	
C106810	HAQ01-Shampoo Your Hair	HAQ01-Shampoo Your Hair	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Dressing & Grooming: Are you able to shampoo your hair?	HAQ-DI With VAS - Able to Shampoo Hair	
C106826	HAQ01-Spec Aid (Dress/Arising/Eat/Walk)	HAQ01-Spec Aid (Dress/Arising/Eat/Walk)	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Other (specify).	HAQ-DI With VAS - Aids or Devices For Dress/Arising/Eat/Walk-Specify	
C107094	HAQ01-Spec Aid (Hygiene/Reach/Grip/Act)	HAQ01-Spec Aid (Hygiene/Reach/Grip/Act)	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Other (specify).	HAQ-DI With VAS - Aids or Devices For Hygiene/Reach/Grip/Act-Specify	

Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale				
C106811	HAQ01-Stand Up From a Straight Chair	HAQ01-Stand Up From a Straight Chair	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Arising: Are you able to stand up from a straight chair?	HAQ-DI With VAS - Able to Stand Up From Chair
C106832	HAQ01-Take a Tub Bath	HAQ01-Take a Tub Bath	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Hygiene: Are you able to take a tub bath?	HAQ-DI With VAS - Able to Take Tub Bath
C106838	HAQ01-Turn Faucets On And Off	HAQ01-Turn Faucets On And Off	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Grip: Are you able to turn faucets on and off?	HAQ-DI With VAS - Able to Turn Faucets On and Off
C106816	HAQ01-Walk Outdoors on Flat Ground	HAQ01-Walk Outdoors on Flat Ground	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Walking: Are you able to walk outdoors on flat ground?	HAQ-DI With VAS - Able to Walk Outdoors On Flat Ground
C106831	HAQ01-Wash and Dry Your Body	HAQ01-Wash and Dry Your Body	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Hygiene: Are you able to wash and dry your body?	HAQ-DI With VAS - Able to Wash and Dry Body

C132573	HAQ0201	HAQ02-Dress Yourself	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Dressing & Grooming: Are you able to dress yourself, including tying shoelaces and doing buttons?	HAQ-DI Without VAS - Dress Yourself
C132574	HAQ0202	HAQ02-Shampoo Your Hair	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Dressing & Grooming: Are you able to shampoo your hair?	HAQ-DI Without VAS - Shampoo Your Hair
C132575	HAQ0203	HAQ02-Stand Up From a Straight Chair	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Arising: Are you able to stand up from a straight chair?	HAQ-DI Without VAS - Stand Up From a Straight Chair
C132576	HAQ0204	HAQ02-Get In and Out of Bed	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Arising: Are you able to get in and out of bed?	HAQ-DI Without VAS - Get In and Out of Bed
C132577	HAQ0205	HAQ02-Cut Your Meat	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Eating: Are you able to cut your meat?	HAQ-DI Without VAS - Cut Your Meat
C132578	HAQ0206	HAQ02-Lift a Full Cup or Glass to Mouth	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Eating: Are you able to lift a full cup or glass to your mouth?	HAQ-DI Without VAS - Lift a Full Cup or Glass to Mouth
C132579	HAQ0207	HAQ02-Open a New Milk Carton	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Eating: Are you able to open a new milk carton?	HAQ-DI Without VAS - Open a New Milk Carton
C132580	HAQ0208	HAQ02-Walk Outdoors on Flat Ground	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Walking: Are you able to walk outdoors on flat ground?	HAQ-DI Without VAS - Walk Outdoors on Flat Ground
C132581	HAQ0209	HAQ02-Climb Up Five Steps	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Walking: Are you able to climb up five steps?	HAQ-DI Without VAS - Climb Up Five Steps
C132582	HAQ0210	HAQ02-Aid: Cane	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Cane.	HAQ-DI Without VAS - Aid: Cane
C132583	HAQ0211	HAQ02-Aid: Walker	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Walker.	HAQ-DI Without VAS - Aid: Walker
C132584	HAQ0212	HAQ02-Aid: Crutches	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Crutches.	HAQ-DI Without VAS - Aid: Crutches
C132585	HAQ0213	HAQ02-Aid: Wheelchair	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Wheelchair.	HAQ-DI Without VAS - Aid: Wheelchair
C132586	HAQ0214	HAQ02-Aid: Devices Used for Dressing	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Devices used for Dressing (button hook, zipper pull, long-handled shoe horn, etc.).	HAQ-DI Without VAS - Aid: Devices Used for Dressing
C132587	HAQ0215	HAQ02-Aid: Built Up or Special Utensils	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Built up or special utensils.	HAQ-DI Without VAS - Aid: Built Up or Special Utensils
C132588	HAQ0216	HAQ02-Aid: Special or Built Up Chair	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Special or built up chair.	HAQ-DI Without VAS - Aid: Special or Built Up Chair
C132589	HAQ0217	HAQ02-Othr Aid (Dress/Arising/Eat/Walk)	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Other.	HAQ-DI Without VAS - Other Aid (Dress or Arising or Eat or Walk)
C132590	HAQ0218	HAQ02-Spec Aid (Dress/Arising/Eat/Walk)	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Other (specify).	HAQ-DI Without VAS - Special Aid (Dress or Arising or Eat or Walk)
C132591	HAQ0219	HAQ02-Help: Dressing and Grooming	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Usually need help from another person: Dressing and grooming.	HAQ-DI Without VAS - Help: Dressing and Grooming
C132592	HAQ0220	HAQ02-Help: Arising	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Usually need help from another person: Arising.	HAQ-DI Without VAS - Help: Arising

HAQ-DI Without VAS				
C132593	HAQ0221	HAQ02-Help: Eating	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Usually need help from another person: Eating.	HAQ-DI Without VAS - Help: Eating
C132594	HAQ0222	HAQ02-Help: Walking	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Usually need help from another person: Walking.	HAQ-DI Without VAS - Help: Walking
C132595	HAQ0223	HAQ02-Wash and Dry Your Body	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Hygiene: Are you able to wash and dry your body?	HAQ-DI Without VAS - Wash and Dry Your Body
C132596	HAQ0224	HAQ02-Take a Tub Bath	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Hygiene: Are you able to take a tub bath?	HAQ-DI Without VAS - Take a Tub Bath
C132597	HAQ0225	HAQ02-Get On and Off The Toilet	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Hygiene: Are you able to get on and off the toilet?	HAQ-DI Without VAS - Get On and Off The Toilet
C132598	HAQ0226	HAQ02-Reach-Get Down 5 Lb Obj Above Head	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Reach: Are you able to reach and get down a 5-pound object (such as a bag of sugar) from just above your head?	HAQ-DI Without VAS - Reach-Get Down 5 Lb Object Above Head
C132599	HAQ0227	HAQ02-Bend Down Pick Up Clothing - Floor	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Reach: Are you able to bend down to pick up clothing from the floor?	HAQ-DI Without VAS - Bend Down Pick Up Clothing - Floor
C132600	HAQ0228	HAQ02-Open Car Doors	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Grip: Are you able to open car doors?	HAQ-DI Without VAS - Open Car Doors
C132601	HAQ0229	HAQ02-Open Jars Previously Opened	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Grip: Are you able to open jars which have been previously opened?	HAQ-DI Without VAS - Open Jars Previously Opened
C132602	HAQ0230	HAQ02-Turn Faucets On And Off	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Grip: Are you able to turn faucets on and off?	HAQ-DI Without VAS - Turn Faucets On And Off
C132603	HAQ0231	HAQ02-Run Errands and Shop	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Activities: Are you able to run errands and shop?	HAQ-DI Without VAS - Run Errands and Shop
C132604	HAQ0232	HAQ02-Get In and Out of a Car	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Activities: Are you able to get in and out of a car?	HAQ-DI Without VAS - Get In and Out of a Car
C132605	HAQ0233	HAQ02-Able to Do Chores	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Activities: Are you able to do chores such as vacuuming or yardwork?	HAQ-DI Without VAS - Able to Do Chores
C132606	HAQ0234	HAQ02-Aid: Raised Toilet Seat	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Raised toilet seat.	HAQ-DI Without VAS - Aid: Raised Toilet Seat
C132607	HAQ0235	HAQ02-Aid: Bathtub Seat	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Bathtub seat.	HAQ-DI Without VAS - Aid: Bathtub Seat
C132608	HAQ0236	HAQ02-Aid: Jar Opener (Previously Open)	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Jar opener (for jars previously opened).	HAQ-DI Without VAS - Aid: Jar Opener (Previously Open)
C132609	HAQ0237	HAQ02-Aid: Bathtub Bar	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Bathtub bar.	HAQ-DI Without VAS - Aid: Bathtub Bar
C132610	HAQ0238	HAQ02-Aid: Long-Handled Appl Reach	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Long-handled appliances for reach.	HAQ-DI Without VAS - Aid: Long-Handled Appliances Reach
C132611	HAQ0239	HAQ02-Aid: Long-Handled Appl Bathroom	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Long-handled appliances in bathroom.	HAQ-DI Without VAS - Aid: Long-Handled Appliances Bathroom
C132612	HAQ0240	HAQ02-Othr Aid (Hygiene/Reach/Grip/Act)	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Other.	HAQ-DI Without VAS - Other Aid (Hygiene or Reach or Grip or Act)
C132613	HAQ0241	HAQ02-Spec Aid (Hygiene/Reach/Grip/Act)	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Other (specify).	HAQ-DI Without VAS - Special Aid (Hygiene or Reach or Grip or Act)

Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Usually need help from another person:				
C132614	HAQ0242	HAQ02-Help: Hygiene	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Usually need help from another person: Hygiene.	HAQ-DI Without VAS - Help: Hygiene
C132615	HAQ0243	HAQ02-Help: Reach	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Usually need help from another person: Reach.	HAQ-DI Without VAS - Help: Reach
C132616	HAQ0244	HAQ02-Help: Gripping and Opening Things	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Usually need help from another person: Gripping and opening things.	HAQ-DI Without VAS - Help: Gripping and Opening Things
C132617	HAQ0245	HAQ02-Help: Errands and Chores	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Usually need help from another person: Errands and chores.	HAQ-DI Without VAS - Help: Errands and Chores

C132605	HAQ02-Able to Do Chores	HAQ02-Able to Do Chores	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Activities: Are you able to do chores such as vacuuming or yardwork?	HAQ-DI Without VAS - Able to Do Chores
C132609	HAQ02-Aid: Bathtub Bar	HAQ02-Aid: Bathtub Bar	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Bathtub bar.	HAQ-DI Without VAS - Aid: Bathtub Bar
C132607	HAQ02-Aid: Bathtub Seat	HAQ02-Aid: Bathtub Seat	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Bathtub seat.	HAQ-DI Without VAS - Aid: Bathtub Seat
C132587	HAQ02-Aid: Built Up or Special Utensils	HAQ02-Aid: Built Up or Special Utensils	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Built up or special utensils.	HAQ-DI Without VAS - Aid: Built Up or Special Utensils
C132582	HAQ02-Aid: Cane	HAQ02-Aid: Cane	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Cane.	HAQ-DI Without VAS - Aid: Cane
C132584	HAQ02-Aid: Crutches	HAQ02-Aid: Crutches	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Crutches.	HAQ-DI Without VAS - Aid: Crutches
C132586	HAQ02-Aid: Devices Used for Dressing	HAQ02-Aid: Devices Used for Dressing	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Devices used for Dressing (button hook, zipper pull, long-handled shoe horn, etc.).	HAQ-DI Without VAS - Aid: Devices Used for Dressing
C132608	HAQ02-Aid: Jar Opener (Previously Open)	HAQ02-Aid: Jar Opener (Previously Open)	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Jar opener (for jars previously opened).	HAQ-DI Without VAS - Aid: Jar Opener (Previously Open)
C132611	HAQ02-Aid: Long-Handled Appl Bathroom	HAQ02-Aid: Long-Handled Appl Bathroom	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Long-handled appliances in bathroom.	HAQ-DI Without VAS - Aid: Long-Handled Appliances Bathroom
C132610	HAQ02-Aid: Long-Handled Appl Reach	HAQ02-Aid: Long-Handled Appl Reach	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Long-handled appliances for reach.	HAQ-DI Without VAS - Aid: Long-Handled Appliances Reach
C132606	HAQ02-Aid: Raised Toilet Seat	HAQ02-Aid: Raised Toilet Seat	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Raised toilet seat.	HAQ-DI Without VAS - Aid: Raised Toilet Seat
C132588	HAQ02-Aid: Special or Built Up Chair	HAQ02-Aid: Special or Built Up Chair	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Special or built up chair.	HAQ-DI Without VAS - Aid: Special or Built Up Chair
C132583	HAQ02-Aid: Walker	HAQ02-Aid: Walker	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Walker.	HAQ-DI Without VAS - Aid: Walker
C132585	HAQ02-Aid: Wheelchair	HAQ02-Aid: Wheelchair	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Wheelchair.	HAQ-DI Without VAS - Aid: Wheelchair
C132599	HAQ02-Bend Down Pick Up Clothing - Floor	HAQ02-Bend Down Pick Up Clothing - Floor	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Reach: Are you able to bend down to pick up clothing from the floor?	HAQ-DI Without VAS - Bend Down Pick Up Clothing - Floor
C132581	HAQ02-Climb Up Five Steps	HAQ02-Climb Up Five Steps	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Walking: Are you able to climb up five steps?	HAQ-DI Without VAS - Climb Up Five Steps
C132577	HAQ02-Cut Your Meat	HAQ02-Cut Your Meat	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Eating: Are you able to cut your meat?	HAQ-DI Without VAS - Cut Your Meat
C132573	HAQ02-Dress Yourself	HAQ02-Dress Yourself	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Dressing & Grooming: Are you able to dress yourself, including tying shoelaces and doing buttons?	HAQ-DI Without VAS - Dress Yourself
C132604	HAQ02-Get In and Out of a Car	HAQ02-Get In and Out of a Car	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Activities: Are you able to get in and out of a car?	HAQ-DI Without VAS - Get In and Out of a Car
C132576	HAQ02-Get In and Out of Bed	HAQ02-Get In and Out of Bed	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Arising: Are you able to get in and out of bed?	HAQ-DI Without VAS - Get In and Out of Bed

Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale				
C132597	HAQ02-Get On and Off The Toilet	HAQ02-Get On and Off The Toilet	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Hygiene: Are you able to get on and off the toilet?	HAQ-DI Without VAS - Get On and Off The Toilet
C132592	HAQ02-Help: Arising	HAQ02-Help: Arising	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Usually need help from another person: Arising.	HAQ-DI Without VAS - Help: Arising
C132591	HAQ02-Help: Dressing and Grooming	HAQ02-Help: Dressing and Grooming	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Usually need help from another person: Dressing and grooming.	HAQ-DI Without VAS - Help: Dressing and Grooming
C132593	HAQ02-Help: Eating	HAQ02-Help: Eating	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Usually need help from another person: Eating.	HAQ-DI Without VAS - Help: Eating
C132617	HAQ02-Help: Errands and Chores	HAQ02-Help: Errands and Chores	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Usually need help from another person: Errands and chores.	HAQ-DI Without VAS - Help: Errands and Chores
C132616	HAQ02-Help: Gripping and Opening Things	HAQ02-Help: Gripping and Opening Things	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Usually need help from another person: Gripping and opening things.	HAQ-DI Without VAS - Help: Gripping and Opening Things
C132614	HAQ02-Help: Hygiene	HAQ02-Help: Hygiene	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Usually need help from another person: Hygiene.	HAQ-DI Without VAS - Help: Hygiene
C132615	HAQ02-Help: Reach	HAQ02-Help: Reach	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Usually need help from another person: Reach.	HAQ-DI Without VAS - Help: Reach
C132594	HAQ02-Help: Walking	HAQ02-Help: Walking	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Usually need help from another person: Walking.	HAQ-DI Without VAS - Help: Walking
C132578	HAQ02-Lift a Full Cup or Glass to Mouth	HAQ02-Lift a Full Cup or Glass to Mouth	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Eating: Are you able to lift a full cup or glass to your mouth?	HAQ-DI Without VAS - Lift a Full Cup or Glass to Mouth
C132579	HAQ02-Open a New Milk Carton	HAQ02-Open a New Milk Carton	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Eating: Are you able to open a new milk carton?	HAQ-DI Without VAS - Open a New Milk Carton
C132600	HAQ02-Open Car Doors	HAQ02-Open Car Doors	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Grip: Are you able to open car doors?	HAQ-DI Without VAS - Open Car Doors
C132601	HAQ02-Open Jars Previously Opened	HAQ02-Open Jars Previously Opened	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Grip: Are you able to open jars which have been previously opened?	HAQ-DI Without VAS - Open Jars Previously Opened
C132589	HAQ02-Othr Aid (Dress/Arising/Eat/Walk)	HAQ02-Othr Aid (Dress/Arising/Eat/Walk)	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Other.	HAQ-DI Without VAS - Other Aid (Dress or Arising or Eat or Walk)
C132612	HAQ02-Othr Aid (Hygiene/Reach/Grip/Act)	HAQ02-Othr Aid (Hygiene/Reach/Grip/Act)	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Other.	HAQ-DI Without VAS - Other Aid (Hygiene or Reach or Grip or Act)
C132598	HAQ02-Reach-Get Down 5 Lb Obj Above Head	HAQ02-Reach-Get Down 5 Lb Obj Above Head	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Reach: Are you able to reach and get down a 5-pound object (such as a bag of sugar) from just above your head?	HAQ-DI Without VAS - Reach-Get Down 5 Lb Object Above Head
C132603	HAQ02-Run Errands and Shop	HAQ02-Run Errands and Shop	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Activities: Are you able to run errands and shop?	HAQ-DI Without VAS - Run Errands and Shop
C132574	HAQ02-Shampoo Your Hair	HAQ02-Shampoo Your Hair	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Dressing & Grooming: Are you able to shampoo your hair?	HAQ-DI Without VAS - Shampoo Your Hair
C132590	HAQ02-Spec Aid (Dress/Arising/Eat/Walk)	HAQ02-Spec Aid (Dress/Arising/Eat/Walk)	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Other (specify).	HAQ-DI Without VAS - Special Aid (Dress or Arising or Eat or Walk)
C132613	HAQ02-Spec Aid (Hygiene/Reach/Grip/Act)	HAQ02-Spec Aid (Hygiene/Reach/Grip/Act)	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Other (specify).	HAQ-DI Without VAS - Special Aid (Hygiene or Reach or Grip or Act)
C132575	HAQ02-Stand Up From a Straight Chair	HAQ02-Stand Up From a Straight Chair	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Arising: Are you able to stand up from a straight chair?	HAQ-DI Without VAS - Stand Up From a Straight Chair

Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Hygiene: Are you able to take a tub bath?					
C132596	HAQ02-Take a Tub Bath	HAQ02-Take a Tub Bath	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Hygiene: Are you able to take a tub bath?	HAQ-DI Without VAS - Take a Tub Bath	
C132602	HAQ02-Turn Faucets On And Off	HAQ02-Turn Faucets On And Off	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Grip: Are you able to turn faucets on and off?	HAQ-DI Without VAS - Turn Faucets On And Off	
C132580	HAQ02-Walk Outdoors on Flat Ground	HAQ02-Walk Outdoors on Flat Ground	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Walking: Are you able to walk outdoors on flat ground?	HAQ-DI Without VAS - Walk Outdoors on Flat Ground	
C132595	HAQ02-Wash and Dry Your Body	HAQ02-Wash and Dry Your Body	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Hygiene: Are you able to wash and dry your body?	HAQ-DI Without VAS - Wash and Dry Your Body	

Hypoglycemic Confidence Scale - How confident are you that you can stay safe from serious problems with hypoglycemia?				
C163860	HCS0101	HCS01-When You Are Exercising	Hypoglycemic Confidence Scale - How confident are you that you can stay safe from serious problems with hypoglycemia: When you are exercising?	HCS - When You Are Exercising
C163861	HCS0102	HCS01-When You Are Sleeping	Hypoglycemic Confidence Scale - How confident are you that you can stay safe from serious problems with hypoglycemia: When you are sleeping?	HCS - When You Are Sleeping
C163862	HCS0103	HCS01-When You Are Driving	Hypoglycemic Confidence Scale - How confident are you that you can stay safe from serious problems with hypoglycemia: When you are driving?	HCS - When You Are Driving
C163863	HCS0104	HCS01-When You Are in Social Situations	Hypoglycemic Confidence Scale - How confident are you that you can stay safe from serious problems with hypoglycemia: When you are in social situations?	HCS - When You Are in Social Situations
C163864	HCS0105	HCS01-When You Are Alone	Hypoglycemic Confidence Scale - How confident are you that you can stay safe from serious problems with hypoglycemia: When you are alone?	HCS - When You Are Alone
C163865	HCS0106	HCS01-Avoid Serious Problems	Hypoglycemic Confidence Scale - In general, how confident are you that you can: Avoid serious problems due to hypoglycemia?	HCS - Avoid Serious Problems
C163866	HCS0107	HCS01-Catch Before Sugars Get Too Low	Hypoglycemic Confidence Scale - In general, how confident are you that you can: Catch and respond to hypoglycemia before your blood sugars get too low?	HCS - Catch Before Sugars Get Too Low
C163867	HCS0108	HCS01-Continue to Do Things Really Want	Hypoglycemic Confidence Scale - In general, how confident are you that you can: Continue to do the things you really want to do in your life, despite the risks of hypoglycemia?	HCS - Continue to Do Things Really Want
C163868	HCS0109	HCS01-Your Ability to Avoid Problems	Hypoglycemic Confidence Scale - If you have a spouse or partner: What is your best guess about how confident your spouse or partner feels about your ability to avoid serious problems due to hypoglycemia?	HCS - Your Ability to Avoid Problems
C163869	HCS0110	HCS01-Mean HCS Score	Hypoglycemic Confidence Scale - Mean HCS score.	HCS - Mean HCS Score

C163865	HCS01-Avoid Serious Problems	HCS01-Avoid Serious Problems	Hypoglycemic Confidence Scale - In general, how confident are you that you can: Avoid serious problems due to hypoglycemia?	HCS - Avoid Serious Problems
C163866	HCS01-Catch Before Sugars Get Too Low	HCS01-Catch Before Sugars Get Too Low	Hypoglycemic Confidence Scale - In general, how confident are you that you can: Catch and respond to hypoglycemia before your blood sugars get too low?	HCS - Catch Before Sugars Get Too Low
C163867	HCS01-Continue to Do Things Really Want	HCS01-Continue to Do Things Really Want	Hypoglycemic Confidence Scale - In general, how confident are you that you can: Continue to do the things you really want to do in your life, despite the risks of hypoglycemia?	HCS - Continue to Do Things Really Want
C163869	HCS01-Mean HCS Score	HCS01-Mean HCS Score	Hypoglycemic Confidence Scale - Mean HCS score.	HCS - Mean HCS Score
C163864	HCS01-When You Are Alone	HCS01-When You Are Alone	Hypoglycemic Confidence Scale - How confident are you that you can stay safe from serious problems with hypoglycemia: When you are alone?	HCS - When You Are Alone
C163862	HCS01-When You Are Driving	HCS01-When You Are Driving	Hypoglycemic Confidence Scale - How confident are you that you can stay safe from serious problems with hypoglycemia: When you are driving?	HCS - When You Are Driving
C163860	HCS01-When You Are Exercising	HCS01-When You Are Exercising	Hypoglycemic Confidence Scale - How confident are you that you can stay safe from serious problems with hypoglycemia: When you are exercising?	HCS - When You Are Exercising
C163863	HCS01-When You Are in Social Situations	HCS01-When You Are in Social Situations	Hypoglycemic Confidence Scale - How confident are you that you can stay safe from serious problems with hypoglycemia: When you are in social situations?	HCS - When You Are in Social Situations
C163861	HCS01-When You Are Sleeping	HCS01-When You Are Sleeping	Hypoglycemic Confidence Scale - How confident are you that you can stay safe from serious problems with hypoglycemia: When you are sleeping?	HCS - When You Are Sleeping
C163868	HCS01-Your Ability to Avoid Problems	HCS01-Your Ability to Avoid Problems	Hypoglycemic Confidence Scale - If you have a spouse or partner: What is your best guess about how confident your spouse or partner feels about your ability to avoid serious problems due to hypoglycemia?	HCS - Your Ability to Avoid Problems

C166331	HDCAB101	HDCAB1-Paced Tapping	Huntington's Disease Cognitive Assessment Battery - Paced Tapping key variable for composite score: 1/SD of the inter-tap interval for the self-paced taps.	HD-CAB - Paced Tapping
C166332	HDCAB102	HDCAB1-Emotion Recognition	Huntington's Disease Cognitive Assessment Battery - Emotion Recognition key variable for composite score: Number of correct responses to the negative expressions (anger, fear, sadness, disgust) out of 24 possible.	HD-CAB - Emotion Recognition
C166333	HDCAB103	HDCAB1-One Touch Stockings of Cambridge	Huntington's Disease Cognitive Assessment Battery - One Touch Stockings of Cambridge key variable for composite score: Mean time to correct response (sec) averaged across all 10 trials (reverse scored).	HD-CAB - One Touch Stockings of Cambridge
C166334	HDCAB104	HDCAB1-Symbol Digit Modalities Test	Huntington's Disease Cognitive Assessment Battery - Symbol Digit Modalities Test key variable for composite score: Number of correct responses in 90 seconds out of 110 possible responses.	HD-CAB - Symbol Digit Modalities Test
C166335	HDCAB105	HDCAB1-Hopkins Verbal Learning Test Rev	Huntington's Disease Cognitive Assessment Battery - Hopkins Verbal Learning Test - Revised key variable for composite score: Total number of words correctly recalled over Trials 1-4 out of 48 possible.	HD-CAB - Hopkins Verbal Learning Test Revised
C166336	HDCAB106	HDCAB1-Trail Making Test-B	Huntington's Disease Cognitive Assessment Battery - Trail Making Test-B key variable for composite score: Time to completion (sec) of TMT Part B with upper time limit of 240 seconds (reverse scored).	HD-CAB - Trail Making Test-B
C166337	HDCAB107	HDCAB1-HD-CAB Total Score	Huntington's Disease Cognitive Assessment Battery - HD-CAB total score.	HD-CAB - HD-CAB Total Score

C166332	HDCAB1-Emotion Recognition	HDCAB1-Emotion Recognition	Huntington's Disease Cognitive Assessment Battery - Emotion Recognition key variable for composite score: Number of correct responses to the negative expressions (anger, fear, sadness, disgust) out of 24 possible.	HD-CAB - Emotion Recognition
C166337	HDCAB1-HD-CAB Total Score	HDCAB1-HD-CAB Total Score	Huntington's Disease Cognitive Assessment Battery - HD-CAB total score.	HD-CAB - HD-CAB Total Score
C166335	HDCAB1-Hopkins Verbal Learning Test Rev	HDCAB1-Hopkins Verbal Learning Test Rev	Huntington's Disease Cognitive Assessment Battery - Hopkins Verbal Learning Test - Revised key variable for composite score: Total number of words correctly recalled over Trials 1-4 out of 48 possible.	HD-CAB - Hopkins Verbal Learning Test Revised
C166333	HDCAB1-One Touch Stockings of Cambridge	HDCAB1-One Touch Stockings of Cambridge	Huntington's Disease Cognitive Assessment Battery - One Touch Stockings of Cambridge key variable for composite score: Mean time to correct response (sec) averaged across all 10 trials (reverse scored).	HD-CAB - One Touch Stockings of Cambridge
C166331	HDCAB1-Paced Tapping	HDCAB1-Paced Tapping	Huntington's Disease Cognitive Assessment Battery - Paced Tapping key variable for composite score: 1/SD of the inter-tap interval for the self-paced taps.	HD-CAB - Paced Tapping
C166334	HDCAB1-Symbol Digit Modalities Test	HDCAB1-Symbol Digit Modalities Test	Huntington's Disease Cognitive Assessment Battery - Symbol Digit Modalities Test key variable for composite score: Number of correct responses in 90 seconds out of 110 possible responses.	HD-CAB - Symbol Digit Modalities Test
C166336	HDCAB1-Trail Making Test-B	HDCAB1-Trail Making Test-B	Huntington's Disease Cognitive Assessment Battery - Trail Making Test-B key variable for composite score: Time to completion (sec) of TMT Part B with upper time limit of 240 seconds (reverse scored).	HD-CAB - Trail Making Test-B

C138357	HSB0101	HSB01-Hypertension	HAS-BLED Bleeding Risk Score - Hypertension.	HAS-BLED - Hypertension
C138358	HSB0102	HSB01-Abnormal Renal and Liver Function	HAS-BLED Bleeding Risk Score - Abnormal renal and liver function.	HAS-BLED - Abnormal Renal and Liver Function
C138359	HSB0103	HSB01-Stroke	HAS-BLED Bleeding Risk Score - Stroke.	HAS-BLED - Stroke
C138360	HSB0104	HSB01-Bleeding	HAS-BLED Bleeding Risk Score - Bleeding.	HAS-BLED - Bleeding
C138361	HSB0105	HSB01-Labile INRs	HAS-BLED Bleeding Risk Score - Labile INRs.	HAS-BLED - Labile INRs
C138362	HSB0106	HSB01-Elderly	HAS-BLED Bleeding Risk Score - Elderly.	HAS-BLED - Elderly
C138363	HSB0107	HSB01-Drugs or Alcohol	HAS-BLED Bleeding Risk Score - Drugs or alcohol.	HAS-BLED - Drugs or Alcohol

C138358	HSB01-Abnormal Renal and Liver Function	HSB01-Abnormal Renal and Liver Function	HAS-BLED Bleeding Risk Score - Abnormal renal and liver function.	HAS-BLED - Abnormal Renal and Liver Function
C138360	HSB01-Bleeding	HSB01-Bleeding	HAS-BLED Bleeding Risk Score - Bleeding.	HAS-BLED - Bleeding
C138363	HSB01-Drugs or Alcohol	HSB01-Drugs or Alcohol	HAS-BLED Bleeding Risk Score - Drugs or alcohol.	HAS-BLED - Drugs or Alcohol
C138362	HSB01-Elderly	HSB01-Elderly	HAS-BLED Bleeding Risk Score - Elderly.	HAS-BLED - Elderly
C138357	HSB01-Hypertension	HSB01-Hypertension	HAS-BLED Bleeding Risk Score - Hypertension.	HAS-BLED - Hypertension
C138361	HSB01-Labile INRs	HSB01-Labile INRs	HAS-BLED Bleeding Risk Score - Labile INRs.	HAS-BLED - Labile INRs
C138359	HSB01-Stroke	HSB01-Stroke	HAS-BLED Bleeding Risk Score - Stroke.	HAS-BLED - Stroke

C174071	IBDQ0101	IBDQ01-How Frequent Bowel Movements	Quality of Life in Inflammatory Bowel Disease Questionnaire - How frequent have your bowel movements been during the last two weeks?	IBDQ - How Frequent Bowel Movements
C174072	IBDQ0102	IBDQ01-Fatigue Been a Problem	Quality of Life in Inflammatory Bowel Disease Questionnaire - How often has the feeling of fatigue or of being tired and worn out been a problem for you during the last 2 weeks?	IBDQ - Fatigue Been a Problem
C174073	IBDQ0103	IBDQ01-Felt Frustrated	Quality of Life in Inflammatory Bowel Disease Questionnaire - How often during the last 2 weeks have you felt frustrated, impatient or restless?	IBDQ - Felt Frustrated
C174074	IBDQ0104	IBDQ01-Unable to Attend School or Work	Quality of Life in Inflammatory Bowel Disease Questionnaire - How often during the last 2 weeks have you been unable to attend school or do your work because of your bowel problem?	IBDQ - Unable to Attend School or Work
C174075	IBDQ0105	IBDQ01-Bowel Movements Been Loose	Quality of Life in Inflammatory Bowel Disease Questionnaire - How much of the time during the last 2 weeks have your bowel movements been loose?	IBDQ - Bowel Movements Been Loose
C174076	IBDQ0106	IBDQ01-How Much Energy Have You Had	Quality of Life in Inflammatory Bowel Disease Questionnaire - How much energy have you had during the last 2 weeks?	IBDQ - How Much Energy Have You Had
C174077	IBDQ0107	IBDQ01-Feel Worried About Surgery	Quality of Life in Inflammatory Bowel Disease Questionnaire - How often during the last 2 weeks did you feel worried about the possibility of needing to have surgery because of your bowel problem?	IBDQ - Feel Worried About Surgery
C174078	IBDQ0108	IBDQ01-Delay/Cancel Social Engagement	Quality of Life in Inflammatory Bowel Disease Questionnaire - How often during the last 2 weeks have you had to delay or cancel a social engagement because of your bowel problem?	IBDQ - Delay or Cancel Social Engagement
C174079	IBDQ0109	IBDQ01-Troubled by Cramps in Abdomen	Quality of Life in Inflammatory Bowel Disease Questionnaire - How often during the last 2 weeks have you been troubled by cramps in your abdomen?	IBDQ - Troubled by Cramps in Abdomen
C174080	IBDQ0110	IBDQ01-Felt Generally Unwell	Quality of Life in Inflammatory Bowel Disease Questionnaire - How often during the last 2 weeks have you felt generally unwell?	IBDQ - Felt Generally Unwell
C174081	IBDQ0111	IBDQ01-Fear of Not Finding a Washroom	Quality of Life in Inflammatory Bowel Disease Questionnaire - How often during the last 2 weeks have you been troubled because of fear of not finding a washroom?	IBDQ - Fear of Not Finding a Washroom
C174082	IBDQ0112	IBDQ01-Difficulty Doing Leisure/Sports	Quality of Life in Inflammatory Bowel Disease Questionnaire - How much difficulty have you had, as a result of your bowel problems, doing leisure or sports activities you would have liked to have done during the last 2 weeks?	IBDQ - Difficulty Doing Leisure or Sports
C174083	IBDQ0113	IBDQ01-Troubled by Pain in Abdomen	Quality of Life in Inflammatory Bowel Disease Questionnaire - How often during the last 2 weeks have you been troubled by pain in the abdomen?	IBDQ - Troubled by Pain in Abdomen
C174084	IBDQ0114	IBDQ01-Problems Getting Sleep/Waking Up	Quality of Life in Inflammatory Bowel Disease Questionnaire - How often during the last 2 weeks have you had problems getting a good night's sleep, or been troubled by waking up during the night?	IBDQ - Problems Getting Sleep or Waking Up
C174085	IBDQ0115	IBDQ01-Felt Depressed or Discouraged	Quality of Life in Inflammatory Bowel Disease Questionnaire - How often during the last 2 weeks have you felt depressed or discouraged?	IBDQ - Felt Depressed or Discouraged
C174086	IBDQ0116	IBDQ01-Avoid Events Where No Washroom	Quality of Life in Inflammatory Bowel Disease Questionnaire - How often during the last 2 weeks have you had to avoid attending events where there was no washroom close at hand?	IBDQ - Avoid Events Where No Washroom
C174087	IBDQ0117	IBDQ01-Problem Passing Large Amounts Gas	Quality of Life in Inflammatory Bowel Disease Questionnaire - Overall, in the last 2 weeks, how much of a problem have you had with passing large amounts of gas?	IBDQ - Problem Passing Large Amounts Gas
C174088	IBDQ0118	IBDQ01-Problem Maintaining Weight	Quality of Life in Inflammatory Bowel Disease Questionnaire - Overall, in the last 2 weeks, how much of a problem have you had maintaining or getting to, the weight you would like to be at?	IBDQ - Problem Maintaining Weight
C174089	IBDQ0119	IBDQ01-Felt Worried or Anxious	Quality of Life in Inflammatory Bowel Disease Questionnaire - In general, how often during the last 2 weeks have you felt worried or anxious?	IBDQ - Felt Worried or Anxious
C174090	IBDQ0120	IBDQ01-Troubled by Abdominal Bloating	Quality of Life in Inflammatory Bowel Disease Questionnaire - How much of the time during the last 2 week have you been troubled by a feeling of abdominal bloating?	IBDQ - Troubled by Abdominal Bloating

IBDQ - Quality of Life in Inflammatory Bowel Disease Questionnaire				
C174091	IBDQ0121	IBDQ01-Felt Relaxed and Free of Tension	Quality of Life in Inflammatory Bowel Disease Questionnaire - How often during the last 2 weeks have you felt relaxed and free of tension?	IBDQ - Felt Relaxed and Free of Tension
C174092	IBDQ0122	IBDQ01-Problem With Rectal Bleeding	Quality of Life in Inflammatory Bowel Disease Questionnaire - How much of the time during the last 2 weeks have you had a problem with rectal bleeding with your bowel movements?	IBDQ - Problem With Rectal Bleeding
C174093	IBDQ0123	IBDQ01-Felt Embarrassed Bowel Problem	Quality of Life in Inflammatory Bowel Disease Questionnaire - How much of the time during the last 2 weeks have you felt embarrassed as a result of your bowel problem?	IBDQ - Felt Embarrassed Bowel Problem
C174094	IBDQ0124	IBDQ01-Go to Bathroom Bowels Empty	Quality of Life in Inflammatory Bowel Disease Questionnaire - How much of the time during the last 2 weeks have you been troubled by a feeling of having to go to the bathroom even though your bowels were empty?	IBDQ - Go to Bathroom Bowels Empty
C174095	IBDQ0125	IBDQ01-Felt Tearful or Upset	Quality of Life in Inflammatory Bowel Disease Questionnaire - How much of the time during the last 2 weeks have you felt tearful or upset?	IBDQ - Felt Tearful or Upset
C174096	IBDQ0126	IBDQ01-Accidental Soiling of Underpants	Quality of Life in Inflammatory Bowel Disease Questionnaire - How much of the time during the last 2 weeks have you been troubled by accidental soiling of your underpants?	IBDQ - Accidental Soiling of Underpants
C174097	IBDQ0127	IBDQ01-Felt Angry Bowel Problem	Quality of Life in Inflammatory Bowel Disease Questionnaire - How much of the time during the last 2 weeks have you felt angry as a result of your bowel problem?	IBDQ - Felt Angry Bowel Problem
C174098	IBDQ0128	IBDQ01-Limited Sexual Activity	Quality of Life in Inflammatory Bowel Disease Questionnaire - To what extent has your bowel problem limited sexual activity during the last 2 weeks?	IBDQ - Limited Sexual Activity
C174099	IBDQ0129	IBDQ01-Nausea or Sick to Your Stomach	Quality of Life in Inflammatory Bowel Disease Questionnaire - How much of the time during the last 2 weeks have you been troubled by nausea or feeling sick to your stomach?	IBDQ - Nausea or Sick to Your Stomach
C174100	IBDQ0130	IBDQ01-Felt Irritable	Quality of Life in Inflammatory Bowel Disease Questionnaire - How much of the time during the last 2 weeks have you felt irritable?	IBDQ - Felt Irritable
C174101	IBDQ0131	IBDQ01-Lack of Understanding From Others	Quality of Life in Inflammatory Bowel Disease Questionnaire - How often during the past 2 weeks have you felt a lack of understanding from others?	IBDQ - Lack of Understanding From Others
C174102	IBDQ0132	IBDQ01-Satisfied With Personal Life	Quality of Life in Inflammatory Bowel Disease Questionnaire - How satisfied, happy, or pleased have you been with your personal life during the past 2 weeks?	IBDQ - Satisfied With Personal Life

C174096	IBDQ01-Accidental Soiling of Underpants	IBDQ01-Accidental Soiling of Underpants	Quality of Life in Inflammatory Bowel Disease Questionnaire - How much of the time during the last 2 weeks have you been troubled by accidental soiling of your underpants?	IBDQ - Accidental Soiling of Underpants
C174086	IBDQ01-Avoid Events Where No Washroom	IBDQ01-Avoid Events Where No Washroom	Quality of Life in Inflammatory Bowel Disease Questionnaire - How often during the last 2 weeks have you had to avoid attending events where there was no washroom close at hand?	IBDQ - Avoid Events Where No Washroom
C174075	IBDQ01-Bowel Movements Been Loose	IBDQ01-Bowel Movements Been Loose	Quality of Life in Inflammatory Bowel Disease Questionnaire - How much of the time during the last 2 weeks have your bowel movements been loose?	IBDQ - Bowel Movements Been Loose
C174078	IBDQ01-Delay/Cancel Social Engagement	IBDQ01-Delay/Cancel Social Engagement	Quality of Life in Inflammatory Bowel Disease Questionnaire - How often during the last 2 weeks have you had to delay or cancel a social engagement because of your bowel problem?	IBDQ - Delay or Cancel Social Engagement
C174082	IBDQ01-Difficulty Doing Leisure/Sports	IBDQ01-Difficulty Doing Leisure/Sports	Quality of Life in Inflammatory Bowel Disease Questionnaire - How much difficulty have you had, as a result of your bowel problems, doing leisure or sports activities you would have liked to have done during the last 2 weeks?	IBDQ - Difficulty Doing Leisure or Sports
C174072	IBDQ01-Fatigue Been a Problem	IBDQ01-Fatigue Been a Problem	Quality of Life in Inflammatory Bowel Disease Questionnaire - How often has the feeling of fatigue or of being tired and worn out been a problem for you during the last 2 weeks?	IBDQ - Fatigue Been a Problem
C174081	IBDQ01-Fear of Not Finding a Washroom	IBDQ01-Fear of Not Finding a Washroom	Quality of Life in Inflammatory Bowel Disease Questionnaire - How often during the last 2 weeks have you been troubled because of fear of not finding a washroom?	IBDQ - Fear of Not Finding a Washroom
C174077	IBDQ01-Feel Worried About Surgery	IBDQ01-Feel Worried About Surgery	Quality of Life in Inflammatory Bowel Disease Questionnaire - How often during the last 2 weeks did you feel worried about the possibility of needing to have surgery because of your bowel problem?	IBDQ - Feel Worried About Surgery
C174097	IBDQ01-Felt Angry Bowel Problem	IBDQ01-Felt Angry Bowel Problem	Quality of Life in Inflammatory Bowel Disease Questionnaire - How much of the time during the last 2 weeks have you felt angry as a result of your bowel problem?	IBDQ - Felt Angry Bowel Problem
C174085	IBDQ01-Felt Depressed or Discouraged	IBDQ01-Felt Depressed or Discouraged	Quality of Life in Inflammatory Bowel Disease Questionnaire - How often during the last 2 weeks have you felt depressed or discouraged?	IBDQ - Felt Depressed or Discouraged
C174093	IBDQ01-Felt Embarrassed Bowel Problem	IBDQ01-Felt Embarrassed Bowel Problem	Quality of Life in Inflammatory Bowel Disease Questionnaire - How much of the time during the last 2 weeks have you felt embarrassed as a result of your bowel problem?	IBDQ - Felt Embarrassed Bowel Problem
C174073	IBDQ01-Felt Frustrated	IBDQ01-Felt Frustrated	Quality of Life in Inflammatory Bowel Disease Questionnaire - How often during the last 2 weeks have you felt frustrated, impatient or restless?	IBDQ - Felt Frustrated
C174080	IBDQ01-Felt Generally Unwell	IBDQ01-Felt Generally Unwell	Quality of Life in Inflammatory Bowel Disease Questionnaire - How often during the last 2 weeks have you felt generally unwell?	IBDQ - Felt Generally Unwell
C174100	IBDQ01-Felt Irritable	IBDQ01-Felt Irritable	Quality of Life in Inflammatory Bowel Disease Questionnaire - How much of the time during the last 2 weeks have you felt irritable?	IBDQ - Felt Irritable
C174091	IBDQ01-Felt Relaxed and Free of Tension	IBDQ01-Felt Relaxed and Free of Tension	Quality of Life in Inflammatory Bowel Disease Questionnaire - How often during the last 2 weeks have you felt relaxed and free of tension?	IBDQ - Felt Relaxed and Free of Tension
C174095	IBDQ01-Felt Tearful or Upset	IBDQ01-Felt Tearful or Upset	Quality of Life in Inflammatory Bowel Disease Questionnaire - How much of the time during the last 2 weeks have you felt tearful or upset?	IBDQ - Felt Tearful or Upset
C174089	IBDQ01-Felt Worried or Anxious	IBDQ01-Felt Worried or Anxious	Quality of Life in Inflammatory Bowel Disease Questionnaire - In general, how often during the last 2 weeks have you felt worried or anxious?	IBDQ - Felt Worried or Anxious
C174094	IBDQ01-Go to Bathroom Bowels Empty	IBDQ01-Go to Bathroom Bowels Empty	Quality of Life in Inflammatory Bowel Disease Questionnaire - How much of the time during the last 2 weeks have you been troubled by a feeling of having to go to the bathroom even though your bowels were empty?	IBDQ - Go to Bathroom Bowels Empty
C174071	IBDQ01-How Frequent Bowel Movements	IBDQ01-How Frequent Bowel Movements	Quality of Life in Inflammatory Bowel Disease Questionnaire - How frequent have your bowel movements been during the last two weeks?	IBDQ - How Frequent Bowel Movements
C174076	IBDQ01-How Much Energy Have You Had	IBDQ01-How Much Energy Have You Had	Quality of Life in Inflammatory Bowel Disease Questionnaire - How much energy have you had during the last 2 weeks?	IBDQ - How Much Energy Have You Had

IBDQ - Quality of Life in Inflammatory Bowel Disease Questionnaire				
C174101	IBDQ01-Lack of Understanding From Others	IBDQ01-Lack of Understanding From Others	Quality of Life in Inflammatory Bowel Disease Questionnaire - How often during the past 2 weeks have you felt a lack of understanding from others?	IBDQ - Lack of Understanding From Others
C174098	IBDQ01-Limited Sexual Activity	IBDQ01-Limited Sexual Activity	Quality of Life in Inflammatory Bowel Disease Questionnaire - To what extent has your bowel problem limited sexual activity during the last 2 weeks?	IBDQ - Limited Sexual Activity
C174099	IBDQ01-Nausea or Sick to Your Stomach	IBDQ01-Nausea or Sick to Your Stomach	Quality of Life in Inflammatory Bowel Disease Questionnaire - How much of the time during the last 2 weeks have you been troubled by nausea or feeling sick to your stomach?	IBDQ - Nausea or Sick to Your Stomach
C174088	IBDQ01-Problem Maintaining Weight	IBDQ01-Problem Maintaining Weight	Quality of Life in Inflammatory Bowel Disease Questionnaire - Overall, in the last 2 weeks, how much of a problem have you had maintaining or getting to, the weight you would like to be at?	IBDQ - Problem Maintaining Weight
C174087	IBDQ01-Problem Passing Large Amounts Gas	IBDQ01-Problem Passing Large Amounts Gas	Quality of Life in Inflammatory Bowel Disease Questionnaire - Overall, in the last 2 weeks, how much of a problem have you had with passing large amounts of gas?	IBDQ - Problem Passing Large Amounts Gas
C174092	IBDQ01-Problem With Rectal Bleeding	IBDQ01-Problem With Rectal Bleeding	Quality of Life in Inflammatory Bowel Disease Questionnaire - How much of the time during the last 2 weeks have you had a problem with rectal bleeding with your bowel movements?	IBDQ - Problem With Rectal Bleeding
C174084	IBDQ01-Problems Getting Sleep/Waking Up	IBDQ01-Problems Getting Sleep/Waking Up	Quality of Life in Inflammatory Bowel Disease Questionnaire - How often during the last 2 weeks have you had problems getting a good night's sleep, or been troubled by waking up during the night?	IBDQ - Problems Getting Sleep or Waking Up
C174102	IBDQ01-Satisfied With Personal Life	IBDQ01-Satisfied With Personal Life	Quality of Life in Inflammatory Bowel Disease Questionnaire - How satisfied, happy, or pleased have you been with your personal life during the past 2 weeks?	IBDQ - Satisfied With Personal Life
C174090	IBDQ01-Troubled by Abdominal Bloating	IBDQ01-Troubled by Abdominal Bloating	Quality of Life in Inflammatory Bowel Disease Questionnaire - How much of the time during the last 2 week have you been troubled by a feeling of abdominal bloating?	IBDQ - Troubled by Abdominal Bloating
C174079	IBDQ01-Troubled by Cramps in Abdomen	IBDQ01-Troubled by Cramps in Abdomen	Quality of Life in Inflammatory Bowel Disease Questionnaire - How often during the last 2 weeks have you been troubled by cramps in your abdomen?	IBDQ - Troubled by Cramps in Abdomen
C174083	IBDQ01-Troubled by Pain in Abdomen	IBDQ01-Troubled by Pain in Abdomen	Quality of Life in Inflammatory Bowel Disease Questionnaire - How often during the last 2 weeks have you been troubled by pain in the abdomen?	IBDQ - Troubled by Pain in Abdomen
C174074	IBDQ01-Unable to Attend School or Work	IBDQ01-Unable to Attend School or Work	Quality of Life in Inflammatory Bowel Disease Questionnaire - How often during the last 2 weeks have you been unable to attend school or do your work because of your bowel problem?	IBDQ - Unable to Attend School or Work

Inventory of Depressive Symptomatology - Clinician-Rated				
C130360	IDSC101	IDSC1-Sleep Onset Insomnia	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Sleep onset insomnia.	IDS-C - Sleep Onset Insomnia
C130361	IDSC102	IDSC1-Mid-Nocturnal Insomnia	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Mid-nocturnal insomnia.	IDS-C - Mid-Nocturnal Insomnia
C130362	IDSC103	IDSC1-Early Morning Insomnia	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Early morning insomnia.	IDS-C - Early Morning Insomnia
C130363	IDSC104	IDSC1-Hypersomnia	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Hypersomnia.	IDS-C - Hypersomnia
C130364	IDSC105	IDSC1-Mood (Sad)	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Mood (sad).	IDS-C - Mood (Sad)
C130365	IDSC106	IDSC1-Mood (Irritable)	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Mood (irritable).	IDS-C - Mood (Irritable)
C130366	IDSC107	IDSC1-Mood (Anxious)	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Mood (anxious).	IDS-C - Mood (Anxious)
C130367	IDSC108	IDSC1-Reactivity of Mood	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Reactivity of mood.	IDS-C - Reactivity of Mood
C130368	IDSC109	IDSC1-Mood Variation	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Mood variation.	IDS-C - Mood Variation
C130369	IDSC109A	IDSC1-Mood Worse Morn/Afternoon/Night	Inventory of Depressive Symptomatology - Clinician-Rated - Is mood typically worse in morning, afternoon, or night.	IDS-C - Mood Worse in Morning, Afternoon, or Night
C130370	IDSC109B	IDSC1-Mood Attributed to Environment	Inventory of Depressive Symptomatology - Clinician-Rated - Is mood variation attributed to environment by the patient?	IDS-C - Mood Variation Attributed to Environment
C130371	IDSC110	IDSC1-Quality of Mood	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Quality of mood.	IDS-C - Quality of Mood
C130372	IDSC111	IDSC1-Appetite (Decreased)	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Appetite (decreased).	IDS-C - Appetite (Decreased)
C130373	IDSC112	IDSC1-Appetite (Increased)	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Appetite (increased).	IDS-C - Appetite (Increased)
C130374	IDSC113	IDSC1-Weight (Decrease)	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Weight (decrease) within the last two weeks.	IDS-C - Weight (Decrease)
C130375	IDSC114	IDSC1-Weight (Increase)	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Weight (increase) within the last two weeks.	IDS-C - Weight (Increase)
C130376	IDSC115	IDSC1-Concentration/Decision Making	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Concentration/decision making.	IDS-C - Concentration or Decision Making
C130377	IDSC116	IDSC1-Outlook (Self)	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Outlook (self).	IDS-C - Outlook (Self)
C130378	IDSC117	IDSC1-Outlook (Future)	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Outlook (future).	IDS-C - Outlook (Future)
C130379	IDSC118	IDSC1-Suicidal Ideation	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Suicidal ideation.	IDS-C - Suicidal Ideation

Inventory of Depressive Symptomatology - Clinician-Rated				
		IDSC Item	Description	IDS-C Category
C130380	IDSC119	IDSC1-Involvement	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Involvement.	IDS-C - Involvement
C130381	IDSC120	IDSC1-Energy/Fatiguability	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Energy/fatiguability.	IDS-C - Energy or Fatiguability
C130382	IDSC121	IDSC1-Pleasure/Enjoyment (Exclude Sex)	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Pleasure/enjoyment (exclude sexual activities).	IDS-C - Pleasure or Enjoyment
C130383	IDSC122	IDSC1-Sexual Interest	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Sexual interest.	IDS-C - Sexual Interest
C130384	IDSC123	IDSC1-Psychomotor Slowing	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Psychomotor slowing.	IDS-C - Psychomotor Slowing
C130385	IDSC124	IDSC1-Psychomotor Agitation	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Psychomotor agitation.	IDS-C - Psychomotor Agitation
C130386	IDSC125	IDSC1-Somatic Complaints	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Somatic complaints.	IDS-C - Somatic Complaints
C130387	IDSC126	IDSC1-Sympathetic Arousal	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Sympathetic arousal.	IDS-C - Sympathetic Arousal
C130388	IDSC127	IDSC1-Panic/Phobic Symptoms	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Panic/phobic symptoms.	IDS-C - Panic or Phobic Symptoms
C130389	IDSC128	IDSC1-Gastrointestinal	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Gastrointestinal.	IDS-C - Gastrointestinal
C130390	IDSC129	IDSC1-Interpersonal Sensitivity	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Interpersonal sensitivity.	IDS-C - Interpersonal Sensitivity
C130391	IDSC130	IDSC1-Leaden Paralysis/Physical Energy	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Leaden paralysis/physical energy.	IDS-C - Leaden Paralysis or Physical Energy
C130392	IDSC131	IDSC1-Score	Inventory of Depressive Symptomatology - Clinician-Rated - Score.	IDS-C - Score

C130372	IDSC1-Appetite (Decreased)	IDSC1-Appetite (Decreased)	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Appetite (decreased).	IDS-C - Appetite (Decreased)
C130373	IDSC1-Appetite (Increased)	IDSC1-Appetite (Increased)	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Appetite (increased).	IDS-C - Appetite (Increased)
C130376	IDSC1-Concentration/Decision Making	IDSC1-Concentration/Decision Making	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Concentration/decision making.	IDS-C - Concentration or Decision Making
C130362	IDSC1-Early Morning Insomnia	IDSC1-Early Morning Insomnia	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Early morning insomnia.	IDS-C - Early Morning Insomnia
C130381	IDSC1-Energy/Fatiguability	IDSC1-Energy/Fatiguability	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Energy/fatiguability.	IDS-C - Energy or Fatiguability
C130389	IDSC1-Gastrointestinal	IDSC1-Gastrointestinal	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Gastrointestinal.	IDS-C - Gastrointestinal
C130363	IDSC1-Hypersomnia	IDSC1-Hypersomnia	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Hypersomnia.	IDS-C - Hypersomnia
C130390	IDSC1-Interpersonal Sensitivity	IDSC1-Interpersonal Sensitivity	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Interpersonal sensitivity.	IDS-C - Interpersonal Sensitivity
C130380	IDSC1-Involvement	IDSC1-Involvement	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Involvement.	IDS-C - Involvement
C130391	IDSC1-Leaden Paralysis/Physical Energy	IDSC1-Leaden Paralysis/Physical Energy	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Leaden paralysis/physical energy.	IDS-C - Leaden Paralysis or Physical Energy
C130361	IDSC1-Mid-Nocturnal Insomnia	IDSC1-Mid-Nocturnal Insomnia	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Mid-nocturnal insomnia.	IDS-C - Mid-Nocturnal Insomnia
C130366	IDSC1-Mood (Anxious)	IDSC1-Mood (Anxious)	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Mood (anxious).	IDS-C - Mood (Anxious)
C130365	IDSC1-Mood (Irritable)	IDSC1-Mood (Irritable)	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Mood (irritable).	IDS-C - Mood (Irritable)
C130364	IDSC1-Mood (Sad)	IDSC1-Mood (Sad)	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Mood (sad).	IDS-C - Mood (Sad)
C130370	IDSC1-Mood Attributed to Environment	IDSC1-Mood Attributed to Environment	Inventory of Depressive Symptomatology - Clinician-Rated - Is mood variation attributed to environment by the patient?	IDS-C - Mood Variation Attributed to Environment
C130368	IDSC1-Mood Variation	IDSC1-Mood Variation	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Mood variation.	IDS-C - Mood Variation
C130369	IDSC1-Mood Worse Morn/Afternoon/Night	IDSC1-Mood Worse Morn/Afternoon/Night	Inventory of Depressive Symptomatology - Clinician-Rated - Is mood typically worse in morning, afternoon, or night.	IDS-C - Mood Worse in Morning, Afternoon, or Night
C130378	IDSC1-Outlook (Future)	IDSC1-Outlook (Future)	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Outlook (future).	IDS-C - Outlook (Future)
C130377	IDSC1-Outlook (Self)	IDSC1-Outlook (Self)	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Outlook (self).	IDS-C - Outlook (Self)
C130388	IDSC1-Panic/Phobic Symptoms	IDSC1-Panic/Phobic Symptoms	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Panic/phobic symptoms.	IDS-C - Panic or Phobic Symptoms
C130382	IDSC1-Pleasure/Enjoyment (Exclude Sex)	IDSC1-Pleasure/Enjoyment (Exclude Sex)	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Pleasure/enjoyment (exclude sexual activities).	IDS-C - Pleasure or Enjoyment

Inventory of Depressive Symptomatology - Clinician-Rated				
	IDSC1-Psychomotor Agitation	IDSC1-Psychomotor Agitation	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Psychomotor agitation.	IDS-C - Psychomotor Agitation
C130385	IDSC1-Psychomotor Agitation	IDSC1-Psychomotor Agitation	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Psychomotor agitation.	IDS-C - Psychomotor Agitation
C130384	IDSC1-Psychomotor Slowing	IDSC1-Psychomotor Slowing	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Psychomotor slowing.	IDS-C - Psychomotor Slowing
C130371	IDSC1-Quality of Mood	IDSC1-Quality of Mood	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Quality of mood.	IDS-C - Quality of Mood
C130367	IDSC1-Reactivity of Mood	IDSC1-Reactivity of Mood	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Reactivity of mood.	IDS-C - Reactivity of Mood
C130392	IDSC1-Score	IDSC1-Score	Inventory of Depressive Symptomatology - Clinician-Rated - Score.	IDS-C - Score
C130383	IDSC1-Sexual Interest	IDSC1-Sexual Interest	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Sexual interest.	IDS-C - Sexual Interest
C130360	IDSC1-Sleep Onset Insomnia	IDSC1-Sleep Onset Insomnia	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Sleep onset insomnia.	IDS-C - Sleep Onset Insomnia
C130386	IDSC1-Somatic Complaints	IDSC1-Somatic Complaints	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Somatic complaints.	IDS-C - Somatic Complaints
C130379	IDSC1-Suicidal Ideation	IDSC1-Suicidal Ideation	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Suicidal ideation.	IDS-C - Suicidal Ideation
C130387	IDSC1-Sympathetic Arousal	IDSC1-Sympathetic Arousal	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Sympathetic arousal.	IDS-C - Sympathetic Arousal
C130374	IDSC1-Weight (Decrease)	IDSC1-Weight (Decrease)	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Weight (decrease) within the last two weeks.	IDS-C - Weight (Decrease)
C130375	IDSC1-Weight (Increase)	IDSC1-Weight (Increase)	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Weight (increase) within the last two weeks.	IDS-C - Weight (Increase)

Inventory of Depressive Symptomatology - Self-Report				
Code	Codelist	Description	Text	Display Name
C130551	IDSR101	IDSR1-Falling Asleep	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Falling asleep.	IDS-SR - Falling Asleep
C130552	IDSR102	IDSR1-Sleep During the Night	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Sleep during the night.	IDS-SR - Sleep During the Night
C130553	IDSR103	IDSR1-Waking Up Too Early	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Waking up too early.	IDS-SR - Waking Up Too Early
C130554	IDSR104	IDSR1-Sleeping Too Much	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Sleeping too much.	IDS-SR - Sleeping Too Much
C130555	IDSR105	IDSR1-Feeling Sad	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Feeling sad.	IDS-SR - Feeling Sad
C130556	IDSR106	IDSR1-Feeling Irritable	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Feeling irritable.	IDS-SR - Feeling Irritable
C130557	IDSR107	IDSR1-Feeling Anxious or Tense	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Feeling anxious or tense.	IDS-SR - Feeling Anxious or Tense
C130558	IDSR108	IDSR1-Your Mood to Good/Desired Events	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Response of your mood to good or desired events.	IDS-SR - Response of Your Mood to Good or Desired Events
C130559	IDSR109	IDSR1-Mood in Relation to Time of Day	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Mood in relation to the time of day.	IDS-SR - Mood in Relation to the Time of Day
C130560	IDSR109A	IDSR1-Mood Worse Morn/Afternoon/Night	Inventory of Depressive Symptomatology - Self-Report - Is your mood typically worse in the morning, afternoon or night?	IDS-SR - Mood Worse in Morning, Afternoon, or Night
C130561	IDSR109B	IDSR1-Mood Attributed to Environment	Inventory of Depressive Symptomatology - Self-Report - Is your mood variation attributed to the environment?	IDS-SR - Mood Variation Attributed to Environment
C130562	IDSR110	IDSR1-Quality of Your Mood	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: The quality of your mood.	IDS-SR - The Quality of Your Mood
C130563	IDSR111	IDSR1-Decreased Appetite	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Decreased appetite.	IDS-SR - Decreased Appetite
C130564	IDSR112	IDSR1-Increased Appetite	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Increased appetite.	IDS-SR - Increased Appetite
C130565	IDSR113	IDSR1-Weight (Decrease)	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: within the last two weeks: Weight (decrease).	IDS-SR - Weight (Decrease)
C130566	IDSR114	IDSR1-Weight (Increase)	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: within the last two weeks: Weight (increase).	IDS-SR - Weight (Increase)
C130567	IDSR115	IDSR1-Concentration/Decision Making	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Concentration/decision making.	IDS-SR - Concentration or Decision Making
C130568	IDSR116	IDSR1-View of Myself	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: View of myself.	IDS-SR - View of Myself
C130569	IDSR117	IDSR1-View of My Future	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: View of my future.	IDS-SR - View of My Future
C130570	IDSR118	IDSR1-Thoughts of Death or Suicide	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Thoughts of death or suicide.	IDS-SR - Thoughts of Death or Suicide

Inventory of Depressive Symptomatology - Self-Report				
	IDSR Item	IDSR Description	Description	IDS-SR Description
C130571	IDSR119	IDSR1-General Interest	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: General interest.	IDS-SR - General Interest
C130572	IDSR120	IDSR1-Energy Level	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Energy level.	IDS-SR - Energy Level
C130573	IDSR121	IDSR1-Pleasure/Enjoyment (Exclude Sex)	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Capacity for pleasure or enjoyment (excluding sex).	IDS-SR - Capacity for Pleasure or Enjoyment
C130574	IDSR122	IDSR1-Interest in Sex	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Interest in sex.	IDS-SR - Interest in Sex
C130575	IDSR123	IDSR1-Feeling Slowed Down	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Feeling slowed down.	IDS-SR - Feeling Slowed Down
C130576	IDSR124	IDSR1-Feeling Restless	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Feeling restless.	IDS-SR - Feeling Restless
C130577	IDSR125	IDSR1-Aches and Pains	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Aches and pains.	IDS-SR - Aches and Pains
C130578	IDSR126	IDSR1-Other Bodily Symptoms	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Other bodily symptoms.	IDS-SR - Other Bodily Symptoms
C130579	IDSR127	IDSR1-Panic/Phobic Symptoms	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Panic/phobic symptoms.	IDS-SR - Panic or Phobic Symptoms
C130580	IDSR128	IDSR1-Constipation/Diarrhea	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Constipation/diarrhea.	IDS-SR - Constipation or Diarrhea
C130581	IDSR129	IDSR1-Interpersonal Sensitivity	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Interpersonal sensitivity.	IDS-SR - Interpersonal Sensitivity
C130582	IDSR130	IDSR1-Leaden Paralysis/Physical Energy	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Leaden paralysis/physical energy.	IDS-SR - Leaden Paralysis or Physical Energy
C130583	IDSR131	IDSR1-Score	Inventory of Depressive Symptomatology - Self-Report - Score.	IDS-SR - Score

C130577	IDSR1-Aches and Pains	IDSR1-Aches and Pains	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Aches and pains.	IDS-SR - Aches and Pains
C130567	IDSR1-Concentration/Decision Making	IDSR1-Concentration/Decision Making	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Concentration/decision making.	IDS-SR - Concentration or Decision Making
C130580	IDSR1-Constipation/Diarrhea	IDSR1-Constipation/Diarrhea	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Constipation/diarrhea.	IDS-SR - Constipation or Diarrhea
C130563	IDSR1-Decreased Appetite	IDSR1-Decreased Appetite	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Decreased appetite.	IDS-SR - Decreased Appetite
C130572	IDSR1-Energy Level	IDSR1-Energy Level	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Energy level.	IDS-SR - Energy Level
C130551	IDSR1-Falling Asleep	IDSR1-Falling Asleep	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Falling asleep.	IDS-SR - Falling Asleep
C130557	IDSR1-Feeling Anxious or Tense	IDSR1-Feeling Anxious or Tense	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Feeling anxious or tense.	IDS-SR - Feeling Anxious or Tense
C130556	IDSR1-Feeling Irritable	IDSR1-Feeling Irritable	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Feeling irritable.	IDS-SR - Feeling Irritable
C130576	IDSR1-Feeling Restless	IDSR1-Feeling Restless	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Feeling restless.	IDS-SR - Feeling Restless
C130555	IDSR1-Feeling Sad	IDSR1-Feeling Sad	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Feeling sad.	IDS-SR - Feeling Sad
C130575	IDSR1-Feeling Slowed Down	IDSR1-Feeling Slowed Down	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Feeling slowed down.	IDS-SR - Feeling Slowed Down
C130571	IDSR1-General Interest	IDSR1-General Interest	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: General interest.	IDS-SR - General Interest
C130564	IDSR1-Increased Appetite	IDSR1-Increased Appetite	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Increased appetite.	IDS-SR - Increased Appetite
C130574	IDSR1-Interest in Sex	IDSR1-Interest in Sex	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Interest in sex.	IDS-SR - Interest in Sex
C130581	IDSR1-Interpersonal Sensitivity	IDSR1-Interpersonal Sensitivity	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Interpersonal sensitivity.	IDS-SR - Interpersonal Sensitivity
C130582	IDSR1-Leaden Paralysis/Physical Energy	IDSR1-Leaden Paralysis/Physical Energy	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Leaden paralysis/physical energy.	IDS-SR - Leaden Paralysis or Physical Energy
C130561	IDSR1-Mood Attributed to Environment	IDSR1-Mood Attributed to Environment	Inventory of Depressive Symptomatology - Self-Report - Is your mood variation attributed to the environment?	IDS-SR - Mood Variation Attributed to Environment
C130559	IDSR1-Mood in Relation to Time of Day	IDSR1-Mood in Relation to Time of Day	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Mood in relation to the time of day.	IDS-SR - Mood in Relation to the Time of Day
C130560	IDSR1-Mood Worse Morn/Afternoon/Night	IDSR1-Mood Worse Morn/Afternoon/Night	Inventory of Depressive Symptomatology - Self-Report - Is your mood typically worse in the morning, afternoon or night?	IDS-SR - Mood Worse in Morning, Afternoon, or Night
C130578	IDSR1-Other Bodily Symptoms	IDSR1-Other Bodily Symptoms	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Other bodily symptoms.	IDS-SR - Other Bodily Symptoms
C130579	IDSR1-Panic/Phobic Symptoms	IDSR1-Panic/Phobic Symptoms	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Panic/phobic symptoms.	IDS-SR - Panic or Phobic Symptoms

Inventory of Depressive Symptomatology - Self-Report				
ID	Item Description	Scale Description	Description	Category
C130573	IDS1-Pleasure/Enjoyment (Exclude Sex)	IDS1-Pleasure/Enjoyment (Exclude Sex)	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Capacity for pleasure or enjoyment (excluding sex).	IDS-SR - Capacity for Pleasure or Enjoyment
C130562	IDS1-Quality of Your Mood	IDS1-Quality of Your Mood	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: The quality of your mood.	IDS-SR - The Quality of Your Mood
C130583	IDS1-Score	IDS1-Score	Inventory of Depressive Symptomatology - Self-Report - Score.	IDS-SR - Score
C130552	IDS1-Sleep During the Night	IDS1-Sleep During the Night	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Sleep during the night.	IDS-SR - Sleep During the Night
C130554	IDS1-Sleeping Too Much	IDS1-Sleeping Too Much	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Sleeping too much.	IDS-SR - Sleeping Too Much
C130570	IDS1-Thoughts of Death or Suicide	IDS1-Thoughts of Death or Suicide	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Thoughts of death or suicide.	IDS-SR - Thoughts of Death or Suicide
C130569	IDS1-View of My Future	IDS1-View of My Future	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: View of my future.	IDS-SR - View of My Future
C130568	IDS1-View of Myself	IDS1-View of Myself	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: View of myself.	IDS-SR - View of Myself
C130553	IDS1-Waking Up Too Early	IDS1-Waking Up Too Early	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Waking up too early.	IDS-SR - Waking Up Too Early
C130565	IDS1-Weight (Decrease)	IDS1-Weight (Decrease)	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: within the last two weeks: Weight (decrease).	IDS-SR - Weight (Decrease)
C130566	IDS1-Weight (Increase)	IDS1-Weight (Increase)	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: within the last two weeks: Weight (increase).	IDS-SR - Weight (Increase)
C130558	IDS1-Your Mood to Good/Desired Events	IDS1-Your Mood to Good/Desired Events	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Response of your mood to good or desired events.	IDS-SR - Response of Your Mood to Good or Desired Events

International Index of Erectile Function - Over the past four weeks				
C103587	IIEF0101	IIEF01-Erection During Sexual Activity;IIEF01-Erection Frequency	International Index of Erectile Function - Over the past four weeks how often were you able to get an erection during sexual activity?	IIEF - Able to Get an Erection During Sexual Activity
C103588	IIEF0102	IIEF01-Erection Firmness;IIEF01-Erection Hard Enough to Penetrate	International Index of Erectile Function - Over the past four weeks when you had erections with sexual stimulation, how often were your erections hard enough for penetration?	IIEF - Erections Hard Enough for Penetration
C103589	IIEF0103	IIEF01-Able to Penetrate Your Partner;IIEF01-Penetration Ability	International Index of Erectile Function - Over the past four weeks when you attempted sexual intercourse, how often were you able to penetrate (enter) your partner?	IIEF - Able to Penetrate Your Partner
C103590	IIEF0104	IIEF01-Maintain Erection After Penetrate;IIEF01-Maintenance Frequency	International Index of Erectile Function - Over the past four weeks during sexual intercourse, how often were you able to maintain your erection after you had penetrated (entered) your partner?	IIEF - Able to Maintain Your Erection After You Had Penetrated Your Partner
C103591	IIEF0105	IIEF01-Maintain Erection to Completion;IIEF01-Maintenance Ability	International Index of Erectile Function - Over the past four weeks during sexual intercourse, how difficult was it to maintain your erection to completion of intercourse?	IIEF - Maintain Your Erection to Completion of Intercourse
C103592	IIEF0106	IIEF01-Intercourse Frequency;IIEF01-Times Attempted Sexual Intercours	International Index of Erectile Function - Over the past four weeks how many times have you attempted sexual intercourse?	IIEF - How Many Times Have You Attempted Sexual Intercourse
C103593	IIEF0107	IIEF01-How Often was it Satisfactory;IIEF01-Intercourse Satisfaction	International Index of Erectile Function - Over the past four weeks when you attempted sexual intercourse, how often was it satisfactory for you?	IIEF - How Often was it Satisfactory for You
C103594	IIEF0108	IIEF01-Enjoyed Sexual Intercourse;IIEF01-Intercourse Enjoyment	International Index of Erectile Function - Over the past four weeks how much have you enjoyed sexual intercourse?	IIEF - How Much Have You Enjoyed Sexual Intercourse
C103595	IIEF0109	IIEF01-Ejaculation Frequency;IIEF01-How Often Did You Ejaculate	International Index of Erectile Function - Over the past four weeks when you had sexual stimulation or intercourse, how often did you ejaculate?	IIEF - How Often Did You Ejaculate
C103596	IIEF0110	IIEF01-Did You Have Feeling of Orgasm;IIEF01-Orgasm Frequency	International Index of Erectile Function - Over the past four weeks when you had sexual stimulation or intercourse, how often did you have the feeling of orgasm with or without ejaculation?	IIEF - Did You Have Feeling of Orgasm With or Without Ejaculation
C103597	IIEF0111	IIEF01-Desire Frequency;IIEF01-Have You Felt Sexual Desire	International Index of Erectile Function - Over the past four weeks how often have you felt sexual desire?	IIEF - How Often Have You Felt Sexual Desire
C103598	IIEF0112	IIEF01-Desire Level;IIEF01-Rate Your Level of Sexual Desire	International Index of Erectile Function - Over the past four weeks how would you rate your level of sexual desire?	IIEF - Rate Your Level of Sexual Desire
C103599	IIEF0113	IIEF01-Overall Satisfaction;IIEF01-Satisfied with Overall Sex Life	International Index of Erectile Function - Over the past four weeks how satisfied have you been with your overall sex life?	IIEF - Satisfied with Overall Sex Life
C103600	IIEF0114	IIEF01-Relationship Satisfaction;IIEF01-Satisfy with Sexual Relationship	International Index of Erectile Function - Over the past four weeks how satisfied have you been with your sexual relationship with your partner?	IIEF - Satisfied with Your Sexual Relationship with Your Partner
C103601	IIEF0115	IIEF01-Confidence to Get/Keep Erection;IIEF01-Erection Confidence	International Index of Erectile Function - Over the past four weeks how do you rate your confidence that you could get and keep an erection?	IIEF - Your Confidence to Get and Keep an Erection

C103589	IIEF01-Able to Penetrate Your Partner	IIEF01-Able to Penetrate Your Partner;IIEF01-Penetration Ability	International Index of Erectile Function - Over the past four weeks when you attempted sexual intercourse, how often were you able to penetrate (enter) your partner?	IIEF - Able to Penetrate Your Partner
C103601	IIEF01-Confidence to Get/Keep Erection	IIEF01-Confidence to Get/Keep Erection;IIEF01-Erection Confidence	International Index of Erectile Function - Over the past four weeks how do you rate your confidence that you could get and keep an erection?	IIEF - Your Confidence to Get and Keep an Erection
C103596	IIEF01-Did You Have Feeling of Orgasm	IIEF01-Did You Have Feeling of Orgasm;IIEF01-Orgasm Frequency	International Index of Erectile Function - Over the past four weeks when you had sexual stimulation or intercourse, how often did you have the feeling of orgasm with or without ejaculation?	IIEF - Did You Have Feeling of Orgasm With or Without Ejaculation
C103594	IIEF01-Enjoyed Sexual Intercourse	IIEF01-Enjoyed Sexual Intercourse;IIEF01-Intercourse Enjoyment	International Index of Erectile Function - Over the past four weeks how much have you enjoyed sexual intercourse?	IIEF - How Much Have You Enjoyed Sexual Intercourse
C103587	IIEF01-Erection During Sexual Activity	IIEF01-Erection During Sexual Activity;IIEF01-Erection Frequency	International Index of Erectile Function - Over the past four weeks how often were you able to get an erection during sexual activity?	IIEF - Able to Get an Erection During Sexual Activity
C103588	IIEF01-Erection Hard Enough to Penetrate	IIEF01-Erection Firmness;IIEF01-Erection Hard Enough to Penetrate	International Index of Erectile Function - Over the past four weeks when you had erections with sexual stimulation, how often were your erections hard enough for penetration?	IIEF - Erections Hard Enough for Penetration
C103597	IIEF01-Have You Felt Sexual Desire	IIEF01-Desire Frequency;IIEF01-Have You Felt Sexual Desire	International Index of Erectile Function - Over the past four weeks how often have you felt sexual desire?	IIEF - How Often Have You Felt Sexual Desire
C103595	IIEF01-How Often Did You Ejaculate	IIEF01-Ejaculation Frequency;IIEF01-How Often Did You Ejaculate	International Index of Erectile Function - Over the past four weeks when you had sexual stimulation or intercourse, how often did you ejaculate?	IIEF - How Often Did You Ejaculate
C103593	IIEF01-How Often was it Satisfactory	IIEF01-How Often was it Satisfactory;IIEF01-Intercourse Satisfaction	International Index of Erectile Function - Over the past four weeks when you attempted sexual intercourse, how often was it satisfactory for you?	IIEF - How Often was it Satisfactory for You
C103590	IIEF01-Maintain Erection After Penetrate	IIEF01-Maintain Erection After Penetrate;IIEF01-Maintenance Frequency	International Index of Erectile Function - Over the past four weeks during sexual intercourse, how often were you able to maintain your erection after you had penetrated (entered) your partner?	IIEF - Able to Maintain Your Erection After You Had Penetrated Your Partner
C103591	IIEF01-Maintain Erection to Completion	IIEF01-Maintain Erection to Completion;IIEF01-Maintenance Ability	International Index of Erectile Function - Over the past four weeks during sexual intercourse, how difficult was it to maintain your erection to completion of intercourse?	IIEF - Maintain Your Erection to Completion of Intercourse
C103598	IIEF01-Rate Your Level of Sexual Desire	IIEF01-Desire Level;IIEF01-Rate Your Level of Sexual Desire	International Index of Erectile Function - Over the past four weeks how would you rate your level of sexual desire?	IIEF - Rate Your Level of Sexual Desire
C103599	IIEF01-Satisfied with Overall Sex Life	IIEF01-Overall Satisfaction;IIEF01-Satisfied with Overall Sex Life	International Index of Erectile Function - Over the past four weeks how satisfied have you been with your overall sex life?	IIEF - Satisfied with Overall Sex Life
C103600	IIEF01-Satisfy with Sexual Relationship	IIEF01-Relationship Satisfaction;IIEF01-Satisfy with Sexual Relationship	International Index of Erectile Function - Over the past four weeks how satisfied have you been with your sexual relationship with your partner?	IIEF - Satisfied with Your Sexual Relationship with Your Partner
C103592	IIEF01-Times Attempted Sexual Intercours	IIEF01-Intercourse Frequency;IIEF01-Times Attempted Sexual Intercours	International Index of Erectile Function - Over the past four weeks how many times have you attempted sexual intercourse?	IIEF - How Many Times Have You Attempted Sexual Intercourse

C141848	IPA0101	IPA01-Days Vigorous Physical Activities	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - During the last 7 days, on how many days did you do vigorous physical activities?	IPAQ Short Last 7 Days Telephone Format Version - Days Vigorous Physical Activities
C141849	IPA0102A	IPA01-Vigorous Physical Hr & Min per Day	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - How much time did you usually spend doing vigorous physical activities on one of those days?: Hours and minutes per day.	IPAQ Short Last 7 Days Telephone Format Version - Vigorous Physical Hr and Min per Day
C141851	IPA0102B	IPA01-Total Vigorous Hr & Min per Week	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - How much time in total would you spend over the last 7 days doing vigorous physical activities?: Hours and minutes per week.	IPAQ Short Last 7 Days Telephone Format Version - Total Vigorous Hr and Min per Week
C141853	IPA0103	IPA01-Days Moderate Physical Activities	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - During the last 7 days, on how many days did you do moderate physical activities?	IPAQ Short Last 7 Days Telephone Format Version - Days Moderate Physical Activities
C141854	IPA0104A	IPA01-Moderate Physical Hr & Min per Day	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - How much time did you usually spend doing moderate physical activities on one of those days?: Hours and minutes per day.	IPAQ Short Last 7 Days Telephone Format Version - Moderate Physical Hr and Min per Day
C141856	IPA0104B	IPA01-Total Moderate Hr & Min per Week	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days doing moderate physical activities?: Hours and minutes per week.	IPAQ Short Last 7 Days Telephone Format Version - Total Moderate Hr and Min per Week
C141858	IPA0105	IPA01-Days Walk at Least 10 Minutes	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - During the last 7 days, on how many days did you walk for at least 10 minutes at a time?	IPAQ Short Last 7 Days Telephone Format Version - Days Walk at Least 10 Minutes
C141859	IPA0106A	IPA01-Walking Hr & Min per Day	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - How much time did you usually spend walking on one of those days?: Hours and minutes per day.	IPAQ Short Last 7 Days Telephone Format Version - Walking Hr and Min per Day
C141861	IPA0106B	IPA01-Total Walking Hr & Min per Week	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - What is the total amount of time you spent walking over the last 7 days?: Hours and minutes per week.	IPAQ Short Last 7 Days Telephone Format Version - Total Walking Hr and Min per Week
C141863	IPA0107A	IPA01-Sitting Hr & Min per Weekday	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - During the last 7 days, how much time did you usually spend sitting on a weekday?: Hours and minutes per weekday.	IPAQ Short Last 7 Days Telephone Format Version - Sitting Hr and Min per Weekday
C141865	IPA0107B	IPA01-Total Sitting Hr & Min Wednesday	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - What is the total amount of time you spent sitting last Wednesday?: Hours and minutes on Wednesday.	IPAQ Short Last 7 Days Telephone Format Version - Total Sitting Hr and Min Wednesday

C141853	IPA01-Days Moderate Physical Activities	IPA01-Days Moderate Physical Activities	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - During the last 7 days, on how many days did you do moderate physical activities?	IPAQ Short Last 7 Days Telephone Format Version - Days Moderate Physical Activities
C141848	IPA01-Days Vigorous Physical Activities	IPA01-Days Vigorous Physical Activities	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - During the last 7 days, on how many days did you do vigorous physical activities?	IPAQ Short Last 7 Days Telephone Format Version - Days Vigorous Physical Activities
C141858	IPA01-Days Walk at Least 10 Minutes	IPA01-Days Walk at Least 10 Minutes	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - During the last 7 days, on how many days did you walk for at least 10 minutes at a time?	IPAQ Short Last 7 Days Telephone Format Version - Days Walk at Least 10 Minutes
C141854	IPA01-Moderate Physical Hr & Min per Day	IPA01-Moderate Physical Hr & Min per Day	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - How much time did you usually spend doing moderate physical activities on one of those days?: Hours and minutes per day.	IPAQ Short Last 7 Days Telephone Format Version - Moderate Physical Hr and Min per Day
C141863	IPA01-Sitting Hr & Min per Weekday	IPA01-Sitting Hr & Min per Weekday	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - During the last 7 days, how much time did you usually spend sitting on a weekday?: Hours and minutes per weekday.	IPAQ Short Last 7 Days Telephone Format Version - Sitting Hr and Min per Weekday
C141856	IPA01-Total Moderate Hr & Min per Week	IPA01-Total Moderate Hr & Min per Week	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days doing moderate physical activities?: Hours and minutes per week.	IPAQ Short Last 7 Days Telephone Format Version - Total Moderate Hr and Min per Week
C141865	IPA01-Total Sitting Hr & Min Wednesday	IPA01-Total Sitting Hr & Min Wednesday	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - What is the total amount of time you spent sitting last Wednesday?: Hours and minutes on Wednesday.	IPAQ Short Last 7 Days Telephone Format Version - Total Sitting Hr and Min Wednesday
C141851	IPA01-Total Vigorous Hr & Min per Week	IPA01-Total Vigorous Hr & Min per Week	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - How much time in total would you spend over the last 7 days doing vigorous physical activities?: Hours and minutes per week.	IPAQ Short Last 7 Days Telephone Format Version - Total Vigorous Hr and Min per Week
C141861	IPA01-Total Walking Hr & Min per Week	IPA01-Total Walking Hr & Min per Week	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - What is the total amount of time you spent walking over the last 7 days?: Hours and minutes per week.	IPAQ Short Last 7 Days Telephone Format Version - Total Walking Hr and Min per Week
C141849	IPA01-Vigorous Physical Hr & Min per Day	IPA01-Vigorous Physical Hr & Min per Day	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - How much time did you usually spend doing vigorous physical activities on one of those days?: Hours and minutes per day.	IPAQ Short Last 7 Days Telephone Format Version - Vigorous Physical Hr and Min per Day
C141859	IPA01-Walking Hr & Min per Day	IPA01-Walking Hr & Min per Day	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - How much time did you usually spend walking on one of those days?: Hours and minutes per day.	IPAQ Short Last 7 Days Telephone Format Version - Walking Hr and Min per Day

C141779	IPA0201	IPA02-Currently Have Job or Unpaid Work	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - Do you currently have a job or do any unpaid work outside your home?	IPAQ Long Last 7 Days Telephone Format Version - Currently Have Job or Unpaid Work
C141780	IPA0202	IPA02-Days Vigorous as Part of Work	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - During the last 7 days, on how many days did you do vigorous physical activities as part of your work?	IPAQ Long Last 7 Days Telephone Format Version - Days Vigorous as Part of Work
C141781	IPA0203A	IPA02-Vigorous Work Hr & Min per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days doing vigorous physical activities as part of your work?: Hours and minutes per day.	IPAQ Long Last 7 Days Telephone Format Version - Vigorous Work Hr and Min per Day
C141783	IPA0203B	IPA02-Vigorous Work Hr & Min per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days doing vigorous physical activities as part of your work?: Hours and minutes per week.	IPAQ Long Last 7 Days Telephone Format Version - Vigorous Work Hr and Min per Week
C141785	IPA0204	IPA02-Days Moderate as Part of Work	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - During the last 7 days, on how many days did you do moderate physical activities as part of your work?	IPAQ Long Last 7 Days Telephone Format Version - Days Moderate as Part of Work
C141786	IPA0205A	IPA02-Moderate Work Hr & Min per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days doing moderate physical activities as part of your work?: Hours and minutes per day.	IPAQ Long Last 7 Days Telephone Format Version - Moderate Work Hr and Min per Day
C141788	IPA0205B	IPA02-Moderate Work Hr & Min per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days doing moderate physical activities as part of your work?: Hours and minutes per week.	IPAQ Long Last 7 Days Telephone Format Version - Moderate Work Hr and Min per Week
C141790	IPA0206	IPA02-Days Walk as Part of Your Work	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - During the last 7 days, on how many days did you walk as part of your work?	IPAQ Long Last 7 Days Telephone Format Version - Days Walk as Part of Your Work
C141791	IPA0207A	IPA02-Walking Work Hr & Min per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days walking as part of your work?: Hours and minutes per day.	IPAQ Long Last 7 Days Telephone Format Version - Walking Work Hr and Min per Day
C141793	IPA0207B	IPA02-Walking Work Hr & Min per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent walking over the last 7 days as part of your work?: Hours and minutes per week.	IPAQ Long Last 7 Days Telephone Format Version - Walking Work Hr and Min per Week
C141795	IPA0208	IPA02-Days Travel in a Motor Vehicle	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - During the last 7 days, on how many days did you travel in a motor vehicle like a train, bus, car or tram?	IPAQ Long Last 7 Days Telephone Format Version - Days Travel in a Motor Vehicle
C141796	IPA0209A	IPA02-Traveling Hr & Min per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days traveling in a car, bus, train or other kind of motor vehicle?: Hours and minutes per day.	IPAQ Long Last 7 Days Telephone Format Version - Traveling Hr and Min per Day
C141798	IPA0209B	IPA02-Traveling Hr & Min per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days traveling in a motor vehicle?: Hours and minutes per week.	IPAQ Long Last 7 Days Telephone Format Version - Traveling Hr and Min per Week
C141800	IPA0210	IPA02-Days Bicycle Place to Place	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - During the last 7 days, on how many days did you bicycle to go from place to place?	IPAQ Long Last 7 Days Telephone Format Version - Days Bicycle Place to Place
C141801	IPA0211A	IPA02-Bicycle Hr & Min per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days to bicycle from place to place?: Hours and minutes per day.	IPAQ Long Last 7 Days Telephone Format Version - Bicycle Hr and Min per Day
C141803	IPA0211B	IPA02-Bicycling Hr & Min per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent bicycling over the last 7 days to travel from place to place?: Hours and minutes per week.	IPAQ Long Last 7 Days Telephone Format Version - Bicycling Hr and Min per Week
C141805	IPA0212	IPA02-Days Walk Place to Place	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - During the last 7 days, on how many days did you walk to go from place to place?	IPAQ Long Last 7 Days Telephone Format Version - Days Walk Place to Place

International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format				
C141806	IPA0213A	IPA02-Walking Place Hr & Min per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days walking from place to place?: Hours and minutes per day.	IPAQ Long Last 7 Days Telephone Format Version - Walking Place Hr and Min per Day
C141808	IPA0213B	IPA02-Walking Place Hr & Min per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days walking from place to place?: Hours and minutes per week.	IPAQ Long Last 7 Days Telephone Format Version - Walking Place Hr and Min per Week
C141810	IPA0214	IPA02-Days Vigorous in the Garden/Yard	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - During the last 7 days, on how many days did you do vigorous physical activities in the garden or yard?	IPAQ Long Last 7 Days Telephone Format Version - Days Vigorous in the Garden/Yard
C141811	IPA0215A	IPA02-Vigorous Garden Hr & Min per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days doing vigorous physical activities in the garden or yard?: Hours and minutes per day.	IPAQ Long Last 7 Days Telephone Format Version - Vigorous Garden Hr and Min per Day
C141813	IPA0215B	IPA02-Vigorous Garden Hr & Min per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days doing vigorous physical activities in the garden or yard?: Hours and minutes per week.	IPAQ Long Last 7 Days Telephone Format Version - Vigorous Garden Hr and Min per Week
C141815	IPA0216	IPA02-Days Moderate in the Garden/Yard	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - During the last 7 days, on how many days did you do moderate activities in the garden or yard?	IPAQ Long Last 7 Days Telephone Format Version - Days Moderate in the Garden/Yard
C141816	IPA0217A	IPA02-Moderate Garden Hr & Min per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days doing moderate physical activities in the garden or yard?: Hours and minutes per day.	IPAQ Long Last 7 Days Telephone Format Version - Moderate Garden Hr and Min per Day
C141818	IPA0217B	IPA02-Moderate Garden Hr & Min per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days doing moderate physical activities in the garden or yard?: Hours and minutes per week.	IPAQ Long Last 7 Days Telephone Format Version - Moderate Garden Hr and Min per Week
C141820	IPA0218	IPA02-Days Moderate Inside Your Home	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - During the last 7 days, on how many days did you do moderate activities inside your home?	IPAQ Long Last 7 Days Telephone Format Version - Days Moderate Inside Your Home
C141821	IPA0219A	IPA02-Moderate Home Hr & Min per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days doing moderate physical activities inside your home?: Hours and minutes per day.	IPAQ Long Last 7 Days Telephone Format Version - Moderate Home Hr and Min per Day
C141823	IPA0219B	IPA02-Moderate Home Hr & Min per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days doing moderate physical activities inside your home?: Hours and minutes per week.	IPAQ Long Last 7 Days Telephone Format Version - Moderate Home Hr and Min per Week
C141825	IPA0220	IPA02-Days Walk in Your Leisure Time	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - Not counting any walking you have already mentioned, during the last 7 days, on how many days did you walk for at least 10 minutes at a time in your leisure time?	IPAQ Long Last 7 Days Telephone Format Version - Days Walk in Your Leisure Time
C141826	IPA0221A	IPA02-Walking Leisure Hr & Min per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days walking in your leisure time?: Hours and minutes per day.	IPAQ Long Last 7 Days Telephone Format Version - Walking Leisure Hr and Min per Day
C141828	IPA0221B	IPA02-Walking Leisure Hr & Min per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days walking in your leisure time?: Hours and minutes per week.	IPAQ Long Last 7 Days Telephone Format Version - Walking Leisure Hr and Min per Week
C141830	IPA0222	IPA02-Days Vigorous in Your Leisure Time	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - During the last 7 days, on how many days did you do vigorous physical activities in your leisure time?	IPAQ Long Last 7 Days Telephone Format Version - Days Vigorous in Your Leisure Time
C141831	IPA0223A	IPA02-Vigorous Leisure Hr & Min per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days doing vigorous physical activities in your leisure time?: Hours and minutes per day.	IPAQ Long Last 7 Days Telephone Format Version - Vigorous Leisure Hr and Min per Day
C141833	IPA0223B	IPA02-Vigorous Leisure Hr & Min per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days doing vigorous physical activities in your leisure time?: Hours and minutes per week.	IPAQ Long Last 7 Days Telephone Format Version - Vigorous Leisure Hr and Min per Week

International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format				
C141835	IPA0224	IPA02-Days Moderate in Your Leisure Time	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - During the last 7 days, on how many days did you do moderate physical activities in your leisure time?	IPAQ Long Last 7 Days Telephone Format Version - Days Moderate in Your Leisure Time
C141836	IPA0225A	IPA02-Moderate Leisure Hr & Min per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days doing moderate physical activities in your leisure time?: Hours and minutes per day.	IPAQ Long Last 7 Days Telephone Format Version - Moderate Leisure Hr and Min per Day
C141838	IPA0225B	IPA02-Moderate Leisure Hr & Min per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days doing moderate physical activities in your leisure time?: Hours and minutes per week.	IPAQ Long Last 7 Days Telephone Format Version - Moderate Leisure Hr and Min per Week
C141840	IPA0226A	IPA02-Sitting Weekday Hr & Min per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - During the last 7 days, how much time did you usually spend sitting on a weekday?: Hours and minutes per day.	IPAQ Long Last 7 Days Telephone Format Version - Sitting Weekday Hr and Min per Day
C141842	IPA0226B	IPA02-Sitting Hr & Min on Wednesday	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time in total did you spend sitting on Wednesday?: Hours and minutes on Wednesday.	IPAQ Long Last 7 Days Telephone Format Version - Sitting Hr and Min on Wednesday
C141844	IPA0227A	IPA02-Sitting Weekend Hr & Min per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - During the last 7 days, how much time did you usually spend sitting on a weekend day?: Hours and minutes per day.	IPAQ Long Last 7 Days Telephone Format Version - Sitting Weekend Hr and Min per Day
C141846	IPA0227B	IPA02-Sitting Hr & Min on Saturday	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time in total did you spend sitting on Saturday?: Hours and minutes on Saturday.	IPAQ Long Last 7 Days Telephone Format Version - Sitting Hr and Min on Saturday

C141801	IPA02-Bicycle Hr & Min per Day	IPA02-Bicycle Hr & Min per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days to bicycle from place to place?: Hours and minutes per day.	IPAQ Long Last 7 Days Telephone Format Version - Bicycle Hr and Min per Day
C141803	IPA02-Bicycling Hr & Min per Week	IPA02-Bicycling Hr & Min per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent bicycling over the last 7 days to travel from place to place?: Hours and minutes per week.	IPAQ Long Last 7 Days Telephone Format Version - Bicycling Hr and Min per Week
C141779	IPA02-Currently Have Job or Unpaid Work	IPA02-Currently Have Job or Unpaid Work	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - Do you currently have a job or do any unpaid work outside your home?	IPAQ Long Last 7 Days Telephone Format Version - Currently Have Job or Unpaid Work
C141800	IPA02-Days Bicycle Place to Place	IPA02-Days Bicycle Place to Place	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - During the last 7 days, on how many days did you bicycle to go from place to place?	IPAQ Long Last 7 Days Telephone Format Version - Days Bicycle Place to Place
C141785	IPA02-Days Moderate as Part of Work	IPA02-Days Moderate as Part of Work	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - During the last 7 days, on how many days did you do moderate physical activities as part of your work?	IPAQ Long Last 7 Days Telephone Format Version - Days Moderate as Part of Work
C141815	IPA02-Days Moderate in the Garden/Yard	IPA02-Days Moderate in the Garden/Yard	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - During the last 7 days, on how many days did you do moderate activities in the garden or yard?	IPAQ Long Last 7 Days Telephone Format Version - Days Moderate in the Garden/Yard
C141835	IPA02-Days Moderate in Your Leisure Time	IPA02-Days Moderate in Your Leisure Time	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - During the last 7 days, on how many days did you do moderate physical activities in your leisure time?	IPAQ Long Last 7 Days Telephone Format Version - Days Moderate in Your Leisure Time
C141820	IPA02-Days Moderate Inside Your Home	IPA02-Days Moderate Inside Your Home	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - During the last 7 days, on how many days did you do moderate activities inside your home?	IPAQ Long Last 7 Days Telephone Format Version - Days Moderate Inside Your Home
C141795	IPA02-Days Travel in a Motor Vehicle	IPA02-Days Travel in a Motor Vehicle	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - During the last 7 days, on how many days did you travel in a motor vehicle like a train, bus, car or tram?	IPAQ Long Last 7 Days Telephone Format Version - Days Travel in a Motor Vehicle
C141780	IPA02-Days Vigorous as Part of Work	IPA02-Days Vigorous as Part of Work	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - During the last 7 days, on how many days did you do vigorous physical activities as part of your work?	IPAQ Long Last 7 Days Telephone Format Version - Days Vigorous as Part of Work
C141810	IPA02-Days Vigorous in the Garden/Yard	IPA02-Days Vigorous in the Garden/Yard	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - During the last 7 days, on how many days did you do vigorous physical activities in the garden or yard?	IPAQ Long Last 7 Days Telephone Format Version - Days Vigorous in the Garden/Yard
C141830	IPA02-Days Vigorous in Your Leisure Time	IPA02-Days Vigorous in Your Leisure Time	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - During the last 7 days, on how many days did you do vigorous physical activities in your leisure time?	IPAQ Long Last 7 Days Telephone Format Version - Days Vigorous in Your Leisure Time
C141790	IPA02-Days Walk as Part of Your Work	IPA02-Days Walk as Part of Your Work	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - During the last 7 days, on how many days did you walk as part of your work?	IPAQ Long Last 7 Days Telephone Format Version - Days Walk as Part of Your Work
C141825	IPA02-Days Walk in Your Leisure Time	IPA02-Days Walk in Your Leisure Time	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - Not counting any walking you have already mentioned, during the last 7 days, on how many days did you walk for at least 10 minutes at a time in your leisure time?	IPAQ Long Last 7 Days Telephone Format Version - Days Walk in Your Leisure Time
C141805	IPA02-Days Walk Place to Place	IPA02-Days Walk Place to Place	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - During the last 7 days, on how many days did you walk to go from place to place?	IPAQ Long Last 7 Days Telephone Format Version - Days Walk Place to Place
C141816	IPA02-Moderate Garden Hr & Min per Day	IPA02-Moderate Garden Hr & Min per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days doing moderate physical activities in the garden or yard?: Hours and minutes per day.	IPAQ Long Last 7 Days Telephone Format Version - Moderate Garden Hr and Min per Day
C141818	IPA02-Moderate Garden Hr & Min per Week	IPA02-Moderate Garden Hr & Min per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days doing moderate physical activities in the garden or yard?: Hours and minutes per week.	IPAQ Long Last 7 Days Telephone Format Version - Moderate Garden Hr and Min per Week

International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format					
C141821	IPA02-Moderate Home Hr & Min per Day	IPA02-Moderate Home Hr & Min per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days doing moderate physical activities inside your home?: Hours and minutes per day.	IPAQ Long Last 7 Days Telephone Format Version - Moderate Home Hr and Min per Day	
C141823	IPA02-Moderate Home Hr & Min per Week	IPA02-Moderate Home Hr & Min per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days doing moderate physical activities inside your home?: Hours and minutes per week.	IPAQ Long Last 7 Days Telephone Format Version - Moderate Home Hr and Min per Week	
C141836	IPA02-Moderate Leisure Hr & Min per Day	IPA02-Moderate Leisure Hr & Min per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days doing moderate physical activities in your leisure time?: Hours and minutes per day.	IPAQ Long Last 7 Days Telephone Format Version - Moderate Leisure Hr and Min per Day	
C141838	IPA02-Moderate Leisure Hr & Min per Week	IPA02-Moderate Leisure Hr & Min per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days doing moderate physical activities in your leisure time?: Hours and minutes per week.	IPAQ Long Last 7 Days Telephone Format Version - Moderate Leisure Hr and Min per Week	
C141786	IPA02-Moderate Work Hr & Min per Day	IPA02-Moderate Work Hr & Min per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days doing moderate physical activities as part of your work?: Hours and minutes per day.	IPAQ Long Last 7 Days Telephone Format Version - Moderate Work Hr and Min per Day	
C141788	IPA02-Moderate Work Hr & Min per Week	IPA02-Moderate Work Hr & Min per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days doing moderate physical activities as part of your work?: Hours and minutes per week.	IPAQ Long Last 7 Days Telephone Format Version - Moderate Work Hr and Min per Week	
C141846	IPA02-Sitting Hr & Min on Saturday	IPA02-Sitting Hr & Min on Saturday	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time in total did you spend sitting on Saturday?: Hours and minutes on Saturday.	IPAQ Long Last 7 Days Telephone Format Version - Sitting Hr and Min on Saturday	
C141842	IPA02-Sitting Hr & Min on Wednesday	IPA02-Sitting Hr & Min on Wednesday	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time in total did you spend sitting on Wednesday?: Hours and minutes on Wednesday.	IPAQ Long Last 7 Days Telephone Format Version - Sitting Hr and Min on Wednesday	
C141840	IPA02-Sitting Weekday Hr & Min per Day	IPA02-Sitting Weekday Hr & Min per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - During the last 7 days, how much time did you usually spend sitting on a weekday?: Hours and minutes per day.	IPAQ Long Last 7 Days Telephone Format Version - Sitting Weekday Hr and Min per Day	
C141844	IPA02-Sitting Weekend Hr & Min per Day	IPA02-Sitting Weekend Hr & Min per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - During the last 7 days, how much time did you usually spend sitting on a weekend day?: Hours and minutes per day.	IPAQ Long Last 7 Days Telephone Format Version - Sitting Weekend Hr and Min per Day	
C141796	IPA02-Traveling Hr & Min per Day	IPA02-Traveling Hr & Min per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days traveling in a car, bus, train or other kind of motor vehicle?: Hours and minutes per day.	IPAQ Long Last 7 Days Telephone Format Version - Traveling Hr and Min per Day	
C141798	IPA02-Traveling Hr & Min per Week	IPA02-Traveling Hr & Min per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days traveling in a motor vehicle?: Hours and minutes per week.	IPAQ Long Last 7 Days Telephone Format Version - Traveling Hr and Min per Week	
C141811	IPA02-Vigorous Garden Hr & Min per Day	IPA02-Vigorous Garden Hr & Min per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days doing vigorous physical activities in the garden or yard?: Hours and minutes per day.	IPAQ Long Last 7 Days Telephone Format Version - Vigorous Garden Hr and Min per Day	
C141813	IPA02-Vigorous Garden Hr & Min per Week	IPA02-Vigorous Garden Hr & Min per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days doing vigorous physical activities in the garden or yard?: Hours and minutes per week.	IPAQ Long Last 7 Days Telephone Format Version - Vigorous Garden Hr and Min per Week	
C141831	IPA02-Vigorous Leisure Hr & Min per Day	IPA02-Vigorous Leisure Hr & Min per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days doing vigorous physical activities in your leisure time?: Hours and minutes per day.	IPAQ Long Last 7 Days Telephone Format Version - Vigorous Leisure Hr and Min per Day	
C141833	IPA02-Vigorous Leisure Hr & Min per Week	IPA02-Vigorous Leisure Hr & Min per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days doing vigorous physical activities in your leisure time?: Hours and minutes per week.	IPAQ Long Last 7 Days Telephone Format Version - Vigorous Leisure Hr and Min per Week	
C141781	IPA02-Vigorous Work Hr & Min per Day	IPA02-Vigorous Work Hr & Min per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days doing vigorous physical activities as part of your work?: Hours and minutes per day.	IPAQ Long Last 7 Days Telephone Format Version - Vigorous Work Hr and Min per Day	

Physical Activity Questionnaire (IPAQ) Data				
Variable ID	Variable Name	Variable Description	Question Text	Format Version
C141783	IPA02-Vigorous Work Hr & Min per Week	IPA02-Vigorous Work Hr & Min per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days doing vigorous physical activities as part of your work?: Hours and minutes per week.	IPAQ Long Last 7 Days Telephone Format Version - Vigorous Work Hr and Min per Week
C141826	IPA02-Walking Leisure Hr & Min per Day	IPA02-Walking Leisure Hr & Min per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days walking in your leisure time?: Hours and minutes per day.	IPAQ Long Last 7 Days Telephone Format Version - Walking Leisure Hr and Min per Day
C141828	IPA02-Walking Leisure Hr & Min per Week	IPA02-Walking Leisure Hr & Min per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days walking in your leisure time?: Hours and minutes per week.	IPAQ Long Last 7 Days Telephone Format Version - Walking Leisure Hr and Min per Week
C141806	IPA02-Walking Place Hr & Min per Day	IPA02-Walking Place Hr & Min per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days walking from place to place?: Hours and minutes per day.	IPAQ Long Last 7 Days Telephone Format Version - Walking Place Hr and Min per Day
C141808	IPA02-Walking Place Hr & Min per Week	IPA02-Walking Place Hr & Min per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days walking from place to place?: Hours and minutes per week.	IPAQ Long Last 7 Days Telephone Format Version - Walking Place Hr and Min per Week
C141791	IPA02-Walking Work Hr & Min per Day	IPA02-Walking Work Hr & Min per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days walking as part of your work?: Hours and minutes per day.	IPAQ Long Last 7 Days Telephone Format Version - Walking Work Hr and Min per Day
C141793	IPA02-Walking Work Hr & Min per Week	IPA02-Walking Work Hr & Min per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent walking over the last 7 days as part of your work?: Hours and minutes per week.	IPAQ Long Last 7 Days Telephone Format Version - Walking Work Hr and Min per Week

C141726	IPA0301	IPA03-Currently Have Job or Unpaid Work	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - Do you currently have a job or do any unpaid work outside your home?	IPAQ Long Last 7 Days Self-Administered Format Version - Currently Have Job or Unpaid Work
C141727	IPA0302	IPA03-Days Vigorous as Part of Work	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you do vigorous physical activities like heavy lifting, digging, heavy construction, or climbing up stairs as part of your work?: days per week.	IPAQ Long Last 7 Days Self-Administered Format Version - Days Vigorous as Part of Work
C141729	IPA0303	IPA03-Vigorous Work Hr & Min per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days doing vigorous physical activities as part of your work?: hours and minutes per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Vigorous Work Hr and Min per Day
C141731	IPA0304	IPA03-Days Moderate as Part of Work	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you do moderate physical activities like carrying light loads as part of your work?: days per week.	IPAQ Long Last 7 Days Self-Administered Format Version - Days Moderate as Part of Work
C141733	IPA0305	IPA03-Moderate Work Hr & Min per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days doing moderate physical activities as part of your work?: hours and minutes per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Moderate Work Hr and Min per Day
C141735	IPA0306	IPA03-Days Walk as Part of Your Work	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you walk for at least 10 minutes at a time as part of your work?: days per week.	IPAQ Long Last 7 Days Self-Administered Format Version - Days Walk as Part of Your Work
C141737	IPA0307	IPA03-Walking Work Hr & Min per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days walking as part of your work?: hours and minutes per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Walking Work Hr and Min per Day
C141739	IPA0308	IPA03-Days Travel in a Motor Vehicle	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you travel in a motor vehicle like a train, bus, car or tram?: days per week.	IPAQ Long Last 7 Days Self-Administered Format Version - Days Travel in a Motor Vehicle
C141741	IPA0309	IPA03-Traveling Hr & Min per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days traveling in a train, bus, car, tram, or other kind of motor vehicle?: hours and minutes per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Traveling Hr and Min per Day
C141743	IPA0310	IPA03-Days Bicycle Place to Place	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you bicycle for at least 10 minutes at a time to go from place to place?: days per week.	IPAQ Long Last 7 Days Self-Administered Format Version - Days Bicycle Place to Place
C141745	IPA0311	IPA03-Bicycle Hr & Min per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days to bicycle from place to place?: hours and minutes per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Bicycle Hr and Min per Day
C141747	IPA0312	IPA03-Days Walk Place to Place	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you walk for at least 10 minutes at a time to go from place to place?: days per week.	IPAQ Long Last 7 Days Self-Administered Format Version - Days Walk Place to Place
C141749	IPA0313	IPA03-Walking Place Hr & Min per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days walking from place to place?: hours and minutes per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Walking Place Hr and Min per Day
C141751	IPA0314	IPA03-Days Vigorous in the Garden/Yard	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you do vigorous physical activities like heavy lifting, chopping wood, shoveling snow, or digging in the garden or yard?: days per week.	IPAQ Long Last 7 Days Self-Administered Format Version - Days Vigorous in the Garden/Yard
C141753	IPA0315	IPA03-Vigorous Garden Hr & Min per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days doing vigorous physical activities in the garden or yard?: hours and minutes per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Vigorous Garden Hr and Min per Day
C141755	IPA0316	IPA03-Days Moderate in the Garden/Yard	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you do moderate activities like carrying light loads, sweeping, washing windows, and raking in the garden or yard?: days per week.	IPAQ Long Last 7 Days Self-Administered Format Version - Days Moderate in the Garden/Yard

International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format				
C141757	IPA0317	IPA03-Moderate Garden Hr & Min per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days doing moderate physical activities in the garden or yard?: hours and minutes per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Moderate Garden Hr and Min per Day
C141759	IPA0318	IPA03-Days Moderate Inside Home	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you do moderate activities like carrying light loads, washing windows, scrubbing floors and sweeping inside your home?: days per week.	IPAQ Long Last 7 Days Self-Administered Format Version - Days Moderate Inside Home
C141761	IPA0319	IPA03-Moderate Home Hr & Min per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days doing moderate physical activities inside your home?: hours and minutes per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Moderate Home Hr and Min per Day
C141763	IPA0320	IPA03-Days Walk in Leisure Time	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you walk for at least 10 minutes at a time in your leisure time?: days per week.	IPAQ Long Last 7 Days Self-Administered Format Version - Days Walk in Leisure Time
C141765	IPA0321	IPA03-Walking Leisure Hr & Min per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days walking in your leisure time?: hours and minutes per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Walking Leisure Hr and Min per Day
C141767	IPA0322	IPA03-Days Vigorous in Leisure Time	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you do vigorous physical activities like aerobics, running, fast bicycling, or fast swimming in your leisure time?: days per week.	IPAQ Long Last 7 Days Self-Administered Format Version - Days Vigorous in Leisure Time
C141769	IPA0323	IPA03-Vigorous Leisure Hr & Min per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days doing vigorous physical activities in your leisure time?: hours and minutes per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Vigorous Leisure Hr and Min per Day
C141771	IPA0324	IPA03-Days Moderate in Leisure Time	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you do moderate physical activities like bicycling at a regular pace, swimming at a regular pace, and doubles tennis in your leisure time?: days per week.	IPAQ Long Last 7 Days Self-Administered Format Version - Days Moderate in Leisure Time
C141773	IPA0325	IPA03-Moderate Leisure Hr & Min per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days doing moderate physical activities in your leisure time?: hours and minutes per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Moderate Leisure Hr and Min per Day
C141775	IPA0326	IPA03-Sitting Weekday Hr & Min per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, how much time did you usually spend sitting on a weekday?: hours and minutes per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Sitting Weekday Hr and Min per Day
C141777	IPA0327	IPA03-Sitting Weekend Hr & Min per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, how much time did you usually spend sitting on a weekend day?: hours and minutes per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Sitting Weekend Hr and Min per Day

C141745	IPA03-Bicycle Hr & Min per Day	IPA03-Bicycle Hr & Min per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days to bicycle from place to place?: hours and minutes per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Bicycle Hr and Min per Day
C141726	IPA03-Currently Have Job or Unpaid Work	IPA03-Currently Have Job or Unpaid Work	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - Do you currently have a job or do any unpaid work outside your home?	IPAQ Long Last 7 Days Self-Administered Format Version - Currently Have Job or Unpaid Work
C141743	IPA03-Days Bicycle Place to Place	IPA03-Days Bicycle Place to Place	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you bicycle for at least 10 minutes at a time to go from place to place?: days per week.	IPAQ Long Last 7 Days Self-Administered Format Version - Days Bicycle Place to Place
C141731	IPA03-Days Moderate as Part of Work	IPA03-Days Moderate as Part of Work	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you do moderate physical activities like carrying light loads as part of your work?: days per week.	IPAQ Long Last 7 Days Self-Administered Format Version - Days Moderate as Part of Work
C141771	IPA03-Days Moderate in Leisure Time	IPA03-Days Moderate in Leisure Time	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you do moderate physical activities like bicycling at a regular pace, swimming at a regular pace, and doubles tennis in your leisure time?: days per week.	IPAQ Long Last 7 Days Self-Administered Format Version - Days Moderate in Leisure Time
C141755	IPA03-Days Moderate in the Garden/Yard	IPA03-Days Moderate in the Garden/Yard	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you do moderate activities like carrying light loads, sweeping, washing windows, and raking in the garden or yard?: days per week.	IPAQ Long Last 7 Days Self-Administered Format Version - Days Moderate in the Garden/Yard
C141759	IPA03-Days Moderate Inside Home	IPA03-Days Moderate Inside Home	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you do moderate activities like carrying light loads, washing windows, scrubbing floors and sweeping inside your home?: days per week.	IPAQ Long Last 7 Days Self-Administered Format Version - Days Moderate Inside Home
C141739	IPA03-Days Travel in a Motor Vehicle	IPA03-Days Travel in a Motor Vehicle	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you travel in a motor vehicle like a train, bus, car or tram?: days per week.	IPAQ Long Last 7 Days Self-Administered Format Version - Days Travel in a Motor Vehicle
C141727	IPA03-Days Vigorous as Part of Work	IPA03-Days Vigorous as Part of Work	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you do vigorous physical activities like heavy lifting, digging, heavy construction, or climbing up stairs as part of your work?: days per week.	IPAQ Long Last 7 Days Self-Administered Format Version - Days Vigorous as Part of Work
C141767	IPA03-Days Vigorous in Leisure Time	IPA03-Days Vigorous in Leisure Time	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you do vigorous physical activities like aerobics, running, fast bicycling, or fast swimming in your leisure time?: days per week.	IPAQ Long Last 7 Days Self-Administered Format Version - Days Vigorous in Leisure Time
C141751	IPA03-Days Vigorous in the Garden/Yard	IPA03-Days Vigorous in the Garden/Yard	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you do vigorous physical activities like heavy lifting, chopping wood, shoveling snow, or digging in the garden or yard?: days per week.	IPAQ Long Last 7 Days Self-Administered Format Version - Days Vigorous in the Garden/Yard
C141735	IPA03-Days Walk as Part of Your Work	IPA03-Days Walk as Part of Your Work	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you walk for at least 10 minutes at a time as part of your work?: days per week.	IPAQ Long Last 7 Days Self-Administered Format Version - Days Walk as Part of Your Work
C141763	IPA03-Days Walk in Leisure Time	IPA03-Days Walk in Leisure Time	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you walk for at least 10 minutes at a time in your leisure time?: days per week.	IPAQ Long Last 7 Days Self-Administered Format Version - Days Walk in Leisure Time
C141747	IPA03-Days Walk Place to Place	IPA03-Days Walk Place to Place	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you walk for at least 10 minutes at a time to go from place to place?: days per week.	IPAQ Long Last 7 Days Self-Administered Format Version - Days Walk Place to Place
C141757	IPA03-Moderate Garden Hr & Min per Day	IPA03-Moderate Garden Hr & Min per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days doing moderate physical activities in the garden or yard?: hours and minutes per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Moderate Garden Hr and Min per Day

Physical Activity Questionnaire (IPA) Items				
Item ID	Item Description	Item Description	Item Description	Item Description
C141761	IPA03-Moderate Home Hr & Min per Day	IPA03-Moderate Home Hr & Min per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days doing moderate physical activities inside your home?: hours and minutes per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Moderate Home Hr and Min per Day
C141773	IPA03-Moderate Leisure Hr & Min per Day	IPA03-Moderate Leisure Hr & Min per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days doing moderate physical activities in your leisure time?: hours and minutes per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Moderate Leisure Hr and Min per Day
C141733	IPA03-Moderate Work Hr & Min per Day	IPA03-Moderate Work Hr & Min per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days doing moderate physical activities as part of your work?: hours and minutes per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Moderate Work Hr and Min per Day
C141775	IPA03-Sitting Weekday Hr & Min per Day	IPA03-Sitting Weekday Hr & Min per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, how much time did you usually spend sitting on a weekday?: hours and minutes per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Sitting Weekday Hr and Min per Day
C141777	IPA03-Sitting Weekend Hr & Min per Day	IPA03-Sitting Weekend Hr & Min per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, how much time did you usually spend sitting on a weekend day?: hours and minutes per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Sitting Weekend Hr and Min per Day
C141741	IPA03-Traveling Hr & Min per Day	IPA03-Traveling Hr & Min per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days traveling in a train, bus, car, tram, or other kind of motor vehicle?: hours and minutes per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Traveling Hr and Min per Day
C141753	IPA03-Vigorous Garden Hr & Min per Day	IPA03-Vigorous Garden Hr & Min per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days doing vigorous physical activities in the garden or yard?: hours and minutes per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Vigorous Garden Hr and Min per Day
C141769	IPA03-Vigorous Leisure Hr & Min per Day	IPA03-Vigorous Leisure Hr & Min per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days doing vigorous physical activities in your leisure time?: hours and minutes per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Vigorous Leisure Hr and Min per Day
C141729	IPA03-Vigorous Work Hr & Min per Day	IPA03-Vigorous Work Hr & Min per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days doing vigorous physical activities as part of your work?: hours and minutes per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Vigorous Work Hr and Min per Day
C141765	IPA03-Walking Leisure Hr & Min per Day	IPA03-Walking Leisure Hr & Min per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days walking in your leisure time?: hours and minutes per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Walking Leisure Hr and Min per Day
C141749	IPA03-Walking Place Hr & Min per Day	IPA03-Walking Place Hr & Min per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days walking from place to place?: hours and minutes per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Walking Place Hr and Min per Day
C141737	IPA03-Walking Work Hr & Min per Day	IPA03-Walking Work Hr & Min per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days walking as part of your work?: hours and minutes per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Walking Work Hr and Min per Day

International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Self-Administered Format					
Code	Code Description	Question	Text	Format	Notes
C141708	IPA0401	IPA04-Days Vigorous Physical Activities	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you do vigorous physical activities like heavy lifting, digging, aerobics, or fast bicycling?: days per week.	IPAQ Short Last 7 Days Self-administered Format Version - Days Vigorous Physical Activities	
C141710	IPA0402	IPA04-Vigorous Physical Hr & Min per Day	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Self-Administered Format - How much time did you usually spend doing vigorous physical activities on one of those days?: hours and minutes per day.	IPAQ Short Last 7 Days Self-administered Format Version - Vigorous Physical Hr and Min per Day	
C141713	IPA0403	IPA04-Days Moderate Physical Activities	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you do moderate physical activities like carrying light loads, bicycling at a regular pace, or doubles tennis?: days per week.	IPAQ Short Last 7 Days Self-administered Format Version - Days Moderate Physical Activities	
C141715	IPA0404	IPA04-Moderate Physical Hr & Min per Day	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Self-Administered Format - How much time did you usually spend doing moderate physical activities on one of those days?: hours and minutes per day.	IPAQ Short Last 7 Days Self-administered Format Version - Moderate Physical Hr and Min per Day	
C141718	IPA0405	IPA04-Days Walk at Least 10 Minutes	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you walk for at least 10 minutes at a time?: days per week.	IPAQ Short Last 7 Days Self-administered Format Version - Days Walk at Least 10 Minutes	
C141720	IPA0406	IPA04-Walking Hr & Min per Day	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Self-Administered Format - How much time did you usually spend walking on one of those days?: hours and minutes per day.	IPAQ Short Last 7 Days Self-administered Format Version - Walking Hr and Min per Day	
C141723	IPA0407	IPA04-Sitting Weekday Hr & Min per Day	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Self-Administered Format - During the last 7 days, how much time did you spend sitting on a weekday?: hours and minutes per day.	IPAQ Short Last 7 Days Self-administered Format Version - Sitting Weekday Hr and Min per Day	

C141713	IPA04-Days Moderate Physical Activities	IPA04-Days Moderate Physical Activities	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you do moderate physical activities like carrying light loads, bicycling at a regular pace, or doubles tennis?: days per week.	IPAQ Short Last 7 Days Self-administered Format Version - Days Moderate Physical Activities
C141708	IPA04-Days Vigorous Physical Activities	IPA04-Days Vigorous Physical Activities	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you do vigorous physical activities like heavy lifting, digging, aerobics, or fast bicycling?: days per week.	IPAQ Short Last 7 Days Self-administered Format Version - Days Vigorous Physical Activities
C141718	IPA04-Days Walk at Least 10 Minutes	IPA04-Days Walk at Least 10 Minutes	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you walk for at least 10 minutes at a time?: days per week.	IPAQ Short Last 7 Days Self-administered Format Version - Days Walk at Least 10 Minutes
C141715	IPA04-Moderate Physical Hr & Min per Day	IPA04-Moderate Physical Hr & Min per Day	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Self-Administered Format - How much time did you usually spend doing moderate physical activities on one of those days?: hours and minutes per day.	IPAQ Short Last 7 Days Self-administered Format Version - Moderate Physical Hr and Min per Day
C141723	IPA04-Sitting Weekday Hr & Min per Day	IPA04-Sitting Weekday Hr & Min per Day	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Self-Administered Format - During the last 7 days, how much time did you spend sitting on a weekday?: hours and minutes per day.	IPAQ Short Last 7 Days Self-administered Format Version - Sitting Weekday Hr and Min per Day
C141710	IPA04-Vigorous Physical Hr & Min per Day	IPA04-Vigorous Physical Hr & Min per Day	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Self-Administered Format - How much time did you usually spend doing vigorous physical activities on one of those days?: hours and minutes per day.	IPAQ Short Last 7 Days Self-administered Format Version - Vigorous Physical Hr and Min per Day
C141720	IPA04-Walking Hr & Min per Day	IPA04-Walking Hr & Min per Day	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Self-Administered Format - How much time did you usually spend walking on one of those days?: hours and minutes per day.	IPAQ Short Last 7 Days Self-administered Format Version - Walking Hr and Min per Day

C182637	About Half the Time	IPS0101 through IPS0106-About Half the Time	International Prostate Symptom Score original result for IPS0101 through IPS0106-About half the time.	International Prostate Symptom Score IPS0101 Through IPS0106 Original Result - About Half the Time
C182639	Almost Always	IPS0101 through IPS0106-Almost Always	International Prostate Symptom Score original result for IPS0101 through IPS0106-Almost always.	International Prostate Symptom Score IPS0101 Through IPS0106 Original Result - Almost Always
C182635	Less Than 1 Time in 5	IPS0101 through IPS0106-Less Than 1 Time in 5	International Prostate Symptom Score original result for IPS0101 through IPS0106-Less than 1 time in 5.	International Prostate Symptom Score IPS0101 Through IPS0106 Original Result - Less Than 1 Time in 5
C182636	Less Than Half the Time	IPS0101 through IPS0106-Less Than Half the Time	International Prostate Symptom Score original result for IPS0101 through IPS0106-Less than half the time.	International Prostate Symptom Score IPS0101 Through IPS0106 Original Result - Less Than Half the Time
C182638	More Than Half the Time	IPS0101 through IPS0106-More Than Half the Time	International Prostate Symptom Score original result for IPS0101 through IPS0106-More than half the time.	International Prostate Symptom Score IPS0101 Through IPS0106 Original Result - More Than Half the Time
C182634	Not at All	IPS0101 through IPS0106-Not at All	International Prostate Symptom Score original result for IPS0101 through IPS0106-Not at all.	International Prostate Symptom Score IPS0101 Through IPS0106 Original Result - Not at All

C182640	0	IPS0101 through IPS0106-0	International Prostate Symptom Score standardized character result for IPS0101 through IPS0106-Not at all.	International Prostate Symptom Score IPS0101 Through IPS0106 Standardized Character Result 0
C182641	1	IPS0101 through IPS0106-1	International Prostate Symptom Score standardized character result for IPS0101 through IPS0106-Less than 1 time in 5.	International Prostate Symptom Score IPS0101 Through IPS0106 Standardized Character Result 1
C182642	2	IPS0101 through IPS0106-2	International Prostate Symptom Score standardized character result for IPS0101 through IPS0106-Less than half the time.	International Prostate Symptom Score IPS0101 Through IPS0106 Standardized Character Result 2
C182643	3	IPS0101 through IPS0106-3	International Prostate Symptom Score standardized character result for IPS0101 through IPS0106-About half the time.	International Prostate Symptom Score IPS0101 Through IPS0106 Standardized Character Result 3
C182644	4	IPS0101 through IPS0106-4	International Prostate Symptom Score standardized character result for IPS0101 through IPS0106-More than half the time.	International Prostate Symptom Score IPS0101 Through IPS0106 Standardized Character Result 4
C182645	5	IPS0101 through IPS0106-5	International Prostate Symptom Score standardized character result for IPS0101 through IPS0106-Almost always.	International Prostate Symptom Score IPS0101 Through IPS0106 Standardized Character Result 5

C182647	1 Time	IPS0107-1 Time	International Prostate Symptom Score original result for IPS0107-1 time.	International Prostate Symptom Score IPS0107 Original Result - 1 Time
C182648	2 Times	IPS0107-2 Times	International Prostate Symptom Score original result for IPS0107-2 times.	International Prostate Symptom Score IPS0107 Original Result - 2 Times
C182649	3 Times	IPS0107-3 Times	International Prostate Symptom Score original result for IPS0107-3 times.	International Prostate Symptom Score IPS0107 Original Result - 3 Times
C182650	4 Times	IPS0107-4 Times	International Prostate Symptom Score original result for IPS0107-4 times.	International Prostate Symptom Score IPS0107 Original Result - 4 Times
C182651	5 or More Times	IPS0107-5 or More Times	International Prostate Symptom Score original result for IPS0107-5 or more times.	International Prostate Symptom Score IPS0107 Original Result - 5 or More Times
C182646	None	IPS0107-None	International Prostate Symptom Score original result for IPS0107-None.	International Prostate Symptom Score IPS0107 Original Result - None

C182652	0	IPS0107-0	International Prostate Symptom Score standardized character result for IPS0107-None.	International Prostate Symptom Score IPS0107 Standardized Character Result 0
C182653	1	IPS0107-1	International Prostate Symptom Score standardized character result for IPS0107-1 time.	International Prostate Symptom Score IPS0107 Standardized Character Result 1
C182654	2	IPS0107-2	International Prostate Symptom Score standardized character result for IPS0107-2 times.	International Prostate Symptom Score IPS0107 Standardized Character Result 2
C182655	3	IPS0107-3	International Prostate Symptom Score standardized character result for IPS0107-3 times.	International Prostate Symptom Score IPS0107 Standardized Character Result 3
C182656	4	IPS0107-4	International Prostate Symptom Score standardized character result for IPS0107-4 times.	International Prostate Symptom Score IPS0107 Standardized Character Result 4
C182657	5	IPS0107-5	International Prostate Symptom Score standardized character result for IPS0107-5 or more times.	International Prostate Symptom Score IPS0107 Standardized Character Result 5

C182658	Delighted	IPS0109-Delighted	International Prostate Symptom Score original result for IPS0109-Delighted.	International Prostate Symptom Score IPS0109 Original Result - Delighted
C182661	Mixed (about equally satisfied and dissatisfied)	IPS0109-Mixed (about equally satisfied and dissatisfied)	International Prostate Symptom Score original result for IPS0109-Mixed (about equally satisfied and dissatisfied).	International Prostate Symptom Score IPS0109 Original Result - Mixed (about equally satisfied and dissatisfied)
C182662	Mostly dissatisfied	IPS0109-Mostly dissatisfied	International Prostate Symptom Score original result for IPS0109-Mostly dissatisfied.	International Prostate Symptom Score IPS0109 Original Result - Mostly dissatisfied
C182660	Mostly satisfied	IPS0109-Mostly satisfied	International Prostate Symptom Score original result for IPS0109-Mostly satisfied.	International Prostate Symptom Score IPS0109 Original Result - Mostly satisfied
C182659	Pleased	IPS0109-Pleased	International Prostate Symptom Score original result for IPS0109-Pleased.	International Prostate Symptom Score IPS0109 Original Result - Pleased
C182664	Terrible	IPS0109-Terrible	International Prostate Symptom Score original result for IPS0109-Terrible.	International Prostate Symptom Score IPS0109 Original Result - Terrible
C182663	Unhappy	IPS0109-Unhappy	International Prostate Symptom Score original result for IPS0109-Unhappy.	International Prostate Symptom Score IPS0109 Original Result - Unhappy

C182665	0	IPS0109-0	International Prostate Symptom Score standardized character result for IPS0109-Delighted.	International Prostate Symptom Score IPS0109 Standardized Character Result 0
C182666	1	IPS0109-1	International Prostate Symptom Score standardized character result for IPS0109-Pleased.	International Prostate Symptom Score IPS0109 Standardized Character Result 1
C182667	2	IPS0109-2	International Prostate Symptom Score standardized character result for IPS0109-Mostly satisfied.	International Prostate Symptom Score IPS0109 Standardized Character Result 2
C182668	3	IPS0109-3	International Prostate Symptom Score standardized character result for IPS0109-Mixed (about equally satisfied and dissatisfied).	International Prostate Symptom Score IPS0109 Standardized Character Result 3
C182669	4	IPS0109-4	International Prostate Symptom Score standardized character result for IPS0109-Mostly dissatisfied.	International Prostate Symptom Score IPS0109 Standardized Character Result 4
C182670	5	IPS0109-5	International Prostate Symptom Score standardized character result for IPS0109-Unhappy.	International Prostate Symptom Score IPS0109 Standardized Character Result 5
C182671	6	IPS0109-6	International Prostate Symptom Score standardized character result for IPS0109-Terrible.	International Prostate Symptom Score IPS0109 Standardized Character Result 6

C183599	IPS0101	IPS01-Sensation of Not Emptying Bladder	International Prostate Symptom Score - During the last month or so, how often have you had a sensation of not emptying your bladder completely after you finished urinating?	IPSS - Sensation of Not Emptying Bladder
C183600	IPS0102	IPS01-Urinate Again Less Than 2 Hours	International Prostate Symptom Score - During the last month or so, how often have you had to urinate again less than 2 hours after you finished urinating?	IPSS - Urinate Again Less Than 2 Hours
C183601	IPS0103	IPS01-Stop Start Several Times Urinated	International Prostate Symptom Score - During the last month or so, how often have you found you stopped and started again several times when you urinated?	IPSS - Stop Start Several Times Urinated
C183602	IPS0104	IPS01-Difficult to Postpone Urination	International Prostate Symptom Score - During the last month or so, how often have you found it difficult to postpone urination?	IPSS - Difficult to Postpone Urination
C183603	IPS0105	IPS01-Had Weak Urinary Stream	International Prostate Symptom Score - During the last month or so, how often have you had a weak urinary stream?	IPSS - Had Weak Urinary Stream
C183604	IPS0106	IPS01-Push or Strain to Begin Urination	International Prostate Symptom Score - During the last month or so, how often have you had to push or strain to begin urination?	IPSS - Push or Strain to Begin Urination
C183605	IPS0107	IPS01-Times Get Up to Urinate at Night	International Prostate Symptom Score - During the last month, how many times did you most typically get up to urinate from the time you went to bed at night until the time you got up in the morning?	IPSS - Times Get Up to Urinate at Night
C183606	IPS0108	IPS01-Total Score	International Prostate Symptom Score - AUA symptom total score.	IPSS - Total Score
C183607	IPS0109	IPS01-Life With Symptoms Feel About It	International Prostate Symptom Score - If you were to spend the rest of your life with your prostate symptoms just as they are now, how would you feel about that?	IPSS - Life With Symptoms Feel About It

C183602	IPS01-Difficult to Postpone Urination	IPS01-Difficult to Postpone Urination	International Prostate Symptom Score - During the last month or so, how often have you found it difficult to postpone urination?	IPSS - Difficult to Postpone Urination
C183603	IPS01-Had Weak Urinary Stream	IPS01-Had Weak Urinary Stream	International Prostate Symptom Score - During the last month or so, how often have you had a weak urinary stream?	IPSS - Had Weak Urinary Stream
C183607	IPS01-Life With Symptoms Feel About It	IPS01-Life With Symptoms Feel About It	International Prostate Symptom Score - If you were to spend the rest of your life with your prostate symptoms just as they are now, how would you feel about that?	IPSS - Life With Symptoms Feel About It
C183604	IPS01-Push or Strain to Begin Urination	IPS01-Push or Strain to Begin Urination	International Prostate Symptom Score - During the last month or so, how often have you had to push or strain to begin urination?	IPSS - Push or Strain to Begin Urination
C183599	IPS01-Sensation of Not Emptying Bladder	IPS01-Sensation of Not Emptying Bladder	International Prostate Symptom Score - During the last month or so, how often have you had a sensation of not emptying your bladder completely after you finished urinating?	IPSS - Sensation of Not Emptying Bladder
C183601	IPS01-Stop Start Several Times Urinated	IPS01-Stop Start Several Times Urinated	International Prostate Symptom Score - During the last month or so, how often have you found you stopped and started again several times when you urinated?	IPSS - Stop Start Several Times Urinated
C183605	IPS01-Times Get Up to Urinate at Night	IPS01-Times Get Up to Urinate at Night	International Prostate Symptom Score - During the last month, how many times did you most typically get up to urinate from the time you went to bed at night until the time you got up in the morning?	IPSS - Times Get Up to Urinate at Night
C183606	IPS01-Total Score	IPS01-Total Score	International Prostate Symptom Score - AUA symptom total score.	IPSS - Total Score
C183600	IPS01-Urinate Again Less Than 2 Hours	IPS01-Urinate Again Less Than 2 Hours	International Prostate Symptom Score - During the last month or so, how often have you had to urinate again less than 2 hours after you finished urinating?	IPSS - Urinate Again Less Than 2 Hours

C113962	IVIS0101	IVIS01-Read or Access Personal Letters	Impact of Visual Impairment Scale - During the past 4 weeks, how difficult did you find it to read or access personal letters or notes?	IVIS - Read or Access Personal Letters	
C113963	IVIS0102	IVIS01-Read or Access Printed Materials	Impact of Visual Impairment Scale - During the past 4 weeks, how difficult did you find it to read or access printed materials, such as books, magazines, newspaper, etc.?	IVIS - Read or Access Printed Materials	
C113964	IVIS0103	IVIS01-Read or Access Dials	Impact of Visual Impairment Scale - During the past 4 weeks, how difficult did you find it to read or access dials, such as on stoves, thermostats, etc.?	IVIS - Read or Access Dials	
C113965	IVIS0104	IVIS01-Watch TV/ID Faces From Distance	Impact of Visual Impairment Scale - During the past 4 weeks, how difficult did you find it to watch television or identify faces from a distance?	IVIS - Watch TV or Identify Faces From Distance	
C113966	IVIS0105	IVIS01-Identify House Number/Street Sign	Impact of Visual Impairment Scale - During the past 4 weeks, how difficult did you find it to identify house numbers, street signs, etc.?	IVIS - Identify House Numbers or Street Signs	

C113966	IVIS01-Identify House Number/Street Sign	IVIS01-Identify House Number/Street Sign	Impact of Visual Impairment Scale - During the past 4 weeks, how difficult did you find it to identify house numbers, street signs, etc.?	IVIS - Identify House Numbers or Street Signs
C113964	IVIS01-Read or Access Dials	IVIS01-Read or Access Dials	Impact of Visual Impairment Scale - During the past 4 weeks, how difficult did you find it to read or access dials, such as on stoves, thermostats, etc.?	IVIS - Read or Access Dials
C113962	IVIS01-Read or Access Personal Letters	IVIS01-Read or Access Personal Letters	Impact of Visual Impairment Scale - During the past 4 weeks, how difficult did you find it to read or access personal letters or notes?	IVIS - Read or Access Personal Letters
C113963	IVIS01-Read or Access Printed Materials	IVIS01-Read or Access Printed Materials	Impact of Visual Impairment Scale - During the past 4 weeks, how difficult did you find it to read or access printed materials, such as books, magazines, newspaper, etc.?	IVIS - Read or Access Printed Materials
C113965	IVIS01-Watch TV/ID Faces From Distance	IVIS01-Watch TV/ID Faces From Distance	Impact of Visual Impairment Scale - During the past 4 weeks, how difficult did you find it to watch television or identify faces from a distance?	IVIS - Watch TV or Identify Faces From Distance

NCI Code: C170529, Codelist extensible: No

C170692	KDIGO101	KDIGO1-KDIGO AKI Stage	Kidney Disease: Improving Global Outcomes Staging For Acute Kidney Injury - KDIGO AKI stage.	KDIGO-AKI - KDIGO AKI Stage
---------	----------	------------------------	----------------------------------------------------------------------------------------------	-----------------------------

NCI Code: C170528, Codelist extensible: No

C170692	KDIGO1-KDIGO AKI Stage	KDIGO1-KDIGO AKI Stage	Kidney Disease: Improving Global Outcomes Staging For Acute Kidney Injury - KDIGO AKI stage.	KDIGO-AKI - KDIGO AKI Stage
---------	------------------------	------------------------	----------------------------------------------------------------------------------------------	-----------------------------

NCI Code: C130251, Codelist extensible: No

C130393 KDPI0101

KDPI01-KDPI Score

Kidney Donor Profile Index - KDPI score.

KDPI - KDPI Score

NCI Code: C130250, Codelist extensible: No

C130393	KDPI01-KDPI Score	KDPI01-KDPI Score	Kidney Donor Profile Index - KDPI score.	KDPI - KDPI Score
---------	-------------------	-------------------	------------------------------------------	-------------------

C182767	Abnormal signs without disability	KFSS101-Abnormal signs without disability	Kurtzke Functional System Scores original result for KFSS101-Abnormal signs without disability.	Kurtzke Functional System Scores KFSS101 Original Result - Abnormal signs without disability
C182770	Marked paraparesis or hemiparesis; moderate quadripareisis; or monoplegia	KFSS101-Marked paraparesis or hemiparesis;moderate quadripareisis;or monoplegia	Kurtzke Functional System Scores original result for KFSS101-Marked paraparesis or hemiparesis; moderate quadripareisis; or monoplegia.	Kurtzke Functional System Scores KFSS101 Original Result - Marked paraparesis or hemiparesis; moderate quadripareisis; or monoplegia
C182769	Mild or moderate paraparesis or hemiparesis; severe monoparesis	KFSS101-Mild or moderate paraparesis or hemiparesis;severe monoparesis	Kurtzke Functional System Scores original result for KFSS101-Mild or moderate paraparesis or hemiparesis; severe monoparesis.	Kurtzke Functional System Scores KFSS101 Original Result - Mild or moderate paraparesis or hemiparesis; severe monoparesis
C182768	Minimal disability	KFSS101-Minimal disability	Kurtzke Functional System Scores original result for KFSS101-Minimal disability.	Kurtzke Functional System Scores KFSS101 Original Result - Minimal disability
C182766	Normal	KFSS101-Normal	Kurtzke Functional System Scores original result for KFSS101-Normal.	Kurtzke Functional System Scores KFSS101 Original Result - Normal
C182771	Paraplegia, hemiplegia, or marked quadripareisis	KFSS101-Paraplegia, hemiplegia, or marked quadripareisis	Kurtzke Functional System Scores original result for KFSS101-Paraplegia, hemiplegia, or marked quadripareisis.	Kurtzke Functional System Scores KFSS101 Original Result - Paraplegia, hemiplegia, or marked quadripareisis
C182772	Quadriplegia	KFSS101-Quadriplegia	Kurtzke Functional System Scores original result for KFSS101-Quadriplegia.	Kurtzke Functional System Scores KFSS101 Original Result - Quadriplegia
C182773	Unknown	KFSS101-Unknown	Kurtzke Functional System Scores original result for KFSS101-Unknown.	Kurtzke Functional System Scores KFSS101 Original Result - Unknown

C182774	0	KFSS101-0	Kurtzke Functional System Scores standardized character result for KFSS101-Normal.	Kurtzke Functional System Scores KFSS101 Standardized Character Result 0
C182775	1	KFSS101-1	Kurtzke Functional System Scores standardized character result for KFSS101-Abnormal signs without disability.	Kurtzke Functional System Scores KFSS101 Standardized Character Result 1
C182776	2	KFSS101-2	Kurtzke Functional System Scores standardized character result for KFSS101-Minimal disability.	Kurtzke Functional System Scores KFSS101 Standardized Character Result 2
C182777	3	KFSS101-3	Kurtzke Functional System Scores standardized character result for KFSS101-Mild or moderate paraparesis or hemiparesis; severe monoparesis.	Kurtzke Functional System Scores KFSS101 Standardized Character Result 3
C182778	4	KFSS101-4	Kurtzke Functional System Scores standardized character result for KFSS101-Marked paraparesis or hemiparesis; moderate quadripareisis; or monoplegia.	Kurtzke Functional System Scores KFSS101 Standardized Character Result 4
C182779	5	KFSS101-5	Kurtzke Functional System Scores standardized character result for KFSS101-Paraplegia, hemiplegia, or marked quadripareisis.	Kurtzke Functional System Scores KFSS101 Standardized Character Result 5
C182780	6	KFSS101-6	Kurtzke Functional System Scores standardized character result for KFSS101-Quadriplegia.	Kurtzke Functional System Scores KFSS101 Standardized Character Result 6
C182781	Unknown	KFSS101-Unknown	Kurtzke Functional System Scores standardized character result for KFSS101-Unknown.	Kurtzke Functional System Scores KFSS101 Standardized Character Result Unknown

C182796	CHECKED	KFSS102 and KFSS106A-CHECKED	Kurtzke Functional System Scores original result for KFSS102 and KFSS106A-Checked.	Kurtzke Functional System Scores KFSS102 and KFSS106A Original Result - CHECKED
C182797	NOT CHECKED	KFSS102 and KFSS106A-NOT CHECKED	Kurtzke Functional System Scores original result for KFSS102 and KFSS106A-Not checked.	Kurtzke Functional System Scores KFSS102 and KFSS106A Original Result - NOT CHECKED

C182798	CHECKED	KFSS102A and KFSS106A-CHECKED	Kurtzke Functional System Scores standardized character result for KFSS102A and KFSS106A-Checked.	Kurtzke Functional System Scores KFSS102A and KFSS106A Standardized Character Result Checked - Checked
C182799	NOT CHECKED	KFSS102A and KFSS106A-NOT CHECKED	Kurtzke Functional System Scores standardized character result for KFSS102A and KFSS106A-Not checked.	Kurtzke Functional System Scores KFSS102A and KFSS106A Standardized Character Result Not Checked - Not Checked

C182783	Abnormal signs without disability	KFSS102-Abnormal signs without disability	Kurtzke Functional System Scores original result for KFSS102-Abnormal signs without disability.	Kurtzke Functional System Scores KFSS102 Original Result - Abnormal signs without disability
C182784	Mild ataxia	KFSS102-Mild ataxia	Kurtzke Functional System Scores original result for KFSS102-Mild ataxia.	Kurtzke Functional System Scores KFSS102 Original Result - Mild ataxia
C182785	Moderate truncal or limb ataxia	KFSS102-Moderate truncal or limb ataxias	Kurtzke Functional System Scores original result for KFSS102-Moderate truncal or limb ataxia.	Kurtzke Functional System Scores KFSS102 Original Result - Moderate truncal or limb ataxia
C182782	Normal	KFSS102-Normal	Kurtzke Functional System Scores original result for KFSS102-Normal.	Kurtzke Functional System Scores KFSS102 Original Result - Normal
C182786	Severe ataxia, all limbs	KFSS102-Severe ataxia, all limbs	Kurtzke Functional System Scores original result for KFSS102-Severe ataxia, all limbs.	Kurtzke Functional System Scores KFSS102 Original Result - Severe ataxia, all limbs
C182787	Unable to perform coordinated movements due to ataxia	KFSS102-Unable to perform coordinated movements due to ataxia	Kurtzke Functional System Scores original result for KFSS102-Unable to perform coordinated movements due to ataxia.	Kurtzke Functional System Scores KFSS102 Original Result - Unable to perform coordinated movements due to ataxia
C182788	Unknown	KFSS102-Unknown	Kurtzke Functional System Scores original result for KFSS102-Unknown.	Kurtzke Functional System Scores KFSS102 Original Result - Unknown

C182789	0	KFSS102-0	Kurtzke Functional System Scores standardized character result for KFSS102-Normal.	Kurtzke Functional System Scores KFSS102 Standardized Character Result 0
C182790	1	KFSS102-1	Kurtzke Functional System Scores standardized character result for KFSS102-Abnormal signs without disability.	Kurtzke Functional System Scores KFSS102 Standardized Character Result 1
C182791	2	KFSS102-2	Kurtzke Functional System Scores standardized character result for KFSS102-Mild ataxia.	Kurtzke Functional System Scores KFSS102 Standardized Character Result 2
C182792	3	KFSS102-3	Kurtzke Functional System Scores standardized character result for KFSS102-Moderate truncal or limb ataxia.	Kurtzke Functional System Scores KFSS102 Standardized Character Result 3
C182793	4	KFSS102-4	Kurtzke Functional System Scores standardized character result for KFSS102-Severe ataxia, all limbs.	Kurtzke Functional System Scores KFSS102 Standardized Character Result 4
C182794	5	KFSS102-5	Kurtzke Functional System Scores standardized character result for KFSS102-Unable to perform coordinated movements due to ataxia.	Kurtzke Functional System Scores KFSS102 Standardized Character Result 5
C182795	Unknown	KFSS102-Unknown	Kurtzke Functional System Scores standardized character result for KFSS102-Unknown.	Kurtzke Functional System Scores KFSS102 Standardized Character Result Unknown

C182805	Inability to swallow or speak	KFSS103-Inability to swallow or speak	Kurtzke Functional System Scores original result for KFSS103-Inability to swallow or speak.	Kurtzke Functional System Scores KFSS103 Original Result - Inability to swallow or speak
C182804	Marked dysarthria or other marked disability	KFSS103-Marked dysarthria or other marked disability	Kurtzke Functional System Scores original result for KFSS103-Marked dysarthria or other marked disability.	Kurtzke Functional System Scores KFSS103 Original Result - Marked dysarthria or other marked disability
C182802	Moderate nystagmus or other mild disability	KFSS103-Moderate nystagmus or other mild disability	Kurtzke Functional System Scores original result for KFSS103-Moderate nystagmus or other mild disability.	Kurtzke Functional System Scores KFSS103 Original Result - Moderate nystagmus or other mild disability
C182800	Normal	KFSS103-Normal.	Kurtzke Functional System Scores original result for KFSS103-Normal.	Kurtzke Functional System Scores KFSS103 Original Result - Normal
C182803	Severe nystagmus, marked extraocular weakness, or moderate disability of other cranial nerves	KFSS103-Severe nystagmus, marked extraocular weakness, or moderate disability of other cranial nerves	Kurtzke Functional System Scores original result for KFSS103-Severe nystagmus, marked extraocular weakness, or moderate disability of other cranial nerves.	Kurtzke Functional System Scores KFSS103 Original Result - Severe nystagmus, marked extraocular weakness, or moderate disability of other cranial nerves
C182801	Signs only	KFSS103-Signs only	Kurtzke Functional System Scores original result for KFSS103-Signs only.	Kurtzke Functional System Scores KFSS103 Original Result - Signs only
C182806	Unknown	KFSS103-Unknown	Kurtzke Functional System Scores original result for KFSS103-Unknown.	Kurtzke Functional System Scores KFSS103 Original Result - Unknown

C182807	0	KFSS103-0	Kurtzke Functional System Scores standardized character result for KFSS103-Normal.	Kurtzke Functional System Scores KFSS103 Standardized Character Result 0
C182808	1	KFSS103-1	Kurtzke Functional System Scores standardized character result for KFSS103-Signs only.	Kurtzke Functional System Scores KFSS103 Standardized Character Result 1
C182809	2	KFSS103-2	Kurtzke Functional System Scores standardized character result for KFSS103-Moderate nystagmus or other mild disability.	Kurtzke Functional System Scores KFSS103 Standardized Character Result 2
C182810	3	KFSS103-3	Kurtzke Functional System Scores standardized character result for KFSS103-Severe nystagmus, marked extraocular weakness, or moderate disability of other cranial nerves.	Kurtzke Functional System Scores KFSS103 Standardized Character Result 3
C182811	4	KFSS103-4	Kurtzke Functional System Scores standardized character result for KFSS103-Marked dysarthria or other marked disability.	Kurtzke Functional System Scores KFSS103 Standardized Character Result 4
C182812	5	KFSS103-5	Kurtzke Functional System Scores standardized character result for KFSS103-Inability to swallow or speak.	Kurtzke Functional System Scores KFSS103 Standardized Character Result 5
C182813	Unknown	KFSS103-Unknown	Kurtzke Functional System Scores standardized character result for KFSS103-Unknown.	Kurtzke Functional System Scores KFSS103 Standardized Character Result Unknown

C182819	Loss (essentially) of sensation in one or two limbs; or moderate decrease in touch or pain and/or loss of proprioception for most of the body below the head	KFSS104-Loss (essentially) of sensation in one or two limbs;or moderate decrease in touch or pain and/or loss of proprioception for most of the body below the head	Kurtzke Functional System Scores original result for KFSS104-Loss (essentially) of sensation in one or two limbs; or moderate decrease in touch or pain and/or loss of proprioception for most of the body below the head.	Kurtzke Functional System Scores KFSS104 Original Result - Loss (essentially) of sensation in one or two limbs; or moderate decrease in touch or pain and/or loss of proprioception for most of the body below the head
C182818	Marked decrease in touch or pain or loss of proprioception, alone or combined, in one or two limbs; or moderate decrease in touch or pain and/or severe proprioceptive decrease in more than two limbs	KFSS104-Marked decrease in touch or pain or loss of proprioception, alone or combined, in one or two limbs;or moderate decrease in touch or pain and/or severe proprioceptive decrease in more than two limbs	Kurtzke Functional System Scores original result for KFSS104-Marked decrease in touch or pain or loss of proprioception, alone or combined, in one or two limbs; or moderate decrease in touch or pain and/or severe proprioceptive decrease in more than two limbs.	Kurtzke Functional System Scores KFSS104 Original Result - Marked decrease in touch or pain or loss of proprioception, alone or combined, in one or two limbs; or moderate decrease in touch or pain and/or severe proprioceptive decrease in more than two limbs
C182816	Mild decrease in touch or pain or position sense, and/or moderate decrease in vibration in one or two limbs; or vibratory (c/s figure writing) decrease alone in three or four limbs	KFSS104-Mild decrease in touch or pain or position sense, and/or moderate decrease in vibration in one or two limbs;or vibratory (c/s figure writing) decrease alone in three or four limbs	Kurtzke Functional System Scores original result for KFSS104-Mild decrease in touch or pain or position sense, and/or moderate decrease in vibration in one or two limbs; or vibratory (c/s figure writing) decrease alone in three or four limbs.	Kurtzke Functional System Scores KFSS104 Original Result - Mild decrease in touch or pain or position sense, and/or moderate decrease in vibration in one or two limbs; or vibratory (c/s figure writing) decrease alone in three or four limbs
C182817	Moderate decrease in touch or pain or position sense, and/or lost vibration in 1 or 2 limbs; or mild decrease in touch or pain and/or moderate decrease in all proprioceptive tests in 3 or 4 limbs	KFSS104-Moderate decrease in touch or pain or position sense, and/or lost vibration in 1 or 2 limbs;or mild decrease in touch or pain and/or moderate decrease in all proprioceptive tests in 3 or 4 limbs	Kurtzke Functional System Scores original result for KFSS104-Moderate decrease in touch or pain or position sense, and/or lost vibration in 1 or 2 limbs; or mild decrease in touch or pain and/or moderate decrease in all proprioceptive tests in 3 or 4 limbs.	Kurtzke Functional System Scores KFSS104 Original Result - Moderate decrease in touch or pain or position sense, and/or lost vibration in 1 or 2 limbs; or mild decrease in touch or pain and/or moderate decrease in all proprioceptive tests in 3 or 4 limbs
C182814	Normal	KFSS104-Normal	Kurtzke Functional System Scores original result for KFSS104-Normal.	Kurtzke Functional System Scores KFSS104 Original Result - Normal
C182820	Sensation essentially lost below the head	KFSS104-Sensation essentially lost below the head	Kurtzke Functional System Scores original result for KFSS104-Sensation essentially lost below the head.	Kurtzke Functional System Scores KFSS104 Original Result - Sensation essentially lost below the head
C182821	Unknown	KFSS104-Unknown	Kurtzke Functional System Scores original result for KFSS104-Unknown.	Kurtzke Functional System Scores KFSS104 Original Result - Unknown
C182815	Vibration or figure-writing decrease only, in one or two limbs	KFSS104-Vibration or figure-writing decrease only, in one or two limbs	Kurtzke Functional System Scores original result for KFSS104-Vibration or figure-writing decrease only, in one or two limbs.	Kurtzke Functional System Scores KFSS104 Original Result - Vibration or figure-writing decrease only, in one or two limbs

C182822	0	KFSS104-0	Kurtzke Functional System Scores standardized character result for KFSS104-Normal.	Kurtzke Functional System Scores KFSS104 Standardized Character Result 0
C182823	1	KFSS104-1	Kurtzke Functional System Scores standardized character result for KFSS104-Vibration or figure-writing decrease only, in one or two limbs.	Kurtzke Functional System Scores KFSS104 Standardized Character Result 1
C182824	2	KFSS104-2	Kurtzke Functional System Scores standardized character result for KFSS104-Mild decrease in touch or pain or position sense, and/or moderate decrease in vibration in one or two limbs; or vibratory (c/s figure writing) decrease alone in three or four limbs.	Kurtzke Functional System Scores KFSS104 Standardized Character Result 2
C182825	3	KFSS104-3	Kurtzke Functional System Scores standardized character result for KFSS104-Moderate decrease in touch or pain or position sense, and/or lost vibration in 1 or 2 limbs; or mild decrease in touch or pain and/or moderate decrease in all proprioceptive tests in 3 or 4 limbs.	Kurtzke Functional System Scores KFSS104 Standardized Character Result 3
C182826	4	KFSS104-4	Kurtzke Functional System Scores standardized character result for KFSS104-Marked decrease in touch or pain or loss of proprioception, alone or combined, in one or two limbs; or moderate decrease in touch or pain and/or severe proprioceptive decrease in more than two limbs.	Kurtzke Functional System Scores KFSS104 Standardized Character Result 4
C182827	5	KFSS104-5	Kurtzke Functional System Scores standardized character result for KFSS104-Loss (essentially) of sensation in one or two limbs; or moderate decrease in touch or pain and/or loss of proprioception for most of the body below the head.	Kurtzke Functional System Scores KFSS104 Standardized Character Result 5
C182828	6	KFSS104-6	Kurtzke Functional System Scores standardized character result for KFSS104-Sensation essentially lost below the head.	Kurtzke Functional System Scores KFSS104 Standardized Character Result 6
C182829	Unknown	KFSS104-Unknown	Kurtzke Functional System Scores standardized character result for KFSS104-Unknown.	Kurtzke Functional System Scores KFSS104 Standardized Character Result Unknown

C182833	Frequent urinary incontinence	KFSS105-Frequent urinary incontinence	Kurtzke Functional System Scores original result for KFSS105-Frequent urinary incontinence.	Kurtzke Functional System Scores KFSS105 Original Result - Frequent urinary incontinence
C182834	In need of almost constant catheterization	KFSS105-In need of almost constant catheterization	Kurtzke Functional System Scores original result for KFSS105-In need of almost constant catheterization.	Kurtzke Functional System Scores KFSS105 Original Result - In need of almost constant catheterization
C182835	Loss of bladder function	KFSS105-Loss of bladder function	Kurtzke Functional System Scores original result for KFSS105-Loss of bladder function.	Kurtzke Functional System Scores KFSS105 Original Result - Loss of bladder function
C182836	Loss of bowel and bladder function	KFSS105-Loss of bowel and bladder function	Kurtzke Functional System Scores original result for KFSS105-Loss of bowel and bladder function.	Kurtzke Functional System Scores KFSS105 Original Result - Loss of bowel and bladder function
C182831	Mild urinary hesitancy, urgency, or retention	KFSS105-Mild urinary hesitancy, urgency, or retention	Kurtzke Functional System Scores original result for KFSS105-Mild urinary hesitancy, urgency, or retention.	Kurtzke Functional System Scores KFSS105 Original Result - Mild urinary hesitancy, urgency, or retention
C182832	Moderate hesitancy, urgency, retention of bowel or bladder, or rare urinary incontinence	KFSS105-Moderate hesitancy, urgency, retention of bowel or bladder, or rare urinary incontinence	Kurtzke Functional System Scores original result for KFSS105-Moderate hesitancy, urgency, retention of bowel or bladder, or rare urinary incontinences.	Kurtzke Functional System Scores KFSS105 Original Result - Moderate hesitancy, urgency, retention of bowel or bladder, or rare urinary incontinence
C182830	Normal	KFSS105-Normal	Kurtzke Functional System Scores original result for KFSS105-Normal.	Kurtzke Functional System Scores KFSS105 Original Result - Normal
C182837	Unknown	KFSS105-Unknown	Kurtzke Functional System Scores original result for KFSS105-Unknown.	Kurtzke Functional System Scores KFSS105 Original Result - Unknown

C182838	0	KFSS105-0	Kurtzke Functional System Scores standardized character result for KFSS105-Normal.	Kurtzke Functional System Scores KFSS105 Standardized Character Result 0
C182839	1	KFSS105-1	Kurtzke Functional System Scores standardized character result for KFSS105-Mild urinary hesitancy, urgency, or retention.	Kurtzke Functional System Scores KFSS105 Standardized Character Result 1
C182840	2	KFSS105-2	Kurtzke Functional System Scores standardized character result for KFSS105-Moderate hesitancy, urgency, retention of bowel or bladder, or rare urinary incontinences.	Kurtzke Functional System Scores KFSS105 Standardized Character Result 2
C182841	3	KFSS105-3	Kurtzke Functional System Scores standardized character result for KFSS105-Frequent urinary incontinence.	Kurtzke Functional System Scores KFSS105 Standardized Character Result 3
C182842	4	KFSS105-4	Kurtzke Functional System Scores standardized character result for KFSS105-In need of almost constant catheterization.	Kurtzke Functional System Scores KFSS105 Standardized Character Result 4
C182843	5	KFSS105-5	Kurtzke Functional System Scores standardized character result for KFSS105-Loss of bladder function.	Kurtzke Functional System Scores KFSS105 Standardized Character Result 5
C182844	6	KFSS105-6	Kurtzke Functional System Scores standardized character result for KFSS105-Loss of bowel and bladder function.	Kurtzke Functional System Scores KFSS105 Standardized Character Result 6
C182845	Unknown	KFSS105-Unknown	Kurtzke Functional System Scores standardized character result for KFSS105-Unknown.	Kurtzke Functional System Scores KFSS105 Standardized Character Result Unknown

C182852	Grade 5 plus maximal visual acuity of better eye of 20/60 or less	KFSS106-Grade 5 plus maximal visual acuity of better eye of 20/60 or less	Kurtzke Functional System Scores original result for KFSS106-Grade 5 plus maximal visual acuity of better eye of 20/60 or less.	Kurtzke Functional System Scores KFSS106 Original Result - Grade 5 plus maximal visual acuity of better eye of 20/60 or less
C182846	Normal	KFSS106-Normal	Kurtzke Functional System Scores original result for KFSS106-Normal.	Kurtzke Functional System Scores KFSS106 Original Result - Normal
C182847	Scotoma with visual acuity (corrected) better than 20/30	KFSS106-Scotoma with visual acuity (corrected) better than 20/30	Kurtzke Functional System Scores original result for KFSS106-Scotoma with visual acuity (corrected) better than 20/30.	Kurtzke Functional System Scores KFSS106 Original Result - Scotoma with visual acuity (corrected) better than 20/30
C182853	Unknown	KFSS106-Unknown	Kurtzke Functional System Scores original result for KFSS106-Unknown.	Kurtzke Functional System Scores KFSS106 Original Result - Unknown
C182849	Worse eye with large scotoma, or moderate decrease in fields, but with maximal visual acuity (corrected) of 20/60 to 20/99	KFSS106-Worse eye with large scotoma, or moderate decrease in fields, but with maximal visual acuity (corrected) of 20/60 to 20/99	Kurtzke Functional System Scores original result for KFSS106-Worse eye with large scotoma, or moderate decrease in fields, but with maximal visual acuity (corrected) of 20/60 to 20/99.	Kurtzke Functional System Scores KFSS106 Original Result - Worse eye with large scotoma, or moderate decrease in fields, but with maximal visual acuity (corrected) of 20/60 to 20/99
C182850	Worse eye with marked decrease of fields and maximal visual acuity (corrected) of 20/100 to 20/200; grade 3 plus maximal acuity of better eye of 20/60 or less	KFSS106-Worse eye with marked decrease of fields and maximal visual acuity (corrected) of 20/100 to 20/200;grade 3 plus maximal acuity of better eye of 20/60 or less	Kurtzke Functional System Scores original result for KFSS106-Worse eye with marked decrease of fields and maximal visual acuity (corrected) of 20/100 to 20/200; grade 3 plus maximal acuity of better eye of 20/60 or less.	Kurtzke Functional System Scores KFSS106 Original Result - Worse eye with marked decrease of fields and maximal visual acuity (corrected) of 20/100 to 20/200; grade 3 plus maximal acuity of better eye of 20/60 or less
C182851	Worse eye with maximal visual acuity (corrected) less than 20/200; grade 4 plus maximal acuity of better eye of 20/60 or less	KFSS106-Worse eye with maximal visual acuity (corrected) less than 20/200;grade 4 plus maximal acuity of better eye of 20/60 or less	Kurtzke Functional System Scores original result for KFSS106-Worse eye with maximal visual acuity (corrected) less than 20/200; grade 4 plus maximal acuity of better eye of 20/60 or less.	Kurtzke Functional System Scores KFSS106 Original Result - Worse eye with maximal visual acuity (corrected) less than 20/200; grade 4 plus maximal acuity of better eye of 20/60 or less
C182848	Worse eye with scotoma with maximal visual acuity (corrected) of 20/30 to 20/59	KFSS106-Worse eye with scotoma with maximal visual acuity (corrected) of 20/30 to 20/59	Kurtzke Functional System Scores original result for KFSS106-Worse eye with scotoma with maximal visual acuity (corrected) of 20/30 to 20/59.	Kurtzke Functional System Scores KFSS106 Original Result - Worse eye with scotoma with maximal visual acuity (corrected) of 20/30 to 20/59

C182854	0	KFSS106-0	Kurtzke Functional System Scores standardized character result for KFSS106-Normal.	Kurtzke Functional System Scores KFSS106 Standardized Character Result 0
C182855	1	KFSS106-1	Kurtzke Functional System Scores standardized character result for KFSS106-Scotoma with visual acuity (corrected) better than 20/30.	Kurtzke Functional System Scores KFSS106 Standardized Character Result 1
C182856	2	KFSS106-2	Kurtzke Functional System Scores standardized character result for KFSS106-Worse eye with scotoma with maximal visual acuity (corrected) of 20/30 to 20/59.	Kurtzke Functional System Scores KFSS106 Standardized Character Result 2
C182857	3	KFSS106-3	Kurtzke Functional System Scores standardized character result for KFSS106-Worse eye with large scotoma, or moderate decrease in fields, but with maximal visual acuity (corrected) of 20/60 to 20/99.	Kurtzke Functional System Scores KFSS106 Standardized Character Result 3
C182858	4	KFSS106-4	Kurtzke Functional System Scores standardized character result for KFSS106-Worse eye with marked decrease of fields and maximal visual acuity (corrected) of 20/100 to 20/200; grade 3 plus maximal acuity of better eye of 20/60 or less.	Kurtzke Functional System Scores KFSS106 Standardized Character Result 4
C182859	5	KFSS106-5	Kurtzke Functional System Scores standardized character result for KFSS106-Worse eye with maximal visual acuity (corrected) less than 20/200; grade 4 plus maximal acuity of better eye of 20/60 or less.	Kurtzke Functional System Scores KFSS106 Standardized Character Result 5
C182860	6	KFSS106-6	Kurtzke Functional System Scores standardized character result for KFSS106-Grade 5 plus maximal visual acuity of better eye of 20/60 or less.	Kurtzke Functional System Scores KFSS106 Standardized Character Result 6
C182861	Unknown	KFSS106-Unknown	Kurtzke Functional System Scores standardized character result for KFSS106-Unknown.	Kurtzke Functional System Scores KFSS106 Standardized Character Result Unknown

C182867	Dementia or chronic brain syndrome - severe or incompetent	KFSS107-Dementia or chronic brain syndrome - severe or incompetent	Kurtzke Functional System Scores original result for KFSS107-Dementia or chronic brain syndrome - severe or incompetent.	Kurtzke Functional System Scores KFSS107 Original Result - Dementia or chronic brain syndrome - severe or incompetent
C182866	Marked decrease in mentation (chronic brain syndrome - moderate)	KFSS107-Marked decrease in mentation (chronic brain syndrome - moderate)	Kurtzke Functional System Scores original result for KFSS107-Marked decrease in mentation (chronic brain syndrome - moderate).	Kurtzke Functional System Scores KFSS107 Original Result - Marked decrease in mentation (chronic brain syndrome - moderate)
C182864	Mild decrease in mentation	KFSS107-Mild decrease in mentation	Kurtzke Functional System Scores original result for KFSS107-Mild decrease in mentation.	Kurtzke Functional System Scores KFSS107 Original Result - Mild decrease in mentation
C182865	Moderate decrease in mentation	KFSS107-Moderate decrease in mentation	Kurtzke Functional System Scores original result for KFSS107-Moderate decrease in mentation.	Kurtzke Functional System Scores KFSS107 Original Result - Moderate decrease in mentation
C182863	Mood alteration only (does not affect DSS score)	KFSS107-Mood alteration only (does not affect DSS score)	Kurtzke Functional System Scores original result for KFSS107-Mood alteration only (does not affect DSS score).	Kurtzke Functional System Scores KFSS107 Original Result - Mood alteration only (does not affect DSS score)
C182862	Normal	KFSS107-Normal	Kurtzke Functional System Scores original result for KFSS107-Normal.	Kurtzke Functional System Scores KFSS107 Original Result - Normal
C182868	Unknown	KFSS107-Unknown	Kurtzke Functional System Scores original result for KFSS107-Unknown.	Kurtzke Functional System Scores KFSS107 Original Result - Unknown

C182869	0	KFSS107-0	Kurtzke Functional System Scores standardized character result for KFSS107-Normal.	Kurtzke Functional System Scores KFSS107 Standardized Character Result 0
C182870	1	KFSS107-1	Kurtzke Functional System Scores standardized character result for KFSS107-Mood alteration only (does not affect DSS score).	Kurtzke Functional System Scores KFSS107 Standardized Character Result 1
C182871	2	KFSS107-2	Kurtzke Functional System Scores standardized character result for KFSS107-Mild decrease in mentation.	Kurtzke Functional System Scores KFSS107 Standardized Character Result 2
C182872	3	KFSS107-3	Kurtzke Functional System Scores standardized character result for KFSS107-Moderate decrease in mentation.	Kurtzke Functional System Scores KFSS107 Standardized Character Result 3
C182873	4	KFSS107-4	Kurtzke Functional System Scores standardized character result for KFSS107-Marked decrease in mentation (chronic brain syndrome - moderate).	Kurtzke Functional System Scores KFSS107 Standardized Character Result 4
C182874	5	KFSS107-5	Kurtzke Functional System Scores standardized character result for KFSS107-Dementia or chronic brain syndrome - severe or incompetent.	Kurtzke Functional System Scores KFSS107 Standardized Character Result 5
C182875	Unknown	KFSS107-Unknown	Kurtzke Functional System Scores standardized character result for KFSS107-Unknown.	Kurtzke Functional System Scores KFSS107 Standardized Character Result Unknown

C182877	Any other neurologic findings attributed to MS (specify)	KFSS108-Any other neurologic findings attributed to MS (specify)	Kurtzke Functional System Scores original result for KFSS108- Any other neurologic findings attributed to MS (specify).	Kurtzke Functional System Scores KFSS108 Original Result - Any other neurologic findings attributed to MS (specify)
C182876	None	KFSS108-None	Kurtzke Functional System Scores original result for KFSS108- None.	Kurtzke Functional System Scores KFSS108 Original Result - None
C182878	Unknown	KFSS108-Unknown	Kurtzke Functional System Scores original result for KFSS108- Unknown.	Kurtzke Functional System Scores KFSS108 Original Result - Unknown

C182879	0	KFSS108-0	Kurtzke Functional System Scores standardized character result for KFSS108-None.	Kurtzke Functional System Scores KFSS108 Standardized Character Result 0
C182880	1	KFSS108-1	Kurtzke Functional System Scores standardized character result for KFSS108-Any other neurologic findings attributed to MS (specify).	Kurtzke Functional System Scores KFSS108 Standardized Character Result 1
C182881	Unknown	KFSS108-Unknown	Kurtzke Functional System Scores standardized character result for KFSS108-Unknown.	Kurtzke Functional System Scores KFSS108 Standardized Character Result Unknown

C112609	KFSS101	KFSS1-Pyramidal Functions	Kurtzke Functional Systems Scores - Pyramidal functions.	KFSS - Pyramidal Functions
C112610	KFSS102	KFSS1-Cerebellar Functions	Kurtzke Functional Systems Scores - Cerebellar functions.	KFSS - Cerebellar Functions
C112611	KFSS102A	KFSS1-Weakness Interferes With Testing	Kurtzke Functional Systems Scores - Check here when weakness (grade 3 or more on pyramidal) interferes with testing.	KFSS - Weakness Interferes With Testing
C112612	KFSS103	KFSS1-Brain Stem Functions	Kurtzke Functional Systems Scores - Brain stem functions.	KFSS - Brain Stem Functions
C112613	KFSS104	KFSS1-Sensory Functions	Kurtzke Functional Systems Scores - Sensory functions.	KFSS - Sensory Functions
C112614	KFSS105	KFSS1-Bowel and Bladder Functions	Kurtzke Functional Systems Scores - Bowel and bladder functions.	KFSS - Bowel and Bladder Functions
C112615	KFSS106	KFSS1-Visual or Optic Functions	Kurtzke Functional Systems Scores - Visual (or optic) functions.	KFSS - Visual (or Optic) Functions
C112616	KFSS106A	KFSS1-Presence of Temporal Pallor	Kurtzke Functional Systems Scores - Check here for presence of temporal pallor.	KFSS - Presence of Temporal Pallor
C112617	KFSS107	KFSS1-Cerebral or Mental Functions	Kurtzke Functional Systems Scores - Cerebral (or mental) functions.	KFSS - Cerebral (or Mental) Functions
C113884	KFSS108	KFSS1-Other Functions	Kurtzke Functional Systems Scores - Other functions.	KFSS - Other Functions
C113885	KFSS108A	KFSS1-Other Functions Specify	Kurtzke Functional Systems Scores - Any other neurologic findings attributed to MS (specify).	KFSS - Other Functions Specify

C112614	KFSS1-Bowel and Bladder Functions	KFSS1-Bowel and Bladder Functions	Kurtzke Functional Systems Scores - Bowel and bladder functions.	KFSS - Bowel and Bladder Functions
C112612	KFSS1-Brain Stem Functions	KFSS1-Brain Stem Functions	Kurtzke Functional Systems Scores - Brain stem functions.	KFSS - Brain Stem Functions
C112610	KFSS1-Cerebellar Functions	KFSS1-Cerebellar Functions	Kurtzke Functional Systems Scores - Cerebellar functions.	KFSS - Cerebellar Functions
C112617	KFSS1-Cerebral or Mental Functions	KFSS1-Cerebral or Mental Functions	Kurtzke Functional Systems Scores - Cerebral (or mental) functions.	KFSS - Cerebral (or Mental) Functions
C113885	KFSS1-Other Functions Specify	KFSS1-Other Functions Specify	Kurtzke Functional Systems Scores - Any other neurologic findings attributed to MS (specify).	KFSS - Other Functions Specify
C113884	KFSS1-Other Functions	KFSS1-Other Functions	Kurtzke Functional Systems Scores - Other functions.	KFSS - Other Functions
C112616	KFSS1-Presence of Temporal Pallor	KFSS1-Presence of Temporal Pallor	Kurtzke Functional Systems Scores - Check here for presence of temporal pallor.	KFSS - Presence of Temporal Pallor
C112609	KFSS1-Pyramidal Functions	KFSS1-Pyramidal Functions	Kurtzke Functional Systems Scores - Pyramidal functions.	KFSS - Pyramidal Functions
C112613	KFSS1-Sensory Functions	KFSS1-Sensory Functions	Kurtzke Functional Systems Scores - Sensory functions.	KFSS - Sensory Functions
C112615	KFSS1-Visual or Optic Functions	KFSS1-Visual or Optic Functions	Kurtzke Functional Systems Scores - Visual (or optic) functions.	KFSS - Visual (or Optic) Functions
C112611	KFSS1-Weakness Interferes With Testing	KFSS1-Weakness Interferes With Testing	Kurtzke Functional Systems Scores - Check here when weakness (grade 3 or more on pyramidal) interferes with testing.	KFSS - Weakness Interferes With Testing

C182717	Able to carry on normal activity; minor signs or symptoms of disease.	KPSS0101-Able to carry on normal activity;minor signs or symptoms of disease	Karnofsky Performance Status Scale original result for KPSS0101-Able to carry on normal activity; minor signs or symptoms of disease.	Karnofsky Performance Status Scale KPSS0101 Original Result - Able to carry on normal activity; minor signs or symptoms of disease
C182719	Cares for self; unable to carry on normal activity or to do active work.	KPSS0101-Cares for self;unable to carry on normal activity or to do active work	Karnofsky Performance Status Scale original result for KPSS0101-Cares for self; unable to carry on normal activity or to do active work.	Karnofsky Performance Status Scale KPSS0101 Original Result - Cares for self; unable to carry on normal activity or to do active work
C182726	Dead	KPSS0101-Dead	Karnofsky Performance Status Scale original result for KPSS0101-Dead.	Karnofsky Performance Status Scale KPSS0101 Original Result - Dead
C182722	Disabled; requires special care and assistance.	KPSS0101-Disabled;requires special care and assistance	Karnofsky Performance Status Scale original result for KPSS0101-Disabled; requires special care and assistance.	Karnofsky Performance Status Scale KPSS0101 Original Result - Disabled; requires special care and assistance
C182725	Moribund; fatal processes progressing rapidly.	KPSS0101-Moribund;fatal processes progressing rapidly	Karnofsky Performance Status Scale original result for KPSS0101-Moribund; fatal processes progressing rapidly.	Karnofsky Performance Status Scale KPSS0101 Original Result - Moribund; fatal processes progressing rapidly
C182718	Normal activity with effort; some signs or symptoms of disease.	KPSS0101-Normal activity with effort;some signs or symptoms of disease	Karnofsky Performance Status Scale original result for KPSS0101-Normal activity with effort; some signs or symptoms of disease.	Karnofsky Performance Status Scale KPSS0101 Original Result - Normal activity with effort; some signs or symptoms of disease
C182716	Normal no complaints; no evidence of disease.	KPSS0101-Normal no complaints;no evidence of disease	Karnofsky Performance Status Scale original result for KPSS0101-Normal no complaints; no evidence of disease.	Karnofsky Performance Status Scale KPSS0101 Original Result - Normal no complaints; no evidence of disease
C182721	Requires considerable assistance and frequent medical care.	KPSS0101-Requires considerable assistance and frequent medical care	Karnofsky Performance Status Scale original result for KPSS0101-Requires considerable assistance and frequent medical care.	Karnofsky Performance Status Scale KPSS0101 Original Result - Requires considerable assistance and frequent medical care
C182720	Requires occasional assistance, but is able to care for most of his personal needs.	KPSS0101-Requires occasional assistance, but is able to care for most of his personal needs	Karnofsky Performance Status Scale original result for KPSS0101-Requires occasional assistance, but is able to care for most of his personal needs.	Karnofsky Performance Status Scale KPSS0101 Original Result - Requires occasional assistance, but is able to care for most of his personal needs
C182723	Severely disabled; hospital admission is indicated although death not imminent.	KPSS0101-Severely disabled;hospital admission is indicated although death not imminent	Karnofsky Performance Status Scale original result for KPSS0101-Severely disabled; hospital admission is indicated although death not imminent.	Karnofsky Performance Status Scale KPSS0101 Original Result - Severely disabled; hospital admission is indicated although death not imminent
C182724	Very sick; hospital admission necessary; active supportive treatment necessary.	KPSS0101-Very sick;hospital admission necessary;active supportive treatment necessary	Karnofsky Performance Status Scale original result for KPSS0101-Very sick; hospital admission necessary; active supportive treatment necessary.	Karnofsky Performance Status Scale KPSS0101 Original Result - Very sick; hospital admission necessary; active supportive treatment necessary

Karnofsky Performance Status Scale Standardized Character Result				
Code	Value	Code	Description	Label
C182737	0	KPSS0101-0	Karnofsky Performance Status Scale standardized character result for KPSS0101-Dead.	Karnofsky Performance Status Scale KPSS0101 Standardized Character Result 0
C182736	10	KPSS0101-10	Karnofsky Performance Status Scale standardized character result for KPSS0101-Moribund; fatal processes progressing rapidly.	Karnofsky Performance Status Scale KPSS0101 Standardized Character Result 10
C182727	100	KPSS0101-100	Karnofsky Performance Status Scale standardized character result for KPSS0101-Normal no complaints; no evidence of disease.	Karnofsky Performance Status Scale KPSS0101 Standardized Character Result 100
C182735	20	KPSS0101-20	Karnofsky Performance Status Scale standardized character result for KPSS0101-Very sick; hospital admission necessary; active supportive treatment necessary.	Karnofsky Performance Status Scale KPSS0101 Standardized Character Result 20
C182734	30	KPSS0101-30	Karnofsky Performance Status Scale standardized character result for KPSS0101-Severely disabled; hospital admission is indicated although death not imminent.	Karnofsky Performance Status Scale KPSS0101 Standardized Character Result 30
C182733	40	KPSS0101-40	Karnofsky Performance Status Scale standardized character result for KPSS0101-Disabled; requires special care and assistance.	Karnofsky Performance Status Scale KPSS0101 Standardized Character Result 40
C182732	50	KPSS0101-50	Karnofsky Performance Status Scale standardized character result for KPSS0101-Requires considerable assistance and frequent medical care.	Karnofsky Performance Status Scale KPSS0101 Standardized Character Result 50
C182731	60	KPSS0101-60	Karnofsky Performance Status Scale standardized character result for KPSS0101-Requires occasional assistance, but is able to care for most of his personal needs.	Karnofsky Performance Status Scale KPSS0101 Standardized Character Result 60
C182730	70	KPSS0101-70	Karnofsky Performance Status Scale standardized character result for KPSS0101-Cares for self; unable to carry on normal activity or to do active work.	Karnofsky Performance Status Scale KPSS0101 Standardized Character Result 70
C182729	80	KPSS0101-80	Karnofsky Performance Status Scale standardized character result for KPSS0101-Normal activity with effort; some signs or symptoms of disease.	Karnofsky Performance Status Scale KPSS0101 Standardized Character Result 80
C182728	90	KPSS0101-90	Karnofsky Performance Status Scale standardized character result for KPSS0101-Able to carry on normal activity; minor signs or symptoms of disease.	Karnofsky Performance Status Scale KPSS0101 Standardized Character Result 90

NCI Code: C100170, Codelist extensible: No

C100417	KPSS0101	KPSS01-Karnofsky Performance Status	Karnofsky Performance Status Scale - Karnofsky Performance Status.	KPS Scale - Karnofsky Performance Status
---------	----------	-------------------------------------	--------------------------------------------------------------------	------------------------------------------

NCI Code: C100169, Codelist extensible: No

C100417	KPSS01-Karnofsky Performance Status	KPSS01-Karnofsky Performance Status	Karnofsky Performance Status Scale - Karnofsky Performance Status.	KPS Scale - Karnofsky Performance Status
---------	-------------------------------------	-------------------------------------	--------------------------------------------------------------------	------------------------------------------

Life Events Checklist for DSM-5, Standard Version - Natural Disaster (for example, flood, hurricane, tornado, earthquake): Happened to me.				
C135820	LEC0101A	LEC01-Natural Disaster: Happened	Life Events Checklist for DSM-5, Standard Version - Natural disaster (for example, flood, hurricane, tornado, earthquake): Happened to me.	LEC-5 Standard Version - Natural Disaster: Happened
C135821	LEC0101B	LEC01-Natural Disaster: Witnessed	Life Events Checklist for DSM-5, Standard Version - Natural disaster (for example, flood, hurricane, tornado, earthquake): Witnessed it.	LEC-5 Standard Version - Natural Disaster: Witnessed
C135822	LEC0101C	LEC01-Natural Disaster: Learned	Life Events Checklist for DSM-5, Standard Version - Natural disaster (for example, flood, hurricane, tornado, earthquake): Learned about it.	LEC-5 Standard Version - Natural Disaster: Learned
C135823	LEC0101D	LEC01-Natural Disaster: Job	Life Events Checklist for DSM-5, Standard Version - Natural disaster (for example, flood, hurricane, tornado, earthquake): Part of my job.	LEC-5 Standard Version - Natural Disaster: Job
C135824	LEC0101E	LEC01-Natural Disaster: Not Sure	Life Events Checklist for DSM-5, Standard Version - Natural disaster (for example, flood, hurricane, tornado, earthquake): Not sure.	LEC-5 Standard Version - Natural Disaster: Not Sure
C135825	LEC0101F	LEC01-Natural Disaster: Not Apply	Life Events Checklist for DSM-5, Standard Version - Natural disaster (for example, flood, hurricane, tornado, earthquake): Doesn't apply.	LEC-5 Standard Version - Natural Disaster: Not Apply
C135826	LEC0102A	LEC01-Fire or Explosion: Happened	Life Events Checklist for DSM-5, Standard Version - Fire or explosion: Happened to me.	LEC-5 Standard Version - Fire or Explosion: Happened
C135827	LEC0102B	LEC01-Fire or Explosion: Witnessed	Life Events Checklist for DSM-5, Standard Version - Fire or explosion: Witnessed it.	LEC-5 Standard Version - Fire or Explosion: Witnessed
C135828	LEC0102C	LEC01-Fire or Explosion: Learned	Life Events Checklist for DSM-5, Standard Version - Fire or explosion: Learned about it.	LEC-5 Standard Version - Fire or Explosion: Learned
C135829	LEC0102D	LEC01-Fire or Explosion: Job	Life Events Checklist for DSM-5, Standard Version - Fire or explosion: Part of my job.	LEC-5 Standard Version - Fire or Explosion: Job
C135830	LEC0102E	LEC01-Fire or Explosion: Not Sure	Life Events Checklist for DSM-5, Standard Version - Fire or explosion: Not sure.	LEC-5 Standard Version - Fire or Explosion: Not Sure
C135831	LEC0102F	LEC01-Fire or Explosion: Not Apply	Life Events Checklist for DSM-5, Standard Version - Fire or explosion: Doesn't apply.	LEC-5 Standard Version - Fire or Explosion: Not Apply
C135832	LEC0103A	LEC01-Transportation Accident: Happened	Life Events Checklist for DSM-5, Standard Version - Transportation accident (for example, car accident, boat accident, train wreck, plane crash): Happened to me.	LEC-5 Standard Version - Transportation Accident: Happened
C135833	LEC0103B	LEC01-Transportation Accident: Witnessed	Life Events Checklist for DSM-5, Standard Version - Transportation accident (for example, car accident, boat accident, train wreck, plane crash): Witnessed it.	LEC-5 Standard Version - Transportation Accident: Witnessed
C135834	LEC0103C	LEC01-Transportation Accident: Learned	Life Events Checklist for DSM-5, Standard Version - Transportation accident (for example, car accident, boat accident, train wreck, plane crash): Learned about it.	LEC-5 Standard Version - Transportation Accident: Learned
C135835	LEC0103D	LEC01-Transportation Accident: Job	Life Events Checklist for DSM-5, Standard Version - Transportation accident (for example, car accident, boat accident, train wreck, plane crash): Part of my job.	LEC-5 Standard Version - Transportation Accident: Job
C135836	LEC0103E	LEC01-Transportation Accident: Not Sure	Life Events Checklist for DSM-5, Standard Version - Transportation accident (for example, car accident, boat accident, train wreck, plane crash): Not sure.	LEC-5 Standard Version - Transportation Accident: Not Sure
C135837	LEC0103F	LEC01-Transportation Accident: Not Apply	Life Events Checklist for DSM-5, Standard Version - Transportation accident (for example, car accident, boat accident, train wreck, plane crash): Doesn't apply.	LEC-5 Standard Version - Transportation Accident: Not Apply
C135838	LEC0104A	LEC01-Serious Accident: Happened	Life Events Checklist for DSM-5, Standard Version - Serious accident at work, home, or during recreational activity: Happened to me.	LEC-5 Standard Version - Serious Accident: Happened
C135839	LEC0104B	LEC01-Serious Accident: Witnessed	Life Events Checklist for DSM-5, Standard Version - Serious accident at work, home, or during recreational activity: Witnessed it.	LEC-5 Standard Version - Serious Accident: Witnessed
C135840	LEC0104C	LEC01-Serious Accident: Learned	Life Events Checklist for DSM-5, Standard Version - Serious accident at work, home, or during recreational activity: Learned about it.	LEC-5 Standard Version - Serious Accident: Learned
C135841	LEC0104D	LEC01-Serious Accident: Job	Life Events Checklist for DSM-5, Standard Version - Serious accident at work, home, or during recreational activity: Part of my job.	LEC-5 Standard Version - Serious Accident: Job

Life Events Checklist for DSM-5, Standard Version				
C135842	LEC0104E	LEC01-Serious Accident: Not Sure	Life Events Checklist for DSM-5, Standard Version - Serious accident at work, home, or during recreational activity: Not sure.	LEC-5 Standard Version - Serious Accident: Not Sure
C135843	LEC0104F	LEC01-Serious Accident: Not Apply	Life Events Checklist for DSM-5, Standard Version - Serious accident at work, home, or during recreational activity: Doesn't apply.	LEC-5 Standard Version - Serious Accident: Not Apply
C135844	LEC0105A	LEC01-Toxic Substance: Happened	Life Events Checklist for DSM-5, Standard Version - Exposure to toxic substance (for example, dangerous chemicals, radiation): Happened to me.	LEC-5 Standard Version - Toxic Substance: Happened
C135845	LEC0105B	LEC01-Toxic Substance: Witnessed	Life Events Checklist for DSM-5, Standard Version - Exposure to toxic substance (for example, dangerous chemicals, radiation): Witnessed it.	LEC-5 Standard Version - Toxic Substance: Witnessed
C135846	LEC0105C	LEC01-Toxic Substance: Learned	Life Events Checklist for DSM-5, Standard Version - Exposure to toxic substance (for example, dangerous chemicals, radiation): Learned about it.	LEC-5 Standard Version - Toxic Substance: Learned
C135847	LEC0105D	LEC01-Toxic Substance: Job	Life Events Checklist for DSM-5, Standard Version - Exposure to toxic substance (for example, dangerous chemicals, radiation): Part of my job.	LEC-5 Standard Version - Toxic Substance: Job
C135848	LEC0105E	LEC01-Toxic Substance: Not Sure	Life Events Checklist for DSM-5, Standard Version - Exposure to toxic substance (for example, dangerous chemicals, radiation): Not sure.	LEC-5 Standard Version - Toxic Substance: Not Sure
C135849	LEC0105F	LEC01-Toxic Substance: Not Apply	Life Events Checklist for DSM-5, Standard Version - Exposure to toxic substance (for example, dangerous chemicals, radiation): Doesn't apply.	LEC-5 Standard Version - Toxic Substance: Not Apply
C135850	LEC0106A	LEC01-Physical Assault: Happened	Life Events Checklist for DSM-5, Standard Version - Physical assault (for example, being attacked, hit, slapped, kicked, beaten up): Happened to me.	LEC-5 Standard Version - Physical Assault: Happened
C135851	LEC0106B	LEC01-Physical Assault: Witnessed	Life Events Checklist for DSM-5, Standard Version - Physical assault (for example, being attacked, hit, slapped, kicked, beaten up): Witnessed it.	LEC-5 Standard Version - Physical Assault: Witnessed
C135852	LEC0106C	LEC01-Physical Assault: Learned	Life Events Checklist for DSM-5, Standard Version - Physical assault (for example, being attacked, hit, slapped, kicked, beaten up): Learned about it.	LEC-5 Standard Version - Physical Assault: Learned
C135853	LEC0106D	LEC01-Physical Assault: Job	Life Events Checklist for DSM-5, Standard Version - Physical assault (for example, being attacked, hit, slapped, kicked, beaten up): Part of my job.	LEC-5 Standard Version - Physical Assault: Job
C135854	LEC0106E	LEC01-Physical Assault: Not Sure	Life Events Checklist for DSM-5, Standard Version - Physical assault (for example, being attacked, hit, slapped, kicked, beaten up): Not sure.	LEC-5 Standard Version - Physical Assault: Not Sure
C135855	LEC0106F	LEC01-Physical Assault: Not Apply	Life Events Checklist for DSM-5, Standard Version - Physical assault (for example, being attacked, hit, slapped, kicked, beaten up): Doesn't apply.	LEC-5 Standard Version - Physical Assault: Not Apply
C135856	LEC0107A	LEC01-Assault With a Weapon: Happened	Life Events Checklist for DSM-5, Standard Version - Assault with a weapon (for example, being shot, stabbed, threatened with a knife, gun, bomb): Happened to me.	LEC-5 Standard Version - Assault With a Weapon: Happened
C135857	LEC0107B	LEC01-Assault With a Weapon: Witnessed	Life Events Checklist for DSM-5, Standard Version - Assault with a weapon (for example, being shot, stabbed, threatened with a knife, gun, bomb): Witnessed it.	LEC-5 Standard Version - Assault With a Weapon: Witnessed
C135858	LEC0107C	LEC01-Assault With a Weapon: Learned	Life Events Checklist for DSM-5, Standard Version - Assault with a weapon (for example, being shot, stabbed, threatened with a knife, gun, bomb): Learned about it.	LEC-5 Standard Version - Assault With a Weapon: Learned
C135859	LEC0107D	LEC01-Assault With a Weapon: Job	Life Events Checklist for DSM-5, Standard Version - Assault with a weapon (for example, being shot, stabbed, threatened with a knife, gun, bomb): Part of my job.	LEC-5 Standard Version - Assault With a Weapon: Job
C135860	LEC0107E	LEC01-Assault With a Weapon: Not Sure	Life Events Checklist for DSM-5, Standard Version - Assault with a weapon (for example, being shot, stabbed, threatened with a knife, gun, bomb): Not sure.	LEC-5 Standard Version - Assault With a Weapon: Not Sure
C135861	LEC0107F	LEC01-Assault With a Weapon: Not Apply	Life Events Checklist for DSM-5, Standard Version - Assault with a weapon (for example, being shot, stabbed, threatened with a knife, gun, bomb): Doesn't apply.	LEC-5 Standard Version - Assault With a Weapon: Not Apply
C135862	LEC0108A	LEC01-Sexual Assault: Happened	Life Events Checklist for DSM-5, Standard Version - Sexual assault (rape, attempted rape, made to perform any type of sexual act through force or threat of harm): Happened to me.	LEC-5 Standard Version - Sexual Assault: Happened

Life Events Checklist for DSM-5, Standard Version				
C135863	LEC0108B	LEC01-Sexual Assault: Witnessed	Life Events Checklist for DSM-5, Standard Version - Sexual assault (rape, attempted rape, made to perform any type of sexual act through force or threat of harm): Witnessed it.	LEC-5 Standard Version - Sexual Assault: Witnessed
C135864	LEC0108C	LEC01-Sexual Assault: Learned	Life Events Checklist for DSM-5, Standard Version - Sexual assault (rape, attempted rape, made to perform any type of sexual act through force or threat of harm): Learned about it.	LEC-5 Standard Version - Sexual Assault: Learned
C135865	LEC0108D	LEC01-Sexual Assault: Job	Life Events Checklist for DSM-5, Standard Version - Sexual assault (rape, attempted rape, made to perform any type of sexual act through force or threat of harm): Part of my job.	LEC-5 Standard Version - Sexual Assault: Job
C135866	LEC0108E	LEC01-Sexual Assault: Not Sure	Life Events Checklist for DSM-5, Standard Version - Sexual assault (rape, attempted rape, made to perform any type of sexual act through force or threat of harm): Not sure.	LEC-5 Standard Version - Sexual Assault: Not Sure
C135867	LEC0108F	LEC01-Sexual Assault: Not Apply	Life Events Checklist for DSM-5, Standard Version - Sexual assault (rape, attempted rape, made to perform any type of sexual act through force or threat of harm): Doesn't apply.	LEC-5 Standard Version - Sexual Assault: Not Apply
C135868	LEC0109A	LEC01-Unwanted Sex Experience: Happened	Life Events Checklist for DSM-5, Standard Version - Other unwanted or uncomfortable sexual experience: Happened to me.	LEC-5 Standard Version - Unwanted Sex Experience: Happened
C135869	LEC0109B	LEC01-Unwanted Sex Experience: Witnessed	Life Events Checklist for DSM-5, Standard Version - Other unwanted or uncomfortable sexual experience: Witnessed it.	LEC-5 Standard Version - Unwanted Sex Experience: Witnessed
C135870	LEC0109C	LEC01-Unwanted Sex Experience: Learned	Life Events Checklist for DSM-5, Standard Version - Other unwanted or uncomfortable sexual experience: Learned about it.	LEC-5 Standard Version - Unwanted Sex Experience: Learned
C135871	LEC0109D	LEC01-Unwanted Sex Experience: Job	Life Events Checklist for DSM-5, Standard Version - Other unwanted or uncomfortable sexual experience: Part of my job.	LEC-5 Standard Version - Unwanted Sex Experience: Job
C135872	LEC0109E	LEC01-Unwanted Sex Experience: Not Sure	Life Events Checklist for DSM-5, Standard Version - Other unwanted or uncomfortable sexual experience: Not sure.	LEC-5 Standard Version - Unwanted Sex Experience: Not Sure
C135873	LEC0109F	LEC01-Unwanted Sex Experience: Not Apply	Life Events Checklist for DSM-5, Standard Version - Other unwanted or uncomfortable sexual experience: Doesn't apply.	LEC-5 Standard Version - Unwanted Sex Experience: Not Apply
C135874	LEC0110A	LEC01-Combat/Exp to War-Zone: Happened	Life Events Checklist for DSM-5, Standard Version - Combat or exposure to a war-zone (in the military or as a civilian): Happened to me.	LEC-5 Standard Version - Combat or Exposure to War-Zone: Happened
C135875	LEC0110B	LEC01-Combat/Exp to War-Zone: Witnessed	Life Events Checklist for DSM-5, Standard Version - Combat or exposure to a war-zone (in the military or as a civilian): Witnessed it.	LEC-5 Standard Version - Combat or Exposure to War-Zone: Witnessed
C135876	LEC0110C	LEC01-Combat/Exp to War-Zone: Learned	Life Events Checklist for DSM-5, Standard Version - Combat or exposure to a war-zone (in the military or as a civilian): Learned about it.	LEC-5 Standard Version - Combat or Exposure to War-Zone: Learned
C135877	LEC0110D	LEC01-Combat/Exp to War-Zone: Job	Life Events Checklist for DSM-5, Standard Version - Combat or exposure to a war-zone (in the military or as a civilian): Part of my job.	LEC-5 Standard Version - Combat or Exposure to War-Zone: Job
C135878	LEC0110E	LEC01-Combat/Exp to War-Zone: Not Sure	Life Events Checklist for DSM-5, Standard Version - Combat or exposure to a war-zone (in the military or as a civilian): Not sure.	LEC-5 Standard Version - Combat or Exposure to War-Zone: Not Sure
C135879	LEC0110F	LEC01-Combat/Exp to War-Zone: Not Apply	Life Events Checklist for DSM-5, Standard Version - Combat or exposure to a war-zone (in the military or as a civilian): Doesn't apply.	LEC-5 Standard Version - Combat or Exposure to War-Zone: Not Apply
C135880	LEC0111A	LEC01-Captivity: Happened	Life Events Checklist for DSM-5, Standard Version - Captivity (for example, being kidnapped, abducted, held hostage, prisoner of war): Happened to me.	LEC-5 Standard Version - Captivity: Happened
C135881	LEC0111B	LEC01-Captivity: Witnessed	Life Events Checklist for DSM-5, Standard Version - Captivity (for example, being kidnapped, abducted, held hostage, prisoner of war): Witnessed it.	LEC-5 Standard Version - Captivity: Witnessed
C135882	LEC0111C	LEC01-Captivity: Learned	Life Events Checklist for DSM-5, Standard Version - Captivity (for example, being kidnapped, abducted, held hostage, prisoner of war): Learned about it.	LEC-5 Standard Version - Captivity: Learned
C135883	LEC0111D	LEC01-Captivity: Job	Life Events Checklist for DSM-5, Standard Version - Captivity (for example, being kidnapped, abducted, held hostage, prisoner of war): Part of my job.	LEC-5 Standard Version - Captivity: Job

Life Events Checklist for DSM-5, Standard Version				
C135884	LEC0111E	LEC01-Captivity: Not Sure	Life Events Checklist for DSM-5, Standard Version - Captivity (for example, being kidnapped, abducted, held hostage, prisoner of war): Not sure.	LEC-5 Standard Version - Captivity: Not Sure
C135885	LEC0111F	LEC01-Captivity: Not Apply	Life Events Checklist for DSM-5, Standard Version - Captivity (for example, being kidnapped, abducted, held hostage, prisoner of war): Doesn't apply.	LEC-5 Standard Version - Captivity: Not Apply
C135886	LEC0112A	LEC01-Life-threatening Illness: Happened	Life Events Checklist for DSM-5, Standard Version - Life-threatening illness or injury: Happened to me.	LEC-5 Standard Version - Life-threatening Illness: Happened
C135887	LEC0112B	LEC01-Life-threatening Illness: Witnessed	Life Events Checklist for DSM-5, Standard Version - Life-threatening illness or injury: Witnessed it.	LEC-5 Standard Version - Life-threatening Illness: Witnessed
C135888	LEC0112C	LEC01-Life-threatening Illness: Learned	Life Events Checklist for DSM-5, Standard Version - Life-threatening illness or injury: Learned about it.	LEC-5 Standard Version - Life-threatening Illness: Learned
C135889	LEC0112D	LEC01-Life-threatening Illness: Job	Life Events Checklist for DSM-5, Standard Version - Life-threatening illness or injury: Part of my job.	LEC-5 Standard Version - Life-threatening Illness: Job
C135890	LEC0112E	LEC01-Life-threatening Illness: Not Sure	Life Events Checklist for DSM-5, Standard Version - Life-threatening illness or injury: Not sure.	LEC-5 Standard Version - Life-threatening Illness: Not Sure
C135891	LEC0112F	LEC01-Life-threatening Illness: No Apply	Life Events Checklist for DSM-5, Standard Version - Life-threatening illness or injury: Doesn't apply.	LEC-5 Standard Version - Life-threatening Illness: Not Apply
C135892	LEC0113A	LEC01-Severe Human Suffering: Happened	Life Events Checklist for DSM-5, Standard Version - Severe human suffering: Happened to me.	LEC-5 Standard Version - Severe Human Suffering: Happened
C135893	LEC0113B	LEC01-Severe Human Suffering: Witnessed	Life Events Checklist for DSM-5, Standard Version - Severe human suffering: Witnessed it.	LEC-5 Standard Version - Severe Human Suffering: Witnessed
C135894	LEC0113C	LEC01-Severe Human Suffering: Learned	Life Events Checklist for DSM-5, Standard Version - Severe human suffering: Learned about it.	LEC-5 Standard Version - Severe Human Suffering: Learned
C135895	LEC0113D	LEC01-Severe Human Suffering: Job	Life Events Checklist for DSM-5, Standard Version - Severe human suffering: Part of my job.	LEC-5 Standard Version - Severe Human Suffering: Job
C135896	LEC0113E	LEC01-Severe Human Suffering: Not Sure	Life Events Checklist for DSM-5, Standard Version - Severe human suffering: Not sure.	LEC-5 Standard Version - Severe Human Suffering: Not Sure
C135897	LEC0113F	LEC01-Severe Human Suffering: Not Apply	Life Events Checklist for DSM-5, Standard Version - Severe human suffering: Doesn't apply.	LEC-5 Standard Version - Severe Human Suffering: Not Apply
C135898	LEC0114A	LEC01-Sudden Violent Death: Happened	Life Events Checklist for DSM-5, Standard Version - Sudden violent death (for example, homicide, suicide): Happened to me.	LEC-5 Standard Version - Sudden Violent Death: Happened
C135899	LEC0114B	LEC01-Sudden Violent Death: Witnessed	Life Events Checklist for DSM-5, Standard Version - Sudden violent death (for example, homicide, suicide): Witnessed it.	LEC-5 Standard Version - Sudden Violent Death: Witnessed
C135900	LEC0114C	LEC01-Sudden Violent Death: Learned	Life Events Checklist for DSM-5, Standard Version - Sudden violent death (for example, homicide, suicide): Learned about it.	LEC-5 Standard Version - Sudden Violent Death: Learned
C135901	LEC0114D	LEC01-Sudden Violent Death: Job	Life Events Checklist for DSM-5, Standard Version - Sudden violent death (for example, homicide, suicide): Part of my job.	LEC-5 Standard Version - Sudden Violent Death: Job
C135902	LEC0114E	LEC01-Sudden Violent Death: Not Sure	Life Events Checklist for DSM-5, Standard Version - Sudden violent death (for example, homicide, suicide): Not sure.	LEC-5 Standard Version - Sudden Violent Death: Not Sure
C135903	LEC0114F	LEC01-Sudden Violent Death: Not Apply	Life Events Checklist for DSM-5, Standard Version - Sudden violent death (for example, homicide, suicide): Doesn't apply.	LEC-5 Standard Version - Sudden Violent Death: Not Apply
C135904	LEC0115A	LEC01-Sudden Accidental Death: Happened	Life Events Checklist for DSM-5, Standard Version - Sudden accidental death: Happened to me.	LEC-5 Standard Version - Sudden Accidental Death: Happened
C135905	LEC0115B	LEC01-Sudden Accidental Death: Witnessed	Life Events Checklist for DSM-5, Standard Version - Sudden accidental death: Witnessed it.	LEC-5 Standard Version - Sudden Accidental Death: Witnessed

Life Events Checklist for DSM-5, Standard Version				
C135906	LEC0115C	LEC01-Sudden Accidental Death: Learned	Life Events Checklist for DSM-5, Standard Version - Sudden accidental death: Learned about it.	LEC-5 Standard Version - Sudden Accidental Death: Learned
C135907	LEC0115D	LEC01-Sudden Accidental Death: Job	Life Events Checklist for DSM-5, Standard Version - Sudden accidental death: Part of my job.	LEC-5 Standard Version - Sudden Accidental Death: Job
C135908	LEC0115E	LEC01-Sudden Accidental Death: Not Sure	Life Events Checklist for DSM-5, Standard Version - Sudden accidental death: Not sure.	LEC-5 Standard Version - Sudden Accidental Death: Not Sure
C135909	LEC0115F	LEC01-Sudden Accidental Death: Not Apply	Life Events Checklist for DSM-5, Standard Version - Sudden accidental death: Doesn't apply.	LEC-5 Standard Version - Sudden Accidental Death: Not Apply
C135910	LEC0116A	LEC01-Serious Injury Caused: Happened	Life Events Checklist for DSM-5, Standard Version - Serious injury, harm, or death you caused to someone else: Happened to me.	LEC-5 Standard Version - Serious Injury Caused: Happened
C135911	LEC0116B	LEC01-Serious Injury Caused: Witnessed	Life Events Checklist for DSM-5, Standard Version - Serious injury, harm, or death you caused to someone else: Witnessed it.	LEC-5 Standard Version - Serious Injury Caused: Witnessed
C135912	LEC0116C	LEC01-Serious Injury Caused: Learned	Life Events Checklist for DSM-5, Standard Version - Serious injury, harm, or death you caused to someone else: Learned about it.	LEC-5 Standard Version - Serious Injury Caused: Learned
C135913	LEC0116D	LEC01-Serious Injury Caused: Job	Life Events Checklist for DSM-5, Standard Version - Serious injury, harm, or death you caused to someone else: Part of my job.	LEC-5 Standard Version - Serious Injury Caused: Job
C135914	LEC0116E	LEC01-Serious Injury Caused: Not Sure	Life Events Checklist for DSM-5, Standard Version - Serious injury, harm, or death you caused to someone else: Not sure.	LEC-5 Standard Version - Serious Injury Caused: Not Sure
C135915	LEC0116F	LEC01-Serious Injury Caused: Not Apply	Life Events Checklist for DSM-5, Standard Version - Serious injury, harm, or death you caused to someone else: Doesn't apply.	LEC-5 Standard Version - Serious Injury Caused: Not Apply
C135916	LEC0117A	LEC01-Other Stressful Event: Happened	Life Events Checklist for DSM-5, Standard Version - Any other very stressful event or experience: Happened to me.	LEC-5 Standard Version - Other Stressful Event: Happened
C135917	LEC0117B	LEC01-Other Stressful Event: Witnessed	Life Events Checklist for DSM-5, Standard Version - Any other very stressful event or experience: Witnessed it.	LEC-5 Standard Version - Other Stressful Event: Witnessed
C135918	LEC0117C	LEC01-Other Stressful Event: Learned	Life Events Checklist for DSM-5, Standard Version - Any other very stressful event or experience: Learned about it.	LEC-5 Standard Version - Other Stressful Event: Learned
C135919	LEC0117D	LEC01-Other Stressful Event: Job	Life Events Checklist for DSM-5, Standard Version - Any other very stressful event or experience: Part of my job.	LEC-5 Standard Version - Other Stressful Event: Job
C135920	LEC0117E	LEC01-Other Stressful Event: Not Sure	Life Events Checklist for DSM-5, Standard Version - Any other very stressful event or experience: Not sure.	LEC-5 Standard Version - Other Stressful Event: Not Sure
C135921	LEC0117F	LEC01-Other Stressful Event: Not Apply	Life Events Checklist for DSM-5, Standard Version - Any other very stressful event or experience: Doesn't apply.	LEC-5 Standard Version - Other Stressful Event: Not Apply

C135856	LEC01-Assault With a Weapon: Happened	LEC01-Assault With a Weapon: Happened	Life Events Checklist for DSM-5, Standard Version - Assault with a weapon (for example, being shot, stabbed, threatened with a knife, gun, bomb): Happened to me.	LEC-5 Standard Version - Assault With a Weapon: Happened
C135859	LEC01-Assault With a Weapon: Job	LEC01-Assault With a Weapon: Job	Life Events Checklist for DSM-5, Standard Version - Assault with a weapon (for example, being shot, stabbed, threatened with a knife, gun, bomb): Part of my job.	LEC-5 Standard Version - Assault With a Weapon: Job
C135858	LEC01-Assault With a Weapon: Learned	LEC01-Assault With a Weapon: Learned	Life Events Checklist for DSM-5, Standard Version - Assault with a weapon (for example, being shot, stabbed, threatened with a knife, gun, bomb): Learned about it.	LEC-5 Standard Version - Assault With a Weapon: Learned
C135861	LEC01-Assault With a Weapon: Not Apply	LEC01-Assault With a Weapon: Not Apply	Life Events Checklist for DSM-5, Standard Version - Assault with a weapon (for example, being shot, stabbed, threatened with a knife, gun, bomb): Doesn't apply.	LEC-5 Standard Version - Assault With a Weapon: Not Apply
C135860	LEC01-Assault With a Weapon: Not Sure	LEC01-Assault With a Weapon: Not Sure	Life Events Checklist for DSM-5, Standard Version - Assault with a weapon (for example, being shot, stabbed, threatened with a knife, gun, bomb): Not sure.	LEC-5 Standard Version - Assault With a Weapon: Not Sure
C135857	LEC01-Assault With a Weapon: Witnessed	LEC01-Assault With a Weapon: Witnessed	Life Events Checklist for DSM-5, Standard Version - Assault with a weapon (for example, being shot, stabbed, threatened with a knife, gun, bomb): Witnessed it.	LEC-5 Standard Version - Assault With a Weapon: Witnessed
C135880	LEC01-Captivity: Happened	LEC01-Captivity: Happened	Life Events Checklist for DSM-5, Standard Version - Captivity (for example, being kidnapped, abducted, held hostage, prisoner of war): Happened to me.	LEC-5 Standard Version - Captivity: Happened
C135883	LEC01-Captivity: Job	LEC01-Captivity: Job	Life Events Checklist for DSM-5, Standard Version - Captivity (for example, being kidnapped, abducted, held hostage, prisoner of war): Part of my job.	LEC-5 Standard Version - Captivity: Job
C135882	LEC01-Captivity: Learned	LEC01-Captivity: Learned	Life Events Checklist for DSM-5, Standard Version - Captivity (for example, being kidnapped, abducted, held hostage, prisoner of war): Learned about it.	LEC-5 Standard Version - Captivity: Learned
C135885	LEC01-Captivity: Not Apply	LEC01-Captivity: Not Apply	Life Events Checklist for DSM-5, Standard Version - Captivity (for example, being kidnapped, abducted, held hostage, prisoner of war): Doesn't apply.	LEC-5 Standard Version - Captivity: Not Apply
C135884	LEC01-Captivity: Not Sure	LEC01-Captivity: Not Sure	Life Events Checklist for DSM-5, Standard Version - Captivity (for example, being kidnapped, abducted, held hostage, prisoner of war): Not sure.	LEC-5 Standard Version - Captivity: Not Sure
C135881	LEC01-Captivity: Witnessed	LEC01-Captivity: Witnessed	Life Events Checklist for DSM-5, Standard Version - Captivity (for example, being kidnapped, abducted, held hostage, prisoner of war): Witnessed it.	LEC-5 Standard Version - Captivity: Witnessed
C135874	LEC01-Combat/Exp to War-Zone: Happened	LEC01-Combat/Exp to War-Zone: Happened	Life Events Checklist for DSM-5, Standard Version - Combat or exposure to a war-zone (in the military or as a civilian): Happened to me.	LEC-5 Standard Version - Combat or Exposure to War-Zone: Happened
C135877	LEC01-Combat/Exp to War-Zone: Job	LEC01-Combat/Exp to War-Zone: Job	Life Events Checklist for DSM-5, Standard Version - Combat or exposure to a war-zone (in the military or as a civilian): Part of my job.	LEC-5 Standard Version - Combat or Exposure to War-Zone: Job
C135876	LEC01-Combat/Exp to War-Zone: Learned	LEC01-Combat/Exp to War-Zone: Learned	Life Events Checklist for DSM-5, Standard Version - Combat or exposure to a war-zone (in the military or as a civilian): Learned about it.	LEC-5 Standard Version - Combat or Exposure to War-Zone: Learned
C135879	LEC01-Combat/Exp to War-Zone: Not Apply	LEC01-Combat/Exp to War-Zone: Not Apply	Life Events Checklist for DSM-5, Standard Version - Combat or exposure to a war-zone (in the military or as a civilian): Doesn't apply.	LEC-5 Standard Version - Combat or Exposure to War-Zone: Not Apply
C135878	LEC01-Combat/Exp to War-Zone: Not Sure	LEC01-Combat/Exp to War-Zone: Not Sure	Life Events Checklist for DSM-5, Standard Version - Combat or exposure to a war-zone (in the military or as a civilian): Not sure.	LEC-5 Standard Version - Combat or Exposure to War-Zone: Not Sure
C135875	LEC01-Combat/Exp to War-Zone: Witnessed	LEC01-Combat/Exp to War-Zone: Witnessed	Life Events Checklist for DSM-5, Standard Version - Combat or exposure to a war-zone (in the military or as a civilian): Witnessed it.	LEC-5 Standard Version - Combat or Exposure to War-Zone: Witnessed
C135826	LEC01-Fire or Explosion: Happened	LEC01-Fire or Explosion: Happened	Life Events Checklist for DSM-5, Standard Version - Fire or explosion: Happened to me.	LEC-5 Standard Version - Fire or Explosion: Happened
C135829	LEC01-Fire or Explosion: Job	LEC01-Fire or Explosion: Job	Life Events Checklist for DSM-5, Standard Version - Fire or explosion: Part of my job.	LEC-5 Standard Version - Fire or Explosion: Job
C135828	LEC01-Fire or Explosion: Learned	LEC01-Fire or Explosion: Learned	Life Events Checklist for DSM-5, Standard Version - Fire or explosion: Learned about it.	LEC-5 Standard Version - Fire or Explosion: Learned

Life Events Checklist for DSM-5, Standard Version				
C135831	LEC01-Fire or Explosion: Not Apply	LEC01-Fire or Explosion: Not Apply	Life Events Checklist for DSM-5, Standard Version - Fire or explosion: Doesn't apply.	LEC-5 Standard Version - Fire or Explosion: Not Apply
C135830	LEC01-Fire or Explosion: Not Sure	LEC01-Fire or Explosion: Not Sure	Life Events Checklist for DSM-5, Standard Version - Fire or explosion: Not sure.	LEC-5 Standard Version - Fire or Explosion: Not Sure
C135827	LEC01-Fire or Explosion: Witnessed	LEC01-Fire or Explosion: Witnessed	Life Events Checklist for DSM-5, Standard Version - Fire or explosion: Witnessed it.	LEC-5 Standard Version - Fire or Explosion: Witnessed
C135886	LEC01-Life-threatening Illness: Happened	LEC01-Life-threatening Illness: Happened	Life Events Checklist for DSM-5, Standard Version - Life-threatening illness or injury: Happened to me.	LEC-5 Standard Version - Life-threatening Illness: Happened
C135889	LEC01-Life-threatening Illness: Job	LEC01-Life-threatening Illness: Job	Life Events Checklist for DSM-5, Standard Version - Life-threatening illness or injury: Part of my job.	LEC-5 Standard Version - Life-threatening Illness: Job
C135888	LEC01-Life-threatening Illness: Learned	LEC01-Life-threatening Illness: Learned	Life Events Checklist for DSM-5, Standard Version - Life-threatening illness or injury: Learned about it.	LEC-5 Standard Version - Life-threatening Illness: Learned
C135891	LEC01-Life-threatening Illness: No Apply	LEC01-Life-threatening Illness: No Apply	Life Events Checklist for DSM-5, Standard Version - Life-threatening illness or injury: Doesn't apply.	LEC-5 Standard Version - Life-threatening Illness: Not Apply
C135890	LEC01-Life-threatening Illness: Not Sure	LEC01-Life-threatening Illness: Not Sure	Life Events Checklist for DSM-5, Standard Version - Life-threatening illness or injury: Not sure.	LEC-5 Standard Version - Life-threatening Illness: Not Sure
C135887	LEC01-Life-threatening Illness: Witness	LEC01-Life-threatening Illness: Witness	Life Events Checklist for DSM-5, Standard Version - Life-threatening illness or injury: Witnessed it.	LEC-5 Standard Version - Life-threatening Illness: Witnessed
C135820	LEC01-Natural Disaster: Happened	LEC01-Natural Disaster: Happened	Life Events Checklist for DSM-5, Standard Version - Natural disaster (for example, flood, hurricane, tornado, earthquake): Happened to me.	LEC-5 Standard Version - Natural Disaster: Happened
C135823	LEC01-Natural Disaster: Job	LEC01-Natural Disaster: Job	Life Events Checklist for DSM-5, Standard Version - Natural disaster (for example, flood, hurricane, tornado, earthquake): Part of my job.	LEC-5 Standard Version - Natural Disaster: Job
C135822	LEC01-Natural Disaster: Learned	LEC01-Natural Disaster: Learned	Life Events Checklist for DSM-5, Standard Version - Natural disaster (for example, flood, hurricane, tornado, earthquake): Learned about it.	LEC-5 Standard Version - Natural Disaster: Learned
C135825	LEC01-Natural Disaster: Not Apply	LEC01-Natural Disaster: Not Apply	Life Events Checklist for DSM-5, Standard Version - Natural disaster (for example, flood, hurricane, tornado, earthquake): Doesn't apply.	LEC-5 Standard Version - Natural Disaster: Not Apply
C135824	LEC01-Natural Disaster: Not Sure	LEC01-Natural Disaster: Not Sure	Life Events Checklist for DSM-5, Standard Version - Natural disaster (for example, flood, hurricane, tornado, earthquake): Not sure.	LEC-5 Standard Version - Natural Disaster: Not Sure
C135821	LEC01-Natural Disaster: Witnessed	LEC01-Natural Disaster: Witnessed	Life Events Checklist for DSM-5, Standard Version - Natural disaster (for example, flood, hurricane, tornado, earthquake): Witnessed it.	LEC-5 Standard Version - Natural Disaster: Witnessed
C135916	LEC01-Other Stressful Event: Happened	LEC01-Other Stressful Event: Happened	Life Events Checklist for DSM-5, Standard Version - Any other very stressful event or experience: Happened to me.	LEC-5 Standard Version - Other Stressful Event: Happened
C135919	LEC01-Other Stressful Event: Job	LEC01-Other Stressful Event: Job	Life Events Checklist for DSM-5, Standard Version - Any other very stressful event or experience: Part of my job.	LEC-5 Standard Version - Other Stressful Event: Job
C135918	LEC01-Other Stressful Event: Learned	LEC01-Other Stressful Event: Learned	Life Events Checklist for DSM-5, Standard Version - Any other very stressful event or experience: Learned about it.	LEC-5 Standard Version - Other Stressful Event: Learned
C135921	LEC01-Other Stressful Event: Not Apply	LEC01-Other Stressful Event: Not Apply	Life Events Checklist for DSM-5, Standard Version - Any other very stressful event or experience: Doesn't apply.	LEC-5 Standard Version - Other Stressful Event: Not Apply
C135920	LEC01-Other Stressful Event: Not Sure	LEC01-Other Stressful Event: Not Sure	Life Events Checklist for DSM-5, Standard Version - Any other very stressful event or experience: Not sure.	LEC-5 Standard Version - Other Stressful Event: Not Sure
C135917	LEC01-Other Stressful Event: Witnessed	LEC01-Other Stressful Event: Witnessed	Life Events Checklist for DSM-5, Standard Version - Any other very stressful event or experience: Witnessed it.	LEC-5 Standard Version - Other Stressful Event: Witnessed
C135850	LEC01-Physical Assault: Happened	LEC01-Physical Assault: Happened	Life Events Checklist for DSM-5, Standard Version - Physical assault (for example, being attacked, hit, slapped, kicked, beaten up): Happened to me.	LEC-5 Standard Version - Physical Assault: Happened

Life Events Checklist for DSM-5, Standard Version				
C135853	LEC01-Physical Assault: Job	LEC01-Physical Assault: Job	Life Events Checklist for DSM-5, Standard Version - Physical assault (for example, being attacked, hit, slapped, kicked, beaten up): Part of my job.	LEC-5 Standard Version - Physical Assault: Job
C135852	LEC01-Physical Assault: Learned	LEC01-Physical Assault: Learned	Life Events Checklist for DSM-5, Standard Version - Physical assault (for example, being attacked, hit, slapped, kicked, beaten up): Learned about it.	LEC-5 Standard Version - Physical Assault: Learned
C135855	LEC01-Physical Assault: Not Apply	LEC01-Physical Assault: Not Apply	Life Events Checklist for DSM-5, Standard Version - Physical assault (for example, being attacked, hit, slapped, kicked, beaten up): Doesn't apply.	LEC-5 Standard Version - Physical Assault: Not Apply
C135854	LEC01-Physical Assault: Not Sure	LEC01-Physical Assault: Not Sure	Life Events Checklist for DSM-5, Standard Version - Physical assault (for example, being attacked, hit, slapped, kicked, beaten up): Not sure.	LEC-5 Standard Version - Physical Assault: Not Sure
C135851	LEC01-Physical Assault: Witnessed	LEC01-Physical Assault: Witnessed	Life Events Checklist for DSM-5, Standard Version - Physical assault (for example, being attacked, hit, slapped, kicked, beaten up): Witnessed it.	LEC-5 Standard Version - Physical Assault: Witnessed
C135838	LEC01-Serious Accident: Happened	LEC01-Serious Accident: Happened	Life Events Checklist for DSM-5, Standard Version - Serious accident at work, home, or during recreational activity: Happened to me.	LEC-5 Standard Version - Serious Accident: Happened
C135841	LEC01-Serious Accident: Job	LEC01-Serious Accident: Job	Life Events Checklist for DSM-5, Standard Version - Serious accident at work, home, or during recreational activity: Part of my job.	LEC-5 Standard Version - Serious Accident: Job
C135840	LEC01-Serious Accident: Learned	LEC01-Serious Accident: Learned	Life Events Checklist for DSM-5, Standard Version - Serious accident at work, home, or during recreational activity: Learned about it.	LEC-5 Standard Version - Serious Accident: Learned
C135843	LEC01-Serious Accident: Not Apply	LEC01-Serious Accident: Not Apply	Life Events Checklist for DSM-5, Standard Version - Serious accident at work, home, or during recreational activity: Doesn't apply.	LEC-5 Standard Version - Serious Accident: Not Apply
C135842	LEC01-Serious Accident: Not Sure	LEC01-Serious Accident: Not Sure	Life Events Checklist for DSM-5, Standard Version - Serious accident at work, home, or during recreational activity: Not sure.	LEC-5 Standard Version - Serious Accident: Not Sure
C135839	LEC01-Serious Accident: Witnessed	LEC01-Serious Accident: Witnessed	Life Events Checklist for DSM-5, Standard Version - Serious accident at work, home, or during recreational activity: Witnessed it.	LEC-5 Standard Version - Serious Accident: Witnessed
C135910	LEC01-Serious Injury Caused: Happened	LEC01-Serious Injury Caused: Happened	Life Events Checklist for DSM-5, Standard Version - Serious injury, harm, or death you caused to someone else: Happened to me.	LEC-5 Standard Version - Serious Injury Caused: Happened
C135913	LEC01-Serious Injury Caused: Job	LEC01-Serious Injury Caused: Job	Life Events Checklist for DSM-5, Standard Version - Serious injury, harm, or death you caused to someone else: Part of my job.	LEC-5 Standard Version - Serious Injury Caused: Job
C135912	LEC01-Serious Injury Caused: Learned	LEC01-Serious Injury Caused: Learned	Life Events Checklist for DSM-5, Standard Version - Serious injury, harm, or death you caused to someone else: Learned about it.	LEC-5 Standard Version - Serious Injury Caused: Learned
C135915	LEC01-Serious Injury Caused: Not Apply	LEC01-Serious Injury Caused: Not Apply	Life Events Checklist for DSM-5, Standard Version - Serious injury, harm, or death you caused to someone else: Doesn't apply.	LEC-5 Standard Version - Serious Injury Caused: Not Apply
C135914	LEC01-Serious Injury Caused: Not Sure	LEC01-Serious Injury Caused: Not Sure	Life Events Checklist for DSM-5, Standard Version - Serious injury, harm, or death you caused to someone else: Not sure.	LEC-5 Standard Version - Serious Injury Caused: Not Sure
C135911	LEC01-Serious Injury Caused: Witnessed	LEC01-Serious Injury Caused: Witnessed	Life Events Checklist for DSM-5, Standard Version - Serious injury, harm, or death you caused to someone else: Witnessed it.	LEC-5 Standard Version - Serious Injury Caused: Witnessed
C135892	LEC01-Severe Human Suffering: Happened	LEC01-Severe Human Suffering: Happened	Life Events Checklist for DSM-5, Standard Version - Severe human suffering: Happened to me.	LEC-5 Standard Version - Severe Human Suffering: Happened
C135895	LEC01-Severe Human Suffering: Job	LEC01-Severe Human Suffering: Job	Life Events Checklist for DSM-5, Standard Version - Severe human suffering: Part of my job.	LEC-5 Standard Version - Severe Human Suffering: Job
C135894	LEC01-Severe Human Suffering: Learned	LEC01-Severe Human Suffering: Learned	Life Events Checklist for DSM-5, Standard Version - Severe human suffering: Learned about it.	LEC-5 Standard Version - Severe Human Suffering: Learned
C135897	LEC01-Severe Human Suffering: Not Apply	LEC01-Severe Human Suffering: Not Apply	Life Events Checklist for DSM-5, Standard Version - Severe human suffering: Doesn't apply.	LEC-5 Standard Version - Severe Human Suffering: Not Apply
C135896	LEC01-Severe Human Suffering: Not Sure	LEC01-Severe Human Suffering: Not Sure	Life Events Checklist for DSM-5, Standard Version - Severe human suffering: Not sure.	LEC-5 Standard Version - Severe Human Suffering: Not Sure

Life Events Checklist for DSM-5, Standard Version				
C135893	LEC01-Severe Human Suffering: Witnessed	LEC01-Severe Human Suffering: Witnessed	Life Events Checklist for DSM-5, Standard Version - Severe human suffering: Witnessed it.	LEC-5 Standard Version - Severe Human Suffering: Witnessed
C135862	LEC01-Sexual Assault: Happened	LEC01-Sexual Assault: Happened	Life Events Checklist for DSM-5, Standard Version - Sexual assault (rape, attempted rape, made to perform any type of sexual act through force or threat of harm): Happened to me.	LEC-5 Standard Version - Sexual Assault: Happened
C135865	LEC01-Sexual Assault: Job	LEC01-Sexual Assault: Job	Life Events Checklist for DSM-5, Standard Version - Sexual assault (rape, attempted rape, made to perform any type of sexual act through force or threat of harm): Part of my job.	LEC-5 Standard Version - Sexual Assault: Job
C135864	LEC01-Sexual Assault: Learned	LEC01-Sexual Assault: Learned	Life Events Checklist for DSM-5, Standard Version - Sexual assault (rape, attempted rape, made to perform any type of sexual act through force or threat of harm): Learned about it.	LEC-5 Standard Version - Sexual Assault: Learned
C135867	LEC01-Sexual Assault: Not Apply	LEC01-Sexual Assault: Not Apply	Life Events Checklist for DSM-5, Standard Version - Sexual assault (rape, attempted rape, made to perform any type of sexual act through force or threat of harm): Doesn't apply.	LEC-5 Standard Version - Sexual Assault: Not Apply
C135866	LEC01-Sexual Assault: Not Sure	LEC01-Sexual Assault: Not Sure	Life Events Checklist for DSM-5, Standard Version - Sexual assault (rape, attempted rape, made to perform any type of sexual act through force or threat of harm): Not sure.	LEC-5 Standard Version - Sexual Assault: Not Sure
C135863	LEC01-Sexual Assault: Witnessed	LEC01-Sexual Assault: Witnessed	Life Events Checklist for DSM-5, Standard Version - Sexual assault (rape, attempted rape, made to perform any type of sexual act through force or threat of harm): Witnessed it.	LEC-5 Standard Version - Sexual Assault: Witnessed
C135904	LEC01-Sudden Accidental Death: Happened	LEC01-Sudden Accidental Death: Happened	Life Events Checklist for DSM-5, Standard Version - Sudden accidental death: Happened to me.	LEC-5 Standard Version - Sudden Accidental Death: Happened
C135907	LEC01-Sudden Accidental Death: Job	LEC01-Sudden Accidental Death: Job	Life Events Checklist for DSM-5, Standard Version - Sudden accidental death: Part of my job.	LEC-5 Standard Version - Sudden Accidental Death: Job
C135906	LEC01-Sudden Accidental Death: Learned	LEC01-Sudden Accidental Death: Learned	Life Events Checklist for DSM-5, Standard Version - Sudden accidental death: Learned about it.	LEC-5 Standard Version - Sudden Accidental Death: Learned
C135909	LEC01-Sudden Accidental Death: Not Apply	LEC01-Sudden Accidental Death: Not Apply	Life Events Checklist for DSM-5, Standard Version - Sudden accidental death: Doesn't apply.	LEC-5 Standard Version - Sudden Accidental Death: Not Apply
C135908	LEC01-Sudden Accidental Death: Not Sure	LEC01-Sudden Accidental Death: Not Sure	Life Events Checklist for DSM-5, Standard Version - Sudden accidental death: Not sure.	LEC-5 Standard Version - Sudden Accidental Death: Not Sure
C135905	LEC01-Sudden Accidental Death: Witnessed	LEC01-Sudden Accidental Death: Witnessed	Life Events Checklist for DSM-5, Standard Version - Sudden accidental death: Witnessed it.	LEC-5 Standard Version - Sudden Accidental Death: Witnessed
C135898	LEC01-Sudden Violent Death: Happened	LEC01-Sudden Violent Death: Happened	Life Events Checklist for DSM-5, Standard Version - Sudden violent death (for example, homicide, suicide): Happened to me.	LEC-5 Standard Version - Sudden Violent Death: Happened
C135901	LEC01-Sudden Violent Death: Job	LEC01-Sudden Violent Death: Job	Life Events Checklist for DSM-5, Standard Version - Sudden violent death (for example, homicide, suicide): Part of my job.	LEC-5 Standard Version - Sudden Violent Death: Job
C135900	LEC01-Sudden Violent Death: Learned	LEC01-Sudden Violent Death: Learned	Life Events Checklist for DSM-5, Standard Version - Sudden violent death (for example, homicide, suicide): Learned about it.	LEC-5 Standard Version - Sudden Violent Death: Learned
C135903	LEC01-Sudden Violent Death: Not Apply	LEC01-Sudden Violent Death: Not Apply	Life Events Checklist for DSM-5, Standard Version - Sudden violent death (for example, homicide, suicide): Doesn't apply.	LEC-5 Standard Version - Sudden Violent Death: Not Apply
C135902	LEC01-Sudden Violent Death: Not Sure	LEC01-Sudden Violent Death: Not Sure	Life Events Checklist for DSM-5, Standard Version - Sudden violent death (for example, homicide, suicide): Not sure.	LEC-5 Standard Version - Sudden Violent Death: Not Sure
C135899	LEC01-Sudden Violent Death: Witnessed	LEC01-Sudden Violent Death: Witnessed	Life Events Checklist for DSM-5, Standard Version - Sudden violent death (for example, homicide, suicide): Witnessed it.	LEC-5 Standard Version - Sudden Violent Death: Witnessed
C135844	LEC01-Toxic Substance: Happened	LEC01-Toxic Substance: Happened	Life Events Checklist for DSM-5, Standard Version - Exposure to toxic substance (for example, dangerous chemicals, radiation): Happened to me.	LEC-5 Standard Version - Toxic Substance: Happened
C135847	LEC01-Toxic Substance: Job	LEC01-Toxic Substance: Job	Life Events Checklist for DSM-5, Standard Version - Exposure to toxic substance (for example, dangerous chemicals, radiation): Part of my job.	LEC-5 Standard Version - Toxic Substance: Job

DSM-5 Standard Version - Life Events Checklist				
	LEC01	LEC01	LEC01	LEC01
C135846	LEC01-Toxic Substance: Learned	LEC01-Toxic Substance: Learned	Life Events Checklist for DSM-5, Standard Version - Exposure to toxic substance (for example, dangerous chemicals, radiation): Learned about it.	LEC-5 Standard Version - Toxic Substance: Learned
C135849	LEC01-Toxic Substance: Not Apply	LEC01-Toxic Substance: Not Apply	Life Events Checklist for DSM-5, Standard Version - Exposure to toxic substance (for example, dangerous chemicals, radiation): Doesn't apply.	LEC-5 Standard Version - Toxic Substance: Not Apply
C135848	LEC01-Toxic Substance: Not Sure	LEC01-Toxic Substance: Not Sure	Life Events Checklist for DSM-5, Standard Version - Exposure to toxic substance (for example, dangerous chemicals, radiation): Not sure.	LEC-5 Standard Version - Toxic Substance: Not Sure
C135845	LEC01-Toxic Substance: Witnessed	LEC01-Toxic Substance: Witnessed	Life Events Checklist for DSM-5, Standard Version - Exposure to toxic substance (for example, dangerous chemicals, radiation): Witnessed it.	LEC-5 Standard Version - Toxic Substance: Witnessed
C135832	LEC01-Transportation Accident: Happened	LEC01-Transportation Accident: Happened	Life Events Checklist for DSM-5, Standard Version - Transportation accident (for example, car accident, boat accident, train wreck, plane crash): Happened to me.	LEC-5 Standard Version - Transportation Accident: Happened
C135835	LEC01-Transportation Accident: Job	LEC01-Transportation Accident: Job	Life Events Checklist for DSM-5, Standard Version - Transportation accident (for example, car accident, boat accident, train wreck, plane crash): Part of my job.	LEC-5 Standard Version - Transportation Accident: Job
C135834	LEC01-Transportation Accident: Learned	LEC01-Transportation Accident: Learned	Life Events Checklist for DSM-5, Standard Version - Transportation accident (for example, car accident, boat accident, train wreck, plane crash): Learned about it.	LEC-5 Standard Version - Transportation Accident: Learned
C135837	LEC01-Transportation Accident: Not Apply	LEC01-Transportation Accident: Not Apply	Life Events Checklist for DSM-5, Standard Version - Transportation accident (for example, car accident, boat accident, train wreck, plane crash): Doesn't apply.	LEC-5 Standard Version - Transportation Accident: Not Apply
C135836	LEC01-Transportation Accident: Not Sure	LEC01-Transportation Accident: Not Sure	Life Events Checklist for DSM-5, Standard Version - Transportation accident (for example, car accident, boat accident, train wreck, plane crash): Not sure.	LEC-5 Standard Version - Transportation Accident: Not Sure
C135833	LEC01-Transportation Accident: Witnessed	LEC01-Transportation Accident: Witnessed	Life Events Checklist for DSM-5, Standard Version - Transportation accident (for example, car accident, boat accident, train wreck, plane crash): Witnessed it.	LEC-5 Standard Version - Transportation Accident: Witnessed
C135868	LEC01-Unwanted Sex Experience: Happened	LEC01-Unwanted Sex Experience: Happened	Life Events Checklist for DSM-5, Standard Version - Other unwanted or uncomfortable sexual experience: Happened to me.	LEC-5 Standard Version - Unwanted Sex Experience: Happened
C135871	LEC01-Unwanted Sex Experience: Job	LEC01-Unwanted Sex Experience: Job	Life Events Checklist for DSM-5, Standard Version - Other unwanted or uncomfortable sexual experience: Part of my job.	LEC-5 Standard Version - Unwanted Sex Experience: Job
C135870	LEC01-Unwanted Sex Experience: Learned	LEC01-Unwanted Sex Experience: Learned	Life Events Checklist for DSM-5, Standard Version - Other unwanted or uncomfortable sexual experience: Learned about it.	LEC-5 Standard Version - Unwanted Sex Experience: Learned
C135873	LEC01-Unwanted Sex Experience: Not Apply	LEC01-Unwanted Sex Experience: Not Apply	Life Events Checklist for DSM-5, Standard Version - Other unwanted or uncomfortable sexual experience: Doesn't apply.	LEC-5 Standard Version - Unwanted Sex Experience: Not Apply
C135872	LEC01-Unwanted Sex Experience: Not Sure	LEC01-Unwanted Sex Experience: Not Sure	Life Events Checklist for DSM-5, Standard Version - Other unwanted or uncomfortable sexual experience: Not sure.	LEC-5 Standard Version - Unwanted Sex Experience: Not Sure
C135869	LEC01-Unwanted Sex Experience: Witnessed	LEC01-Unwanted Sex Experience: Witnessed	Life Events Checklist for DSM-5, Standard Version - Other unwanted or uncomfortable sexual experience: Witnessed it.	LEC-5 Standard Version - Unwanted Sex Experience: Witnessed

C138364	LPPSS101	LPPSS1-Lansky Play-Performance Status	Lansky Play-Performance Status Scale - Lansky play-performance status.	LPSS - Lansky Play-Performance Status
---------	----------	---------------------------------------	------------------------------------------------------------------------	---------------------------------------

C138364	LPPSS1-Lansky Play-Performance Status	LPPSS1-Lansky Play-Performance Status	Lansky Play-Performance Status Scale - Lansky play-performance status.	LPSS - Lansky Play-Performance Status
---------	---------------------------------------	---------------------------------------	------------------------------------------------------------------------	---------------------------------------

NCI Code: C120991, Codelist extensible: No

C121076 MELD0101

MELD01-Score

Model for End Stage Liver Disease - MELD score.

MELD - Score

NCI Code: C120990, Codelist extensible: No

C121076 MELD01-Score

MELD01-Score

Model for End Stage Liver Disease - MELD score.

MELD - Score

C113967	MFIS0101	MFIS01-I Have Been Less Alert	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been less alert.	MFIS - Have Been Less Alert
C113968	MFIS0102	MFIS01-Have Difficulty Paying Attention	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have had difficulty paying attention for long periods of time.	MFIS - Have Difficulty Paying Attention for Long Time
C113969	MFIS0103	MFIS01-Have Been Unable to Think Clearly	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been unable to think clearly.	MFIS - Unable to Think Clearly
C113970	MFIS0104	MFIS01-Been Clumsy and Uncoordinated	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been clumsy and uncoordinated.	MFIS - Have Been Clumsy and Uncoordinated
C113971	MFIS0105	MFIS01-I Have Been Forgetful	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been forgetful.	MFIS - Have Been Forgetful
C113972	MFIS0106	MFIS01-Pace Myself in Physical Activity	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have had to pace myself in my physical activities.	MFIS - Pace Myself in Physical Activities
C113973	MFIS0107	MFIS01-Less Motivated, Physical Effort	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been less motivated to do anything that requires physical effort.	MFIS - Less Motivated to Do Anything That Requires Physical Effort
C113974	MFIS0108	MFIS01-Less Motivated, Social Activity	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been less motivated to participate in social activities.	MFIS - Less Motivated to Participate in Social Activities
C113975	MFIS0109	MFIS01-Limited in Ability Away From Home	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been limited in my ability to do things away from home.	MFIS - Limited in My Abilities to Do Things Away From Home
C113976	MFIS0110	MFIS01-Trouble Maintain Physical Effort	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have had trouble maintaining physical effort for long periods.	MFIS - Have Trouble Maintain Physical Effort
C113977	MFIS0111	MFIS01-Have Difficulty Making Decisions	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have had difficulty making decisions.	MFIS - Have Difficulty Making Decisions
C113978	MFIS0112	MFIS01-Less Motivated, Thinking	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been less motivated to do anything that requires thinking.	MFIS - Less Motivated to Do Anything That Requires Thinking
C113979	MFIS0113	MFIS01-My Muscles Have Felt Weak	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks my muscles have felt weak.	MFIS - Muscles Have Felt Weak
C113980	MFIS0114	MFIS01-Been Physically Uncomfortable	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been physically uncomfortable.	MFIS - Been Physically Uncomfortable
C113981	MFIS0115	MFIS01-Trouble Finishing Thinking Tasks	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have had trouble finishing tasks that require thinking.	MFIS - Have Trouble Finishing Tasks That Require Thinking
C113982	MFIS0116	MFIS01-Difficulty Organizing My Thoughts	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have had difficulty organizing my thoughts when doing things at home or at work.	MFIS - Difficulty Organizing My Thoughts
C113983	MFIS0117	MFIS01-Less Able Complete Physical Tasks	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been less able to complete tasks that require physical effort.	MFIS - Less Able to Complete Tasks That Require Physical Effort
C113984	MFIS0118	MFIS01-My Thinking Has Been Slowed Down	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks my thinking has been slowed down.	MFIS - My Thinking Has Been Slowed Down
C113985	MFIS0119	MFIS01-I Have Had Trouble Concentrating	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have had trouble concentrating.	MFIS - Have Trouble Concentrating
C113986	MFIS0120	MFIS01-Have Limited My Physical Activity	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have limited my physical activities.	MFIS - Have Limited My Physical Activities
C113987	MFIS0121	MFIS01-Need to Rest More Often or Longer	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have needed to rest more often or for longer periods.	MFIS - Need to Rest More Often or Longer

C113970	MFIS01-Been Clumsy and Uncoordinated	MFIS01-Been Clumsy and Uncoordinated	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been clumsy and uncoordinated.	MFIS - Have Been Clumsy and Uncoordinated
C113980	MFIS01-Been Physically Uncomfortable	MFIS01-Been Physically Uncomfortable	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been physically uncomfortable.	MFIS - Been Physically Uncomfortable
C113982	MFIS01-Difficulty Organizing My Thoughts	MFIS01-Difficulty Organizing My Thoughts	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have had difficulty organizing my thoughts when doing things at home or at work.	MFIS - Difficulty Organizing My Thoughts
C113969	MFIS01-Have Been Unable to Think Clearly	MFIS01-Have Been Unable to Think Clearly	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been unable to think clearly.	MFIS - Unable to Think Clearly
C113977	MFIS01-Have Difficulty Making Decisions	MFIS01-Have Difficulty Making Decisions	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have had difficulty making decisions.	MFIS - Have Difficulty Making Decisions
C113968	MFIS01-Have Difficulty Paying Attention	MFIS01-Have Difficulty Paying Attention	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have had difficulty paying attention for long periods of time.	MFIS - Have Difficulty Paying Attention for Long Time
C113986	MFIS01-Have Limited My Physical Activity	MFIS01-Have Limited My Physical Activity	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have limited my physical activities.	MFIS - Have Limited My Physical Activities
C113971	MFIS01-I Have Been Forgetful	MFIS01-I Have Been Forgetful	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been forgetful.	MFIS - Have Been Forgetful
C113967	MFIS01-I Have Been Less Alert	MFIS01-I Have Been Less Alert	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been less alert.	MFIS - Have Been Less Alert
C113985	MFIS01-I Have Had Trouble Concentrating	MFIS01-I Have Had Trouble Concentrating	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have had trouble concentrating.	MFIS - Have Trouble Concentrating
C113983	MFIS01-Less Able Complete Physical Tasks	MFIS01-Less Able Complete Physical Tasks	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been less able to complete tasks that require physical effort.	MFIS - Less Able to Complete Tasks That Require Physical Effort
C113973	MFIS01-Less Motivated, Physical Effort	MFIS01-Less Motivated, Physical Effort	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been less motivated to do anything that requires physical effort.	MFIS - Less Motivated to Do Anything That Requires Physical Effort
C113974	MFIS01-Less Motivated, Social Activity	MFIS01-Less Motivated, Social Activity	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been less motivated to participate in social activities.	MFIS - Less Motivated to Participate in Social Activities
C113978	MFIS01-Less Motivated, Thinking	MFIS01-Less Motivated, Thinking	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been less motivated to do anything that requires thinking.	MFIS - Less Motivated to Do Anything That Requires Thinking
C113975	MFIS01-Limited in Ability Away From Home	MFIS01-Limited in Ability Away From Home	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been limited in my ability to do things away from home.	MFIS - Limited in My Abilities to Do Things Away From Home
C113979	MFIS01-My Muscles Have Felt Weak	MFIS01-My Muscles Have Felt Weak	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks my muscles have felt weak.	MFIS - Muscles Have Felt Weak
C113984	MFIS01-My Thinking Has Been Slowed Down	MFIS01-My Thinking Has Been Slowed Down	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks my thinking has been slowed down.	MFIS - My Thinking Has Been Slowed Down
C113987	MFIS01-Need to Rest More Often or Longer	MFIS01-Need to Rest More Often or Longer	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have needed to rest more often or for longer periods.	MFIS - Need to Rest More Often or Longer
C113972	MFIS01-Pace Myself in Physical Activity	MFIS01-Pace Myself in Physical Activity	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have had to pace myself in my physical activities.	MFIS - Pace Myself in Physical Activities
C113981	MFIS01-Trouble Finishing Thinking Tasks	MFIS01-Trouble Finishing Thinking Tasks	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have had trouble finishing tasks that require thinking.	MFIS - Have Trouble Finishing Tasks That Require Thinking
C113976	MFIS01-Trouble Maintain Physical Effort	MFIS01-Trouble Maintain Physical Effort	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have had trouble maintaining physical effort for long periods.	MFIS - Have Trouble Maintain Physical Effort

C112618	MHIS0101	MHIS01-Abrupt Onset	Modified Hachinski Ischemic Scale-NACC Version - Abrupt onset (re: cognitive status).	MHIS-NACC - Abrupt Onset
C112619	MHIS0102	MHIS01-Stepwise Deterioration	Modified Hachinski Ischemic Scale-NACC Version - Stepwise deterioration (re: cognitive status).	MHIS-NACC - Stepwise Deterioration
C112813	MHIS0103	MHIS01- Somatic Complaints	Modified Hachinski Ischemic Scale-NACC Version - Somatic complaints.	MHIS-NACC - Somatic Complaints
C112620	MHIS0104	MHIS01-Emotional Incontinence	Modified Hachinski Ischemic Scale-NACC Version - Emotional incontinence.	MHIS-NACC - Emotional Incontinence
C112621	MHIS0105	MHIS01-History or Presence Hypertension	Modified Hachinski Ischemic Scale-NACC Version - History or presence of hypertension.	MHIS-NACC - History or Presence of Hypertension
C112622	MHIS0106	MHIS01-History of Stroke	Modified Hachinski Ischemic Scale-NACC Version - History of stroke.	MHIS-NACC - History of Stroke
C112623	MHIS0107	MHIS01-Focal Neurological Symptoms	Modified Hachinski Ischemic Scale-NACC Version - Focal neurological symptoms.	MHIS-NACC - Focal Neurological Symptoms
C112624	MHIS0108	MHIS01-Focal Neurological Signs	Modified Hachinski Ischemic Scale-NACC Version - Focal neurological signs.	MHIS-NACC - Focal Neurological Signs
C112625	MHIS0109	MHIS01-Total Score	Modified Hachinski Ischemic Scale-NACC Version - Sum all circled answers for a total score.	MHIS-NACC - Total Score

C112813	MHIS01- Somatic Complaints	MHIS01- Somatic Complaints	Modified Hachinski Ischemic Scale-NACC Version - Somatic complaints.	MHIS-NACC - Somatic Complaints
C112618	MHIS01-Abrupt Onset	MHIS01-Abrupt Onset	Modified Hachinski Ischemic Scale-NACC Version - Abrupt onset (re: cognitive status).	MHIS-NACC - Abrupt Onset
C112620	MHIS01-Emotional Incontinence	MHIS01-Emotional Incontinence	Modified Hachinski Ischemic Scale-NACC Version - Emotional incontinence.	MHIS-NACC - Emotional Incontinence
C112624	MHIS01-Focal Neurological Signs	MHIS01-Focal Neurological Signs	Modified Hachinski Ischemic Scale-NACC Version - Focal neurological signs.	MHIS-NACC - Focal Neurological Signs
C112623	MHIS01-Focal Neurological Symptoms	MHIS01-Focal Neurological Symptoms	Modified Hachinski Ischemic Scale-NACC Version - Focal neurological symptoms.	MHIS-NACC - Focal Neurological Symptoms
C112622	MHIS01-History of Stroke	MHIS01-History of Stroke	Modified Hachinski Ischemic Scale-NACC Version - History of stroke.	MHIS-NACC - History of Stroke
C112621	MHIS01-History or Presence Hypertension	MHIS01-History or Presence Hypertension	Modified Hachinski Ischemic Scale-NACC Version - History or presence of hypertension.	MHIS-NACC - History or Presence of Hypertension
C112619	MHIS01-Stepwise Deterioration	MHIS01-Stepwise Deterioration	Modified Hachinski Ischemic Scale-NACC Version - Stepwise deterioration (re: cognitive status).	MHIS-NACC - Stepwise Deterioration
C112625	MHIS01-Total Score	MHIS01-Total Score	Modified Hachinski Ischemic Scale-NACC Version - Sum all circled answers for a total score.	MHIS-NACC - Total Score

C106852	MMRC0101	MMRC01-Description of Breathlessness	Modified Medical Research Council Dyspnea Scale - Description of breathlessness.	MMRC - Description of Level of Breathlessness
---------	----------	--------------------------------------	----------------------------------------------------------------------------------	-----------------------------------------------

C106852	MMRC01-Description of Breathlessness	MMRC01-Description of Breathlessness	Modified Medical Research Council Dyspnea Scale - Description of breathlessness.	MMRC - Description of Level of Breathlessness

C100543	MMS101A	MMS1-What Is the Year	Mini-Mental State Examination - What is the year?	MMSE - What Is the Year
C100544	MMS101B	MMS1-What Is the Season	Mini-Mental State Examination - What is the season?	MMSE - What Is the Season
C100547	MMS101C	MMS1-What Is the Month of Year	Mini-Mental State Examination - What is the month of the year?	MMSE - What Is the Month of Year
C100546	MMS101D	MMS1-What Is the Day of Week	Mini-Mental State Examination - What is the day of the week?	MMSE - What Is the Day of Week
C100545	MMS101E	MMS1-What Is the Date	Mini-Mental State Examination - What is the date?	MMSE - What Is the Date
C100549	MMS102A	MMS1-What Is the State	Mini-Mental State Examination - Where are we now? What is the state (province)?	MMSE - What Is the State
C100550	MMS102B	MMS1-What Is the County	Mini-Mental State Examination - Where are we now? What is the county (or city/town)?	MMSE - What Is the County
C100551	MMS102C	MMS1-What Is the City/Town	Mini-Mental State Examination - Where are we now? What is the city/town (or part of city/neighborhood)?	MMSE - What Is the City or Town
C100552	MMS102D	MMS1-What Is the Building	Mini-Mental State Examination - Where are we now? What is the building (name or type)?	MMSE - What Is the Building
C100553	MMS102E	MMS1-What Is the Floor	Mini-Mental State Examination - Where are we now? What is the floor of the building (room number or address)?	MMSE - What Is the Floor
C100555	MMS103A	MMS1-Repeat Word 1	Mini-Mental State Examination - Now repeat those words back to me: Word 1.	MMSE - Repeat Word 1
C100556	MMS103B	MMS1-Repeat Word 2	Mini-Mental State Examination - Now repeat those words back to me: Word 2.	MMSE - Repeat Word 2
C100557	MMS103C	MMS1-Repeat Word 3	Mini-Mental State Examination - Now repeat those words back to me: Word 3.	MMSE - Repeat Word 3
C100570	MMS104	MMS1-Attention and Calculation Subtotal	Mini-Mental State Examination - Attention and calculation subtotal.	MMSE - Attention and Calculation Subtotal
C100559	MMS104AA	MMS1-What is 100 Take Away 7	Mini-Mental State Examination - What is 100 take away 7 [93]?	MMSE - What is 100 Take Away 7
C100560	MMS104AB	MMS1-Keep Subtracting 7 Step 2	Mini-Mental State Examination - Keep going [86].	MMSE - Keep Subtracting 7 Step 2
C100561	MMS104AC	MMS1-Keep Subtracting 7 Step 3	Mini-Mental State Examination - Keep going [79].	MMSE - Keep Subtracting 7 Step 3
C100562	MMS104AD	MMS1-Keep Subtracting 7 Step 4	Mini-Mental State Examination - Keep going [72].	MMSE - Keep Subtracting 7 Step 4
C100563	MMS104AE	MMS1-Keep Subtracting 7 Step 5	Mini-Mental State Examination - Keep going [65].	MMSE - Keep Subtracting 7 Step 5
C100565	MMS104BA	MMS1-Spell Backward Letter 1	Mini-Mental State Examination - Spell backward, letter 1.	MMSE - Spell Backward Letter 1
C100566	MMS104BB	MMS1-Spell Backward Letter 2	Mini-Mental State Examination - Spell backward, letter 2.	MMSE - Spell Backward Letter 2
C100567	MMS104BC	MMS1-Spell Backward Letter 3	Mini-Mental State Examination - Spell backward, letter 3.	MMSE - Spell Backward Letter 3
C100568	MMS104BD	MMS1-Spell Backward Letter 4	Mini-Mental State Examination - Spell backward, letter 4.	MMSE - Spell Backward Letter 4
C100569	MMS104BE	MMS1-Spell Backward Letter 5	Mini-Mental State Examination - Spell backward, letter 5.	MMSE - Spell Backward Letter 5
C100572	MMS105A	MMS1-Recall Word 1	Mini-Mental State Examination - What were those three words I asked you to remember: Word 1?	MMSE - Recall Word 1
C100573	MMS105B	MMS1-Recall Word 2	Mini-Mental State Examination - What were those three words I asked you to remember: Word 2?	MMSE - Recall Word 2
C100574	MMS105C	MMS1-Recall Word 3	Mini-Mental State Examination - What were those three words I asked you to remember: Word 3?	MMSE - Recall Word 3
C100576	MMS106A	MMS1-Naming Object 1	Mini-Mental State Examination - What is this: Object 1?	MMSE - Naming Object 1
C100577	MMS106B	MMS1-Naming Object 2	Mini-Mental State Examination - What is this: Object 2?	MMSE - Naming Object 2

MMSE Subtests and Corresponding MMSE Items				
C100578	MMS107	MMS1-Repeat What I Say	Mini-Mental State Examination - Now I am going to ask you to repeat what I say. Ready? "No ifs, ands, or buts." Now you say that.	MMSE - Repeat What I Say
C100580	MMS108A	MMS1-Take in Right Hand	Mini-Mental State Examination - Listen carefully because I am going to ask you to do something. Take this paper in your right hand.	MMSE - Take in Right Hand
C100581	MMS108B	MMS1-Fold in Half	Mini-Mental State Examination - Fold it in half.	MMSE - Fold in Half
C100582	MMS108C	MMS1-Put on Floor (or Table)	Mini-Mental State Examination - And put it on the floor (or table).	MMSE - Put on Floor or Table
C100583	MMS109	MMS1-Read This and Do What It Says	Mini-Mental State Examination - Please read this and do what it says.	MMSE - Read This and Do What It Says
C100584	MMS110	MMS1-Write a Sentence	Mini-Mental State Examination - Please write a sentence.	MMSE - Write a Sentence
C100585	MMS111	MMS1-Copy This Design	Mini-Mental State Examination - Please copy this design.	MMSE - Copy This Design
C100586	MMS112	MMS1-Total Score	Mini-Mental State Examination - Total score.	MMSE - Total Score
C136234	MMS113	MMS1-Level of Consciousness	Mini-Mental State Examination - Assessment of level of consciousness.	MMSE - Level of Consciousness

C100570	MMS1-Attention and Calculation Subtotal	MMS1-Attention and Calculation Subtotal	Mini-Mental State Examination - Attention and calculation subtotal.	MMSE - Attention and Calculation Subtotal
C100585	MMS1-Copy This Design	MMS1-Copy This Design	Mini-Mental State Examination - Please copy this design.	MMSE - Copy This Design
C100581	MMS1-Fold in Half	MMS1-Fold in Half	Mini-Mental State Examination - Fold it in half.	MMSE - Fold in Half
C100560	MMS1-Keep Subtracting 7 Step 2	MMS1-Keep Subtracting 7 Step 2	Mini-Mental State Examination - Keep going [86].	MMSE - Keep Subtracting 7 Step 2
C100561	MMS1-Keep Subtracting 7 Step 3	MMS1-Keep Subtracting 7 Step 3	Mini-Mental State Examination - Keep going [79].	MMSE - Keep Subtracting 7 Step 3
C100562	MMS1-Keep Subtracting 7 Step 4	MMS1-Keep Subtracting 7 Step 4	Mini-Mental State Examination - Keep going [72].	MMSE - Keep Subtracting 7 Step 4
C100563	MMS1-Keep Subtracting 7 Step 5	MMS1-Keep Subtracting 7 Step 5	Mini-Mental State Examination - Keep going [65].	MMSE - Keep Subtracting 7 Step 5
C136234	MMS1-Level of Consciousness	MMS1-Level of Consciousness	Mini-Mental State Examination - Assessment of level of consciousness.	MMSE - Level of Consciousness
C100576	MMS1-Naming Object 1	MMS1-Naming Object 1	Mini-Mental State Examination - What is this: Object 1?	MMSE - Naming Object 1
C100577	MMS1-Naming Object 2	MMS1-Naming Object 2	Mini-Mental State Examination - What is this: Object 2?	MMSE - Naming Object 2
C100582	MMS1-Put on Floor (or Table)	MMS1-Put on Floor (or Table)	Mini-Mental State Examination - And put it on the floor (or table).	MMSE - Put on Floor or Table
C100583	MMS1-Read This and Do What It Says	MMS1-Read This and Do What It Says	Mini-Mental State Examination - Please read this and do what it says.	MMSE - Read This and Do What It Says
C100572	MMS1-Recall Word 1	MMS1-Recall Word 1	Mini-Mental State Examination - What were those three words I asked you to remember: Word 1?	MMSE - Recall Word 1
C100573	MMS1-Recall Word 2	MMS1-Recall Word 2	Mini-Mental State Examination - What were those three words I asked you to remember: Word 2?	MMSE - Recall Word 2
C100574	MMS1-Recall Word 3	MMS1-Recall Word 3	Mini-Mental State Examination - What were those three words I asked you to remember: Word 3?	MMSE - Recall Word 3
C100578	MMS1-Repeat What I Say	MMS1-Repeat What I Say	Mini-Mental State Examination - Now I am going to ask you to repeat what I say. Ready? "No ifs, ands, or buts." Now you say that.	MMSE - Repeat What I Say
C100555	MMS1-Repeat Word 1	MMS1-Repeat Word 1	Mini-Mental State Examination - Now repeat those words back to me: Word 1.	MMSE - Repeat Word 1
C100556	MMS1-Repeat Word 2	MMS1-Repeat Word 2	Mini-Mental State Examination - Now repeat those words back to me: Word 2.	MMSE - Repeat Word 2
C100557	MMS1-Repeat Word 3	MMS1-Repeat Word 3	Mini-Mental State Examination - Now repeat those words back to me: Word 3.	MMSE - Repeat Word 3
C100565	MMS1-Spell Backward Letter 1	MMS1-Spell Backward Letter 1	Mini-Mental State Examination - Spell backward, letter 1.	MMSE - Spell Backward Letter 1
C100566	MMS1-Spell Backward Letter 2	MMS1-Spell Backward Letter 2	Mini-Mental State Examination - Spell backward, letter 2.	MMSE - Spell Backward Letter 2
C100567	MMS1-Spell Backward Letter 3	MMS1-Spell Backward Letter 3	Mini-Mental State Examination - Spell backward, letter 3.	MMSE - Spell Backward Letter 3
C100568	MMS1-Spell Backward Letter 4	MMS1-Spell Backward Letter 4	Mini-Mental State Examination - Spell backward, letter 4.	MMSE - Spell Backward Letter 4
C100569	MMS1-Spell Backward Letter 5	MMS1-Spell Backward Letter 5	Mini-Mental State Examination - Spell backward, letter 5.	MMSE - Spell Backward Letter 5
C100580	MMS1-Take in Right Hand	MMS1-Take in Right Hand	Mini-Mental State Examination - Listen carefully because I am going to ask you to do something. Take this paper in your right hand.	MMSE - Take in Right Hand
C100586	MMS1-Total Score	MMS1-Total Score	Mini-Mental State Examination - Total score.	MMSE - Total Score
C100559	MMS1-What is 100 Take Away 7	MMS1-What is 100 Take Away 7	Mini-Mental State Examination - What is 100 take away 7 [93]?	MMSE - What is 100 Take Away 7
C100552	MMS1-What Is the Building	MMS1-What Is the Building	Mini-Mental State Examination - Where are we now? What is the building (name or type)?	MMSE - What Is the Building

Cognitive Functioning Assessment					
Code	Question	Response	Description	MMSE Equivalent	Notes
C100551	MMS1-What Is the City/Town	MMS1-What Is the City/Town	Mini-Mental State Examination - Where are we now? What is the city/town (or part of city/neighborhood)?	MMSE - What Is the City or Town	
C100550	MMS1-What Is the County	MMS1-What Is the County	Mini-Mental State Examination - Where are we now? What is the county (or city/town)?	MMSE - What Is the County	
C100545	MMS1-What Is the Date	MMS1-What Is the Date	Mini-Mental State Examination - What is the date?	MMSE - What Is the Date	
C100546	MMS1-What Is the Day of Week	MMS1-What Is the Day of Week	Mini-Mental State Examination - What is the day of the week?	MMSE - What Is the Day of Week	
C100553	MMS1-What Is the Floor	MMS1-What Is the Floor	Mini-Mental State Examination - Where are we now? What is the floor of the building (room number or address)?	MMSE - What Is the Floor	
C100547	MMS1-What Is the Month of Year	MMS1-What Is the Month of Year	Mini-Mental State Examination - What is the month of the year?	MMSE - What Is the Month of Year	
C100544	MMS1-What Is the Season	MMS1-What Is the Season	Mini-Mental State Examination - What is the season?	MMSE - What Is the Season	
C100549	MMS1-What Is the State	MMS1-What Is the State	Mini-Mental State Examination - Where are we now? What is the state (province)?	MMSE - What Is the State	
C100543	MMS1-What Is the Year	MMS1-What Is the Year	Mini-Mental State Examination - What is the year?	MMSE - What Is the Year	
C100584	MMS1-Write a Sentence	MMS1-Write a Sentence	Mini-Mental State Examination - Please write a sentence.	MMSE - Write a Sentence	

MMSE-2 Standard Version - Point to the Circle				
C150994	MMS201A	MMS2-Repeat Word 1	Mini-Mental State Examination 2 Standard Version - Now repeat those words back to me: Word 1.	MMSE-2 Standard Version - Repeat Word 1
C150995	MMS201B	MMS2-Repeat Word 2	Mini-Mental State Examination 2 Standard Version - Now repeat those words back to me: Word 2.	MMSE-2 Standard Version - Repeat Word 2
C150996	MMS201C	MMS2-Repeat Word 3	Mini-Mental State Examination 2 Standard Version - Now repeat those words back to me: Word 3.	MMSE-2 Standard Version - Repeat Word 3
C150997	MMS202A	MMS2-What Is the Year	Mini-Mental State Examination 2 Standard Version - What is the year?	MMSE-2 Standard Version - What Is the Year
C150998	MMS202B	MMS2-What Is the Season	Mini-Mental State Examination 2 Standard Version - What is the season?	MMSE-2 Standard Version - What Is the Season
C150999	MMS202C	MMS2-What Is the Month of Year	Mini-Mental State Examination 2 Standard Version - What is the month of the year?	MMSE-2 Standard Version - What Is the Month of Year
C151000	MMS202D	MMS2-What Is the Day of Week	Mini-Mental State Examination 2 Standard Version - What is the day of the week?	MMSE-2 Standard Version - What Is the Day of Week
C151001	MMS202E	MMS2-What Is the Date	Mini-Mental State Examination 2 Standard Version - What is the date?	MMSE-2 Standard Version - What Is the Date
C151002	MMS203A	MMS2-What Is the State	Mini-Mental State Examination 2 Standard Version - Where are we now? What is the state (or province)?	MMSE-2 Standard Version - What Is the State
C151003	MMS203B	MMS2-What Is the County	Mini-Mental State Examination 2 Standard Version - Where are we now? What is the county (or city/town)?	MMSE-2 Standard Version - What Is the County
C151004	MMS203C	MMS2-What Is the City/Town	Mini-Mental State Examination 2 Standard Version - Where are we now? What is the city/town (or part of city/neighborhood)?	MMSE-2 Standard Version - What Is the City/Town
C151005	MMS203D	MMS2-What Is the Building	Mini-Mental State Examination 2 Standard Version - Where are we now? What is the building (name or type)?	MMSE-2 Standard Version - What Is the Building
C151006	MMS203E	MMS2-What Is the Floor	Mini-Mental State Examination 2 Standard Version - Where are we now? What is the floor of the building (room number or address)?	MMSE-2 Standard Version - What Is the Floor
C151007	MMS204A	MMS2-Recall Word 1	Mini-Mental State Examination 2 Standard Version - What were those three words I asked you to remember: Word 1?	MMSE-2 Standard Version - Recall Word 1
C151008	MMS204B	MMS2-Recall Word 2	Mini-Mental State Examination 2 Standard Version - What were those three words I asked you to remember: Word 2?	MMSE-2 Standard Version - Recall Word 2
C151009	MMS204C	MMS2-Recall Word 3	Mini-Mental State Examination 2 Standard Version - What were those three words I asked you to remember: Word 3?	MMSE-2 Standard Version - Recall Word 3
C151010	MMS205A	MMS2-What is 100 Take Away 7	Mini-Mental State Examination 2 Standard Version - What is 100 take away 7 [93]?	MMSE-2 Standard Version - What is 100 Take Away 7
C151011	MMS205B	MMS2-Keep Subtracting 7 Step 2	Mini-Mental State Examination 2 Standard Version - Keep going [86].	MMSE-2 Standard Version - Keep Subtracting 7 Step 2
C151012	MMS205C	MMS2-Keep Subtracting 7 Step 3	Mini-Mental State Examination 2 Standard Version - Keep going [79].	MMSE-2 Standard Version - Keep Subtracting 7 Step 3
C151013	MMS205D	MMS2-Keep Subtracting 7 Step 4	Mini-Mental State Examination 2 Standard Version - Keep going [72].	MMSE-2 Standard Version - Keep Subtracting 7 Step 4
C151014	MMS205E	MMS2-Keep Subtracting 7 Step 5	Mini-Mental State Examination 2 Standard Version - Keep going [65].	MMSE-2 Standard Version - Keep Subtracting 7 Step 5
C151015	MMS206A	MMS2-Naming Object 1	Mini-Mental State Examination 2 Standard Version - What is this: Object 1?	MMSE-2 Standard Version - Naming Object 1
C151016	MMS206B	MMS2-Naming Object 2	Mini-Mental State Examination 2 Standard Version - What is this: Object 2?	MMSE-2 Standard Version - Naming Object 2
C151017	MMS207	MMS2-Repeat What I Say	Mini-Mental State Examination 2 Standard Version - Now I am going to ask you to repeat what I say. Ready? "It is a lovely, sunny day but too warm." Now you say that.	MMSE-2 Standard Version - Repeat What I Say
C151018	MMS208A	MMS2-Point to the Circle	Mini-Mental State Examination 2 Standard Version - Look at these pictures and point to the circle.	MMSE-2 Standard Version - Point to the Circle
C151019	MMS208B	MMS2-Point to the Square	Mini-Mental State Examination 2 Standard Version - Then point to the square.	MMSE-2 Standard Version - Point to the Square

MMSE-2 Standard Version - Point to the Triangle				
C151020	MMS208C	MMS2-Point to the Triangle	Mini-Mental State Examination 2 Standard Version - Then point to the triangle.	MMSE-2 Standard Version - Point to the Triangle
C151021	MMS209	MMS2-Do What This Says to Do	Mini-Mental State Examination 2 Standard Version - Please do what this says to do.	MMSE-2 Standard Version - Do What This Says to Do
C151022	MMS210	MMS2-Write a Sentence	Mini-Mental State Examination 2 Standard Version - Please write a sentence.	MMSE-2 Standard Version - Write a Sentence
C151023	MMS211	MMS2-Copy This Design	Mini-Mental State Examination 2 Standard Version - Please copy this design.	MMSE-2 Standard Version - Copy This Design
C151024	MMS212	MMS2-BV Total Raw Score	Mini-Mental State Examination 2 Standard Version - BV (Brief Version) total raw score.	MMSE-2 Standard Version - BV Total Raw Score
C151025	MMS213	MMS2-SV Total Raw Score	Mini-Mental State Examination 2 Standard Version - SV (Standard Version) total raw score.	MMSE-2 Standard Version - SV Total Raw Score
C151026	MMS214	MMS2-Level of Consciousness	Mini-Mental State Examination 2 Standard Version - Assessment of level of consciousness.	MMSE-2 Standard Version - Level of Consciousness

C151024	MMS2-BV Total Raw Score	MMS2-BV Total Raw Score	Mini-Mental State Examination 2 Standard Version - BV (Brief Version) total raw score.	MMSE-2 Standard Version - BV Total Raw Score
C151023	MMS2-Copy This Design	MMS2-Copy This Design	Mini-Mental State Examination 2 Standard Version - Please copy this design.	MMSE-2 Standard Version - Copy This Design
C151021	MMS2-Do What This Says to Do	MMS2-Do What This Says to Do	Mini-Mental State Examination 2 Standard Version - Please do what this says to do.	MMSE-2 Standard Version - Do What This Says to Do
C151011	MMS2-Keep Subtracting 7 Step 2	MMS2-Keep Subtracting 7 Step 2	Mini-Mental State Examination 2 Standard Version - Keep going [86].	MMSE-2 Standard Version - Keep Subtracting 7 Step 2
C151012	MMS2-Keep Subtracting 7 Step 3	MMS2-Keep Subtracting 7 Step 3	Mini-Mental State Examination 2 Standard Version - Keep going [79].	MMSE-2 Standard Version - Keep Subtracting 7 Step 3
C151013	MMS2-Keep Subtracting 7 Step 4	MMS2-Keep Subtracting 7 Step 4	Mini-Mental State Examination 2 Standard Version - Keep going [72].	MMSE-2 Standard Version - Keep Subtracting 7 Step 4
C151014	MMS2-Keep Subtracting 7 Step 5	MMS2-Keep Subtracting 7 Step 5	Mini-Mental State Examination 2 Standard Version - Keep going [65].	MMSE-2 Standard Version - Keep Subtracting 7 Step 5
C151026	MMS2-Level of Consciousness	MMS2-Level of Consciousness	Mini-Mental State Examination 2 Standard Version - Assessment of level of consciousness.	MMSE-2 Standard Version - Level of Consciousness
C151015	MMS2-Naming Object 1	MMS2-Naming Object 1	Mini-Mental State Examination 2 Standard Version - What is this: Object 1?	MMSE-2 Standard Version - Naming Object 1
C151016	MMS2-Naming Object 2	MMS2-Naming Object 2	Mini-Mental State Examination 2 Standard Version - What is this: Object 2?	MMSE-2 Standard Version - Naming Object 2
C151018	MMS2-Point to the Circle	MMS2-Point to the Circle	Mini-Mental State Examination 2 Standard Version - Look at these pictures and point to the circle.	MMSE-2 Standard Version - Point to the Circle
C151019	MMS2-Point to the Square	MMS2-Point to the Square	Mini-Mental State Examination 2 Standard Version - Then point to the square.	MMSE-2 Standard Version - Point to the Square
C151020	MMS2-Point to the Triangle	MMS2-Point to the Triangle	Mini-Mental State Examination 2 Standard Version - Then point to the triangle.	MMSE-2 Standard Version - Point to the Triangle
C151007	MMS2-Recall Word 1	MMS2-Recall Word 1	Mini-Mental State Examination 2 Standard Version - What were those three words I asked you to remember: Word 1?	MMSE-2 Standard Version - Recall Word 1
C151008	MMS2-Recall Word 2	MMS2-Recall Word 2	Mini-Mental State Examination 2 Standard Version - What were those three words I asked you to remember: Word 2?	MMSE-2 Standard Version - Recall Word 2
C151009	MMS2-Recall Word 3	MMS2-Recall Word 3	Mini-Mental State Examination 2 Standard Version - What were those three words I asked you to remember: Word 3?	MMSE-2 Standard Version - Recall Word 3
C151017	MMS2-Repeat What I Say	MMS2-Repeat What I Say	Mini-Mental State Examination 2 Standard Version - Now I am going to ask you to repeat what I say. Ready? "It is a lovely, sunny day but too warm." Now you say that.	MMSE-2 Standard Version - Repeat What I Say
C150994	MMS2-Repeat Word 1	MMS2-Repeat Word 1	Mini-Mental State Examination 2 Standard Version - Now repeat those words back to me: Word 1.	MMSE-2 Standard Version - Repeat Word 1
C150995	MMS2-Repeat Word 2	MMS2-Repeat Word 2	Mini-Mental State Examination 2 Standard Version - Now repeat those words back to me: Word 2.	MMSE-2 Standard Version - Repeat Word 2
C150996	MMS2-Repeat Word 3	MMS2-Repeat Word 3	Mini-Mental State Examination 2 Standard Version - Now repeat those words back to me: Word 3.	MMSE-2 Standard Version - Repeat Word 3
C151025	MMS2-SV Total Raw Score	MMS2-SV Total Raw Score	Mini-Mental State Examination 2 Standard Version - SV (Standard Version) total raw score.	MMSE-2 Standard Version - SV Total Raw Score
C151010	MMS2-What is 100 Take Away 7	MMS2-What is 100 Take Away 7	Mini-Mental State Examination 2 Standard Version - What is 100 take away 7 [93]?	MMSE-2 Standard Version - What is 100 Take Away 7
C151005	MMS2-What Is the Building	MMS2-What Is the Building	Mini-Mental State Examination 2 Standard Version - Where are we now? What is the building (name or type)?	MMSE-2 Standard Version - What Is the Building
C151004	MMS2-What Is the City/Town	MMS2-What Is the City/Town	Mini-Mental State Examination 2 Standard Version - Where are we now? What is the city/town (or part of city/neighborhood)?	MMSE-2 Standard Version - What Is the City/Town
C151003	MMS2-What Is the County	MMS2-What Is the County	Mini-Mental State Examination 2 Standard Version - Where are we now? What is the county (or city/town)?	MMSE-2 Standard Version - What Is the County
C151001	MMS2-What Is the Date	MMS2-What Is the Date	Mini-Mental State Examination 2 Standard Version - What is the date?	MMSE-2 Standard Version - What Is the Date
C151000	MMS2-What Is the Day of Week	MMS2-What Is the Day of Week	Mini-Mental State Examination 2 Standard Version - What is the day of the week?	MMSE-2 Standard Version - What Is the Day of Week

Cognitive Functioning Assessment Items					
Code	Description	Task	Question	Scoring	Notes
C151006	MMS2-What Is the Floor	MMS2-What Is the Floor	Mini-Mental State Examination 2 Standard Version - Where are we now? What is the floor of the building (room number or address)?	MMSE-2 Standard Version - What Is the Floor	
C150999	MMS2-What Is the Month of Year	MMS2-What Is the Month of Year	Mini-Mental State Examination 2 Standard Version - What is the month of the year?	MMSE-2 Standard Version - What Is the Month of Year	
C150998	MMS2-What Is the Season	MMS2-What Is the Season	Mini-Mental State Examination 2 Standard Version - What is the season?	MMSE-2 Standard Version - What Is the Season	
C151002	MMS2-What Is the State	MMS2-What Is the State	Mini-Mental State Examination 2 Standard Version - Where are we now? What is the state (or province)?	MMSE-2 Standard Version - What Is the State	
C150997	MMS2-What Is the Year	MMS2-What Is the Year	Mini-Mental State Examination 2 Standard Version - What is the year?	MMSE-2 Standard Version - What Is the Year	
C151022	MMS2-Write a Sentence	MMS2-Write a Sentence	Mini-Mental State Examination 2 Standard Version - Please write a sentence.	MMSE-2 Standard Version - Write a Sentence	

C100587	MNSI101	MNSI1-Are Your Legs and/or Feet Numb	Michigan Neuropathy Screening Instrument - History: Are your legs and/or feet numb?	MNSI - Legs and/or Feet Numb
C100588	MNSI102	MNSI1-Ever Have Burning Pain Legs/Feet	Michigan Neuropathy Screening Instrument - History: Do you ever have any burning pain in your legs and/or feet?	MNSI - Burning Pain Legs/Feet
C100589	MNSI103	MNSI1-Are Feet Too Sensitive to Touch	Michigan Neuropathy Screening Instrument - History: Are your feet too sensitive to touch?	MNSI - Feet Too Sensitive to Touch
C100590	MNSI104	MNSI1-Get Muscle Cramps Legs/Feet	Michigan Neuropathy Screening Instrument - History: Do you get muscle cramps in your legs and/or feet?	MNSI - Muscle Cramps Legs/Feet
C100591	MNSI105	MNSI1-Ever Prickling Feelings Legs/Feet	Michigan Neuropathy Screening Instrument - History: Do you ever have any prickling feelings in your legs or feet?	MNSI - Prickling Feelings Legs/Feet
C100592	MNSI106	MNSI1-Hurt When Bed Covers Touch Skin	Michigan Neuropathy Screening Instrument - History: Does it hurt when the bed covers touch your skin?	MNSI - Hurt When Bed Covers Touch Skin
C100593	MNSI107	MNSI1-Able to Tell Hot from Cold Water	Michigan Neuropathy Screening Instrument - History: When you get into the tub or shower, are you able to tell the hot water from the cold water?	MNSI - Able to Tell Hot from Cold Water
C100594	MNSI108	MNSI1-Ever Had Open Sore on Foot	Michigan Neuropathy Screening Instrument - History: Have you ever had an open sore on your foot?	MNSI - Open Sore on Foot
C100595	MNSI109	MNSI1-Doctor Says Diabetic Neuropathy	Michigan Neuropathy Screening Instrument - History: Has your doctor ever told you that you have diabetic neuropathy?	MNSI - Doctor Says Diabetic Neuropathy
C100596	MNSI110	MNSI1-Feel Weak All Over Most Times	Michigan Neuropathy Screening Instrument - History: Do you feel weak all over most of the time?	MNSI - Feel Weak All Over Most Times
C100597	MNSI111	MNSI1-Symptoms Worse at Night	Michigan Neuropathy Screening Instrument - History: Are your symptoms worse at night?	MNSI - Symptoms Worse at Night
C100598	MNSI112	MNSI1-Legs Hurt When Walking	Michigan Neuropathy Screening Instrument - History: Do your legs hurt when you walk?	MNSI - Legs Hurt When Walking
C100599	MNSI113	MNSI1-Able to Sense Feet When Walking	Michigan Neuropathy Screening Instrument - History: Are you able to sense your feet when you walk?	MNSI - Able to Sense Feet When Walking
C100600	MNSI114	MNSI1-Skin So Dry That Feet Crack Open	Michigan Neuropathy Screening Instrument - History: Is the skin on your feet so dry that it cracks open?	MNSI - Skin So Dry That Feet Crack Open
C100601	MNSI115	MNSI1-Ever Had Amputation	Michigan Neuropathy Screening Instrument - History: Have you ever had an amputation?	MNSI - Ever Had Amputation
C100602	MNSI116	MNSI1-Total	Michigan Neuropathy Screening Instrument - History: Total.	MNSI - History Total
C100603	MNSI117	MNSI1-Right Foot Appears Normal	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of right foot - normal.	MNSI - Right Foot Appears Normal
C100604	MNSI118	MNSI1-Right Foot Deformities	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of right foot - deformities.	MNSI - Right Foot Deformities
C101019	MNSI119	MNSI1-Right Foot Dry Skin, Callus	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of right foot - dry skin, callus.	MNSI - Right Foot Dry Skin, Callus
C100605	MNSI120	MNSI1-Right Foot Infection	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of right foot - infection.	MNSI - Right Foot Infection
C100606	MNSI121	MNSI1-Right Foot Fissure	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of right foot - fissure.	MNSI - Right Foot Fissure
C100607	MNSI122	MNSI1-Right Foot Other Abnormal Specify	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of right foot - other, specify.	MNSI - Right Foot Other Abnormal Specify
C100608	MNSI123	MNSI1-Left Foot Appears Normal	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of left foot - normal.	MNSI - Left Foot Appears Normal
C100609	MNSI124	MNSI1-Left Foot Deformities	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of left foot - deformities.	MNSI - Left Foot Deformities
C101020	MNSI125	MNSI1-Left Foot Dry Skin, Callus	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of left foot - dry skin, callus.	MNSI - Left Foot Dry Skin, Callus
C100610	MNSI126	MNSI1-Left Foot Infection	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of left foot - infection.	MNSI - Left Foot Infection
C100611	MNSI127	MNSI1-Left Foot Fissure	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of left foot - fissure.	MNSI - Left Foot Fissure

Michigan Neuropathy Screening Instrument - Physical Assessment				
C100612	MNSI128	MNSI1-Left Foot Other Abnormal Specify	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of left foot - other, specify.	MNSI - Left Foot Other Abnormal Specify
C100613	MNSI129	MNSI1-Right Foot Ulceration	Michigan Neuropathy Screening Instrument - Physical Assessment: Right foot - ulceration.	MNSI - Right Foot Ulceration
C100614	MNSI130	MNSI1-Left Foot Ulceration	Michigan Neuropathy Screening Instrument - Physical Assessment: Left foot - ulceration.	MNSI - Left Foot Ulceration
C100615	MNSI131	MNSI1-Right Ankle Reflexes	Michigan Neuropathy Screening Instrument - Physical Assessment: Right ankle reflexes.	MNSI - Right Ankle Reflexes
C100616	MNSI132	MNSI1-Left Ankle Reflexes	Michigan Neuropathy Screening Instrument - Physical Assessment: Left ankle reflexes.	MNSI - Left Ankle Reflexes
C100617	MNSI133	MNSI1-Right Foot Vibration Great Toe	Michigan Neuropathy Screening Instrument - Physical Assessment: Right foot - vibration perception at great toe.	MNSI - Right Foot Vibration Great Toe
C100618	MNSI134	MNSI1-Left Foot Vibration Great Toe	Michigan Neuropathy Screening Instrument - Physical Assessment: Left foot - vibration perception at great toe.	MNSI - Left Foot Vibration Great Toe
C100619	MNSI135	MNSI1-Right Foot Monofilament	Michigan Neuropathy Screening Instrument - Physical Assessment: Right foot - monofilament.	MNSI - Right Foot Monofilament
C100620	MNSI136	MNSI1-Left Foot Monofilament	Michigan Neuropathy Screening Instrument - Physical Assessment: Left foot - monofilament.	MNSI - Left Foot Monofilament
C100621	MNSI137	MNSI1-Total Score	Michigan Neuropathy Screening Instrument - Physical Assessment: Total Score.	MNSI - Physical Assessment Total Score

C100599	MNSI1-Able to Sense Feet When Walking	MNSI1-Able to Sense Feet When Walking	Michigan Neuropathy Screening Instrument - History: Are you able to sense your feet when you walk?	MNSI - Able to Sense Feet When Walking
C100593	MNSI1-Able to Tell Hot from Cold Water	MNSI1-Able to Tell Hot from Cold Water	Michigan Neuropathy Screening Instrument - History: When you get into the tub or shower, are you able to tell the hot water from the cold water?	MNSI - Able to Tell Hot from Cold Water
C100589	MNSI1-Are Feet Too Sensitive to Touch	MNSI1-Are Feet Too Sensitive to Touch	Michigan Neuropathy Screening Instrument - History: Are your feet too sensitive to touch?	MNSI - Feet Too Sensitive to Touch
C100587	MNSI1-Are Your Legs and/or Feet Numb	MNSI1-Are Your Legs and/or Feet Numb	Michigan Neuropathy Screening Instrument - History: Are your legs and/or feet numb?	MNSI - Legs and/or Feet Numb
C100595	MNSI1-Doctor Says Diabetic Neuropathy	MNSI1-Doctor Says Diabetic Neuropathy	Michigan Neuropathy Screening Instrument - History: Has your doctor ever told you that you have diabetic neuropathy?	MNSI - Doctor Says Diabetic Neuropathy
C100601	MNSI1-Ever Had Amputation	MNSI1-Ever Had Amputation	Michigan Neuropathy Screening Instrument - History: Have you ever had an amputation?	MNSI - Ever Had Amputation
C100594	MNSI1-Ever Had Open Sore on Foot	MNSI1-Ever Had Open Sore on Foot	Michigan Neuropathy Screening Instrument - History: Have you ever had an open sore on your foot?	MNSI - Open Sore on Foot
C100588	MNSI1-Ever Have Burning Pain Legs/Feet	MNSI1-Ever Have Burning Pain Legs/Feet	Michigan Neuropathy Screening Instrument - History: Do you ever have any burning pain in your legs and/or feet?	MNSI - Burning Pain Legs/Feet
C100591	MNSI1-Ever Prickling Feelings Legs/Feet	MNSI1-Ever Prickling Feelings Legs/Feet	Michigan Neuropathy Screening Instrument - History: Do you ever have any prickling feelings in your legs or feet?	MNSI - Prickling Feelings Legs/Feet
C100596	MNSI1-Feel Weak All Over Most Times	MNSI1-Feel Weak All Over Most Times	Michigan Neuropathy Screening Instrument - History: Do you feel weak all over most of the time?	MNSI - Feel Weak All Over Most Times
C100590	MNSI1-Get Muscle Cramps Legs/Feet	MNSI1-Get Muscle Cramps Legs/Feet	Michigan Neuropathy Screening Instrument - History: Do you get muscle cramps in your legs and/or feet?	MNSI - Muscle Cramps Legs/Feet
C100592	MNSI1-Hurt When Bed Covers Touch Skin	MNSI1-Hurt When Bed Covers Touch Skin	Michigan Neuropathy Screening Instrument - History: Does it hurt when the bed covers touch your skin?	MNSI - Hurt When Bed Covers Touch Skin
C100616	MNSI1-Left Ankle Reflexes	MNSI1-Left Ankle Reflexes	Michigan Neuropathy Screening Instrument - Physical Assessment: Left ankle reflexes.	MNSI - Left Ankle Reflexes
C100608	MNSI1-Left Foot Appears Normal	MNSI1-Left Foot Appears Normal	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of left foot - normal.	MNSI - Left Foot Appears Normal
C100609	MNSI1-Left Foot Deformities	MNSI1-Left Foot Deformities	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of left foot - deformities.	MNSI - Left Foot Deformities
C101020	MNSI1-Left Foot Dry Skin, Callus	MNSI1-Left Foot Dry Skin, Callus	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of left foot - dry skin, callus.	MNSI - Left Foot Dry Skin, Callus
C100611	MNSI1-Left Foot Fissure	MNSI1-Left Foot Fissure	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of left foot - fissure.	MNSI - Left Foot Fissure
C100610	MNSI1-Left Foot Infection	MNSI1-Left Foot Infection	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of left foot - infection.	MNSI - Left Foot Infection
C100620	MNSI1-Left Foot Monofilament	MNSI1-Left Foot Monofilament	Michigan Neuropathy Screening Instrument - Physical Assessment: Left foot - monofilament.	MNSI - Left Foot Monofilament
C100612	MNSI1-Left Foot Other Abnormal Specify	MNSI1-Left Foot Other Abnormal Specify	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of left foot - other, specify.	MNSI - Left Foot Other Abnormal Specify
C100614	MNSI1-Left Foot Ulceration	MNSI1-Left Foot Ulceration	Michigan Neuropathy Screening Instrument - Physical Assessment: Left foot - ulceration.	MNSI - Left Foot Ulceration
C100618	MNSI1-Left Foot Vibration Great Toe	MNSI1-Left Foot Vibration Great Toe	Michigan Neuropathy Screening Instrument - Physical Assessment: Left foot - vibration perception at great toe.	MNSI - Left Foot Vibration Great Toe
C100598	MNSI1-Legs Hurt When Walking	MNSI1-Legs Hurt When Walking	Michigan Neuropathy Screening Instrument - History: Do your legs hurt when you walk?	MNSI - Legs Hurt When Walking
C100615	MNSI1-Right Ankle Reflexes	MNSI1-Right Ankle Reflexes	Michigan Neuropathy Screening Instrument - Physical Assessment: Right ankle reflexes.	MNSI - Right Ankle Reflexes
C100603	MNSI1-Right Foot Appears Normal	MNSI1-Right Foot Appears Normal	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of right foot - normal.	MNSI - Right Foot Appears Normal
C100604	MNSI1-Right Foot Deformities	MNSI1-Right Foot Deformities	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of right foot - deformities.	MNSI - Right Foot Deformities
C101019	MNSI1-Right Foot Dry Skin, Callus	MNSI1-Right Foot Dry Skin, Callus	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of right foot - dry skin, callus.	MNSI - Right Foot Dry Skin, Callus

C100606	MNSI1-Right Foot Fissure	MNSI1-Right Foot Fissure	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of right foot - fissure.	MNSI - Right Foot Fissure
C100605	MNSI1-Right Foot Infection	MNSI1-Right Foot Infection	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of right foot - infection.	MNSI - Right Foot Infection
C100619	MNSI1-Right Foot Monofilament	MNSI1-Right Foot Monofilament	Michigan Neuropathy Screening Instrument - Physical Assessment: Right foot - monofilament.	MNSI - Right Foot Monofilament
C100607	MNSI1-Right Foot Other Abnormal Specify	MNSI1-Right Foot Other Abnormal Specify	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of right foot - other, specify.	MNSI - Right Foot Other Abnormal Specify
C100613	MNSI1-Right Foot Ulceration	MNSI1-Right Foot Ulceration	Michigan Neuropathy Screening Instrument - Physical Assessment: Right foot - ulceration.	MNSI - Right Foot Ulceration
C100617	MNSI1-Right Foot Vibration Great Toe	MNSI1-Right Foot Vibration Great Toe	Michigan Neuropathy Screening Instrument - Physical Assessment: Right foot - vibration perception at great toe.	MNSI - Right Foot Vibration Great Toe
C100600	MNSI1-Skin So Dry That Feet Crack Open	MNSI1-Skin So Dry That Feet Crack Open	Michigan Neuropathy Screening Instrument - History: Is the skin on your feet so dry that it cracks open?	MNSI - Skin So Dry That Feet Crack Open
C100597	MNSI1-Symptoms Worse at Night	MNSI1-Symptoms Worse at Night	Michigan Neuropathy Screening Instrument - History: Are your symptoms worse at night?	MNSI - Symptoms Worse at Night
C100621	MNSI1-Total Score	MNSI1-Total Score	Michigan Neuropathy Screening Instrument - Physical Assessment: Total Score.	MNSI - Physical Assessment Total Score
C100602	MNSI1-Total	MNSI1-Total	Michigan Neuropathy Screening Instrument - History: Total.	MNSI - History Total

Mayo-Portland Adaptability Inventory-4 - Problems				
C115851	MPAI101	MPAI1-Mobility	Mayo-Portland Adaptability Inventory-4 - Problems walking or moving; balance problems that interfere with moving about.	MPAI-4 - Abilities: Mobility
C115852	MPAI102	MPAI1-Use of Hands	Mayo-Portland Adaptability Inventory-4 - Impaired strength or coordination in one or both hands.	MPAI-4 - Abilities: Use of Hands
C115853	MPAI103	MPAI1-Vision	Mayo-Portland Adaptability Inventory-4 - Problems seeing; double vision; eye, brain, or nerve injuries that interfere with seeing.	MPAI-4 - Abilities: Vision
C115854	MPAI104	MPAI1-Audition	Mayo-Portland Adaptability Inventory-4 - Problems hearing; ringing in the ears.	MPAI-4 - Abilities: Audition
C115855	MPAI105	MPAI1-Dizziness	Mayo-Portland Adaptability Inventory-4 - Feeling unsteady, dizzy, light-headed.	MPAI-4 - Abilities: Dizziness
C115856	MPAI106	MPAI1-Motor Speech	Mayo-Portland Adaptability Inventory-4 - Abnormal clearness or rate of speech; stuttering.	MPAI-4 - Abilities: Motor Speech
C115857	MPAI107A	MPAI1-Verbal Communication	Mayo-Portland Adaptability Inventory-4 - Problems expressing or understanding language.	MPAI-4 - Abilities: Verbal Communication
C115858	MPAI107B	MPAI1-Nonverbal Communication	Mayo-Portland Adaptability Inventory-4 - Restricted or unusual gestures or facial expressions; talking too much or not enough; missing nonverbal cues from others.	MPAI-4 - Abilities: Nonverbal Communication
C115859	MPAI108	MPAI1-Attention/Concentration	Mayo-Portland Adaptability Inventory-4 - Problems ignoring distractions, shifting attention, keeping more than one thing in mind at a time.	MPAI-4 - Abilities: Attention or Concentration
C115860	MPAI109	MPAI1-Memory	Mayo-Portland Adaptability Inventory-4 - Problems learning and recalling new information.	MPAI-4 - Abilities: Memory
C115861	MPAI110	MPAI1-Fund of Information	Mayo-Portland Adaptability Inventory-4 - Problems remembering information learned in school or on the job; difficulty remembering information about self and family from years ago.	MPAI-4 - Abilities: Fund of Information
C115862	MPAI111	MPAI1-Novel Problem-Solving	Mayo-Portland Adaptability Inventory-4 - Problems thinking up solutions or picking the best solution to new problems.	MPAI-4 - Abilities: Novel Problem-Solving
C115863	MPAI112	MPAI1-Visuospatial Abilities	Mayo-Portland Adaptability Inventory-4 - Problems drawing, assembling things, route-finding, being visually aware on both the left and right sides.	MPAI-4 - Abilities: Visuospatial Abilities
C115864	MPAI113	MPAI1-Anxiety	Mayo-Portland Adaptability Inventory-4 - Tense, nervous, fearful, phobias, nightmares, flashbacks of stressful events.	MPAI-4 - Adjustment: Anxiety
C115865	MPAI114	MPAI1-Depression	Mayo-Portland Adaptability Inventory-4 - Sad, blue, hopeless, poor appetite, poor sleep, worry, self-criticism.	MPAI-4 - Adjustment: Depression
C115866	MPAI115	MPAI1-Irritability, Anger, Aggression	Mayo-Portland Adaptability Inventory-4 - Verbal or physical expressions of anger.	MPAI-4 - Adjustment: Irritability, Anger, Aggression
C115867	MPAI116	MPAI1-Pain and Headache	Mayo-Portland Adaptability Inventory-4 - Verbal and nonverbal expressions of pain; activities limited by pain.	MPAI-4 - Adjustment: Pain and Headache
C115868	MPAI117	MPAI1-Fatigue	Mayo-Portland Adaptability Inventory-4 - Feeling tired; lack of energy; tiring easily.	MPAI-4 - Adjustment: Fatigue
C115869	MPAI118	MPAI1-Sensitivity to Mild Symptoms	Mayo-Portland Adaptability Inventory-4 - Focusing on thinking, physical or emotional problems attributed to brain injury; rate only how concern or worry about these symptoms affects current functioning over and above the effects of the symptoms themselves.	MPAI-4 - Adjustment: Sensitivity to Mild Symptoms
C115870	MPAI119	MPAI1-Inappropriate Social Interaction	Mayo-Portland Adaptability Inventory-4 - Acting childish, silly, rude, behavior not fitting for time and place.	MPAI-4 - Adjustment: Inappropriate Social Interaction
C115871	MPAI120	MPAI1-Impaired Self-Awareness	Mayo-Portland Adaptability Inventory-4 - Lack of recognition of personal limitations and disabilities and how they interfere with everyday activities and work or school.	MPAI-4 - Adjustment: Impaired Self-Awareness
C115872	MPAI121	MPAI1-Family/Significant Relationships	Mayo-Portland Adaptability Inventory-4 - Interactions with close others; describe stress within the family or those closest to the person with brain injury; 'family functioning' means cooperating to accomplish those tasks that need to be done to keep the household running.	MPAI-4 - Adjustment: Family or Significant Relationships
C115873	MPAI122	MPAI1-Initiation	Mayo-Portland Adaptability Inventory-4 - Problems getting started on activities without prompting.	MPAI-4 - Participation: Initiation

MPAI-4 - Participation: Social Contact with Fiends, Work Associates and Others				
C115874	MPAI123	MPAI1-Social Contact-Friends/Coworkers	Mayo-Portland Adaptability Inventory-4 - Social contact with friends, work associates, and other people who are not family, significant others, or professionals.	MPAI-4 - Participation: Social Contact with Fiends, Work Associates and Others
C115875	MPAI124	MPAI1-Leisure and Recreation Activities	Mayo-Portland Adaptability Inventory-4 - Leisure and recreational activities.	MPAI-4 - Participation: Leisure and Recreational Activities
C115876	MPAI125	MPAI1-Self-Care	Mayo-Portland Adaptability Inventory-4 - Eating, dressing, bathing, hygiene.	MPAI-4 - Participation: Self-Care
C115877	MPAI126	MPAI1-Residence	Mayo-Portland Adaptability Inventory-4 - Responsibilities of independent living and homemaking (such as meal preparation, home repairs and maintenance, personal health maintenance beyond basic hygiene including medication management) but not including managing money.	MPAI-4 - Participation: Residence
C115878	MPAI127	MPAI1-Transportation	Mayo-Portland Adaptability Inventory-4 - Transportation.	MPAI-4 - Participation: Transportation
C115879	MPAI128A	MPAI1-Paid Employment	Mayo-Portland Adaptability Inventory-4 - Hours per week at paid employment when primary desired social role is paid employment. 'Support' means special help from another person with responsibilities (such as, a job coach or shadow, tutor, helper) or reduced responsibilities. Modifications to the physical environment that facilitate employment are not considered as support.	MPAI-4 - Participation: Paid Employment
C115880	MPAI128B	MPAI1-Other Employment	Mayo-Portland Adaptability Inventory-4 - Hours per week involved in constructive, role-appropriate activity other than paid employment when primary desired social role is not paid employment. 'Support' means special help from another person with responsibilities (such as, a job coach or shadow, tutor, helper) or reduced responsibilities. Modifications to the physical environment that facilitate employment are not considered as support.	MPAI-4 - Participation: Other Employment
C115881	MPAI128C	MPAI1-Other Employment-Social Role	Mayo-Portland Adaptability Inventory-4 - Primary social role when paid employment is not primary desired social role.	MPAI-4 - Participation: Other Employment-Social Role
C115882	MPAI129	MPAI1-Managing Money and Finances	Mayo-Portland Adaptability Inventory-4 - Shopping, keeping a check book or other bank account, managing personal income and investments.	MPAI-4 - Participation: Managing Money and Finances
C115883	MPAI130A	MPAI1-Alcohol Use-Pre-Injury	Mayo-Portland Adaptability Inventory-4 - Pre-injury use of alcoholic beverages.	MPAI-4 - Alcohol Use Pre-Injury
C115884	MPAI130B	MPAI1-Alcohol Use-Post-Injury	Mayo-Portland Adaptability Inventory-4 - Post-injury use of alcoholic beverages.	MPAI-4 - Alcohol Use Post-Injury
C115885	MPAI131A	MPAI1-Drug Use-Pre-Injury	Mayo-Portland Adaptability Inventory-4 - Pre-injury use of illegal drugs or abuse of prescription drugs.	MPAI-4 - Drug Use Pre-Injury
C115886	MPAI131B	MPAI1-Drug Use-Post-Injury	Mayo-Portland Adaptability Inventory-4 - Post-injury use of illegal drugs or abuse of prescription drugs.	MPAI-4 - Drug Use Post-Injury
C115887	MPAI132A	MPAI1-Psychotic Symptoms-Pre-Injury	Mayo-Portland Adaptability Inventory-4 - Pre-injury hallucinations, delusions, other persistent severely distorted perceptions of reality.	MPAI-4 - Psychotic Symptoms Pre-Injury
C115888	MPAI132B	MPAI1-Psychotic Symptoms-Post-Injury	Mayo-Portland Adaptability Inventory-4 - Post-injury hallucinations, delusions, other persistent severely distorted perceptions of reality.	MPAI-4 - Psychotic Symptoms Post-Injury
C115889	MPAI133A	MPAI1-Law Violations-Pre-Injury	Mayo-Portland Adaptability Inventory-4 - Pre-injury history before and after injury.	MPAI-4 - Law Violations Pre-Injury
C115890	MPAI133B	MPAI1-Law Violations-Post-Injury	Mayo-Portland Adaptability Inventory-4 - Post-injury history before and after injury.	MPAI-4 - Law Violations Post-Injury
C115891	MPAI134A	MPAI1-Other Physical Cond-Pre-Injury	Mayo-Portland Adaptability Inventory-4 - Pre-injury physical disability due to medical conditions other than brain injury, such as, spinal cord injury, amputation.	MPAI-4 - Other Condition Causing Physical Impairment Pre-Injury
C115892	MPAI134B	MPAI1-Other Physical Cond-Post-Injury	Mayo-Portland Adaptability Inventory-4 - Post-injury physical disability due to medical conditions other than brain injury, such as, spinal cord injury, amputation.	MPAI-4 - Other Condition Causing Physical Impairment Post-Injury
C115893	MPAI135A	MPAI1-Other Cognitive Cond-Pre-Injury	Mayo-Portland Adaptability Inventory-4 - Pre-injury cognitive disability due to nonpsychiatric medical conditions other than brain injury, such as, dementia, stroke, developmental disability.	MPAI-4 - Other Condition Causing Cognitive Impairment Pre-Injury
C115894	MPAI135B	MPAI1-Other Cognitive Cond-Post-Injury	Mayo-Portland Adaptability Inventory-4 - Post-injury cognitive disability due to nonpsychiatric medical conditions other than brain injury, such as, dementia, stroke, developmental disability.	MPAI-4 - Other Condition Causing Cognitive Impairment Post-Injury

C115884	MPAI1-Alcohol Use-Post-Injury	MPAI1-Alcohol Use-Post-Injury	Mayo-Portland Adaptability Inventory-4 - Post-injury use of alcoholic beverages.	MPAI4 - Alcohol Use Post-Injury
C115883	MPAI1-Alcohol Use-Pre-Injury	MPAI1-Alcohol Use-Pre-Injury	Mayo-Portland Adaptability Inventory-4 - Pre-injury use of alcoholic beverages.	MPAI4 - Alcohol Use Pre-Injury
C115864	MPAI1-Anxiety	MPAI1-Anxiety	Mayo-Portland Adaptability Inventory-4 - Tense, nervous, fearful, phobias, nightmares, flashbacks of stressful events.	MPAI4 - Adjustment: Anxiety
C115859	MPAI1-Attention/Concentration	MPAI1-Attention/Concentration	Mayo-Portland Adaptability Inventory-4 - Problems ignoring distractions, shifting attention, keeping more than one thing in mind at a time.	MPAI4 - Abilities: Attention or Concentration
C115854	MPAI1-Audition	MPAI1-Audition	Mayo-Portland Adaptability Inventory-4 - Problems hearing; ringing in the ears.	MPAI4 - Abilities: Audition
C115865	MPAI1-Depression	MPAI1-Depression	Mayo-Portland Adaptability Inventory-4 - Sad, blue, hopeless, poor appetite, poor sleep, worry, self-criticism.	MPAI4 - Adjustment: Depression
C115855	MPAI1-Dizziness	MPAI1-Dizziness	Mayo-Portland Adaptability Inventory-4 - Feeling unsteady, dizzy, light-headed.	MPAI4 - Abilities: Dizziness
C115886	MPAI1-Drug Use-Post-Injury	MPAI1-Drug Use-Post-Injury	Mayo-Portland Adaptability Inventory-4 - Post-injury use of illegal drugs or abuse of prescription drugs.	MPAI4 - Drug Use Post-Injury
C115885	MPAI1-Drug Use-Pre-Injury	MPAI1-Drug Use-Pre-Injury	Mayo-Portland Adaptability Inventory-4 - Pre-injury use of illegal drugs or abuse of prescription drugs.	MPAI4 - Drug Use Pre-Injury
C115872	MPAI1-Family/Significant Relationships	MPAI1-Family/Significant Relationships	Mayo-Portland Adaptability Inventory-4 - Interactions with close others; describe stress within the family or those closest to the person with brain injury; 'family functioning' means cooperating to accomplish those tasks that need to be done to keep the household running.	MPAI4 - Adjustment: Family or Significant Relationships
C115868	MPAI1-Fatigue	MPAI1-Fatigue	Mayo-Portland Adaptability Inventory-4 - Feeling tired; lack of energy; tiring easily.	MPAI4 - Adjustment: Fatigue
C115861	MPAI1-Fund of Information	MPAI1-Fund of Information	Mayo-Portland Adaptability Inventory-4 - Problems remembering information learned in school or on the job; difficulty remembering information about self and family from years ago.	MPAI4 - Abilities: Fund of Information
C115871	MPAI1-Impaired Self-Awareness	MPAI1-Impaired Self-Awareness	Mayo-Portland Adaptability Inventory-4 - Lack of recognition of personal limitations and disabilities and how they interfere with everyday activities and work or school.	MPAI4 - Adjustment: Impaired Self-Awareness
C115870	MPAI1-Inappropriate Social Interaction	MPAI1-Inappropriate Social Interaction	Mayo-Portland Adaptability Inventory-4 - Acting childish, silly, rude, behavior not fitting for time and place.	MPAI4 - Adjustment: Inappropriate Social Interaction
C115873	MPAI1-Initiation	MPAI1-Initiation	Mayo-Portland Adaptability Inventory-4 - Problems getting started on activities without prompting.	MPAI4 - Participation: Initiation
C115866	MPAI1-Irritability, Anger, Aggression	MPAI1-Irritability, Anger, Aggression	Mayo-Portland Adaptability Inventory-4 - Verbal or physical expressions of anger.	MPAI4 - Adjustment: Irritability, Anger, Aggression
C115890	MPAI1-Law Violations-Post-Injury	MPAI1-Law Violations-Post-Injury	Mayo-Portland Adaptability Inventory-4 - Post-injury history before and after injury.	MPAI4 - Law Violations Post-Injury
C115889	MPAI1-Law Violations-Pre-Injury	MPAI1-Law Violations-Pre-Injury	Mayo-Portland Adaptability Inventory-4 - Pre-injury history before and after injury.	MPAI4 - Law Violations Pre-Injury
C115875	MPAI1-Leisure and Recreation Activities	MPAI1-Leisure and Recreation Activities	Mayo-Portland Adaptability Inventory-4 - Leisure and recreational activities.	MPAI4 - Participation: Leisure and Recreational Activities
C115882	MPAI1-Managing Money and Finances	MPAI1-Managing Money and Finances	Mayo-Portland Adaptability Inventory-4 - Shopping, keeping a check book or other bank account, managing personal income and investments.	MPAI4 - Participation: Managing Money and Finances
C115860	MPAI1-Memory	MPAI1-Memory	Mayo-Portland Adaptability Inventory-4 - Problems learning and recalling new information.	MPAI4 - Abilities: Memory
C115851	MPAI1-Mobility	MPAI1-Mobility	Mayo-Portland Adaptability Inventory-4 - Problems walking or moving; balance problems that interfere with moving about.	MPAI4 - Abilities: Mobility
C115856	MPAI1-Motor Speech	MPAI1-Motor Speech	Mayo-Portland Adaptability Inventory-4 - Abnormal clearness or rate of speech; stuttering.	MPAI4 - Abilities: Motor Speech
C115858	MPAI1-Nonverbal Communication	MPAI1-Nonverbal Communication	Mayo-Portland Adaptability Inventory-4 - Restricted or unusual gestures or facial expressions; talking too much or not enough; missing nonverbal cues from others.	MPAI4 - Abilities: Nonverbal Communication

MPAI4 - Abilities				
C115862	MPAI1-Novel Problem-Solving	MPAI1-Novel Problem-Solving	Mayo-Portland Adaptability Inventory-4 - Problems thinking up solutions or picking the best solution to new problems.	MPAI4 - Abilities: Novel Problem-Solving
C115894	MPAI1-Other Cognitive Cond-Post-Injury	MPAI1-Other Cognitive Cond-Post-Injury	Mayo-Portland Adaptability Inventory-4 - Post-injury cognitive disability due to nonpsychiatric medical conditions other than brain injury, such as, dementia, stroke, developmental disability.	MPAI4 - Other Condition Causing Cognitive Impairment Post-Injury
C115893	MPAI1-Other Cognitive Cond-Pre-Injury	MPAI1-Other Cognitive Cond-Pre-Injury	Mayo-Portland Adaptability Inventory-4 - Pre-injury cognitive disability due to nonpsychiatric medical conditions other than brain injury, such as, dementia, stroke, developmental disability.	MPAI4 - Other Condition Causing Cognitive Impairment Pre-Injury
C115880	MPAI1-Other Employment	MPAI1-Other Employment	Mayo-Portland Adaptability Inventory-4 - Hours per week involved in constructive, role-appropriate activity other than paid employment when primary desired social role is not paid employment. 'Support' means special help from another person with responsibilities (such as, a job coach or shadow, tutor, helper) or reduced responsibilities. Modifications to the physical environment that facilitate employment are not considered as support.	MPAI4 - Participation: Other Employment
C115881	MPAI1-Other Employment-Social Role	MPAI1-Other Employment-Social Role	Mayo-Portland Adaptability Inventory-4 - Primary social role when paid employment is not primary desired social role.	MPAI4 - Participation: Other Employment-Social Role
C115892	MPAI1-Other Physical Cond-Post-Injury	MPAI1-Other Physical Cond-Post-Injury	Mayo-Portland Adaptability Inventory-4 - Post-injury physical disability due to medical conditions other than brain injury, such as, spinal cord injury, amputation.	MPAI4 - Other Condition Causing Physical Impairment Post-Injury
C115891	MPAI1-Other Physical Cond-Pre-Injury	MPAI1-Other Physical Cond-Pre-Injury	Mayo-Portland Adaptability Inventory-4 - Pre-injury physical disability due to medical conditions other than brain injury, such as, spinal cord injury, amputation.	MPAI4 - Other Condition Causing Physical Impairment Pre-Injury
C115879	MPAI1-Paid Employment	MPAI1-Paid Employment	Mayo-Portland Adaptability Inventory-4 - Hours per week at paid employment when primary desired social role is paid employment. 'Support' means special help from another person with responsibilities (such as, a job coach or shadow, tutor, helper) or reduced responsibilities. Modifications to the physical environment that facilitate employment are not considered as support.	MPAI4 - Participation: Paid Employment
C115867	MPAI1-Pain and Headache	MPAI1-Pain and Headache	Mayo-Portland Adaptability Inventory-4 - Verbal and nonverbal expressions of pain; activities limited by pain.	MPAI4 - Adjustment: Pain and Headache
C115888	MPAI1-Psychotic Symptoms-Post-Injury	MPAI1-Psychotic Symptoms-Post-Injury	Mayo-Portland Adaptability Inventory-4 - Post-injury hallucinations, delusions, other persistent severely distorted perceptions of reality.	MPAI4 - Psychotic Symptoms Post-Injury
C115887	MPAI1-Psychotic Symptoms-Pre-Injury	MPAI1-Psychotic Symptoms-Pre-Injury	Mayo-Portland Adaptability Inventory-4 - Pre-injury hallucinations, delusions, other persistent severely distorted perceptions of reality.	MPAI4 - Psychotic Symptoms Pre-Injury
C115877	MPAI1-Residence	MPAI1-Residence	Mayo-Portland Adaptability Inventory-4 - Responsibilities of independent living and homemaking (such as meal preparation, home repairs and maintenance, personal health maintenance beyond basic hygiene including medication management) but not including managing money.	MPAI4 - Participation: Residence
C115876	MPAI1-Self-Care	MPAI1-Self-Care	Mayo-Portland Adaptability Inventory-4 - Eating, dressing, bathing, hygiene.	MPAI4 - Participation: Self-Care
C115869	MPAI1-Sensitivity to Mild Symptoms	MPAI1-Sensitivity to Mild Symptoms	Mayo-Portland Adaptability Inventory-4 - Focusing on thinking, physical or emotional problems attributed to brain injury; rate only how concern or worry about these symptoms affects current functioning over and above the effects of the symptoms themselves.	MPAI4 - Adjustment: Sensitivity to Mild Symptoms
C115874	MPAI1-Social Contact-Friends/Coworkers	MPAI1-Social Contact-Friends/Coworkers	Mayo-Portland Adaptability Inventory-4 - Social contact with friends, work associates, and other people who are not family, significant others, or professionals.	MPAI4 - Participation: Social Contact with Friends, Work Associates and Others
C115878	MPAI1-Transportation	MPAI1-Transportation	Mayo-Portland Adaptability Inventory-4 - Transportation.	MPAI4 - Participation: Transportation
C115852	MPAI1-Use of Hands	MPAI1-Use of Hands	Mayo-Portland Adaptability Inventory-4 - Impaired strength or coordination in one or both hands.	MPAI4 - Abilities: Use of Hands
C115857	MPAI1-Verbal Communication	MPAI1-Verbal Communication	Mayo-Portland Adaptability Inventory-4 - Problems expressing or understanding language.	MPAI4 - Abilities: Verbal Communication
C115853	MPAI1-Vision	MPAI1-Vision	Mayo-Portland Adaptability Inventory-4 - Problems seeing; double vision; eye, brain, or nerve injuries that interfere with seeing.	MPAI4 - Abilities: Vision
C115863	MPAI1-Visuospatial Abilities	MPAI1-Visuospatial Abilities	Mayo-Portland Adaptability Inventory-4 - Problems drawing, assembling things, route-finding, being visually aware on both the left and right sides.	MPAI4 - Abilities: Visuospatial Abilities

NCI Code: C111348, Codelist extensible: No

C111520	MRS0101	MRS01-Modified Rankin Scale Score	Modified Rankin Scale - Modified Rankin Scale Score.	MRS - Modified Rankin Scale Score
---------	---------	-----------------------------------	------------------------------------------------------	-----------------------------------

C111520	MRS01-Modified Rankin Scale Score	MRS01-Modified Rankin Scale Score	Modified Rankin Scale - Modified Rankin Scale Score.	MRS - Modified Rankin Scale Score
---------	-----------------------------------	-----------------------------------	------------------------------------------------------	-----------------------------------

C113988	MSQL101	MSQL1-Would You Say Your Health Is	Multiple Sclerosis Quality of Life-54 Instrument - In general, would you say your health is:	MSQOL-54 - Would You Say Your Health Is	
C113989	MSQL102	MSQL1-Health Now Compared to 1 Year Ago	Multiple Sclerosis Quality of Life-54 Instrument - Compared to one year ago, how would you rate your health in general now?	MSQOL-54 - Health Now Compared to One Year Ago	
C113990	MSQL103	MSQL1-Health Limit Vigorous Activities	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Vigorous activities, such as running, lifting heavy objects, participating in strenuous sports.	MSQOL-54 - Health Limit Vigorous Activities	
C113991	MSQL104	MSQL1-Health Limit Moderate Activities	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Moderate activities, such as moving a table, pushing a vacuum cleaner, bowling, or playing golf.	MSQOL-54 - Health Limit Moderate Activities	
C113992	MSQL105	MSQL1-Health Limit Carrying Groceries	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Lifting or carrying groceries.	MSQOL-54 - Health Limit Lifting or Carrying Groceries	
C113993	MSQL106	MSQL1-Health Limit Climb Several Flights	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Climbing several flights of stairs.	MSQOL-54 - Health Limit Climbing Several Stairs	
C113994	MSQL107	MSQL1-Health Limit Climb One Flight	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Climbing one flight of stairs.	MSQOL-54 - Health Limit Climbing One Stair	
C113995	MSQL108	MSQL1-Health Limit Bending or Kneeling	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Bending, kneeling, or stooping.	MSQOL-54 - Health Limit Bending, Kneeling or Stooping	
C113996	MSQL109	MSQL1-Health Limit Walk More Than Mile	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Walking more than a mile.	MSQOL-54 - Health Limit Walking More than A Mile	
C113997	MSQL110	MSQL1-Health Limit Walk Several Blocks	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Walking several blocks.	MSQOL-54 - Health Limit Walking Several Blocks	
C113998	MSQL111	MSQL1-Health Limit Walk One Block	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Walking one block.	MSQOL-54 - Health Limit Walking One Block	
C113999	MSQL112	MSQL1-Health Limit Bathing/Dressing Self	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Bathing and dressing yourself.	MSQOL-54 - Health Limit Bathing and Dressing Yourself	
C114000	MSQL113	MSQL1-Phys Health: Cut Work Time	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health: Cut down on the amount of time you could spend on work or other activities.	MSQOL-54 - Physical Health Cut Down Time on Work	
C114001	MSQL114	MSQL1-Phys Health: Accomplish Less	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health: Accomplished less than you would like.	MSQOL-54 - Physical Health Accomplish Less	
C114002	MSQL115	MSQL1-Phys Health: Limit Kind of Work	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health: Were limited in the kind of work or other activities.	MSQOL-54 - Physical Health Limited in the Kind of Work	
C114003	MSQL116	MSQL1-Phys Health: Difficulty Performing	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health: Had difficulty performing the work or other activities.	MSQOL-54 - Physical Health Difficulty Perform Work	
C114004	MSQL117	MSQL1-Emotional Problem: Cut Work Time	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems: Cut down on the amount of time you could spend on work or other activities.	MSQOL-54 - Emotional Problem Cut Down Time on Work	
C114005	MSQL118	MSQL1-Emotional Problem: Accomplish Less	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems: Accomplished less than you would like.	MSQOL-54 - Emotional Problem Accomplish Less	
C114006	MSQL119	MSQL1-Emotional Problem: Less Careful	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems: Didn't do work or other activities as carefully as usual.	MSQOL-54 - Emotional Problem Did Not Do Work Carefully	
C114007	MSQL120	MSQL1-Extent Interfered Social Activity	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, to what extent has your physical health or emotional problems interfered with your normal social activities with family, friends, neighbors, or groups?	MSQOL-54 - Extend Physical Health or Emotional Problem Interfere With Social Activities	

MSQL1 - Multiple Sclerosis Quality of Life-54 Instrument				
Item ID	Question ID	Question Text	Instrument Description	Category
C114008	MSQL121	MSQL1-How Much Bodily Pain Have You Had	Multiple Sclerosis Quality of Life-54 Instrument - How much bodily pain have you had during the past 4 weeks?	MSQOL-54 - Bodily Pain
C114009	MSQL122	MSQL1-Did Pain Interfere With Your Work	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, how much did pain interfere with your normal work?	MSQOL-54 - Pain Interfere With Normal Work
C114010	MSQL123	MSQL1-Did You Feel Full of Pep	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Did you feel full of pep?	MSQOL-54 - Feel Full of Pep
C114011	MSQL124	MSQL1-Have Been a Very Nervous Person	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Have you been a very nervous person?	MSQOL-54 - Been a Nervous Person
C114012	MSQL125	MSQL1-Have Felt So Down in the Dumps	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Have you felt so down in the dumps that nothing could cheer you up?	MSQOL-54 - Felt So Down Nothing Could Cheer You Up
C114013	MSQL126	MSQL1-Have You Felt Calm and Peaceful	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Have you felt calm and peaceful?	MSQOL-54 - Felt Calm and Peaceful
C114014	MSQL127	MSQL1-Did You Have a Lot of Energy	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Did you have a lot of energy?	MSQOL-54 - Have a Lot of Energy
C114015	MSQL128	MSQL1-Have Felt Downhearted and Blue	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Have you felt downhearted and blue?	MSQOL-54 - Felt Downhearted and Blue
C114016	MSQL129	MSQL1-Did You Feel Worn Out	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Did you feel worn out?	MSQOL-54 - Feel Worn Out
C114017	MSQL130	MSQL1-Have You Been a Happy Person	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Have you been a happy person?	MSQOL-54 - Been a Happy Person
C114018	MSQL131	MSQL1-Did You Feel Tired	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Did you feel tired?	MSQOL-54 - Feel Tired
C114019	MSQL132	MSQL1-Did You Feel Rested on Waking	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Did you feel rested on waking in the morning?	MSQOL-54 - Feel Rested Waking in the Morning
C114020	MSQL133	MSQL1-Amt Time Interfere Social Activity	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, how much of the time has your physical health or emotional problems interfered with your social activities?	MSQOL-54 - Time Physical Health or Emotional Problem Interfere With Social Activities
C114021	MSQL134	MSQL1-Get Sick Easier Than Other People	Multiple Sclerosis Quality of Life-54 Instrument - How TRUE or FALSE is each of the following statements for you: I seem to get sick a little easier than other people.	MSQOL-54 - Get Sick Easier Than Other
C114022	MSQL135	MSQL1-I Am as Healthy as Anybody I Know	Multiple Sclerosis Quality of Life-54 Instrument - How TRUE or FALSE is each of the following statements for you: I am as healthy as anybody I know.	MSQOL-54 - As Healthy as Anybody
C114023	MSQL136	MSQL1-I Expect My Health to Get Worse	Multiple Sclerosis Quality of Life-54 Instrument - How TRUE or FALSE is each of the following statements for you: I expect my health to get worse.	MSQOL-54 - Expect Health to Get Worse
C114024	MSQL137	MSQL1-My Health Is Excellent	Multiple Sclerosis Quality of Life-54 Instrument - How TRUE or FALSE is each of the following statements for you: My health is excellent.	MSQOL-54 - Health is Excellent
C114025	MSQL138	MSQL1-Discouraged by Health Problems	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Were you discouraged by your health problems?	MSQOL-54 - Discouraged by Health Problem
C114026	MSQL139	MSQL1-Were Frustrated About Your Health	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Were you frustrated about your health?	MSQOL-54 - Frustrated With Health
C114027	MSQL140	MSQL1-Was Health a Worry in Your Life	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Was your health a worry in your life?	MSQOL-54 - Health a Worry in Life
C114028	MSQL141	MSQL1-Weighed Down by Health Problems	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Did you feel weighed down by your health problems?	MSQOL-54 - Feel Weighed Down by Health Problem
C114029	MSQL142	MSQL1-Difficulty Concentrating/Thinking	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Have you had difficulty concentrating and thinking?	MSQOL-54 - Difficulty Concentrating and Thinking
C114030	MSQL143	MSQL1-Trouble Keep Attention for Long	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Did you have trouble keeping your attention on an activity for long?	MSQOL-54 - Trouble Keep Attention for Long

MSQOL-54 - Troubles With Memory				
C114031	MSQL144	MSQL1-Have Had Trouble With Your Memory	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Have you had trouble with your memory?	MSQOL-54 - Trouble With Memory
C114032	MSQL145	MSQL1-Others Notice Your Memory Trouble	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Have others, such as family members or friends, noticed that you have trouble with your memory or problems with your concentration?	MSQOL-54 - Others Notice Your Problems With Memory or Concentration
C114033	MSQL146	MSQL1-Lack of Sexual Interest	Multiple Sclerosis Quality of Life-54 Instrument - How much of a problem was each of the following for you during the past 4 weeks: Lack of sexual interest.	MSQOL-54 - Lack of Sexual Interest
C114034	MSQL147M	MSQL1-Difficult Getting/Keeping Erection	Multiple Sclerosis Quality of Life-54 Instrument - How much of a problem was each of the following for you during the past 4 weeks: Difficulty getting or keeping an erection.	MSQOL-54 - Difficulty Keeping an Erection
C114035	MSQL147W	MSQL1-Inadequate Lubrication	Multiple Sclerosis Quality of Life-54 Instrument - How much of a problem was each of the following for you during the past 4 weeks: Inadequate lubrication.	MSQOL-54 - Inadequate Lubrication
C114036	MSQL148	MSQL1-Difficulty Having Orgasm	Multiple Sclerosis Quality of Life-54 Instrument - How much of a problem was each of the following for you during the past 4 weeks: Difficulty having orgasm.	MSQOL-54 - Difficulty Having Orgasm
C114037	MSQL149	MSQL1-Ability to Satisfy Sexual Partner	Multiple Sclerosis Quality of Life-54 Instrument - How much of a problem was each of the following for you during the past 4 weeks: Ability to satisfy sexual partner.	MSQOL-54 - Ability to Satisfy Sexual Partner
C114038	MSQL150	MSQL1-Satisfied With Sexual Function	Multiple Sclerosis Quality of Life-54 Instrument - Overall, how satisfied were you with your sexual function during the past 4 weeks?	MSQOL-54 - Satisfied With Sexual Function
C114039	MSQL151	MSQL1-Bowel/Bladder Interfered Activity	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, to what extent have problems with your bowel or bladder function interfered with your normal social activities with family, friends, neighbors, or groups?	MSQOL-54 - Bowel or Bladder Function Interfere With Social Activities
C114040	MSQL152	MSQL1-Pain Interfere Enjoyment of Life	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, how much did pain interfere with your enjoyment of life?	MSQOL-54 - Pain Interfere Enjoyment of Life
C114041	MSQL153	MSQL1-Rate Your Own Quality-of-Life	Multiple Sclerosis Quality of Life-54 Instrument - Overall, how would you rate your own quality-of-life?	MSQOL-54 - Rate Your Own Quality of Life
C114042	MSQL154	MSQL1-Describe How Feel About Your Life	Multiple Sclerosis Quality of Life-54 Instrument - Which best describes how you feel about your life as a whole?	MSQOL-54 - Describe How You Feel About Your Life

C114037	MSQL1-Ability to Satisfy Sexual Partner	MSQL1-Ability to Satisfy Sexual Partner	Multiple Sclerosis Quality of Life-54 Instrument - How much of a problem was each of the following for you during the past 4 weeks: Ability to satisfy sexual partner.	MSQOL-54 - Ability to Satisfy Sexual Partner
C114020	MSQL1-Amt Time Interfere Social Activity	MSQL1-Amt Time Interfere Social Activity	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, how much of the time has your physical health or emotional problems interfered with your social activities?	MSQOL-54 - Time Physical Health or Emotional Problem Interfere With Social Activities
C114039	MSQL1-Bowel/Bladder Interfered Activity	MSQL1-Bowel/Bladder Interfered Activity	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, to what extent have problems with your bowel or bladder function interfered with your normal social activities with family, friends, neighbors, or groups?	MSQOL-54 - Bowel or Bladder Function Interfere With Social Activities
C114042	MSQL1-Describe How Feel About Your Life	MSQL1-Describe How Feel About Your Life	Multiple Sclerosis Quality of Life-54 Instrument - Which best describes how you feel about your life as a whole?	MSQOL-54 - Describe How You Feel About Your Life
C114009	MSQL1-Did Pain Interfere With Your Work	MSQL1-Did Pain Interfere With Your Work	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, how much did pain interfere with your normal work?	MSQOL-54 - Pain Interfere With Normal Work
C114010	MSQL1-Did You Feel Full of Pep	MSQL1-Did You Feel Full of Pep	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Did you feel full of pep?	MSQOL-54 - Feel Full of Pep
C114019	MSQL1-Did You Feel Rested on Waking	MSQL1-Did You Feel Rested on Waking	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Did you feel rested on waking in the morning?	MSQOL-54 - Feel Rested Waking in the Morning
C114018	MSQL1-Did You Feel Tired	MSQL1-Did You Feel Tired	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Did you feel tired?	MSQOL-54 - Feel Tired
C114016	MSQL1-Did You Feel Worn Out	MSQL1-Did You Feel Worn Out	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Did you feel worn out?	MSQOL-54 - Feel Worn Out
C114014	MSQL1-Did You Have a Lot of Energy	MSQL1-Did You Have a Lot of Energy	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Did you have a lot of energy?	MSQOL-54 - Have a Lot of Energy
C114034	MSQL1-Difficult Getting/Keeping Erection	MSQL1-Difficult Getting/Keeping Erection	Multiple Sclerosis Quality of Life-54 Instrument - How much of a problem was each of the following for you during the past 4 weeks: Difficulty getting or keeping an erection.	MSQOL-54 - Difficulty Keeping an Erection
C114029	MSQL1-Difficulty Concentrating/Thinking	MSQL1-Difficulty Concentrating/Thinking	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Have you had difficulty concentrating and thinking?	MSQOL-54 - Difficulty Concentrating and Thinking
C114036	MSQL1-Difficulty Having Orgasm	MSQL1-Difficulty Having Orgasm	Multiple Sclerosis Quality of Life-54 Instrument - How much of a problem was each of the following for you during the past 4 weeks: Difficulty having orgasm.	MSQOL-54 - Difficulty Having Orgasm
C114025	MSQL1-Discouraged by Health Problems	MSQL1-Discouraged by Health Problems	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Were you discouraged by your health problems?	MSQOL-54 - Discouraged by Health Problem
C114005	MSQL1-Emotional Problem: Accomplish Less	MSQL1-Emotional Problem: Accomplish Less	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems: Accomplished less than you would like.	MSQOL-54 - Emotional Problem Accomplish Less
C114004	MSQL1-Emotional Problem: Cut Work Time	MSQL1-Emotional Problem: Cut Work Time	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems: Cut down on the amount of time you could spend on work or other activities.	MSQOL-54 - Emotional Problem Cut Down Time on Work
C114006	MSQL1-Emotional Problem: Less Careful	MSQL1-Emotional Problem: Less Careful	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems: Didn't do work or other activities as carefully as usual.	MSQOL-54 - Emotional Problem Did Not Do Work Carefully
C114007	MSQL1-Extent Interfered Social Activity	MSQL1-Extent Interfered Social Activity	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, to what extent has your physical health or emotional problems interfered with your normal social activities with family, friends, neighbors, or groups?	MSQOL-54 - Extend Physical Health or Emotional Problem Interfere With Social Activities
C114021	MSQL1-Get Sick Easier Than Other People	MSQL1-Get Sick Easier Than Other People	Multiple Sclerosis Quality of Life-54 Instrument - How TRUE or FALSE is each of the following statements for you: I seem to get sick a little easier than other people.	MSQOL-54 - Get Sick Easier Than Other
C114011	MSQL1-Have Been a Very Nervous Person	MSQL1-Have Been a Very Nervous Person	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Have you been a very nervous person?	MSQOL-54 - Been a Nervous Person

MSQL1 Quality of Life Items				
C114015	MSQL1-Have Felt Downhearted and Blue	MSQL1-Have Felt Downhearted and Blue	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Have you felt downhearted and blue?	MSQOL-54 - Felt Downhearted and Blue
C114012	MSQL1-Have Felt So Down in the Dumps	MSQL1-Have Felt So Down in the Dumps	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Have you felt so down in the dumps that nothing could cheer you up?	MSQOL-54 - Felt So Down Nothing Could Cheer You Up
C114031	MSQL1-Have Had Trouble With Your Memory	MSQL1-Have Had Trouble With Your Memory	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Have you had trouble with your memory?	MSQOL-54 - Trouble With Memory
C114017	MSQL1-Have You Been a Happy Person	MSQL1-Have You Been a Happy Person	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Have you been a happy person?	MSQOL-54 - Been a Happy Person
C114013	MSQL1-Have You Felt Calm and Peaceful	MSQL1-Have You Felt Calm and Peaceful	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Have you felt calm and peaceful?	MSQOL-54 - Felt Calm and Peaceful
C113999	MSQL1-Health Limit Bathing/Dressing Self	MSQL1-Health Limit Bathing/Dressing Self	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Bathing and dressing yourself.	MSQOL-54 - Health Limit Bathing and Dressing Yourself
C113995	MSQL1-Health Limit Bending or Kneeling	MSQL1-Health Limit Bending or Kneeling	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Bending, kneeling, or stooping.	MSQOL-54 - Health Limit Bending, Kneeling or Stooping
C113992	MSQL1-Health Limit Carrying Groceries	MSQL1-Health Limit Carrying Groceries	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Lifting or carrying groceries.	MSQOL-54 - Health Limit Lifting or Carrying Groceries
C113994	MSQL1-Health Limit Climb One Flight	MSQL1-Health Limit Climb One Flight	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Climbing one flight of stairs.	MSQOL-54 - Health Limit Climbing One Stair
C113993	MSQL1-Health Limit Climb Several Flights	MSQL1-Health Limit Climb Several Flights	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Climbing several flights of stairs.	MSQOL-54 - Health Limit Climbing Several Stairs
C113991	MSQL1-Health Limit Moderate Activities	MSQL1-Health Limit Moderate Activities	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Moderate activities, such as moving a table, pushing a vacuum cleaner, bowling, or playing golf.	MSQOL-54 - Health Limit Moderate Activities
C113990	MSQL1-Health Limit Vigorous Activities	MSQL1-Health Limit Vigorous Activities	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Vigorous activities, such as running, lifting heavy objects, participating in strenuous sports.	MSQOL-54 - Health Limit Vigorous Activities
C113996	MSQL1-Health Limit Walk More Than Mile	MSQL1-Health Limit Walk More Than Mile	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Walking more than a mile.	MSQOL-54 - Health Limit Walking More than A Mile
C113998	MSQL1-Health Limit Walk One Block	MSQL1-Health Limit Walk One Block	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Walking one block.	MSQOL-54 - Health Limit Walking One Block
C113997	MSQL1-Health Limit Walk Several Blocks	MSQL1-Health Limit Walk Several Blocks	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Walking several blocks.	MSQOL-54 - Health Limit Walking Several Blocks
C113989	MSQL1-Health Now Compared to 1 Year Ago	MSQL1-Health Now Compared to 1 Year Ago	Multiple Sclerosis Quality of Life-54 Instrument - Compared to one year ago, how would you rate your health in general now?	MSQOL-54 - Health Now Compared to One Year Ago
C114008	MSQL1-How Much Bodily Pain Have You Had	MSQL1-How Much Bodily Pain Have You Had	Multiple Sclerosis Quality of Life-54 Instrument - How much bodily pain have you had during the past 4 weeks?	MSQOL-54 - Bodily Pain
C114022	MSQL1-I Am as Healthy as Anybody I Know	MSQL1-I Am as Healthy as Anybody I Know	Multiple Sclerosis Quality of Life-54 Instrument - How TRUE or FALSE is each of the following statements for you: I am as healthy as anybody I know.	MSQOL-54 - As Healthy as Anybody
C114023	MSQL1-I Expect My Health to Get Worse	MSQL1-I Expect My Health to Get Worse	Multiple Sclerosis Quality of Life-54 Instrument - How TRUE or FALSE is each of the following statements for you: I expect my health to get worse.	MSQOL-54 - Expect Health to Get Worse
C114035	MSQL1-Inadequate Lubrication	MSQL1-Inadequate Lubrication	Multiple Sclerosis Quality of Life-54 Instrument - How much of a problem was each of the following for you during the past 4 weeks: Inadequate lubrication.	MSQOL-54 - Inadequate Lubrication
C114033	MSQL1-Lack of Sexual Interest	MSQL1-Lack of Sexual Interest	Multiple Sclerosis Quality of Life-54 Instrument - How much of a problem was each of the following for you during the past 4 weeks: Lack of sexual interest.	MSQOL-54 - Lack of Sexual Interest
C114024	MSQL1-My Health Is Excellent	MSQL1-My Health Is Excellent	Multiple Sclerosis Quality of Life-54 Instrument - How TRUE or FALSE is each of the following statements for you: My health is excellent.	MSQOL-54 - Health is Excellent
C114032	MSQL1-Others Notice Your Memory Trouble	MSQL1-Others Notice Your Memory Trouble	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Have others, such as family members or friends, noticed that you have trouble with your memory or problems with your concentration?	MSQOL-54 - Others Notice Your Problems With Memory or Concentration
C114040	MSQL1-Pain Interfere Enjoyment of Life	MSQL1-Pain Interfere Enjoyment of Life	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, how much did pain interfere with your enjoyment of life?	MSQOL-54 - Pain Interfere Enjoyment of Life

MSQL1-MSQOL-54				
C114001	MSQL1-Phys Health: Accomplish Less	MSQL1-Phys Health: Accomplish Less	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health: Accomplished less than you would like.	MSQOL-54 - Physical Health Accomplish Less
C114000	MSQL1-Phys Health: Cut Work Time	MSQL1-Phys Health: Cut Work Time	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health: Cut down on the amount of time you could spend on work or other activities.	MSQOL-54 - Physical Health Cut Down Time on Work
C114003	MSQL1-Phys Health: Difficulty Performing	MSQL1-Phys Health: Difficulty Performing	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health: Had difficulty performing the work or other activities.	MSQOL-54 - Physical Health Difficulty Perform Work
C114002	MSQL1-Phys Health: Limit Kind of Work	MSQL1-Phys Health: Limit Kind of Work	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health: Were limited in the kind of work or other activities.	MSQOL-54 - Physical Health Limited in the Kind of Work
C114041	MSQL1-Rate Your Own Quality-of-Life	MSQL1-Rate Your Own Quality-of-Life	Multiple Sclerosis Quality of Life-54 Instrument - Overall, how would you rate your own quality-of-life?	MSQOL-54 - Rate Your Own Quality of Life
C114038	MSQL1-Satisfied With Sexual Function	MSQL1-Satisfied With Sexual Function	Multiple Sclerosis Quality of Life-54 Instrument - Overall, how satisfied were you with your sexual function during the past 4 weeks?	MSQOL-54 - Satisfied With Sexual Function
C114030	MSQL1-Trouble Keep Attention for Long	MSQL1-Trouble Keep Attention for Long	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Did you have trouble keeping your attention on an activity for long?	MSQOL-54 - Trouble Keep Attention for Long
C114027	MSQL1-Was Health a Worry in Your Life	MSQL1-Was Health a Worry in Your Life	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Was your health a worry in your life?	MSQOL-54 - Health a Worry in Life
C114028	MSQL1-Weighed Down by Health Problems	MSQL1-Weighed Down by Health Problems	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Did you feel weighed down by your health problems?	MSQOL-54 - Feel Weighed Down by Health Problem
C114026	MSQL1-Were Frustrated About Your Health	MSQL1-Were Frustrated About Your Health	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Were you frustrated about your health?	MSQOL-54 - Frustrated With Health
C113988	MSQL1-Would You Say Your Health Is	MSQL1-Would You Say Your Health Is	Multiple Sclerosis Quality of Life-54 Instrument - In general, would you say your health is:	MSQOL-54 - Would You Say Your Health Is

C171358	NEWS101	NEWS1-Respirations	National Early Warning Score 2 - Respirations.	NEWS2 - Respirations
C171359	NEWS102	NEWS1-Oxygen Saturation SpO2 Scale 1	National Early Warning Score 2 - SpO2 Scale 1 oxygen saturation.	NEWS2 - Oxygen Saturation SpO2 Scale 1
C171360	NEWS103	NEWS1-Oxygen Saturation SpO2 Scale 2	National Early Warning Score 2 - SpO2 Scale 2 oxygen saturation.	NEWS2 - Oxygen Saturation SpO2 Scale 2
C171361	NEWS104	NEWS1-Air or Oxygen	National Early Warning Score 2 - Air or oxygen?	NEWS2 - Air or Oxygen
C171362	NEWS104A	NEWS1-Air or Oxygen: Device	National Early Warning Score 2 - Air or oxygen: Device.	NEWS2 - Air or Oxygen: Device
C171363	NEWS105	NEWS1-Systolic Blood Pressure	National Early Warning Score 2 - Blood pressure. Score uses systolic BP only.	NEWS2 - Systolic Blood Pressure
C171364	NEWS106	NEWS1-Pulse	National Early Warning Score 2 - Pulse.	NEWS2 - Pulse
C171365	NEWS107	NEWS1-Consciousness	National Early Warning Score 2 - Consciousness.	NEWS2 - Consciousness
C171366	NEWS108	NEWS1-Temperature	National Early Warning Score 2 - Temperature.	NEWS2 - Temperature
C171367	NEWS109	NEWS1-NEWS Total	National Early Warning Score 2 - NEWS total.	NEWS2 - NEWS Total
C171368	NEWS110	NEWS1-Monitoring Frequency	National Early Warning Score 2 - Monitoring frequency.	NEWS2 - Monitoring Frequency
C171369	NEWS111	NEWS1-Escalation of Care	National Early Warning Score 2 - Escalation of care.	NEWS2 - Escalation of Care

C171361	NEWS1-Air or Oxygen	NEWS1-Air or Oxygen	National Early Warning Score 2 - Air or oxygen?	NEWS2 - Air or Oxygen
C171362	NEWS1-Air or Oxygen: Device	NEWS1-Air or Oxygen: Device	National Early Warning Score 2 - Air or oxygen: Device.	NEWS2 - Air or Oxygen: Device
C171365	NEWS1-Consciousness	NEWS1-Consciousness	National Early Warning Score 2 - Consciousness.	NEWS2 - Consciousness
C171369	NEWS1-Escalation of Care	NEWS1-Escalation of Care	National Early Warning Score 2 - Escalation of care.	NEWS2 - Escalation of Care
C171368	NEWS1-Monitoring Frequency	NEWS1-Monitoring Frequency	National Early Warning Score 2 - Monitoring frequency.	NEWS2 - Monitoring Frequency
C171367	NEWS1-NEWS Total	NEWS1-NEWS Total	National Early Warning Score 2 - NEWS total.	NEWS2 - NEWS Total
C171359	NEWS1-Oxygen Saturation SpO2 Scale 1	NEWS1-Oxygen Saturation SpO2 Scale 1	National Early Warning Score 2 - SpO2 Scale 1 oxygen saturation.	NEWS2 - Oxygen Saturation SpO2 Scale 1
C171360	NEWS1-Oxygen Saturation SpO2 Scale 2	NEWS1-Oxygen Saturation SpO2 Scale 2	National Early Warning Score 2 - SpO2 Scale 2 oxygen saturation.	NEWS2 - Oxygen Saturation SpO2 Scale 2
C171364	NEWS1-Pulse	NEWS1-Pulse	National Early Warning Score 2 - Pulse.	NEWS2 - Pulse
C171358	NEWS1-Respirations	NEWS1-Respirations	National Early Warning Score 2 - Respirations.	NEWS2 - Respirations
C171363	NEWS1-Systolic Blood Pressure	NEWS1-Systolic Blood Pressure	National Early Warning Score 2 - Blood pressure. Score uses systolic BP only.	NEWS2 - Systolic Blood Pressure
C171366	NEWS1-Temperature	NEWS1-Temperature	National Early Warning Score 2 - Temperature.	NEWS2 - Temperature

C115807	NHPT0101	NHPT01-Time to Complete 9-Hole Peg Test	Nine-Hole Peg Test - Time in seconds to complete 9-Hole Peg Test.	NHPT - Time to Complete 9-Hole Peg Test
C115808	NHPT0102	NHPT01-More Than Two Attempts	Nine-Hole Peg Test - Did it take more than two attempts to get two successful trials?	NHPT - More Than Two Attempts

C115808	NHPT01-More Than Two Attempts	NHPT01-More Than Two Attempts	Nine-Hole Peg Test - Did it take more than two attempts to get two successful trials?	NHPT - More Than Two Attempts
C115807	NHPT01-Time to Complete 9-Hole Peg Test	NHPT01-Time to Complete 9-Hole Peg Test	Nine-Hole Peg Test - Time in seconds to complete 9-Hole Peg Test.	NHPT - Time to Complete 9-Hole Peg Test

C100622	NPI1A	NPI1-Beliefs Untrue	Neuropsychiatric Inventory - Does the patient have beliefs that you know are not true? (for example, insisting that people are trying to harm him/her or steal from him/her)? Has he/she said that family members are not who they say they are or that the house is not their home? I'm not asking about mere suspiciousness; I am interested if the patient is convinced that these things are happening to him/her.	NPI - Have Beliefs That You Know are Not True
C100623	NPI1A01	NPI1-In Danger	Neuropsychiatric Inventory - Does the patient believe that he/she is in danger - that others are planning to hurt him/her?	NPI - He/She is in Danger
C100624	NPI1A02	NPI1-Others Are Stealing	Neuropsychiatric Inventory - Does the patient believe that others are stealing from him/her?	NPI - Others are Stealing From Him/Her
C100625	NPI1A03	NPI1-Spouse Having Affair	Neuropsychiatric Inventory - Does the patient believe that his/her spouse is having an affair?	NPI - His/Her Spouse is Having an Affair
C100626	NPI1A04	NPI1-Unwelcome Guests in House	Neuropsychiatric Inventory - Does the patient believe that unwelcome guests are living in his/her house?	NPI - Unwelcome Guests are Living in His/Her House
C100627	NPI1A05	NPI1-People Not Who They Claim	Neuropsychiatric Inventory - Does the patient believe that his/her spouse or others are not who they claim to be?	NPI - His/Her Spouse or Others Are Not Who They Claim To Be
C100628	NPI1A06	NPI1-House Not Their Home	Neuropsychiatric Inventory - Does the patient believe that his/her house is not his/her home?	NPI - His/Her House Is Not His/Her Home
C100629	NPI1A07	NPI1-Family Plans to Abandon	Neuropsychiatric Inventory - Does the patient believe that family members plan to abandon him/her?	NPI - Family Members Plan to Abandon Him/Her
C100630	NPI1A08	NPI1-TV/Magazine Figures Present	Neuropsychiatric Inventory - Does the patient believe that television or magazine figures are actually present in the home? (Does he/she try to talk or interact with them?)	NPI - Television or Magazine Figures Are Actually Present In the Home
C100631	NPI1A09	NPI1-Other Unusual Beliefs	Neuropsychiatric Inventory - Does the patient believe any other unusual things that I haven't asked about?	NPI - Any Other Unusual Things That I Haven't Asked About
C103602	NPI1A10	NPI1-Delusions Frequency	Neuropsychiatric Inventory - Frequency of the delusions.	NPI - Delusions Frequency
C103603	NPI1A11	NPI1-Delusions Severity	Neuropsychiatric Inventory - Severity of the delusions.	NPI - Delusions Severity
C103604	NPI1A12	NPI1-Delusions Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Delusions Distress
C112469	NPI1AFS	NPI1-Delusions FxS Score	Neuropsychiatric Inventory - Delusions: (frequency score x severity score).	NPI - Delusions FxS Score
C100632	NPI1B	NPI1-False Visions or Voices	Neuropsychiatric Inventory - Does the patient have hallucinations such as seeing false visions or hearing false voices? Does he/she seem to see, hear or experience things that are not present? By this question we do not mean just mistaken beliefs such as stating that someone who has died is still alive; rather we are asking if the patient actually has abnormal experiences of sounds or visions.	NPI - Hallucinations Such as Seeing False Visions or Hearing False Voices
C100633	NPI1B01	NPI1-Hearing Voices	Neuropsychiatric Inventory - Does the patient describe hearing voices or act as if he/she hears voices?	NPI - Describe Hearing Voices or Act as if He/She Hears Voices
C100634	NPI1B02	NPI1-Talk to People Not There	Neuropsychiatric Inventory - Does the patient talk to people who are not there?	NPI - Talk to People Who Are Not There
C100635	NPI1B03	NPI1-See Things Not Seen by Others	Neuropsychiatric Inventory - Does the patient describe seeing things not seen by others or behave as if he/she is seeing things not seen by others (people, animals, lights, etc.)?	NPI - Describe Seeing Things Not Seen by Others
C100636	NPI1B04	NPI1-Smell Odors Others Do Not Smell	Neuropsychiatric Inventory - Does the patient report smelling odors not smelled by others?	NPI - Report Smelling Odors Not Smelled by Others
C100637	NPI1B05	NPI1-Feel Things on Skin	Neuropsychiatric Inventory - Does the patient describe feeling things on his/her skin or otherwise appear to be feeling things crawling or touching him/her?	NPI - Describe Feeling Things on His/Her Skin
C100638	NPI1B06	NPI1-Taste without Known Cause	Neuropsychiatric Inventory - Does the patient describe tastes that are without any known cause?	NPI - Describe Tastes That Are Without Any Known Cause
C100639	NPI1B07	NPI1-Other Unusual Sensory Experience	Neuropsychiatric Inventory - Does the patient describe any other unusual sensory experiences?	NPI - Describe Any Other Unusual Sensory Experiences

NPI-1 Inventory Items				
ID	Item ID	Description	Question Text	Category
C103605	NPI1B08	NPI1-Hallucinations Frequency	Neuropsychiatric Inventory - Frequency of the hallucinations.	NPI - Hallucinations Frequency
C103606	NPI1B09	NPI1-Hallucinations Severity	Neuropsychiatric Inventory - Severity of the hallucinations.	NPI - Hallucinations Severity
C103607	NPI1B10	NPI1-Hallucinations Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Hallucinations Distress
C112470	NPI1BFS	NPI1-Hallucinations FxS Score	Neuropsychiatric Inventory - Hallucinations: (frequency score x severity score).	NPI - Hallucinations FxS Score
C100640	NPI1C	NPI1-Refuse to Cooperate	Neuropsychiatric Inventory - Does the patient have periods when he/she refuses to cooperate or won't let people help him/her? Is he/she hard to handle?	NPI - Periods When He/She Refuses to Cooperate
C100641	NPI1C01	NPI1-Get Upset with Caregiver	Neuropsychiatric Inventory - Does the patient get upset with those trying to care for him/her or resist activities such as bathing or changing clothes?	NPI - Get Upset with Those Trying to Care for Him/Her
C100642	NPI1C02	NPI1-Stubborn	Neuropsychiatric Inventory - Is the patient stubborn, having to have things his/her way?	NPI - Stubborn
C100643	NPI1C03	NPI1-Uncooperative	Neuropsychiatric Inventory - Is the patient uncooperative, resistive to help from others?	NPI - Uncooperative
C100644	NPI1C04	NPI1-Other Behaviors Hard to Handle	Neuropsychiatric Inventory - Does the patient have any other behaviors that make him/her hard to handle?	NPI - Any Other Behaviors That Make Him/Her Hard to Handle
C100645	NPI1C05	NPI1-Shout or Curse Angry	Neuropsychiatric Inventory - Does the patient shout or curse angrily?	NPI - Shout or Curse Angry
C100646	NPI1C06	NPI1-Slam, Kick or Throw Things	Neuropsychiatric Inventory - Does the patient slam doors, kick furniture, throw things?	NPI - Slam doors, Kick Furniture, Throw Things
C100647	NPI1C07	NPI1-Hurt or Hit Others	Neuropsychiatric Inventory - Does the patient attempt to hurt or hit others?	NPI - Attempt to Hurt or Hit Others
C100648	NPI1C08	NPI1-Other Aggressive Behavior	Neuropsychiatric Inventory - Does the patient have any other aggressive or agitated behaviors?	NPI - Any Other Aggressive or Agitated Behaviors
C103608	NPI1C09	NPI1-Agitation/Aggression Frequency	Neuropsychiatric Inventory - Frequency of the agitation/aggression.	NPI - Agitation/Aggression Frequency
C103609	NPI1C10	NPI1-Agitation/Aggression Severity	Neuropsychiatric Inventory - Severity of the agitation/aggression.	NPI - Agitation/Aggression Severity
C103610	NPI1C11	NPI1-Agitation/Aggression Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Agitation/Aggression Distress
C112471	NPI1CFS	NPI1-Agitation/Aggression FxS Score	Neuropsychiatric Inventory - Agitation/Aggression: (frequency score x severity score).	NPI - Agitation/Aggression FxS Score
C100649	NPI1D	NPI1-Sad or Depressed	Neuropsychiatric Inventory - Does the patient seem sad or depressed? Does he/she say that he/she feels sad or depressed?	NPI - Seem Sad or Depressed
C100650	NPI1D01	NPI1-Tearfulness or Sobbing	Neuropsychiatric Inventory - Does the patient have periods of tearfulness or sobbing that seem to indicate sadness?	NPI - Periods of Tearfulness or Sobbing
C100651	NPI1D02	NPI1-Say or Act in Low Spirits	Neuropsychiatric Inventory - Does the patient say, or act as if he/she is sad or in low spirits?	NPI - Say, or Act as if He/She is Sad or in Low Spirits
C100652	NPI1D03	NPI1-Feel Like a Failure	Neuropsychiatric Inventory - Does the patient put him/herself down or say that he/she feels like a failure?	NPI - Put Him/Herself Down or Say That He/She Feels Like a Failure
C100653	NPI1D04	NPI1-Bad Person	Neuropsychiatric Inventory - Does the patient say that he/she is a bad person or deserves to be punished?	NPI - Say That He/She is a Bad Person
C100654	NPI1D05	NPI1-Discouraged	Neuropsychiatric Inventory - Does the patient seem very discouraged or say that he/she has no future?	NPI - Seem Very Discouraged
C100655	NPI1D06	NPI1-Burden to Family	Neuropsychiatric Inventory - Does the patient say he/she is a burden to the family or that the family would be better off without him/her?	NPI - Say He/She is a Burden to the Family
C100656	NPI1D07	NPI1-Wish for Death	Neuropsychiatric Inventory - Does the patient express a wish for death or talk about killing himself/herself?	NPI - Express a Wish for Death
C100657	NPI1D08	NPI1-Other Signs of Depression	Neuropsychiatric Inventory - Does the patient show any other signs of depression or sadness?	NPI - Show Any Other Signs of Depression or Sadness
C103611	NPI1D09	NPI1-Depression/Dysphoria Frequency	Neuropsychiatric Inventory - Frequency of the depression/dysphoria.	NPI - Depression/Dysphoria Frequency

NPI-1 Inventory - Anxiety and Depression				
C103612	NPI1D10	NPI1-Depression/Dysphoria Severity	Neuropsychiatric Inventory - Severity of the depression/dysphoria.	NPI - Depression/Dysphoria Severity
C103613	NPI1D11	NPI1-Depression/Dysphoria Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Depression/Dysphoria Distress
C112472	NPI1DFS	NPI1-Depression/Dysphoria FxS Score	Neuropsychiatric Inventory - Depression/Dysphoria: (frequency score x severity score).	NPI - Depression/Dysphoria FxS Score
C112482	NPI1DIST	NPI1-NPI Total Distress Score	Neuropsychiatric Inventory - Sub-total of distress score.	NPI - NPI Total Distress Score
C100658	NPI1E	NPI1-Nervous or Worried	Neuropsychiatric Inventory - Is the patient very nervous, worried, or frightened for no apparent reason? Does he/she seem very tense or fidgety? Is the patient afraid to be apart from you?	NPI - Very Nervous, Worried, or Frightened for No Apparent Reason
C100659	NPI1E01	NPI1-Worried about Planned Event	Neuropsychiatric Inventory - Does the patient say that he/she is worried about planned events?	NPI - Say That He/She is Worried About Planned Events
C100660	NPI1E02	NPI1-Shaky or Unable to Relax	Neuropsychiatric Inventory - Does the patient have periods of feeling shaky, unable to relax, or feeling excessively tense?	NPI - Periods of Feeling Shaky, Unable to Relax, or Feeling Excessively Tense
C100661	NPI1E03	NPI1-Short of Breath, Gasp, Sigh	Neuropsychiatric Inventory - Does the patient have periods of (or complain of) shortness of breath, gasping, or sighing for no apparent reason other than nervousness?	NPI - Periods of Shortness of Breath, Gasping, or Sighing for No Apparent Reason
C100662	NPI1E04	NPI1-Butterflies or Racing Heart	Neuropsychiatric Inventory - Does the patient complain of butterflies in his/her stomach, or of racing or pounding of the heart in association with nervousness? (Symptoms not explained by ill health).	NPI - Complain of Butterflies, Racing or Pounding Heart
C100663	NPI1E05	NPI1-Avoid Places or Situations	Neuropsychiatric Inventory - Does the patient avoid certain places or situations that make him/her more nervous such as riding in the car, meeting with friends, or being in crowds?	NPI - Avoid Certain Places or Situations That Make Him/Her More Nervous
C100664	NPI1E06	NPI1-Nervous when Separated	Neuropsychiatric Inventory - Does the patient become nervous and upset when separated from you (or his/her caregiver)? (Does he/she cling to you to keep from being separated?).	NPI - Become Nervous and Upset When Separated From You
C100665	NPI1E07	NPI1-Other Signs of Anxiety	Neuropsychiatric Inventory - Does the patient show any other signs of anxiety?	NPI - Show Any Other Signs of Anxiety
C103614	NPI1E08	NPI1-Anxiety Frequency	Neuropsychiatric Inventory - Frequency of the anxiety.	NPI - Anxiety Frequency
C103615	NPI1E09	NPI1-Anxiety Severity	Neuropsychiatric Inventory - Severity of the anxiety.	NPI - Anxiety Severity
C103616	NPI1E10	NPI1-Anxiety Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Anxiety Distress
C112473	NPI1EFS	NPI1-Anxiety FxS Score	Neuropsychiatric Inventory - Anxiety: (frequency score x severity score).	NPI - Anxiety FxS Score
C100666	NPI1F	NPI1-Too Cheerful or Happy	Neuropsychiatric Inventory - Does the patient seem too cheerful or too happy for no reason? I don't mean the normal happiness that comes from seeing friends, receiving presents, or spending time with family members. I am asking if the patient has a persistent and abnormally good mood or finds humor where others do not.	NPI - Seem Too Cheerful or Too Happy for No Reason
C100667	NPI1F01	NPI1-Feel Good or Too Happy	Neuropsychiatric Inventory - Does the patient appear to feel good or to be too happy, different from his/her usual self?	NPI - Appear to Feel Good or to Be Too Happy
C100668	NPI1F02	NPI1-Humor Others Do Not Find Funny	Neuropsychiatric Inventory - Does the patient find humor and laugh at things that others do not find funny?	NPI - Fine Humor and Laugh at Things That Others Do Not Find Funny
C100669	NPI1F03	NPI1-Childish Sense of Humor	Neuropsychiatric Inventory - Does the patient seem to have a childish sense of humor with a tendency to giggle or laugh inappropriately (such as when something unfortunate happens to others)?	NPI - Seem to Have a Childish Sense of Humor
C100670	NPI1F04	NPI1-Jokes Others Do Not Find Funny	Neuropsychiatric Inventory - Does the patient tell jokes or make remarks that are not funny to others but seem funny to him/her?	NPI - Tell Jokes or Make Remarks That are Not Funny to Others
C100671	NPI1F05	NPI1-Childish Pranks	Neuropsychiatric Inventory - Does he/she play childish pranks such as pinching or playing "keep away" for the fun of it?	NPI - Play Childish Pranks
C100672	NPI1F06	NPI1-Talk Big	Neuropsychiatric Inventory - Does the patient "talk big" or claim to have more abilities or wealth than is true?	NPI - Talk Big or Claim to Have More Abilities or Wealth Than is True

NPI-1 Inventory				
C100673	NPI1F07	NPI1-Other Signs of Feeling Too Happy	Neuropsychiatric Inventory - Does the patient show any other signs of feeling too good or being too happy?	NPI - Show Any Other Signs of Feeling Too Good or Being Too Happy
C103617	NPI1F08	NPI1-Elation/Euphoria Frequency	Neuropsychiatric Inventory - Frequency of the elation/euphoria.	NPI - Elation/Euphoria Frequency
C103618	NPI1F09	NPI1-Elation/Euphoria Severity	Neuropsychiatric Inventory - Severity of the elation/euphoria.	NPI - Elation/Euphoria Severity
C103619	NPI1F10	NPI1-Elation/Euphoria Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Elation/Euphoria Distress
C112474	NPI1FFS	NPI1-Elation/Euphoria FxS Score	Neuropsychiatric Inventory - Elation/Euphoria: (frequency score x severity score).	NPI - Elation/Euphoria FxS Score
C100674	NPI1G	NPI1-Lost Interest in World	Neuropsychiatric Inventory - Has the patient lost interest in the world around him/her? Has he/she lost interest in doing things or does he/she lack motivation for starting new activities? Is he/she more difficult to engage in conversation or in doing chores? Is the patient apathetic or indifferent?	NPI - Lost Interest in the World Around Him/Her
C100675	NPI1G01	NPI1-Less Spontaneous or Active	Neuropsychiatric Inventory - Does the patient seem less spontaneous and less active than usual?	NPI - Seem Less Spontaneous and Less Active Than Usual
C100676	NPI1G02	NPI1-Less Likely Initiate Conversation	Neuropsychiatric Inventory - Is the patient less likely to initiate a conversation?	NPI - Less Likely Initiate to Initiate a Conversation
C100677	NPI1G03	NPI1-Less Affectionate	Neuropsychiatric Inventory - Is the patient less affectionate or lacking in emotions when compared to his/her usual self?	NPI - Less Affectionate or Lacking in Emotions
C100678	NPI1G04	NPI1-Contribute Less to Chores	Neuropsychiatric Inventory - Does the patient contribute less to household chores?	NPI - Contribute Less to Household Chores
C100679	NPI1G05	NPI1-Less Interest in Activities	Neuropsychiatric Inventory - Does the patient seem less interested in the activities and plans of others?	NPI - Less Interested in the Activities and Plans of Others
C100680	NPI1G06	NPI1-Lost Interest in Friends	Neuropsychiatric Inventory - Has the patient lost interest in friends and family members?	NPI - Lost Interest in Friends and Family Members
C100681	NPI1G07	NPI1-Less Enthusiastic	Neuropsychiatric Inventory - Is the patient less enthusiastic about his/her usual interests?	NPI - Less Enthusiastic About His/Her Usual Interests
C100682	NPI1G08	NPI1-Other Signs of Not Caring	Neuropsychiatric Inventory - Does the patient show any other signs that he/she doesn't care about doing new things?	NPI - Show Any Other Signs That He/She Doesn't Care About Doing New Things
C103620	NPI1G09	NPI1-Apathy/Indifference Frequency	Neuropsychiatric Inventory - Frequency of the apathy/indifference.	NPI - Apathy/Indifference Frequency
C103621	NPI1G10	NPI1-Apathy/Indifference Severity	Neuropsychiatric Inventory - Severity of the apathy/indifference.	NPI - Apathy/Indifference Severity
C103622	NPI1G11	NPI1-Apathy/Indifference Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Apathy/Indifference Distress
C112475	NPI1GFS	NPI1-Apathy/Indifference FxS Score	Neuropsychiatric Inventory - Apathy/Indifference: (frequency score x severity score).	NPI - Apathy/Indifference FxS Score
C100683	NPI1H	NPI1-Act Impulsively	Neuropsychiatric Inventory - Does the patient seem to act impulsively without thinking? Does he/she do or say things that are not usually done or said in public? Does he/she do things that are embarrassing to you or others?	NPI - Seem to Act Impulsively Without Thinking
C100684	NPI1H01	NPI1-Act Impulsively without Care	Neuropsychiatric Inventory - Does the patient act impulsively without appearing to consider the consequences?	NPI - Act Impulsively without Appearing to Consider the Consequences
C100685	NPI1H02	NPI1-Talk to Strangers	Neuropsychiatric Inventory - Does the patient talk to total strangers as if he/she knew them?	NPI - Talk to Total Strangers as if He/She Knew Them
C100686	NPI1H03	NPI1-Say Insensitive Things	Neuropsychiatric Inventory - Does the patient say things to people that are insensitive or hurt their feelings?	NPI - Say Things to People that are Insensitive
C100687	NPI1H04	NPI1-Make Crude Remarks	Neuropsychiatric Inventory - Does the patient say crude things or make sexual remarks that he/she would not usually have said?	NPI - Say Crude Things or Make Sexual Remarks
C100688	NPI1H05	NPI1-Talk Openly about Private Matters	Neuropsychiatric Inventory - Does the patient talk openly about very personal or private matters not usually discussed in public?	NPI - Talk Openly About Very Personal or Private Matters
C100689	NPI1H06	NPI1-Take Liberties or Touch Others	Neuropsychiatric Inventory - Does the patient take liberties or touch or hug others in a way that is out of character for him/her?	NPI - Take Liberties or Touch or Hug Others

NPI-1 Inventory - Behavioral Disturbances				
C100690	NPI1H07	NPI1-Other Signs of Impulses	Neuropsychiatric Inventory - Does the patient show any other signs of loss of control of his/her impulses?	NPI - Show Any Other Signs of Loss of Control of His/Her Impulses
C103623	NPI1H08	NPI1-Disinhibition Frequency	Neuropsychiatric Inventory - Frequency of the disinhibition.	NPI - Disinhibition Frequency
C103624	NPI1H09	NPI1-Disinhibition Severity	Neuropsychiatric Inventory - Severity of the disinhibition.	NPI - Disinhibition Severity
C103625	NPI1H10	NPI1-Disinhibition Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Disinhibition Distress
C112476	NPI1HFS	NPI1-Disinhibition FxS Score	Neuropsychiatric Inventory - Disinhibition: (frequency score x severity score).	NPI - Disinhibition FxS Score
C100691	NPI1I	NPI1-Irritated and Easily Disturbed	Neuropsychiatric Inventory - Does the patient get irritated and easily disturbed? Are his/her moods very changeable? Is he/she abnormally impatient? We do not mean frustration over memory loss or inability to perform usual tasks; we are interested to know if the patient has abnormal irritability, impatience, or rapid emotional changes different from his/her usual self.	NPI - Get Irritated and Easily Disturbed
C100692	NPI1I01	NPI1-Bad Temper	Neuropsychiatric Inventory - Does the patient have a bad temper, flying "off the handle" easily over little things?	NPI - Bad Temper, Flying 'Off the Handle' Easily Over Little Things
C100693	NPI1I02	NPI1-Rapidly Change Moods	Neuropsychiatric Inventory - Does the patient rapidly change moods from one to another, being fine one minute and angry the next?	NPI - Rapidly Change Moods From One to Another
C100694	NPI1I03	NPI1-Sudden Anger	Neuropsychiatric Inventory - Does the patient have sudden flashes of anger?	NPI - Sudden Flares of Anger
C100695	NPI1I04	NPI1-Impatient	Neuropsychiatric Inventory - Is the patient impatient, having trouble coping with delays or waiting for planned activities?	NPI - Impatient, Having Trouble Coping with Delays
C100696	NPI1I05	NPI1-Cranky and Irritable	Neuropsychiatric Inventory - Is the patient cranky and irritable?	NPI - Cranky and Irritable
C100697	NPI1I06	NPI1-Argumentative	Neuropsychiatric Inventory - Is the patient argumentative and difficult to get along with?	NPI - Argumentative and Difficult to Get Along With
C100698	NPI1I07	NPI1-Other Signs of Irritability	Neuropsychiatric Inventory - Does the patient show any other signs of irritability?	NPI - Show Any Other Signs of Irritability
C103626	NPI1I08	NPI1-Irritability/Lability Frequency	Neuropsychiatric Inventory - Frequency of the irritability/lability.	NPI - Irritability/Lability Frequency
C103627	NPI1I09	NPI1-Irritability/Lability Severity	Neuropsychiatric Inventory - Severity of the irritability/lability.	NPI - Irritability/Lability Severity
C103628	NPI1I10	NPI1-Irritability/Lability Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Irritability/Lability Distress
C112477	NPI1IFS	NPI1-Irritability/Lability FxS Score	Neuropsychiatric Inventory - Irritability/Lability: (frequency score x severity score).	NPI - Irritability/Lability FxS Score
C100699	NPI1J	NPI1-Do Things Repeatedly	Neuropsychiatric Inventory - Does the patient pace, do things over and over such as opening closets or drawers, or repeatedly pick at things or wind string or threads?	NPI - Pace, Do Things Over and Over, Repeatedly Pick at Things
C100700	NPI1J01	NPI1-Pace	Neuropsychiatric Inventory - Does the patient pace around the house without apparent purpose?	NPI - Pace Around the House Without Apparent Purpose
C100701	NPI1J02	NPI1-Rummage Around and Unpack	Neuropsychiatric Inventory - Does the patient rummage around opening and unpacking drawers or closets?	NPI - Rummage Around Opening and Unpacking Drawers or Closets
C100702	NPI1J03	NPI1-Repeatedly Change Clothing	Neuropsychiatric Inventory - Does the patient repeatedly put on and take off clothing?	NPI - Repeatedly Put On and Take Off Clothing
C100703	NPI1J04	NPI1-Repetitive Activities or Habits	Neuropsychiatric Inventory - Does the patient have repetitive activities or "habits" that he/she performs over and over?	NPI - Repetitive Activities or 'Habits'
C100704	NPI1J05	NPI1-Repetitive Activities	Neuropsychiatric Inventory - Does the patient engage in repetitive activities such as handling buttons, picking, wrapping string, etc.?	NPI - Engage in Repetitive Activities
C100705	NPI1J06	NPI1-Fidget Excessively	Neuropsychiatric Inventory - Does the patient fidget excessively, seem unable to sit still, or bounce his/her feet or tap his/her fingers a lot?	NPI - Fidget Excessively, Seem Unable to Sit Still
C100706	NPI1J07	NPI1-Other Repetitive Activities	Neuropsychiatric Inventory - Does the patient do any other activities over and over?	NPI - Do Any Other Activities Over and Over
C103629	NPI1J08	NPI1-Aberrant Motor Behavior Frequency	Neuropsychiatric Inventory - Frequency of the aberrant motor behavior.	NPI - Aberrant Motor Behavior Frequency

NPI1: Nighttime and Daytime Behaviors				
C103630	NPI1J09	NPI1-Aberrant Motor Behavior Severity	Neuropsychiatric Inventory - Severity of the aberrant motor behavior.	NPI - Aberrant Motor Behavior Severity
C103631	NPI1J10	NPI1-Aberrant Motor Behavior Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Aberrant Motor Behavior Distress
C112478	NPI1JFS	NPI1-Aberrant Motor Behavior FxS Score	Neuropsychiatric Inventory - Aberrant Motor Behavior: (frequency score x severity score).	NPI - Aberrant Motor Behavior FxS Score
C100707	NPI1K	NPI1-Difficulty Sleeping	Neuropsychiatric Inventory - Does the patient have difficulty sleeping (do not count as present if the patient simply gets up once or twice per night to go to the bathroom and falls back asleep immediately)? Is he/she up at night? Does he/she wander at night, get dressed, or disturb your sleep?	NPI - Difficulty Sleeping
C100708	NPI1K01	NPI1-Difficulty Falling Asleep	Neuropsychiatric Inventory - Does the patient have difficulty falling asleep?	NPI - Difficulty Falling Asleep
C100709	NPI1K02	NPI1-Get Up during Night	Neuropsychiatric Inventory - Does the patient get up during the night (do not count if the patient gets up once or twice per night only to go to the bathroom and falls back asleep immediately)?	NPI - Get Up During the Night
C100710	NPI1K03	NPI1-Wander or Pace at Night	Neuropsychiatric Inventory - Does the patient wander, pace or get involved in inappropriate activities at night?	NPI - Wander, Pace or Get Involved in Inappropriate Activities at Night
C100711	NPI1K04	NPI1-Awaken Caregiver during Night	Neuropsychiatric Inventory - Does the patient awaken you during the night?	NPI - Awaken You During the Night
C100712	NPI1K05	NPI1-Wake at Night and Think Morning	Neuropsychiatric Inventory - Does the patient wake up at night, dress, and plan to go out thinking that it is morning and time to start the day?	NPI - Wake Up at Night, Dress, and Plan to Go Out
C100713	NPI1K06	NPI1-Awaken Too Early in Morning	Neuropsychiatric Inventory - Does the patient awaken too early in the morning (earlier than was his/her habit)?	NPI - Awaken Too Early in Morning
C100714	NPI1K07	NPI1-Excessive Sleep during Day	Neuropsychiatric Inventory - Does the patient sleep excessively during the day?	NPI - Sleep Excessively During the Day
C100715	NPI1K08	NPI1-Other Nighttime Behaviors	Neuropsychiatric Inventory - Does the patient have any other nighttime behaviors that bother you that we haven't talked about?	NPI - Any Other Nighttime Behaviors That Bother You
C103632	NPI1K09	NPI1-Sleep/Nighttime Behavior Frequency	Neuropsychiatric Inventory - Frequency of the nighttime behavior.	NPI - Sleep and Nighttime Behavior Disorders Frequency
C103633	NPI1K10	NPI1-Sleep/Nighttime Behavior Severity	Neuropsychiatric Inventory - Severity of the nighttime behavior.	NPI - Sleep and Nighttime Behavior Disorders Severity
C103634	NPI1K11	NPI1-Sleep/Nighttime Behavior Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Sleep and Nighttime Behavior Disorders Distress
C112479	NPI1KFS	NPI1-Sleep/Night Behav Disord FxS Score	Neuropsychiatric Inventory - Sleep and Nighttime Behavior Disorders: (frequency score x severity score).	NPI - Sleep/Night Behavior Disorder FxS Score
C100716	NPI1L	NPI1-Change in Appetite or Weight	Neuropsychiatric Inventory - Has he/she had any change in appetite, weight, or eating habits (count as NA if the patient is incapacitated and has to be fed)? Has there been any change in the type of food he/she prefers?	NPI - Change in Appetite, Weight, or Eating Habits
C100717	NPI1L01	NPI1-Loss of Appetite	Neuropsychiatric Inventory - Has he/she had a loss of appetite?	NPI - Loss of Appetite
C100718	NPI1L02	NPI1-Increase in Appetite	Neuropsychiatric Inventory - Has he/she had an increase in appetite?	NPI - Increase in Appetite
C100719	NPI1L03	NPI1-Weight Loss	Neuropsychiatric Inventory - Has he/she had a loss of weight?	NPI - Loss of Weight
C100720	NPI1L04	NPI1-Weight Gain	Neuropsychiatric Inventory - Has he/she gained weight?	NPI - Gained Weight
C100721	NPI1L05	NPI1-Change in Eating Behavior	Neuropsychiatric Inventory - Has he/she had a change in eating behavior such as putting too much food in his/her mouth at once?	NPI - Change in Eating Behavior
C100722	NPI1L06	NPI1-Change in Kind of Food	Neuropsychiatric Inventory - Has he/she had a change in the kind of food he/she likes such as eating too many sweets or other specific types of food?	NPI - Change in Kind of Food He/She Likes
C100723	NPI1L07	NPI1-Develop Eating Behaviors	Neuropsychiatric Inventory - Has he/she developed eating behaviors such as eating exactly the same types of food each day or eating the food in exactly the same order?	NPI - Developed Eating Behaviors Such as Eating Exactly the Same Types of Food
C100724	NPI1L08	NPI1-Other Changes in Eating	Neuropsychiatric Inventory - Have there been any other changes in appetite or eating that I haven't asked about?	NPI - Any Other Changes in Appetite or Eating

Neuropsychiatric Inventory - Frequency of the changes in eating habits or appetite.				
C103635	NPI1L09	NPI1-Appetite/Eating Disorder Frequency	Neuropsychiatric Inventory - Frequency of the changes in eating habits or appetite.	NPI - Appetite and Eating Disorders Frequency
C103636	NPI1L10	NPI1-Appetite/Eating Disorder Severity	Neuropsychiatric Inventory - Severity of the changes in eating habits or appetite.	NPI - Appetite and Eating Disorders Severity
C103637	NPI1L11	NPI1-Appetite/Eating Disorder Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Appetite and Eating Disorders Distress
C112480	NPI1LFS	NPI1-Appetite/Eating Disorders FxS Score	Neuropsychiatric Inventory - Appetite and Eating Disorders: (frequency score x severity score).	NPI - Appetite/Eating Disorders FxS Score
C112481	NPI1TOT	NPI1-NPI Total Score	Neuropsychiatric Inventory - Total of (Frequency Sub-total) x (Severity Sub-total).	NPI - NPI Total Score

C103631	NPI1-Aberrant Motor Behavior Distress	NPI1-Aberrant Motor Behavior Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Aberrant Motor Behavior Distress
C103629	NPI1-Aberrant Motor Behavior Frequency	NPI1-Aberrant Motor Behavior Frequency	Neuropsychiatric Inventory - Frequency of the aberrant motor behavior.	NPI - Aberrant Motor Behavior Frequency
C112478	NPI1-Aberrant Motor Behavior FxS Score	NPI1-Aberrant Motor Behavior FxS Score	Neuropsychiatric Inventory - Aberrant Motor Behavior: (frequency score x severity score).	NPI - Aberrant Motor Behavior FxS Score
C103630	NPI1-Aberrant Motor Behavior Severity	NPI1-Aberrant Motor Behavior Severity	Neuropsychiatric Inventory - Severity of the aberrant motor behavior.	NPI - Aberrant Motor Behavior Severity
C100684	NPI1-Act Impulsively without Care	NPI1-Act Impulsively without Care	Neuropsychiatric Inventory - Does the patient act impulsively without appearing to consider the consequences?	NPI - Act Impulsively without Appearing to Consider the Consequences
C100683	NPI1-Act Impulsively	NPI1-Act Impulsively	Neuropsychiatric Inventory - Does the patient seem to act impulsively without thinking? Does he/she do or say things that are not usually done or said in public? Does he/she do things that are embarrassing to you or others?	NPI - Seem to Act Impulsively Without Thinking
C103610	NPI1-Agitation/Aggression Distress	NPI1-Agitation/Aggression Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Agitation/Aggression Distress
C103608	NPI1-Agitation/Aggression Frequency	NPI1-Agitation/Aggression Frequency	Neuropsychiatric Inventory - Frequency of the agitation/aggression.	NPI - Agitation/Aggression Frequency
C112471	NPI1-Agitation/Aggression FxS Score	NPI1-Agitation/Aggression FxS Score	Neuropsychiatric Inventory - Agitation/Aggression: (frequency score x severity score).	NPI - Agitation/Aggression FxS Score
C103609	NPI1-Agitation/Aggression Severity	NPI1-Agitation/Aggression Severity	Neuropsychiatric Inventory - Severity of the agitation/aggression.	NPI - Agitation/Aggression Severity
C103616	NPI1-Anxiety Distress	NPI1-Anxiety Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Anxiety Distress
C103614	NPI1-Anxiety Frequency	NPI1-Anxiety Frequency	Neuropsychiatric Inventory - Frequency of the anxiety.	NPI - Anxiety Frequency
C112473	NPI1-Anxiety FxS Score	NPI1-Anxiety FxS Score	Neuropsychiatric Inventory - Anxiety: (frequency score x severity score).	NPI - Anxiety FxS Score
C103615	NPI1-Anxiety Severity	NPI1-Anxiety Severity	Neuropsychiatric Inventory - Severity of the anxiety.	NPI - Anxiety Severity
C103622	NPI1-Apathy/Indifference Distress	NPI1-Apathy/Indifference Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Apathy/Indifference Distress
C103620	NPI1-Apathy/Indifference Frequency	NPI1-Apathy/Indifference Frequency	Neuropsychiatric Inventory - Frequency of the apathy/indifference.	NPI - Apathy/Indifference Frequency
C112475	NPI1-Apathy/Indifference FxS Score	NPI1-Apathy/Indifference FxS Score	Neuropsychiatric Inventory - Apathy/Indifference: (frequency score x severity score).	NPI - Apathy/Indifference FxS Score
C103621	NPI1-Apathy/Indifference Severity	NPI1-Apathy/Indifference Severity	Neuropsychiatric Inventory - Severity of the apathy/indifference.	NPI - Apathy/Indifference Severity
C103637	NPI1-Appetite/Eating Disorder Distress	NPI1-Appetite/Eating Disorder Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Appetite and Eating Disorders Distress
C103635	NPI1-Appetite/Eating Disorder Frequency	NPI1-Appetite/Eating Disorder Frequency	Neuropsychiatric Inventory - Frequency of the changes in eating habits or appetite.	NPI - Appetite and Eating Disorders Frequency
C103636	NPI1-Appetite/Eating Disorder Severity	NPI1-Appetite/Eating Disorder Severity	Neuropsychiatric Inventory - Severity of the changes in eating habits or appetite.	NPI - Appetite and Eating Disorders Severity
C112480	NPI1-Appetite/Eating Disorders FxS Score	NPI1-Appetite/Eating Disorders FxS Score	Neuropsychiatric Inventory - Appetite and Eating Disorders: (frequency score x severity score).	NPI - Appetite/Eating Disorders FxS Score
C100697	NPI1-Argumentative	NPI1-Argumentative	Neuropsychiatric Inventory - Is the patient argumentative and difficult to get along with?	NPI - Argumentative and Difficult to Get Along With
C100663	NPI1-Avoid Places or Situations	NPI1-Avoid Places or Situations	Neuropsychiatric Inventory - Does the patient avoid certain places or situations that make him/her more nervous such as riding in the car, meeting with friends, or being in crowds?	NPI - Avoid Certain Places or Situations That Make Him/Her More Nervous
C100711	NPI1-Awaken Caregiver during Night	NPI1-Awaken Caregiver during Night	Neuropsychiatric Inventory - Does the patient awaken you during the night?	NPI - Awaken You During the Night
C100713	NPI1-Awaken Too Early in Morning	NPI1-Awaken Too Early in Morning	Neuropsychiatric Inventory - Does the patient awaken too early in the morning (earlier than was his/her habit)?	NPI - Awaken Too Early in Morning

NPI1 - Symptom Descriptions				
C100653	NPI1-Bad Person	NPI1-Bad Person	Neuropsychiatric Inventory - Does the patient say that he/she is a bad person or deserves to be punished?	NPI - Say That He/She is a Bad Person
C100692	NPI1-Bad Temper	NPI1-Bad Temper	Neuropsychiatric Inventory - Does the patient have a bad temper, flying "off the handle" easily over little things?	NPI - Bad Temper, Flying 'Off the Handle' Easily Over Little Things
C100622	NPI1-Beliefs Untrue	NPI1-Beliefs Untrue	Neuropsychiatric Inventory - Does the patient have beliefs that you know are not true? (for example, insisting that people are trying to harm him/her or steal from him/her)? Has he/she said that family members are not who they say they are or that the house is not their home? I'm not asking about mere suspiciousness; I am interested if the patient is convinced that these things are happening to him/her.	NPI - Have Beliefs That You Know are Not True
C100655	NPI1-Burden to Family	NPI1-Burden to Family	Neuropsychiatric Inventory - Does the patient say he/she is a burden to the family or that the family would be better off without him/her?	NPI - Say He/She is a Burden to the Family
C100662	NPI1-Butterflies or Racing Heart	NPI1-Butterflies or Racing Heart	Neuropsychiatric Inventory - Does the patient complain of butterflies in his/her stomach, or of racing or pounding of the heart in association with nervousness? (Symptoms not explained by ill health).	NPI - Complain of Butterflies, Racing or Pounding Heart
C100716	NPI1-Change in Appetite or Weight	NPI1-Change in Appetite or Weight	Neuropsychiatric Inventory - Has he/she had any change in appetite, weight, or eating habits (count as NA if the patient is incapacitated and has to be fed)? Has there been any change in the type of food he/she prefers?	NPI - Change in Appetite, Weight, or Eating Habits
C100721	NPI1-Change in Eating Behavior	NPI1-Change in Eating Behavior	Neuropsychiatric Inventory - Has he/she had a change in eating behavior such as putting too much food in his/her mouth at once?	NPI - Change in Eating Behavior
C100722	NPI1-Change in Kind of Food	NPI1-Change in Kind of Food	Neuropsychiatric Inventory - Has he/she had a change in the kind of food he/she likes such as eating too many sweets or other specific types of food?	NPI - Change in Kind of Food He/She Likes
C100671	NPI1-Childish Pranks	NPI1-Childish Pranks	Neuropsychiatric Inventory - Does he/she play childish pranks such as pinching or playing "keep away" for the fun of it?	NPI - Play Childish Pranks
C100669	NPI1-Childish Sense of Humor	NPI1-Childish Sense of Humor	Neuropsychiatric Inventory - Does the patient seem to have a childish sense of humor with a tendency to giggle or laugh inappropriately (such as when something unfortunate happens to others)?	NPI - Seem to Have a Childish Sense of Humor
C100678	NPI1-Contribute Less to Chores	NPI1-Contribute Less to Chores	Neuropsychiatric Inventory - Does the patient contribute less to household chores?	NPI - Contribute Less to Household Chores
C100696	NPI1-Cranky and Irritable	NPI1-Cranky and Irritable	Neuropsychiatric Inventory - Is the patient cranky and irritable?	NPI - Cranky and Irritable
C103604	NPI1-Delusions Distress	NPI1-Delusions Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Delusions Distress
C103602	NPI1-Delusions Frequency	NPI1-Delusions Frequency	Neuropsychiatric Inventory - Frequency of the delusions.	NPI - Delusions Frequency
C112469	NPI1-Delusions FxS Score	NPI1-Delusions FxS Score	Neuropsychiatric Inventory - Delusions: (frequency score x severity score).	NPI - Delusions FxS Score
C103603	NPI1-Delusions Severity	NPI1-Delusions Severity	Neuropsychiatric Inventory - Severity of the delusions.	NPI - Delusions Severity
C103613	NPI1-Depression/Dysphoria Distress	NPI1-Depression/Dysphoria Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Depression/Dysphoria Distress
C103611	NPI1-Depression/Dysphoria Frequency	NPI1-Depression/Dysphoria Frequency	Neuropsychiatric Inventory - Frequency of the depression/dysphoria.	NPI - Depression/Dysphoria Frequency
C112472	NPI1-Depression/Dysphoria FxS Score	NPI1-Depression/Dysphoria FxS Score	Neuropsychiatric Inventory - Depression/Dysphoria: (frequency score x severity score).	NPI - Depression/Dysphoria FxS Score
C103612	NPI1-Depression/Dysphoria Severity	NPI1-Depression/Dysphoria Severity	Neuropsychiatric Inventory - Severity of the depression/dysphoria.	NPI - Depression/Dysphoria Severity
C100723	NPI1-Develop Eating Behaviors	NPI1-Develop Eating Behaviors	Neuropsychiatric Inventory - Has he/she developed eating behaviors such as eating exactly the same types of food each day or eating the food in exactly the same order?	NPI - Developed Eating Behaviors Such as Eating Exactly the Same Types of Food
C100708	NPI1-Difficulty Falling Asleep	NPI1-Difficulty Falling Asleep	Neuropsychiatric Inventory - Does the patient have difficulty falling asleep?	NPI - Difficulty Falling Asleep
C100707	NPI1-Difficulty Sleeping	NPI1-Difficulty Sleeping	Neuropsychiatric Inventory - Does the patient have difficulty sleeping (do not count as present if the patient simply gets up once or twice per night to go to the bathroom and falls back asleep immediately)? Is he/she up at night? Does he/she wander at night, get dressed, or disturb your sleep?	NPI - Difficulty Sleeping

NPI1 - Disinhibition				
C100654	NPI1-Discouraged	NPI1-Discouraged	Neuropsychiatric Inventory - Does the patient seem very discouraged or say that he/she has no future?	NPI - Seem Very Discouraged
C103625	NPI1-Disinhibition Distress	NPI1-Disinhibition Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Disinhibition Distress
C103623	NPI1-Disinhibition Frequency	NPI1-Disinhibition Frequency	Neuropsychiatric Inventory - Frequency of the disinhibition.	NPI - Disinhibition Frequency
C112476	NPI1-Disinhibition FxS Score	NPI1-Disinhibition FxS Score	Neuropsychiatric Inventory - Disinhibition: (frequency score x severity score).	NPI - Disinhibition FxS Score
C103624	NPI1-Disinhibition Severity	NPI1-Disinhibition Severity	Neuropsychiatric Inventory - Severity of the disinhibition.	NPI - Disinhibition Severity
C100699	NPI1-Do Things Repeatedly	NPI1-Do Things Repeatedly	Neuropsychiatric Inventory - Does the patient pace, do things over and over such as opening closets or drawers, or repeatedly pick at things or wind string or threads?	NPI - Pace, Do Things Over and Over, Repeatedly Pick at Things
C103619	NPI1-Elation/Euphoria Distress	NPI1-Elation/Euphoria Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Elation/Euphoria Distress
C103617	NPI1-Elation/Euphoria Frequency	NPI1-Elation/Euphoria Frequency	Neuropsychiatric Inventory - Frequency of the elation/euphoria.	NPI - Elation/Euphoria Frequency
C112474	NPI1-Elation/Euphoria FxS Score	NPI1-Elation/Euphoria FxS Score	Neuropsychiatric Inventory - Elation/Euphoria: (frequency score x severity score).	NPI - Elation/Euphoria FxS Score
C103618	NPI1-Elation/Euphoria Severity	NPI1-Elation/Euphoria Severity	Neuropsychiatric Inventory - Severity of the elation/euphoria.	NPI - Elation/Euphoria Severity
C100714	NPI1-Excessive Sleep during Day	NPI1-Excessive Sleep during Day	Neuropsychiatric Inventory - Does the patient sleep excessively during the day?	NPI - Sleep Excessively During the Day
C100632	NPI1-False Visions or Voices	NPI1-False Visions or Voices	Neuropsychiatric Inventory - Does the patient have hallucinations such as seeing false visions or hearing false voices? Does he/she seem to see, hear or experience things that are not present? By this question we do not mean just mistaken beliefs such as stating that someone who has died is still alive; rather we are asking if the patient actually has abnormal experiences of sounds or visions.	NPI - Hallucinations Such as Seeing False Visions or Hearing False Voices
C100629	NPI1-Family Plans to Abandon	NPI1-Family Plans to Abandon	Neuropsychiatric Inventory - Does the patient believe that family members plan to abandon him/her?	NPI - Family Members Plan to Abandon Him/Her
C100667	NPI1-Feel Good or Too Happy	NPI1-Feel Good or Too Happy	Neuropsychiatric Inventory - Does the patient appear to feel good or to be too happy, different from his/her usual self?	NPI - Appear to Feel Good or To Be Too Happy
C100652	NPI1-Feel Like a Failure	NPI1-Feel Like a Failure	Neuropsychiatric Inventory - Does the patient put him/herself down or say that he/she feels like a failure?	NPI - Put Him/Herself Down or Say That He/She Feels Like a Failure
C100637	NPI1-Feel Things on Skin	NPI1-Feel Things on Skin	Neuropsychiatric Inventory - Does the patient describe feeling things on his/her skin or otherwise appear to be feeling things crawling or touching him/her?	NPI - Describe Feeling Things on His/Her Skin
C100705	NPI1-Fidget Excessively	NPI1-Fidget Excessively	Neuropsychiatric Inventory - Does the patient fidget excessively, seem unable to sit still, or bounce his/her feet or tap his/her fingers a lot?	NPI - Fidget Excessively, Seem Unable to Sit Still
C100709	NPI1-Get Up during Night	NPI1-Get Up during Night	Neuropsychiatric Inventory - Does the patient get up during the night (do not count if the patient gets up once or twice per night only to go to the bathroom and falls back asleep immediately)?	NPI - Get Up During the Night
C100641	NPI1-Get Upset with Caregiver	NPI1-Get Upset with Caregiver	Neuropsychiatric Inventory - Does the patient get upset with those trying to care for him/her or resist activities such as bathing or changing clothes?	NPI - Get Upset with Those Trying to Care for Him/Her
C103607	NPI1-Hallucinations Distress	NPI1-Hallucinations Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Hallucinations Distress
C103605	NPI1-Hallucinations Frequency	NPI1-Hallucinations Frequency	Neuropsychiatric Inventory - Frequency of the hallucinations.	NPI - Hallucinations Frequency
C112470	NPI1-Hallucinations FxS Score	NPI1-Hallucinations FxS Score	Neuropsychiatric Inventory - Hallucinations: (frequency score x severity score).	NPI - Hallucinations FxS Score
C103606	NPI1-Hallucinations Severity	NPI1-Hallucinations Severity	Neuropsychiatric Inventory - Severity of the hallucinations.	NPI - Hallucinations Severity
C100633	NPI1-Hearing Voices	NPI1-Hearing Voices	Neuropsychiatric Inventory - Does the patient describe hearing voices or act as if he/she hears voices?	NPI - Describe Hearing Voices or Act as if He/She Hears Voices
C100628	NPI1-House Not Their Home	NPI1-House Not Their Home	Neuropsychiatric Inventory - Does the patient believe that his/her house is not his/her home?	NPI - His/Her House Is Not His/Her Home

NPI-1 Inventory Item Descriptions				
C100668	NPI1-Humor Others Do Not Find Funny	NPI1-Humor Others Do Not Find Funny	Neuropsychiatric Inventory - Does the patient find humor and laugh at things that others do not find funny?	NPI - Fine Humor and Laugh at Things That Others Do Not Find Funny
C100647	NPI1-Hurt or Hit Others	NPI1-Hurt or Hit Others	Neuropsychiatric Inventory - Does the patient attempt to hurt or hit others?	NPI - Attempt to Hurt or Hit Others
C100695	NPI1-Impatient	NPI1-Impatient	Neuropsychiatric Inventory - Is the patient impatient, having trouble coping with delays or waiting for planned activities?	NPI - Impatient, Having Trouble Coping with Delays
C100623	NPI1-In Danger	NPI1-In Danger	Neuropsychiatric Inventory - Does the patient believe that he/she is in danger - that others are planning to hurt him/her?	NPI - He/She is in Danger
C100718	NPI1-Increase in Appetite	NPI1-Increase in Appetite	Neuropsychiatric Inventory - Has he/she had an increase in appetite?	NPI - Increase in Appetite
C103628	NPI1-Irritability/Lability Distress	NPI1-Irritability/Lability Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Irritability/Lability Distress
C103626	NPI1-Irritability/Lability Frequency	NPI1-Irritability/Lability Frequency	Neuropsychiatric Inventory - Frequency of the irritability/lability.	NPI - Irritability/Lability Frequency
C112477	NPI1-Irritability/Lability FxS Score	NPI1-Irritability/Lability FxS Score	Neuropsychiatric Inventory - Irritability/Lability: (frequency score x severity score).	NPI - Irritability/Lability FxS Score
C103627	NPI1-Irritability/Lability Severity	NPI1-Irritability/Lability Severity	Neuropsychiatric Inventory - Severity of the irritability/lability.	NPI - Irritability/Lability Severity
C100691	NPI1-Irritated and Easily Disturbed	NPI1-Irritated and Easily Disturbed	Neuropsychiatric Inventory - Does the patient get irritated and easily disturbed? Are his/her moods very changeable? Is he/she abnormally impatient? We do not mean frustration over memory loss or inability to perform usual tasks; we are interested to know if the patient has abnormal irritability, impatience, or rapid emotional changes different from his/her usual self.	NPI - Get Irritated and Easily Disturbed
C100670	NPI1-Jokes Others Do Not Find Funny	NPI1-Jokes Others Do Not Find Funny	Neuropsychiatric Inventory - Does the patient tell jokes or make remarks that are not funny to others but seem funny to him/her?	NPI - Tell Jokes or Make Remarks That are Not Funny to Others
C100677	NPI1-Less Affectionate	NPI1-Less Affectionate	Neuropsychiatric Inventory - Is the patient less affectionate or lacking in emotions when compared to his/her usual self?	NPI - Less Affectionate or Lacking in Emotions
C100681	NPI1-Less Enthusiastic	NPI1-Less Enthusiastic	Neuropsychiatric Inventory - Is the patient less enthusiastic about his/her usual interests?	NPI - Less Enthusiastic About His/Her Usual Interests
C100679	NPI1-Less Interest in Activities	NPI1-Less Interest in Activities	Neuropsychiatric Inventory - Does the patient seem less interested in the activities and plans of others?	NPI - Less Interested in the Activities and Plans of Others
C100676	NPI1-Less Likely Initiate Conversation	NPI1-Less Likely Initiate Conversation	Neuropsychiatric Inventory - Is the patient less likely to initiate a conversation?	NPI - Less Likely Initiate to Initiate a Conversation
C100675	NPI1-Less Spontaneous or Active	NPI1-Less Spontaneous or Active	Neuropsychiatric Inventory - Does the patient seem less spontaneous and less active than usual?	NPI - Seem Less Spontaneous and Less Active Than Usual
C100717	NPI1-Loss of Appetite	NPI1-Loss of Appetite	Neuropsychiatric Inventory - Has he/she had a loss of appetite?	NPI - Loss of Appetite
C100680	NPI1-Lost Interest in Friends	NPI1-Lost Interest in Friends	Neuropsychiatric Inventory - Has the patient lost interest in friends and family members?	NPI - Lost Interest in Friends and Family Members
C100674	NPI1-Lost Interest in World	NPI1-Lost Interest in World	Neuropsychiatric Inventory - Has the patient lost interest in the world around him/her? Has he/she lost interest in doing things or does he/she lack motivation for starting new activities? Is he/she more difficult to engage in conversation or in doing chores? Is the patient apathetic or indifferent?	NPI - Lost Interest in the World Around Him/Her
C100687	NPI1-Make Crude Remarks	NPI1-Make Crude Remarks	Neuropsychiatric Inventory - Does the patient say crude things or make sexual remarks that he/she would not usually have said?	NPI - Say Crude Things or Make Sexual Remarks
C100658	NPI1-Nervous or Worried	NPI1-Nervous or Worried	Neuropsychiatric Inventory - Is the patient very nervous, worried, or frightened for no apparent reason? Does he/she seem very tense or fidgety? Is the patient afraid to be apart from you?	NPI - Very Nervous, Worried, or Frightened for No Apparent Reason
C100664	NPI1-Nervous when Separated	NPI1-Nervous when Separated	Neuropsychiatric Inventory - Does the patient become nervous and upset when separated from you (or his/her caregiver)? (Does he/she cling to you to keep from being separated?).	NPI - Become Nervous and Upset When Separated From You
C112482	NPI1-NPI Total Distress Score	NPI1-NPI Total Distress Score	Neuropsychiatric Inventory - Sub-total of distress score.	NPI - NPI Total Distress Score
C112481	NPI1-NPI Total Score	NPI1-NPI Total Score	Neuropsychiatric Inventory - Total of (Frequency Sub-total) x (Severity Sub-total).	NPI - NPI Total Score
C100648	NPI1-Other Aggressive Behavior	NPI1-Other Aggressive Behavior	Neuropsychiatric Inventory - Does the patient have any other aggressive or agitated behaviors?	NPI - Any Other Aggressive or Agitated Behaviors

NPI1-Other Behaviors Hard to Handle				
C100644	NPI1-Other Behaviors Hard to Handle	NPI1-Other Behaviors Hard to Handle	Neuropsychiatric Inventory - Does the patient have any other behaviors that make him/her hard to handle?	NPI - Any Other Behaviors That Make Him/Her Hard to Handle
C100724	NPI1-Other Changes in Eating	NPI1-Other Changes in Eating	Neuropsychiatric Inventory - Have there been any other changes in appetite or eating that I haven't asked about?	NPI - Any Other Changes in Appetite or Eating
C100715	NPI1-Other Nighttime Behaviors	NPI1-Other Nighttime Behaviors	Neuropsychiatric Inventory - Does the patient have any other nighttime behaviors that bother you that we haven't talked about?	NPI - Any Other Nighttime Behaviors That Bother You
C100706	NPI1-Other Repetitive Activities	NPI1-Other Repetitive Activities	Neuropsychiatric Inventory - Does the patient do any other activities over and over?	NPI - Do Any Other Activities Over and Over
C100665	NPI1-Other Signs of Anxiety	NPI1-Other Signs of Anxiety	Neuropsychiatric Inventory - Does the patient show any other signs of anxiety?	NPI - Show Any Other Signs of Anxiety
C100657	NPI1-Other Signs of Depression	NPI1-Other Signs of Depression	Neuropsychiatric Inventory - Does the patient show any other signs of depression or sadness?	NPI - Show Any Other Signs of Depression or Sadness
C100673	NPI1-Other Signs of Feeling Too Happy	NPI1-Other Signs of Feeling Too Happy	Neuropsychiatric Inventory - Does the patient show any other signs of feeling too good or being too happy?	NPI - Show Any Other Signs of Feeling Too Good or Being Too Happy
C100690	NPI1-Other Signs of Impulses	NPI1-Other Signs of Impulses	Neuropsychiatric Inventory - Does the patient show any other signs of loss of control of his/her impulses?	NPI - Show Any Other Signs of Loss of Control of His/Her Impulses
C100698	NPI1-Other Signs of Irritability	NPI1-Other Signs of Irritability	Neuropsychiatric Inventory - Does the patient show any other signs of irritability?	NPI - Show Any Other Signs of Irritability
C100682	NPI1-Other Signs of Not Caring	NPI1-Other Signs of Not Caring	Neuropsychiatric Inventory - Does the patient show any other signs that he/she doesn't care about doing new things?	NPI - Show Any Other Signs That He/She Doesn't Care About Doing New Things
C100631	NPI1-Other Unusual Beliefs	NPI1-Other Unusual Beliefs	Neuropsychiatric Inventory - Does the patient believe any other unusual things that I haven't asked about?	NPI - Any Other Unusual Things That I Haven't Asked About
C100639	NPI1-Other Unusual Sensory Experience	NPI1-Other Unusual Sensory Experience	Neuropsychiatric Inventory - Does the patient describe any other unusual sensory experiences?	NPI - Describe Any Other Unusual Sensory Experiences
C100624	NPI1-Others Are Stealing	NPI1-Others Are Stealing	Neuropsychiatric Inventory - Does the patient believe that others are stealing from him/her?	NPI - Others are Stealing From Him/Her
C100700	NPI1-Pace	NPI1-Pace	Neuropsychiatric Inventory - Does the patient pace around the house without apparent purpose?	NPI - Pace Around the House Without Apparent Purpose
C100627	NPI1-People Not Who They Claim	NPI1-People Not Who They Claim	Neuropsychiatric Inventory - Does the patient believe that his/her spouse or others are not who they claim to be?	NPI - His/Her Spouse or Others Are Not Who They Claim To Be
C100693	NPI1-Rapidly Change Moods	NPI1-Rapidly Change Moods	Neuropsychiatric Inventory - Does the patient rapidly change moods from one to another, being fine one minute and angry the next?	NPI - Rapidly Change Moods From One to Another
C100640	NPI1-Refuse to Cooperate	NPI1-Refuse to Cooperate	Neuropsychiatric Inventory - Does the patient have periods when he/she refuses to cooperate or won't let people help him/her? Is he/she hard to handle?	NPI - Periods When He/She Refuses to Cooperate
C100702	NPI1-Repeatedly Change Clothing	NPI1-Repeatedly Change Clothing	Neuropsychiatric Inventory - Does the patient repeatedly put on and take off clothing?	NPI - Repeatedly Put On and Take Off Clothing
C100703	NPI1-Repetitive Activities or Habits	NPI1-Repetitive Activities or Habits	Neuropsychiatric Inventory - Does the patient have repetitive activities or "habits" that he/she performs over and over?	NPI - Repetitive Activities or 'Habits'
C100704	NPI1-Repetitive Activities	NPI1-Repetitive Activities	Neuropsychiatric Inventory - Does the patient engage in repetitive activities such as handling buttons, picking, wrapping string, etc.?	NPI - Engage in Repetitive Activities
C100701	NPI1-Rummage Around and Unpack	NPI1-Rummage Around and Unpack	Neuropsychiatric Inventory - Does the patient rummage around opening and unpacking drawers or closets?	NPI - Rummage Around Opening and Unpacking Drawers or Closets
C100649	NPI1-Sad or Depressed	NPI1-Sad or Depressed	Neuropsychiatric Inventory - Does the patient seem sad or depressed? Does he/she say that he/she feels sad or depressed?	NPI - Seem Sad or Depressed
C100686	NPI1-Say Insensitive Things	NPI1-Say Insensitive Things	Neuropsychiatric Inventory - Does the patient say things to people that are insensitive or hurt their feelings?	NPI - Say Things to People that are Insensitive
C100651	NPI1-Say or Act in Low Spirits	NPI1-Say or Act in Low Spirits	Neuropsychiatric Inventory - Does the patient say, or act as if he/she is sad or in low spirits?	NPI - Say, or Act as if He/She is Sad or in Low Spirits
C100635	NPI1-See Things Not Seen by Others	NPI1-See Things Not Seen by Others	Neuropsychiatric Inventory - Does the patient describe seeing things not seen by others or behave as if he/she is seeing things not seen by others (people, animals, lights, etc.)?	NPI - Describe Seeing Things Not Seen by Others

NPI1 - Periods of Feeling Shaky, Unable to Relax, or Feeling Excessively Tense				
C100660	NPI1-Shaky or Unable to Relax	NPI1-Shaky or Unable to Relax	Neuropsychiatric Inventory - Does the patient have periods of feeling shaky, unable to relax, or feeling excessively tense?	NPI - Periods of Feeling Shaky, Unable to Relax, or Feeling Excessively Tense
C100661	NPI1-Short of Breath, Gasp, Sigh	NPI1-Short of Breath, Gasp, Sigh	Neuropsychiatric Inventory - Does the patient have periods of (or complain of) shortness of breath, gasping, or sighing for no apparent reason other than nervousness?	NPI - Periods of Shortness of Breath, Gasping, or Sighing for No Apparent Reason
C100645	NPI1-Shout or Curse Angryl	NPI1-Shout or Curse Angryl	Neuropsychiatric Inventory - Does the patient shout or curse angrily?	NPI - Shout or Curse Angryl
C100646	NPI1-Slam, Kick or Throw Things	NPI1-Slam, Kick or Throw Things	Neuropsychiatric Inventory - Does the patient slam doors, kick furniture, throw things?	NPI - Slam doors, Kick Furniture, Throw Things
C112479	NPI1-Sleep/Night Behav Disord FxS Score	NPI1-Sleep/Night Behav Disord FxS Score	Neuropsychiatric Inventory - Sleep and Nighttime Behavior Disorders: (frequency score x severity score).	NPI - Sleep/Night Behavior Disorder FxS Score
C103634	NPI1-Sleep/Nighttime Behavior Distress	NPI1-Sleep/Nighttime Behavior Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Sleep and Nighttime Behavior Disorders Distress
C103632	NPI1-Sleep/Nighttime Behavior Frequency	NPI1-Sleep/Nighttime Behavior Frequency	Neuropsychiatric Inventory - Frequency of the nighttime behavior.	NPI - Sleep and Nighttime Behavior Disorders Frequency
C103633	NPI1-Sleep/Nighttime Behavior Severity	NPI1-Sleep/Nighttime Behavior Severity	Neuropsychiatric Inventory - Severity of the nighttime behavior.	NPI - Sleep and Nighttime Behavior Disorders Severity
C100636	NPI1-Smell Odors Others Do Not Smell	NPI1-Smell Odors Others Do Not Smell	Neuropsychiatric Inventory - Does the patient report smelling odors not smelled by others?	NPI - Report Smelling Odors Not Smelled by Others
C100625	NPI1-Spouse Having Affair	NPI1-Spouse Having Affair	Neuropsychiatric Inventory - Does the patient believe that his/her spouse is having an affair?	NPI - His/Her Spouse is Having an Affair
C100642	NPI1-Stubborn	NPI1-Stubborn	Neuropsychiatric Inventory - Is the patient stubborn, having to have things his/her way?	NPI - Stubborn
C100694	NPI1-Sudden Anger	NPI1-Sudden Anger	Neuropsychiatric Inventory - Does the patient have sudden flashes of anger?	NPI - Sudden Flares of Anger
C100689	NPI1-Take Liberties or Touch Others	NPI1-Take Liberties or Touch Others	Neuropsychiatric Inventory - Does the patient take liberties or touch or hug others in a way that is out of character for him/her?	NPI - Take Liberties or Touch or Hug Others
C100672	NPI1-Talk Big	NPI1-Talk Big	Neuropsychiatric Inventory - Does the patient "talk big" or claim to have more abilities or wealth than is true?	NPI - Talk Big or Claim to Have More Abilities or Wealth Than is True
C100688	NPI1-Talk Openly about Private Matters	NPI1-Talk Openly about Private Matters	Neuropsychiatric Inventory - Does the patient talk openly about very personal or private matters not usually discussed in public?	NPI - Talk Openly About Very Personal or Private Matters
C100634	NPI1-Talk to People Not There	NPI1-Talk to People Not There	Neuropsychiatric Inventory - Does the patient talk to people who are not there?	NPI - Talk to People Who Are Not There
C100685	NPI1-Talk to Strangers	NPI1-Talk to Strangers	Neuropsychiatric Inventory - Does the patient talk to total strangers as if he/she knew them?	NPI - Talk to Total Strangers as if He/She Knew Them
C100638	NPI1-Taste without Known Cause	NPI1-Taste without Known Cause	Neuropsychiatric Inventory - Does the patient describe tastes that are without any known cause?	NPI - Describe Tastes That Are Without Any Known Cause
C100650	NPI1-Tearfulness or Sobbing	NPI1-Tearfulness or Sobbing	Neuropsychiatric Inventory - Does the patient have periods of tearfulness or sobbing that seem to indicate sadness?	NPI - Periods of Tearfulness or Sobbing
C100666	NPI1-Too Cheerful or Happy	NPI1-Too Cheerful or Happy	Neuropsychiatric Inventory - Does the patient seem too cheerful or too happy for no reason? I don't mean the normal happiness that comes from seeing friends, receiving presents, or spending time with family members. I am asking if the patient has a persistent and abnormally good mood or finds humor where others do not.	NPI - Seem Too Cheerful or Too Happy for No Reason
C100630	NPI1-TV/Magazine Figures Present	NPI1-TV/Magazine Figures Present	Neuropsychiatric Inventory - Does the patient believe that television or magazine figures are actually present in the home? (Does he/she try to talk or interact with them?)	NPI - Television or Magazine Figures Are Actually Present In the Home
C100643	NPI1-Uncooperative	NPI1-Uncooperative	Neuropsychiatric Inventory - Is the patient uncooperative, resistive to help from others?	NPI - Uncooperative
C100626	NPI1-Unwelcome Guests in House	NPI1-Unwelcome Guests in House	Neuropsychiatric Inventory - Does the patient believe that unwelcome guests are living in his/her house?	NPI - Unwelcome Guests are Living in His/Her House
C100712	NPI1-Wake at Night and Think Morning	NPI1-Wake at Night and Think Morning	Neuropsychiatric Inventory - Does the patient wake up at night, dress, and plan to go out thinking that it is morning and time to start the day?	NPI - Wake Up at Night, Dress, and Plan to Go Out

NPI Items				
C100710	NPI1-Wander or Pace at Night	NPI1-Wander or Pace at Night	Neuropsychiatric Inventory - Does the patient wander, pace or get involved in inappropriate activities at night?	NPI - Wander, Pace or Get Involved in Inappropriate Activities at Night
C100720	NPI1-Weight Gain	NPI1-Weight Gain	Neuropsychiatric Inventory - Has he/she gained weight?	NPI - Gained Weight
C100719	NPI1-Weight Loss	NPI1-Weight Loss	Neuropsychiatric Inventory - Has he/she had a loss of weight?	NPI - Loss of Weight
C100656	NPI1-Wish for Death	NPI1-Wish for Death	Neuropsychiatric Inventory - Does the patient express a wish for death or talk about killing himself/herself?	NPI - Express a Wish for Death
C100659	NPI1-Worried about Planned Event	NPI1-Worried about Planned Event	Neuropsychiatric Inventory - Does the patient say that he/she is worried about planned events?	NPI - Say That He/She is Worried About Planned Events

Neuropathic Pain Scale - Please use the scale below to tell us how intense your pain is.				
C103638	NPS0101	NPS01-Tell Us How Intense Your Pain Is	Neuropathic Pain Scale - Please use the scale below to tell us how intense your pain is.	NPS - Tell Us How Intense Your Pain Is
C103639	NPS0102	NPS01-Tell Us How Sharp Your Pain Feels	Neuropathic Pain Scale - Please use the scale below to tell us how sharp your pain feels. Words used to describe 'sharp' feelings include 'like a knife,' 'like a spike,' 'jabbing,' or 'like jolts.'	NPS - Tell Us How Sharp Your Pain Feels
C103640	NPS0103	NPS01-Tell Us How Hot Your Pain Feels	Neuropathic Pain Scale - Please use the scale below to tell us how hot your pain feels. Words used to describe very hot pain include 'burning' and 'on fire.'	NPS - Tell Us How Hot Your Pain Feels
C103641	NPS0104	NPS01-Tell Us How Dull Your Pain Feels	Neuropathic Pain Scale - Please use the scale below to tell us how dull your pain feels. Words used to describe very dull pain include 'like a dull toothache,' 'dull pain,' and 'like a bruise.'	NPS - Tell Us How Dull Your Pain Feels
C103642	NPS0105	NPS01-Tell Us How Cold Your Pain Feels	Neuropathic Pain Scale - Please use the scale below to tell us how cold your pain feels. Words used to describe very cold pain included 'like ice' and 'freezing.'	NPS - Tell Us How Cold Your Pain Feels
C103643	NPS0106	NPS01-Sensitive Skin to Light Touch/Cloth	Neuropathic Pain Scale - Please use the scale below to tell us how sensitive your skin is to light touch or clothing. Words used to describe sensitive skin include 'like sunburned skin,' and 'raw skin.'	NPS - Tell Us How Sensitive Your Skin is to Light Touch or Clothing
C103644	NPS0107	NPS01-Tell Us How Itchy Your Pain Feels	Neuropathic Pain Scale - Please use the scale below to tell us how itchy your pain feels. Words used to describe itchy pain include 'like poison oak' and 'like a mosquito bite.'	NPS - Tell Us How Itchy Your Pain Feels
C103645	NPS0108	NPS01-Describe Time Quality Of Your Pain	Neuropathic Pain Scale - Which of the following best describes the time quality of your pain? Please check only one answer.	NPS - Describe the Time Quality Of Your Pain
C103646	NPS0108A	NPS01-Describe the Background Pain	Neuropathic Pain Scale - I feel a background pain all of the time and occasional flare-ups (break-through pain) some of the time. Describe the background pain.	NPS - Describe the Background Pain
C103647	NPS0108B	NPS01-Describe the Flare-up Pain	Neuropathic Pain Scale - I feel a background pain all of the time and occasional flare-ups (break-through pain) some of the time. Describe the flare-up (break-through) pain.	NPS - Describe the Flare-up Pain
C103648	NPS0108C	NPS01-Describe Single Type Pain All Time	Neuropathic Pain Scale - I feel a single type of pain all the time. Describe this pain.	NPS - Describe the Single Type of Pain All Time
C103649	NPS0108D	NPS01-Describe the Occasional Pain	Neuropathic Pain Scale - I feel a single type of pain only sometimes. Other times, I am pain free. Describe the occasional pain.	NPS - Describe the Occasional Pain
C103650	NPS0109	NPS01-Tell How Unpleasant Your Pain Feel	Neuropathic Pain Scale - Now that you have told us the different physical aspects of your pain, the different types of sensations, we want you to tell us overall how unpleasant your pain is to you. Words used to describe very unpleasant pain include 'miserable' and 'intolerable.' Remember, pain can have a low intensity, but still feel extremely unpleasant, and some kinds of pain can have a high intensity but be very tolerable. With this scale, please tell us how unpleasant your pain feels.	NPS - Tell Us Overall How Unpleasant Your Pain is to You
C103651	NPS0110A	NPS01-How Intense is Your Deep Pain	Neuropathic Pain Scale - Lastly, we want you to give us an estimate of the severity of your deep versus surface pain. We want your to rate each location of pain separately. We realize that it can be difficult to make these estimates, and most likely it will be a 'best guess,' but please give us your best estimate. How intense is your deep pain?	NPS - How Intense is Your Deep Pain
C103652	NPS0110B	NPS01-How Intense is Your Surface Pain	Neuropathic Pain Scale - Lastly, we want you to give us an estimate of the severity of your deep versus surface pain. We want your to rate each location of pain separately. We realize that it can be difficult to make these estimates, and most likely it will be a 'best guess,' but please give us your best estimate. How intense is your surface pain?	NPS - How Intense is Your Surface Pain

C103648	NPS01-Describe Single Type Pain All Time	NPS01-Describe Single Type Pain All Time	Neuropathic Pain Scale - I feel a single type of pain all the time. Describe this pain.	NPS - Describe the Single Type of Pain All Time
C103646	NPS01-Describe the Background Pain	NPS01-Describe the Background Pain	Neuropathic Pain Scale - I feel a background pain all of the time and occasional flare-ups (break-through pain) some of the time. Describe the background pain.	NPS - Describe the Background Pain
C103647	NPS01-Describe the Flare-up Pain	NPS01-Describe the Flare-up Pain	Neuropathic Pain Scale - I feel a background pain all of the time and occasional flare-ups (break-through pain) some of the time. Describe the flare-up (break-through) pain.	NPS - Describe the Flare-up Pain
C103649	NPS01-Describe the Occasional Pain	NPS01-Describe the Occasional Pain	Neuropathic Pain Scale - I feel a single type of pain only sometimes. Other times, I am pain free. Describe the occasional pain.	NPS - Describe the Occasional Pain
C103645	NPS01-Describe Time Quality Of Your Pain	NPS01-Describe Time Quality Of Your Pain	Neuropathic Pain Scale - Which of the following best describes the time quality of your pain? Please check only one answer.	NPS - Describe the Time Quality Of Your Pain
C103651	NPS01-How Intense is Your Deep Pain	NPS01-How Intense is Your Deep Pain	Neuropathic Pain Scale - Lastly, we want you to give us an estimate of the severity of your deep versus surface pain. We want you to rate each location of pain separately. We realize that it can be difficult to make these estimates, and most likely it will be a 'best guess,' but please give us your best estimate. How intense is your deep pain?	NPS - How Intense is Your Deep Pain
C103652	NPS01-How Intense is Your Surface Pain	NPS01-How Intense is Your Surface Pain	Neuropathic Pain Scale - Lastly, we want you to give us an estimate of the severity of your deep versus surface pain. We want you to rate each location of pain separately. We realize that it can be difficult to make these estimates, and most likely it will be a 'best guess,' but please give us your best estimate. How intense is your surface pain?	NPS - How Intense is Your Surface Pain
C103643	NPS01-Sensitiv Skin to Light Touch/Cloth	NPS01-Sensitiv Skin to Light Touch/Cloth	Neuropathic Pain Scale - Please use the scale below to tell us how sensitive your skin is to light touch or clothing. Words used to describe sensitive skin include 'like sunburned skin,' and 'raw skin.'	NPS - Tell Us How Sensitive Your Skin is to Light Touch or Clothing
C103650	NPS01-Tell How Unpleasant Your Pain Feel	NPS01-Tell How Unpleasant Your Pain Feel	Neuropathic Pain Scale - Now that you have told us the different physical aspects of your pain, the different types of sensations, we want you to tell us overall how unpleasant your pain is to you. Words used to describe very unpleasant pain include 'miserable' and 'intolerable.' Remember, pain can have a low intensity, but still feel extremely unpleasant, and some kinds of pain can have a high intensity but be very tolerable. With this scale, please tell us how unpleasant your pain feels.	NPS - Tell Us Overall How Unpleasant Your Pain is to You
C103642	NPS01-Tell Us How Cold Your Pain Feels	NPS01-Tell Us How Cold Your Pain Feels	Neuropathic Pain Scale - Please use the scale below to tell us how cold your pain feels. Words used to describe very cold pain included 'like ice' and 'freezing.'	NPS - Tell Us How Cold Your Pain Feels
C103641	NPS01-Tell Us How Dull Your Pain Feels	NPS01-Tell Us How Dull Your Pain Feels	Neuropathic Pain Scale - Please use the scale below to tell us how dull your pain feels. Words used to describe very dull pain include 'like a dull toothache,' 'dull pain,' and 'like a bruise.'	NPS - Tell Us How Dull Your Pain Feels
C103640	NPS01-Tell Us How Hot Your Pain Feels	NPS01-Tell Us How Hot Your Pain Feels	Neuropathic Pain Scale - Please use the scale below to tell us how hot your pain feels. Words used to describe very hot pain include 'burning' and 'on fire.'	NPS - Tell Us How Hot Your Pain Feels
C103638	NPS01-Tell Us How Intense Your Pain Is	NPS01-Tell Us How Intense Your Pain Is	Neuropathic Pain Scale - Please use the scale below to tell us how intense your pain is.	NPS - Tell Us How Intense Your Pain Is
C103644	NPS01-Tell Us How Itchy Your Pain Feels	NPS01-Tell Us How Itchy Your Pain Feels	Neuropathic Pain Scale - Please use the scale below to tell us how itchy your pain feels. Words used to describe itchy pain include 'like poison oak' and 'like a mosquito bite.'	NPS - Tell Us How Itchy Your Pain Feels
C103639	NPS01-Tell Us How Sharp Your Pain Feels	NPS01-Tell Us How Sharp Your Pain Feels	Neuropathic Pain Scale - Please use the scale below to tell us how sharp your pain feels. Words used to describe 'sharp' feelings include 'like a knife,' 'like a spike,' 'jabbing,' or 'like jolts.'	NPS - Tell Us How Sharp Your Pain Feels

Negative Symptom Assessment-16 - Prolonged time to respond.				
C121077	NSA0101	NSA01-Prolonged Time to Respond	Negative Symptom Assessment-16 - Prolonged time to respond.	NSA-16 - Prolonged Time to Respond
C121078	NSA0102	NSA01-Restricted Speech Quantity	Negative Symptom Assessment-16 - Restricted speech quantity.	NSA-16 - Restricted Speech Quantity
C121079	NSA0103	NSA01-Impoverished Speech Content	Negative Symptom Assessment-16 - Impoverished speech content.	NSA-16 - Impoverished Speech Content
C121080	NSA0104	NSA01-Inarticulate Speech	Negative Symptom Assessment-16 - Inarticulate speech.	NSA-16 - Inarticulate Speech
C121081	NSA0105	NSA01-Emotion: Reduced Range	Negative Symptom Assessment-16 - Emotion: Reduced range.	NSA-16 - Emotion: Reduced Range
C121082	NSA0106	NSA01-Affect Reduce Modulation Intensity	Negative Symptom Assessment-16 - Affect: Reduced modulation of intensity.	NSA-16 - Affect: Reduce Modulation Intensity
C121083	NSA0107	NSA01-Affect: Reduced Display on Demand	Negative Symptom Assessment-16 - Affect: Reduced display on demand.	NSA-16 - Affect: Reduced Display on Demand
C121084	NSA0108	NSA01-Reduced Social Drive	Negative Symptom Assessment-16 - Reduced social drive.	NSA-16 - Reduced Social Drive
C121085	NSA0109	NSA01-Poor Rapport With Interviewer	Negative Symptom Assessment-16 - Poor rapport with interviewer.	NSA-16 - Poor Rapport With Interviewer
C121086	NSA0110	NSA01-Interest Emotional/Phys Intimacy	Negative Symptom Assessment-16 - Interest in emotional and physical intimacy.	NSA-16 - Interest in Emotional and Physical Intimacy
C121087	NSA0111	NSA01-Poor Grooming and Hygiene	Negative Symptom Assessment-16 - Poor grooming and hygiene.	NSA-16 - Poor Grooming and Hygiene
C121088	NSA0112	NSA01-Reduced Sense of Purpose	Negative Symptom Assessment-16 - Reduced sense of purpose.	NSA-16 - Reduced Sense of Purpose
C121089	NSA0113	NSA01-Reduced Interests	Negative Symptom Assessment-16 - Reduced interests.	NSA-16 - Reduced Interests
C121090	NSA0114	NSA01-Reduced Daily Activity	Negative Symptom Assessment-16 - Reduced daily activity.	NSA-16 - Reduced Daily Activity
C121091	NSA0115	NSA01-Reduced Expressive Gestures	Negative Symptom Assessment-16 - Reduced expressive gestures.	NSA-16 - Reduced Expressive Gestures
C121092	NSA0116	NSA01-Slowed Movements	Negative Symptom Assessment-16 - Slowed movements.	NSA-16 - Slowed Movements
C121093	NSA0117	NSA01-Global Negative Symptoms Rating	Negative Symptom Assessment-16 - Global negative symptoms rating.	NSA-16 - Global Negative Symptoms Rating
C121094	NSA0118	NSA01-Global Neg Symptom Rating-Severity	Negative Symptom Assessment-16 - Global negative symptoms rating - severity.	NSA-16 - Global Negative Symptoms Rating-Severity
C121095	NSA0119	NSA01-Global Level of Functioning	Negative Symptom Assessment-16 - Global level of functioning.	NSA-16 - Global Level of Functioning

C121082	NSA01-Affect Reduce Modulation Intensity	NSA01-Affect Reduce Modulation Intensity	Negative Symptom Assessment-16 - Affect: Reduced modulation of intensity.	NSA-16 - Affect: Reduce Modulation Intensity
C121083	NSA01-Affect: Reduced Display on Demand	NSA01-Affect: Reduced Display on Demand	Negative Symptom Assessment-16 - Affect: Reduced display on demand.	NSA-16 - Affect: Reduced Display on Demand
C121081	NSA01-Emotion: Reduced Range	NSA01-Emotion: Reduced Range	Negative Symptom Assessment-16 - Emotion: Reduced range.	NSA-16 - Emotion: Reduced Range
C121095	NSA01-Global Level of Functioning	NSA01-Global Level of Functioning	Negative Symptom Assessment-16 - Global level of functioning.	NSA-16 - Global Level of Functioning
C121094	NSA01-Global Neg Symptom Rating-Severity	NSA01-Global Neg Symptom Rating-Severity	Negative Symptom Assessment-16 - Global negative symptoms rating - severity.	NSA-16 - Global Negative Symptoms Rating-Severity
C121093	NSA01-Global Negative Symptoms Rating	NSA01-Global Negative Symptoms Rating	Negative Symptom Assessment-16 - Global negative symptoms rating.	NSA-16 - Global Negative Symptoms Rating
C121079	NSA01-Impoverished Speech Content	NSA01-Impoverished Speech Content	Negative Symptom Assessment-16 - Impoverished speech content.	NSA-16 - Impoverished Speech Content
C121080	NSA01-Inarticulate Speech	NSA01-Inarticulate Speech	Negative Symptom Assessment-16 - Inarticulate speech.	NSA-16 - Inarticulate Speech
C121086	NSA01-Interest Emotional/Phys Intimacy	NSA01-Interest Emotional/Phys Intimacy	Negative Symptom Assessment-16 - Interest in emotional and physical intimacy.	NSA-16 - Interest in Emotional and Physical Intimacy
C121087	NSA01-Poor Grooming and Hygiene	NSA01-Poor Grooming and Hygiene	Negative Symptom Assessment-16 - Poor grooming and hygiene.	NSA-16 - Poor Grooming and Hygiene
C121085	NSA01-Poor Rapport With Interviewer	NSA01-Poor Rapport With Interviewer	Negative Symptom Assessment-16 - Poor rapport with interviewer.	NSA-16 - Poor Rapport With Interviewer
C121077	NSA01-Prolonged Time to Respond	NSA01-Prolonged Time to Respond	Negative Symptom Assessment-16 - Prolonged time to respond.	NSA-16 - Prolonged Time to Respond
C121090	NSA01-Reduced Daily Activity	NSA01-Reduced Daily Activity	Negative Symptom Assessment-16 - Reduced daily activity.	NSA-16 - Reduced Daily Activity
C121091	NSA01-Reduced Expressive Gestures	NSA01-Reduced Expressive Gestures	Negative Symptom Assessment-16 - Reduced expressive gestures.	NSA-16 - Reduced Expressive Gestures
C121089	NSA01-Reduced Interests	NSA01-Reduced Interests	Negative Symptom Assessment-16 - Reduced interests.	NSA-16 - Reduced Interests
C121088	NSA01-Reduced Sense of Purpose	NSA01-Reduced Sense of Purpose	Negative Symptom Assessment-16 - Reduced sense of purpose.	NSA-16 - Reduced Sense of Purpose
C121084	NSA01-Reduced Social Drive	NSA01-Reduced Social Drive	Negative Symptom Assessment-16 - Reduced social drive.	NSA-16 - Reduced Social Drive
C121078	NSA01-Restricted Speech Quantity	NSA01-Restricted Speech Quantity	Negative Symptom Assessment-16 - Restricted speech quantity.	NSA-16 - Restricted Speech Quantity
C121092	NSA01-Slowed Movements	NSA01-Slowed Movements	Negative Symptom Assessment-16 - Slowed movements.	NSA-16 - Slowed Movements

North Star Ambulatory Assessment - Can you stand up tall for me for as long as you can and as still as you can.				
C132536	NSAA101	NSAA1-Stand	North Star Ambulatory Assessment - Can you stand up tall for me for as long as you can and as still as you can.	NSAA - Stand
C132537	NSAA102	NSAA1-Walk	North Star Ambulatory Assessment - Can you walk from A to B (state to and where from) for me.	NSAA - Walk
C132538	NSAA103	NSAA1-Stand Up From Chair	North Star Ambulatory Assessment - Stand up from the chair keeping your arms folded if you can.	NSAA - Stand Up From Chair
C132539	NSAA104	NSAA1-Stand on One Leg - Right	North Star Ambulatory Assessment - Can you stand on your right leg for as long as you can?	NSAA - Stand on One Leg - Right
C132540	NSAA105	NSAA1-Stand on One Leg - Left	North Star Ambulatory Assessment - Can you stand on your left leg for as long as you can?	NSAA - Stand on One Leg - Left
C132541	NSAA106	NSAA1-Climb Box Step - Right	North Star Ambulatory Assessment - Can you step onto the top of the box using your right leg first?	NSAA - Climb Box Step - Right
C132542	NSAA107	NSAA1-Climb Box Step - Left	North Star Ambulatory Assessment - Can you step onto the top of the box using your left leg first?	NSAA - Climb Box Step - Left
C132543	NSAA108	NSAA1-Descend Box Step - Right	North Star Ambulatory Assessment - Can you step down from the box using your right leg first?	NSAA - Descend Box Step - Right
C132544	NSAA109	NSAA1-Descend Box Step - Left	North Star Ambulatory Assessment - Can you step down from the box using your left leg first?	NSAA - Descend Box Step - Left
C132545	NSAA110	NSAA1-Gets to Sitting	North Star Ambulatory Assessment - Can you get from lying to sitting?	NSAA - Gets to Sitting
C132546	NSAA111	NSAA1-Rise From Floor	North Star Ambulatory Assessment - Get up from the floor using as little support as possible and as fast as you can (from supine).	NSAA - Rise From Floor
C132547	NSAA111A	NSAA1-Rise From Floor Time	North Star Ambulatory Assessment - Time to get up from the floor using as little support as possible and as fast as you can (from supine) (seconds).	NSAA - Rise From Floor Time
C132548	NSAA112	NSAA1-Lifts Head	North Star Ambulatory Assessment - Lift your head to look at your toes keeping your arms folded.	NSAA - Lifts Head
C132549	NSAA113	NSAA1-Stands on Heels	North Star Ambulatory Assessment - Can you stand on your heels?	NSAA - Stands on Heels
C132550	NSAA114	NSAA1-Jump	North Star Ambulatory Assessment - How high can you jump?	NSAA - Jump
C132551	NSAA115	NSAA1-Hop Right Leg	North Star Ambulatory Assessment - Can you hop on your right leg?	NSAA - Hop Right Leg
C132552	NSAA116	NSAA1-Hop Left Leg	North Star Ambulatory Assessment - Can you hop on your left leg?	NSAA - Hop Left Leg
C132553	NSAA117	NSAA1-Run (10m)	North Star Ambulatory Assessment - Run as fast as you can to...(give point).	NSAA - Run (10m)
C132554	NSAA117A	NSAA1-Run (10m) Time	North Star Ambulatory Assessment - Time to run as fast as you can (seconds).	NSAA - Run (10m) Time
C132555	NSAA118	NSAA1-Total	North Star Ambulatory Assessment - Total.	NSAA - Total

C132542	NSAA1-Climb Box Step - Left	NSAA1-Climb Box Step - Left	North Star Ambulatory Assessment - Can you step onto the top of the box using your left leg first?	NSAA - Climb Box Step - Left
C132541	NSAA1-Climb Box Step - Right	NSAA1-Climb Box Step - Right	North Star Ambulatory Assessment - Can you step onto the top of the box using your right leg first?	NSAA - Climb Box Step - Right
C132544	NSAA1-Descend Box Step - Left	NSAA1-Descend Box Step - Left	North Star Ambulatory Assessment - Can you step down from the box using your left leg first?	NSAA - Descend Box Step - Left
C132543	NSAA1-Descend Box Step - Right	NSAA1-Descend Box Step - Right	North Star Ambulatory Assessment - Can you step down from the box using your right leg first?	NSAA - Descend Box Step - Right
C132545	NSAA1-Gets to Sitting	NSAA1-Gets to Sitting	North Star Ambulatory Assessment - Can you get from lying to sitting?	NSAA - Gets to Sitting
C132552	NSAA1-Hop Left Leg	NSAA1-Hop Left Leg	North Star Ambulatory Assessment - Can you hop on your left leg?	NSAA - Hop Left Leg
C132551	NSAA1-Hop Right Leg	NSAA1-Hop Right Leg	North Star Ambulatory Assessment - Can you hop on your right leg?	NSAA - Hop Right Leg
C132550	NSAA1-Jump	NSAA1-Jump	North Star Ambulatory Assessment - How high can you jump?	NSAA - Jump
C132548	NSAA1-Lifts Head	NSAA1-Lifts Head	North Star Ambulatory Assessment - Lift your head to look at your toes keeping your arms folded.	NSAA - Lifts Head
C132547	NSAA1-Rise From Floor Time	NSAA1-Rise From Floor Time	North Star Ambulatory Assessment - Time to get up from the floor using as little support as possible and as fast as you can (from supine) (seconds).	NSAA - Rise From Floor Time
C132546	NSAA1-Rise From Floor	NSAA1-Rise From Floor	North Star Ambulatory Assessment - Get up from the floor using as little support as possible and as fast as you can (from supine).	NSAA - Rise From Floor
C132554	NSAA1-Run (10m) Time	NSAA1-Run (10m) Time	North Star Ambulatory Assessment - Time to run as fast as you can (seconds).	NSAA - Run (10m) Time
C132553	NSAA1-Run (10m)	NSAA1-Run (10m)	North Star Ambulatory Assessment - Run as fast as you can to...(give point).	NSAA - Run (10m)
C132540	NSAA1-Stand on One Leg - Left	NSAA1-Stand on One Leg - Left	North Star Ambulatory Assessment - Can you stand on your left leg for as long as you can?	NSAA - Stand on One Leg - Left
C132539	NSAA1-Stand on One Leg - Right	NSAA1-Stand on One Leg - Right	North Star Ambulatory Assessment - Can you stand on your right leg for as long as you can?	NSAA - Stand on One Leg - Right
C132538	NSAA1-Stand Up From Chair	NSAA1-Stand Up From Chair	North Star Ambulatory Assessment - Stand up from the chair keeping your arms folded if you can.	NSAA - Stand Up From Chair
C132536	NSAA1-Stand	NSAA1-Stand	North Star Ambulatory Assessment - Can you stand up tall for me for as long as you can and as still as you can.	NSAA - Stand
C132549	NSAA1-Stands on Heels	NSAA1-Stands on Heels	North Star Ambulatory Assessment - Can you stand on your heels?	NSAA - Stands on Heels
C132555	NSAA1-Total	NSAA1-Total	North Star Ambulatory Assessment - Total.	NSAA - Total
C132537	NSAA1-Walk	NSAA1-Walk	North Star Ambulatory Assessment - Can you walk from A to B (state to and where from) for me.	NSAA - Walk

Non-Small Cell Lung Cancer Symptom Assessment Questionnaire v1.0 - How would you rate your coughing at its worst over the last 7 days?				
C155621	NSCLC101	NSCLC1-Rate Coughing at Worst	Non-Small Cell Lung Cancer Symptom Assessment Questionnaire v1.0 - How would you rate your coughing at its worst over the last 7 days?	NSCLC-SAQ Version 1.0 - Rate Coughing at Worst
C155622	NSCLC102	NSCLC1-Rate Worst Pain in Chest	Non-Small Cell Lung Cancer Symptom Assessment Questionnaire v1.0 - How would you rate the worst pain in your chest over the last 7 days?	NSCLC-SAQ Version 1.0 - Rate Worst Pain in Chest
C155623	NSCLC103	NSCLC1-Rate Worst Pain Other Than Chest	Non-Small Cell Lung Cancer Symptom Assessment Questionnaire v1.0 - How would you rate the worst pain in areas other than your chest over the last 7 days?	NSCLC-SAQ Version 1.0 - Rate Worst Pain Other Than Chest
C155624	NSCLC104	NSCLC1-Short of Breath Usual Activities	Non-Small Cell Lung Cancer Symptom Assessment Questionnaire v1.0 - How often did you feel short of breath during usual activities over the last 7 days?	NSCLC-SAQ Version 1.0 - Short of Breath Usual Activities
C155625	NSCLC105	NSCLC1-How Often Low Energy	Non-Small Cell Lung Cancer Symptom Assessment Questionnaire v1.0 - How often did you have low energy over the last 7 days?	NSCLC-SAQ Version 1.0 - How Often Low Energy
C155626	NSCLC106	NSCLC1-How Often Tire Easily	Non-Small Cell Lung Cancer Symptom Assessment Questionnaire v1.0 - How often did you tire easily over the last 7 days?	NSCLC-SAQ Version 1.0 - How Often Tire Easily
C155627	NSCLC107	NSCLC1-How Often Poor Appetite	Non-Small Cell Lung Cancer Symptom Assessment Questionnaire v1.0 - How often did you have a poor appetite over the last 7 days?	NSCLC-SAQ Version 1.0 - How Often Poor Appetite
C176206	NSCLC108	NSCLC1-Cough Domain Subscore	Non-Small Cell Lung Cancer Symptom Assessment Questionnaire v1.0 - Cough domain subscore.	NSCLC-SAQ Version 1.0 - Cough Domain Subscore
C176207	NSCLC109	NSCLC1-Fatigue Domain Subscore	Non-Small Cell Lung Cancer Symptom Assessment Questionnaire v1.0 - Fatigue domain subscore.	NSCLC-SAQ Version 1.0 - Fatigue Domain Subscore
C176208	NSCLC110	NSCLC1-Pain Domain Subscore	Non-Small Cell Lung Cancer Symptom Assessment Questionnaire v1.0 - Pain domain subscore.	NSCLC-SAQ Version 1.0 - Pain Domain Subscore
C176209	NSCLC111	NSCLC1-Dyspnea Domain Subscore	Non-Small Cell Lung Cancer Symptom Assessment Questionnaire v1.0 - Dyspnea domain subscore.	NSCLC-SAQ Version 1.0 - Dyspnea Domain Subscore
C176210	NSCLC112	NSCLC1-Appetite Domain Subscore	Non-Small Cell Lung Cancer Symptom Assessment Questionnaire v1.0 - Appetite domain subscore.	NSCLC-SAQ Version 1.0 - Appetite Domain Subscore
C155628	NSCLC113	NSCLC1-Total Score	Non-Small Cell Lung Cancer Symptom Assessment Questionnaire v1.0 - Total score.	NSCLC-SAQ Version 1.0 - Total Score

C176210	NSCLC1-Appetite Domain Subscore	NSCLC1-Appetite Domain Subscore	Non-Small Cell Lung Cancer Symptom Assessment Questionnaire v1.0 - Appetite domain subscore.	NSCLC-SAQ Version 1.0 - Appetite Domain Subscore
C176206	NSCLC1-Cough Domain Subscore	NSCLC1-Cough Domain Subscore	Non-Small Cell Lung Cancer Symptom Assessment Questionnaire v1.0 - Cough domain subscore.	NSCLC-SAQ Version 1.0 - Cough Domain Subscore
C176209	NSCLC1-Dyspnea Domain Subscore	NSCLC1-Dyspnea Domain Subscore	Non-Small Cell Lung Cancer Symptom Assessment Questionnaire v1.0 - Dyspnea domain subscore.	NSCLC-SAQ Version 1.0 - Dyspnea Domain Subscore
C176207	NSCLC1-Fatigue Domain Subscore	NSCLC1-Fatigue Domain Subscore	Non-Small Cell Lung Cancer Symptom Assessment Questionnaire v1.0 - Fatigue domain subscore.	NSCLC-SAQ Version 1.0 - Fatigue Domain Subscore
C155625	NSCLC1-How Often Low Energy	NSCLC1-How Often Low Energy	Non-Small Cell Lung Cancer Symptom Assessment Questionnaire v1.0 - How often did you have low energy over the last 7 days?	NSCLC-SAQ Version 1.0 - How Often Low Energy
C155627	NSCLC1-How Often Poor Appetite	NSCLC1-How Often Poor Appetite	Non-Small Cell Lung Cancer Symptom Assessment Questionnaire v1.0 - How often did you have a poor appetite over the last 7 days?	NSCLC-SAQ Version 1.0 - How Often Poor Appetite
C155626	NSCLC1-How Often Tire Easily	NSCLC1-How Often Tire Easily	Non-Small Cell Lung Cancer Symptom Assessment Questionnaire v1.0 - How often did you tire easily over the last 7 days?	NSCLC-SAQ Version 1.0 - How Often Tire Easily
C176208	NSCLC1-Pain Domain Subscore	NSCLC1-Pain Domain Subscore	Non-Small Cell Lung Cancer Symptom Assessment Questionnaire v1.0 - Pain domain subscore.	NSCLC-SAQ Version 1.0 - Pain Domain Subscore
C155621	NSCLC1-Rate Coughing at Worst	NSCLC1-Rate Coughing at Worst	Non-Small Cell Lung Cancer Symptom Assessment Questionnaire v1.0 - How would you rate your coughing at its worst over the last 7 days?	NSCLC-SAQ Version 1.0 - Rate Coughing at Worst
C155622	NSCLC1-Rate Worst Pain in Chest	NSCLC1-Rate Worst Pain in Chest	Non-Small Cell Lung Cancer Symptom Assessment Questionnaire v1.0 - How would you rate the worst pain in your chest over the last 7 days?	NSCLC-SAQ Version 1.0 - Rate Worst Pain in Chest
C155623	NSCLC1-Rate Worst Pain Other Than Chest	NSCLC1-Rate Worst Pain Other Than Chest	Non-Small Cell Lung Cancer Symptom Assessment Questionnaire v1.0 - How would you rate the worst pain in areas other than your chest over the last 7 days?	NSCLC-SAQ Version 1.0 - Rate Worst Pain Other Than Chest
C155624	NSCLC1-Short of Breath Usual Activities	NSCLC1-Short of Breath Usual Activities	Non-Small Cell Lung Cancer Symptom Assessment Questionnaire v1.0 - How often did you feel short of breath during usual activities over the last 7 days?	NSCLC-SAQ Version 1.0 - Short of Breath Usual Activities
C155628	NSCLC1-Total Score	NSCLC1-Total Score	Non-Small Cell Lung Cancer Symptom Assessment Questionnaire v1.0 - Total score.	NSCLC-SAQ Version 1.0 - Total Score

C103653	OABQ0101	OABQ01-Frequent Urination During Daytime	The Overactive Bladder Questionnaire - Frequent urination during the daytime hours?	OAB-q - Frequent Urination During the Daytime
C103654	OABQ0102	OABQ01-Uncomfortable Urge to Urinate	The Overactive Bladder Questionnaire - An uncomfortable urge to urinate?	OAB-q - Uncomfortable Urge to Urinate
C103655	OABQ0103	OABQ01-Sudden Urge to Urinate No Warning	The Overactive Bladder Questionnaire - A sudden urge to urinate with little or no warning?	OAB-q - Sudden Urge to Urinate with Little or No Warning
C103656	OABQ0104	OABQ01-Accidental Loss of Urine	The Overactive Bladder Questionnaire - Accidental loss of small amounts of urine?	OAB-q - Accidental Loss of Urine
C103657	OABQ0105	OABQ01-Nighttime Urination	The Overactive Bladder Questionnaire - Nighttime urination?	OAB-q - Nighttime Urination
C103658	OABQ0106	OABQ01-Waking Up at Night had to Urinate	The Overactive Bladder Questionnaire - Waking up at night because you had to urinate?	OAB-q - Waking Up at Night Because You had to Urinate
C103659	OABQ0107	OABQ01-Uncontrollable Urge to Urinate	The Overactive Bladder Questionnaire - An uncontrollable urge to urinate?	OAB-q - Uncontrollable Urge to Urinate
C103660	OABQ0108	OABQ01-Urine Loss Strong Desire Urinate	The Overactive Bladder Questionnaire - Urine loss associated with a strong desire to urinate?	OAB-q - Urine Loss Associated with a Strong Desire to Urinate
C103661	OABQ0109	OABQ01-Carefully Plan Your Commute	The Overactive Bladder Questionnaire - Made you carefully plan your commute?	OAB-q - Carefully Plan Your Commute
C103662	OABQ0110	OABQ01-Feel Drowsy or Sleepy During Day	The Overactive Bladder Questionnaire - Caused you to feel drowsy or sleepy during the day?	OAB-q - Feel Drowsy or Sleepy During the Day
C103663	OABQ0111	OABQ01-Plan 'Escape Routes' to Restrooms	The Overactive Bladder Questionnaire - Caused you to plan "escape routes" to restrooms in public places?	OAB-q - Plan 'Escape Routes' to Restrooms
C103664	OABQ0112	OABQ01-Caused You Distress	The Overactive Bladder Questionnaire - Caused you distress?	OAB-q - Caused You Distress
C103665	OABQ0113	OABQ01-Frustrated You	The Overactive Bladder Questionnaire - Frustrated you?	OAB-q - Frustrated You
C103666	OABQ0114	OABQ01-Feel Something Wrong with You	The Overactive Bladder Questionnaire - Made you feel like there is something wrong with you?	OAB-q - Feel Like There is Something Wrong with You
C103667	OABQ0115	OABQ01-Interfered with Good Night's Rest	The Overactive Bladder Questionnaire - Interfered with your ability to get a good night's rest?	OAB-q - Interfered with a Good Night's Rest
C103668	OABQ0116	OABQ01-Decrease Your Physical Activities	The Overactive Bladder Questionnaire - Caused you to decrease your physical activities (exercising, sports, etc.)?	OAB-q - Decrease Your Physical Activities
C103669	OABQ0117	OABQ01-Prevented From Feeling Rested	The Overactive Bladder Questionnaire - Prevented you from feeling rested upon waking in the morning?	OAB-q - Prevented You From Feeling Rested Upon Waking
C103670	OABQ0118	OABQ01-Frustrated Family and Friends	The Overactive Bladder Questionnaire - Frustrated your family and friends?	OAB-q - Frustrated Your Family and Friends
C103671	OABQ0119	OABQ01-Caused You Anxiety or Worry	The Overactive Bladder Questionnaire - Caused you anxiety or worry?	OAB-q - Caused You Anxiety or Worry
C103672	OABQ0120	OABQ01-Stay Home More Often Than Prefer	The Overactive Bladder Questionnaire - Caused you to stay home more often than you would prefer?	OAB-q - Stay Home More Often Than You Would Prefer
C103673	OABQ0121	OABQ01-Adjust Travel Plans Near Restroom	The Overactive Bladder Questionnaire - Caused you to adjust your travel plans so that you are always near a restroom?	OAB-q - Adjust Your Travel Plans so That You are Always Near a Restroom
C103674	OABQ0122	OABQ01-Avoid Act Away From Restroom	The Overactive Bladder Questionnaire - Made you avoid activities away from restrooms (i.e., walks, running, hiking)?	OAB-q - Avoid Activities Away From Restrooms
C103675	OABQ0123	OABQ01-Amount of Time Spend in Restroom	The Overactive Bladder Questionnaire - Made you frustrated or annoyed about the amount of time you spend in the restroom?	OAB-q - Frustrated or Annoyed About the Amount of Time You Spend in the Restroom
C103676	OABQ0124	OABQ01-Awakened You During Sleep	The Overactive Bladder Questionnaire - Awakened you during sleep?	OAB-q - Awakened You During Sleep
C103677	OABQ0125	OABQ01-Worry About Odor or Hygiene	The Overactive Bladder Questionnaire - Made you worry about odor or hygiene?	OAB-q - Made You Worry About Odor or Hygiene
C103678	OABQ0126	OABQ01-Uncomfortable Travel with Others	The Overactive Bladder Questionnaire - Made you uncomfortable while traveling with others because of needing to stop for a restroom?	OAB-q - Uncomfortable While Traveling With Others

OABQ01 - Overactive Bladder Questionnaire				
C103679	OABQ0127	OABQ01-Affected Relationships	The Overactive Bladder Questionnaire - Affected your relationships with family and friends?	OAB-q - Affected Your Relationships with Family and Friends
C103680	OABQ0128	OABQ01-Decrease Participating Gatherings	The Overactive Bladder Questionnaire - Caused you to decrease participating in social gatherings, such as parties or visits with family or friends?	OAB-q - Decrease Participating in Social Gatherings
C103681	OABQ0129	OABQ01-Caused You Embarrassment	The Overactive Bladder Questionnaire - Caused you embarrassment?	OAB-q - Caused You Embarrassment
C103682	OABQ0130	OABQ01-Interfered with Getting Sleep	The Overactive Bladder Questionnaire - Interfered with getting the amount of sleep you needed?	OAB-q - Interfered with Getting Sleep
C103683	OABQ0131	OABQ01-Caused Problems Partner/Spouse	The Overactive Bladder Questionnaire - Caused you to have problems with your partner or spouse?	OAB-q - Caused Problems with Your Partner or Spouse
C103684	OABQ0132	OABQ01-Plan Activities More Carefully	The Overactive Bladder Questionnaire - Caused you to plan activities more carefully?	OAB-q - Plan Activities More Carefully
C103685	OABQ0133	OABQ01-Locate Closest Restroom	The Overactive Bladder Questionnaire - Caused you to locate the closest restroom as soon as you arrive at a place you have never been?	OAB-q - Locate Closest Restroom as Soon as You Arrive

C103656	OABQ01-Accidental Loss of Urine	OABQ01-Accidental Loss of Urine	The Overactive Bladder Questionnaire - Accidental loss of small amounts of urine?	OAB-q - Accidental Loss of Urine
C103673	OABQ01-Adjust Travel Plans Near Restroom	OABQ01-Adjust Travel Plans Near Restroom	The Overactive Bladder Questionnaire - Caused you to adjust your travel plans so that you are always near a restroom?	OAB-q - Adjust Your Travel Plans so That You are Always Near a Restroom
C103679	OABQ01-Affected Relationships	OABQ01-Affected Relationships	The Overactive Bladder Questionnaire - Affected your relationships with family and friends?	OAB-q - Affected Your Relationships with Family and Friends
C103675	OABQ01-Amount of Time Spend in Restroom	OABQ01-Amount of Time Spend in Restroom	The Overactive Bladder Questionnaire - Made you frustrated or annoyed about the amount of time you spend in the restroom?	OAB-q - Frustrated or Annoyed About the Amount of Time You Spend in the Restroom
C103674	OABQ01-Avoid Act Away From Restroom	OABQ01-Avoid Act Away From Restroom	The Overactive Bladder Questionnaire - Made you avoid activities away from restrooms (i.e., walks, running, hiking)?	OAB-q - Avoid Activities Away From Restrooms
C103676	OABQ01-Awakened You During Sleep	OABQ01-Awakened You During Sleep	The Overactive Bladder Questionnaire - Awakened you during sleep?	OAB-q - Awakened You During Sleep
C103661	OABQ01-Carefully Plan Your Commute	OABQ01-Carefully Plan Your Commute	The Overactive Bladder Questionnaire - Made you carefully plan your commute?	OAB-q - Carefully Plan Your Commute
C103683	OABQ01-Caused Problems Partner/Spouse	OABQ01-Caused Problems Partner/Spouse	The Overactive Bladder Questionnaire - Caused you to have problems with your partner or spouse?	OAB-q - Caused Problems with Your Partner or Spouse
C103671	OABQ01-Caused You Anxiety or Worry	OABQ01-Caused You Anxiety or Worry	The Overactive Bladder Questionnaire - Caused you anxiety or worry?	OAB-q - Caused You Anxiety or Worry
C103664	OABQ01-Caused You Distress	OABQ01-Caused You Distress	The Overactive Bladder Questionnaire - Caused you distress?	OAB-q - Caused You Distress
C103681	OABQ01-Caused You Embarrassment	OABQ01-Caused You Embarrassment	The Overactive Bladder Questionnaire - Caused you embarrassment?	OAB-q - Caused You Embarrassment
C103680	OABQ01-Decrease Participating Gatherings	OABQ01-Decrease Participating Gatherings	The Overactive Bladder Questionnaire - Caused you to decrease participating in social gatherings, such as parties or visits with family or friends?	OAB-q - Decrease Participating in Social Gatherings
C103668	OABQ01-Decrease Your Physical Activities	OABQ01-Decrease Your Physical Activities	The Overactive Bladder Questionnaire - Caused you to decrease your physical activities (exercising, sports, etc.)?	OAB-q - Decrease Your Physical Activities
C103662	OABQ01-Feel Drowsy or Sleepy During Day	OABQ01-Feel Drowsy or Sleepy During Day	The Overactive Bladder Questionnaire - Caused you to feel drowsy or sleepy during the day?	OAB-q - Feel Drowsy or Sleepy During the Day
C103666	OABQ01-Feel Something Wrong with You	OABQ01-Feel Something Wrong with You	The Overactive Bladder Questionnaire - Made you feel like there is something wrong with you?	OAB-q - Feel Like There is Something Wrong with You
C103653	OABQ01-Frequent Urination During Daytime	OABQ01-Frequent Urination During Daytime	The Overactive Bladder Questionnaire - Frequent urination during the daytime hours?	OAB-q - Frequent Urination During the Daytime
C103670	OABQ01-Frustrated Family and Friends	OABQ01-Frustrated Family and Friends	The Overactive Bladder Questionnaire - Frustrated your family and friends?	OAB-q - Frustrated Your Family and Friends
C103665	OABQ01-Frustrated You	OABQ01-Frustrated You	The Overactive Bladder Questionnaire - Frustrated you?	OAB-q - Frustrated You
C103682	OABQ01-Interfered with Getting Sleep	OABQ01-Interfered with Getting Sleep	The Overactive Bladder Questionnaire - Interfered with getting the amount of sleep you needed?	OAB-q - Interfered with Getting Sleep
C103667	OABQ01-Interfered with Good Night's Rest	OABQ01-Interfered with Good Night's Rest	The Overactive Bladder Questionnaire - Interfered with your ability to get a good night's rest?	OAB-q - Interfered with a Good Night's Rest
C103685	OABQ01-Locate Closest Restroom	OABQ01-Locate Closest Restroom	The Overactive Bladder Questionnaire - Caused you to locate the closest restroom as soon as you arrive at a place you have never been?	OAB-q - Locate Closest Restroom as Soon as You Arrive
C103657	OABQ01-Nighttime Urination	OABQ01-Nighttime Urination	The Overactive Bladder Questionnaire - Nighttime urination?	OAB-q - Nighttime Urination
C103663	OABQ01-Plan 'Escape Routes' to Restrooms	OABQ01-Plan 'Escape Routes' to Restrooms	The Overactive Bladder Questionnaire - Caused you to plan "escape routes" to restrooms in public places?	OAB-q - Plan 'Escape Routes' to Restrooms
C103684	OABQ01-Plan Activities More Carefully	OABQ01-Plan Activities More Carefully	The Overactive Bladder Questionnaire - Caused you to plan activities more carefully?	OAB-q - Plan Activities More Carefully
C103669	OABQ01-Prevented From Feeling Rested	OABQ01-Prevented From Feeling Rested	The Overactive Bladder Questionnaire - Prevented you from feeling rested upon waking in the morning?	OAB-q - Prevented You From Feeling Rested Upon Waking
C103672	OABQ01-Stay Home More Often Than Prefer	OABQ01-Stay Home More Often Than Prefer	The Overactive Bladder Questionnaire - Caused you to stay home more often than you would prefer?	OAB-q - Stay Home More Often Than You Would Prefer

C103655	OABQ01-Sudden Urge to Urinate No Warning	OABQ01-Sudden Urge to Urinate No Warning	The Overactive Bladder Questionnaire - A sudden urge to urinate with little or no warning?	OAB-q - Sudden Urge to Urinate with Little or No Warning
C103678	OABQ01-Uncomfortable Travel with Others	OABQ01-Uncomfortable Travel with Others	The Overactive Bladder Questionnaire - Made you uncomfortable while traveling with others because of needing to stop for a restroom?	OAB-q - Uncomfortable While Traveling With Others
C103654	OABQ01-Uncomfortable Urge to Urinate	OABQ01-Uncomfortable Urge to Urinate	The Overactive Bladder Questionnaire - An uncomfortable urge to urinate?	OAB-q - Uncomfortable Urge to Urinate
C103659	OABQ01-Uncontrollable Urge to Urinate	OABQ01-Uncontrollable Urge to Urinate	The Overactive Bladder Questionnaire - An uncontrollable urge to urinate?	OAB-q - Uncontrollable Urge to Urinate
C103660	OABQ01-Urine Loss Strong Desire Urinate	OABQ01-Urine Loss Strong Desire Urinate	The Overactive Bladder Questionnaire - Urine loss associated with a strong desire to urinate?	OAB-q - Urine Loss Associated with a Strong Desire to Urinate
C103658	OABQ01-Waking Up at Night had to Urinate	OABQ01-Waking Up at Night had to Urinate	The Overactive Bladder Questionnaire - Waking up at night because you had to urinate?	OAB-q - Waking Up at Night Because You had to Urinate
C103677	OABQ01-Worry About Odor or Hygiene	OABQ01-Worry About Odor or Hygiene	The Overactive Bladder Questionnaire - Made you worry about odor or hygiene?	OAB-q - Made You Worry About Odor or Hygiene

C103686	OABQ0201	OABQ02-Uncomfortable Urge to Urinate	The Overactive Bladder Questionnaire Short Form - An uncomfortable urge to urinate?	OAB-q Short Form - Uncomfortable Urge to Urinate
C103687	OABQ0202	OABQ02-Sudden Urge to Urinate No Warning	The Overactive Bladder Questionnaire Short Form - A sudden urge to urinate with little or no warning?	OAB-q Short Form - Sudden Urge to Urinate with Little or No Warning
C103688	OABQ0203	OABQ02-Accidental Loss of Urine	The Overactive Bladder Questionnaire Short Form - Accidental loss of small amounts of urine?	OAB-q Short Form - Accidental Loss of Urine
C103689	OABQ0204	OABQ02-Nighttime Urination	The Overactive Bladder Questionnaire Short Form - Nighttime urination?	OAB-q Short Form - Nighttime Urination
C103690	OABQ0205	OABQ02-Waking Up at Night had to Urinate	The Overactive Bladder Questionnaire Short Form - Waking up at night because you had to urinate?	OAB-q Short Form - Waking Up at Night Because You had to Urinate
C103691	OABQ0206	OABQ02-Urine Loss Strong Desire Urinate	The Overactive Bladder Questionnaire Short Form - Urine loss associated with strong desire to urinate?	OAB-q Short Form - Urine Loss Associated with a Strong Desire to Urinate
C103692	OABQ0207	OABQ02-Plan 'Escape Routes' to Restrooms	The Overactive Bladder Questionnaire Short Form - Caused you to plan "escape routes" to restrooms in public places?	OAB-q Short Form - Plan 'Escape Routes' to Restrooms
C103693	OABQ0208	OABQ02-Feel Something is Wrong with You	The Overactive Bladder Questionnaire Short Form - Made you feel like there is something wrong with you?	OAB-q Short Form - Feel Like There is Something Wrong with You
C103694	OABQ0209	OABQ02-Interfered with Good Night's Rest	The Overactive Bladder Questionnaire Short Form - Interfered with your ability to get a good night's rest?	OAB-q Short Form - Interfered with a Good Night's Rest
C103695	OABQ0210	OABQ02-Frustrated about Time in Restroom	The Overactive Bladder Questionnaire Short Form - Made you frustrated or annoyed about the amount of time you spend in the restroom?	OAB-q Short Form - Frustrated or Annoyed About the Amount of Time You Spend in the Restroom
C103696	OABQ0211	OABQ02-Avoid Activ Away From Restroom	The Overactive Bladder Questionnaire Short Form - Made you avoid activities away from restrooms (i.e., walks, running, hiking)?	OAB-q Short Form - Avoid Activities Away From Restrooms
C103697	OABQ0212	OABQ02-Awakened You During Sleep	The Overactive Bladder Questionnaire Short Form - Awakened you during sleep?	OAB-q Short Form - Awakened You During Sleep
C103698	OABQ0213	OABQ02-Decrease Physical Activities	The Overactive Bladder Questionnaire Short Form - Caused you to decrease your physical activities (exercising, sports, etc.)?	OAB-q Short Form - Decrease Your Physical Activities
C103699	OABQ0214	OABQ02-Caused Problems Partner/Spouse	The Overactive Bladder Questionnaire Short Form - Caused you to have problems with your partner or spouse?	OAB-q Short Form - Caused Problems with Your Partner or Spouse
C103700	OABQ0215	OABQ02-Uncomfortable Travel with Others	The Overactive Bladder Questionnaire Short Form - Made you uncomfortable while travelling with others because of needing to stop for a restroom?	OAB-q Short Form - Uncomfortable While Traveling With Others
C103701	OABQ0216	OABQ02-Affected Relationships	The Overactive Bladder Questionnaire Short Form - Affected your relationships with family and friends?	OAB-q Short Form - Affected Your Relationships with Family and Friends
C103702	OABQ0217	OABQ02-Interfered with Getting Sleep	The Overactive Bladder Questionnaire Short Form - Interfered with getting the amount of sleep you needed?	OAB-q Short Form - Interfered with Getting Sleep
C103703	OABQ0218	OABQ02-Caused You Embarrassment	The Overactive Bladder Questionnaire Short Form - Caused you embarrassment?	OAB-q Short Form - Caused You Embarrassment
C103704	OABQ0219	OABQ02-Locate Closest Restroom	The Overactive Bladder Questionnaire Short Form - Caused you to locate the closest restroom as soon as you arrive at a place you have never been?	OAB-q Short Form - Locate Closest Restroom as Soon as You Arrive

C103688	OABQ02-Accidental Loss of Urine	OABQ02-Accidental Loss of Urine	The Overactive Bladder Questionnaire Short Form - Accidental loss of small amounts of urine?	OAB-q Short Form - Accidental Loss of Urine
C103701	OABQ02-Affected Relationships	OABQ02-Affected Relationships	The Overactive Bladder Questionnaire Short Form - Affected your relationships with family and friends?	OAB-q Short Form - Affected Your Relationships with Family and Friends
C103696	OABQ02-Avoid Activ Away From Restroom	OABQ02-Avoid Activ Away From Restroom	The Overactive Bladder Questionnaire Short Form - Made you avoid activities away from restrooms (i.e., walks, running, hiking)?	OAB-q Short Form - Avoid Activities Away From Restrooms
C103697	OABQ02-Awakened You During Sleep	OABQ02-Awakened You During Sleep	The Overactive Bladder Questionnaire Short Form - Awakened you during sleep?	OAB-q Short Form - Awakened You During Sleep
C103699	OABQ02-Caused Problems Partner/Spouse	OABQ02-Caused Problems Partner/Spouse	The Overactive Bladder Questionnaire Short Form - Caused you to have problems with your partner or spouse?	OAB-q Short Form - Caused Problems with Your Partner or Spouse
C103703	OABQ02-Caused You Embarrassment	OABQ02-Caused You Embarrassment	The Overactive Bladder Questionnaire Short Form - Caused you embarrassment?	OAB-q Short Form - Caused You Embarrassment
C103698	OABQ02-Decrease Physical Activities	OABQ02-Decrease Physical Activities	The Overactive Bladder Questionnaire Short Form - Caused you to decrease your physical activities (exercising, sports, etc.)?	OAB-q Short Form - Decrease Your Physical Activities
C103693	OABQ02-Feel Something is Wrong with You	OABQ02-Feel Something is Wrong with You	The Overactive Bladder Questionnaire Short Form - Made you feel like there is something wrong with you?	OAB-q Short Form - Feel Like There is Something Wrong with You
C103695	OABQ02-Frustrated about Time in Restroom	OABQ02-Frustrated about Time in Restroom	The Overactive Bladder Questionnaire Short Form - Made you frustrated or annoyed about the amount of time you spend in the restroom?	OAB-q Short Form - Frustrated or Annoyed About the Amount of Time You Spend in the Restroom
C103702	OABQ02-Interfered with Getting Sleep	OABQ02-Interfered with Getting Sleep	The Overactive Bladder Questionnaire Short Form - Interfered with getting the amount of sleep you needed?	OAB-q Short Form - Interfered with Getting Sleep
C103694	OABQ02-Interfered with Good Night's Rest	OABQ02-Interfered with Good Night's Rest	The Overactive Bladder Questionnaire Short Form - Interfered with your ability to get a good night's rest?	OAB-q Short Form - Interfered with a Good Night's Rest
C103704	OABQ02-Locate Closest Restroom	OABQ02-Locate Closest Restroom	The Overactive Bladder Questionnaire Short Form - Caused you to locate the closest restroom as soon as you arrive at a place you have never been?	OAB-q Short Form - Locate Closest Restroom as Soon as You Arrive
C103689	OABQ02-Nighttime Urination	OABQ02-Nighttime Urination	The Overactive Bladder Questionnaire Short Form - Nighttime urination?	OAB-q Short Form - Nighttime Urination
C103692	OABQ02-Plan 'Escape Routes' to Restrooms	OABQ02-Plan 'Escape Routes' to Restrooms	The Overactive Bladder Questionnaire Short Form - Caused you to plan "escape routes" to restrooms in public places?	OAB-q Short Form - Plan 'Escape Routes' to Restrooms
C103687	OABQ02-Sudden Urge to Urinate No Warning	OABQ02-Sudden Urge to Urinate No Warning	The Overactive Bladder Questionnaire Short Form - A sudden urge to urinate with little or no warning?	OAB-q Short Form - Sudden Urge to Urinate with Little or No Warning
C103700	OABQ02-Uncomfortable Travel with Others	OABQ02-Uncomfortable Travel with Others	The Overactive Bladder Questionnaire Short Form - Made you uncomfortable while travelling with others because of needing to stop for a restroom?	OAB-q Short Form - Uncomfortable While Traveling With Others
C103686	OABQ02-Uncomfortable Urge to Urinate	OABQ02-Uncomfortable Urge to Urinate	The Overactive Bladder Questionnaire Short Form - An uncomfortable urge to urinate?	OAB-q Short Form - Uncomfortable Urge to Urinate
C103691	OABQ02-Urine Loss Strong Desire Urinate	OABQ02-Urine Loss Strong Desire Urinate	The Overactive Bladder Questionnaire Short Form - Urine loss associated with strong desire to urinate?	OAB-q Short Form - Urine Loss Associated with a Strong Desire to Urinate
C103690	OABQ02-Waking Up at Night had to Urinate	OABQ02-Waking Up at Night had to Urinate	The Overactive Bladder Questionnaire Short Form - Waking up at night because you had to urinate?	OAB-q Short Form - Waking Up at Night Because You had to Urinate

C103762	ODI0101	ODI01-Pain Intensity	The Oswestry Disability Index Version 2.1a - Section 1 - Pain intensity.	ODI v2.1a - Pain Intensity
C103763	ODI0102	ODI01-Personal Care	The Oswestry Disability Index Version 2.1a - Section 2 - Personal care (washing, dressing, etc.).	ODI v2.1a - Personal Care
C103764	ODI0103	ODI01-Lifting	The Oswestry Disability Index Version 2.1a - Section 3 - Lifting.	ODI v2.1a - Lifting
C103765	ODI0104	ODI01-Walking	The Oswestry Disability Index Version 2.1a - Section 4 - Walking.	ODI v2.1a - Walking
C103766	ODI0105	ODI01-Sitting	The Oswestry Disability Index Version 2.1a - Section 5 - Sitting.	ODI v2.1a - Sitting
C103767	ODI0106	ODI01-Standing	The Oswestry Disability Index Version 2.1a - Section 6 - Standing.	ODI v2.1a - Standing
C103768	ODI0107	ODI01-Sleeping	The Oswestry Disability Index Version 2.1a - Section 7 - Sleeping.	ODI v2.1a - Sleeping
C103769	ODI0108	ODI01-Sex Life	The Oswestry Disability Index Version 2.1a - Section 8 - Sex life (if applicable).	ODI v2.1a - Sex Life
C103770	ODI0109	ODI01-Social Life	The Oswestry Disability Index Version 2.1a - Section 9 - Social life.	ODI v2.1a - Social Life
C103771	ODI0110	ODI01-Travelling	The Oswestry Disability Index Version 2.1a - Section 10 - Travelling.	ODI v2.1a - Travelling
C125762	ODI0111	ODI01-Oswestry Disability Index	The Oswestry Disability Index Version 2.1a - Your ODI.	ODI v2.1a - Oswestry Disability Index

C103764	ODI01-Lifting	ODI01-Lifting	The Oswestry Disability Index Version 2.1a - Section 3 - Lifting.	ODI v2.1a - Lifting
C125762	ODI01-Oswestry Disability Index	ODI01-Oswestry Disability Index	The Oswestry Disability Index Version 2.1a - Your ODI.	ODI v2.1a - Oswestry Disability Index
C103762	ODI01-Pain Intensity	ODI01-Pain Intensity	The Oswestry Disability Index Version 2.1a - Section 1 - Pain intensity.	ODI v2.1a - Pain Intensity
C103763	ODI01-Personal Care	ODI01-Personal Care	The Oswestry Disability Index Version 2.1a - Section 2 - Personal care (washing, dressing, etc.).	ODI v2.1a - Personal Care
C103769	ODI01-Sex Life	ODI01-Sex Life	The Oswestry Disability Index Version 2.1a - Section 8 - Sex life (if applicable).	ODI v2.1a - Sex Life
C103766	ODI01-Sitting	ODI01-Sitting	The Oswestry Disability Index Version 2.1a - Section 5 - Sitting.	ODI v2.1a - Sitting
C103768	ODI01-Sleeping	ODI01-Sleeping	The Oswestry Disability Index Version 2.1a - Section 7 - Sleeping.	ODI v2.1a - Sleeping
C103770	ODI01-Social Life	ODI01-Social Life	The Oswestry Disability Index Version 2.1a - Section 9 - Social life.	ODI v2.1a - Social Life
C103767	ODI01-Standing	ODI01-Standing	The Oswestry Disability Index Version 2.1a - Section 6 - Standing.	ODI v2.1a - Standing
C103771	ODI01-Travelling	ODI01-Travelling	The Oswestry Disability Index Version 2.1a - Section 10 - Travelling.	ODI v2.1a - Travelling
C103765	ODI01-Walking	ODI01-Walking	The Oswestry Disability Index Version 2.1a - Section 4 - Walking.	ODI v2.1a - Walking

C124747	PANSS101	PANSS1-Delusions	Positive and Negative Syndrome Scale - Delusions.	PANSS - Delusions
C124748	PANSS102	PANSS1-Conceptual Disorganization	Positive and Negative Syndrome Scale - Conceptual disorganization.	PANSS - Conceptual Disorganization
C124749	PANSS103	PANSS1-Hallucinatory Behavior	Positive and Negative Syndrome Scale - Hallucinatory behavior.	PANSS - Hallucinatory Behavior
C124750	PANSS104	PANSS1-Excitement	Positive and Negative Syndrome Scale - Excitement.	PANSS - Excitement
C124751	PANSS105	PANSS1-Grandiosity	Positive and Negative Syndrome Scale - Grandiosity.	PANSS - Grandiosity
C124752	PANSS106	PANSS1-Suspiciousness/Persecution	Positive and Negative Syndrome Scale - Suspiciousness/persecution.	PANSS - Suspiciousness or Persecution
C124753	PANSS107	PANSS1-Hostility	Positive and Negative Syndrome Scale - Hostility.	PANSS - Hostility
C124754	PANSS108	PANSS1-Blunted Affect	Positive and Negative Syndrome Scale - Blunted affect.	PANSS - Blunted Affect
C124755	PANSS109	PANSS1-Emotional Withdrawal	Positive and Negative Syndrome Scale - Emotional withdrawal.	PANSS - Emotional Withdrawal
C124756	PANSS110	PANSS1-Poor Rapport	Positive and Negative Syndrome Scale - Poor rapport.	PANSS - Poor Rapport
C124757	PANSS111	PANSS1-Passive/Apathetic Social Withdrawal	Positive and Negative Syndrome Scale - Passive/apathetic social withdrawal.	PANSS - Passive or Apathetic Social Withdrawal
C124758	PANSS112	PANSS1-Difficulty in Abstract Thinking	Positive and Negative Syndrome Scale - Difficulty in abstract thinking.	PANSS - Difficulty in Abstract Thinking
C124759	PANSS113	PANSS1-Lack of Spontaneity	Positive and Negative Syndrome Scale - Lack of spontaneity and flow of conversation.	PANSS - Lack of Spontaneity
C124760	PANSS114	PANSS1-Stereotyped Thinking	Positive and Negative Syndrome Scale - Stereotyped thinking.	PANSS - Stereotyped Thinking
C124761	PANSS115	PANSS1-Somatic Concern	Positive and Negative Syndrome Scale - Somatic concern.	PANSS - Somatic Concern
C124762	PANSS116	PANSS1-Anxiety	Positive and Negative Syndrome Scale - Anxiety.	PANSS - Anxiety
C124763	PANSS117	PANSS1-Guilt Feelings	Positive and Negative Syndrome Scale - Guilt feelings.	PANSS - Guilt Feelings
C124764	PANSS118	PANSS1-Tension	Positive and Negative Syndrome Scale - Tension.	PANSS - Tension
C124765	PANSS119	PANSS1-Mannerisms and Posturing	Positive and Negative Syndrome Scale - Mannerisms and posturing.	PANSS - Mannerisms and Posturing
C124766	PANSS120	PANSS1-Depression	Positive and Negative Syndrome Scale - Depression.	PANSS - Depression
C124767	PANSS121	PANSS1-Motor Retardation	Positive and Negative Syndrome Scale - Motor retardation.	PANSS - Motor Retardation
C124768	PANSS122	PANSS1-Uncooperativeness	Positive and Negative Syndrome Scale - Uncooperativeness.	PANSS - Uncooperativeness
C124769	PANSS123	PANSS1-Unusual Thought Content	Positive and Negative Syndrome Scale - Unusual thought content.	PANSS - Unusual Thought Content
C124770	PANSS124	PANSS1-Disorientation	Positive and Negative Syndrome Scale - Disorientation.	PANSS - Disorientation
C124771	PANSS125	PANSS1-Poor Attention	Positive and Negative Syndrome Scale - Poor attention.	PANSS - Poor Attention
C124772	PANSS126	PANSS1-Lack of Judgment and Insight	Positive and Negative Syndrome Scale - Lack of judgment and insight.	PANSS - Lack of Judgement
C124773	PANSS127	PANSS1-Disturbance of Volition	Positive and Negative Syndrome Scale - Disturbance of volition.	PANSS - Disturbance of Volition
C124774	PANSS128	PANSS1-Poor Impulse Control	Positive and Negative Syndrome Scale - Poor impulse control.	PANSS - Poor Impulse Control
C124775	PANSS129	PANSS1-Preoccupation	Positive and Negative Syndrome Scale - Preoccupation.	PANSS - Preoccupation
C124776	PANSS130	PANSS1-Active Social Avoidance	Positive and Negative Syndrome Scale - Active social avoidance.	PANSS - Active Social Avoidance

C124776	PANSS1-Active Social Avoidance	PANSS1-Active Social Avoidance	Positive and Negative Syndrome Scale - Active social avoidance.	PANSS - Active Social Avoidance
C124762	PANSS1-Anxiety	PANSS1-Anxiety	Positive and Negative Syndrome Scale - Anxiety.	PANSS - Anxiety
C124754	PANSS1-Blunted Affect	PANSS1-Blunted Affect	Positive and Negative Syndrome Scale - Blunted affect.	PANSS - Blunted Affect
C124748	PANSS1-Conceptual Disorganization	PANSS1-Conceptual Disorganization	Positive and Negative Syndrome Scale - Conceptual disorganization.	PANSS - Conceptual Disorganization
C124747	PANSS1-Delusions	PANSS1-Delusions	Positive and Negative Syndrome Scale - Delusions.	PANSS - Delusions
C124766	PANSS1-Depression	PANSS1-Depression	Positive and Negative Syndrome Scale - Depression.	PANSS - Depression
C124758	PANSS1-Difficulty in Abstract Thinking	PANSS1-Difficulty in Abstract Thinking	Positive and Negative Syndrome Scale - Difficulty in abstract thinking.	PANSS - Difficulty in Abstract Thinking
C124770	PANSS1-Disorientation	PANSS1-Disorientation	Positive and Negative Syndrome Scale - Disorientation.	PANSS - Disorientation
C124773	PANSS1-Disturbance of Volition	PANSS1-Disturbance of Volition	Positive and Negative Syndrome Scale - Disturbance of volition.	PANSS - Disturbance of Volition
C124755	PANSS1-Emotional Withdrawal	PANSS1-Emotional Withdrawal	Positive and Negative Syndrome Scale - Emotional withdrawal.	PANSS - Emotional Withdrawal
C124750	PANSS1-Excitement	PANSS1-Excitement	Positive and Negative Syndrome Scale - Excitement.	PANSS - Excitement
C124751	PANSS1-Grandiosity	PANSS1-Grandiosity	Positive and Negative Syndrome Scale - Grandiosity.	PANSS - Grandiosity
C124763	PANSS1-Guilt Feelings	PANSS1-Guilt Feelings	Positive and Negative Syndrome Scale - Guilt feelings.	PANSS - Guilt Feelings
C124749	PANSS1-Hallucinatory Behavior	PANSS1-Hallucinatory Behavior	Positive and Negative Syndrome Scale - Hallucinatory behavior.	PANSS - Hallucinatory Behavior
C124753	PANSS1-Hostility	PANSS1-Hostility	Positive and Negative Syndrome Scale - Hostility.	PANSS - Hostility
C124772	PANSS1-Lack of Judgment and Insight	PANSS1-Lack of Judgment and Insight	Positive and Negative Syndrome Scale - Lack of judgment and insight.	PANSS - Lack of Judgement
C124759	PANSS1-Lack of Spontaneity	PANSS1-Lack of Spontaneity	Positive and Negative Syndrome Scale - Lack of spontaneity and flow of conversation.	PANSS - Lack of Spontaneity
C124765	PANSS1-Mannerisms and Posturing	PANSS1-Mannerisms and Posturing	Positive and Negative Syndrome Scale - Mannerisms and posturing.	PANSS - Mannerisms and Posturing
C124767	PANSS1-Motor Retardation	PANSS1-Motor Retardation	Positive and Negative Syndrome Scale - Motor retardation.	PANSS - Motor Retardation
C124757	PANSS1-Passive/Apathetic Social Withdraw	PANSS1-Passive/Apathetic Social Withdraw	Positive and Negative Syndrome Scale - Passive/apathetic social withdrawal.	PANSS - Passive or Apathetic Social Withdrawal
C124771	PANSS1-Poor Attention	PANSS1-Poor Attention	Positive and Negative Syndrome Scale - Poor attention.	PANSS - Poor Attention
C124774	PANSS1-Poor Impulse Control	PANSS1-Poor Impulse Control	Positive and Negative Syndrome Scale - Poor impulse control.	PANSS - Poor Impulse Control
C124756	PANSS1-Poor Rapport	PANSS1-Poor Rapport	Positive and Negative Syndrome Scale - Poor rapport.	PANSS - Poor Rapport
C124775	PANSS1-Preoccupation	PANSS1-Preoccupation	Positive and Negative Syndrome Scale - Preoccupation.	PANSS - Preoccupation
C124761	PANSS1-Somatic Concern	PANSS1-Somatic Concern	Positive and Negative Syndrome Scale - Somatic concern.	PANSS - Somatic Concern
C124760	PANSS1-Stereotyped Thinking	PANSS1-Stereotyped Thinking	Positive and Negative Syndrome Scale - Stereotyped thinking.	PANSS - Stereotyped Thinking
C124752	PANSS1-Suspiciousness/Persecution	PANSS1-Suspiciousness/Persecution	Positive and Negative Syndrome Scale - Suspiciousness/persecution.	PANSS - Suspiciousness or Persecution
C124764	PANSS1-Tension	PANSS1-Tension	Positive and Negative Syndrome Scale - Tension.	PANSS - Tension
C124768	PANSS1-Uncooperativeness	PANSS1-Uncooperativeness	Positive and Negative Syndrome Scale - Uncooperativeness.	PANSS - Uncooperativeness
C124769	PANSS1-Unusual Thought Content	PANSS1-Unusual Thought Content	Positive and Negative Syndrome Scale - Unusual thought content.	PANSS - Unusual Thought Content

C115809	PASAT101	PASAT1-Total Correct	Paced Auditory Serial Addition Test - Total correct.	PASAT - Total Correct
C115810	PASAT102	PASAT1-Percent Correct	Paced Auditory Serial Addition Test - Percent correct.	PASAT - Percent Correct
C115811	PASAT103	PASAT1-More Than One Attempt	Paced Auditory Serial Addition Test - Did it take more than one attempt to get one successful trial?	PASAT - More Than One Attempt
C115812	PASAT104	PASAT1-Total Correct in First Half	Paced Auditory Serial Addition Test - Total correct in first half.	PASAT - Total Correct in First Half
C115813	PASAT105	PASAT1-Total Correct in Second Half	Paced Auditory Serial Addition Test - Total correct in second half.	PASAT - Total Correct in Second Half
C115814	PASAT106	PASAT1-Total Commission Errors	Paced Auditory Serial Addition Test - Total commission errors.	PASAT - Total Commission Errors
C115815	PASAT107	PASAT1-Total Omission Errors	Paced Auditory Serial Addition Test - Total omission errors.	PASAT - Total Omission Errors

C115811	PASAT1-More Than One Attempt	PASAT1-More Than One Attempt	Paced Auditory Serial Addition Test - Did it take more than one attempt to get one successful trial?	PASAT - More Than One Attempt
C115810	PASAT1-Percent Correct	PASAT1-Percent Correct	Paced Auditory Serial Addition Test - Percent correct.	PASAT - Percent Correct
C115814	PASAT1-Total Commission Errors	PASAT1-Total Commission Errors	Paced Auditory Serial Addition Test - Total commission errors.	PASAT - Total Commission Errors
C115812	PASAT1-Total Correct in First Half	PASAT1-Total Correct in First Half	Paced Auditory Serial Addition Test - Total correct in first half.	PASAT - Total Correct in First Half
C115813	PASAT1-Total Correct in Second Half	PASAT1-Total Correct in Second Half	Paced Auditory Serial Addition Test - Total correct in second half.	PASAT - Total Correct in Second Half
C115809	PASAT1-Total Correct	PASAT1-Total Correct	Paced Auditory Serial Addition Test - Total correct.	PASAT - Total Correct
C115815	PASAT1-Total Omission Errors	PASAT1-Total Omission Errors	Paced Auditory Serial Addition Test - Total omission errors.	PASAT - Total Omission Errors

C135746	PASI0101	PASI01-Head (H): Erythema (E)	Psoriasis Area and Severity Index - Head (H): Erythema (E).	PASI - Head (H): Erythema (E)
C135747	PASI0102	PASI01-Head (H): Infiltration (I)	Psoriasis Area and Severity Index - Head (H): Infiltration (I).	PASI - Head (H): Infiltration (I)
C135748	PASI0103	PASI01-Head (H): Desquamation (D)	Psoriasis Area and Severity Index - Head (H): Desquamation (D).	PASI - Head (H): Desquamation (D)
C135749	PASI0104	PASI01-Head (H): Sum = E+I+D	Psoriasis Area and Severity Index - Head (H): Sum = E + I + D.	PASI - Head (H): Sum = E+I+D
C135750	PASI0105	PASI01-Head (H): Area Score	Psoriasis Area and Severity Index - Head (H): Area score.	PASI - Head (H): Area Score
C135751	PASI0106	PASI01-Head (H): Sum X Area	Psoriasis Area and Severity Index - Head (H): Sum x area.	PASI - Head (H): Sum X Area
C135752	PASI0107	PASI01-Head (H): Sum X Area X 0.1	Psoriasis Area and Severity Index - Head (H): Sum x area x 0.1.	PASI - Head (H): Sum X Area X 0.1
C135753	PASI0108	PASI01-Trunk (T): Erythema (E)	Psoriasis Area and Severity Index - Trunk (T): Erythema (E).	PASI - Trunk (T): Erythema (E)
C135754	PASI0109	PASI01-Trunk (T): Infiltration (I)	Psoriasis Area and Severity Index - Trunk (T): Infiltration (I).	PASI - Trunk (T): Infiltration (I)
C135755	PASI0110	PASI01-Trunk (T): Desquamation (D)	Psoriasis Area and Severity Index - Trunk (T): Desquamation (D).	PASI - Trunk (T): Desquamation (D)
C135756	PASI0111	PASI01-Trunk (T): Sum = E+I+D	Psoriasis Area and Severity Index - Trunk (T): Sum = E + I + D.	PASI - Trunk (T): Sum = E+I+D
C135757	PASI0112	PASI01-Trunk (T): Area Score	Psoriasis Area and Severity Index - Trunk (T): Area score.	PASI - Trunk (T): Area Score
C135758	PASI0113	PASI01-Trunk (T): Sum X Area	Psoriasis Area and Severity Index - Trunk (T): Sum x area.	PASI - Trunk (T): Sum X Area
C135759	PASI0114	PASI01-Trunk (T): Sum X Area X 0.3	Psoriasis Area and Severity Index - Trunk (T): Sum x area x 0.3.	PASI - Trunk (T): Sum X Area X 0.3
C135760	PASI0115	PASI01-Up Extrem (U): Erythema (E)	Psoriasis Area and Severity Index - Upper Extremities (U): Erythema (E).	PASI - Upper Extremities (U): Erythema (E)
C135761	PASI0116	PASI01-Up Extrem (U): Infiltration (I)	Psoriasis Area and Severity Index - Upper Extremities (U): Infiltration (I).	PASI - Upper Extremities (U): Infiltration (I)
C135762	PASI0117	PASI01-Up Extrem (U): Desquamation (D)	Psoriasis Area and Severity Index - Upper Extremities (U): Desquamation (D).	PASI - Upper Extremities (U): Desquamation (D)
C135763	PASI0118	PASI01-Up Extrem (U): Sum = E+I+D	Psoriasis Area and Severity Index - Upper Extremities (U): Sum = E + I + D.	PASI - Upper Extremities (U): Sum = E+I+D
C135764	PASI0119	PASI01-Up Extrem (U): Area Score	Psoriasis Area and Severity Index - Upper Extremities (U): Area score.	PASI - Upper Extremities (U): Area Score
C135765	PASI0120	PASI01-Up Extrem (U): Sum X Area	Psoriasis Area and Severity Index - Upper Extremities (U): Sum x area.	PASI - Upper Extremities (U): Sum X Area
C135766	PASI0121	PASI01-Up Extrem (U): Sum X Area X 0.2	Psoriasis Area and Severity Index - Upper Extremities (U): Sum x area x 0.2.	PASI - Upper Extremities (U): Sum X Area X 0.2
C135767	PASI0122	PASI01-Low Extrem (L): Erythema (E)	Psoriasis Area and Severity Index - Lower Extremities (L): Erythema (E).	PASI - Lower Extremities (L): Erythema (E)
C135768	PASI0123	PASI01-Low Extrem (L): Infiltration (I)	Psoriasis Area and Severity Index - Lower Extremities (L): Infiltration (I).	PASI - Lower Extremities (L): Infiltration (I)
C135769	PASI0124	PASI01-Low Extrem (L): Desquamation (D)	Psoriasis Area and Severity Index - Lower Extremities (L): Desquamation (D).	PASI - Lower Extremities (L): Desquamation (D)
C135770	PASI0125	PASI01-Low Extrem (L): Sum = E+I+D	Psoriasis Area and Severity Index - Lower Extremities (L): Sum = E + I + D.	PASI - Lower Extremities (L): Sum = E+I+D
C135771	PASI0126	PASI01-Low Extrem (L): Area Score	Psoriasis Area and Severity Index - Lower Extremities (L): Area score.	PASI - Lower Extremities (L): Area Score
C135772	PASI0127	PASI01-Low Extrem (L): Sum X Area	Psoriasis Area and Severity Index - Lower Extremities (L): Sum x area.	PASI - Lower Extremities (L): Sum X Area

PASI01-Low Extrem (L): Sum X Area X 0.4				
C135773	PASI0128	PASI01-Low Extrem (L): Sum X Area X 0.4	Psoriasis Area and Severity Index - Lower Extremities (L): Sum x area x 0.4.	PASI - Lower Extremities (L): Sum X Area X 0.4
C135774	PASI0129	PASI01-Total Sum	Psoriasis Area and Severity Index - Total sum.	PASI - Total Sum

C135750	PASI01-Head (H): Area Score	PASI01-Head (H): Area Score	Psoriasis Area and Severity Index - Head (H): Area score.	PASI - Head (H): Area Score
C135748	PASI01-Head (H): Desquamation (D)	PASI01-Head (H): Desquamation (D)	Psoriasis Area and Severity Index - Head (H): Desquamation (D).	PASI - Head (H): Desquamation (D)
C135746	PASI01-Head (H): Erythema (E)	PASI01-Head (H): Erythema (E)	Psoriasis Area and Severity Index - Head (H): Erythema (E).	PASI - Head (H): Erythema (E)
C135747	PASI01-Head (H): Infiltration (I)	PASI01-Head (H): Infiltration (I)	Psoriasis Area and Severity Index - Head (H): Infiltration (I).	PASI - Head (H): Infiltration (I)
C135749	PASI01-Head (H): Sum = E+I+D	PASI01-Head (H): Sum = E+I+D	Psoriasis Area and Severity Index - Head (H): Sum = E + I + D.	PASI - Head (H): Sum = E+I+D
C135752	PASI01-Head (H): Sum X Area X 0.1	PASI01-Head (H): Sum X Area X 0.1	Psoriasis Area and Severity Index - Head (H): Sum x area x 0.1.	PASI - Head (H): Sum X Area X 0.1
C135751	PASI01-Head (H): Sum X Area	PASI01-Head (H): Sum X Area	Psoriasis Area and Severity Index - Head (H): Sum x area.	PASI - Head (H): Sum X Area
C135771	PASI01-Low Extrem (L): Area Score	PASI01-Low Extrem (L): Area Score	Psoriasis Area and Severity Index - Lower Extremities (L): Area score.	PASI - Lower Extremities (L): Area Score
C135769	PASI01-Low Extrem (L): Desquamation (D)	PASI01-Low Extrem (L): Desquamation (D)	Psoriasis Area and Severity Index - Lower Extremities (L): Desquamation (D).	PASI - Lower Extremities (L): Desquamation (D)
C135767	PASI01-Low Extrem (L): Erythema (E)	PASI01-Low Extrem (L): Erythema (E)	Psoriasis Area and Severity Index - Lower Extremities (L): Erythema (E).	PASI - Lower Extremities (L): Erythema (E)
C135768	PASI01-Low Extrem (L): Infiltration (I)	PASI01-Low Extrem (L): Infiltration (I)	Psoriasis Area and Severity Index - Lower Extremities (L): Infiltration (I).	PASI - Lower Extremities (L): Infiltration (I)
C135770	PASI01-Low Extrem (L): Sum = E+I+D	PASI01-Low Extrem (L): Sum = E+I+D	Psoriasis Area and Severity Index - Lower Extremities (L): Sum = E + I + D.	PASI - Lower Extremities (L): Sum = E+I+D
C135773	PASI01-Low Extrem (L): Sum X Area X 0.4	PASI01-Low Extrem (L): Sum X Area X 0.4	Psoriasis Area and Severity Index - Lower Extremities (L): Sum x area x 0.4.	PASI - Lower Extremities (L): Sum X Area X 0.4
C135772	PASI01-Low Extrem (L): Sum X Area	PASI01-Low Extrem (L): Sum X Area	Psoriasis Area and Severity Index - Lower Extremities (L): Sum x area.	PASI - Lower Extremities (L): Sum X Area
C135774	PASI01-Total Sum	PASI01-Total Sum	Psoriasis Area and Severity Index - Total sum.	PASI - Total Sum
C135757	PASI01-Trunk (T): Area Score	PASI01-Trunk (T): Area Score	Psoriasis Area and Severity Index - Trunk (T): Area score.	PASI - Trunk (T): Area Score
C135755	PASI01-Trunk (T): Desquamation (D)	PASI01-Trunk (T): Desquamation (D)	Psoriasis Area and Severity Index - Trunk (T): Desquamation (D).	PASI - Trunk (T): Desquamation (D)
C135753	PASI01-Trunk (T): Erythema (E)	PASI01-Trunk (T): Erythema (E)	Psoriasis Area and Severity Index - Trunk (T): Erythema (E).	PASI - Trunk (T): Erythema (E)
C135754	PASI01-Trunk (T): Infiltration (I)	PASI01-Trunk (T): Infiltration (I)	Psoriasis Area and Severity Index - Trunk (T): Infiltration (I).	PASI - Trunk (T): Infiltration (I)
C135756	PASI01-Trunk (T): Sum = E+I+D	PASI01-Trunk (T): Sum = E+I+D	Psoriasis Area and Severity Index - Trunk (T): Sum = E + I + D.	PASI - Trunk (T): Sum = E+I+D
C135759	PASI01-Trunk (T): Sum X Area X 0.3	PASI01-Trunk (T): Sum X Area X 0.3	Psoriasis Area and Severity Index - Trunk (T): Sum x area x 0.3.	PASI - Trunk (T): Sum X Area X 0.3
C135758	PASI01-Trunk (T): Sum X Area	PASI01-Trunk (T): Sum X Area	Psoriasis Area and Severity Index - Trunk (T): Sum x area.	PASI - Trunk (T): Sum X Area
C135764	PASI01-Up Extrem (U): Area Score	PASI01-Up Extrem (U): Area Score	Psoriasis Area and Severity Index - Upper Extremities (U): Area score.	PASI - Upper Extremities (U): Area Score
C135762	PASI01-Up Extrem (U): Desquamation (D)	PASI01-Up Extrem (U): Desquamation (D)	Psoriasis Area and Severity Index - Upper Extremities (U): Desquamation (D).	PASI - Upper Extremities (U): Desquamation (D)
C135760	PASI01-Up Extrem (U): Erythema (E)	PASI01-Up Extrem (U): Erythema (E)	Psoriasis Area and Severity Index - Upper Extremities (U): Erythema (E).	PASI - Upper Extremities (U): Erythema (E)
C135761	PASI01-Up Extrem (U): Infiltration (I)	PASI01-Up Extrem (U): Infiltration (I)	Psoriasis Area and Severity Index - Upper Extremities (U): Infiltration (I).	PASI - Upper Extremities (U): Infiltration (I)
C135763	PASI01-Up Extrem (U): Sum = E+I+D	PASI01-Up Extrem (U): Sum = E+I+D	Psoriasis Area and Severity Index - Upper Extremities (U): Sum = E + I + D.	PASI - Upper Extremities (U): Sum = E+I+D

Psoriasis Area and Severity Index - Upper Extremities (U): Sum x area x 0.2.				
C135766	PASI01-Up Extrem (U): Sum X Area X 0.2	PASI01-Up Extrem (U): Sum X Area X 0.2		PASI - Upper Extremities (U): Sum X Area X 0.2
C135765	PASI01-Up Extrem (U): Sum X Area	PASI01-Up Extrem (U): Sum X Area	Psoriasis Area and Severity Index - Upper Extremities (U): Sum x area.	PASI - Upper Extremities (U): Sum X Area

C180218	PASI0201	PASI02-Head: Erythema/Redness	Psoriasis Area and Severity Index Version 2 - Head: Erythema/Redness symptom score.	PASI Version 2 - Head: Erythema/Redness
C180219	PASI0202	PASI02-Head: Thickness/Induration	Psoriasis Area and Severity Index Version 2 - Head: Thickness/Induration symptom score.	PASI Version 2 - Head: Thickness/Induration
C180220	PASI0203	PASI02-Head: Desquamation/Scaling	Psoriasis Area and Severity Index Version 2 - Head: Desquamation/Scaling symptom score.	PASI Version 2 - Head: Desquamation/Scaling
C180221	PASI0204	PASI02-Head: Area Score	Psoriasis Area and Severity Index Version 2 - Head: Area score.	PASI Version 2 - Head: Area Score
C180222	PASI0205	PASI02-Up Extrem: Erythema/Redness	Psoriasis Area and Severity Index Version 2 - Upper Extremities: Erythema/Redness symptom score.	PASI Version 2 - Upper Extremities: Erythema/Redness
C180223	PASI0206	PASI02-Up Extrem: Thickness/Induration	Psoriasis Area and Severity Index Version 2 - Upper Extremities: Thickness/Induration symptom score.	PASI Version 2 - Upper Extremities: Thickness/Induration
C180224	PASI0207	PASI02-Up Extrem: Desquamation/Scaling	Psoriasis Area and Severity Index Version 2 - Upper Extremities: Desquamation/Scaling symptom score.	PASI Version 2 - Upper Extremities: Desquamation/Scaling
C180225	PASI0208	PASI02-Up Extrem: Area Score	Psoriasis Area and Severity Index Version 2 - Upper Extremities: Area score.	PASI Version 2 - Upper Extremities: Area Score
C180226	PASI0209	PASI02-Trunk: Erythema/Redness	Psoriasis Area and Severity Index Version 2 - Trunk: Erythema/Redness symptom score.	PASI Version 2 - Trunk: Erythema/Redness
C180227	PASI0210	PASI02-Trunk: Thickness/Induration	Psoriasis Area and Severity Index Version 2 - Trunk: Thickness/Induration symptom score.	PASI Version 2 - Trunk: Thickness/Induration
C180228	PASI0211	PASI02-Trunk: Desquamation/Scaling	Psoriasis Area and Severity Index Version 2 - Trunk: Desquamation/Scaling symptom score.	PASI Version 2 - Trunk: Desquamation/Scaling
C180229	PASI0212	PASI02-Trunk: Area Score	Psoriasis Area and Severity Index Version 2 - Trunk: Area score.	PASI Version 2 - Trunk: Area Score
C180230	PASI0213	PASI02-Low Extrem: Erythema/Redness	Psoriasis Area and Severity Index Version 2 - Lower Extremities: Erythema/Redness symptom score.	PASI Version 2 - Lower Extremities: Erythema/Redness
C180231	PASI0214	PASI02-Low Extrem: Thickness/Induration	Psoriasis Area and Severity Index Version 2 - Lower Extremities: Thickness/Induration symptom score.	PASI Version 2 - Lower Extremities: Thickness/Induration
C180232	PASI0215	PASI02-Low Extrem: Desquamation/Scaling	Psoriasis Area and Severity Index Version 2 - Lower Extremities: Desquamation/Scaling symptom score.	PASI Version 2 - Lower Extremities: Desquamation/Scaling
C180233	PASI0216	PASI02-Low Extrem: Area Score	Psoriasis Area and Severity Index Version 2 - Lower Extremities: Area score.	PASI Version 2 - Lower Extremities: Area Score
C180234	PASI0217	PASI02-Head: Sum of Symptom Scores	Psoriasis Area and Severity Index Version 2 - Head: Sum of symptoms scores.	PASI Version 2 - Head: Sum of Symptom Scores
C180235	PASI0218	PASI02-Head: Sum X Area	Psoriasis Area and Severity Index Version 2 - Head: Sum of symptom scores x area score.	PASI Version 2 - Head: Sum X Area
C180236	PASI0219	PASI02-Head: Sum X Area X 0.1	Psoriasis Area and Severity Index Version 2 - Head: Sum x area x 0.1.	PASI Version 2 - Head: Sum X Area X 0.1
C180237	PASI0220	PASI02-Up Extrem: Sum of Symptom Scores	Psoriasis Area and Severity Index Version 2 - Upper Extremities: Sum of symptoms scores.	PASI Version 2 - Upper Extremities: Sum of Symptom Scores
C180238	PASI0221	PASI02-Up Extrem: Sum X Area	Psoriasis Area and Severity Index Version 2 - Upper Extremities: Sum of symptom scores x area score.	PASI Version 2 - Upper Extremities: Sum X Area
C180239	PASI0222	PASI02-Up Extrem: Sum X Area X 0.2	Psoriasis Area and Severity Index Version 2 - Upper Extremities: Sum x area x 0.2.	PASI Version 2 - Upper Extremities: Sum X Area X 0.2
C180240	PASI0223	PASI02-Trunk: Sum of Symptom Scores	Psoriasis Area and Severity Index Version 2 - Trunk: Sum of symptoms scores.	PASI Version 2 - Trunk: Sum of Symptom Scores
C180241	PASI0224	PASI02-Trunk: Sum X Area	Psoriasis Area and Severity Index Version 2 - Trunk: Sum of symptom scores x area score.	PASI Version 2 - Trunk: Sum X Area

PASI Version 2 - Trunk: Sum X Area X 0.3				
C180242	PASI0225	PASI02-Trunk: Sum X Area X 0.3.	Psoriasis Area and Severity Index Version 2 - Trunk: Sum x area x 0.3.	PASI Version 2 - Trunk: Sum X Area X 0.3
C180243	PASI0226	PASI02-Low Extrem: Sum of Symptom Scores	Psoriasis Area and Severity Index Version 2 - Lower Extremities: Sum of symptoms scores.	PASI Version 2 - Lower Extremities: Sum of Symptom Scores
C180244	PASI0227	PASI02-Low Extrem: Sum X Area	Psoriasis Area and Severity Index Version 2 - Lower Extremities: Sum of symptom scores x area score.	PASI Version 2 - Lower Extremities: Sum X Area
C180245	PASI0228	PASI02-Low Extrem: Sum X Area X 0.4	Psoriasis Area and Severity Index Version 2 - Lower Extremities: Sum x area x 0.4.	PASI Version 2 - Lower Extremities: Sum X Area X 0.4
C180246	PASI0229	PASI02-Total Sum	Psoriasis Area and Severity Index Version 2 - Total sum.	PASI Version 2 - Total Sum

C180221	PASI02-Head: Area Score	PASI02-Head: Area Score	Psoriasis Area and Severity Index Version 2 - Head: Area score.	PASI Version 2 - Head: Area Score
C180220	PASI02-Head: Desquamation/Scaling	PASI02-Head: Desquamation/Scaling	Psoriasis Area and Severity Index Version 2 - Head: Desquamation/Scaling symptom score.	PASI Version 2 - Head: Desquamation/Scaling
C180218	PASI02-Head: Erythema/Redness	PASI02-Head: Erythema/Redness	Psoriasis Area and Severity Index Version 2 - Head: Erythema/Redness symptom score.	PASI Version 2 - Head: Erythema/Redness
C180234	PASI02-Head: Sum of Symptom Scores	PASI02-Head: Sum of Symptom Scores	Psoriasis Area and Severity Index Version 2 - Head: Sum of symptoms scores.	PASI Version 2 - Head: Sum of Symptom Scores
C180236	PASI02-Head: Sum X Area X 0.1	PASI02-Head: Sum X Area X 0.1	Psoriasis Area and Severity Index Version 2 - Head: Sum x area x 0.1.	PASI Version 2 - Head: Sum X Area X 0.1
C180235	PASI02-Head: Sum X Area	PASI02-Head: Sum X Area	Psoriasis Area and Severity Index Version 2 - Head: Sum of symptom scores x area score.	PASI Version 2 - Head: Sum X Area
C180219	PASI02-Head: Thickness/Induration	PASI02-Head: Thickness/Induration	Psoriasis Area and Severity Index Version 2 - Head: Thickness/Induration symptom score.	PASI Version 2 - Head: Thickness/Induration
C180233	PASI02-Low Extrem: Area Score	PASI02-Low Extrem: Area Score	Psoriasis Area and Severity Index Version 2 - Lower Extremities: Area score.	PASI Version 2 - Lower Extremities: Area Score
C180232	PASI02-Low Extrem: Desquamation/Scaling	PASI02-Low Extrem: Desquamation/Scaling	Psoriasis Area and Severity Index Version 2 - Lower Extremities: Desquamation/Scaling symptom score.	PASI Version 2 - Lower Extremities: Desquamation/Scaling
C180230	PASI02-Low Extrem: Erythema/Redness	PASI02-Low Extrem: Erythema/Redness	Psoriasis Area and Severity Index Version 2 - Lower Extremities: Erythema/Redness symptom score.	PASI Version 2 - Lower Extremities: Erythema/Redness
C180243	PASI02-Low Extrem: Sum of Symptom Scores	PASI02-Low Extrem: Sum of Symptom Scores	Psoriasis Area and Severity Index Version 2 - Lower Extremities: Sum of symptoms scores.	PASI Version 2 - Lower Extremities: Sum of Symptom Scores
C180245	PASI02-Low Extrem: Sum X Area X 0.4	PASI02-Low Extrem: Sum X Area X 0.4	Psoriasis Area and Severity Index Version 2 - Lower Extremities: Sum x area x 0.4.	PASI Version 2 - Lower Extremities: Sum X Area X 0.4
C180244	PASI02-Low Extrem: Sum X Area	PASI02-Low Extrem: Sum X Area	Psoriasis Area and Severity Index Version 2 - Lower Extremities: Sum of symptom scores x area score.	PASI Version 2 - Lower Extremities: Sum X Area
C180231	PASI02-Low Extrem: Thickness/Induration	PASI02-Low Extrem: Thickness/Induration	Psoriasis Area and Severity Index Version 2 - Lower Extremities: Thickness/Induration symptom score.	PASI Version 2 - Lower Extremities: Thickness/Induration
C180246	PASI02-Total Sum	PASI02-Total Sum	Psoriasis Area and Severity Index Version 2 - Total sum.	PASI Version 2 - Total Sum
C180229	PASI02-Trunk: Area Score	PASI02-Trunk: Area Score	Psoriasis Area and Severity Index Version 2 - Trunk: Area score.	PASI Version 2 - Trunk: Area Score
C180228	PASI02-Trunk: Desquamation/Scaling	PASI02-Trunk: Desquamation/Scaling	Psoriasis Area and Severity Index Version 2 - Trunk: Desquamation/Scaling symptom score.	PASI Version 2 - Trunk: Desquamation/Scaling
C180226	PASI02-Trunk: Erythema/Redness	PASI02-Trunk: Erythema/Redness	Psoriasis Area and Severity Index Version 2 - Trunk: Erythema/Redness symptom score.	PASI Version 2 - Trunk: Erythema/Redness
C180240	PASI02-Trunk: Sum of Symptom Scores	PASI02-Trunk: Sum of Symptom Scores	Psoriasis Area and Severity Index Version 2 - Trunk: Sum of symptoms scores.	PASI Version 2 - Trunk: Sum of Symptom Scores
C180242	PASI02-Trunk: Sum X Area X 0.3	PASI02-Trunk: Sum X Area X 0.3	Psoriasis Area and Severity Index Version 2 - Trunk: Sum x area x 0.3.	PASI Version 2 - Trunk: Sum X Area X 0.3
C180241	PASI02-Trunk: Sum X Area	PASI02-Trunk: Sum X Area	Psoriasis Area and Severity Index Version 2 - Trunk: Sum of symptom scores x area score.	PASI Version 2 - Trunk: Sum X Area
C180227	PASI02-Trunk: Thickness/Induration	PASI02-Trunk: Thickness/Induration	Psoriasis Area and Severity Index Version 2 - Trunk: Thickness/Induration symptom score.	PASI Version 2 - Trunk: Thickness/Induration
C180225	PASI02-Up Extrem: Area Score	PASI02-Up Extrem: Area Score	Psoriasis Area and Severity Index Version 2 - Upper Extremities: Area score.	PASI Version 2 - Upper Extremities: Area Score
C180224	PASI02-Up Extrem: Desquamation/Scaling	PASI02-Up Extrem: Desquamation/Scaling	Psoriasis Area and Severity Index Version 2 - Upper Extremities: Desquamation/Scaling symptom score.	PASI Version 2 - Upper Extremities: Desquamation/Scaling
C180222	PASI02-Up Extrem: Erythema/Redness	PASI02-Up Extrem: Erythema/Redness	Psoriasis Area and Severity Index Version 2 - Upper Extremities: Erythema/Redness symptom score.	PASI Version 2 - Upper Extremities: Erythema/Redness

Psoriasis Area and Severity Index Version 2 - Upper Extremities:				
C180237	PASI02-Up Extrem: Sum of Symptom Scores	PASI02-Up Extrem: Sum of Symptom Scores	Psoriasis Area and Severity Index Version 2 - Upper Extremities: Sum of symptoms scores.	PASI Version 2 - Upper Extremities: Sum of Symptom Scores
C180239	PASI02-Up Extrem: Sum X Area X 0.2	PASI02-Up Extrem: Sum X Area X 0.2	Psoriasis Area and Severity Index Version 2 - Upper Extremities: Sum x area x 0.2.	PASI Version 2 - Upper Extremities: Sum X Area X 0.2
C180238	PASI02-Up Extrem: Sum X Area	PASI02-Up Extrem: Sum X Area	Psoriasis Area and Severity Index Version 2 - Upper Extremities: Sum of symptom scores x area score.	PASI Version 2 - Upper Extremities: Sum X Area
C180223	PASI02-Up Extrem: Thickness/Induration	PASI02-Up Extrem: Thickness/Induration	Psoriasis Area and Severity Index Version 2 - Upper Extremities: Thickness/Induration symptom score.	PASI Version 2 - Upper Extremities: Thickness/Induration

C135922	PCL0101	PCL01-Repeated Disturbing Memories	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Repeated, disturbing, and unwanted memories of the stressful experience?	PCL-5 - Repeated Disturbing Memories
C135923	PCL0102	PCL01-Repeated Disturbing Dreams	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Repeated, disturbing dreams of the stressful experience?	PCL-5 - Repeated Disturbing Dreams
C135924	PCL0103	PCL01-Suddenly Feeling Happening Again	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Suddenly feeling or acting as if the stressful experience were actually happening again (as if you were actually back there reliving it)?	PCL-5 - Suddenly Feeling Happening Again
C135925	PCL0104	PCL01-Feel Upset When Reminded	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Feeling very upset when something reminded you of the stressful experience?	PCL-5 - Feel Upset When Reminded
C135926	PCL0105	PCL01-Strong Physical Reactions	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Having strong physical reactions when something reminded you of the stressful experience (for example, heart pounding, trouble breathing, sweating)?	PCL-5 - Strong Physical Reactions
C135927	PCL0106	PCL01-Avoid Memories/Thoughts/Feelings	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Avoiding memories, thoughts, or feelings related to the stressful experience?	PCL-5 - Avoid Memories, Thoughts or Feelings
C135928	PCL0107	PCL01-Avoid External Reminders	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Avoiding external reminders of the stressful experience (for example, people, places, conversations, activities, objects, or situations)?	PCL-5 - Avoid External Reminders
C135929	PCL0108	PCL01-Trouble Remembering Important Part	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Trouble remembering important parts of the stressful experience?	PCL-5 - Trouble Remembering Important Parts
C135930	PCL0109	PCL01-Strong Negative Beliefs	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Having strong negative beliefs about yourself, other people, or the world (for example, having thoughts such as: I am bad, there is something seriously wrong with me, no one can be trusted, the world is completely dangerous)?	PCL-5 - Strong Negative Beliefs
C135931	PCL0110	PCL01-Blaming Yourself/Someone Else	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Blaming yourself or someone else for the stressful experience or what happened after it?	PCL-5 - Blaming Yourself or Someone Else
C135932	PCL0111	PCL01-Strong Negative Feelings	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Having strong negative feelings such as fear, horror, anger, guilt, or shame?	PCL-5 - Strong Negative Feelings
C135933	PCL0112	PCL01-Loss of Interest in Activities	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Loss of interest in activities that you used to enjoy?	PCL-5 - Loss of Interest in Activities
C135934	PCL0113	PCL01-Feeling Distant From People	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Feeling distant or cut off from other people?	PCL-5 - Feeling Distant From People
C135935	PCL0114	PCL01-Trouble Experiencing Pos Feelings	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Trouble experiencing positive feelings (for example, being unable to feel happiness or have loving feelings for people close to you)?	PCL-5 - Trouble Experiencing Positive Feelings
C135936	PCL0115	PCL01-Irritable Behavior/Angry Outbursts	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Irritable behavior, angry outbursts, or acting aggressively?	PCL-5 - Irritable Behavior or Angry Outbursts
C135937	PCL0116	PCL01-Taking Too Many Risks/Cause Harm	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Taking too many risks or doing things that could cause you harm?	PCL-5 - Taking Too Many Risks or Cause Harm
C135938	PCL0117	PCL01-Being Superalert/Watchful/on Guard	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Being "superalert" or watchful or on guard?	PCL-5 - Being Super Alert or Watchful
C135939	PCL0118	PCL01-Feeling Jumpy or Easily Startled	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Feeling jumpy or easily startled?	PCL-5 - Feeling Jumpy or Easily Startled
C135940	PCL0119	PCL01-Having Difficulty Concentrating	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Having difficulty concentrating?	PCL-5 - Having Difficulty Concentrating
C135941	PCL0120	PCL01-Trouble Falling or Staying Asleep	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Trouble falling or staying asleep?	PCL-5 - Trouble Falling or Staying Asleep

C135928	PCL01-Avoid External Reminders	PCL01-Avoid External Reminders	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Avoiding external reminders of the stressful experience (for example, people, places, conversations, activities, objects, or situations)?	PCL-5 - Avoid External Reminders
C135927	PCL01-Avoid Memories/Thoughts/Feelings	PCL01-Avoid Memories/Thoughts/Feelings	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Avoiding memories, thoughts, or feelings related to the stressful experience?	PCL-5 - Avoid Memories, Thoughts or Feelings
C135938	PCL01-Being Superalert/Watchful/on Guard	PCL01-Being Superalert/Watchful/on Guard	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Being "superalert" or watchful or on guard?	PCL-5 - Being Super Alert or Watchful
C135931	PCL01-Blaming Yourself/Someone Else	PCL01-Blaming Yourself/Someone Else	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Blaming yourself or someone else for the stressful experience or what happened after it?	PCL-5 - Blaming Yourself or Someone Else
C135925	PCL01-Feel Upset When Reminded	PCL01-Feel Upset When Reminded	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Feeling very upset when something reminded you of the stressful experience?	PCL-5 - Feel Upset When Reminded
C135934	PCL01-Feeling Distant From People	PCL01-Feeling Distant From People	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Feeling distant or cut off from other people?	PCL-5 - Feeling Distant From People
C135939	PCL01-Feeling Jumpy or Easily Startled	PCL01-Feeling Jumpy or Easily Startled	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Feeling jumpy or easily startled?	PCL-5 - Feeling Jumpy or Easily Startled
C135940	PCL01-Having Difficulty Concentrating	PCL01-Having Difficulty Concentrating	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Having difficulty concentrating?	PCL-5 - Having Difficulty Concentrating
C135936	PCL01-Irritable Behavior/Angry Outbursts	PCL01-Irritable Behavior/Angry Outbursts	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Irritable behavior, angry outbursts, or acting aggressively?	PCL-5 - Irritable Behavior or Angry Outbursts
C135933	PCL01-Loss of Interest in Activities	PCL01-Loss of Interest in Activities	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Loss of interest in activities that you used to enjoy?	PCL-5 - Loss of Interest in Activities
C135923	PCL01-Repeated Disturbing Dreams	PCL01-Repeated Disturbing Dreams	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Repeated, disturbing dreams of the stressful experience?	PCL-5 - Repeated Disturbing Dreams
C135922	PCL01-Repeated Disturbing Memories	PCL01-Repeated Disturbing Memories	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Repeated, disturbing, and unwanted memories of the stressful experience?	PCL-5 - Repeated Disturbing Memories
C135930	PCL01-Strong Negative Beliefs	PCL01-Strong Negative Beliefs	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Having strong negative beliefs about yourself, other people, or the world (for example, having thoughts such as: I am bad, there is something seriously wrong with me, no one can be trusted, the world is completely dangerous)?	PCL-5 - Strong Negative Beliefs
C135932	PCL01-Strong Negative Feelings	PCL01-Strong Negative Feelings	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Having strong negative feelings such as fear, horror, anger, guilt, or shame?	PCL-5 - Strong Negative Feelings
C135926	PCL01-Strong Physical Reactions	PCL01-Strong Physical Reactions	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Having strong physical reactions when something reminded you of the stressful experience (for example, heart pounding, trouble breathing, sweating)?	PCL-5 - Strong Physical Reactions
C135924	PCL01-Suddenly Feeling Happening Again	PCL01-Suddenly Feeling Happening Again	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Suddenly feeling or acting as if the stressful experience were actually happening again (as if you were actually back there reliving it)?	PCL-5 - Suddenly Feeling Happening Again
C135937	PCL01-Taking Too Many Risks/Cause Harm	PCL01-Taking Too Many Risks/Cause Harm	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Taking too many risks or doing things that could cause you harm?	PCL-5 - Taking Too Many Risks or Cause Harm
C135935	PCL01-Trouble Experiencing Pos Feelings	PCL01-Trouble Experiencing Pos Feelings	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Trouble experiencing positive feelings (for example, being unable to feel happiness or have loving feelings for people close to you)?	PCL-5 - Trouble Experiencing Positive Feelings
C135941	PCL01-Trouble Falling or Staying Asleep	PCL01-Trouble Falling or Staying Asleep	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Trouble falling or staying asleep?	PCL-5 - Trouble Falling or Staying Asleep
C135929	PCL01-Trouble Remembering Important Part	PCL01-Trouble Remembering Important Part	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Trouble remembering important parts of the stressful experience?	PCL-5 - Trouble Remembering Important Parts

C112626	PDSS0101	PDSS01-Category Describing Situation	Patient Determined Disease Steps - This scale focuses mainly on how well you walk. You might not find a description that reflects your condition exactly, but please mark the one category that describes your situation the closest.	PDSS - Category Describing Situation
---------	----------	--------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------

C112626	PDSS01-Category Describing Situation	PDSS01-Category Describing Situation	Patient Determined Disease Steps - This scale focuses mainly on how well you walk. You might not find a description that reflects your condition exactly, but please mark the one category that describes your situation the closest.	PDSS - Category Describing Situation
---------	--------------------------------------	--------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------

C135817	PGI0101	PGI01-Severity	Patient Global Impression - Considering all the ways your condition impacts you, how severe is your condition at this time?	PGI Generic Modification Version - Severity
C135818	PGI0102	PGI01-Change	Patient Global Impression - Compared to <previously assessed protocol specified time point> how much has your condition changed?	PGI Generic Modification Version - Change
C135819	PGI0103	PGI01-Improvement	Patient Global Impression - Compared to <previously assessed protocol specified time point> how much has your condition improved?	PGI Generic Modification Version - Improvement

C135818	PGI01-Change	PGI01-Change	Patient Global Impression - Compared to <previously assessed protocol specified time point> how much has your condition changed?	PGI Generic Modification Version - Change
C135819	PGI01-Improvement	PGI01-Improvement	Patient Global Impression - Compared to <previously assessed protocol specified time point> how much has your condition improved?	PGI Generic Modification Version - Improvement
C135817	PGI01-Severity	PGI01-Severity	Patient Global Impression - Considering all the ways your condition impacts you, how severe is your condition at this time?	PGI Generic Modification Version - Severity

C103705	PHQ0101	PHQ01-Little Interest/Pleasure in Things	Patient Health Questionnaire - 9 - Little interest or pleasure in doing things.	PHQ-9 - Little Interest or Pleasure in Doing Things
C103706	PHQ0102	PHQ01-Feeling Down Depressed or Hopeless	Patient Health Questionnaire - 9 - Feeling down, depressed, or hopeless.	PHQ-9 - Feeling Down, Depressed, or Hopeless
C103707	PHQ0103	PHQ01-Trouble Falling or Staying Asleep	Patient Health Questionnaire - 9 - Trouble falling or staying asleep, or sleeping too much.	PHQ-9 - Trouble Falling or Staying Asleep, or Sleeping Too Much
C103708	PHQ0104	PHQ01-Feeling Tired or Little Energy	Patient Health Questionnaire - 9 - Feeling tired or having little energy.	PHQ-9 - Feeling Tired or Having Little Energy
C103709	PHQ0105	PHQ01-Poor Appetite or Overeating	Patient Health Questionnaire - 9 - Poor appetite or overeating.	PHQ-9 - Poor Appetite or Overeating
C103710	PHQ0106	PHQ01-Feeling Bad About Yourself	Patient Health Questionnaire - 9 - Feeling bad about yourself - or that you are a failure or have let yourself or your family down.	PHQ-9 - Feeling Bad About Yourself
C103711	PHQ0107	PHQ01-Trouble Concentrating on Things	Patient Health Questionnaire - 9 - Trouble concentrating on things, such as reading the newspaper or watching television.	PHQ-9 - Trouble Concentrating on Things
C103712	PHQ0108	PHQ01-Moving Slowly or Fidgety/Restless	Patient Health Questionnaire - 9 - Moving or speaking so slowly that other people could have noticed? Or the opposite - being so fidgety or restless that you have been moving around a lot more than usual.	PHQ-9 - Moving or Speaking Slowly or the Opposite being Fidgety or Restless
C103713	PHQ0109	PHQ01-Thoughts You Be Better Off Dead	Patient Health Questionnaire - 9 - Thoughts that you would be better off dead or of hurting yourself in some way.	PHQ-9 - Thoughts That You Would be Better Off Dead
C103714	PHQ0110	PHQ01-Difficult to Work/Take Care Things	Patient Health Questionnaire - 9 - If you checked off any problems, how difficult have these problems made it for you to do your work, take care of things at home, or get along with other people?	PHQ-9 - How Difficult have Problems Made it for You to Work, Take Care of Things, or Get Along with Other People
C113887	PHQ0111	PHQ01-Total Score	Patient Health Questionnaire - 9 - Total score.	PHQ-9 - Total Score

C103714	PHQ01-Difficult to Work/Take Care Things	PHQ01-Difficult to Work/Take Care Things	Patient Health Questionnaire - 9 - If you checked off any problems, how difficult have these problems made it for you to do your work, take care of things at home, or get along with other people?	PHQ-9 - How Difficult have Problems Made it for You to Work, Take Care of Things, or Get Along with Other People	
C103710	PHQ01-Feeling Bad About Yourself	PHQ01-Feeling Bad About Yourself	Patient Health Questionnaire - 9 - Feeling bad about yourself - or that you are a failure or have let yourself or your family down.	PHQ-9 - Feeling Bad About Yourself	
C103706	PHQ01-Feeling Down Depressed or Hopeless	PHQ01-Feeling Down Depressed or Hopeless	Patient Health Questionnaire - 9 - Feeling down, depressed, or hopeless.	PHQ-9 - Feeling Down, Depressed, or Hopeless	
C103708	PHQ01-Feeling Tired or Little Energy	PHQ01-Feeling Tired or Little Energy	Patient Health Questionnaire - 9 - Feeling tired or having little energy.	PHQ-9 - Feeling Tired or Having Little Energy	
C103705	PHQ01-Little Interest/Pleasure in Things	PHQ01-Little Interest/Pleasure in Things	Patient Health Questionnaire - 9 - Little interest or pleasure in doing things.	PHQ-9 - Little Interest or Pleasure in Doing Things	
C103712	PHQ01-Moving Slowly or Fidgety/Restless	PHQ01-Moving Slowly or Fidgety/Restless	Patient Health Questionnaire - 9 - Moving or speaking so slowly that other people could have noticed? Or the opposite - being so fidgety or restless that you have been moving around a lot more than usual.	PHQ-9 - Moving or Speaking Slowly or the Opposite being Fidgety or Restless	
C103709	PHQ01-Poor Appetite or Overeating	PHQ01-Poor Appetite or Overeating	Patient Health Questionnaire - 9 - Poor appetite or overeating.	PHQ-9 - Poor Appetite or Overeating	
C103713	PHQ01-Thoughts You Be Better Off Dead	PHQ01-Thoughts You Be Better Off Dead	Patient Health Questionnaire - 9 - Thoughts that you would be better off dead or of hurting yourself in some way.	PHQ-9 - Thoughts That You Would be Better Off Dead	
C113887	PHQ01-Total Score	PHQ01-Total Score	Patient Health Questionnaire - 9 - Total score.	PHQ-9 - Total Score	
C103711	PHQ01-Trouble Concentrating on Things	PHQ01-Trouble Concentrating on Things	Patient Health Questionnaire - 9 - Trouble concentrating on things, such as reading the newspaper or watching television.	PHQ-9 - Trouble Concentrating on Things	
C103707	PHQ01-Trouble Falling or Staying Asleep	PHQ01-Trouble Falling or Staying Asleep	Patient Health Questionnaire - 9 - Trouble falling or staying asleep, or sleeping too much.	PHQ-9 - Trouble Falling or Staying Asleep, or Sleeping Too Much	

Patient Health Questionnaire - 15 Items				
C103715	PHQ0201	PHQ02-Stomach Pain	Patient Health Questionnaire - 15 - Stomach pain.	PHQ-15 - Stomach Pain
C103716	PHQ0202	PHQ02-Back Pain	Patient Health Questionnaire - 15 - Back pain.	PHQ-15 - Back Pain
C103717	PHQ0203	PHQ02-Pain In Your Arms, Legs, or Joints	Patient Health Questionnaire - 15 - Pain in your arms, legs, or joints (knees, hips, etc.).	PHQ-15 - Pain In Your Arms, Legs, or Joints
C103718	PHQ0204	PHQ02-Menstrual Cramp/Problem Periods	Patient Health Questionnaire - 15 - Menstrual cramps or other problems with your periods [Women only].	PHQ-15 - Menstrual Cramp or Other Problems with Your Periods
C103719	PHQ0205	PHQ02-Headaches	Patient Health Questionnaire - 15 - Headaches.	PHQ-15 - Headaches
C103720	PHQ0206	PHQ02-Chest Pain	Patient Health Questionnaire - 15 - Chest pain.	PHQ-15 - Chest Pain
C103721	PHQ0207	PHQ02-Dizziness	Patient Health Questionnaire - 15 - Dizziness.	PHQ-15 - Dizziness
C103722	PHQ0208	PHQ02-Fainting Spells	Patient Health Questionnaire - 15 - Fainting spells.	PHQ-15 - Fainting Spells
C103723	PHQ0209	PHQ02-Feeling Your Heart Pound or Race	Patient Health Questionnaire - 15 - Feeling your heart pound or race.	PHQ-15 - Feeling Your Heart Pound or Race
C103724	PHQ0210	PHQ02-Shortness of Breath	Patient Health Questionnaire - 15 - Shortness of breath.	PHQ-15 - Shortness of Breath
C103725	PHQ0211	PHQ02-Pain/Problems During Intercourse	Patient Health Questionnaire - 15 - Pain or problems during sexual intercourse.	PHQ-15 - Pain or Problems During Sexual Intercourse
C103726	PHQ0212	PHQ02-Constipation/Loose Bowels/Diarrhea	Patient Health Questionnaire - 15 - Constipation, loose bowels, or diarrhea.	PHQ-15 - Constipation, Loose Bowels, or Diarrhea
C103727	PHQ0213	PHQ02-Nausea, Gas, or Indigestion	Patient Health Questionnaire - 15 - Nausea, gas, or indigestion.	PHQ-15 - Nausea, Gas, or Indigestion
C103728	PHQ0214	PHQ02-Feeling Tired or Having Low Energy	Patient Health Questionnaire - 15 - Feeling tired or having low energy.	PHQ-15 - Feeling Tired or Having Low Energy
C103729	PHQ0215	PHQ02-Trouble Sleeping	Patient Health Questionnaire - 15 - Trouble sleeping.	PHQ-15 - Trouble Sleeping
C124782	PHQ0216	PHQ02-Total Score	Patient Health Questionnaire - 15 - Total score.	PHQ-15 - Total Score

C103716	PHQ02-Back Pain	PHQ02-Back Pain	Patient Health Questionnaire - 15 - Back pain.	PHQ-15 - Back Pain
C103720	PHQ02-Chest Pain	PHQ02-Chest Pain	Patient Health Questionnaire - 15 - Chest pain.	PHQ-15 - Chest Pain
C103726	PHQ02-Constipation/Loose Bowels/Diarrhea	PHQ02-Constipation/Loose Bowels/Diarrhea	Patient Health Questionnaire - 15 - Constipation, loose bowels, or diarrhea.	PHQ-15 - Constipation, Loose Bowels, or Diarrhea
C103721	PHQ02-Dizziness	PHQ02-Dizziness	Patient Health Questionnaire - 15 - Dizziness.	PHQ-15 - Dizziness
C103722	PHQ02-Fainting Spells	PHQ02-Fainting Spells	Patient Health Questionnaire - 15 - Fainting spells.	PHQ-15 - Fainting Spells
C103728	PHQ02-Feeling Tired or Having Low Energy	PHQ02-Feeling Tired or Having Low Energy	Patient Health Questionnaire - 15 - Feeling tired or having low energy.	PHQ-15 - Feeling Tired or Having Low Energy
C103723	PHQ02-Feeling Your Heart Pound or Race	PHQ02-Feeling Your Heart Pound or Race	Patient Health Questionnaire - 15 - Feeling your heart pound or race.	PHQ-15 - Feeling Your Heart Pound or Race
C103719	PHQ02-Headaches	PHQ02-Headaches	Patient Health Questionnaire - 15 - Headaches.	PHQ-15 - Headaches
C103718	PHQ02-Menstrual Cramp/Problem Periods	PHQ02-Menstrual Cramp/Problem Periods	Patient Health Questionnaire - 15 - Menstrual cramps or other problems with your periods [Women only].	PHQ-15 - Menstrual Cramp or Other Problems with Your Periods
C103727	PHQ02-Nausea, Gas, or Indigestion	PHQ02-Nausea, Gas, or Indigestion	Patient Health Questionnaire - 15 - Nausea, gas, or indigestion.	PHQ-15 - Nausea, Gas, or Indigestion
C103717	PHQ02-Pain In Your Arms, Legs, or Joints	PHQ02-Pain In Your Arms, Legs, or Joints	Patient Health Questionnaire - 15 - Pain in your arms, legs, or joints (knees, hips, etc.).	PHQ-15 - Pain In Your Arms, Legs, or Joints
C103725	PHQ02-Pain/Problems During Intercourse	PHQ02-Pain/Problems During Intercourse	Patient Health Questionnaire - 15 - Pain or problems during sexual intercourse.	PHQ-15 - Pain or Problems During Sexual Intercourse
C103724	PHQ02-Shortness of Breath	PHQ02-Shortness of Breath	Patient Health Questionnaire - 15 - Shortness of breath.	PHQ-15 - Shortness of Breath
C103715	PHQ02-Stomach Pain	PHQ02-Stomach Pain	Patient Health Questionnaire - 15 - Stomach pain.	PHQ-15 - Stomach Pain
C124782	PHQ02-Total Score	PHQ02-Total Score	Patient Health Questionnaire - 15 - Total score.	PHQ-15 - Total Score
C103729	PHQ02-Trouble Sleeping	PHQ02-Trouble Sleeping	Patient Health Questionnaire - 15 - Trouble sleeping.	PHQ-15 - Trouble Sleeping

Patient Health Questionnaire Screener Version - During the last 4 weeks, how much have you been bothered by [symptom]?				
C125829	PHQ0301A	PHQ03-Stomach Pain	Patient Health Questionnaire Screener Version - During the last 4 weeks, how much have you been bothered by stomach pain?	PHQ Screener Version - Stomach Pain
C125830	PHQ0301B	PHQ03-Back Pain	Patient Health Questionnaire Screener Version - During the last 4 weeks, how much have you been bothered by back pain?	PHQ Screener Version - Back Pain
C125831	PHQ0301C	PHQ03-Pain in Your Arms/Legs/Joints	Patient Health Questionnaire Screener Version - During the last 4 weeks, how much have you been bothered by pain in your arms, legs, or joints (knees, hips, etc.)?	PHQ Screener Version - Pain in Arms, Legs, Joints
C125832	PHQ0301D	PHQ03-Menstrual Cramp/Problem	Patient Health Questionnaire Screener Version - During the last 4 weeks, how much have you been bothered by menstrual cramps or other problems with your periods?	PHQ Screener Version - Menstrual Cramp or Other Problem
C125833	PHQ0301E	PHQ03-Pain/Problems During Intercourse	Patient Health Questionnaire Screener Version - During the last 4 weeks, how much have you been bothered by pain or problems during sexual intercourse?	PHQ Screener Version - Pain During Intercourse
C125834	PHQ0301F	PHQ03-Headaches	Patient Health Questionnaire Screener Version - During the last 4 weeks, how much have you been bothered by headaches?	PHQ Screener Version - Headaches
C125835	PHQ0301G	PHQ03-Chest Pain	Patient Health Questionnaire Screener Version - During the last 4 weeks, how much have you been bothered by chest pain?	PHQ Screener Version - Chest Pain
C125836	PHQ0301H	PHQ03-Dizziness	Patient Health Questionnaire Screener Version - During the last 4 weeks, how much have you been bothered by dizziness?	PHQ Screener Version - Dizziness
C125837	PHQ0301I	PHQ03-Fainting Spells	Patient Health Questionnaire Screener Version - During the last 4 weeks, how much have you been bothered by fainting spells?	PHQ Screener Version - Fainting Spells
C125838	PHQ0301J	PHQ03-Feeling Your Heart Pound/Race	Patient Health Questionnaire Screener Version - During the last 4 weeks, how much have you been bothered by feeling your heart pound/race?	PHQ Screener Version - Feeling Your Heart Pound or Race
C125839	PHQ0301K	PHQ03-Shortness of Breath	Patient Health Questionnaire Screener Version - During the last 4 weeks, how much have you been bothered by shortness of breath?	PHQ Screener Version - Shortness of Breath
C125840	PHQ0301L	PHQ03-Constipation/Diarrhea	Patient Health Questionnaire Screener Version - During the last 4 weeks, how much have you been bothered by constipation, loose bowels, or diarrhea?	PHQ Screener Version - Constipation or Diarrhea
C125841	PHQ0301M	PHQ03-Nausea/Gas/Indigestion	Patient Health Questionnaire Screener Version - During the last 4 weeks, how much have you been bothered by nausea, gas, indigestion?	PHQ Screener Version - Nausea, Gas or Indigestion
C125842	PHQ0302A	PHQ03-Little Interest in Doing Things	Patient Health Questionnaire Screener Version - Over the last 2 weeks, how often have you been bothered by little interest or pleasure in doing things?	PHQ Screener Version - Little Interest in Doing Things
C125843	PHQ0302B	PHQ03-Feeling Down/Depressed	Patient Health Questionnaire Screener Version - Over the last 2 weeks, how often have you been bothered by feeling down, depressed, or hopeless?	PHQ Screener Version - Feeling Down or Depressed
C125844	PHQ0302C	PHQ03-Last 2 Week Trouble Falling Asleep	Patient Health Questionnaire Screener Version - Over the last 2 weeks, how often have you been bothered by trouble falling or staying asleep, or sleeping too much?	PHQ Screener Version - Last 2 Weeks, Trouble Falling or Staying Asleep
C125845	PHQ0302D	PHQ03-Feeling Tired/Little Energy	Patient Health Questionnaire Screener Version - Over the last 2 weeks, how often have you been bothered by feeling tired or having little energy?	PHQ Screener Version - Feeling Tired or Little Energy
C125846	PHQ0302E	PHQ03-Poor Appetite or Overeating	Patient Health Questionnaire Screener Version - Over the last 2 weeks, how often have you been bothered by poor appetite or overeating?	PHQ Screener Version - Poor Appetite or Overeating
C125847	PHQ0302F	PHQ03-Feeling Bad About Yourself	Patient Health Questionnaire Screener Version - Over the last 2 weeks, how often have you been bothered by feeling bad about yourself - or that you are a failure or have let yourself or your family down?	PHQ Screener Version - Feeling Bad About Yourself
C125848	PHQ0302G	PHQ03-Last 2 Week Trouble Concentrating	Patient Health Questionnaire Screener Version - Over the last 2 weeks, how often have you been bothered by trouble concentrating on things, such as reading the newspaper or watching television?	PHQ Screener Version - Last 2 Weeks, Trouble Concentrating
C125849	PHQ0302H	PHQ03-Moving Slowly/Fidgety/Restless	Patient Health Questionnaire Screener Version - Over the last 2 weeks, how often have you been bothered by moving or speaking so slowly that other people could have noticed? Or the opposite - being so fidgety or restless that you have been moving around a lot more than usual?	PHQ Screener Version - Moving Slowly or Moving More

Patient Health Questionnaire Screener Version - Over the last 4 weeks, how often have you been bothered by trouble concentrating on things, such as reading a book or watching TV?				
C125850	PHQ0302I	PHQ03-Thoughts Be Better Off Dead	Patient Health Questionnaire Screener Version - Over the last 2 weeks, how often have you been bothered by thoughts that you would be better off dead or of hurting yourself in some way?	PHQ Screener Version - Thoughts Be Better Off Dead
C125851	PHQ0303A	PHQ03-Anxiety Attack	Patient Health Questionnaire Screener Version - In the last 4 weeks, have you had an anxiety attack - suddenly feeling fear or panic?	PHQ Screener Version - Anxiety Attack
C125852	PHQ0303B	PHQ03-Anxiety Attack Happened Before	Patient Health Questionnaire Screener Version - Has this ever happened before?	PHQ Screener Version - Anxiety Attack Happened Before
C125853	PHQ0303C	PHQ03-Anxiety Attacks Come Suddenly	Patient Health Questionnaire Screener Version - Do some of these attacks come suddenly out of the blue - that is, in situations where you don't expect to be nervous or uncomfortable?	PHQ Screener Version - Anxiety Attacks Come Suddenly
C125854	PHQ0303D	PHQ03-Anxiety Attacks Bother a Lot	Patient Health Questionnaire Screener Version - Do these attacks bother you a lot or are you worried about having another attack?	PHQ Screener Version - Anxiety Attacks Bother a Lot
C125855	PHQ0304A	PHQ03-Anxiety Attack Short of Breath	Patient Health Questionnaire Screener Version - Think about your last bad anxiety attack. Were you short of breath?	PHQ Screener Version - Anxiety Attack Short of Breath
C125856	PHQ0304B	PHQ03-Anxiety Attack Heart Race/Pound	Patient Health Questionnaire Screener Version - Think about your last bad anxiety attack. Did your heart race, pound, or skip?	PHQ Screener Version - Anxiety Attack Heart Race or Pound
C125857	PHQ0304C	PHQ03-Anxiety Attack Chest Pain	Patient Health Questionnaire Screener Version - Think about your last bad anxiety attack. Did you have chest pain or pressure?	PHQ Screener Version - Anxiety Attack Chest Pain
C125858	PHQ0304D	PHQ03-Anxiety Attack Sweat	Patient Health Questionnaire Screener Version - Think about your last bad anxiety attack. Did you sweat?	PHQ Screener Version - Anxiety Attack Sweat
C125859	PHQ0304E	PHQ03-Anxiety Attack Choking	Patient Health Questionnaire Screener Version - Think about your last bad anxiety attack. Did you feel as if you were choking?	PHQ Screener Version - Anxiety Attack Choking
C125860	PHQ0304F	PHQ03-Anxiety Attack Hot Flash/Chill	Patient Health Questionnaire Screener Version - Think about your last bad anxiety attack. Did you have hot flashes or chills?	PHQ Screener Version - Anxiety Attack Hot Flash or Chill
C125861	PHQ0304G	PHQ03-Anxiety Attack Nausea/Diarrhea	Patient Health Questionnaire Screener Version - Think about your last bad anxiety attack. Did you have nausea or an upset stomach, or the feeling that you were going to have diarrhea?	PHQ Screener Version - Anxiety Attack Nausea or Diarrhea
C125862	PHQ0304H	PHQ03-Anxiety Attack Dizzy/Faint	Patient Health Questionnaire Screener Version - Think about your last bad anxiety attack. Did you feel dizzy, unsteady, or faint?	PHQ Screener Version - Anxiety Attack Dizzy or Faint
C125863	PHQ0304I	PHQ03-Anxiety Attack Tingling/Numbness	Patient Health Questionnaire Screener Version - Think about your last bad anxiety attack. Did you have tingling or numbness in parts of your body?	PHQ Screener Version - Anxiety Attack Tingling or Numbness
C125864	PHQ0304J	PHQ03-Anxiety Attack Tremble/Shake	Patient Health Questionnaire Screener Version - Think about your last bad anxiety attack. Did you tremble or shake?	PHQ Screener Version - Anxiety Attack Tremble or Shake
C125865	PHQ0304K	PHQ03-Anxiety Attack Afraid You Dying	Patient Health Questionnaire Screener Version - Think about your last bad anxiety attack. Were you afraid you were dying?	PHQ Screener Version - Anxiety Attack Afraid You Were Dying
C125866	PHQ0305A	PHQ03-Feeling Nervous/Anxious	Patient Health Questionnaire Screener Version - Over the last 4 weeks, how often have you been bothered by feeling nervous, anxious, on edge, or worrying a lot about different things?	PHQ Screener Version - Feeling Nervous or Anxious
C125867	PHQ0305B	PHQ03-Feeling Restless	Patient Health Questionnaire Screener Version - Over the last 4 weeks, how often have you been bothered by feeling restless so that it is hard to sit still?	PHQ Screener Version - Feeling Restless
C125868	PHQ0305C	PHQ03-Getting Tired Easily	Patient Health Questionnaire Screener Version - Over the last 4 weeks, how often have you been bothered by getting tired very easily?	PHQ Screener Version - Getting Tired Easily
C125869	PHQ0305D	PHQ03-Muscle Tension/Aches/Soreness	Patient Health Questionnaire Screener Version - Over the last 4 weeks, how often have you been bothered by muscle tension, aches, or soreness?	PHQ Screener Version - Muscle Tension
C125870	PHQ0305E	PHQ03-Last 4 Week Trouble Falling Asleep	Patient Health Questionnaire Screener Version - Over the last 4 weeks, how often have you been bothered by trouble falling asleep or staying asleep?	PHQ Screener Version - Last 4 Weeks, Trouble Falling or Staying Asleep
C125871	PHQ0305F	PHQ03-Last 4 Week Trouble Concentrating	Patient Health Questionnaire Screener Version - Over the last 4 weeks, how often have you been bothered by trouble concentrating on things, such as reading a book or watching TV?	PHQ Screener Version - Last 4 Weeks, Trouble Concentrating

Patient Health Questionnaire Screener Version - Over the last 4 weeks, how often have you been bothered by becoming easily annoyed or irritable?				
C125872	PHQ0305G	PHQ03-Becoming Easily Annoyed	Patient Health Questionnaire Screener Version - Over the last 4 weeks, how often have you been bothered by becoming easily annoyed or irritable?	PHQ Screener Version - Becoming Easily Annoyed
C125873	PHQ0306A	PHQ03-No Control What/How Much Eat	Patient Health Questionnaire Screener Version - Do you often feel that you can't control what or how much you eat?	PHQ Screener Version - No Control What or How Much Eat
C125874	PHQ0306B	PHQ03-Eat 2-Hours Large Amount Food	Patient Health Questionnaire Screener Version - Do you often eat within any 2 - hour period, what most people would regard as an unusually large amount of food?	PHQ Screener Version - Often Eat Large Amount Food
C125875	PHQ0306C	PHQ03-Eat a Lot Twice Week	Patient Health Questionnaire Screener Version - Has this been as often, on average, as twice a week for the last 3 months?	PHQ Screener Version - Eat a Lot Twice Week
C125876	PHQ0307A	PHQ03-Made Yourself Vomit	Patient Health Questionnaire Screener Version - In the last 3 months have you often done any of the following in order to avoid gaining weight: Made yourself vomit?	PHQ Screener Version - Avoid Gaining Weight, Made Yourself Vomit
C125877	PHQ0307B	PHQ03-Took Twice Dose of Laxatives	Patient Health Questionnaire Screener Version - In the last 3 months have you often done any of the following in order to avoid gaining weight: Took more than twice the recommended dose of laxatives to avoid gaining weight?	PHQ Screener Version - Avoid Gaining Weight, Took Twice Dose of Laxatives
C125878	PHQ0307C	PHQ03-Fasted at Least 24 Hours	Patient Health Questionnaire Screener Version - In the last 3 months have you often done any of the following in order to avoid gaining weight: Fasted - not eaten anything at all for at least 24 hours to avoid gaining weight?	PHQ Screener Version - Avoid Gaining Weight, Fasted at Least 24 Hours
C125879	PHQ0307D	PHQ03-Exercised Avoid Gaining Weight	Patient Health Questionnaire Screener Version - In the last 3 months have you often done any of the following in order to avoid gaining weight: Exercised for more than an hour specifically to avoid gaining weight after binge eating?	PHQ Screener Version - Avoid Gaining Weight, Exercise
C125880	PHQ0308	PHQ03-Avoid Gaining Weight Twice Week	Patient Health Questionnaire Screener Version - If you checked "YES" to any of these ways of avoiding gaining weight, were any as often, on average, as twice a week?	PHQ Screener Version - Avoid Gaining Weight Twice Week
C125881	PHQ0309	PHQ03-Drink Alcohol	Patient Health Questionnaire Screener Version - Do you ever drink alcohol (including beer or wine)?	PHQ Screener Version - Drink Alcohol
C125882	PHQ0310A	PHQ03-Drank Alcohol With Health Problem	Patient Health Questionnaire Screener Version - Have any of the following happened to you more than once in the last 6 months: You drank alcohol even though a doctor suggested that you stop drinking because of a problem with your health?	PHQ Screener Version - Drank Alcohol With Health Problem
C125883	PHQ0310B	PHQ03-Alcohol at Work/School	Patient Health Questionnaire Screener Version - Have any of the following happened to you more than once in the last 6 months: You drank alcohol, were high from alcohol, or hung over while you were working, or going to school, or taking care of children or other responsibilities?	PHQ Screener Version - Drank Alcohol at Work or School
C125884	PHQ0310C	PHQ03-Missed Work Because of Drinking	Patient Health Questionnaire Screener Version - Have any of the following happened to you more than once in the last 6 months: You missed or were late for work, school, or other activities because you were drinking or hung over?	PHQ Screener Version - Missed Work Because of Drinking
C125885	PHQ0310D	PHQ03-Problem With People While Drinking	Patient Health Questionnaire Screener Version - Have any of the following happened to you more than once in the last 6 months: You had a problem getting along with other people while you were drinking?	PHQ Screener Version - Problem Getting Along With People While Drinking
C125886	PHQ0310E	PHQ03-Drove After Several Drinks	Patient Health Questionnaire Screener Version - Have any of the following happened to you more than once in the last 6 months: You drove a car after having several drinks or after drinking too much?	PHQ Screener Version - Drove Car After Several Drinks
C125887	PHQ0311	PHQ03-Problems Made It Difficult to Work	Patient Health Questionnaire Screener Version - If you checked off any problems on this questionnaire, how difficult have these problems made it for you to do your work, take care of things at home, or get along with other people?	PHQ Screener Version - Problems Made It Difficult to Work

C125883	PHQ03-Alcohol at Work/School	PHQ03-Alcohol at Work/School	Patient Health Questionnaire Screener Version - Have any of the following happened to you more than once in the last 6 months: You drank alcohol, were high from alcohol, or hung over while you were working, or going to school, or taking care of children or other responsibilities?	PHQ Screener Version - Drank Alcohol at Work or School
C125865	PHQ03-Anxiety Attack Afraid You Dying	PHQ03-Anxiety Attack Afraid You Dying	Patient Health Questionnaire Screener Version - Think about your last bad anxiety attack. Were you afraid you were dying?	PHQ Screener Version - Anxiety Attack Afraid You Were Dying
C125857	PHQ03-Anxiety Attack Chest Pain	PHQ03-Anxiety Attack Chest Pain	Patient Health Questionnaire Screener Version - Think about your last bad anxiety attack. Did you have chest pain or pressure?	PHQ Screener Version - Anxiety Attack Chest Pain
C125859	PHQ03-Anxiety Attack Choking	PHQ03-Anxiety Attack Choking	Patient Health Questionnaire Screener Version - Think about your last bad anxiety attack. Did you feel as if you were choking?	PHQ Screener Version - Anxiety Attack Choking
C125862	PHQ03-Anxiety Attack Dizzy/Faint	PHQ03-Anxiety Attack Dizzy/Faint	Patient Health Questionnaire Screener Version - Think about your last bad anxiety attack. Did you feel dizzy, unsteady, or faint?	PHQ Screener Version - Anxiety Attack Dizzy or Faint
C125852	PHQ03-Anxiety Attack Happened Before	PHQ03-Anxiety Attack Happened Before	Patient Health Questionnaire Screener Version - Has this ever happened before?	PHQ Screener Version - Anxiety Attack Happened Before
C125856	PHQ03-Anxiety Attack Heart Race/Pound	PHQ03-Anxiety Attack Heart Race/Pound	Patient Health Questionnaire Screener Version - Think about your last bad anxiety attack. Did your heart race, pound, or skip?	PHQ Screener Version - Anxiety Attack Heart Race or Pound
C125860	PHQ03-Anxiety Attack Hot Flash/Chill	PHQ03-Anxiety Attack Hot Flash/Chill	Patient Health Questionnaire Screener Version - Think about your last bad anxiety attack. Did you have hot flashes or chills?	PHQ Screener Version - Anxiety Attack Hot Flash or Chill
C125861	PHQ03-Anxiety Attack Nausea/Diarrhea	PHQ03-Anxiety Attack Nausea/Diarrhea	Patient Health Questionnaire Screener Version - Think about your last bad anxiety attack. Did you have nausea or an upset stomach, or the feeling that you were going to have diarrhea?	PHQ Screener Version - Anxiety Attack Nausea or Diarrhea
C125855	PHQ03-Anxiety Attack Short of Breath	PHQ03-Anxiety Attack Short of Breath	Patient Health Questionnaire Screener Version - Think about your last bad anxiety attack. Were you short of breath?	PHQ Screener Version - Anxiety Attack Short of Breath
C125858	PHQ03-Anxiety Attack Sweat	PHQ03-Anxiety Attack Sweat	Patient Health Questionnaire Screener Version - Think about your last bad anxiety attack. Did you sweat?	PHQ Screener Version - Anxiety Attack Sweat
C125863	PHQ03-Anxiety Attack Tingling/Numbness	PHQ03-Anxiety Attack Tingling/Numbness	Patient Health Questionnaire Screener Version - Think about your last bad anxiety attack. Did you have tingling or numbness in parts of your body?	PHQ Screener Version - Anxiety Attack Tingling or Numbness
C125864	PHQ03-Anxiety Attack Tremble/Shake	PHQ03-Anxiety Attack Tremble/Shake	Patient Health Questionnaire Screener Version - Think about your last bad anxiety attack. Did you tremble or shake?	PHQ Screener Version - Anxiety Attack Tremble or Shake
C125851	PHQ03-Anxiety Attack	PHQ03-Anxiety Attack	Patient Health Questionnaire Screener Version - In the last 4 weeks, have you had an anxiety attack - suddenly feeling fear or panic?	PHQ Screener Version - Anxiety Attack
C125854	PHQ03-Anxiety Attacks Bother a Lot	PHQ03-Anxiety Attacks Bother a Lot	Patient Health Questionnaire Screener Version - Do these attacks bother you a lot or are you worried about having another attack?	PHQ Screener Version - Anxiety Attacks Bother a Lot
C125853	PHQ03-Anxiety Attacks Come Suddenly	PHQ03-Anxiety Attacks Come Suddenly	Patient Health Questionnaire Screener Version - Do some of these attacks come suddenly out of the blue - that is, in situations where you don't expect to be nervous or uncomfortable?	PHQ Screener Version - Anxiety Attacks Come Suddenly
C125880	PHQ03-Avoid Gaining Weight Twice Week	PHQ03-Avoid Gaining Weight Twice Week	Patient Health Questionnaire Screener Version - If you checked "YES" to any of these ways of avoiding gaining weight, were any as often, on average, as twice a week?	PHQ Screener Version - Avoid Gaining Weight Twice Week
C125830	PHQ03-Back Pain	PHQ03-Back Pain	Patient Health Questionnaire Screener Version - During the last 4 weeks, how much have you been bothered by back pain?	PHQ Screener Version - Back Pain
C125872	PHQ03-Becoming Easily Annoyed	PHQ03-Becoming Easily Annoyed	Patient Health Questionnaire Screener Version - Over the last 4 weeks, how often have you been bothered by becoming easily annoyed or irritable?	PHQ Screener Version - Becoming Easily Annoyed
C125835	PHQ03-Chest Pain	PHQ03-Chest Pain	Patient Health Questionnaire Screener Version - During the last 4 weeks, how much have you been bothered by chest pain?	PHQ Screener Version - Chest Pain
C125840	PHQ03-Constipation/Diarrhea	PHQ03-Constipation/Diarrhea	Patient Health Questionnaire Screener Version - During the last 4 weeks, how much have you been bothered by constipation, loose bowels, or diarrhea?	PHQ Screener Version - Constipation or Diarrhea
C125836	PHQ03-Dizziness	PHQ03-Dizziness	Patient Health Questionnaire Screener Version - During the last 4 weeks, how much have you been bothered by dizziness?	PHQ Screener Version - Dizziness

Patient Health Questionnaire Screener Version				
C125882	PHQ03-Drank Alcohol With Health Problem	PHQ03-Drank Alcohol With Health Problem	Patient Health Questionnaire Screener Version - Have any of the following happened to you more than once in the last 6 months: You drank alcohol even though a doctor suggested that you stop drinking because of a problem with your health?	PHQ Screener Version - Drank Alcohol With Health Problem
C125881	PHQ03-Drink Alcohol	PHQ03-Drink Alcohol	Patient Health Questionnaire Screener Version - Do you ever drink alcohol (including beer or wine)?	PHQ Screener Version - Drink Alcohol
C125886	PHQ03-Drove After Several Drinks	PHQ03-Drove After Several Drinks	Patient Health Questionnaire Screener Version - Have any of the following happened to you more than once in the last 6 months: You drove a car after having several drinks or after drinking too much?	PHQ Screener Version - Drove Car After Several Drinks
C125874	PHQ03-Eat 2-Hours Large Amount Food	PHQ03-Eat 2-Hours Large Amount Food	Patient Health Questionnaire Screener Version - Do you often eat within any 2 - hour period, what most people would regard as an unusually large amount of food?	PHQ Screener Version - Often Eat Large Amount Food
C125875	PHQ03-Eat a Lot Twice Week	PHQ03-Eat a Lot Twice Week	Patient Health Questionnaire Screener Version - Has this been as often, on average, as twice a week for the last 3 months?	PHQ Screener Version - Eat a Lot Twice Week
C125879	PHQ03-Exercised Avoid Gaining Weight	PHQ03-Exercised Avoid Gaining Weight	Patient Health Questionnaire Screener Version - In the last 3 months have you often done any of the following in order to avoid gaining weight: Exercised for more than an hour specifically to avoid gaining weight after binge eating?	PHQ Screener Version - Avoid Gaining Weight, Exercise
C125837	PHQ03-Fainting Spells	PHQ03-Fainting Spells	Patient Health Questionnaire Screener Version - During the last 4 weeks, how much have you been bothered by fainting spells?	PHQ Screener Version - Fainting Spells
C125878	PHQ03-Fasted at Least 24 Hours	PHQ03-Fasted at Least 24 Hours	Patient Health Questionnaire Screener Version - In the last 3 months have you often done any of the following in order to avoid gaining weight: Fasted - not eaten anything at all for at least 24 hours to avoid gaining weight?	PHQ Screener Version - Avoid Gaining Weight, Fasted at Least 24 Hours
C125847	PHQ03-Feeling Bad About Yourself	PHQ03-Feeling Bad About Yourself	Patient Health Questionnaire Screener Version - Over the last 2 weeks, how often have you been bothered by feeling bad about yourself - or that you are a failure or have let yourself or your family down?	PHQ Screener Version - Feeling Bad About Yourself
C125843	PHQ03-Feeling Down/Depressed	PHQ03-Feeling Down/Depressed	Patient Health Questionnaire Screener Version - Over the last 2 weeks, how often have you been bothered by feeling down, depressed, or hopeless?	PHQ Screener Version - Feeling Down or Depressed
C125866	PHQ03-Feeling Nervous/Anxious	PHQ03-Feeling Nervous/Anxious	Patient Health Questionnaire Screener Version - Over the last 4 weeks, how often have you been bothered by feeling nervous, anxious, on edge, or worrying a lot about different things?	PHQ Screener Version - Feeling Nervous or Anxious
C125867	PHQ03-Feeling Restless	PHQ03-Feeling Restless	Patient Health Questionnaire Screener Version - Over the last 4 weeks, how often have you been bothered by feeling restless so that it is hard to sit still?	PHQ Screener Version - Feeling Restless
C125845	PHQ03-Feeling Tired/Little Energy	PHQ03-Feeling Tired/Little Energy	Patient Health Questionnaire Screener Version - Over the last 2 weeks, how often have you been bothered by feeling tired or having little energy?	PHQ Screener Version - Feeling Tired or Little Energy
C125838	PHQ03-Feeling Your Heart Pound/Race	PHQ03-Feeling Your Heart Pound/Race	Patient Health Questionnaire Screener Version - During the last 4 weeks, how much have you been bothered by feeling your heart pound/race?	PHQ Screener Version - Feeling Your Heart Pound or Race
C125868	PHQ03-Getting Tired Easily	PHQ03-Getting Tired Easily	Patient Health Questionnaire Screener Version - Over the last 4 weeks, how often have you been bothered by getting tired very easily?	PHQ Screener Version - Getting Tired Easily
C125834	PHQ03-Headaches	PHQ03-Headaches	Patient Health Questionnaire Screener Version - During the last 4 weeks, how much have you been bothered by headaches?	PHQ Screener Version - Headaches
C125848	PHQ03-Last 2 Week Trouble Concentrating	PHQ03-Last 2 Week Trouble Concentrating	Patient Health Questionnaire Screener Version - Over the last 2 weeks, how often have you been bothered by trouble concentrating on things, such as reading the newspaper or watching television?	PHQ Screener Version - Last 2 Weeks, Trouble Concentrating
C125844	PHQ03-Last 2 Week Trouble Falling Asleep	PHQ03-Last 2 Week Trouble Falling Asleep	Patient Health Questionnaire Screener Version - Over the last 2 weeks, how often have you been bothered by trouble falling or staying asleep, or sleeping too much?	PHQ Screener Version - Last 2 Weeks, Trouble Falling or Staying Asleep
C125871	PHQ03-Last 4 Week Trouble Concentrating	PHQ03-Last 4 Week Trouble Concentrating	Patient Health Questionnaire Screener Version - Over the last 4 weeks, how often have you been bothered by trouble concentrating on things, such as reading a book or watching TV?	PHQ Screener Version - Last 4 Weeks, Trouble Concentrating
C125870	PHQ03-Last 4 Week Trouble Falling Asleep	PHQ03-Last 4 Week Trouble Falling Asleep	Patient Health Questionnaire Screener Version - Over the last 4 weeks, how often have you been bothered by trouble falling asleep or staying asleep?	PHQ Screener Version - Last 4 Weeks, Trouble Falling or Staying Asleep
C125842	PHQ03-Little Interest in Doing Things	PHQ03-Little Interest in Doing Things	Patient Health Questionnaire Screener Version - Over the last 2 weeks, how often have you been bothered by little interest or pleasure in doing things?	PHQ Screener Version - Little Interest in Doing Things

Patient Health Questionnaire Screener Version - In the last 3 months have you often done any of the following in order to avoid gaining weight: Made yourself vomit?					
C125876	PHQ03-Made Yourself Vomit	PHQ03-Made Yourself Vomit	Patient Health Questionnaire Screener Version - In the last 3 months have you often done any of the following in order to avoid gaining weight: Made yourself vomit?	PHQ Screener Version - Avoid Gaining Weight, Made Yourself Vomit	
C125832	PHQ03-Menstrual Cramp/Problem	PHQ03-Menstrual Cramp/Problem	Patient Health Questionnaire Screener Version - During the last 4 weeks, how much have you been bothered by menstrual cramps or other problems with your periods?	PHQ Screener Version - Menstrual Cramp or Other Problem	
C125884	PHQ03-Missed Work Because of Drinking	PHQ03-Missed Work Because of Drinking	Patient Health Questionnaire Screener Version - Have any of the following happened to you more than once in the last 6 months: You missed or were late for work, school, or other activities because you were drinking or hung over?	PHQ Screener Version - Missed Work Because of Drinking	
C125849	PHQ03-Moving Slowly/Fidgety/Restless	PHQ03-Moving Slowly/Fidgety/Restless	Patient Health Questionnaire Screener Version - Over the last 2 weeks, how often have you been bothered by moving or speaking so slowly that other people could have noticed? Or the opposite - being so fidgety or restless that you have been moving around a lot more than usual?	PHQ Screener Version - Moving Slowly or Moving More	
C125869	PHQ03-Muscle Tension/Aches/Soreness	PHQ03-Muscle Tension/Aches/Soreness	Patient Health Questionnaire Screener Version - Over the last 4 weeks, how often have you been bothered by muscle tension, aches, or soreness?	PHQ Screener Version - Muscle Tension	
C125841	PHQ03-Nausea/Gas/Indigestion	PHQ03-Nausea/Gas/Indigestion	Patient Health Questionnaire Screener Version - During the last 4 weeks, how much have you been bothered by nausea, gas, indigestion?	PHQ Screener Version - Nausea, Gas or Indigestion	
C125873	PHQ03-No Control What/How Much Eat	PHQ03-No Control What/How Much Eat	Patient Health Questionnaire Screener Version - Do you often feel that you can't control what or how much you eat?	PHQ Screener Version - No Control What or How Much Eat	
C125831	PHQ03-Pain in Your Arms/Legs/Joints	PHQ03-Pain in Your Arms/Legs/Joints	Patient Health Questionnaire Screener Version - During the last 4 weeks, how much have you been bothered by pain in your arms, legs, or joints (knees, hips, etc.)?	PHQ Screener Version - Pain in Arms, Legs, Joints	
C125833	PHQ03-Pain/Problems During Intercourse	PHQ03-Pain/Problems During Intercourse	Patient Health Questionnaire Screener Version - During the last 4 weeks, how much have you been bothered by pain or problems during sexual intercourse?	PHQ Screener Version - Pain During Intercourse	
C125846	PHQ03-Poor Appetite or Overeating	PHQ03-Poor Appetite or Overeating	Patient Health Questionnaire Screener Version - Over the last 2 weeks, how often have you been bothered by poor appetite or overeating?	PHQ Screener Version - Poor Appetite or Overeating	
C125885	PHQ03-Problem With People While Drinking	PHQ03-Problem With People While Drinking	Patient Health Questionnaire Screener Version - Have any of the following happened to you more than once in the last 6 months: You had a problem getting along with other people while you were drinking?	PHQ Screener Version - Problem Getting Along With People While Drinking	
C125887	PHQ03-Problems Made It Difficult to Work	PHQ03-Problems Made It Difficult to Work	Patient Health Questionnaire Screener Version - If you checked off any problems on this questionnaire, how difficult have these problems made it for you to do your work, take care of things at home, or get along with other people?	PHQ Screener Version - Problems Made It Difficult to Work	
C125839	PHQ03-Shortness of Breath	PHQ03-Shortness of Breath	Patient Health Questionnaire Screener Version - During the last 4 weeks, how much have you been bothered by shortness of breath?	PHQ Screener Version - Shortness of Breath	
C125829	PHQ03-Stomach Pain	PHQ03-Stomach Pain	Patient Health Questionnaire Screener Version - During the last 4 weeks, how much have you been bothered by stomach pain?	PHQ Screener Version - Stomach Pain	
C125850	PHQ03-Thoughts Be Better Off Dead	PHQ03-Thoughts Be Better Off Dead	Patient Health Questionnaire Screener Version - Over the last 2 weeks, how often have you been bothered by thoughts that you would be better off dead or of hurting yourself in some way?	PHQ Screener Version - Thoughts Be Better Off Dead	
C125877	PHQ03-Took Twice Dose of Laxatives	PHQ03-Took Twice Dose of Laxatives	Patient Health Questionnaire Screener Version - In the last 3 months have you often done any of the following in order to avoid gaining weight: Took more than twice the recommended dose of laxatives to avoid gaining weight?	PHQ Screener Version - Avoid Gaining Weight, Took Twice Dose of Laxatives	

C157729	PHQ0401	PHQ04-Little Interest/Pleasure in Things	The Patient Health Questionnaire-2 - Over the past 2 weeks, how often have you been bothered by any of the following problems? Little interest or pleasure in doing things.	PHQ-2 - Little Interest or Pleasure in Doing Things
C157730	PHQ0402	PHQ04-Feeling Down Depressed or Hopeless	The Patient Health Questionnaire-2 - Over the past 2 weeks, how often have you been bothered by any of the following problems? Feeling down, depressed or hopeless.	PHQ-2 - Feeling Down, Depressed or Hopeless

C157730	PHQ04-Feeling Down Depressed or Hopeless	PHQ04-Feeling Down Depressed or Hopeless	The Patient Health Questionnaire-2 - Over the past 2 weeks, how often have you been bothered by any of the following problems? Feeling down, depressed or hopeless.	PHQ-2 - Feeling Down, Depressed or Hopeless
C157729	PHQ04-Little Interest/Pleasure in Things	PHQ04-Little Interest/Pleasure in Things	The Patient Health Questionnaire-2 - Over the past 2 weeks, how often have you been bothered by any of the following problems? Little interest or pleasure in doing things.	PHQ-2 - Little Interest or Pleasure in Doing Things

Pain Intensity For Various Time Periods of Evaluation				
C105261	PI0101	PI01-Pain Intensity	Pain Intensity - Pain intensity for various time periods of evaluation.	PI - Pain Intensity For Various Time Periods of Evaluation
C105262	PI0102	PI01-Average Pain Intensity	Pain Intensity - Average pain intensity for various time periods of evaluation.	PI - Average Pain Intensity For Various Time Periods of Evaluation
C105263	PI0103	PI01-Minimum Pain Intensity	Pain Intensity - Minimum pain intensity for various time periods of evaluation.	PI - Minimum Pain Intensity For Various Time Periods of Evaluation
C105264	PI0104	PI01-Maximum Pain Intensity	Pain Intensity - Maximum pain intensity for various time periods of evaluation.	PI - Maximum Pain Intensity For Various Time Periods of Evaluation
C105265	PI0105	PI01-Least Pain Intensity	Pain Intensity - Least pain intensity for various time periods of evaluation.	PI - Least Pain Intensity For Various Time Periods of Evaluation
C105266	PI0106	PI01-Worst Pain Intensity	Pain Intensity - Worst pain intensity for various time periods of evaluation.	PI - Worst Pain Intensity For Various Time Periods of Evaluation

PI - Pain Intensity For Various Time Periods of Evaluation					
C105262	PI01-Average Pain Intensity	PI01-Average Pain Intensity	Pain Intensity - Average pain intensity for various time periods of evaluation.	PI - Average Pain Intensity For Various Time Periods of Evaluation	
C105265	PI01-Least Pain Intensity	PI01-Least Pain Intensity	Pain Intensity - Least pain intensity for various time periods of evaluation.	PI - Least Pain Intensity For Various Time Periods of Evaluation	
C105264	PI01-Maximum Pain Intensity	PI01-Maximum Pain Intensity	Pain Intensity - Maximum pain intensity for various time periods of evaluation.	PI - Maximum Pain Intensity For Various Time Periods of Evaluation	
C105263	PI01-Minimum Pain Intensity	PI01-Minimum Pain Intensity	Pain Intensity - Minimum pain intensity for various time periods of evaluation.	PI - Minimum Pain Intensity For Various Time Periods of Evaluation	
C105261	PI01-Pain Intensity	PI01-Pain Intensity	Pain Intensity - Pain intensity for various time periods of evaluation.	PI - Pain Intensity For Various Time Periods of Evaluation	
C105266	PI01-Worst Pain Intensity	PI01-Worst Pain Intensity	Pain Intensity - Worst pain intensity for various time periods of evaluation.	PI - Worst Pain Intensity For Various Time Periods of Evaluation	

Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, has it been easy or hard for your child to: Lift heavy books?				
C135942	PODCI101	PODCI1-Lift Heavy Books	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, was it easy or hard for your child to: Lift heavy books?	PODCI Pediatric Parent-Reported Version - Lift Heavy Books
C135943	PODCI102	PODCI1-Pour a Half Gallon of Milk	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, was it easy or hard for your child to: Pour a half gallon of milk?	PODCI Pediatric Parent-Reported Version - Pour a Half Gallon of Milk
C135944	PODCI103	PODCI1-Open a Jar Been Opened Before	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, was it easy or hard for your child to: Open a jar that has been opened before?	PODCI Pediatric Parent-Reported Version - Open a Jar Been Opened Before
C135945	PODCI104	PODCI1-Use a Fork and Spoon	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, was it easy or hard for your child to: Use a fork and spoon?	PODCI Pediatric Parent-Reported Version - Use a Fork and Spoon
C135946	PODCI105	PODCI1-Comb His/Her Hair	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, was it easy or hard for your child to: Comb his/her hair?	PODCI Pediatric Parent-Reported Version - Comb His or Her Hair
C135947	PODCI106	PODCI1-Button Buttons	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, was it easy or hard for your child to: Button buttons?	PODCI Pediatric Parent-Reported Version - Button Buttons
C135948	PODCI107	PODCI1-Put on His/Her Coat	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, was it easy or hard for your child to: Put on his/her coat?	PODCI Pediatric Parent-Reported Version - Put on His or Her Coat
C135949	PODCI108	PODCI1-Write With a Pencil	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, was it easy or hard for your child to: Write with a pencil?	PODCI Pediatric Parent-Reported Version - Write With a Pencil
C135950	PODCI109	PODCI1-Miss School Because of Health	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - On average, over the last 12 months, how often did your child miss school (preschool, day care, camp, etc.) because of his/her health?	PODCI Pediatric Parent-Reported Version - Miss School Because of Health
C135951	PODCI110	PODCI1-How He/She Looks	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, how happy has your child been with: How he/she looks?	PODCI Pediatric Parent-Reported Version - How He or She Looks
C135952	PODCI111	PODCI1-His/Her Body	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, how happy has your child been with: His/her body?	PODCI Pediatric Parent-Reported Version - His or Her Body
C135953	PODCI112	PODCI1-What Clothes/Shoes He/She Wear	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, how happy has your child been with: What clothes or shoes he/she can wear?	PODCI Pediatric Parent-Reported Version - What Clothes or Shoes He or She Wear
C135954	PODCI113	PODCI1-Ability Do Same Things Friends Do	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, how happy has your child been with: His/her ability to do the same things his/her friends do?	PODCI Pediatric Parent-Reported Version - Ability Do Same Things Friends Do
C135955	PODCI114	PODCI1-His/Her Health in General	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, how happy has your child been with: His/her health in general?	PODCI Pediatric Parent-Reported Version - His or Her Health in General
C135956	PODCI115	PODCI1-Feel Sick and Tired	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, how much of the time: Did your child feel sick and tired?	PODCI Pediatric Parent-Reported Version - Feel Sick and Tired
C135957	PODCI116	PODCI1-Full of Pep and Energy	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, how much of the time: Were your child full of pep and energy?	PODCI Pediatric Parent-Reported Version - Full of Pep and Energy
C135958	PODCI117	PODCI1-Pain/Discom Inter With Activities	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, how much of the time: Did pain or discomfort interfere with your child's activities?	PODCI Pediatric Parent-Reported Version - Pain or Discomfort Interfere With Activities
C135959	PODCI118	PODCI1-Run Short Distances	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, has it been easy or hard for your child to: Run short distances?	PODCI Pediatric Parent-Reported Version - Run Short Distances
C135960	PODCI119	PODCI1-Bicycle or Tricycle	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, has it been easy or hard for your child to: Bicycle or tricycle?	PODCI Pediatric Parent-Reported Version - Bicycle or Tricycle
C135961	PODCI120	PODCI1-Climb Three Flights of Stairs	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, has it been easy or hard for your child to: Climb three flights of stairs?	PODCI Pediatric Parent-Reported Version - Climb Three Flights of Stairs

Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, has it been easy or hard for your child to: Climb one flight of stairs?				
C135962	PODCI121	PODCI1-Climb One Flight of Stairs	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, has it been easy or hard for your child to: Climb one flight of stairs?	PODCI Pediatric Parent-Reported Version - Climb One Flight of Stairs
C135963	PODCI122	PODCI1-Walk More Than a Mile	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, has it been easy or hard for your child to: Walk more than a mile?	PODCI Pediatric Parent-Reported Version - Walk More Than a Mile
C135964	PODCI123	PODCI1-Walk Three Blocks	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, has it been easy or hard for your child to: Walk three blocks?	PODCI Pediatric Parent-Reported Version - Walk Three Blocks
C135965	PODCI124	PODCI1-Walk One Block	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, has it been easy or hard for your child to: Walk one block?	PODCI Pediatric Parent-Reported Version - Walk One Block
C135966	PODCI125	PODCI1-Get On and Off a Bus	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, has it been easy or hard for your child to: Get on and off a bus?	PODCI Pediatric Parent-Reported Version - Get On and Off a Bus
C135967	PODCI126	PODCI1-Need Help Walking and Climbing	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - How often does your child need help from another person for walking and climbing?	PODCI Pediatric Parent-Reported Version - Need Help Walking and Climbing
C135968	PODCI127	PODCI1-Use Assistive Devices for Walking	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - How often does your child use assistive devices (such as braces, crutches, or wheelchair) for walking and climbing?	PODCI Pediatric Parent-Reported Version - Use Assistive Devices for Walking
C135969	PODCI128	PODCI1-Stand Washing Hands at a Sink	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, has it been easy or hard for your child to: Stand while washing his/her hands and face at a sink?	PODCI Pediatric Parent-Reported Version - Stand Washing Hands at a Sink
C135970	PODCI129	PODCI1-Sit in Chair Without Holding On	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, has it been easy or hard for your child to: Sit in a regular chair without holding on?	PODCI Pediatric Parent-Reported Version - Sit in Chair Without Holding On
C135971	PODCI130	PODCI1-Get On and Off a Toilet or Chair	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, has it been easy or hard for your child to: Get on and off a toilet or chair?	PODCI Pediatric Parent-Reported Version - Get On and Off a Toilet or Chair
C135972	PODCI131	PODCI1-Get In and Out of Bed	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, has it been easy or hard for your child to: Get in and out of bed?	PODCI Pediatric Parent-Reported Version - Get In and Out of Bed
C135973	PODCI132	PODCI1-Turn Door Knobs	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, has it been easy or hard for your child to: Turn door knobs?	PODCI Pediatric Parent-Reported Version - Turn Door Knobs
C135974	PODCI133	PODCI1-Bend Over and Pick Up Something	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, has it been easy or hard for your child to: Bend over from a standing position and pick up something off the floor?	PODCI Pediatric Parent-Reported Version - Bend Over and Pick Up Something
C135975	PODCI134	PODCI1-Need Help Sitting and Standing	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - How often does your child need help from another person for sitting and standing?	PODCI Pediatric Parent-Reported Version - Need Help Sitting and Standing
C135976	PODCI135	PODCI1-Use Assistive Devices for Sitting	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - How often does your child use assistive devices (such as braces, crutches, or wheelchair) for sitting and standing?	PODCI Pediatric Parent-Reported Version - Use Assistive Devices for Sitting
C135977	PODCI136	PODCI1-Participate in Outdoor Activities	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - Can your child participate in recreational outdoor activities with other children the same age (For example: bicycling, tricycling, skating, hiking, jogging)?	PODCI Pediatric Parent-Reported Version - Participate in Outdoor Activities
C135978	PODCI137	PODCI1-Outdoor Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 36 above, was your child's activity limited by: Pain?	PODCI Pediatric Parent-Reported Version - Outdoor Limited by: Pain
C135979	PODCI138	PODCI1-Outdoor Limited by: Health	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 36 above, was your child's activity limited by: General health?	PODCI Pediatric Parent-Reported Version - Outdoor Limited by: Health
C135980	PODCI139	PODCI1-Outdoor Limited by: Instructions	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 36 above, was your child's activity limited by: Doctor or parent instructions?	PODCI Pediatric Parent-Reported Version - Outdoor Limited by: Instructions
C135981	PODCI140	PODCI1-Outdoor Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 36 above, was your child's activity limited by: Fear the other kids won't like him/her?	PODCI Pediatric Parent-Reported Version - Outdoor Limited by: Fear
C135982	PODCI141	PODCI1-Outdoor Limited by: Dislike	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 36 above, was your child's activity limited by: Dislike of recreational outdoor activities?	PODCI Pediatric Parent-Reported Version - Outdoor Limited by: Dislike

Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported Version				
C135983	PODCI142	PODCI1-Outdoor Limited by: Too Young	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 36 above, was your child's activity limited by: Too young?	PODCI Pediatric Parent-Reported Version - Outdoor Limited by: Too Young
C135984	PODCI143	PODCI1-Outdoor Limited by: Season	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 36 above, was your child's activity limited by: Activity not in season?	PODCI Pediatric Parent-Reported Version - Outdoor Limited by: Season
C135985	PODCI144	PODCI1-Participate in Pickup Games	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - Can your child participate in pickup games or sports with other children the same age (For example: tag, dodge ball, basketball, soccer, catch, jump rope, touch football, hop scotch)?	PODCI Pediatric Parent-Reported Version - Participate in Pickup Games
C135986	PODCI145	PODCI1-Games Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 44 above, was your child's activity limited by: Pain?	PODCI Pediatric Parent-Reported Version - Games Limited by: Pain
C135987	PODCI146	PODCI1-Games Limited by: Health	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 44 above, was your child's activity limited by: General health?	PODCI Pediatric Parent-Reported Version - Games Limited by: Health
C135988	PODCI147	PODCI1-Games Limited by: Instructions	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 44 above, was your child's activity limited by: Doctor or parent instructions?	PODCI Pediatric Parent-Reported Version - Games Limited by: Instructions
C135989	PODCI148	PODCI1-Games Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 44 above, was your child's activity limited by: Fear the other kids won't like him/her?	PODCI Pediatric Parent-Reported Version - Games Limited by: Fear
C135990	PODCI149	PODCI1-Games Limited by: Dislike	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 44 above, was your child's activity limited by: Dislike of pickup games or sports?	PODCI Pediatric Parent-Reported Version - Games Limited by: Dislike
C135991	PODCI150	PODCI1-Games Limited by: Too Young	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 44 above, was your child's activity limited by: Too young?	PODCI Pediatric Parent-Reported Version - Games Limited by: Too Young
C135992	PODCI151	PODCI1-Games Limited by: Season	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 44 above, was your child's activity limited by: Activity not in season?	PODCI Pediatric Parent-Reported Version - Games Limited by: Season
C135993	PODCI152	PODCI1-Participate in Competitive Sports	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - Can your child participate in competitive level sports with other children the same age (For example: hockey, basketball, soccer, football, baseball, swimming, running [track or cross country], gymnastics, or dance)?	PODCI Pediatric Parent-Reported Version - Participate in Competitive Sports
C135994	PODCI153	PODCI1-Comp Sports Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 52 above, was your child's activity limited by: Pain?	PODCI Pediatric Parent-Reported Version - Competitive Sports Limited by: Pain
C135995	PODCI154	PODCI1-Comp Sports Limited by: Health	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 52 above, was your child's activity limited by: General health?	PODCI Pediatric Parent-Reported Version - Competitive Sports Limited by: Health
C135996	PODCI155	PODCI1-Comp Sports Limited by: Instruct	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 52 above, was your child's activity limited by: Doctor or parent instructions?	PODCI Pediatric Parent-Reported Version - Competitive Sports Limited by: Instruction
C135997	PODCI156	PODCI1-Comp Sports Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 52 above, was your child's activity limited by: Fear the other kids won't like him/her?	PODCI Pediatric Parent-Reported Version - Competitive Sports Limited by: Fear
C135998	PODCI157	PODCI1-Comp Sports Limited by: Dislike	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 52 above, was your child's activity limited by: Dislike of pickup games or sports?	PODCI Pediatric Parent-Reported Version - Competitive Sports Limited by: Dislike
C135999	PODCI158	PODCI1-Comp Sports Limited by: Too Young	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 52 above, was your child's activity limited by: Too young?	PODCI Pediatric Parent-Reported Version - Competitive Sports Limited by: Too Young
C136000	PODCI159	PODCI1-Comp Sports Limited by: Season	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 52 above, was your child's activity limited by: Activity not in season?	PODCI Pediatric Parent-Reported Version - Competitive Sports Limited by: Season
C136001	PODCI160	PODCI1-Get Together With Friends	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - How often in the last week did your child get together and do things with friends?	PODCI Pediatric Parent-Reported Version - Get Together With Friends

Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported					
C136002	PODCI161	PODCI1-Friends Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 60 above, was your child's activity limited by: Pain?	PODCI Pediatric Parent-Reported Version - Friends Limited by: Pain	PODCI Pediatric Parent-Reported Version - Friends Limited by: Pain
C136003	PODCI162	PODCI1-Friends Limited by: Health	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 60 above, was your child's activity limited by: General health?	PODCI Pediatric Parent-Reported Version - Friends Limited by: Health	PODCI Pediatric Parent-Reported Version - Friends Limited by: Health
C136004	PODCI163	PODCI1-Friends Limited by: Instructions	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 60 above, was your child's activity limited by: Doctor or parent instructions?	PODCI Pediatric Parent-Reported Version - Friends Limited by: Instructions	PODCI Pediatric Parent-Reported Version - Friends Limited by: Instructions
C136005	PODCI164	PODCI1-Friends Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 60 above, was your child's activity limited by: Fear the other kids won't like him/her?	PODCI Pediatric Parent-Reported Version - Friends Limited by: Fear	PODCI Pediatric Parent-Reported Version - Friends Limited by: Fear
C136006	PODCI165	PODCI1-Friends Limited by: Not Around	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 60 above, was your child's activity limited by: Friends not around?	PODCI Pediatric Parent-Reported Version - Friends Limited by: Not Around	PODCI Pediatric Parent-Reported Version - Friends Limited by: Not Around
C136007	PODCI166	PODCI1-Participate in Gym/Recess	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - How often in the last week did your child participate in gym/recess?	PODCI Pediatric Parent-Reported Version - Participate in Gym or Recess	PODCI Pediatric Parent-Reported Version - Participate in Gym or Recess
C136008	PODCI167	PODCI1-Gym Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 66 above, was your child's activity limited by: Pain?	PODCI Pediatric Parent-Reported Version - Gym Limited by: Pain	PODCI Pediatric Parent-Reported Version - Gym Limited by: Pain
C136009	PODCI168	PODCI1-Gym Limited by: Health	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 66 above, was your child's activity limited by: General health?	PODCI Pediatric Parent-Reported Version - Gym Limited by: Health	PODCI Pediatric Parent-Reported Version - Gym Limited by: Health
C136010	PODCI169	PODCI1-Gym Limited by: Instructions	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 66 above, was your child's activity limited by: Doctor or parent instructions?	PODCI Pediatric Parent-Reported Version - Gym Limited by: Instructions	PODCI Pediatric Parent-Reported Version - Gym Limited by: Instructions
C136011	PODCI170	PODCI1-Gym Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 66 above, was your child's activity limited by: Fear the other kids won't like him/her?	PODCI Pediatric Parent-Reported Version - Gym Limited by: Fear	PODCI Pediatric Parent-Reported Version - Gym Limited by: Fear
C136012	PODCI171	PODCI1-Gym Limited by: Dislike	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 66 above, was your child's activity limited by: Dislike of gym/recess?	PODCI Pediatric Parent-Reported Version - Gym Limited by: Dislike	PODCI Pediatric Parent-Reported Version - Gym Limited by: Dislike
C136013	PODCI172	PODCI1-Gym Limited by: Not in Session	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 66 above, was your child's activity limited by: School not in session?	PODCI Pediatric Parent-Reported Version - Gym Limited by: Not in Session	PODCI Pediatric Parent-Reported Version - Gym Limited by: Not in Session
C136014	PODCI173	PODCI1-Gym Limited by: Not Attend School	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 66 above, was your child's activity limited by: Does not attend school?	PODCI Pediatric Parent-Reported Version - Gym Limited by: Not Attend School	PODCI Pediatric Parent-Reported Version - Gym Limited by: Not Attend School
C136015	PODCI174	PODCI1-Easy to Make Friends	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - Is it easy or hard for your child to make friends with children his/her own age?	PODCI Pediatric Parent-Reported Version - Easy to Make Friends	PODCI Pediatric Parent-Reported Version - Easy to Make Friends
C136016	PODCI175	PODCI1-Pain During the Last Week	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - How much pain has your child had during the last week?	PODCI Pediatric Parent-Reported Version - Pain During the Last Week	PODCI Pediatric Parent-Reported Version - Pain During the Last Week
C136017	PODCI176	PODCI1-Pain Interfere With Activities	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, how much did pain interfere with your child's normal activities (including at home, outside of the home, and at school)?	PODCI Pediatric Parent-Reported Version - Pain Interfere With Activities	PODCI Pediatric Parent-Reported Version - Pain Interfere With Activities
C136018	PODCI177	PODCI1-Have Pain Relief	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - As a result of my child's treatment, I expect my child: To have pain relief.	PODCI Pediatric Parent-Reported Version - Have Pain Relief	PODCI Pediatric Parent-Reported Version - Have Pain Relief
C136019	PODCI178	PODCI1-Look Better	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - As a result of my child's treatment, I expect my child: To look better.	PODCI Pediatric Parent-Reported Version - Look Better	PODCI Pediatric Parent-Reported Version - Look Better
C136020	PODCI179	PODCI1-Feel Better	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - As a result of my child's treatment, I expect my child: To feel better about himself/herself.	PODCI Pediatric Parent-Reported Version - Feel Better	PODCI Pediatric Parent-Reported Version - Feel Better

Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported				
C136021	PODCI180	PODCI1-Sleep More Comfortably	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - As a result of my child's treatment, I expect my child: To sleep more comfortably.	PODCI Pediatric Parent-Reported Version - Sleep More Comfortably
C136022	PODCI181	PODCI1-Able to Do Activities at Home	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - As a result of my child's treatment, I expect my child: To be able to do activities at home.	PODCI Pediatric Parent-Reported Version - Able to Do Activities at Home
C136023	PODCI182	PODCI1-Able to Do More at School	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - As a result of my child's treatment, I expect my child: To be able to do more at school.	PODCI Pediatric Parent-Reported Version - Able to Do More at School
C136024	PODCI183	PODCI1-Able to Do More Play	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - As a result of my child's treatment, I expect my child: To be able to do more play or recreational activities (biking, walking, doing things with friends).	PODCI Pediatric Parent-Reported Version - Able to Do More Play
C136025	PODCI184	PODCI1-Able to Do More Sports	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - As a result of my child's treatment, I expect my child: To be able to do more sports.	PODCI Pediatric Parent-Reported Version - Able to Do More Sports
C136026	PODCI185	PODCI1-Free From Pain as Adult	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - As a result of my child's treatment, I expect my child: To be free from pain or disability as an adult.	PODCI Pediatric Parent-Reported Version - Free From Pain as Adult
C136027	PODCI186	PODCI1-Spend Rest of Life With Condition	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If your child had to spend the rest of his/her life with his/her bone and muscle condition as it is right now, how would you feel about it?	PODCI Pediatric Parent-Reported Version - Spend Rest of Life With Condition
C136028	PODCI187	PODCI1-Up Extremity/Phys Function Scale	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - Upper extremity and physical function core scale.	PODCI Pediatric Parent-Reported Version - Upper Extremity and Physical Function Scale
C136029	PODCI188	PODCI1-Transfer/Basic Mobility Scale	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - Transfer and basic mobility core scale.	PODCI Pediatric Parent-Reported Version - Transfer and Basic Mobility Scale
C136030	PODCI189	PODCI1-Sports/Phys Function Scale	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - Sports and physical functioning core scale.	PODCI Pediatric Parent-Reported Version - Sports and Physical Function Scale
C136031	PODCI190	PODCI1-Pain/Comfort Scale	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - Pain/comfort core scale.	PODCI Pediatric Parent-Reported Version - Pain or Comfort Scale
C136032	PODCI191	PODCI1-Happiness Scale	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - Happiness core scale.	PODCI Pediatric Parent-Reported Version - Happiness Scale
C136033	PODCI192	PODCI1-Global Functioning Scale	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - Global functioning scale.	PODCI Pediatric Parent-Reported Version - Global Functioning Scale

C135954	PODCI1-Ability Do Same Things Friends Do	PODCI1-Ability Do Same Things Friends Do	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, how happy has your child been with: His/her ability to do the same things his/her friends do?	PODCI Pediatric Parent-Reported Version - Ability Do Same Things Friends Do
C136022	PODCI1-Able to Do Activities at Home	PODCI1-Able to Do Activities at Home	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - As a result of my child's treatment, I expect my child: To be able to do activities at home.	PODCI Pediatric Parent-Reported Version - Able to Do Activities at Home
C136023	PODCI1-Able to Do More at School	PODCI1-Able to Do More at School	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - As a result of my child's treatment, I expect my child: To be able to do more at school.	PODCI Pediatric Parent-Reported Version - Able to Do More at School
C136024	PODCI1-Able to Do More Play	PODCI1-Able to Do More Play	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - As a result of my child's treatment, I expect my child: To be able to do more play or recreational activities (biking, walking, doing things with friends).	PODCI Pediatric Parent-Reported Version - Able to Do More Play
C136025	PODCI1-Able to Do More Sports	PODCI1-Able to Do More Sports	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - As a result of my child's treatment, I expect my child: To be able to do more sports.	PODCI Pediatric Parent-Reported Version - Able to Do More Sports
C135974	PODCI1-Bend Over and Pick Up Something	PODCI1-Bend Over and Pick Up Something	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, has it been easy or hard for your child to: Bend over from a standing position and pick up something off the floor?	PODCI Pediatric Parent-Reported Version - Bend Over and Pick Up Something
C135960	PODCI1-Bicycle or Tricycle	PODCI1-Bicycle or Tricycle	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, has it been easy or hard for your child to: Bicycle or tricycle?	PODCI Pediatric Parent-Reported Version - Bicycle or Tricycle
C135947	PODCI1-Button Buttons	PODCI1-Button Buttons	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, was it easy or hard for your child to: Button buttons?	PODCI Pediatric Parent-Reported Version - Button Buttons
C135962	PODCI1-Climb One Flight of Stairs	PODCI1-Climb One Flight of Stairs	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, has it been easy or hard for your child to: Climb one flight of stairs?	PODCI Pediatric Parent-Reported Version - Climb One Flight of Stairs
C135961	PODCI1-Climb Three Flights of Stairs	PODCI1-Climb Three Flights of Stairs	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, has it been easy or hard for your child to: Climb three flights of stairs?	PODCI Pediatric Parent-Reported Version - Climb Three Flights of Stairs
C135946	PODCI1-Comb His/Her Hair	PODCI1-Comb His/Her Hair	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, was it easy or hard for your child to: Comb his/her hair?	PODCI Pediatric Parent-Reported Version - Comb His or Her Hair
C135998	PODCI1-Comp Sports Limited by: Dislike	PODCI1-Comp Sports Limited by: Dislike	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 52 above, was your child's activity limited by: Dislike of pickup games or sports?	PODCI Pediatric Parent-Reported Version - Competitive Sports Limited by: Dislike
C135997	PODCI1-Comp Sports Limited by: Fear	PODCI1-Comp Sports Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 52 above, was your child's activity limited by: Fear the other kids won't like him/her?	PODCI Pediatric Parent-Reported Version - Competitive Sports Limited by: Fear
C135995	PODCI1-Comp Sports Limited by: Health	PODCI1-Comp Sports Limited by: Health	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 52 above, was your child's activity limited by: General health?	PODCI Pediatric Parent-Reported Version - Competitive Sports Limited by: Health
C135996	PODCI1-Comp Sports Limited by: Instruct	PODCI1-Comp Sports Limited by: Instruct	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 52 above, was your child's activity limited by: Doctor or parent instructions?	PODCI Pediatric Parent-Reported Version - Competitive Sports Limited by: Instruction
C135994	PODCI1-Comp Sports Limited by: Pain	PODCI1-Comp Sports Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 52 above, was your child's activity limited by: Pain?	PODCI Pediatric Parent-Reported Version - Competitive Sports Limited by: Pain
C136000	PODCI1-Comp Sports Limited by: Season	PODCI1-Comp Sports Limited by: Season	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 52 above, was your child's activity limited by: Activity not in season?	PODCI Pediatric Parent-Reported Version - Competitive Sports Limited by: Season
C135999	PODCI1-Comp Sports Limited by: Too Young	PODCI1-Comp Sports Limited by: Too Young	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 52 above, was your child's activity limited by: Too young?	PODCI Pediatric Parent-Reported Version - Competitive Sports Limited by: Too Young

Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported				
C136015	PODCI1-Easy to Make Friends	PODCI1-Easy to Make Friends	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - Is it easy or hard for your child to make friends with children his/her own age?	PODCI Pediatric Parent-Reported Version - Easy to Make Friends
C136020	PODCI1-Feel Better	PODCI1-Feel Better	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - As a result of my child's treatment, I expect my child: To feel better about himself/herself.	PODCI Pediatric Parent-Reported Version - Feel Better
C135956	PODCI1-Feel Sick and Tired	PODCI1-Feel Sick and Tired	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, how much of the time: Did your child feel sick and tired?	PODCI Pediatric Parent-Reported Version - Feel Sick and Tired
C136026	PODCI1-Free From Pain as Adult	PODCI1-Free From Pain as Adult	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - As a result of my child's treatment, I expect my child: To be free from pain or disability as an adult.	PODCI Pediatric Parent-Reported Version - Free From Pain as Adult
C136005	PODCI1-Friends Limited by: Fear	PODCI1-Friends Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 60 above, was your child's activity limited by: Fear the other kids won't like him/her?	PODCI Pediatric Parent-Reported Version - Friends Limited by: Fear
C136003	PODCI1-Friends Limited by: Health	PODCI1-Friends Limited by: Health	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 60 above, was your child's activity limited by: General health?	PODCI Pediatric Parent-Reported Version - Friends Limited by: Health
C136004	PODCI1-Friends Limited by: Instructions	PODCI1-Friends Limited by: Instructions	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 60 above, was your child's activity limited by: Doctor or parent instructions?	PODCI Pediatric Parent-Reported Version - Friends Limited by: Instructions
C136006	PODCI1-Friends Limited by: Not Around	PODCI1-Friends Limited by: Not Around	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 60 above, was your child's activity limited by: Friends not around?	PODCI Pediatric Parent-Reported Version - Friends Limited by: Not Around
C136002	PODCI1-Friends Limited by: Pain	PODCI1-Friends Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 60 above, was your child's activity limited by: Pain?	PODCI Pediatric Parent-Reported Version - Friends Limited by: Pain
C135957	PODCI1-Full of Pep and Energy	PODCI1-Full of Pep and Energy	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, how much of the time: Were your child full of pep and energy?	PODCI Pediatric Parent-Reported Version - Full of Pep and Energy
C135990	PODCI1-Games Limited by: Dislike	PODCI1-Games Limited by: Dislike	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 44 above, was your child's activity limited by: Dislike of pickup games or sports?	PODCI Pediatric Parent-Reported Version - Games Limited by: Dislike
C135989	PODCI1-Games Limited by: Fear	PODCI1-Games Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 44 above, was your child's activity limited by: Fear the other kids won't like him/her?	PODCI Pediatric Parent-Reported Version - Games Limited by: Fear
C135987	PODCI1-Games Limited by: Health	PODCI1-Games Limited by: Health	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 44 above, was your child's activity limited by: General health?	PODCI Pediatric Parent-Reported Version - Games Limited by: Health
C135988	PODCI1-Games Limited by: Instructions	PODCI1-Games Limited by: Instructions	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 44 above, was your child's activity limited by: Doctor or parent instructions?	PODCI Pediatric Parent-Reported Version - Games Limited by: Instructions
C135986	PODCI1-Games Limited by: Pain	PODCI1-Games Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 44 above, was your child's activity limited by: Pain?	PODCI Pediatric Parent-Reported Version - Games Limited by: Pain
C135992	PODCI1-Games Limited by: Season	PODCI1-Games Limited by: Season	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 44 above, was your child's activity limited by: Activity not in season?	PODCI Pediatric Parent-Reported Version - Games Limited by: Season
C135991	PODCI1-Games Limited by: Too Young	PODCI1-Games Limited by: Too Young	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 44 above, was your child's activity limited by: Too young?	PODCI Pediatric Parent-Reported Version - Games Limited by: Too Young
C135972	PODCI1-Get In and Out of Bed	PODCI1-Get In and Out of Bed	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, has it been easy or hard for your child to: Get in and out of bed?	PODCI Pediatric Parent-Reported Version - Get In and Out of Bed
C135966	PODCI1-Get On and Off a Bus	PODCI1-Get On and Off a Bus	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, has it been easy or hard for your child to: Get on and off a bus?	PODCI Pediatric Parent-Reported Version - Get On and Off a Bus
C135971	PODCI1-Get On and Off a Toilet or Chair	PODCI1-Get On and Off a Toilet or Chair	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, has it been easy or hard for your child to: Get on and off a toilet or chair?	PODCI Pediatric Parent-Reported Version - Get On and Off a Toilet or Chair

Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported				
C136001	PODCI1-Get Together With Friends	PODCI1-Get Together With Friends	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - How often in the last week did your child get together and do things with friends?	PODCI Pediatric Parent-Reported Version - Get Together With Friends
C136033	PODCI1-Global Functioning Scale	PODCI1-Global Functioning Scale	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - Global functioning scale.	PODCI Pediatric Parent-Reported Version - Global Functioning Scale
C136012	PODCI1-Gym Limited by: Dislike	PODCI1-Gym Limited by: Dislike	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 66 above, was your child's activity limited by: Dislike of gym/recess?	PODCI Pediatric Parent-Reported Version - Gym Limited by: Dislike
C136011	PODCI1-Gym Limited by: Fear	PODCI1-Gym Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 66 above, was your child's activity limited by: Fear the other kids won't like him/her?	PODCI Pediatric Parent-Reported Version - Gym Limited by: Fear
C136009	PODCI1-Gym Limited by: Health	PODCI1-Gym Limited by: Health	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 66 above, was your child's activity limited by: General health?	PODCI Pediatric Parent-Reported Version - Gym Limited by: Health
C136010	PODCI1-Gym Limited by: Instructions	PODCI1-Gym Limited by: Instructions	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 66 above, was your child's activity limited by: Doctor or parent instructions?	PODCI Pediatric Parent-Reported Version - Gym Limited by: Instructions
C136014	PODCI1-Gym Limited by: Not Attend School	PODCI1-Gym Limited by: Not Attend School	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 66 above, was your child's activity limited by: Does not attend school?	PODCI Pediatric Parent-Reported Version - Gym Limited by: Not Attend School
C136013	PODCI1-Gym Limited by: Not in Session	PODCI1-Gym Limited by: Not in Session	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 66 above, was your child's activity limited by: School not in session?	PODCI Pediatric Parent-Reported Version - Gym Limited by: Not in Session
C136008	PODCI1-Gym Limited by: Pain	PODCI1-Gym Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 66 above, was your child's activity limited by: Pain?	PODCI Pediatric Parent-Reported Version - Gym Limited by: Pain
C136032	PODCI1-Happiness Scale	PODCI1-Happiness Scale	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - Happiness core scale.	PODCI Pediatric Parent-Reported Version - Happiness Scale
C136018	PODCI1-Have Pain Relief	PODCI1-Have Pain Relief	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - As a result of my child's treatment, I expect my child: To have pain relief.	PODCI Pediatric Parent-Reported Version - Have Pain Relief
C135952	PODCI1-His/Her Body	PODCI1-His/Her Body	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, how happy has your child been with: His/her body?	PODCI Pediatric Parent-Reported Version - His or Her Body
C135955	PODCI1-His/Her Health in General	PODCI1-His/Her Health in General	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, how happy has your child been with: His/her health in general?	PODCI Pediatric Parent-Reported Version - His or Her Health in General
C135951	PODCI1-How He/She Looks	PODCI1-How He/She Looks	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, how happy has your child been with: How he/she looks?	PODCI Pediatric Parent-Reported Version - How He or She Looks
C135942	PODCI1-Lift Heavy Books	PODCI1-Lift Heavy Books	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, was it easy or hard for your child to: Lift heavy books?	PODCI Pediatric Parent-Reported Version - Lift Heavy Books
C136019	PODCI1-Look Better	PODCI1-Look Better	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - As a result of my child's treatment, I expect my child: To look better.	PODCI Pediatric Parent-Reported Version - Look Better
C135950	PODCI1-Miss School Because of Health	PODCI1-Miss School Because of Health	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - On average, over the last 12 months, how often did your child miss school (preschool, day care, camp, etc.) because of his/her health?	PODCI Pediatric Parent-Reported Version - Miss School Because of Health
C135975	PODCI1-Need Help Sitting and Standing	PODCI1-Need Help Sitting and Standing	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - How often does your child need help from another person for sitting and standing?	PODCI Pediatric Parent-Reported Version - Need Help Sitting and Standing
C135967	PODCI1-Need Help Walking and Climbing	PODCI1-Need Help Walking and Climbing	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - How often does your child need help from another person for walking and climbing?	PODCI Pediatric Parent-Reported Version - Need Help Walking and Climbing
C135944	PODCI1-Open a Jar Been Opened Before	PODCI1-Open a Jar Been Opened Before	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, was it easy or hard for your child to: Open a jar that has been opened before?	PODCI Pediatric Parent-Reported Version - Open a Jar Been Opened Before

Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - As a result of my child's treatment, I expect my child: To sleep more comfortably.				
C135982	PODCI1-Outdoor Limited by: Dislike	PODCI1-Outdoor Limited by: Dislike	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 36 above, was your child's activity limited by: Dislike of recreational outdoor activities?	PODCI Pediatric Parent-Reported Version - Outdoor Limited by: Dislike
C135981	PODCI1-Outdoor Limited by: Fear	PODCI1-Outdoor Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 36 above, was your child's activity limited by: Fear the other kids won't like him/her?	PODCI Pediatric Parent-Reported Version - Outdoor Limited by: Fear
C135979	PODCI1-Outdoor Limited by: Health	PODCI1-Outdoor Limited by: Health	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 36 above, was your child's activity limited by: General health?	PODCI Pediatric Parent-Reported Version - Outdoor Limited by: Health
C135980	PODCI1-Outdoor Limited by: Instructions	PODCI1-Outdoor Limited by: Instructions	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 36 above, was your child's activity limited by: Doctor or parent instructions?	PODCI Pediatric Parent-Reported Version - Outdoor Limited by: Instructions
C135978	PODCI1-Outdoor Limited by: Pain	PODCI1-Outdoor Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 36 above, was your child's activity limited by: Pain?	PODCI Pediatric Parent-Reported Version - Outdoor Limited by: Pain
C135984	PODCI1-Outdoor Limited by: Season	PODCI1-Outdoor Limited by: Season	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 36 above, was your child's activity limited by: Activity not in season?	PODCI Pediatric Parent-Reported Version - Outdoor Limited by: Season
C135983	PODCI1-Outdoor Limited by: Too Young	PODCI1-Outdoor Limited by: Too Young	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 36 above, was your child's activity limited by: Too young?	PODCI Pediatric Parent-Reported Version - Outdoor Limited by: Too Young
C136016	PODCI1-Pain During the Last Week	PODCI1-Pain During the Last Week	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - How much pain has your child had during the last week?	PODCI Pediatric Parent-Reported Version - Pain During the Last Week
C136017	PODCI1-Pain Interfere With Activities	PODCI1-Pain Interfere With Activities	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, how much did pain interfere with your child's normal activities (including at home, outside of the home, and at school)?	PODCI Pediatric Parent-Reported Version - Pain Interfere With Activities
C136031	PODCI1-Pain/Comfort Scale	PODCI1-Pain/Comfort Scale	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - Pain/comfort core scale.	PODCI Pediatric Parent-Reported Version - Pain or Comfort Scale
C135958	PODCI1-Pain/Discom Inter With Activities	PODCI1-Pain/Discom Inter With Activities	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, how much of the time: Did pain or discomfort interfere with your child's activities?	PODCI Pediatric Parent-Reported Version - Pain or Discomfort Interfere With Activities
C135993	PODCI1-Participate in Competitive Sports	PODCI1-Participate in Competitive Sports	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - Can your child participate in competitive level sports with other children the same age (For example: hockey, basketball, soccer, football, baseball, swimming, running [track or cross country], gymnastics, or dance)?	PODCI Pediatric Parent-Reported Version - Participate in Competitive Sports
C136007	PODCI1-Participate in Gym/Recess	PODCI1-Participate in Gym/Recess	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - How often in the last week did your child participate in gym/recess?	PODCI Pediatric Parent-Reported Version - Participate in Gym or Recess
C135977	PODCI1-Participate in Outdoor Activities	PODCI1-Participate in Outdoor Activities	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - Can your child participate in recreational outdoor activities with other children the same age (For example: bicycling, tricycling, skating, hiking, jogging)?	PODCI Pediatric Parent-Reported Version - Participate in Outdoor Activities
C135985	PODCI1-Participate in Pickup Games	PODCI1-Participate in Pickup Games	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - Can your child participate in pickup games or sports with other children the same age (For example: tag, dodge ball, basketball, soccer, catch, jump rope, touch football, hop scotch)?	PODCI Pediatric Parent-Reported Version - Participate in Pickup Games
C135943	PODCI1-Pour a Half Gallon of Milk	PODCI1-Pour a Half Gallon of Milk	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, was it easy or hard for your child to: Pour a half gallon of milk?	PODCI Pediatric Parent-Reported Version - Pour a Half Gallon of Milk
C135948	PODCI1-Put on His/Her Coat	PODCI1-Put on His/Her Coat	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, was it easy or hard for your child to: Put on his/her coat?	PODCI Pediatric Parent-Reported Version - Put on His or Her Coat
C135959	PODCI1-Run Short Distances	PODCI1-Run Short Distances	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, has it been easy or hard for your child to: Run short distances?	PODCI Pediatric Parent-Reported Version - Run Short Distances
C135970	PODCI1-Sit in Chair Without Holding On	PODCI1-Sit in Chair Without Holding On	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, has it been easy or hard for your child to: Sit in a regular chair without holding on?	PODCI Pediatric Parent-Reported Version - Sit in Chair Without Holding On
C136021	PODCI1-Sleep More Comfortably	PODCI1-Sleep More Comfortably	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - As a result of my child's treatment, I expect my child: To sleep more comfortably.	PODCI Pediatric Parent-Reported Version - Sleep More Comfortably

Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If your child had to spend the rest of his/her life with his/her bone and muscle condition as it is right now, how would you feel about it?				
C136027	PODCI1-Spend Rest of Life With Condition	PODCI1-Spend Rest of Life With Condition	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If your child had to spend the rest of his/her life with his/her bone and muscle condition as it is right now, how would you feel about it?	PODCI Pediatric Parent-Reported Version - Spend Rest of Life With Condition
C136030	PODCI1-Sports/Phys Function Scale	PODCI1-Sports/Phys Function Scale	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - Sports and physical functioning core scale.	PODCI Pediatric Parent-Reported Version - Sports and Physical Function Scale
C135969	PODCI1-Stand Washing Hands at a Sink	PODCI1-Stand Washing Hands at a Sink	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, has it been easy or hard for your child to: Stand while washing his/her hands and face at a sink?	PODCI Pediatric Parent-Reported Version - Stand Washing Hands at a Sink
C136029	PODCI1-Transfer/Basic Mobility Scale	PODCI1-Transfer/Basic Mobility Scale	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - Transfer and basic mobility core scale.	PODCI Pediatric Parent-Reported Version - Transfer and Basic Mobility Scale
C135973	PODCI1-Turn Door Knobs	PODCI1-Turn Door Knobs	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, has it been easy or hard for your child to: Turn door knobs?	PODCI Pediatric Parent-Reported Version - Turn Door Knobs
C136028	PODCI1-Up Extremity/Phys Function Scale	PODCI1-Up Extremity/Phys Function Scale	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - Upper extremity and physical function core scale.	PODCI Pediatric Parent-Reported Version - Upper Extremity and Physical Function Scale
C135945	PODCI1-Use a Fork and Spoon	PODCI1-Use a Fork and Spoon	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, was it easy or hard for your child to: Use a fork and spoon?	PODCI Pediatric Parent-Reported Version - Use a Fork and Spoon
C135976	PODCI1-Use Assistive Devices for Sitting	PODCI1-Use Assistive Devices for Sitting	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - How often does your child use assistive devices (such as braces, crutches, or wheelchair) for sitting and standing?	PODCI Pediatric Parent-Reported Version - Use Assistive Devices for Sitting
C135968	PODCI1-Use Assistive Devices for Walking	PODCI1-Use Assistive Devices for Walking	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - How often does your child use assistive devices (such as braces, crutches, or wheelchair) for walking and climbing?	PODCI Pediatric Parent-Reported Version - Use Assistive Devices for Walking
C135963	PODCI1-Walk More Than a Mile	PODCI1-Walk More Than a Mile	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, has it been easy or hard for your child to: Walk more than a mile?	PODCI Pediatric Parent-Reported Version - Walk More Than a Mile
C135965	PODCI1-Walk One Block	PODCI1-Walk One Block	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, has it been easy or hard for your child to: Walk one block?	PODCI Pediatric Parent-Reported Version - Walk One Block
C135964	PODCI1-Walk Three Blocks	PODCI1-Walk Three Blocks	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, has it been easy or hard for your child to: Walk three blocks?	PODCI Pediatric Parent-Reported Version - Walk Three Blocks
C135953	PODCI1-What Clothes/Shoes He/She Wear	PODCI1-What Clothes/Shoes He/She Wear	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, how happy has your child been with: What clothes or shoes he/she can wear?	PODCI Pediatric Parent-Reported Version - What Clothes or Shoes He or She Wear
C135949	PODCI1-Write With a Pencil	PODCI1-Write With a Pencil	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, was it easy or hard for your child to: Write with a pencil?	PODCI Pediatric Parent-Reported Version - Write With a Pencil

Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported				
Code	Item ID	Description	Question Text	Parent Item
C136034	PODCI201	PODCI2-Lift Heavy Books	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, was it easy or hard for your child to: Lift heavy books?	PODCI Adolescent Parent-Reported Version - Lift Heavy Books
C136035	PODCI202	PODCI2-Pour a Half Gallon of Milk	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, was it easy or hard for your child to: Pour a half gallon of milk?	PODCI Adolescent Parent-Reported Version - Pour a Half Gallon of Milk
C136036	PODCI203	PODCI2-Open a Jar Been Opened Before	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, was it easy or hard for your child to: Open a jar that has been opened before?	PODCI Adolescent Parent-Reported Version - Open a Jar Been Opened Before
C136037	PODCI204	PODCI2-Use a Fork and Spoon	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, was it easy or hard for your child to: Use a fork and spoon?	PODCI Adolescent Parent-Reported Version - Use a Fork and Spoon
C136038	PODCI205	PODCI2-Comb His/Her Hair	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, was it easy or hard for your child to: Comb his/her hair?	PODCI Adolescent Parent-Reported Version - Comb His or Her Hair
C136039	PODCI206	PODCI2-Button Buttons	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, was it easy or hard for your child to: Button buttons?	PODCI Adolescent Parent-Reported Version - Button Buttons
C136040	PODCI207	PODCI2-Put on His/Her Coat	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, was it easy or hard for your child to: Put on his/her coat?	PODCI Adolescent Parent-Reported Version - Put on His or Her Coat
C136041	PODCI208	PODCI2-Write With a Pencil	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, was it easy or hard for your child to: Write with a pencil?	PODCI Adolescent Parent-Reported Version - Write With a Pencil
C136042	PODCI209	PODCI2-Miss School Because of Health	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - On average, over the last 12 months, how often did your child miss school (camp, etc.) because of his/her health?	PODCI Adolescent Parent-Reported Version - Miss School Because of Health
C136043	PODCI210	PODCI2-How He/She Looks	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, how happy has your child been with: How he/she looks?	PODCI Adolescent Parent-Reported Version - How He or She Looks
C136044	PODCI211	PODCI2-His/Her Body	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, how happy has your child been with: His/her body?	PODCI Adolescent Parent-Reported Version - His or Her Body
C136045	PODCI212	PODCI2-What Clothes/Shoes He/She Wear	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, how happy has your child been with: What clothes or shoes he/she can wear?	PODCI Adolescent Parent-Reported Version - What Clothes or Shoes He or She Wear
C136046	PODCI213	PODCI2-Ability Do Same Things Friends Do	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, how happy has your child been with: His/her ability to do the same things his/her friends do?	PODCI Adolescent Parent-Reported Version - Ability Do Same Things Friends Do
C136047	PODCI214	PODCI2-His/Her Health in General	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, how happy has your child been with: His/her health in general?	PODCI Adolescent Parent-Reported Version - His or Her Health in General
C136048	PODCI215	PODCI2-Feel Sick and Tired	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, how much of the time: Did your child feel sick and tired?	PODCI Adolescent Parent-Reported Version - Feel Sick and Tired
C136049	PODCI216	PODCI2-Full of Pep and Energy	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, how much of the time: Were your child full of pep and energy?	PODCI Adolescent Parent-Reported Version - Full of Pep and Energy
C136050	PODCI217	PODCI2-Pain/Discom Inter With Activities	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, how much of the time: Did pain or discomfort interfere with your child's activities?	PODCI Adolescent Parent-Reported Version - Pain or Discomfort Interfere With Activities
C136051	PODCI218	PODCI2-Run Short Distances	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, has it been easy or hard for your child to: Run short distances?	PODCI Adolescent Parent-Reported Version - Run Short Distances
C136052	PODCI219	PODCI2-Bicycle or Tricycle	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, has it been easy or hard for your child to: Bicycle or tricycle?	PODCI Adolescent Parent-Reported Version - Bicycle or Tricycle
C136053	PODCI220	PODCI2-Climb Three Flights of Stairs	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, has it been easy or hard for your child to: Climb three flights of stairs?	PODCI Adolescent Parent-Reported Version - Climb Three Flights of Stairs

Adolescent Parent-Reported Version				
Item ID	Item Label	Description	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - Question Text	PODCI Adolescent Parent-Reported Version - Item Label
C136054	PODCI221	PODCI2-Climb One Flight of Stairs	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, has it been easy or hard for your child to: Climb one flight of stairs?	PODCI Adolescent Parent-Reported Version - Climb One Flight of Stairs
C136055	PODCI222	PODCI2-Walk More Than a Mile	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, has it been easy or hard for your child to: Walk more than a mile?	PODCI Adolescent Parent-Reported Version - Walk More Than a Mile
C136056	PODCI223	PODCI2-Walk Three Blocks	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, has it been easy or hard for your child to: Walk three blocks?	PODCI Adolescent Parent-Reported Version - Walk Three Blocks
C136057	PODCI224	PODCI2-Walk One Block	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, has it been easy or hard for your child to: Walk one block?	PODCI Adolescent Parent-Reported Version - Walk One Block
C136058	PODCI225	PODCI2-Get On and Off a Bus	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, has it been easy or hard for your child to: Get on and off a bus?	PODCI Adolescent Parent-Reported Version - Get On and Off a Bus
C136059	PODCI226	PODCI2-Need Help Walking and Climbing	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - How often does your child need help from another person for walking and climbing?	PODCI Adolescent Parent-Reported Version - Need Help Walking and Climbing
C136060	PODCI227	PODCI2-Use Assistive Devices for Walking	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - How often does your child use assistive devices (such as braces, crutches, or wheelchair) for walking and climbing?	PODCI Adolescent Parent-Reported Version - Use Assistive Devices for Walking
C136061	PODCI228	PODCI2-Stand Washing Hands at a Sink	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, has it been easy or hard for your child to: Stand while washing his/her hands and face at a sink?	PODCI Adolescent Parent-Reported Version - Stand Washing Hands at a Sink
C136062	PODCI229	PODCI2-Sit in Chair Without Holding On	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, has it been easy or hard for your child to: Sit in a regular chair without holding on?	PODCI Adolescent Parent-Reported Version - Sit in Chair Without Holding On
C136063	PODCI230	PODCI2-Get On and Off a Toilet or Chair	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, has it been easy or hard for your child to: Get on and off a toilet or chair?	PODCI Adolescent Parent-Reported Version - Get On and Off a Toilet or Chair
C136064	PODCI231	PODCI2-Get In and Out of Bed	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, has it been easy or hard for your child to: Get in and out of bed?	PODCI Adolescent Parent-Reported Version - Get In and Out of Bed
C136065	PODCI232	PODCI2-Turn Door Knobs	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, has it been easy or hard for your child to: Turn door knobs?	PODCI Adolescent Parent-Reported Version - Turn Door Knobs
C136066	PODCI233	PODCI2-Bend Over and Pick Up Something	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, has it been easy or hard for your child to: Bend over from a standing position and pick up something off the floor?	PODCI Adolescent Parent-Reported Version - Bend Over and Pick Up Something
C136067	PODCI234	PODCI2-Need Help Sitting and Standing	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - How often does your child need help from another person for sitting and standing?	PODCI Adolescent Parent-Reported Version - Need Help Sitting and Standing
C136068	PODCI235	PODCI2-Use Assistive Devices for Sitting	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - How often does your child use assistive devices (such as braces, crutches, or wheelchair) for sitting and standing?	PODCI Adolescent Parent-Reported Version - Use Assistive Devices for Sitting
C136069	PODCI236	PODCI2-Participate in Outdoor Activities	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - Can your child participate in recreational outdoor activities with other children the same age (For example: bicycling, skating, hiking, jogging)?	PODCI Adolescent Parent-Reported Version - Participate in Outdoor Activities
C136070	PODCI237	PODCI2-Outdoor Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 36 above, was your child's activity limited by: Pain?	PODCI Adolescent Parent-Reported Version - Outdoor Limited by: Pain
C136071	PODCI238	PODCI2-Outdoor Limited by: Health	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 36 above, was your child's activity limited by: General health?	PODCI Adolescent Parent-Reported Version - Outdoor Limited by: Health
C136072	PODCI239	PODCI2-Outdoor Limited by: Instructions	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 36 above, was your child's activity limited by: Doctor or parent instructions?	PODCI Adolescent Parent-Reported Version - Outdoor Limited by: Instructions
C136073	PODCI240	PODCI2-Outdoor Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 36 above, was your child's activity limited by: Fear the other kids won't like him/her?	PODCI Adolescent Parent-Reported Version - Outdoor Limited by: Fear

Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported				
C136074	PODCI241	PODCI2-Outdoor Limited by: Dislike	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 36 above, was your child's activity limited by: Dislike of recreational outdoor activities?	PODCI Adolescent Parent-Reported Version - Outdoor Limited by: Dislike
C136075	PODCI242	PODCI2-Outdoor Limited by: Too Young	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 36 above, was your child's activity limited by: Too young?	PODCI Adolescent Parent-Reported Version - Outdoor Limited by: Too Young
C136076	PODCI243	PODCI2-Outdoor Limited by: Season	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 36 above, was your child's activity limited by: Activity not in season?	PODCI Adolescent Parent-Reported Version - Outdoor Limited by: Season
C136077	PODCI244	PODCI2-Participate in Pickup Games	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - Can your child participate in pickup games or sports with other children the same age (For example: tag, dodge ball, basketball, softball, soccer, catch, jump rope, touch football, hop scotch)?	PODCI Adolescent Parent-Reported Version - Participate in Pickup Games
C136078	PODCI245	PODCI2-Games Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 44 above, was your child's activity limited by: Pain?	PODCI Adolescent Parent-Reported Version - Games Limited by: Pain
C136079	PODCI246	PODCI2-Games Limited by: Health	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 44 above, was your child's activity limited by: General health?	PODCI Adolescent Parent-Reported Version - Games Limited by: Health
C136080	PODCI247	PODCI2-Games Limited by: Instructions	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 44 above, was your child's activity limited by: Doctor or parent instructions?	PODCI Adolescent Parent-Reported Version - Games Limited by: Instructions
C136081	PODCI248	PODCI2-Games Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 44 above, was your child's activity limited by: Fear the other kids won't like him/her?	PODCI Adolescent Parent-Reported Version - Games Limited by: Fear
C136082	PODCI249	PODCI2-Games Limited by: Dislike	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 44 above, was your child's activity limited by: Dislike of pickup games or sports?	PODCI Adolescent Parent-Reported Version - Games Limited by: Dislike
C136083	PODCI250	PODCI2-Games Limited by: Too Young	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 44 above, was your child's activity limited by: Too young?	PODCI Adolescent Parent-Reported Version - Games Limited by: Too Young
C136084	PODCI251	PODCI2-Games Limited by: Season	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 44 above, was your child's activity limited by: Activity not in season?	PODCI Adolescent Parent-Reported Version - Games Limited by: Season
C136085	PODCI252	PODCI2-Participate in Competitive Sports	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - Can your child participate in competitive level sports with other children the same age (For example: hockey, basketball, soccer, football, baseball, swimming, running [track or cross country], gymnastics, or dance)?	PODCI Adolescent Parent-Reported Version - Participate in Competitive Sports
C136086	PODCI253	PODCI2-Comp Sports Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 52 above, was your child's activity limited by: Pain?	PODCI Adolescent Parent-Reported Version - Competitive Sports Limited by: Pain
C136087	PODCI254	PODCI2-Comp Sports Limited by: Health	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 52 above, was your child's activity limited by: General health?	PODCI Adolescent Parent-Reported Version - Competitive Sports Limited by: Health
C136088	PODCI255	PODCI2-Comp Sports Limited by: Instruct	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 52 above, was your child's activity limited by: Doctor or parent instructions?	PODCI Adolescent Parent-Reported Version - Competitive Sports Limited by: Instructions
C136089	PODCI256	PODCI2-Comp Sports Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 52 above, was your child's activity limited by: Fear the other kids won't like him/her?	PODCI Adolescent Parent-Reported Version - Competitive Sports Limited by: Fear
C136090	PODCI257	PODCI2-Comp Sports Limited by: Dislike	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 52 above, was your child's activity limited by: Dislike of pickup games or sports?	PODCI Adolescent Parent-Reported Version - Competitive Sports Limited by: Dislike
C136091	PODCI258	PODCI2-Comp Sports Limited by: Too Young	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 52 above, was your child's activity limited by: Too young?	PODCI Adolescent Parent-Reported Version - Competitive Sports Limited by: Too Young

Adolescent Parent-Reported Version - Competitive Sports Limited by: Season				
C136092	PODCI259	PODCI2-Comp Sports Limited by: Season	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 52 above, was your child's activity limited by: Activity not in season?	PODCI Adolescent Parent-Reported Version - Competitive Sports Limited by: Season
C136093	PODCI260	PODCI2-Get Together With Friends	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - How often in the last week did your child get together and do things with friends?	PODCI Adolescent Parent-Reported Version - Get Together With Friends
C136094	PODCI261	PODCI2-Friends Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 60 above, was your child's activity limited by: Pain?	PODCI Adolescent Parent-Reported Version - Friends Limited by: Pain
C136095	PODCI262	PODCI2-Friends Limited by: Health	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 60 above, was your child's activity limited by: General health?	PODCI Adolescent Parent-Reported Version - Friends Limited by: Health
C136096	PODCI263	PODCI2-Friends Limited by: Instructions	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 60 above, was your child's activity limited by: Doctor or parent instructions?	PODCI Adolescent Parent-Reported Version - Friends Limited by: Instructions
C136097	PODCI264	PODCI2-Friends Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 60 above, was your child's activity limited by: Fear the other kids won't like him/her?	PODCI Adolescent Parent-Reported Version - Friends Limited by: Fear
C136098	PODCI265	PODCI2-Friends Limited by: Not Around	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 60 above, was your child's activity limited by: Friends not around?	PODCI Adolescent Parent-Reported Version - Friends Limited by: Not Around
C136099	PODCI266	PODCI2-Participate in Gym/Recess	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - How often in the last week did your child participate in gym/recess?	PODCI Adolescent Parent-Reported Version - Participate in Gym or Recess
C136100	PODCI267	PODCI2-Gym Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 66 above, was your child's activity limited by: Pain?	PODCI Adolescent Parent-Reported Version - Gym Limited by: Pain
C136101	PODCI268	PODCI2-Gym Limited by: Health	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 66 above, was your child's activity limited by: General health?	PODCI Adolescent Parent-Reported Version - Gym Limited by: Health
C136102	PODCI269	PODCI2-Gym Limited by: Instructions	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 66 above, was your child's activity limited by: Doctor or parent instructions?	PODCI Adolescent Parent-Reported Version - Gym Limited by: Instructions
C136103	PODCI270	PODCI2-Gym Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 66 above, was your child's activity limited by: Fear the other kids won't like him/her?	PODCI Adolescent Parent-Reported Version - Gym Limited by: Fear
C136104	PODCI271	PODCI2-Gym Limited by: Dislike	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 66 above, was your child's activity limited by: Dislike of gym/recess?	PODCI Adolescent Parent-Reported Version - Gym Limited by: Dislike
C136105	PODCI272	PODCI2-Gym Limited by: Not in Session	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 66 above, was your child's activity limited by: School not in session?	PODCI Adolescent Parent-Reported Version - Gym Limited by: Not in Session
C136106	PODCI273	PODCI2-Gym Limited by: Not Attend School	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 66 above, was your child's activity limited by: Does not attend school?	PODCI Adolescent Parent-Reported Version - Gym Limited by: Not Attend School
C136107	PODCI274	PODCI2-Easy to Make Friends	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - Is it easy or hard for your child to make friends with children his/her own age?	PODCI Adolescent Parent-Reported Version - Easy to Make Friends
C136108	PODCI275	PODCI2-Pain During the Last Week	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - How much pain has your child had during the last week?	PODCI Adolescent Parent-Reported Version - Pain During the Last Week
C136109	PODCI276	PODCI2-Pain Interfere With Activities	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, how much did pain interfere with your child's normal activities (including at home, outside of the home, and at school)?	PODCI Adolescent Parent-Reported Version - Pain Interfere With Activities

Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported				
C136110	PODCI277	PODCI2-Have Pain Relief	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - As a result of my child's treatment, I expect my child: To have pain relief.	PODCI Adolescent Parent-Reported Version - Have Pain Relief
C136111	PODCI278	PODCI2-Look Better	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - As a result of my child's treatment, I expect my child: To look better.	PODCI Adolescent Parent-Reported Version - Look Better
C136112	PODCI279	PODCI2-Feel Better	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - As a result of my child's treatment, I expect my child: To feel better about himself/herself.	PODCI Adolescent Parent-Reported Version - Feel Better
C136113	PODCI280	PODCI2-Sleep More Comfortably	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - As a result of my child's treatment, I expect my child: To sleep more comfortably.	PODCI Adolescent Parent-Reported Version - Sleep More Comfortably
C136114	PODCI281	PODCI2-Able to Do Activities at Home	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - As a result of my child's treatment, I expect my child: To be able to do activities at home.	PODCI Adolescent Parent-Reported Version - Able to Do Activities at Home
C136115	PODCI282	PODCI2-Able to Do More at School	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - As a result of my child's treatment, I expect my child: To be able to do more at school.	PODCI Adolescent Parent-Reported Version - Able to Do More at School
C136116	PODCI283	PODCI2-Able to Do More Play	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - As a result of my child's treatment, I expect my child: To be able to do more play or recreational activities.	PODCI Adolescent Parent-Reported Version - Able to Do More Play
C136117	PODCI284	PODCI2-Able to Do More Sports	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - As a result of my child's treatment, I expect my child: To be able to do more sports.	PODCI Adolescent Parent-Reported Version - Able to Do More Sports
C136118	PODCI285	PODCI2-Free From Pain as Adult	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - As a result of my child's treatment, I expect my child: To be free from pain or disability as an adult.	PODCI Adolescent Parent-Reported Version - Free From Pain as Adult
C136119	PODCI286	PODCI2-Spend Rest of Life With Condition	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If your child had to spend the rest of his/her life with his/her bone and muscle condition as it is right now, how would you feel about it?	PODCI Adolescent Parent-Reported Version - Spend Rest of Life With Condition
C136120	PODCI287	PODCI2-Up Extremity/Phys Function Scale	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - Upper extremity and physical function core scale.	PODCI Adolescent Parent-Reported Version - Upper Extremity and Physical Function Scale
C136121	PODCI288	PODCI2-Transfer/Basic Mobility Scale	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - Transfer and basic mobility core scale.	PODCI Adolescent Parent-Reported Version - Transfer and Basic Mobility Scale
C136122	PODCI289	PODCI2-Sports/Phys Function Scale	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - Sports and physical functioning core scale.	PODCI Adolescent Parent-Reported Version - Sports and Physical Function Scale
C136123	PODCI290	PODCI2-Pain/Comfort Scale	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - Pain/comfort core scale.	PODCI Adolescent Parent-Reported Version - Pain or Comfort Scale
C136124	PODCI291	PODCI2-Happiness Scale	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - Happiness core scale.	PODCI Adolescent Parent-Reported Version - Happiness Scale
C136125	PODCI292	PODCI2-Global Functioning Scale	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - Global functioning scale.	PODCI Adolescent Parent-Reported Version - Global Functioning Scale

C136046	PODCI2-Ability Do Same Things Friends Do	PODCI2-Ability Do Same Things Friends Do	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, how happy has your child been with: His/her ability to do the same things his/her friends do?	PODCI Adolescent Parent-Reported Version - Ability Do Same Things Friends Do
C136114	PODCI2-Able to Do Activities at Home	PODCI2-Able to Do Activities at Home	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - As a result of my child's treatment, I expect my child: To be able to do activities at home.	PODCI Adolescent Parent-Reported Version - Able to Do Activities at Home
C136115	PODCI2-Able to Do More at School	PODCI2-Able to Do More at School	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - As a result of my child's treatment, I expect my child: To be able to do more at school.	PODCI Adolescent Parent-Reported Version - Able to Do More at School
C136116	PODCI2-Able to Do More Play	PODCI2-Able to Do More Play	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - As a result of my child's treatment, I expect my child: To be able to do more play or recreational activities.	PODCI Adolescent Parent-Reported Version - Able to Do More Play
C136117	PODCI2-Able to Do More Sports	PODCI2-Able to Do More Sports	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - As a result of my child's treatment, I expect my child: To be able to do more sports.	PODCI Adolescent Parent-Reported Version - Able to Do More Sports
C136066	PODCI2-Bend Over and Pick Up Something	PODCI2-Bend Over and Pick Up Something	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, has it been easy or hard for your child to: Bend over from a standing position and pick up something off the floor?	PODCI Adolescent Parent-Reported Version - Bend Over and Pick Up Something
C136052	PODCI2-Bicycle or Tricycle	PODCI2-Bicycle or Tricycle	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, has it been easy or hard for your child to: Bicycle or tricycle?	PODCI Adolescent Parent-Reported Version - Bicycle or Tricycle
C136039	PODCI2-Button Buttons	PODCI2-Button Buttons	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, was it easy or hard for your child to: Button buttons?	PODCI Adolescent Parent-Reported Version - Button Buttons
C136054	PODCI2-Climb One Flight of Stairs	PODCI2-Climb One Flight of Stairs	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, has it been easy or hard for your child to: Climb one flight of stairs?	PODCI Adolescent Parent-Reported Version - Climb One Flight of Stairs
C136053	PODCI2-Climb Three Flights of Stairs	PODCI2-Climb Three Flights of Stairs	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, has it been easy or hard for your child to: Climb three flights of stairs?	PODCI Adolescent Parent-Reported Version - Climb Three Flights of Stairs
C136038	PODCI2-Comb His/Her Hair	PODCI2-Comb His/Her Hair	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, was it easy or hard for your child to: Comb his/her hair?	PODCI Adolescent Parent-Reported Version - Comb His or Her Hair
C136090	PODCI2-Comp Sports Limited by: Dislike	PODCI2-Comp Sports Limited by: Dislike	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 52 above, was your child's activity limited by: Dislike of pickup games or sports?	PODCI Adolescent Parent-Reported Version - Competitive Sports Limited by: Dislike
C136089	PODCI2-Comp Sports Limited by: Fear	PODCI2-Comp Sports Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 52 above, was your child's activity limited by: Fear the other kids won't like him/her?	PODCI Adolescent Parent-Reported Version - Competitive Sports Limited by: Fear
C136087	PODCI2-Comp Sports Limited by: Health	PODCI2-Comp Sports Limited by: Health	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 52 above, was your child's activity limited by: General health?	PODCI Adolescent Parent-Reported Version - Competitive Sports Limited by: Health
C136088	PODCI2-Comp Sports Limited by: Instruct	PODCI2-Comp Sports Limited by: Instruct	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 52 above, was your child's activity limited by: Doctor or parent instructions?	PODCI Adolescent Parent-Reported Version - Competitive Sports Limited by: Instructions
C136086	PODCI2-Comp Sports Limited by: Pain	PODCI2-Comp Sports Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 52 above, was your child's activity limited by: Pain?	PODCI Adolescent Parent-Reported Version - Competitive Sports Limited by: Pain
C136092	PODCI2-Comp Sports Limited by: Season	PODCI2-Comp Sports Limited by: Season	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 52 above, was your child's activity limited by: Activity not in season?	PODCI Adolescent Parent-Reported Version - Competitive Sports Limited by: Season
C136091	PODCI2-Comp Sports Limited by: Too Young	PODCI2-Comp Sports Limited by: Too Young	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 52 above, was your child's activity limited by: Too young?	PODCI Adolescent Parent-Reported Version - Competitive Sports Limited by: Too Young

Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported					
C136107	PODCI2-Easy to Make Friends	PODCI2-Easy to Make Friends	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - Is it easy or hard for your child to make friends with children his/her own age?	PODCI Adolescent Parent-Reported Version - Easy to Make Friends	
C136112	PODCI2-Feel Better	PODCI2-Feel Better	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - As a result of my child's treatment, I expect my child: To feel better about himself/herself.	PODCI Adolescent Parent-Reported Version - Feel Better	
C136048	PODCI2-Feel Sick and Tired	PODCI2-Feel Sick and Tired	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, how much of the time: Did your child feel sick and tired?	PODCI Adolescent Parent-Reported Version - Feel Sick and Tired	
C136118	PODCI2-Free From Pain as Adult	PODCI2-Free From Pain as Adult	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - As a result of my child's treatment, I expect my child: To be free from pain or disability as an adult.	PODCI Adolescent Parent-Reported Version - Free From Pain as Adult	
C136097	PODCI2-Friends Limited by: Fear	PODCI2-Friends Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 60 above, was your child's activity limited by: Fear the other kids won't like him/her?	PODCI Adolescent Parent-Reported Version - Friends Limited by: Fear	
C136095	PODCI2-Friends Limited by: Health	PODCI2-Friends Limited by: Health	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 60 above, was your child's activity limited by: General health?	PODCI Adolescent Parent-Reported Version - Friends Limited by: Health	
C136096	PODCI2-Friends Limited by: Instructions	PODCI2-Friends Limited by: Instructions	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 60 above, was your child's activity limited by: Doctor or parent instructions?	PODCI Adolescent Parent-Reported Version - Friends Limited by: Instructions	
C136098	PODCI2-Friends Limited by: Not Around	PODCI2-Friends Limited by: Not Around	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 60 above, was your child's activity limited by: Friends not around?	PODCI Adolescent Parent-Reported Version - Friends Limited by: Not Around	
C136094	PODCI2-Friends Limited by: Pain	PODCI2-Friends Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 60 above, was your child's activity limited by: Pain?	PODCI Adolescent Parent-Reported Version - Friends Limited by: Pain	
C136049	PODCI2-Full of Pep and Energy	PODCI2-Full of Pep and Energy	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, how much of the time: Were your child full of pep and energy?	PODCI Adolescent Parent-Reported Version - Full of Pep and Energy	
C136082	PODCI2-Games Limited by: Dislike	PODCI2-Games Limited by: Dislike	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 44 above, was your child's activity limited by: Dislike of pickup games or sports?	PODCI Adolescent Parent-Reported Version - Games Limited by: Dislike	
C136081	PODCI2-Games Limited by: Fear	PODCI2-Games Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 44 above, was your child's activity limited by: Fear the other kids won't like him/her?	PODCI Adolescent Parent-Reported Version - Games Limited by: Fear	
C136079	PODCI2-Games Limited by: Health	PODCI2-Games Limited by: Health	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 44 above, was your child's activity limited by: General health?	PODCI Adolescent Parent-Reported Version - Games Limited by: Health	
C136080	PODCI2-Games Limited by: Instructions	PODCI2-Games Limited by: Instructions	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 44 above, was your child's activity limited by: Doctor or parent instructions?	PODCI Adolescent Parent-Reported Version - Games Limited by: Instructions	
C136078	PODCI2-Games Limited by: Pain	PODCI2-Games Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 44 above, was your child's activity limited by: Pain?	PODCI Adolescent Parent-Reported Version - Games Limited by: Pain	
C136084	PODCI2-Games Limited by: Season	PODCI2-Games Limited by: Season	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 44 above, was your child's activity limited by: Activity not in season?	PODCI Adolescent Parent-Reported Version - Games Limited by: Season	
C136083	PODCI2-Games Limited by: Too Young	PODCI2-Games Limited by: Too Young	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 44 above, was your child's activity limited by: Too young?	PODCI Adolescent Parent-Reported Version - Games Limited by: Too Young	
C136064	PODCI2-Get In and Out of Bed	PODCI2-Get In and Out of Bed	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, has it been easy or hard for your child to: Get in and out of bed?	PODCI Adolescent Parent-Reported Version - Get In and Out of Bed	
C136058	PODCI2-Get On and Off a Bus	PODCI2-Get On and Off a Bus	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, has it been easy or hard for your child to: Get on and off a bus?	PODCI Adolescent Parent-Reported Version - Get On and Off a Bus	
C136063	PODCI2-Get On and Off a Toilet or Chair	PODCI2-Get On and Off a Toilet or Chair	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, has it been easy or hard for your child to: Get on and off a toilet or chair?	PODCI Adolescent Parent-Reported Version - Get On and Off a Toilet or Chair	

Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported				
C136093	PODCI2-Get Together With Friends	PODCI2-Get Together With Friends	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - How often in the last week did your child get together and do things with friends?	PODCI Adolescent Parent-Reported Version - Get Together With Friends
C136125	PODCI2-Global Functioning Scale	PODCI2-Global Functioning Scale	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - Global functioning scale.	PODCI Adolescent Parent-Reported Version - Global Functioning Scale
C136104	PODCI2-Gym Limited by: Dislike	PODCI2-Gym Limited by: Dislike	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 66 above, was your child's activity limited by: Dislike of gym/recess?	PODCI Adolescent Parent-Reported Version - Gym Limited by: Dislike
C136103	PODCI2-Gym Limited by: Fear	PODCI2-Gym Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 66 above, was your child's activity limited by: Fear the other kids won't like him/her?	PODCI Adolescent Parent-Reported Version - Gym Limited by: Fear
C136101	PODCI2-Gym Limited by: Health	PODCI2-Gym Limited by: Health	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 66 above, was your child's activity limited by: General health?	PODCI Adolescent Parent-Reported Version - Gym Limited by: Health
C136102	PODCI2-Gym Limited by: Instructions	PODCI2-Gym Limited by: Instructions	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 66 above, was your child's activity limited by: Doctor or parent instructions?	PODCI Adolescent Parent-Reported Version - Gym Limited by: Instructions
C136106	PODCI2-Gym Limited by: Not Attend School	PODCI2-Gym Limited by: Not Attend School	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 66 above, was your child's activity limited by: Does not attend school?	PODCI Adolescent Parent-Reported Version - Gym Limited by: Not Attend School
C136105	PODCI2-Gym Limited by: Not in Session	PODCI2-Gym Limited by: Not in Session	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 66 above, was your child's activity limited by: School not in session?	PODCI Adolescent Parent-Reported Version - Gym Limited by: Not in Session
C136100	PODCI2-Gym Limited by: Pain	PODCI2-Gym Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 66 above, was your child's activity limited by: Pain?	PODCI Adolescent Parent-Reported Version - Gym Limited by: Pain
C136124	PODCI2-Happiness Scale	PODCI2-Happiness Scale	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - Happiness core scale.	PODCI Adolescent Parent-Reported Version - Happiness Scale
C136110	PODCI2-Have Pain Relief	PODCI2-Have Pain Relief	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - As a result of my child's treatment, I expect my child: To have pain relief.	PODCI Adolescent Parent-Reported Version - Have Pain Relief
C136044	PODCI2-His/Her Body	PODCI2-His/Her Body	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, how happy has your child been with: His/her body?	PODCI Adolescent Parent-Reported Version - His or Her Body
C136047	PODCI2-His/Her Health in General	PODCI2-His/Her Health in General	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, how happy has your child been with: His/her health in general?	PODCI Adolescent Parent-Reported Version - His or Her Health in General
C136043	PODCI2-How He/She Looks	PODCI2-How He/She Looks	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, how happy has your child been with: How he/she looks?	PODCI Adolescent Parent-Reported Version - How He or She Looks
C136034	PODCI2-Lift Heavy Books	PODCI2-Lift Heavy Books	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, was it easy or hard for your child to: Lift heavy books?	PODCI Adolescent Parent-Reported Version - Lift Heavy Books
C136111	PODCI2-Look Better	PODCI2-Look Better	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - As a result of my child's treatment, I expect my child: To look better.	PODCI Adolescent Parent-Reported Version - Look Better
C136042	PODCI2-Miss School Because of Health	PODCI2-Miss School Because of Health	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - On average, over the last 12 months, how often did your child miss school (camp, etc.) because of his/her health?	PODCI Adolescent Parent-Reported Version - Miss School Because of Health
C136067	PODCI2-Need Help Sitting and Standing	PODCI2-Need Help Sitting and Standing	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - How often does your child need help from another person for sitting and standing?	PODCI Adolescent Parent-Reported Version - Need Help Sitting and Standing
C136059	PODCI2-Need Help Walking and Climbing	PODCI2-Need Help Walking and Climbing	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - How often does your child need help from another person for walking and climbing?	PODCI Adolescent Parent-Reported Version - Need Help Walking and Climbing
C136036	PODCI2-Open a Jar Been Opened Before	PODCI2-Open a Jar Been Opened Before	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, was it easy or hard for your child to: Open a jar that has been opened before?	PODCI Adolescent Parent-Reported Version - Open a Jar Been Opened Before

Adolescent Parent-Reported Version				
C136074	PODCI2-Outdoor Limited by: Dislike	PODCI2-Outdoor Limited by: Dislike	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 36 above, was your child's activity limited by: Dislike of recreational outdoor activities?	PODCI Adolescent Parent-Reported Version - Outdoor Limited by: Dislike
C136073	PODCI2-Outdoor Limited by: Fear	PODCI2-Outdoor Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 36 above, was your child's activity limited by: Fear the other kids won't like him/her?	PODCI Adolescent Parent-Reported Version - Outdoor Limited by: Fear
C136071	PODCI2-Outdoor Limited by: Health	PODCI2-Outdoor Limited by: Health	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 36 above, was your child's activity limited by: General health?	PODCI Adolescent Parent-Reported Version - Outdoor Limited by: Health
C136072	PODCI2-Outdoor Limited by: Instructions	PODCI2-Outdoor Limited by: Instructions	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 36 above, was your child's activity limited by: Doctor or parent instructions?	PODCI Adolescent Parent-Reported Version - Outdoor Limited by: Instructions
C136070	PODCI2-Outdoor Limited by: Pain	PODCI2-Outdoor Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 36 above, was your child's activity limited by: Pain?	PODCI Adolescent Parent-Reported Version - Outdoor Limited by: Pain
C136076	PODCI2-Outdoor Limited by: Season	PODCI2-Outdoor Limited by: Season	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 36 above, was your child's activity limited by: Activity not in season?	PODCI Adolescent Parent-Reported Version - Outdoor Limited by: Season
C136075	PODCI2-Outdoor Limited by: Too Young	PODCI2-Outdoor Limited by: Too Young	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 36 above, was your child's activity limited by: Too young?	PODCI Adolescent Parent-Reported Version - Outdoor Limited by: Too Young
C136108	PODCI2-Pain During the Last Week	PODCI2-Pain During the Last Week	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - How much pain has your child had during the last week?	PODCI Adolescent Parent-Reported Version - Pain During the Last Week
C136109	PODCI2-Pain Interfere With Activities	PODCI2-Pain Interfere With Activities	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, how much did pain interfere with your child's normal activities (including at home, outside of the home, and at school)?	PODCI Adolescent Parent-Reported Version - Pain Interfere With Activities
C136123	PODCI2-Pain/Comfort Scale	PODCI2-Pain/Comfort Scale	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - Pain/comfort core scale.	PODCI Adolescent Parent-Reported Version - Pain or Comfort Scale
C136050	PODCI2-Pain/Discom Inter With Activities	PODCI2-Pain/Discom Inter With Activities	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, how much of the time: Did pain or discomfort interfere with your child's activities?	PODCI Adolescent Parent-Reported Version - Pain or Discomfort Interfere With Activities
C136085	PODCI2-Participate in Competitive Sports	PODCI2-Participate in Competitive Sports	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - Can your child participate in competitive level sports with other children the same age (For example: hockey, basketball, soccer, football, baseball, swimming, running [track or cross country], gymnastics, or dance)?	PODCI Adolescent Parent-Reported Version - Participate in Competitive Sports
C136099	PODCI2-Participate in Gym/Recess	PODCI2-Participate in Gym/Recess	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - How often in the last week did your child participate in gym/recess?	PODCI Adolescent Parent-Reported Version - Participate in Gym or Recess
C136069	PODCI2-Participate in Outdoor Activities	PODCI2-Participate in Outdoor Activities	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - Can your child participate in recreational outdoor activities with other children the same age (For example: bicycling, skating, hiking, jogging)?	PODCI Adolescent Parent-Reported Version - Participate in Outdoor Activities
C136077	PODCI2-Participate in Pickup Games	PODCI2-Participate in Pickup Games	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - Can your child participate in pickup games or sports with other children the same age (For example: tag, dodge ball, basketball, softball, soccer, catch, jump rope, touch football, hop scotch)?	PODCI Adolescent Parent-Reported Version - Participate in Pickup Games
C136035	PODCI2-Pour a Half Gallon of Milk	PODCI2-Pour a Half Gallon of Milk	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, was it easy or hard for your child to: Pour a half gallon of milk?	PODCI Adolescent Parent-Reported Version - Pour a Half Gallon of Milk
C136040	PODCI2-Put on His/Her Coat	PODCI2-Put on His/Her Coat	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, was it easy or hard for your child to: Put on his/her coat?	PODCI Adolescent Parent-Reported Version - Put on His or Her Coat
C136051	PODCI2-Run Short Distances	PODCI2-Run Short Distances	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, has it been easy or hard for your child to: Run short distances?	PODCI Adolescent Parent-Reported Version - Run Short Distances
C136062	PODCI2-Sit in Chair Without Holding On	PODCI2-Sit in Chair Without Holding On	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, has it been easy or hard for your child to: Sit in a regular chair without holding on?	PODCI Adolescent Parent-Reported Version - Sit in Chair Without Holding On

Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported				
C136113	PODCI2-Sleep More Comfortably	PODCI2-Sleep More Comfortably	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - As a result of my child's treatment, I expect my child: To sleep more comfortably.	PODCI Adolescent Parent-Reported Version - Sleep More Comfortably
C136119	PODCI2-Spend Rest of Life With Condition	PODCI2-Spend Rest of Life With Condition	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If your child had to spend the rest of his/her life with his/her bone and muscle condition as it is right now, how would you feel about it?	PODCI Adolescent Parent-Reported Version - Spend Rest of Life With Condition
C136122	PODCI2-Sports/Phys Function Scale	PODCI2-Sports/Phys Function Scale	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - Sports and physical functioning core scale.	PODCI Adolescent Parent-Reported Version - Sports and Physical Function Scale
C136061	PODCI2-Stand Washing Hands at a Sink	PODCI2-Stand Washing Hands at a Sink	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, has it been easy or hard for your child to: Stand while washing his/her hands and face at a sink?	PODCI Adolescent Parent-Reported Version - Stand Washing Hands at a Sink
C136121	PODCI2-Transfer/Basic Mobility Scale	PODCI2-Transfer/Basic Mobility Scale	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - Transfer and basic mobility core scale.	PODCI Adolescent Parent-Reported Version - Transfer and Basic Mobility Scale
C136065	PODCI2-Turn Door Knobs	PODCI2-Turn Door Knobs	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, has it been easy or hard for your child to: Turn door knobs?	PODCI Adolescent Parent-Reported Version - Turn Door Knobs
C136120	PODCI2-Up Extremity/Phys Function Scale	PODCI2-Up Extremity/Phys Function Scale	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - Upper extremity and physical function core scale.	PODCI Adolescent Parent-Reported Version - Upper Extremity and Physical Function Scale
C136037	PODCI2-Use a Fork and Spoon	PODCI2-Use a Fork and Spoon	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, was it easy or hard for your child to: Use a fork and spoon?	PODCI Adolescent Parent-Reported Version - Use a Fork and Spoon
C136068	PODCI2-Use Assistive Devices for Sitting	PODCI2-Use Assistive Devices for Sitting	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - How often does your child use assistive devices (such as braces, crutches, or wheelchair) for sitting and standing?	PODCI Adolescent Parent-Reported Version - Use Assistive Devices for Sitting
C136060	PODCI2-Use Assistive Devices for Walking	PODCI2-Use Assistive Devices for Walking	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - How often does your child use assistive devices (such as braces, crutches, or wheelchair) for walking and climbing?	PODCI Adolescent Parent-Reported Version - Use Assistive Devices for Walking
C136055	PODCI2-Walk More Than a Mile	PODCI2-Walk More Than a Mile	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, has it been easy or hard for your child to: Walk more than a mile?	PODCI Adolescent Parent-Reported Version - Walk More Than a Mile
C136057	PODCI2-Walk One Block	PODCI2-Walk One Block	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, has it been easy or hard for your child to: Walk one block?	PODCI Adolescent Parent-Reported Version - Walk One Block
C136056	PODCI2-Walk Three Blocks	PODCI2-Walk Three Blocks	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, has it been easy or hard for your child to: Walk three blocks?	PODCI Adolescent Parent-Reported Version - Walk Three Blocks
C136045	PODCI2-What Clothes/Shoes He/She Wear	PODCI2-What Clothes/Shoes He/She Wear	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, how happy has your child been with: What clothes or shoes he/she can wear?	PODCI Adolescent Parent-Reported Version - What Clothes or Shoes He or She Wear
C136041	PODCI2-Write With a Pencil	PODCI2-Write With a Pencil	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, was it easy or hard for your child to: Write with a pencil?	PODCI Adolescent Parent-Reported Version - Write With a Pencil

C136126	PODCI301	PODCI3-Lift Heavy Books	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, was it easy or hard for you to: Lift heavy books?	PODCI Adolescent Self-Reported Version - Lift Heavy Books
C136127	PODCI302	PODCI3-Pour a Half Gallon of Milk	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, was it easy or hard for you to: Pour a half gallon of milk?	PODCI Adolescent Self-Reported Version - Pour a Half Gallon of Milk
C136128	PODCI303	PODCI3-Open a Jar Been Opened Before	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, was it easy or hard for you to: Open a jar that has been opened before?	PODCI Adolescent Self-Reported Version - Open a Jar Been Opened Before
C136129	PODCI304	PODCI3-Use a Fork and Spoon	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, was it easy or hard for you to: Use a fork and spoon?	PODCI Adolescent Self-Reported Version - Use a Fork and Spoon
C136130	PODCI305	PODCI3-Comb Your Hair	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, was it easy or hard for you to: Comb your hair?	PODCI Adolescent Self-Reported Version - Comb Your Hair
C136131	PODCI306	PODCI3-Button Buttons	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, was it easy or hard for you to: Button buttons?	PODCI Adolescent Self-Reported Version - Button Buttons
C136132	PODCI307	PODCI3-Put on Your Coat	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, was it easy or hard for you to: Put on your coat?	PODCI Adolescent Self-Reported Version - Put on Your Coat
C136133	PODCI308	PODCI3-Write With a Pencil	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, was it easy or hard for you to: Write with a pencil?	PODCI Adolescent Self-Reported Version - Write With a Pencil
C136134	PODCI309	PODCI3-Miss School Because of Health	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - On average, over the last 12 months, how often did you miss school (camp, etc.) because of your health?	PODCI Adolescent Self-Reported Version - Miss School Because of Health
C136135	PODCI310	PODCI3-How You Look	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, how happy have you been with: How you look?	PODCI Adolescent Self-Reported Version - How You Look
C136136	PODCI311	PODCI3-Your Body	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, how happy have you been with: Your body?	PODCI Adolescent Self-Reported Version - Your Body
C136137	PODCI312	PODCI3-What Clothes/Shoes You Can Wear	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, how happy have you been with: What clothes or shoes you can wear?	PODCI Adolescent Self-Reported Version - What Clothes or Shoes You Can Wear
C136138	PODCI313	PODCI3-Ability Do Same Things Friends Do	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, how happy have you been with: Your ability to do the same things your friends do?	PODCI Adolescent Self-Reported Version - Ability Do Same Things Friends Do
C136139	PODCI314	PODCI3-Your Health in General	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, how happy have you been with: Your health in general?	PODCI Adolescent Self-Reported Version - Your Health in General
C136140	PODCI315	PODCI3-Feel Sick and Tired	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, how much of the time: Did you feel sick and tired?	PODCI Adolescent Self-Reported Version - Feel Sick and Tired
C136141	PODCI316	PODCI3-Full of Pep and Energy	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, how much of the time: Were you full of pep and energy?	PODCI Adolescent Self-Reported Version - Full of Pep and Energy
C136142	PODCI317	PODCI3-Pain/Discom Inter With Activities	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, how much of the time: Did pain or discomfort interfere with your activities?	PODCI Adolescent Self-Reported Version - Pain or Discomfort Interfere With Activities
C136143	PODCI318	PODCI3-Run Short Distances	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, has it been easy or hard for you to: Run short distances?	PODCI Adolescent Self-Reported Version - Run Short Distances
C136144	PODCI319	PODCI3-Bicycle or Tricycle	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, has it been easy or hard for you to: Bicycle or tricycle?	PODCI Adolescent Self-Reported Version - Bicycle or Tricycle
C136145	PODCI320	PODCI3-Climb Three Flights of Stairs	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, has it been easy or hard for you to: Climb three flights of stairs?	PODCI Adolescent Self-Reported Version - Climb Three Flights of Stairs

Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported				
C136146	PODCI321	PODCI3-Climb One Flight of Stairs	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, has it been easy or hard for you to: Climb one flight of stairs?	PODCI Adolescent Self-Reported Version - Climb One Flight of Stairs
C136147	PODCI322	PODCI3-Walk More Than a Mile	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, has it been easy or hard for you to: Walk more than a mile?	PODCI Adolescent Self-Reported Version - Walk More Than a Mile
C136148	PODCI323	PODCI3-Walk Three Blocks	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, has it been easy or hard for you to: Walk three blocks?	PODCI Adolescent Self-Reported Version - Walk Three Blocks
C136149	PODCI324	PODCI3-Walk One Block	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, has it been easy or hard for you to: Walk one block?	PODCI Adolescent Self-Reported Version - Walk One Block
C136150	PODCI325	PODCI3-Get On and Off a Bus	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, has it been easy or hard for you to: Get on and off a bus?	PODCI Adolescent Self-Reported Version - Get On and Off a Bus
C136151	PODCI326	PODCI3-Need Help Walking and Climbing	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - How often do you need help from another person for walking and climbing?	PODCI Adolescent Self-Reported Version - Need Help Walking and Climbing
C136152	PODCI327	PODCI3-Use Assistive Devices for Walking	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - How often do you use assistive devices (such as braces, crutches, or wheelchair) for walking and climbing?	PODCI Adolescent Self-Reported Version - Use Assistive Devices for Walking
C136153	PODCI328	PODCI3-Stand Washing Hands at a Sink	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, has it been easy or hard for you to: Stand while washing your hands and face at a sink?	PODCI Adolescent Self-Reported Version - Stand Washing Hands at a Sink
C136154	PODCI329	PODCI3-Sit in Chair Without Holding On	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, has it been easy or hard for you to: Sit in a regular chair without holding on?	PODCI Adolescent Self-Reported Version - Sit in Chair Without Holding On
C136155	PODCI330	PODCI3-Get On and Off a Toilet or Chair	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, has it been easy or hard for you to: Get on and off a toilet or chair?	PODCI Adolescent Self-Reported Version - Get On and Off a Toilet or Chair
C136156	PODCI331	PODCI3-Get In and Out of Bed	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, has it been easy or hard for you to: Get in and out of bed?	PODCI Adolescent Self-Reported Version - Get In and Out of Bed
C136157	PODCI332	PODCI3-Turn Door Knobs	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, has it been easy or hard for you to: Turn door knobs?	PODCI Adolescent Self-Reported Version - Turn Door Knobs
C136158	PODCI333	PODCI3-Bend Over and Pick Up Something	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, has it been easy or hard for you to: Bend over from a standing position and pick up something off the floor?	PODCI Adolescent Self-Reported Version - Bend Over and Pick Up Something
C136159	PODCI334	PODCI3-Need Help Sitting and Standing	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - How often do you need help from another person for sitting and standing?	PODCI Adolescent Self-Reported Version - Need Help Sitting and Standing
C136160	PODCI335	PODCI3-Use Assistive Devices for Sitting	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - How often do you use assistive devices (such as braces, crutches, or wheelchair) for sitting and standing?	PODCI Adolescent Self-Reported Version - Use Assistive Devices for Sitting
C136161	PODCI336	PODCI3-Participate in Outdoor Activities	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - Can you participate in recreational outdoor activities with other kids the same age (For example: bicycling, skating, hiking, jogging)?	PODCI Adolescent Self-Reported Version - Participate in Outdoor Activities
C136162	PODCI337	PODCI3-Outdoor Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 36 above, was your activity limited by: Pain?	PODCI Adolescent Self-Reported Version - Outdoor Limited by: Pain
C136163	PODCI338	PODCI3-Outdoor Limited by: Health	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 36 above, was your activity limited by: General health?	PODCI Adolescent Self-Reported Version - Outdoor Limited by: Health
C136164	PODCI339	PODCI3-Outdoor Limited by: Instructions	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 36 above, was your activity limited by: Doctor or parent instructions?	PODCI Adolescent Self-Reported Version - Outdoor Limited by: Instructions
C136165	PODCI340	PODCI3-Outdoor Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 36 above, was your activity limited by: Fear the other kids won't like you?	PODCI Adolescent Self-Reported Version - Outdoor Limited by: Fear
C136166	PODCI341	PODCI3-Outdoor Limited by: Dislike	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 36 above, was your activity limited by: Dislike of recreational outdoor activities?	PODCI Adolescent Self-Reported Version - Outdoor Limited by: Dislike

Adolescent Self-Reported Version - Activities				
C136167	PODCI342	PODCI3-Outdoor Limited by: Season	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 36 above, was your activity limited by: Activity not in season?	PODCI Adolescent Self-Reported Version - Outdoor Limited by: Season
C136168	PODCI343	PODCI3-Participate in Pickup Games	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - Can you participate in pickup games or sports with other kids the same age (For example: tag, dodge ball, basketball, softball, soccer, catch, jump rope, touch football, hop scotch)?	PODCI Adolescent Self-Reported Version - Participate in Pickup Games
C136169	PODCI344	PODCI3-Games Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 43 above, was your activity limited by: Pain?	PODCI Adolescent Self-Reported Version - Games Limited by: Pain
C136170	PODCI345	PODCI3-Games Limited by: Health	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 43 above, was your activity limited by: General health?	PODCI Adolescent Self-Reported Version - Games Limited by: Health
C136171	PODCI346	PODCI3-Games Limited by: Instructions	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 43 above, was your activity limited by: Doctor or parent instructions?	PODCI Adolescent Self-Reported Version - Games Limited by: Instructions
C136172	PODCI347	PODCI3-Games Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 43 above, was your activity limited by: Fear the other kids won't like you?	PODCI Adolescent Self-Reported Version - Games Limited by: Fear
C136173	PODCI348	PODCI3-Games Limited by: Dislike	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 43 above, was your activity limited by: Dislike of pickup games or sports?	PODCI Adolescent Self-Reported Version - Games Limited by: Dislike
C136174	PODCI349	PODCI3-Games Limited by: Season	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 43 above, was your activity limited by: Activity not in season?	PODCI Adolescent Self-Reported Version - Games Limited by: Season
C136175	PODCI350	PODCI3-Participate in Competitive Sports	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - Can you participate in competitive level sports with other kids the same age (For example: hockey, basketball, soccer, football, baseball, swimming, running [track or cross country], gymnastics, or dance)?	PODCI Adolescent Self-Reported Version - Participate in Competitive Sports
C136176	PODCI351	PODCI3-Comp Sports Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 50 above, was your activity limited by: Pain?	PODCI Adolescent Self-Reported Version - Competitive Sports Limited by: Pain
C136177	PODCI352	PODCI3-Comp Sports Limited by: Health	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 50 above, was your activity limited by: General health?	PODCI Adolescent Self-Reported Version - Competitive Sports Limited by: Health
C136178	PODCI353	PODCI3-Comp Sports Limited by: Instruct	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 50 above, was your activity limited by: Doctor or parent instructions?	PODCI Adolescent Self-Reported Version - Competitive Sports Limited by: Instructions
C136179	PODCI354	PODCI3-Comp Sports Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 50 above, was your activity limited by: Fear the other kids won't like you?	PODCI Adolescent Self-Reported Version - Competitive Sports Limited by: Fear
C136180	PODCI355	PODCI3-Comp Sports Limited by: Dislike	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 50 above, was your activity limited by: Dislike of pickup games or sports?	PODCI Adolescent Self-Reported Version - Competitive Sports Limited by: Dislike
C136181	PODCI356	PODCI3-Comp Sports Limited by: Season	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 50 above, was your activity limited by: Activity not in season?	PODCI Adolescent Self-Reported Version - Competitive Sports Limited by: Season
C136182	PODCI357	PODCI3-Get Together With Friends	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - How often in the last week did you get together and do things with friends?	PODCI Adolescent Self-Reported Version - Get Together With Friends
C136183	PODCI358	PODCI3-Friends Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "sometimes" or "never or rarely" to Question 57 above, was your activity limited by: Pain?	PODCI Adolescent Self-Reported Version - Friends Limited by: Pain
C136184	PODCI359	PODCI3-Friends Limited by: Health	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "sometimes" or "never or rarely" to Question 57 above, was your activity limited by: General health?	PODCI Adolescent Self-Reported Version - Friends Limited by: Health
C136185	PODCI360	PODCI3-Friends Limited by: Instructions	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "sometimes" or "never or rarely" to Question 57 above, was your activity limited by: Doctor or parent instructions?	PODCI Adolescent Self-Reported Version - Friends Limited by: Instructions

Adolescent Self-Reported Version - Friends Limited by: Fear				
C136186	PODCI361	PODCI3-Friends Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "sometimes" or "never or rarely" to Question 57 above, was your activity limited by: Fear the other kids won't like you?	PODCI Adolescent Self-Reported Version - Friends Limited by: Fear
C136187	PODCI362	PODCI3-Friends Limited by: Not Around	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "sometimes" or "never or rarely" to Question 57 above, was your activity limited by: Friends not around?	PODCI Adolescent Self-Reported Version - Friends Limited by: Not Around
C136188	PODCI363	PODCI3-Participate in Gym/Recess	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - How often in the last week did you participate in gym/recess?	PODCI Adolescent Self-Reported Version - Participate in Gym or Recess
C136189	PODCI364	PODCI3-Gym Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "sometimes" or "never or rarely" to Question 63 above, was your activity limited by: Pain?	PODCI Adolescent Self-Reported Version - Gym Limited by: Pain
C136190	PODCI365	PODCI3-Gym Limited by: Health	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "sometimes" or "never or rarely" to Question 63 above, was your activity limited by: General health?	PODCI Adolescent Self-Reported Version - Gym Limited by: Health
C136191	PODCI366	PODCI3-Gym Limited by: Instructions	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "sometimes" or "never or rarely" to Question 63 above, was your activity limited by: Doctor or parent instructions?	PODCI Adolescent Self-Reported Version - Gym Limited by: Instructions
C136192	PODCI367	PODCI3-Gym Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "sometimes" or "never or rarely" to Question 63 above, was your activity limited by: Fear the other kids won't like you?	PODCI Adolescent Self-Reported Version - Gym Limited by: Fear
C136193	PODCI368	PODCI3-Gym Limited by: Dislike	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "sometimes" or "never or rarely" to Question 63 above, was your activity limited by: Dislike of gym/recess?	PODCI Adolescent Self-Reported Version - Gym Limited by: Dislike
C136194	PODCI369	PODCI3-Gym Limited by: Not in Session	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "sometimes" or "never or rarely" to Question 63 above, was your activity limited by: School not in session?	PODCI Adolescent Self-Reported Version - Gym Limited by: Not in Session
C136195	PODCI370	PODCI3-Gym Limited by: Not Attend School	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "sometimes" or "never or rarely" to Question 63 above, was your activity limited by: I don't attend school?	PODCI Adolescent Self-Reported Version - Gym Limited by: Not Attend School
C136196	PODCI371	PODCI3-Easy to Make Friends	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - Is it easy or hard for you to make friends with kids your own age?	PODCI Adolescent Self-Reported Version - Easy to Make Friends
C136197	PODCI372	PODCI3-Pain During the Last Week	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - How much pain have you had during the last week?	PODCI Adolescent Self-Reported Version - Pain During the Last Week
C136198	PODCI373	PODCI3-Pain Interfere With Activities	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, how much did pain interfere with your normal activities (including at home, outside of the home, and at school)?	PODCI Adolescent Self-Reported Version - Pain Interfere With Activities
C136199	PODCI374	PODCI3-Have Pain Relief	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - As a result of my treatment, I expect: To have pain relief.	PODCI Adolescent Self-Reported Version - Have Pain Relief
C136200	PODCI375	PODCI3-Look Better	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - As a result of my treatment, I expect: To look better.	PODCI Adolescent Self-Reported Version - Look Better
C136201	PODCI376	PODCI3-Feel Better	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - As a result of my treatment, I expect: To feel better about myself.	PODCI Adolescent Self-Reported Version - Feel Better
C136202	PODCI377	PODCI3-Sleep More Comfortably	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - As a result of my treatment, I expect: To sleep more comfortably.	PODCI Adolescent Self-Reported Version - Sleep More Comfortably
C136203	PODCI378	PODCI3-Able to Do Activities at Home	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - As a result of my treatment, I expect: To be able to do activities at home.	PODCI Adolescent Self-Reported Version - Able to Do Activities at Home
C136204	PODCI379	PODCI3-Able to Do More at School	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - As a result of my treatment, I expect: To be able to do more at school.	PODCI Adolescent Self-Reported Version - Able to Do More at School

Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported				
C136205	PODCI380	PODCI3-Able to Do More Play	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - As a result of my treatment, I expect: To be able to do more play or recreational activities.	PODCI Adolescent Self-Reported Version - Able to Do More Play
C136206	PODCI381	PODCI3-Able to Do More Sports	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - As a result of my treatment, I expect: To be able to do more sports.	PODCI Adolescent Self-Reported Version - Able to Do More Sports
C136207	PODCI382	PODCI3-Free From Pain as Adult	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - As a result of my treatment, I expect: To be free from pain or disability as an adult.	PODCI Adolescent Self-Reported Version - Free From Pain as Adult
C136208	PODCI383	PODCI3-Spend Rest of Life With Condition	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you had to spend the rest of your life with your bone and muscle condition as it is right now, how would you feel about it?	PODCI Adolescent Self-Reported Version - Spend Rest of Life With Condition
C136209	PODCI384	PODCI3-Up Extremity/Phys Function Scale	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - Upper extremity and physical function core scale.	PODCI Adolescent Self-Reported Version - Upper Extremity and Physical Function Scale
C136210	PODCI385	PODCI3-Transfer/Basic Mobility Scale	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - Transfer and basic mobility core scale.	PODCI Adolescent Self-Reported Version - Transfer and Basic Mobility Scale
C136211	PODCI386	PODCI3-Sports/Phys Function Scale	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - Sports and physical functioning core scale.	PODCI Adolescent Self-Reported Version - Sports and Physical Function Scale
C136212	PODCI387	PODCI3-Pain/Comfort Scale	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - Pain/comfort core scale.	PODCI Adolescent Self-Reported Version - Pain or Comfort Scale
C136213	PODCI388	PODCI3-Happiness Scale	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - Happiness core scale.	PODCI Adolescent Self-Reported Version - Happiness Scale
C136214	PODCI389	PODCI3-Global Functioning Scale	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - Global functioning scale.	PODCI Adolescent Self-Reported Version - Global Functioning Scale

C136138	PODCI3-Ability Do Same Things Friends Do	PODCI3-Ability Do Same Things Friends Do	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, how happy have you been with: Your ability to do the same things your friends do?	PODCI Adolescent Self-Reported Version - Ability Do Same Things Friends Do
C136203	PODCI3-Able to Do Activities at Home	PODCI3-Able to Do Activities at Home	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - As a result of my treatment, I expect: To be able to do activities at home.	PODCI Adolescent Self-Reported Version - Able to Do Activities at Home
C136204	PODCI3-Able to Do More at School	PODCI3-Able to Do More at School	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - As a result of my treatment, I expect: To be able to do more at school.	PODCI Adolescent Self-Reported Version - Able to Do More at School
C136205	PODCI3-Able to Do More Play	PODCI3-Able to Do More Play	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - As a result of my treatment, I expect: To be able to do more play or recreational activities.	PODCI Adolescent Self-Reported Version - Able to Do More Play
C136206	PODCI3-Able to Do More Sports	PODCI3-Able to Do More Sports	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - As a result of my treatment, I expect: To be able to do more sports.	PODCI Adolescent Self-Reported Version - Able to Do More Sports
C136158	PODCI3-Bend Over and Pick Up Something	PODCI3-Bend Over and Pick Up Something	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, has it been easy or hard for you to: Bend over from a standing position and pick up something off the floor?	PODCI Adolescent Self-Reported Version - Bend Over and Pick Up Something
C136144	PODCI3-Bicycle or Tricycle	PODCI3-Bicycle or Tricycle	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, has it been easy or hard for you to: Bicycle or tricycle?	PODCI Adolescent Self-Reported Version - Bicycle or Tricycle
C136131	PODCI3-Button Buttons	PODCI3-Button Buttons	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, was it easy or hard for you to: Button buttons?	PODCI Adolescent Self-Reported Version - Button Buttons
C136146	PODCI3-Climb One Flight of Stairs	PODCI3-Climb One Flight of Stairs	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, has it been easy or hard for you to: Climb one flight of stairs?	PODCI Adolescent Self-Reported Version - Climb One Flight of Stairs
C136145	PODCI3-Climb Three Flights of Stairs	PODCI3-Climb Three Flights of Stairs	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, has it been easy or hard for you to: Climb three flights of stairs?	PODCI Adolescent Self-Reported Version - Climb Three Flights of Stairs
C136130	PODCI3-Comb Your Hair	PODCI3-Comb Your Hair	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, was it easy or hard for you to: Comb your hair?	PODCI Adolescent Self-Reported Version - Comb Your Hair
C136180	PODCI3-Comp Sports Limited by: Dislike	PODCI3-Comp Sports Limited by: Dislike	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 50 above, was your activity limited by: Dislike of pickup games or sports?	PODCI Adolescent Self-Reported Version - Competitive Sports Limited by: Dislike
C136179	PODCI3-Comp Sports Limited by: Fear	PODCI3-Comp Sports Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 50 above, was your activity limited by: Fear the other kids won't like you?	PODCI Adolescent Self-Reported Version - Competitive Sports Limited by: Fear
C136177	PODCI3-Comp Sports Limited by: Health	PODCI3-Comp Sports Limited by: Health	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 50 above, was your activity limited by: General health?	PODCI Adolescent Self-Reported Version - Competitive Sports Limited by: Health
C136178	PODCI3-Comp Sports Limited by: Instruct	PODCI3-Comp Sports Limited by: Instruct	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 50 above, was your activity limited by: Doctor or parent instructions?	PODCI Adolescent Self-Reported Version - Competitive Sports Limited by: Instructions
C136176	PODCI3-Comp Sports Limited by: Pain	PODCI3-Comp Sports Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 50 above, was your activity limited by: Pain?	PODCI Adolescent Self-Reported Version - Competitive Sports Limited by: Pain
C136181	PODCI3-Comp Sports Limited by: Season	PODCI3-Comp Sports Limited by: Season	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 50 above, was your activity limited by: Activity not in season?	PODCI Adolescent Self-Reported Version - Competitive Sports Limited by: Season
C136196	PODCI3-Easy to Make Friends	PODCI3-Easy to Make Friends	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - Is it easy or hard for you to make friends with kids your own age?	PODCI Adolescent Self-Reported Version - Easy to Make Friends
C136201	PODCI3-Feel Better	PODCI3-Feel Better	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - As a result of my treatment, I expect: To feel better about myself.	PODCI Adolescent Self-Reported Version - Feel Better

Adolescent Self-Reported Version					
C136140	PODCI3-Feel Sick and Tired	PODCI3-Feel Sick and Tired	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, how much of the time: Did you feel sick and tired?	PODCI Adolescent Self-Reported Version - Feel Sick and Tired	PODCI Adolescent Self-Reported Version - Feel Sick and Tired
C136207	PODCI3-Free From Pain as Adult	PODCI3-Free From Pain as Adult	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - As a result of my treatment, I expect: To be free from pain or disability as an adult.	PODCI Adolescent Self-Reported Version - Free From Pain as Adult	PODCI Adolescent Self-Reported Version - Free From Pain as Adult
C136186	PODCI3-Friends Limited by: Fear	PODCI3-Friends Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "sometimes" or "never or rarely" to Question 57 above, was your activity limited by: Fear the other kids won't like you?	PODCI Adolescent Self-Reported Version - Friends Limited by: Fear	PODCI Adolescent Self-Reported Version - Friends Limited by: Fear
C136184	PODCI3-Friends Limited by: Health	PODCI3-Friends Limited by: Health	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "sometimes" or "never or rarely" to Question 57 above, was your activity limited by: General health?	PODCI Adolescent Self-Reported Version - Friends Limited by: Health	PODCI Adolescent Self-Reported Version - Friends Limited by: Health
C136185	PODCI3-Friends Limited by: Instructions	PODCI3-Friends Limited by: Instructions	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "sometimes" or "never or rarely" to Question 57 above, was your activity limited by: Doctor or parent instructions?	PODCI Adolescent Self-Reported Version - Friends Limited by: Instructions	PODCI Adolescent Self-Reported Version - Friends Limited by: Instructions
C136187	PODCI3-Friends Limited by: Not Around	PODCI3-Friends Limited by: Not Around	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "sometimes" or "never or rarely" to Question 57 above, was your activity limited by: Friends not around?	PODCI Adolescent Self-Reported Version - Friends Limited by: Not Around	PODCI Adolescent Self-Reported Version - Friends Limited by: Not Around
C136183	PODCI3-Friends Limited by: Pain	PODCI3-Friends Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "sometimes" or "never or rarely" to Question 57 above, was your activity limited by: Pain?	PODCI Adolescent Self-Reported Version - Friends Limited by: Pain	PODCI Adolescent Self-Reported Version - Friends Limited by: Pain
C136141	PODCI3-Full of Pep and Energy	PODCI3-Full of Pep and Energy	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, how much of the time: Were you full of pep and energy?	PODCI Adolescent Self-Reported Version - Full of Pep and Energy	PODCI Adolescent Self-Reported Version - Full of Pep and Energy
C136173	PODCI3-Games Limited by: Dislike	PODCI3-Games Limited by: Dislike	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 43 above, was your activity limited by: Dislike of pickup games or sports?	PODCI Adolescent Self-Reported Version - Games Limited by: Dislike	PODCI Adolescent Self-Reported Version - Games Limited by: Dislike
C136172	PODCI3-Games Limited by: Fear	PODCI3-Games Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 43 above, was your activity limited by: Fear the other kids won't like you?	PODCI Adolescent Self-Reported Version - Games Limited by: Fear	PODCI Adolescent Self-Reported Version - Games Limited by: Fear
C136170	PODCI3-Games Limited by: Health	PODCI3-Games Limited by: Health	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 43 above, was your activity limited by: General health?	PODCI Adolescent Self-Reported Version - Games Limited by: Health	PODCI Adolescent Self-Reported Version - Games Limited by: Health
C136171	PODCI3-Games Limited by: Instructions	PODCI3-Games Limited by: Instructions	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 43 above, was your activity limited by: Doctor or parent instructions?	PODCI Adolescent Self-Reported Version - Games Limited by: Instructions	PODCI Adolescent Self-Reported Version - Games Limited by: Instructions
C136169	PODCI3-Games Limited by: Pain	PODCI3-Games Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 43 above, was your activity limited by: Pain?	PODCI Adolescent Self-Reported Version - Games Limited by: Pain	PODCI Adolescent Self-Reported Version - Games Limited by: Pain
C136174	PODCI3-Games Limited by: Season	PODCI3-Games Limited by: Season	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 43 above, was your activity limited by: Activity not in season?	PODCI Adolescent Self-Reported Version - Games Limited by: Season	PODCI Adolescent Self-Reported Version - Games Limited by: Season
C136156	PODCI3-Get In and Out of Bed	PODCI3-Get In and Out of Bed	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, has it been easy or hard for you to: Get in and out of bed?	PODCI Adolescent Self-Reported Version - Get In and Out of Bed	PODCI Adolescent Self-Reported Version - Get In and Out of Bed
C136150	PODCI3-Get On and Off a Bus	PODCI3-Get On and Off a Bus	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, has it been easy or hard for you to: Get on and off a bus?	PODCI Adolescent Self-Reported Version - Get On and Off a Bus	PODCI Adolescent Self-Reported Version - Get On and Off a Bus
C136155	PODCI3-Get On and Off a Toilet or Chair	PODCI3-Get On and Off a Toilet or Chair	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, has it been easy or hard for you to: Get on and off a toilet or chair?	PODCI Adolescent Self-Reported Version - Get On and Off a Toilet or Chair	PODCI Adolescent Self-Reported Version - Get On and Off a Toilet or Chair
C136182	PODCI3-Get Together With Friends	PODCI3-Get Together With Friends	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - How often in the last week did you get together and do things with friends?	PODCI Adolescent Self-Reported Version - Get Together With Friends	PODCI Adolescent Self-Reported Version - Get Together With Friends
C136214	PODCI3-Global Functioning Scale	PODCI3-Global Functioning Scale	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - Global functioning scale.	PODCI Adolescent Self-Reported Version - Global Functioning Scale	PODCI Adolescent Self-Reported Version - Global Functioning Scale
C136193	PODCI3-Gym Limited by: Dislike	PODCI3-Gym Limited by: Dislike	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "sometimes" or "never or rarely" to Question 63 above, was your activity limited by: Dislike of gym/recess?	PODCI Adolescent Self-Reported Version - Gym Limited by: Dislike	PODCI Adolescent Self-Reported Version - Gym Limited by: Dislike

Adolescent Self-Reported Version - Gym Limited by: Fear				
C136192	PODCI3-Gym Limited by: Fear	PODCI3-Gym Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "sometimes" or "never or rarely" to Question 63 above, was your activity limited by: Fear the other kids won't like you?	PODCI Adolescent Self-Reported Version - Gym Limited by: Fear
C136190	PODCI3-Gym Limited by: Health	PODCI3-Gym Limited by: Health	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "sometimes" or "never or rarely" to Question 63 above, was your activity limited by: General health?	PODCI Adolescent Self-Reported Version - Gym Limited by: Health
C136191	PODCI3-Gym Limited by: Instructions	PODCI3-Gym Limited by: Instructions	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "sometimes" or "never or rarely" to Question 63 above, was your activity limited by: Doctor or parent instructions?	PODCI Adolescent Self-Reported Version - Gym Limited by: Instructions
C136195	PODCI3-Gym Limited by: Not Attend School	PODCI3-Gym Limited by: Not Attend School	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "sometimes" or "never or rarely" to Question 63 above, was your activity limited by: I don't attend school?	PODCI Adolescent Self-Reported Version - Gym Limited by: Not Attend School
C136194	PODCI3-Gym Limited by: Not in Session	PODCI3-Gym Limited by: Not in Session	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "sometimes" or "never or rarely" to Question 63 above, was your activity limited by: School not in session?	PODCI Adolescent Self-Reported Version - Gym Limited by: Not in Session
C136189	PODCI3-Gym Limited by: Pain	PODCI3-Gym Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "sometimes" or "never or rarely" to Question 63 above, was your activity limited by: Pain?	PODCI Adolescent Self-Reported Version - Gym Limited by: Pain
C136213	PODCI3-Happiness Scale	PODCI3-Happiness Scale	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - Happiness core scale.	PODCI Adolescent Self-Reported Version - Happiness Scale
C136199	PODCI3-Have Pain Relief	PODCI3-Have Pain Relief	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - As a result of my treatment, I expect: To have pain relief.	PODCI Adolescent Self-Reported Version - Have Pain Relief
C136135	PODCI3-How You Look	PODCI3-How You Look	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, how happy have you been with: How you look?	PODCI Adolescent Self-Reported Version - How You Look
C136126	PODCI3-Lift Heavy Books	PODCI3-Lift Heavy Books	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, was it easy or hard for you to: Lift heavy books?	PODCI Adolescent Self-Reported Version - Lift Heavy Books
C136200	PODCI3-Look Better	PODCI3-Look Better	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - As a result of my treatment, I expect: To look better.	PODCI Adolescent Self-Reported Version - Look Better
C136134	PODCI3-Miss School Because of Health	PODCI3-Miss School Because of Health	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - On average, over the last 12 months, how often did you miss school (camp, etc.) because of your health?	PODCI Adolescent Self-Reported Version - Miss School Because of Health
C136159	PODCI3-Need Help Sitting and Standing	PODCI3-Need Help Sitting and Standing	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - How often do you need help from another person for sitting and standing?	PODCI Adolescent Self-Reported Version - Need Help Sitting and Standing
C136151	PODCI3-Need Help Walking and Climbing	PODCI3-Need Help Walking and Climbing	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - How often do you need help from another person for walking and climbing?	PODCI Adolescent Self-Reported Version - Need Help Walking and Climbing
C136128	PODCI3-Open a Jar Been Opened Before	PODCI3-Open a Jar Been Opened Before	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, was it easy or hard for you to: Open a jar that has been opened before?	PODCI Adolescent Self-Reported Version - Open a Jar Been Opened Before
C136166	PODCI3-Outdoor Limited by: Dislike	PODCI3-Outdoor Limited by: Dislike	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 36 above, was your activity limited by: Dislike of recreational outdoor activities?	PODCI Adolescent Self-Reported Version - Outdoor Limited by: Dislike
C136165	PODCI3-Outdoor Limited by: Fear	PODCI3-Outdoor Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 36 above, was your activity limited by: Fear the other kids won't like you?	PODCI Adolescent Self-Reported Version - Outdoor Limited by: Fear
C136163	PODCI3-Outdoor Limited by: Health	PODCI3-Outdoor Limited by: Health	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 36 above, was your activity limited by: General health?	PODCI Adolescent Self-Reported Version - Outdoor Limited by: Health
C136164	PODCI3-Outdoor Limited by: Instructions	PODCI3-Outdoor Limited by: Instructions	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 36 above, was your activity limited by: Doctor or parent instructions?	PODCI Adolescent Self-Reported Version - Outdoor Limited by: Instructions
C136162	PODCI3-Outdoor Limited by: Pain	PODCI3-Outdoor Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 36 above, was your activity limited by: Pain?	PODCI Adolescent Self-Reported Version - Outdoor Limited by: Pain

Adolescent Self-Reported Version				
C136167	PODCI3-Outdoor Limited by Season	PODCI3-Outdoor Limited by Season	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 36 above, was your activity limited by: Activity not in season?	PODCI Adolescent Self-Reported Version - Outdoor Limited by: Season
C136197	PODCI3-Pain During the Last Week	PODCI3-Pain During the Last Week	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - How much pain have you had during the last week?	PODCI Adolescent Self-Reported Version - Pain During the Last Week
C136198	PODCI3-Pain Interfere With Activities	PODCI3-Pain Interfere With Activities	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, how much did pain interfere with your normal activities (including at home, outside of the home, and at school)?	PODCI Adolescent Self-Reported Version - Pain Interfere With Activities
C136212	PODCI3-Pain/Comfort Scale	PODCI3-Pain/Comfort Scale	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - Pain/comfort core scale.	PODCI Adolescent Self-Reported Version - Pain or Comfort Scale
C136142	PODCI3-Pain/Discom Inter With Activities	PODCI3-Pain/Discom Inter With Activities	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, how much of the time: Did pain or discomfort interfere with your activities?	PODCI Adolescent Self-Reported Version - Pain or Discomfort Interfere With Activities
C136175	PODCI3-Participate in Competitive Sports	PODCI3-Participate in Competitive Sports	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - Can you participate in competitive level sports with other kids the same age (For example: hockey, basketball, soccer, football, baseball, swimming, running [track or cross country], gymnastics, or dance)?	PODCI Adolescent Self-Reported Version - Participate in Competitive Sports
C136188	PODCI3-Participate in Gym/Recess	PODCI3-Participate in Gym/Recess	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - How often in the last week did you participate in gym/recess?	PODCI Adolescent Self-Reported Version - Participate in Gym or Recess
C136161	PODCI3-Participate in Outdoor Activities	PODCI3-Participate in Outdoor Activities	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - Can you participate in recreational outdoor activities with other kids the same age (For example: bicycling, skating, hiking, jogging)?	PODCI Adolescent Self-Reported Version - Participate in Outdoor Activities
C136168	PODCI3-Participate in Pickup Games	PODCI3-Participate in Pickup Games	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - Can you participate in pickup games or sports with other kids the same age (For example: tag, dodge ball, basketball, softball, soccer, catch, jump rope, touch football, hop scotch)?	PODCI Adolescent Self-Reported Version - Participate in Pickup Games
C136127	PODCI3-Pour a Half Gallon of Milk	PODCI3-Pour a Half Gallon of Milk	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, was it easy or hard for you to: Pour a half gallon of milk?	PODCI Adolescent Self-Reported Version - Pour a Half Gallon of Milk
C136132	PODCI3-Put on Your Coat	PODCI3-Put on Your Coat	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, was it easy or hard for you to: Put on your coat?	PODCI Adolescent Self-Reported Version - Put on Your Coat
C136143	PODCI3-Run Short Distances	PODCI3-Run Short Distances	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, has it been easy or hard for you to: Run short distances?	PODCI Adolescent Self-Reported Version - Run Short Distances
C136154	PODCI3-Sit in Chair Without Holding On	PODCI3-Sit in Chair Without Holding On	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, has it been easy or hard for you to: Sit in a regular chair without holding on?	PODCI Adolescent Self-Reported Version - Sit in Chair Without Holding On
C136202	PODCI3-Sleep More Comfortably	PODCI3-Sleep More Comfortably	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - As a result of my treatment, I expect: To sleep more comfortably.	PODCI Adolescent Self-Reported Version - Sleep More Comfortably
C136208	PODCI3-Spend Rest of Life With Condition	PODCI3-Spend Rest of Life With Condition	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you had to spend the rest of your life with your bone and muscle condition as it is right now, how would you feel about it?	PODCI Adolescent Self-Reported Version - Spend Rest of Life With Condition
C136211	PODCI3-Sports/Phys Function Scale	PODCI3-Sports/Phys Function Scale	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - Sports and physical functioning core scale.	PODCI Adolescent Self-Reported Version - Sports and Physical Function Scale
C136153	PODCI3-Stand Washing Hands at a Sink	PODCI3-Stand Washing Hands at a Sink	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, has it been easy or hard for you to: Stand while washing your hands and face at a sink?	PODCI Adolescent Self-Reported Version - Stand Washing Hands at a Sink
C136210	PODCI3-Transfer/Basic Mobility Scale	PODCI3-Transfer/Basic Mobility Scale	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - Transfer and basic mobility core scale.	PODCI Adolescent Self-Reported Version - Transfer and Basic Mobility Scale
C136157	PODCI3-Turn Door Knobs	PODCI3-Turn Door Knobs	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, has it been easy or hard for you to: Turn door knobs?	PODCI Adolescent Self-Reported Version - Turn Door Knobs

Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - Upper extremity and physical function core scale.				
C136209	PODCI3-Up Extremity/Physical Function Scale	PODCI3-Up Extremity/Physical Function Scale	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - Upper extremity and physical function core scale.	PODCI Adolescent Self-Reported Version - Upper Extremity and Physical Function Scale
C136129	PODCI3-Use a Fork and Spoon	PODCI3-Use a Fork and Spoon	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, was it easy or hard for you to: Use a fork and spoon?	PODCI Adolescent Self-Reported Version - Use a Fork and Spoon
C136160	PODCI3-Use Assistive Devices for Sitting	PODCI3-Use Assistive Devices for Sitting	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - How often do you use assistive devices (such as braces, crutches, or wheelchair) for sitting and standing?	PODCI Adolescent Self-Reported Version - Use Assistive Devices for Sitting
C136152	PODCI3-Use Assistive Devices for Walking	PODCI3-Use Assistive Devices for Walking	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - How often do you use assistive devices (such as braces, crutches, or wheelchair) for walking and climbing?	PODCI Adolescent Self-Reported Version - Use Assistive Devices for Walking
C136147	PODCI3-Walk More Than a Mile	PODCI3-Walk More Than a Mile	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, has it been easy or hard for you to: Walk more than a mile?	PODCI Adolescent Self-Reported Version - Walk More Than a Mile
C136149	PODCI3-Walk One Block	PODCI3-Walk One Block	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, has it been easy or hard for you to: Walk one block?	PODCI Adolescent Self-Reported Version - Walk One Block
C136148	PODCI3-Walk Three Blocks	PODCI3-Walk Three Blocks	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, has it been easy or hard for you to: Walk three blocks?	PODCI Adolescent Self-Reported Version - Walk Three Blocks
C136137	PODCI3-What Clothes/Shoes You Can Wear	PODCI3-What Clothes/Shoes You Can Wear	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, how happy have you been with: What clothes or shoes you can wear?	PODCI Adolescent Self-Reported Version - What Clothes or Shoes You Can Wear
C136133	PODCI3-Write With a Pencil	PODCI3-Write With a Pencil	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, was it easy or hard for you to: Write with a pencil?	PODCI Adolescent Self-Reported Version - Write With a Pencil
C136136	PODCI3-Your Body	PODCI3-Your Body	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, how happy have you been with: Your body?	PODCI Adolescent Self-Reported Version - Your Body
C136139	PODCI3-Your Health in General	PODCI3-Your Health in General	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, how happy have you been with: Your health in general?	PODCI Adolescent Self-Reported Version - Your Health in General

Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: It is hard to breathe.				
C138857	PQL0101	PQL01-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: It is hard to breathe.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Hard to Breathe
C138858	PQL0102	PQL01-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: I get sick easily.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Get Sick Easily
C138859	PQL0103	PQL01-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: I get sores and/or rashes.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Get Sores and/or Rashes
C138860	PQL0104	PQL01-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: My legs hurt.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Legs Hurt
C138861	PQL0105	PQL01-Feel Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: I feel tired.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Feel Tired
C138862	PQL0106	PQL01-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: My back feels stiff.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Back Feels Stiff
C138863	PQL0107	PQL01-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: I wake up tired.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Wake Up Tired
C138864	PQL0108	PQL01-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: My hands are weak.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Hands Are Weak
C138865	PQL0109	PQL01-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: It is hard to use the bathroom.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Hard to Use Bathroom
C138866	PQL0110	PQL01-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: It is hard to gain or lose weight when I want to.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Hard to Gain or Lose Weight
C138867	PQL0111	PQL01-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: It is hard to use my hands.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Hard to Use Hands
C138868	PQL0112	PQL01-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: It is hard to swallow food.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Hard to Swallow Food
C138869	PQL0113	PQL01-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: It takes me a long time to bathe or shower.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Long Time to Bathe or Shower
C138870	PQL0114	PQL01-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: I get hurt accidentally.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Get Hurt Accidentally
C138871	PQL0115	PQL01-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: I take a long time to eat.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Take Long Time to Eat
C138872	PQL0116	PQL01-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: It is hard to turn myself during the night.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Hard to Turn During Night
C138873	PQL0117	PQL01-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: It is hard for me to go places with my equipment.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Hard to Go Places With Equipment

PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Hard Tell Doctors and Nurses How I Feel				
C138874	PQL0118	PQL01-Hard Tell Doctors/Nurses How I Feel	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: It is hard for me to tell the doctors and nurses how I feel.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Hard Tell Doctors and Nurses How I Feel
C138875	PQL0119	PQL01-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: It is hard for me to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Hard Ask Doctors and Nurses Questions
C138876	PQL0120	PQL01-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: It is hard for me to explain my illness to other people.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Hard Explain Illness to People
C138877	PQL0121	PQL01-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: It is hard for my family to plan activities like vacations.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Hard for Family to Plan Activities
C138878	PQL0122	PQL01-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: It is hard for my family to get enough rest.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Hard for Family to Rest
C138879	PQL0123	PQL01-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: I think money is a problem in our family.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Money Problem in Our Family
C138880	PQL0124	PQL01-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: I think my family has a lot of problems.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Family Has Lot of Problems
C138881	PQL0125	PQL01-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: I do not have the equipment I need.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Do Not Have Equipment Need

C138862	PQL01-Back Feels Stiff	PQL01-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: My back feels stiff.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Back Feels Stiff
C138881	PQL01-Do Not Have Equipment Need	PQL01-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: I do not have the equipment I need.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Do Not Have Equipment Need
C138880	PQL01-Family Has Lot of Problems	PQL01-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: I think my family has a lot of problems.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Family Has Lot of Problems
C138861	PQL01-Feel Tired	PQL01-Feel Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: I feel tired.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Feel Tired
C138870	PQL01-Get Hurt Accidentally	PQL01-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: I get hurt accidentally.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Get Hurt Accidentally
C138858	PQL01-Get Sick Easily	PQL01-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: I get sick easily.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Get Sick Easily
C138859	PQL01-Get Sores and/or Rashes	PQL01-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: I get sores and/or rashes.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Get Sores and/or Rashes
C138864	PQL01-Hands Are Weak	PQL01-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: My hands are weak.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Hands Are Weak
C138875	PQL01-Hard Ask Doctors/Nurses Questions	PQL01-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: It is hard for me to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Hard Ask Doctors and Nurses Questions
C138876	PQL01-Hard Explain Illness to People	PQL01-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: It is hard for me to explain my illness to other people.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Hard Explain Illness to People
C138877	PQL01-Hard for Family to Plan Activities	PQL01-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: It is hard for my family to plan activities like vacations.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Hard for Family to Plan Activities
C138878	PQL01-Hard for Family to Rest	PQL01-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: It is hard for my family to get enough rest.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Hard for Family to Rest
C138874	PQL01-Hard Tell Doctors/Nurses How Feel	PQL01-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: It is hard for me to tell the doctors and nurses how I feel.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Hard Tell Doctors and Nurses How Feel
C138857	PQL01-Hard to Breathe	PQL01-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: It is hard to breathe.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Hard to Breathe
C138866	PQL01-Hard to Gain/Lose Weight	PQL01-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: It is hard to gain or lose weight when I want to.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Hard to Gain or Lose Weight
C138873	PQL01-Hard to Go Places With Equipment	PQL01-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: It is hard for me to go places with my equipment.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Hard to Go Places With Equipment

Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: It is hard to swallow food.				
C138868	PQL01-Hard to Swallow Food	PQL01-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: It is hard to swallow food.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Hard to Swallow Food
C138872	PQL01-Hard to Turn During Night	PQL01-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: It is hard to turn myself during the night.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Hard to Turn During Night
C138865	PQL01-Hard to Use Bathroom	PQL01-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: It is hard to use the bathroom.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Hard to Use Bathroom
C138867	PQL01-Hard to Use Hands	PQL01-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: It is hard to use my hands.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Hard to Use Hands
C138860	PQL01-Legs Hurt	PQL01-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: My legs hurt.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Legs Hurt
C138869	PQL01-Long Time to Bathe/Shower	PQL01-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: It takes me a long time to bathe or shower.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Long Time to Bathe or Shower
C138879	PQL01-Money Problem in Our Family	PQL01-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: I think money is a problem in our family.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Money Problem in Our Family
C138871	PQL01-Take Long Time to Eat	PQL01-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: I take a long time to eat.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Take Long Time to Eat
C138863	PQL01-Wake Up Tired	PQL01-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: I wake up tired.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Wake Up Tired

C138782	PQL0201	PQL02-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to breathe.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Hard to Breathe
C138783	PQL0202	PQL02-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: My child gets sick easily.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Get Sick Easily
C138784	PQL0203	PQL02-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: My child gets sores and/or rashes.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Get Sores and/or Rashes
C138785	PQL0204	PQL02-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: My child's legs hurt.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Legs Hurt
C138786	PQL0205	PQL02-Feel Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: My child feels tired.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Feel Tired
C138787	PQL0206	PQL02-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: My child's back feels stiff.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Back Feels Stiff
C138788	PQL0207	PQL02-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: My child wakes up tired.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Wake Up Tired
C138789	PQL0208	PQL02-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: My child's hands are weak.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Hands Are Weak
C138790	PQL0209	PQL02-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to use the bathroom.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Hard to Use Bathroom
C138791	PQL0210	PQL02-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to gain or lose weight when he or she wants to.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Hard to Gain or Lose Weight
C138792	PQL0211	PQL02-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to use his or her hands.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Hard to Use Hands
C138793	PQL0212	PQL02-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to swallow food.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Hard to Swallow Food
C138794	PQL0213	PQL02-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: It takes my child a long time to bathe or shower.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Long Time to Bathe or Shower
C138795	PQL0214	PQL02-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: My child gets hurt accidentally.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Get Hurt Accidentally
C138796	PQL0215	PQL02-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: My child takes a long time to eat.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Take Long Time to Eat

Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to turn him or herself during the night.				
C138797	PQL0216	PQL02-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to turn him or herself during the night.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Hard to Turn During Night
C138798	PQL0217	PQL02-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to go places with his or her equipment.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Hard to Go Places With Equipment
C138799	PQL0218	PQL02-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to tell the doctors and nurses how he or she feels.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Hard Tell Doctors and Nurses How Feel
C138800	PQL0219	PQL02-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Hard Ask Doctors and Nurses Questions
C138801	PQL0220	PQL02-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to explain his or her illness to other people.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Hard Explain Illness to People
C138802	PQL0221	PQL02-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for our family to plan activities like vacations.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Hard for Family to Plan Activities
C138803	PQL0222	PQL02-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for our family to get enough rest.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Hard for Family to Rest
C138804	PQL0223	PQL02-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: I think money is a problem in our family.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Money Problem in Our Family
C138805	PQL0224	PQL02-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: I think our family has a lot of problems.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Family Has Lot of Problems
C138806	PQL0225	PQL02-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: My child does not have the equipment he or she needs.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Do Not Have Equipment Need

C138787	PQL02-Back Feels Stiff	PQL02-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: My child's back feels stiff.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Back Feels Stiff
C138806	PQL02-Do Not Have Equipment Need	PQL02-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: My child does not have the equipment he or she needs.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Do Not Have Equipment Need
C138805	PQL02-Family Has Lot of Problems	PQL02-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: I think our family has a lot of problems.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Family Has Lot of Problems
C138786	PQL02-Feel Tired	PQL02-Feel Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: My child feels tired.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Feel Tired
C138795	PQL02-Get Hurt Accidentally	PQL02-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: My child gets hurt accidentally.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Get Hurt Accidentally
C138783	PQL02-Get Sick Easily	PQL02-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: My child gets sick easily.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Get Sick Easily
C138784	PQL02-Get Sores and/or Rashes	PQL02-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: My child gets sores and/or rashes.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Get Sores and/or Rashes
C138789	PQL02-Hands Are Weak	PQL02-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: My child's hands are weak.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Hands Are Weak
C138800	PQL02-Hard Ask Doctors/Nurses Questions	PQL02-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Hard Ask Doctors and Nurses Questions
C138801	PQL02-Hard Explain Illness to People	PQL02-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to explain his or her illness to other people.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Hard Explain Illness to People
C138802	PQL02-Hard for Family to Plan Activities	PQL02-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for our family to plan activities like vacations.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Hard for Family to Plan Activities
C138803	PQL02-Hard for Family to Rest	PQL02-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for our family to get enough rest.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Hard for Family to Rest
C138799	PQL02-Hard Tell Doctors/Nurses How Feel	PQL02-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to tell the doctors and nurses how he or she feels.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Hard Tell Doctors and Nurses How Feel
C138782	PQL02-Hard to Breathe	PQL02-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to breathe.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Hard to Breathe

Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to gain or lose weight when he or she wants to.				
C138791	PQL02-Hard to Gain/Lose Weight	PQL02-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to gain or lose weight when he or she wants to.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Hard to Gain or Lose Weight
C138798	PQL02-Hard to Go Places With Equipment	PQL02-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to go places with his or her equipment.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Hard to Go Places With Equipment
C138793	PQL02-Hard to Swallow Food	PQL02-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to swallow food.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Hard to Swallow Food
C138797	PQL02-Hard to Turn During Night	PQL02-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to turn him or herself during the night.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Hard to Turn During Night
C138790	PQL02-Hard to Use Bathroom	PQL02-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to use the bathroom.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Hard to Use Bathroom
C138792	PQL02-Hard to Use Hands	PQL02-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to use his or her hands.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Hard to Use Hands
C138785	PQL02-Legs Hurt	PQL02-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: My child's legs hurt.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Legs Hurt
C138794	PQL02-Long Time to Bathe/Shower	PQL02-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: It takes my child a long time to bathe or shower.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Long Time to Bathe or Shower
C138804	PQL02-Money Problem in Our Family	PQL02-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: I think money is a problem in our family.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Money Problem in Our Family
C138796	PQL02-Take Long Time to Eat	PQL02-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: My child takes a long time to eat.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Take Long Time to Eat
C138788	PQL02-Wake Up Tired	PQL02-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: My child wakes up tired.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Wake Up Tired

Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you:				
C138832	PQL0301	PQL03-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: It is hard to breathe.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Hard to Breathe
C138833	PQL0302	PQL03-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: I get sick easily.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Get Sick Easily
C138834	PQL0303	PQL03-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: I get sores and/or rashes.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Get Sores and/or Rashes
C138835	PQL0304	PQL03-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: My legs hurt.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Legs Hurt
C138836	PQL0305	PQL03-Feel Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: I feel tired.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Feel Tired
C138837	PQL0306	PQL03-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: My back feels stiff.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Back Feels Stiff
C138838	PQL0307	PQL03-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: I wake up tired.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Wake Up Tired
C138839	PQL0308	PQL03-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: My hands are weak.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Hands Are Weak
C138840	PQL0309	PQL03-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: It is hard to use the bathroom.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Hard to Use Bathroom
C138841	PQL0310	PQL03-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: It is hard to gain or lose weight when I want to.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Hard to Gain or Lose Weight
C138842	PQL0311	PQL03-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: It is hard to use my hands.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Hard to Use Hands
C138843	PQL0312	PQL03-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: It is hard to swallow food.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Hard to Swallow Food
C138844	PQL0313	PQL03-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: It takes me a long time to bathe or shower.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Long Time to Bathe or Shower
C138845	PQL0314	PQL03-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: I get hurt accidentally.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Get Hurt Accidentally
C138846	PQL0315	PQL03-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: I take a long time to eat.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Take Long Time to Eat
C138847	PQL0316	PQL03-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: It is hard to turn myself during the night.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Hard to Turn During Night
C138848	PQL0317	PQL03-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: It is hard for me to go places with my equipment.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Hard to Go Places With Equipment
C138849	PQL0318	PQL03-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: It is hard for me to tell the doctors and nurses how I feel.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Hard Tell Doctors and Nurses How Feel

Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: It is hard for me to ask the doctors and nurses questions.				
C138850	PQL0319	PQL03-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: It is hard for me to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Hard Ask Doctors and Nurses Questions
C138851	PQL0320	PQL03-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: It is hard for me to explain my illness to other people.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Hard Explain Illness to People
C138852	PQL0321	PQL03-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: It is hard for my family to plan activities like vacations.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Hard for Family to Plan Activities
C138853	PQL0322	PQL03-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: It is hard for my family to get enough rest.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Hard for Family to Rest
C138854	PQL0323	PQL03-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: I think money is a problem in our family.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Money Problem in Our Family
C138855	PQL0324	PQL03-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: I think my family has a lot of problems.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Family Has Lot of Problems
C138856	PQL0325	PQL03-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: I do not have the equipment I need.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Do Not Have Equipment Need

C138837	PQL03-Back Feels Stiff	PQL03-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: My back feels stiff.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Back Feels Stiff
C138856	PQL03-Do Not Have Equipment Need	PQL03-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: I do not have the equipment I need.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Do Not Have Equipment Need
C138855	PQL03-Family Has Lot of Problems	PQL03-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: I think my family has a lot of problems.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Family Has Lot of Problems
C138836	PQL03-Feel Tired	PQL03-Feel Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: I feel tired.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Feel Tired
C138845	PQL03-Get Hurt Accidentally	PQL03-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: I get hurt accidentally.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Get Hurt Accidentally
C138833	PQL03-Get Sick Easily	PQL03-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: I get sick easily.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Get Sick Easily
C138834	PQL03-Get Sores and/or Rashes	PQL03-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: I get sores and/or rashes.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Get Sores and/or Rashes
C138839	PQL03-Hands Are Weak	PQL03-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: My hands are weak.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Hands Are Weak
C138850	PQL03-Hard Ask Doctors/Nurses Questions	PQL03-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: It is hard for me to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Hard Ask Doctors and Nurses Questions
C138851	PQL03-Hard Explain Illness to People	PQL03-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: It is hard for me to explain my illness to other people.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Hard Explain Illness to People
C138852	PQL03-Hard for Family to Plan Activities	PQL03-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: It is hard for my family to plan activities like vacations.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Hard for Family to Plan Activities
C138853	PQL03-Hard for Family to Rest	PQL03-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: It is hard for my family to get enough rest.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Hard for Family to Rest
C138849	PQL03-Hard Tell Doctors/Nurses How Feel	PQL03-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: It is hard for me to tell the doctors and nurses how I feel.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Hard Tell Doctors and Nurses How Feel
C138832	PQL03-Hard to Breathe	PQL03-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: It is hard to breathe.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Hard to Breathe
C138841	PQL03-Hard to Gain/Lose Weight	PQL03-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: It is hard to gain or lose weight when I want to.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Hard to Gain or Lose Weight
C138848	PQL03-Hard to Go Places With Equipment	PQL03-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: It is hard for me to go places with my equipment.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Hard to Go Places With Equipment
C138843	PQL03-Hard to Swallow Food	PQL03-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: It is hard to swallow food.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Hard to Swallow Food

Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: It is hard to turn myself during the night.				
C138847	PQL03-Hard to Turn During Night	PQL03-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: It is hard to turn myself during the night.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Hard to Turn During Night
C138840	PQL03-Hard to Use Bathroom	PQL03-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: It is hard to use the bathroom.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Hard to Use Bathroom
C138842	PQL03-Hard to Use Hands	PQL03-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: It is hard to use my hands.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Hard to Use Hands
C138835	PQL03-Legs Hurt	PQL03-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: My legs hurt.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Legs Hurt
C138844	PQL03-Long Time to Bathe/Shower	PQL03-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: It takes me a long time to bathe or shower.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Long Time to Bathe or Shower
C138854	PQL03-Money Problem in Our Family	PQL03-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: I think money is a problem in our family.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Money Problem in Our Family
C138846	PQL03-Take Long Time to Eat	PQL03-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: I take a long time to eat.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Take Long Time to Eat
C138838	PQL03-Wake Up Tired	PQL03-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: I wake up tired.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Wake Up Tired

C138757	PQL0401	PQL04-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: It is hard for my child to breathe.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Hard to Breathe
C138758	PQL0402	PQL04-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: My child gets sick easily.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Get Sick Easily
C138759	PQL0403	PQL04-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: My child gets sores and/or rashes.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Get Sores and/or Rashes
C138760	PQL0404	PQL04-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: My child's legs hurt.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Legs Hurt
C138761	PQL0405	PQL04-Feel Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: My child feels tired.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Feel Tired
C138762	PQL0406	PQL04-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: My child's back feels stiff.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Back Feels Stiff
C138763	PQL0407	PQL04-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: My child wakes up tired.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Wake Up Tired
C138764	PQL0408	PQL04-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: My child's hands are weak.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Hands Are Weak
C138765	PQL0409	PQL04-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: It is hard for my child to use the bathroom.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Hard to Use Bathroom
C138766	PQL0410	PQL04-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: It is hard for my child to gain or lose weight when he or she wants to.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Hard to Gain or Lose Weight
C138767	PQL0411	PQL04-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: It is hard for my child to use his or her hands.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Hard to Use Hands
C138768	PQL0412	PQL04-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: It is hard for my child to swallow food.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Hard to Swallow Food
C138769	PQL0413	PQL04-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: It takes my child a long time to bathe or shower.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Long Time to Bathe or Shower
C138770	PQL0414	PQL04-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: My child gets hurt accidentally.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Get Hurt Accidentally
C138771	PQL0415	PQL04-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: My child takes a long time to eat.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Take Long Time to Eat
C138772	PQL0416	PQL04-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: It is hard for my child to turn him or herself during the night.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Hard to Turn During Night
C138773	PQL0417	PQL04-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: It is hard for my child to go places with his or her equipment.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Hard to Go Places With Equipment

PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Hard Tell Doctors and Nurses How Feel				
C138774	PQL0418	PQL04-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: It is hard for my child to tell the doctors and nurses how he or she feels.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Hard Tell Doctors and Nurses How Feel
C138775	PQL0419	PQL04-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: It is hard for my child to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Hard Ask Doctors and Nurses Questions
C138776	PQL0420	PQL04-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: It is hard for my child to explain his or her illness to other people.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Hard Explain Illness to People
C138777	PQL0421	PQL04-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: It is hard for our family to plan activities like vacations.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Hard for Family to Plan Activities
C138778	PQL0422	PQL04-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: It is hard for our family to get enough rest.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Hard for Family to Rest
C138779	PQL0423	PQL04-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: I think money is a problem in our family.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Money Problem in Our Family
C138780	PQL0424	PQL04-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: I think our family has a lot of problems.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Family Has Lot of Problems
C138781	PQL0425	PQL04-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: My child does not have the equipment he or she needs.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Do Not Have Equipment Need

C138762	PQL04-Back Feels Stiff	PQL04-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: My child's back feels stiff.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Back Feels Stiff
C138781	PQL04-Do Not Have Equipment Need	PQL04-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: My child does not have the equipment he or she needs.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Do Not Have Equipment Need
C138780	PQL04-Family Has Lot of Problems	PQL04-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: I think our family has a lot of problems.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Family Has Lot of Problems
C138761	PQL04-Feel Tired	PQL04-Feel Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: My child feels tired.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Feel Tired
C138770	PQL04-Get Hurt Accidentally	PQL04-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: My child gets hurt accidentally.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Get Hurt Accidentally
C138758	PQL04-Get Sick Easily	PQL04-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: My child gets sick easily.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Get Sick Easily
C138759	PQL04-Get Sores and/or Rashes	PQL04-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: My child gets sores and/or rashes.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Get Sores and/or Rashes
C138764	PQL04-Hands Are Weak	PQL04-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: My child's hands are weak.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Hands Are Weak
C138775	PQL04-Hard Ask Doctors/Nurses Questions	PQL04-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: It is hard for my child to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Hard Ask Doctors and Nurses Questions
C138776	PQL04-Hard Explain Illness to People	PQL04-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: It is hard for my child to explain his or her illness to other people.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Hard Explain Illness to People
C138777	PQL04-Hard for Family to Plan Activities	PQL04-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: It is hard for our family to plan activities like vacations.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Hard for Family to Plan Activities
C138778	PQL04-Hard for Family to Rest	PQL04-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: It is hard for our family to get enough rest.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Hard for Family to Rest
C138774	PQL04-Hard Tell Doctors/Nurses How Feel	PQL04-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: It is hard for my child to tell the doctors and nurses how he or she feels.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Hard Tell Doctors and Nurses How Feel
C138757	PQL04-Hard to Breathe	PQL04-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: It is hard for my child to breathe.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Hard to Breathe
C138766	PQL04-Hard to Gain/Lose Weight	PQL04-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: It is hard for my child to gain or lose weight when he or she wants to.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Hard to Gain or Lose Weight
C138773	PQL04-Hard to Go Places With Equipment	PQL04-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: It is hard for my child to go places with his or her equipment.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Hard to Go Places With Equipment

Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: It is hard for my child to swallow food.				
C138768	PQL04-Hard to Swallow Food	PQL04-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: It is hard for my child to swallow food.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Hard to Swallow Food
C138772	PQL04-Hard to Turn During Night	PQL04-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: It is hard for my child to turn him or herself during the night.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Hard to Turn During Night
C138765	PQL04-Hard to Use Bathroom	PQL04-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: It is hard for my child to use the bathroom.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Hard to Use Bathroom
C138767	PQL04-Hard to Use Hands	PQL04-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: It is hard for my child to use his or her hands.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Hard to Use Hands
C138760	PQL04-Legs Hurt	PQL04-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: My child's legs hurt.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Legs Hurt
C138769	PQL04-Long Time to Bathe/Shower	PQL04-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: It takes my child a long time to bathe or shower.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Long Time to Bathe or Shower
C138779	PQL04-Money Problem in Our Family	PQL04-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: I think money is a problem in our family.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Money Problem in Our Family
C138771	PQL04-Take Long Time to Eat	PQL04-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: My child takes a long time to eat.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Take Long Time to Eat
C138763	PQL04-Wake Up Tired	PQL04-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: My child wakes up tired.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Wake Up Tired

C138682	PQL0501	PQL05-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: It is hard to breathe.	PedsQL Neuromuscular Module Version 3.0 Child Report - Hard to Breathe
C138683	PQL0502	PQL05-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: I get sick easily.	PedsQL Neuromuscular Module Version 3.0 Child Report - Get Sick Easily
C138684	PQL0503	PQL05-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: I get sores and/or rashes.	PedsQL Neuromuscular Module Version 3.0 Child Report - Get Sores and/or Rashes
C138685	PQL0504	PQL05-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: My legs hurt.	PedsQL Neuromuscular Module Version 3.0 Child Report - Legs Hurt
C138686	PQL0505	PQL05-Feel Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: I feel tired.	PedsQL Neuromuscular Module Version 3.0 Child Report - Feel Tired
C138687	PQL0506	PQL05-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: My back feels stiff.	PedsQL Neuromuscular Module Version 3.0 Child Report - Back Feels Stiff
C138688	PQL0507	PQL05-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: I wake up tired.	PedsQL Neuromuscular Module Version 3.0 Child Report - Wake Up Tired
C138689	PQL0508	PQL05-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: My hands are weak.	PedsQL Neuromuscular Module Version 3.0 Child Report - Hands Are Weak
C138690	PQL0509	PQL05-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: It is hard to use the bathroom.	PedsQL Neuromuscular Module Version 3.0 Child Report - Hard to Use Bathroom
C138691	PQL0510	PQL05-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: It is hard to gain or lose weight when I want to.	PedsQL Neuromuscular Module Version 3.0 Child Report - Hard to Gain or Lose Weight
C138692	PQL0511	PQL05-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: It is hard to use my hands.	PedsQL Neuromuscular Module Version 3.0 Child Report - Hard to Use Hands
C138693	PQL0512	PQL05-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: It is hard to swallow food.	PedsQL Neuromuscular Module Version 3.0 Child Report - Hard to Swallow Food
C138694	PQL0513	PQL05-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: It takes me a long time to bathe or shower.	PedsQL Neuromuscular Module Version 3.0 Child Report - Long Time to Bathe or Shower
C138695	PQL0514	PQL05-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: I get hurt accidentally.	PedsQL Neuromuscular Module Version 3.0 Child Report - Get Hurt Accidentally
C138696	PQL0515	PQL05-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: I take a long time to eat.	PedsQL Neuromuscular Module Version 3.0 Child Report - Take Long Time to Eat
C138697	PQL0516	PQL05-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: It is hard to turn myself during the night.	PedsQL Neuromuscular Module Version 3.0 Child Report - Hard to Turn During Night
C138698	PQL0517	PQL05-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: It is hard for me to go places with my equipment.	PedsQL Neuromuscular Module Version 3.0 Child Report - Hard to Go Places With Equipment
C138699	PQL0518	PQL05-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: It is hard for me to tell the doctors and nurses how I feel.	PedsQL Neuromuscular Module Version 3.0 Child Report - Hard Tell Doctors and Nurses How Feel

Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: It is hard for me to ask the doctors and nurses questions.				
C138700	PQL0519	PQL05-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: It is hard for me to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Version 3.0 Child Report - Hard Ask Doctors and Nurses Questions
C138701	PQL0520	PQL05-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: It is hard for me to explain my illness to other people.	PedsQL Neuromuscular Module Version 3.0 Child Report - Hard Explain Illness to People
C138702	PQL0521	PQL05-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: It is hard for my family to plan activities like vacations.	PedsQL Neuromuscular Module Version 3.0 Child Report - Hard for Family to Plan Activities
C138703	PQL0522	PQL05-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: It is hard for my family to get enough rest.	PedsQL Neuromuscular Module Version 3.0 Child Report - Hard for Family to Rest
C138704	PQL0523	PQL05-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: I think money is a problem in our family.	PedsQL Neuromuscular Module Version 3.0 Child Report - Money Problem in Our Family
C138705	PQL0524	PQL05-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: I think my family has a lot of problems.	PedsQL Neuromuscular Module Version 3.0 Child Report - Family Has Lot of Problems
C138706	PQL0525	PQL05-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: I do not have the equipment I need.	PedsQL Neuromuscular Module Version 3.0 Child Report - Do Not Have Equipment Need

C138687	PQL05-Back Feels Stiff	PQL05-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: My back feels stiff.	PedsQL Neuromuscular Module Version 3.0 Child Report - Back Feels Stiff
C138706	PQL05-Do Not Have Equipment Need	PQL05-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: I do not have the equipment I need.	PedsQL Neuromuscular Module Version 3.0 Child Report - Do Not Have Equipment Need
C138705	PQL05-Family Has Lot of Problems	PQL05-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: I think my family has a lot of problems.	PedsQL Neuromuscular Module Version 3.0 Child Report - Family Has Lot of Problems
C138686	PQL05-Feel Tired	PQL05-Feel Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: I feel tired.	PedsQL Neuromuscular Module Version 3.0 Child Report - Feel Tired
C138695	PQL05-Get Hurt Accidentally	PQL05-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: I get hurt accidentally.	PedsQL Neuromuscular Module Version 3.0 Child Report - Get Hurt Accidentally
C138683	PQL05-Get Sick Easily	PQL05-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: I get sick easily.	PedsQL Neuromuscular Module Version 3.0 Child Report - Get Sick Easily
C138684	PQL05-Get Sores and/or Rashes	PQL05-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: I get sores and/or rashes.	PedsQL Neuromuscular Module Version 3.0 Child Report - Get Sores and/or Rashes
C138689	PQL05-Hands Are Weak	PQL05-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: My hands are weak.	PedsQL Neuromuscular Module Version 3.0 Child Report - Hands Are Weak
C138700	PQL05-Hard Ask Doctors/Nurses Questions	PQL05-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: It is hard for me to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Version 3.0 Child Report - Hard Ask Doctors and Nurses Questions
C138701	PQL05-Hard Explain Illness to People	PQL05-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: It is hard for me to explain my illness to other people.	PedsQL Neuromuscular Module Version 3.0 Child Report - Hard Explain Illness to People
C138702	PQL05-Hard for Family to Plan Activities	PQL05-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: It is hard for my family to plan activities like vacations.	PedsQL Neuromuscular Module Version 3.0 Child Report - Hard for Family to Plan Activities
C138703	PQL05-Hard for Family to Rest	PQL05-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: It is hard for my family to get enough rest.	PedsQL Neuromuscular Module Version 3.0 Child Report - Hard for Family to Rest
C138699	PQL05-Hard Tell Doctors/Nurses How Feel	PQL05-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: It is hard for me to tell the doctors and nurses how I feel.	PedsQL Neuromuscular Module Version 3.0 Child Report - Hard Tell Doctors and Nurses How Feel
C138682	PQL05-Hard to Breathe	PQL05-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: It is hard to breathe.	PedsQL Neuromuscular Module Version 3.0 Child Report - Hard to Breathe
C138691	PQL05-Hard to Gain/Lose Weight	PQL05-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: It is hard to gain or lose weight when I want to.	PedsQL Neuromuscular Module Version 3.0 Child Report - Hard to Gain or Lose Weight
C138698	PQL05-Hard to Go Places With Equipment	PQL05-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: It is hard for me to go places with my equipment.	PedsQL Neuromuscular Module Version 3.0 Child Report - Hard to Go Places With Equipment
C138693	PQL05-Hard to Swallow Food	PQL05-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: It is hard to swallow food.	PedsQL Neuromuscular Module Version 3.0 Child Report - Hard to Swallow Food

Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: It is hard to turn myself during the night.				
C138697	PQL05-Hard to Turn During Night	PQL05-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: It is hard to turn myself during the night.	PedsQL Neuromuscular Module Version 3.0 Child Report - Hard to Turn During Night
C138690	PQL05-Hard to Use Bathroom	PQL05-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: It is hard to use the bathroom.	PedsQL Neuromuscular Module Version 3.0 Child Report - Hard to Use Bathroom
C138692	PQL05-Hard to Use Hands	PQL05-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: It is hard to use my hands.	PedsQL Neuromuscular Module Version 3.0 Child Report - Hard to Use Hands
C138685	PQL05-Legs Hurt	PQL05-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: My legs hurt.	PedsQL Neuromuscular Module Version 3.0 Child Report - Legs Hurt
C138694	PQL05-Long Time to Bathe/Shower	PQL05-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: It takes me a long time to bathe or shower.	PedsQL Neuromuscular Module Version 3.0 Child Report - Long Time to Bathe or Shower
C138704	PQL05-Money Problem in Our Family	PQL05-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: I think money is a problem in our family.	PedsQL Neuromuscular Module Version 3.0 Child Report - Money Problem in Our Family
C138696	PQL05-Take Long Time to Eat	PQL05-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: I take a long time to eat.	PedsQL Neuromuscular Module Version 3.0 Child Report - Take Long Time to Eat
C138688	PQL05-Wake Up Tired	PQL05-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: I wake up tired.	PedsQL Neuromuscular Module Version 3.0 Child Report - Wake Up Tired

C138732	PQL0601	PQL06-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to breathe.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Hard to Breathe
C138733	PQL0602	PQL06-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: My child gets sick easily.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Get Sick Easily
C138734	PQL0603	PQL06-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: My child gets sores and/or rashes.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Get Sores and/or Rashes
C138735	PQL0604	PQL06-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: My child's legs hurt.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Legs Hurt
C138736	PQL0605	PQL06-Feel Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: My child feels tired.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Feel Tired
C138737	PQL0606	PQL06-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: My child's back feels stiff.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Back Feels Stiff
C138738	PQL0607	PQL06-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: My child wakes up tired.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Wake Up Tired
C138739	PQL0608	PQL06-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: My child's hands are weak.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Hands Are Weak
C138740	PQL0609	PQL06-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to use the bathroom.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Hard to Use Bathroom
C138741	PQL0610	PQL06-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to gain or lose weight when he or she wants to.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Hard to Gain or Lose Weight
C138742	PQL0611	PQL06-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to use his or her hands.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Hard to Use Hands
C138743	PQL0612	PQL06-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to swallow food.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Hard to Swallow Food
C138744	PQL0613	PQL06-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: It takes my child a long time to bathe or shower.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Long Time to Bathe or Shower
C138745	PQL0614	PQL06-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: My child gets hurt accidentally.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Get Hurt Accidentally
C138746	PQL0615	PQL06-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: My child takes a long time to eat.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Take Long Time to Eat
C138747	PQL0616	PQL06-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to turn him or herself during the night.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Hard to Turn During Night
C138748	PQL0617	PQL06-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to go places with his or her equipment.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Hard to Go Places With Equipment

PQL06 Hard Items				
C138749	PQL0618	PQL06-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to tell the doctors and nurses how he or she feels.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Hard Tell Doctors and Nurses How Feel
C138750	PQL0619	PQL06-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Hard Ask Doctors and Nurses Questions
C138751	PQL0620	PQL06-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to explain his or her illness to other people.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Hard Explain Illness to People
C138752	PQL0621	PQL06-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for our family to plan activities like vacations.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Hard for Family to Plan Activities
C138753	PQL0622	PQL06-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for our family to get enough rest.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Hard for Family to Rest
C138754	PQL0623	PQL06-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: I think money is a problem in our family.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Money Problem in Our Family
C138755	PQL0624	PQL06-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: I think our family has a lot of problems.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Family Has Lot of Problems
C138756	PQL0625	PQL06-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: My child does not have the equipment he or she needs.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Do Not Have Equipment Need

C138737	PQL06-Back Feels Stiff	PQL06-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: My child's back feels stiff.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Back Feels Stiff
C138756	PQL06-Do Not Have Equipment Need	PQL06-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: My child does not have the equipment he or she needs.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Do Not Have Equipment Need
C138755	PQL06-Family Has Lot of Problems	PQL06-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: I think our family has a lot of problems.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Family Has Lot of Problems
C138736	PQL06-Feel Tired	PQL06-Feel Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: My child feels tired.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Feel Tired
C138745	PQL06-Get Hurt Accidentally	PQL06-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: My child gets hurt accidentally.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Get Hurt Accidentally
C138733	PQL06-Get Sick Easily	PQL06-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: My child gets sick easily.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Get Sick Easily
C138734	PQL06-Get Sores and/or Rashes	PQL06-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: My child gets sores and/or rashes.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Get Sores and/or Rashes
C138739	PQL06-Hands Are Weak	PQL06-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: My child's hands are weak.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Hands Are Weak
C138750	PQL06-Hard Ask Doctors/Nurses Questions	PQL06-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Hard Ask Doctors and Nurses Questions
C138751	PQL06-Hard Explain Illness to People	PQL06-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to explain his or her illness to other people.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Hard Explain Illness to People
C138752	PQL06-Hard for Family to Plan Activities	PQL06-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for our family to plan activities like vacations.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Hard for Family to Plan Activities
C138753	PQL06-Hard for Family to Rest	PQL06-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for our family to get enough rest.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Hard for Family to Rest
C138749	PQL06-Hard Tell Doctors/Nurses How Feel	PQL06-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to tell the doctors and nurses how he or she feels.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Hard Tell Doctors and Nurses How Feel
C138732	PQL06-Hard to Breathe	PQL06-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to breathe.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Hard to Breathe
C138741	PQL06-Hard to Gain/Lose Weight	PQL06-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to gain or lose weight when he or she wants to.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Hard to Gain or Lose Weight
C138748	PQL06-Hard to Go Places With Equipment	PQL06-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to go places with his or her equipment.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Hard to Go Places With Equipment

Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to swallow food.				
C138743	PQL06-Hard to Swallow Food	PQL06-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to swallow food.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Hard to Swallow Food
C138747	PQL06-Hard to Turn During Night	PQL06-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to turn him or herself during the night.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Hard to Turn During Night
C138740	PQL06-Hard to Use Bathroom	PQL06-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to use the bathroom.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Hard to Use Bathroom
C138742	PQL06-Hard to Use Hands	PQL06-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to use his or her hands.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Hard to Use Hands
C138735	PQL06-Legs Hurt	PQL06-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: My child's legs hurt.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Legs Hurt
C138744	PQL06-Long Time to Bathe/Shower	PQL06-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: It takes my child a long time to bathe or shower.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Long Time to Bathe or Shower
C138754	PQL06-Money Problem in Our Family	PQL06-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: I think money is a problem in our family.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Money Problem in Our Family
C138746	PQL06-Take Long Time to Eat	PQL06-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: My child takes a long time to eat.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Take Long Time to Eat
C138738	PQL06-Wake Up Tired	PQL06-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: My child wakes up tired.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Wake Up Tired

C138882	PQL0701	PQL07-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: It is hard to breathe.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Hard to Breathe
C138883	PQL0702	PQL07-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: I get sick easily.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Get Sick Easily
C138884	PQL0703	PQL07-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: I get sores and/or rashes.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Get Sores and/or Rashes
C138885	PQL0704	PQL07-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: My legs hurt.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Legs Hurt
C138886	PQL0705	PQL07-Feel Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: I feel tired.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Feel Tired
C138887	PQL0706	PQL07-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: My back feels stiff.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Back Feels Stiff
C138888	PQL0707	PQL07-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: I wake up tired.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Wake Up Tired
C138889	PQL0708	PQL07-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: My hands are weak.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Hands Are Weak
C138890	PQL0709	PQL07-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: It is hard to use the bathroom.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Hard to Use Bathroom
C138891	PQL0710	PQL07-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: It is hard to gain or lose weight when I want to.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Hard to Gain or Lose Weight
C138892	PQL0711	PQL07-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: It is hard to use my hands.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Hard to Use Hands
C138893	PQL0712	PQL07-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: It is hard to swallow food.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Hard to Swallow Food
C138894	PQL0713	PQL07-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: It takes me a long time to bathe or shower.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Long Time to Bathe or Shower
C138895	PQL0714	PQL07-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: I get hurt accidentally.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Get Hurt Accidentally
C138896	PQL0715	PQL07-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: I take a long time to eat.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Take Long Time to Eat
C138897	PQL0716	PQL07-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: It is hard to turn myself during the night.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Hard to Turn During Night

C138898	PQL0717	PQL07-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: It is hard for me to go places with my equipment.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Hard to Go Places With Equipment
---------	---------	----------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------

C138887	PQL07-Back Feels Stiff	PQL07-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: My back feels stiff.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Back Feels Stiff
C138886	PQL07-Feel Tired	PQL07-Feel Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: I feel tired.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Feel Tired
C138895	PQL07-Get Hurt Accidentally	PQL07-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: I get hurt accidentally.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Get Hurt Accidentally
C138883	PQL07-Get Sick Easily	PQL07-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: I get sick easily.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Get Sick Easily
C138884	PQL07-Get Sores and/or Rashes	PQL07-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: I get sores and/or rashes.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Get Sores and/or Rashes
C138889	PQL07-Hands Are Weak	PQL07-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: My hands are weak.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Hands Are Weak
C138882	PQL07-Hard to Breathe	PQL07-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: It is hard to breathe.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Hard to Breathe
C138891	PQL07-Hard to Gain/Lose Weight	PQL07-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: It is hard to gain or lose weight when I want to.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Hard to Gain or Lose Weight
C138898	PQL07-Hard to Go Places With Equipment	PQL07-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: It is hard for me to go places with my equipment.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Hard to Go Places With Equipment
C138893	PQL07-Hard to Swallow Food	PQL07-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: It is hard to swallow food.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Hard to Swallow Food
C138897	PQL07-Hard to Turn During Night	PQL07-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: It is hard to turn myself during the night.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Hard to Turn During Night
C138890	PQL07-Hard to Use Bathroom	PQL07-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: It is hard to use the bathroom.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Hard to Use Bathroom
C138892	PQL07-Hard to Use Hands	PQL07-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: It is hard to use my hands.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Hard to Use Hands
C138885	PQL07-Legs Hurt	PQL07-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: My legs hurt.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Legs Hurt
C138894	PQL07-Long Time to Bathe/Shower	PQL07-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: It takes me a long time to bathe or shower.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Long Time to Bathe or Shower
C138896	PQL07-Take Long Time to Eat	PQL07-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: I take a long time to eat.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Take Long Time to Eat

C138888	PQL07-Wake Up Tired	PQL07-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: I wake up tired.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Wake Up Tired
---------	---------------------	---------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------

C138807	PQL0801	PQL08-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to breathe.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Hard to Breathe
C138808	PQL0802	PQL08-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: My child gets sick easily.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Get Sick Easily
C138809	PQL0803	PQL08-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: My child gets sores and/or rashes.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Get Sores and/or Rashes
C138810	PQL0804	PQL08-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: My child's legs hurt.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Legs Hurt
C138811	PQL0805	PQL08-Feel Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: My child feels tired.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Feel Tired
C138812	PQL0806	PQL08-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: My child's back feels stiff.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Back Feels Stiff
C138813	PQL0807	PQL08-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: My child wakes up tired.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Wake Up Tired
C138814	PQL0808	PQL08-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: My child's hands are weak.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Hands Are Weak
C138815	PQL0809	PQL08-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to use the bathroom.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Hard to Use Bathroom
C138816	PQL0810	PQL08-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to gain or lose weight when he or she wants to.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Hard to Gain or Lose Weight
C138817	PQL0811	PQL08-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to use his or her hands.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Hard to Use Hands
C138818	PQL0812	PQL08-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to swallow food.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Hard to Swallow Food
C138819	PQL0813	PQL08-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: It takes my child a long time to bathe or shower.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Long Time to Bathe or Shower
C138820	PQL0814	PQL08-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: My child gets hurt accidentally.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Get Hurt Accidentally
C138821	PQL0815	PQL08-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: My child takes a long time to eat.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Take Long Time to Eat
C138822	PQL0816	PQL08-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to turn him or herself during the night.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Hard to Turn During Night

C138823	PQL0817	PQL08-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to go places with his or her equipment.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Hard to Go Places With Equipment
C138824	PQL0818	PQL08-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to tell the doctors and nurses how he or she feels.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Hard Tell Doctors and Nurses How Feel
C138825	PQL0819	PQL08-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Hard Ask Doctors and Nurses Questions
C138826	PQL0820	PQL08-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to explain his or her illness to other people.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Hard Explain Illness to People
C138827	PQL0821	PQL08-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for our family to plan activities like vacations.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Hard for Family to Plan Activities
C138828	PQL0822	PQL08-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for our family to get enough rest.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Hard for Family to Rest
C138829	PQL0823	PQL08-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: I think money is a problem in our family.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Money Problem in Our Family
C138830	PQL0824	PQL08-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: I think our family has a lot of problems.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Family Has Lot of Problems
C138831	PQL0825	PQL08-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: My child does not have the equipment he or she needs.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Do Not Have Equipment Need

C138812	PQL08-Back Feels Stiff	PQL08-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: My child's back feels stiff.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Back Feels Stiff
C138831	PQL08-Do Not Have Equipment Need	PQL08-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: My child does not have the equipment he or she needs.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Do Not Have Equipment Need
C138830	PQL08-Family Has Lot of Problems	PQL08-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: I think our family has a lot of problems.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Family Has Lot of Problems
C138811	PQL08-Feel Tired	PQL08-Feel Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: My child feels tired.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Feel Tired
C138820	PQL08-Get Hurt Accidentally	PQL08-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: My child gets hurt accidentally.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Get Hurt Accidentally
C138808	PQL08-Get Sick Easily	PQL08-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: My child gets sick easily.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Get Sick Easily
C138809	PQL08-Get Sores and/or Rashes	PQL08-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: My child gets sores and/or rashes.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Get Sores and/or Rashes
C138814	PQL08-Hands Are Weak	PQL08-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: My child's hands are weak.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Hands Are Weak
C138825	PQL08-Hard Ask Doctors/Nurses Questions	PQL08-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Hard Ask Doctors and Nurses Questions
C138826	PQL08-Hard Explain Illness to People	PQL08-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to explain his or her illness to other people.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Hard Explain Illness to People
C138827	PQL08-Hard for Family to Plan Activities	PQL08-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for our family to plan activities like vacations.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Hard for Family to Plan Activities
C138828	PQL08-Hard for Family to Rest	PQL08-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for our family to get enough rest.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Hard for Family to Rest
C138824	PQL08-Hard Tell Doctors/Nurses How Feel	PQL08-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to tell the doctors and nurses how he or she feels.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Hard Tell Doctors and Nurses How Feel
C138807	PQL08-Hard to Breathe	PQL08-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to breathe.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Hard to Breathe
C138816	PQL08-Hard to Gain/Lose Weight	PQL08-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to gain or lose weight when he or she wants to.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Hard to Gain or Lose Weight

Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to go places with his or her equipment.				
C138823	PQL08-Hard to Go Places With Equipment	PQL08-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to go places with his or her equipment.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Hard to Go Places With Equipment
C138818	PQL08-Hard to Swallow Food	PQL08-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to swallow food.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Hard to Swallow Food
C138822	PQL08-Hard to Turn During Night	PQL08-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to turn him or herself during the night.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Hard to Turn During Night
C138815	PQL08-Hard to Use Bathroom	PQL08-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to use the bathroom.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Hard to Use Bathroom
C138817	PQL08-Hard to Use Hands	PQL08-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to use his or her hands.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Hard to Use Hands
C138810	PQL08-Legs Hurt	PQL08-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: My child's legs hurt.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Legs Hurt
C138819	PQL08-Long Time to Bathe/Shower	PQL08-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: It takes my child a long time to bathe or shower.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Long Time to Bathe or Shower
C138829	PQL08-Money Problem in Our Family	PQL08-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: I think money is a problem in our family.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Money Problem in Our Family
C138821	PQL08-Take Long Time to Eat	PQL08-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: My child takes a long time to eat.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Take Long Time to Eat
C138813	PQL08-Wake Up Tired	PQL08-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: My child wakes up tired.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Wake Up Tired

C138707	PQL0901	PQL09-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to breathe.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Hard to Breathe
C138708	PQL0902	PQL09-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: My child gets sick easily.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Get Sick Easily
C138709	PQL0903	PQL09-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: My child gets sores and/or rashes.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Get Sores and/or Rashes
C138710	PQL0904	PQL09-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: My child's legs hurt.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Legs Hurt
C138711	PQL0905	PQL09-Feel Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: My child feels tired.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Feel Tired
C138712	PQL0906	PQL09-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: My child's back feels stiff.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Back Feels Stiff
C138713	PQL0907	PQL09-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: My child wakes up tired.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Wake Up Tired
C138714	PQL0908	PQL09-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: My child's hands are weak.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Hands Are Weak
C138715	PQL0909	PQL09-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to use the bathroom.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Hard to Use Bathroom
C138716	PQL0910	PQL09-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to gain or lose weight when he or she wants to.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Hard to Gain or Lose Weight
C138717	PQL0911	PQL09-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to use his or her hands.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Hard to Use Hands
C138718	PQL0912	PQL09-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to swallow food.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Hard to Swallow Food
C138719	PQL0913	PQL09-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: It takes my child a long time to bathe or shower.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Long Time to Bathe or Shower
C138720	PQL0914	PQL09-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: My child gets hurt accidentally.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Get Hurt Accidentally
C138721	PQL0915	PQL09-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: My child takes a long time to eat.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Take Long Time to Eat
C138722	PQL0916	PQL09-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to turn him or herself during the night.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Hard to Turn During Night
C138723	PQL0917	PQL09-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to go places with his or her equipment.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Hard to Go Places With Equipment
C138724	PQL0918	PQL09-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to tell the doctors and nurses how he or she feels.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Hard Tell Doctors and Nurses How Feel

Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to ask the doctors and nurses questions.				
C138725	PQL0919	PQL09-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Hard Ask Doctors and Nurses Questions
C138726	PQL0920	PQL09-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to explain his or her illness to other people.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Hard Explain Illness to People
C138727	PQL0921	PQL09-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for our family to plan activities like vacations.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Hard for Family to Plan Activities
C138728	PQL0922	PQL09-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for our family to get enough rest.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Hard for Family to Rest
C138729	PQL0923	PQL09-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: I think money is a problem in our family.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Money Problem in Our Family
C138730	PQL0924	PQL09-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: I think our family has a lot of problems.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Family Has Lot of Problems
C138731	PQL0925	PQL09-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: My child does not have the equipment he or she needs.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Do Not Have Equipment Need

C138712	PQL09-Back Feels Stiff	PQL09-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: My child's back feels stiff.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Back Feels Stiff
C138731	PQL09-Do Not Have Equipment Need	PQL09-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: My child does not have the equipment he or she needs.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Do Not Have Equipment Need
C138730	PQL09-Family Has Lot of Problems	PQL09-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: I think our family has a lot of problems.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Family Has Lot of Problems
C138711	PQL09-Feel Tired	PQL09-Feel Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: My child feels tired.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Feel Tired
C138720	PQL09-Get Hurt Accidentally	PQL09-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: My child gets hurt accidentally.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Get Hurt Accidentally
C138708	PQL09-Get Sick Easily	PQL09-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: My child gets sick easily.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Get Sick Easily
C138709	PQL09-Get Sores and/or Rashes	PQL09-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: My child gets sores and/or rashes.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Get Sores and/or Rashes
C138714	PQL09-Hands Are Weak	PQL09-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: My child's hands are weak.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Hands Are Weak
C138725	PQL09-Hard Ask Doctors/Nurses Questions	PQL09-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Hard Ask Doctors and Nurses Questions
C138726	PQL09-Hard Explain Illness to People	PQL09-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to explain his or her illness to other people.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Hard Explain Illness to People
C138727	PQL09-Hard for Family to Plan Activities	PQL09-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for our family to plan activities like vacations.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Hard for Family to Plan Activities
C138728	PQL09-Hard for Family to Rest	PQL09-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for our family to get enough rest.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Hard for Family to Rest
C138724	PQL09-Hard Tell Doctors/Nurses How Feel	PQL09-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to tell the doctors and nurses how he or she feels.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Hard Tell Doctors and Nurses How Feel
C138707	PQL09-Hard to Breathe	PQL09-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to breathe.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Hard to Breathe
C138716	PQL09-Hard to Gain/Lose Weight	PQL09-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to gain or lose weight when he or she wants to.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Hard to Gain or Lose Weight
C138723	PQL09-Hard to Go Places With Equipment	PQL09-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to go places with his or her equipment.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Hard to Go Places With Equipment
C138718	PQL09-Hard to Swallow Food	PQL09-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to swallow food.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Hard to Swallow Food

Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to turn him or herself during the night.				
C138722	PQL09-Hard to Turn During Night	PQL09-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to turn him or herself during the night.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Hard to Turn During Night
C138715	PQL09-Hard to Use Bathroom	PQL09-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to use the bathroom.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Hard to Use Bathroom
C138717	PQL09-Hard to Use Hands	PQL09-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to use his or her hands.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Hard to Use Hands
C138710	PQL09-Legs Hurt	PQL09-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: My child's legs hurt.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Legs Hurt
C138719	PQL09-Long Time to Bathe/Shower	PQL09-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: It takes my child a long time to bathe or shower.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Long Time to Bathe or Shower
C138729	PQL09-Money Problem in Our Family	PQL09-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: I think money is a problem in our family.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Money Problem in Our Family
C138721	PQL09-Take Long Time to Eat	PQL09-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: My child takes a long time to eat.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Take Long Time to Eat
C138713	PQL09-Wake Up Tired	PQL09-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: My child wakes up tired.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Wake Up Tired

C138640	PQL1001	PQL10-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: It is hard to breathe.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Hard to Breathe
C138641	PQL1002	PQL10-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: I get sick easily.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Get Sick Easily
C138642	PQL1003	PQL10-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: I get sores and/or rashes.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Get Sores and/or Rashes
C138643	PQL1004	PQL10-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: My legs hurt.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Legs Hurt
C138644	PQL1005	PQL10-Feel Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: I feel tired.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Feel Tired
C138645	PQL1006	PQL10-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: My back feels stiff.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Back Feels Stiff
C138646	PQL1007	PQL10-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: I wake up tired.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Wake Up Tired
C138647	PQL1008	PQL10-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: My hands are weak.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Hands Are Weak
C138648	PQL1009	PQL10-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: It is hard to use the bathroom.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Hard to Use Bathroom
C138649	PQL1010	PQL10-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: It is hard to gain or lose weight when I want to.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Hard to Gain or Lose Weight
C138650	PQL1011	PQL10-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: It is hard to use my hands.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Hard to Use Hands
C138651	PQL1012	PQL10-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: It is hard to swallow food.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Hard to Swallow Food
C138652	PQL1013	PQL10-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: It takes me a long time to bathe or shower.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Long Time to Bathe or Shower
C138653	PQL1014	PQL10-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: I get hurt accidentally.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Get Hurt Accidentally
C138654	PQL1015	PQL10-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: I take a long time to eat.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Take Long Time to Eat
C138655	PQL1016	PQL10-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: It is hard to turn myself during the night.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Hard to Turn During Night

Pediatric Quality of Life Neuromuscular Module Acute Version 3.0				
C138656	PQL1017	PQL10-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: It is hard for me to go places with my equipment.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Hard to Go Places With Equipment
C138657	PQL1018	PQL10-Hard Tell Doctors/Nurses How I Feel	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: It is hard for me to tell the doctors and nurses how I feel.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Hard Tell Doctors and Nurses How I Feel
C138658	PQL1019	PQL10-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: It is hard for me to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Hard Ask Doctors and Nurses Questions
C138659	PQL1020	PQL10-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: It is hard for me to explain my illness to other people.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Hard Explain Illness to People
C138660	PQL1021	PQL10-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: It is hard for my family to plan activities like vacations.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Hard for Family to Plan Activities
C138661	PQL1022	PQL10-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: It is hard for my family to get enough rest.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Hard for Family to Rest
C138662	PQL1023	PQL10-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: I think money is a problem in our family.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Money Problem in Our Family
C138663	PQL1024	PQL10-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: I think my family has a lot of problems.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Family Has Lot of Problems
C138664	PQL1025	PQL10-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: I do not have the equipment I need.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Do Not Have Equipment Need

C138645	PQL10-Back Feels Stiff	PQL10-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: My back feels stiff.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Back Feels Stiff
C138664	PQL10-Do Not Have Equipment Need	PQL10-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: I do not have the equipment I need.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Do Not Have Equipment Need
C138663	PQL10-Family Has Lot of Problems	PQL10-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: I think my family has a lot of problems.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Family Has Lot of Problems
C138644	PQL10-Feel Tired	PQL10-Feel Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: I feel tired.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Feel Tired
C138653	PQL10-Get Hurt Accidentally	PQL10-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: I get hurt accidentally.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Get Hurt Accidentally
C138641	PQL10-Get Sick Easily	PQL10-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: I get sick easily.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Get Sick Easily
C138642	PQL10-Get Sores and/or Rashes	PQL10-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: I get sores and/or rashes.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Get Sores and/or Rashes
C138647	PQL10-Hands Are Weak	PQL10-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: My hands are weak.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Hands Are Weak
C138658	PQL10-Hard Ask Doctors/Nurses Questions	PQL10-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: It is hard for me to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Hard Ask Doctors and Nurses Questions
C138659	PQL10-Hard Explain Illness to People	PQL10-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: It is hard for me to explain my illness to other people.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Hard Explain Illness to People
C138660	PQL10-Hard for Family to Plan Activities	PQL10-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: It is hard for my family to plan activities like vacations.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Hard for Family to Plan Activities
C138661	PQL10-Hard for Family to Rest	PQL10-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: It is hard for my family to get enough rest.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Hard for Family to Rest
C138657	PQL10-Hard Tell Doctors/Nurses How Feel	PQL10-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: It is hard for me to tell the doctors and nurses how I feel.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Hard Tell Doctors and Nurses How Feel
C138640	PQL10-Hard to Breathe	PQL10-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: It is hard to breathe.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Hard to Breathe
C138649	PQL10-Hard to Gain/Lose Weight	PQL10-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: It is hard to gain or lose weight when I want to.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Hard to Gain or Lose Weight
C138656	PQL10-Hard to Go Places With Equipment	PQL10-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: It is hard for me to go places with my equipment.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Hard to Go Places With Equipment

Pediatric Quality of Life Neuromuscular Module Acute Version 3.0				
	PQL10-Hard to Swallow Food	PQL10-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: It is hard to swallow food.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Hard to Swallow Food
C138651	PQL10-Hard to Turn During Night	PQL10-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: It is hard to turn myself during the night.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Hard to Turn During Night
C138648	PQL10-Hard to Use Bathroom	PQL10-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: It is hard to use the bathroom.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Hard to Use Bathroom
C138650	PQL10-Hard to Use Hands	PQL10-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: It is hard to use my hands.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Hard to Use Hands
C138643	PQL10-Legs Hurt	PQL10-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: My legs hurt.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Legs Hurt
C138652	PQL10-Long Time to Bathe/Shower	PQL10-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: It takes me a long time to bathe or shower.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Long Time to Bathe or Shower
C138662	PQL10-Money Problem in Our Family	PQL10-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: I think money is a problem in our family.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Money Problem in Our Family
C138654	PQL10-Take Long Time to Eat	PQL10-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: I take a long time to eat.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Take Long Time to Eat
C138646	PQL10-Wake Up Tired	PQL10-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: I wake up tired.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Wake Up Tired

Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to breathe.				
C138565	PQL1101	PQL11-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to breathe.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Hard to Breathe
C138566	PQL1102	PQL11-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: My child gets sick easily.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Get Sick Easily
C138567	PQL1103	PQL11-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: My child gets sores and/or rashes.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Get Sores and/or Rashes
C138568	PQL1104	PQL11-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: My child's legs hurt.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Legs Hurt
C138569	PQL1105	PQL11-Feel Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: My child feels tired.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Feel Tired
C138570	PQL1106	PQL11-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: My child's back feels stiff.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Back Feels Stiff
C138571	PQL1107	PQL11-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: My child wakes up tired.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Wake Up Tired
C138572	PQL1108	PQL11-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: My child's hands are weak.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Hands Are Weak
C138573	PQL1109	PQL11-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to use the bathroom.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Hard to Use Bathroom
C138574	PQL1110	PQL11-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to gain or lose weight when he or she wants to.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Hard to Gain or Lose Weight
C138575	PQL1111	PQL11-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to use his or her hands.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Hard to Use Hands
C138576	PQL1112	PQL11-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to swallow food.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Hard to Swallow Food
C138577	PQL1113	PQL11-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: It takes my child a long time to bathe or shower.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Long Time to Bathe or Shower
C138578	PQL1114	PQL11-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: My child gets hurt accidentally.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Get Hurt Accidentally
C138579	PQL1115	PQL11-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: My child takes a long time to eat.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Take Long Time to Eat

Pediatric Quality of Life Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Hard to Turn During Night				
C138580	PQL1116	PQL11-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to turn him or herself during the night.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Hard to Turn During Night
C138581	PQL1117	PQL11-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to go places with his or her equipment.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Hard to Go Places With Equipment
C138582	PQL1118	PQL11-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to tell the doctors and nurses how he or she feels.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Hard Tell Doctors and Nurses How Feel
C138583	PQL1119	PQL11-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Hard Ask Doctors and Nurses Questions
C138584	PQL1120	PQL11-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to explain his or her illness to other people.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Hard Explain Illness to People
C138585	PQL1121	PQL11-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for our family to plan activities like vacations.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Hard for Family to Plan Activities
C138586	PQL1122	PQL11-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for our family to get enough rest.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Hard for Family to Rest
C138587	PQL1123	PQL11-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: I think money is a problem in our family.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Money Problem in Our Family
C138588	PQL1124	PQL11-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: I think our family has a lot of problems.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Family Has Lot of Problems
C138589	PQL1125	PQL11-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: My child does not have the equipment he or she needs.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Do Not Have Equipment Need

C138570	PQL11-Back Feels Stiff	PQL11-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: My child's back feels stiff.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Back Feels Stiff
C138589	PQL11-Do Not Have Equipment Need	PQL11-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: My child does not have the equipment he or she needs.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Do Not Have Equipment Need
C138588	PQL11-Family Has Lot of Problems	PQL11-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: I think our family has a lot of problems.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Family Has Lot of Problems
C138569	PQL11-Feel Tired	PQL11-Feel Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: My child feels tired.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Feel Tired
C138578	PQL11-Get Hurt Accidentally	PQL11-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: My child gets hurt accidentally.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Get Hurt Accidentally
C138566	PQL11-Get Sick Easily	PQL11-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: My child gets sick easily.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Get Sick Easily
C138567	PQL11-Get Sores and/or Rashes	PQL11-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: My child gets sores and/or rashes.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Get Sores and/or Rashes
C138572	PQL11-Hands Are Weak	PQL11-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: My child's hands are weak.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Hands Are Weak
C138583	PQL11-Hard Ask Doctors/Nurses Questions	PQL11-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Hard Ask Doctors and Nurses Questions
C138584	PQL11-Hard Explain Illness to People	PQL11-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to explain his or her illness to other people.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Hard Explain Illness to People
C138585	PQL11-Hard for Family to Plan Activities	PQL11-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for our family to plan activities like vacations.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Hard for Family to Plan Activities
C138586	PQL11-Hard for Family to Rest	PQL11-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for our family to get enough rest.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Hard for Family to Rest
C138582	PQL11-Hard Tell Doctors/Nurses How Feel	PQL11-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to tell the doctors and nurses how he or she feels.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Hard Tell Doctors and Nurses How Feel
C138565	PQL11-Hard to Breathe	PQL11-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to breathe.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Hard to Breathe
C138574	PQL11-Hard to Gain/Lose Weight	PQL11-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to gain or lose weight when he or she wants to.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Hard to Gain or Lose Weight

Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to go places with his or her equipment.				
C138581	PQL11-Hard to Go Places With Equipment	PQL11-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to go places with his or her equipment.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Hard to Go Places With Equipment
C138576	PQL11-Hard to Swallow Food	PQL11-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to swallow food.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Hard to Swallow Food
C138580	PQL11-Hard to Turn During Night	PQL11-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to turn him or herself during the night.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Hard to Turn During Night
C138573	PQL11-Hard to Use Bathroom	PQL11-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to use the bathroom.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Hard to Use Bathroom
C138575	PQL11-Hard to Use Hands	PQL11-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to use his or her hands.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Hard to Use Hands
C138568	PQL11-Legs Hurt	PQL11-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: My child's legs hurt.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Legs Hurt
C138577	PQL11-Long Time to Bathe/Shower	PQL11-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: It takes my child a long time to bathe or shower.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Long Time to Bathe or Shower
C138587	PQL11-Money Problem in Our Family	PQL11-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: I think money is a problem in our family.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Money Problem in Our Family
C138579	PQL11-Take Long Time to Eat	PQL11-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: My child takes a long time to eat.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Take Long Time to Eat
C138571	PQL11-Wake Up Tired	PQL11-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: My child wakes up tired.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Wake Up Tired

C138615	PQL1201	PQL12-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: It is hard to breathe.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Hard to Breathe
C138616	PQL1202	PQL12-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: I get sick easily.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Get Sick Easily
C138617	PQL1203	PQL12-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: I get sores and/or rashes.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Get Sores and/or Rashes
C138618	PQL1204	PQL12-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: My legs hurt.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Legs Hurt
C138619	PQL1205	PQL12-Feel Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: I feel tired.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Feel Tired
C138620	PQL1206	PQL12-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: My back feels stiff.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Back Feels Stiff
C138621	PQL1207	PQL12-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: I wake up tired.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Wake Up Tired
C138622	PQL1208	PQL12-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: My hands are weak.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Hands Are Weak
C138623	PQL1209	PQL12-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: It is hard to use the bathroom.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Hard to Use Bathroom
C138624	PQL1210	PQL12-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: It is hard to gain or lose weight when I want to.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Hard to Gain or Lose Weight
C138625	PQL1211	PQL12-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: It is hard to use my hands.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Hard to Use Hands
C138626	PQL1212	PQL12-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: It is hard to swallow food.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Hard to Swallow Food
C138627	PQL1213	PQL12-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: It takes me a long time to bathe or shower.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Long Time to Bathe or Shower
C138628	PQL1214	PQL12-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: I get hurt accidentally.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Get Hurt Accidentally
C138629	PQL1215	PQL12-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: I take a long time to eat.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Take Long Time to Eat
C138630	PQL1216	PQL12-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: It is hard to turn myself during the night.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Hard to Turn During Night
C138631	PQL1217	PQL12-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: It is hard for me to go places with my equipment.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Hard to Go Places With Equipment

Pediatric Quality of Life Neuromuscular Module Acute Version 3.0 - Teen Report					
C138632	PQL1218	PQL12-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: It is hard for me to tell the doctors and nurses how I feel.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Hard Tell Doctors and Nurses How Feel	
C138633	PQL1219	PQL12-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: It is hard for me to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Hard Ask Doctors and Nurses Questions	
C138634	PQL1220	PQL12-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: It is hard for me to explain my illness to other people.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Hard Explain Illness to People	
C138635	PQL1221	PQL12-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: It is hard for my family to plan activities like vacations.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Hard for Family to Plan Activities	
C138636	PQL1222	PQL12-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: It is hard for my family to get enough rest.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Hard for Family to Rest	
C138637	PQL1223	PQL12-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: I think money is a problem in our family.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Money Problem in Our Family	
C138638	PQL1224	PQL12-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: I think my family has a lot of problems.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Family Has Lot of Problems	
C138639	PQL1225	PQL12-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: I do not have the equipment I need.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Do Not Have Equipment Need	

C138620	PQL12-Back Feels Stiff	PQL12-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: My back feels stiff.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Back Feels Stiff
C138639	PQL12-Do Not Have Equipment Need	PQL12-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: I do not have the equipment I need.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Do Not Have Equipment Need
C138638	PQL12-Family Has Lot of Problems	PQL12-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: I think my family has a lot of problems.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Family Has Lot of Problems
C138619	PQL12-Feel Tired	PQL12-Feel Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: I feel tired.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Feel Tired
C138628	PQL12-Get Hurt Accidentally	PQL12-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: I get hurt accidentally.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Get Hurt Accidentally
C138616	PQL12-Get Sick Easily	PQL12-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: I get sick easily.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Get Sick Easily
C138617	PQL12-Get Sores and/or Rashes	PQL12-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: I get sores and/or rashes.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Get Sores and/or Rashes
C138622	PQL12-Hands Are Weak	PQL12-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: My hands are weak.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Hands Are Weak
C138633	PQL12-Hard Ask Doctors/Nurses Questions	PQL12-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: It is hard for me to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Hard Ask Doctors and Nurses Questions
C138634	PQL12-Hard Explain Illness to People	PQL12-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: It is hard for me to explain my illness to other people.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Hard Explain Illness to People
C138635	PQL12-Hard for Family to Plan Activities	PQL12-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: It is hard for my family to plan activities like vacations.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Hard for Family to Plan Activities
C138636	PQL12-Hard for Family to Rest	PQL12-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: It is hard for my family to get enough rest.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Hard for Family to Rest
C138632	PQL12-Hard Tell Doctors/Nurses How Feel	PQL12-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: It is hard for me to tell the doctors and nurses how I feel.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Hard Tell Doctors and Nurses How Feel
C138615	PQL12-Hard to Breathe	PQL12-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: It is hard to breathe.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Hard to Breathe
C138624	PQL12-Hard to Gain/Lose Weight	PQL12-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: It is hard to gain or lose weight when I want to.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Hard to Gain or Lose Weight
C138631	PQL12-Hard to Go Places With Equipment	PQL12-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: It is hard for me to go places with my equipment.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Hard to Go Places With Equipment

Pediatric Quality of Life Neuromuscular Module Acute Version 3.0 - Teen Report				
C138626	PQL12-Hard to Swallow Food	PQL12-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: It is hard to swallow food.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Hard to Swallow Food
C138630	PQL12-Hard to Turn During Night	PQL12-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: It is hard to turn myself during the night.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Hard to Turn During Night
C138623	PQL12-Hard to Use Bathroom	PQL12-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: It is hard to use the bathroom.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Hard to Use Bathroom
C138625	PQL12-Hard to Use Hands	PQL12-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: It is hard to use my hands.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Hard to Use Hands
C138618	PQL12-Legs Hurt	PQL12-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: My legs hurt.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Legs Hurt
C138627	PQL12-Long Time to Bathe/Shower	PQL12-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: It takes me a long time to bathe or shower.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Long Time to Bathe or Shower
C138637	PQL12-Money Problem in Our Family	PQL12-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: I think money is a problem in our family.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Money Problem in Our Family
C138629	PQL12-Take Long Time to Eat	PQL12-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: I take a long time to eat.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Take Long Time to Eat
C138621	PQL12-Wake Up Tired	PQL12-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: I wake up tired.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Wake Up Tired

C138540	PQL1301	PQL13-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: It is hard for my child to breathe.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Hard to Breathe
C138541	PQL1302	PQL13-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: My child gets sick easily.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Get Sick Easily
C138542	PQL1303	PQL13-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: My child gets sores and/or rashes.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Get Sores and/or Rashes
C138543	PQL1304	PQL13-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: My child's legs hurt.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Legs Hurt
C138544	PQL1305	PQL13-Feel Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: My child feels tired.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Feel Tired
C138545	PQL1306	PQL13-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: My child's back feels stiff.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Back Feels Stiff
C138546	PQL1307	PQL13-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: My child wakes up tired.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Wake Up Tired
C138547	PQL1308	PQL13-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: My child's hands are weak.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Hands Are Weak
C138548	PQL1309	PQL13-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: It is hard for my child to use the bathroom.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Hard to Use Bathroom
C138549	PQL1310	PQL13-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: It is hard for my child to gain or lose weight when he or she wants to.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Hard to Gain or Lose Weight
C138550	PQL1311	PQL13-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: It is hard for my child to use his or her hands.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Hard to Use Hands
C138551	PQL1312	PQL13-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: It is hard for my child to swallow food.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Hard to Swallow Food
C138552	PQL1313	PQL13-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: It takes my child a long time to bathe or shower.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Long Time to Bathe or Shower
C138553	PQL1314	PQL13-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: My child gets hurt accidentally.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Get Hurt Accidentally
C138554	PQL1315	PQL13-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: My child takes a long time to eat.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Take Long Time to Eat
C138555	PQL1316	PQL13-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: It is hard for my child to turn him or herself during the night.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Hard to Turn During Night

Pediatric Quality of Life Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Hard to Go Places With Equipment					
C138556	PQL1317	PQL13-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: It is hard for my child to go places with his or her equipment.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Hard to Go Places With Equipment	
C138557	PQL1318	PQL13-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: It is hard for my child to tell the doctors and nurses how he or she feels.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Hard Tell Doctors and Nurses How Feel	
C138558	PQL1319	PQL13-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: It is hard for my child to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Hard Ask Doctors and Nurses Questions	
C138559	PQL1320	PQL13-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: It is hard for my child to explain his or her illness to other people.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Hard Explain Illness to People	
C138560	PQL1321	PQL13-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: It is hard for our family to plan activities like vacations.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Hard for Family to Plan Activities	
C138561	PQL1322	PQL13-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: It is hard for our family to get enough rest.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Hard for Family to Rest	
C138562	PQL1323	PQL13-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: I think money is a problem in our family.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Money Problem in Our Family	
C138563	PQL1324	PQL13-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: I think our family has a lot of problems.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Family Has Lot of Problems	
C138564	PQL1325	PQL13-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: My child does not have the equipment he or she needs.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Do Not Have Equipment Need	

C138545	PQL13-Back Feels Stiff	PQL13-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: My child's back feels stiff.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Back Feels Stiff
C138564	PQL13-Do Not Have Equipment Need	PQL13-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: My child does not have the equipment he or she needs.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Do Not Have Equipment Need
C138563	PQL13-Family Has Lot of Problems	PQL13-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: I think our family has a lot of problems.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Family Has Lot of Problems
C138544	PQL13-Feel Tired	PQL13-Feel Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: My child feels tired.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Feel Tired
C138553	PQL13-Get Hurt Accidentally	PQL13-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: My child gets hurt accidentally.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Get Hurt Accidentally
C138541	PQL13-Get Sick Easily	PQL13-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: My child gets sick easily.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Get Sick Easily
C138542	PQL13-Get Sores and/or Rashes	PQL13-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: My child gets sores and/or rashes.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Get Sores and/or Rashes
C138547	PQL13-Hands Are Weak	PQL13-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: My child's hands are weak.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Hands Are Weak
C138558	PQL13-Hard Ask Doctors/Nurses Questions	PQL13-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: It is hard for my child to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Hard Ask Doctors and Nurses Questions
C138559	PQL13-Hard Explain Illness to People	PQL13-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: It is hard for my child to explain his or her illness to other people.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Hard Explain Illness to People
C138560	PQL13-Hard for Family to Plan Activities	PQL13-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: It is hard for our family to plan activities like vacations.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Hard for Family to Plan Activities
C138561	PQL13-Hard for Family to Rest	PQL13-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: It is hard for our family to get enough rest.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Hard for Family to Rest
C138557	PQL13-Hard Tell Doctors/Nurses How Feel	PQL13-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: It is hard for my child to tell the doctors and nurses how he or she feels.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Hard Tell Doctors and Nurses How Feel
C138540	PQL13-Hard to Breathe	PQL13-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: It is hard for my child to breathe.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Hard to Breathe
C138549	PQL13-Hard to Gain/Lose Weight	PQL13-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: It is hard for my child to gain or lose weight when he or she wants to.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Hard to Gain or Lose Weight

Pediatric Quality of Life Neuromuscular Module Acute Version 3.0					
C138556	PQL13-Hard to Go Places With Equipment	PQL13-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: It is hard for my child to go places with his or her equipment.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Hard to Go Places With Equipment	
C138551	PQL13-Hard to Swallow Food	PQL13-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: It is hard for my child to swallow food.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Hard to Swallow Food	
C138555	PQL13-Hard to Turn During Night	PQL13-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: It is hard for my child to turn him or herself during the night.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Hard to Turn During Night	
C138548	PQL13-Hard to Use Bathroom	PQL13-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: It is hard for my child to use the bathroom.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Hard to Use Bathroom	
C138550	PQL13-Hard to Use Hands	PQL13-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: It is hard for my child to use his or her hands.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Hard to Use Hands	
C138543	PQL13-Legs Hurt	PQL13-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: My child's legs hurt.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Legs Hurt	
C138552	PQL13-Long Time to Bathe/Shower	PQL13-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: It takes my child a long time to bathe or shower.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Long Time to Bathe or Shower	
C138562	PQL13-Money Problem in Our Family	PQL13-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: I think money is a problem in our family.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Money Problem in Our Family	
C138554	PQL13-Take Long Time to Eat	PQL13-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: My child takes a long time to eat.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Take Long Time to Eat	
C138546	PQL13-Wake Up Tired	PQL13-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: My child wakes up tired.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Wake Up Tired	

C138465	PQL1401	PQL14-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: It is hard to breathe.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Hard to Breathe
C138466	PQL1402	PQL14-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: I get sick easily.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Get Sick Easily
C138467	PQL1403	PQL14-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: I get sores and/or rashes.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Get Sores and/or Rashes
C138468	PQL1404	PQL14-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: My legs hurt.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Legs Hurt
C138469	PQL1405	PQL14-Feel Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: I feel tired.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Feel Tired
C138470	PQL1406	PQL14-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: My back feels stiff.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Back Feels Stiff
C138471	PQL1407	PQL14-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: I wake up tired.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Wake Up Tired
C138472	PQL1408	PQL14-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: My hands are weak.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Hands Are Weak
C138473	PQL1409	PQL14-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: It is hard to use the bathroom.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Hard to Use Bathroom
C138474	PQL1410	PQL14-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: It is hard to gain or lose weight when I want to.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Hard to Gain or Lose Weight
C138475	PQL1411	PQL14-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: It is hard to use my hands.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Hard to Use Hands
C138476	PQL1412	PQL14-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: It is hard to swallow food.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Hard to Swallow Food
C138477	PQL1413	PQL14-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: It takes me a long time to bathe or shower.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Long Time to Bathe or Shower
C138478	PQL1414	PQL14-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: I get hurt accidentally.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Get Hurt Accidentally
C138479	PQL1415	PQL14-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: I take a long time to eat.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Take Long Time to Eat
C138480	PQL1416	PQL14-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: It is hard to turn myself during the night.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Hard to Turn During Night
C138481	PQL1417	PQL14-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: It is hard for me to go places with my equipment.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Hard to Go Places With Equipment

Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Report - Hard Tell Doctors and Nurses How Feel					
C138482	PQL1418	PQL14-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: It is hard for me to tell the doctors and nurses how I feel.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Hard Tell Doctors and Nurses How Feel	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Hard Tell Doctors and Nurses How Feel
C138483	PQL1419	PQL14-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: It is hard for me to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Hard Ask Doctors and Nurses Questions	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Hard Ask Doctors and Nurses Questions
C138484	PQL1420	PQL14-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: It is hard for me to explain my illness to other people.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Hard Explain Illness to People	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Hard Explain Illness to People
C138485	PQL1421	PQL14-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: It is hard for my family to plan activities like vacations.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Hard for Family to Plan Activities	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Hard for Family to Plan Activities
C138486	PQL1422	PQL14-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: It is hard for my family to get enough rest.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Hard for Family to Rest	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Hard for Family to Rest
C138487	PQL1423	PQL14-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: I think money is a problem in our family.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Money Problem in Our Family	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Money Problem in Our Family
C138488	PQL1424	PQL14-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: I think my family has a lot of problems.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Family Has Lot of Problems	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Family Has Lot of Problems
C138489	PQL1425	PQL14-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: I do not have the equipment I need.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Do Not Have Equipment Need	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Do Not Have Equipment Need

C138470	PQL14-Back Feels Stiff	PQL14-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: My back feels stiff.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Back Feels Stiff
C138489	PQL14-Do Not Have Equipment Need	PQL14-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: I do not have the equipment I need.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Do Not Have Equipment Need
C138488	PQL14-Family Has Lot of Problems	PQL14-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: I think my family has a lot of problems.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Family Has Lot of Problems
C138469	PQL14-Feel Tired	PQL14-Feel Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: I feel tired.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Feel Tired
C138478	PQL14-Get Hurt Accidentally	PQL14-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: I get hurt accidentally.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Get Hurt Accidentally
C138466	PQL14-Get Sick Easily	PQL14-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: I get sick easily.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Get Sick Easily
C138467	PQL14-Get Sores and/or Rashes	PQL14-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: I get sores and/or rashes.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Get Sores and/or Rashes
C138472	PQL14-Hands Are Weak	PQL14-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: My hands are weak.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Hands Are Weak
C138483	PQL14-Hard Ask Doctors/Nurses Questions	PQL14-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: It is hard for me to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Hard Ask Doctors and Nurses Questions
C138484	PQL14-Hard Explain Illness to People	PQL14-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: It is hard for me to explain my illness to other people.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Hard Explain Illness to People
C138485	PQL14-Hard for Family to Plan Activities	PQL14-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: It is hard for my family to plan activities like vacations.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Hard for Family to Plan Activities
C138486	PQL14-Hard for Family to Rest	PQL14-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: It is hard for my family to get enough rest.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Hard for Family to Rest
C138482	PQL14-Hard Tell Doctors/Nurses How Feel	PQL14-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: It is hard for me to tell the doctors and nurses how I feel.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Hard Tell Doctors and Nurses How Feel
C138465	PQL14-Hard to Breathe	PQL14-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: It is hard to breathe.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Hard to Breathe
C138474	PQL14-Hard to Gain/Lose Weight	PQL14-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: It is hard to gain or lose weight when I want to.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Hard to Gain or Lose Weight
C138481	PQL14-Hard to Go Places With Equipment	PQL14-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: It is hard for me to go places with my equipment.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Hard to Go Places With Equipment

Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you?				
C138476	PQL14-Hard to Swallow Food	PQL14-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: It is hard to swallow food.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Hard to Swallow Food
C138480	PQL14-Hard to Turn During Night	PQL14-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: It is hard to turn myself during the night.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Hard to Turn During Night
C138473	PQL14-Hard to Use Bathroom	PQL14-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: It is hard to use the bathroom.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Hard to Use Bathroom
C138475	PQL14-Hard to Use Hands	PQL14-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: It is hard to use my hands.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Hard to Use Hands
C138468	PQL14-Legs Hurt	PQL14-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: My legs hurt.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Legs Hurt
C138477	PQL14-Long Time to Bathe/Shower	PQL14-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: It takes me a long time to bathe or shower.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Long Time to Bathe or Shower
C138487	PQL14-Money Problem in Our Family	PQL14-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: I think money is a problem in our family.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Money Problem in Our Family
C138479	PQL14-Take Long Time to Eat	PQL14-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: I take a long time to eat.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Take Long Time to Eat
C138471	PQL14-Wake Up Tired	PQL14-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: I wake up tired.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Wake Up Tired

Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to breathe.				
C138515	PQL1501	PQL15-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to breathe.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Hard to Breathe
C138516	PQL1502	PQL15-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child gets sick easily.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Get Sick Easily
C138517	PQL1503	PQL15-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child gets sores and/or rashes.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Get Sores and/or Rashes
C138518	PQL1504	PQL15-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child's legs hurt.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Legs Hurt
C138519	PQL1505	PQL15-Feel Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child feels tired.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Feel Tired
C138520	PQL1506	PQL15-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child's back feels stiff.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Back Feels Stiff
C138521	PQL1507	PQL15-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child wakes up tired.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Wake Up Tired
C138522	PQL1508	PQL15-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child's hands are weak.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Hands Are Weak
C138523	PQL1509	PQL15-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to use the bathroom.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Hard to Use Bathroom
C138524	PQL1510	PQL15-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to gain or lose weight when he or she wants to.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Hard to Gain or Lose Weight
C138525	PQL1511	PQL15-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to use his or her hands.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Hard to Use Hands
C138526	PQL1512	PQL15-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to swallow food.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Hard to Swallow Food
C138527	PQL1513	PQL15-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It takes my child a long time to bathe or shower.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Long Time to Bathe or Shower
C138528	PQL1514	PQL15-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child gets hurt accidentally.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Get Hurt Accidentally
C138529	PQL1515	PQL15-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child takes a long time to eat.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Take Long Time to Eat
C138530	PQL1516	PQL15-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to turn him or herself during the night.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Hard to Turn During Night

Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to go places with his or her equipment.					
C138531	PQL1517	PQL15-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to go places with his or her equipment.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Hard to Go Places With Equipment	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Hard to Go Places With Equipment
C138532	PQL1518	PQL15-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to tell the doctors and nurses how he or she feels.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Hard Tell Doctors and Nurses How Feel	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Hard Tell Doctors and Nurses How Feel
C138533	PQL1519	PQL15-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Hard Ask Doctors and Nurses Questions	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Hard Ask Doctors and Nurses Questions
C138534	PQL1520	PQL15-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to explain his or her illness to other people.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Hard Explain Illness to People	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Hard Explain Illness to People
C138535	PQL1521	PQL15-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for our family to plan activities like vacations.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Hard for Family to Plan Activities	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Hard for Family to Plan Activities
C138536	PQL1522	PQL15-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for our family to get enough rest.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Hard for Family to Rest	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Hard for Family to Rest
C138537	PQL1523	PQL15-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: I think money is a problem in our family.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Money Problem in Our Family	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Money Problem in Our Family
C138538	PQL1524	PQL15-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: I think our family has a lot of problems.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Family Has Lot of Problems	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Family Has Lot of Problems
C138539	PQL1525	PQL15-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child does not have the equipment he or she needs.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Do Not Have Equipment Need	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Do Not Have Equipment Need

C138520	PQL15-Back Feels Stiff	PQL15-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child's back feels stiff.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Back Feels Stiff
C138539	PQL15-Do Not Have Equipment Need	PQL15-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child does not have the equipment he or she needs.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Do Not Have Equipment Need
C138538	PQL15-Family Has Lot of Problems	PQL15-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: I think our family has a lot of problems.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Family Has Lot of Problems
C138519	PQL15-Feel Tired	PQL15-Feel Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child feels tired.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Feel Tired
C138528	PQL15-Get Hurt Accidentally	PQL15-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child gets hurt accidentally.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Get Hurt Accidentally
C138516	PQL15-Get Sick Easily	PQL15-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child gets sick easily.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Get Sick Easily
C138517	PQL15-Get Sores and/or Rashes	PQL15-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child gets sores and/or rashes.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Get Sores and/or Rashes
C138522	PQL15-Hands Are Weak	PQL15-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child's hands are weak.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Hands Are Weak
C138533	PQL15-Hard Ask Doctors/Nurses Questions	PQL15-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Hard Ask Doctors and Nurses Questions
C138534	PQL15-Hard Explain Illness to People	PQL15-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to explain his or her illness to other people.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Hard Explain Illness to People
C138535	PQL15-Hard for Family to Plan Activities	PQL15-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for our family to plan activities like vacations.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Hard for Family to Plan Activities
C138536	PQL15-Hard for Family to Rest	PQL15-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for our family to get enough rest.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Hard for Family to Rest
C138532	PQL15-Hard Tell Doctors/Nurses How Feel	PQL15-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to tell the doctors and nurses how he or she feels.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Hard Tell Doctors and Nurses How Feel
C138515	PQL15-Hard to Breathe	PQL15-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to breathe.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Hard to Breathe
C138524	PQL15-Hard to Gain/Lose Weight	PQL15-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to gain or lose weight when he or she wants to.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Hard to Gain or Lose Weight

Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to go places with his or her equipment.				
C138531	PQL15-Hard to Go Places With Equipment	PQL15-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to go places with his or her equipment.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Hard to Go Places With Equipment
C138526	PQL15-Hard to Swallow Food	PQL15-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to swallow food.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Hard to Swallow Food
C138530	PQL15-Hard to Turn During Night	PQL15-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to turn him or herself during the night.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Hard to Turn During Night
C138523	PQL15-Hard to Use Bathroom	PQL15-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to use the bathroom.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Hard to Use Bathroom
C138525	PQL15-Hard to Use Hands	PQL15-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to use his or her hands.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Hard to Use Hands
C138518	PQL15-Legs Hurt	PQL15-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child's legs hurt.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Legs Hurt
C138527	PQL15-Long Time to Bathe/Shower	PQL15-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It takes my child a long time to bathe or shower.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Long Time to Bathe or Shower
C138537	PQL15-Money Problem in Our Family	PQL15-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: I think money is a problem in our family.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Money Problem in Our Family
C138529	PQL15-Take Long Time to Eat	PQL15-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child takes a long time to eat.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Take Long Time to Eat
C138521	PQL15-Wake Up Tired	PQL15-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child wakes up tired.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Wake Up Tired

C138665	PQL1601	PQL16-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: It is hard to breathe.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Hard to Breathe	
C138666	PQL1602	PQL16-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: I get sick easily.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Get Sick Easily	
C138667	PQL1603	PQL16-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: I get sores and/or rashes.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Get Sores and/or Rashes	
C138668	PQL1604	PQL16-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: My legs hurt.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Legs Hurt	
C138669	PQL1605	PQL16-Feel Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: I feel tired.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Feel Tired	
C138670	PQL1606	PQL16-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: My back feels stiff.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Back Feels Stiff	
C138671	PQL1607	PQL16-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: I wake up tired.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Wake Up Tired	
C138672	PQL1608	PQL16-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: My hands are weak.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Hands Are Weak	
C138673	PQL1609	PQL16-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: It is hard to use the bathroom.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Hard to Use Bathroom	
C138674	PQL1610	PQL16-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: It is hard to gain or lose weight when I want to.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Hard to Gain or Lose Weight	
C138675	PQL1611	PQL16-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: It is hard to use my hands.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Hard to Use Hands	
C138676	PQL1612	PQL16-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: It is hard to swallow food.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Hard to Swallow Food	
C138677	PQL1613	PQL16-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: It takes me a long time to bathe or shower.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Long Time to Bathe or Shower	
C138678	PQL1614	PQL16-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: I get hurt accidentally.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Get Hurt Accidentally	
C138679	PQL1615	PQL16-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: I take a long time to eat.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Take Long Time to Eat	
C138680	PQL1616	PQL16-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: It is hard to turn myself during the night.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Hard to Turn During Night	

C138681	PQL1617	PQL16-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: It is hard for me to go places with my equipment.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Hard to Go Places With Equipment
---------	---------	----------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------

C138670	PQL16-Back Feels Stiff	PQL16-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: My back feels stiff.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Back Feels Stiff	
C138669	PQL16-Feel Tired	PQL16-Feel Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: I feel tired.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Feel Tired	
C138678	PQL16-Get Hurt Accidentally	PQL16-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: I get hurt accidentally.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Get Hurt Accidentally	
C138666	PQL16-Get Sick Easily	PQL16-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: I get sick easily.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Get Sick Easily	
C138667	PQL16-Get Sores and/or Rashes	PQL16-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: I get sores and/or rashes.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Get Sores and/or Rashes	
C138672	PQL16-Hands Are Weak	PQL16-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: My hands are weak.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Hands Are Weak	
C138665	PQL16-Hard to Breathe	PQL16-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: It is hard to breathe.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Hard to Breathe	
C138674	PQL16-Hard to Gain/Lose Weight	PQL16-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: It is hard to gain or lose weight when I want to.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Hard to Gain or Lose Weight	
C138681	PQL16-Hard to Go Places With Equipment	PQL16-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: It is hard for me to go places with my equipment.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Hard to Go Places With Equipment	
C138676	PQL16-Hard to Swallow Food	PQL16-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: It is hard to swallow food.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Hard to Swallow Food	
C138680	PQL16-Hard to Turn During Night	PQL16-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: It is hard to turn myself during the night.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Hard to Turn During Night	
C138673	PQL16-Hard to Use Bathroom	PQL16-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: It is hard to use the bathroom.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Hard to Use Bathroom	
C138675	PQL16-Hard to Use Hands	PQL16-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: It is hard to use my hands.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Hard to Use Hands	
C138668	PQL16-Legs Hurt	PQL16-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: My legs hurt.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Legs Hurt	
C138677	PQL16-Long Time to Bathe/Shower	PQL16-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: It takes me a long time to bathe or shower.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Long Time to Bathe or Shower	
C138679	PQL16-Take Long Time to Eat	PQL16-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: I take a long time to eat.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Take Long Time to Eat	

C138671	PQL16-Wake Up Tired	PQL16-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: I wake up tired.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Wake Up Tired
---------	---------------------	---------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------

C138590	PQL1701	PQL17-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to breathe.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Hard to Breathe
C138591	PQL1702	PQL17-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child gets sick easily.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Get Sick Easily
C138592	PQL1703	PQL17-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child gets sores and/or rashes.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Get Sores and/or Rashes
C138593	PQL1704	PQL17-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child's legs hurt.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Legs Hurt
C138594	PQL1705	PQL17-Feel Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child feels tired.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Feel Tired
C138595	PQL1706	PQL17-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child's back feels stiff.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Back Feels Stiff
C138596	PQL1707	PQL17-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child wakes up tired.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Wake Up Tired
C138597	PQL1708	PQL17-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child's hands are weak.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Hands Are Weak
C138598	PQL1709	PQL17-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to use the bathroom.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Hard to Use Bathroom
C138599	PQL1710	PQL17-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to gain or lose weight when he or she wants to.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Hard to Gain or Lose Weight
C138600	PQL1711	PQL17-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to use his or her hands.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Hard to Use Hands
C138601	PQL1712	PQL17-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to swallow food.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Hard to Swallow Food
C138602	PQL1713	PQL17-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It takes my child a long time to bathe or shower.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Long Time to Bathe or Shower
C138603	PQL1714	PQL17-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child gets hurt accidentally.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Get Hurt Accidentally
C138604	PQL1715	PQL17-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child takes a long time to eat.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Take Long Time to Eat

Pediatric Quality of Life Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Hard to Turn During Night				
C138605	PQL1716	PQL17-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to turn him or herself during the night.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Hard to Turn During Night
C138606	PQL1717	PQL17-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to go places with his or her equipment.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Hard to Go Places With Equipment
C138607	PQL1718	PQL17-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to tell the doctors and nurses how he or she feels.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Hard Tell Doctors and Nurses How Feel
C138608	PQL1719	PQL17-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Hard Ask Doctors and Nurses Questions
C138609	PQL1720	PQL17-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to explain his or her illness to other people.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Hard Explain Illness to People
C138610	PQL1721	PQL17-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for our family to plan activities like vacations.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Hard for Family to Plan Activities
C138611	PQL1722	PQL17-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for our family to get enough rest.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Hard for Family to Rest
C138612	PQL1723	PQL17-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: I think money is a problem in our family.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Money Problem in Our Family
C138613	PQL1724	PQL17-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: I think our family has a lot of problems.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Family Has Lot of Problems
C138614	PQL1725	PQL17-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child does not have the equipment he or she needs.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Do Not Have Equipment Need

C138595	PQL17-Back Feels Stiff	PQL17-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child's back feels stiff.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Back Feels Stiff
C138614	PQL17-Do Not Have Equipment Need	PQL17-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child does not have the equipment he or she needs.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Do Not Have Equipment Need
C138613	PQL17-Family Has Lot of Problems	PQL17-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: I think our family has a lot of problems.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Family Has Lot of Problems
C138594	PQL17-Feel Tired	PQL17-Feel Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child feels tired.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Feel Tired
C138603	PQL17-Get Hurt Accidentally	PQL17-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child gets hurt accidentally.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Get Hurt Accidentally
C138591	PQL17-Get Sick Easily	PQL17-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child gets sick easily.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Get Sick Easily
C138592	PQL17-Get Sores and/or Rashes	PQL17-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child gets sores and/or rashes.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Get Sores and/or Rashes
C138597	PQL17-Hands Are Weak	PQL17-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child's hands are weak.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Hands Are Weak
C138608	PQL17-Hard Ask Doctors/Nurses Questions	PQL17-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Hard Ask Doctors and Nurses Questions
C138609	PQL17-Hard Explain Illness to People	PQL17-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to explain his or her illness to other people.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Hard Explain Illness to People
C138610	PQL17-Hard for Family to Plan Activities	PQL17-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for our family to plan activities like vacations.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Hard for Family to Plan Activities
C138611	PQL17-Hard for Family to Rest	PQL17-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for our family to get enough rest.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Hard for Family to Rest
C138607	PQL17-Hard Tell Doctors/Nurses How Feel	PQL17-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to tell the doctors and nurses how he or she feels.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Hard Tell Doctors and Nurses How Feel
C138590	PQL17-Hard to Breathe	PQL17-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to breathe.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Hard to Breathe
C138599	PQL17-Hard to Gain/Lose Weight	PQL17-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to gain or lose weight when he or she wants to.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Hard to Gain or Lose Weight

Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to go places with his or her equipment.				
C138606	PQL17-Hard to Go Places With Equipment	PQL17-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to go places with his or her equipment.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Hard to Go Places With Equipment
C138601	PQL17-Hard to Swallow Food	PQL17-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to swallow food.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Hard to Swallow Food
C138605	PQL17-Hard to Turn During Night	PQL17-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to turn him or herself during the night.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Hard to Turn During Night
C138598	PQL17-Hard to Use Bathroom	PQL17-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to use the bathroom.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Hard to Use Bathroom
C138600	PQL17-Hard to Use Hands	PQL17-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to use his or her hands.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Hard to Use Hands
C138593	PQL17-Legs Hurt	PQL17-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child's legs hurt.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Legs Hurt
C138602	PQL17-Long Time to Bathe/Shower	PQL17-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It takes my child a long time to bathe or shower.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Long Time to Bathe or Shower
C138612	PQL17-Money Problem in Our Family	PQL17-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: I think money is a problem in our family.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Money Problem in Our Family
C138604	PQL17-Take Long Time to Eat	PQL17-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child takes a long time to eat.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Take Long Time to Eat
C138596	PQL17-Wake Up Tired	PQL17-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child wakes up tired.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Wake Up Tired

C138490	PQL1801	PQL18-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to breathe.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Hard to Breathe
C138491	PQL1802	PQL18-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: My child gets sick easily.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Get Sick Easily
C138492	PQL1803	PQL18-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: My child gets sores and/or rashes.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Get Sores and/or Rashes
C138493	PQL1804	PQL18-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: My child's legs hurt.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Legs Hurt
C138494	PQL1805	PQL18-Feel Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: My child feels tired.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Feel Tired
C138495	PQL1806	PQL18-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: My child's back feels stiff.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Back Feels Stiff
C138496	PQL1807	PQL18-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: My child wakes up tired.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Wake Up Tired
C138497	PQL1808	PQL18-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: My child's hands are weak.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Hands Are Weak
C138498	PQL1809	PQL18-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to use the bathroom.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Hard to Use Bathroom
C138499	PQL1810	PQL18-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to gain or lose weight when he or she wants to.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Hard to Gain or Lose Weight
C138500	PQL1811	PQL18-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to use his or her hands.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Hard to Use Hands
C138501	PQL1812	PQL18-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to swallow food.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Hard to Swallow Food
C138502	PQL1813	PQL18-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: It takes my child a long time to bathe or shower.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Long Time to Bathe or Shower
C138503	PQL1814	PQL18-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: My child gets hurt accidentally.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Get Hurt Accidentally
C138504	PQL1815	PQL18-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: My child takes a long time to eat.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Take Long Time to Eat
C138505	PQL1816	PQL18-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to turn him or herself during the night.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Hard to Turn During Night
C138506	PQL1817	PQL18-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to go places with his or her equipment.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Hard to Go Places With Equipment

Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to tell the doctors and nurses how he or she feels.					
C138507	PQL1818	PQL18-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to tell the doctors and nurses how he or she feels.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Hard Tell Doctors and Nurses How Feel	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Hard Tell Doctors and Nurses How Feel
C138508	PQL1819	PQL18-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Hard Ask Doctors and Nurses Questions	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Hard Ask Doctors and Nurses Questions
C138509	PQL1820	PQL18-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to explain his or her illness to other people.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Hard Explain Illness to People	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Hard Explain Illness to People
C138510	PQL1821	PQL18-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for our family to plan activities like vacations.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Hard for Family to Plan Activities	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Hard for Family to Plan Activities
C138511	PQL1822	PQL18-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for our family to get enough rest.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Hard for Family to Rest	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Hard for Family to Rest
C138512	PQL1823	PQL18-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: I think money is a problem in our family.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Money Problem in Our Family	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Money Problem in Our Family
C138513	PQL1824	PQL18-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: I think our family has a lot of problems.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Family Has Lot of Problems	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Family Has Lot of Problems
C138514	PQL1825	PQL18-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: My child does not have the equipment he or she needs.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Do Not Have Equipment Need	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Do Not Have Equipment Need

Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: My child's back feels stiff.				
C138495	PQL18-Back Feels Stiff	PQL18-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: My child's back feels stiff.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Back Feels Stiff
C138514	PQL18-Do Not Have Equipment Need	PQL18-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: My child does not have the equipment he or she needs.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Do Not Have Equipment Need
C138513	PQL18-Family Has Lot of Problems	PQL18-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: I think our family has a lot of problems.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Family Has Lot of Problems
C138494	PQL18-Feel Tired	PQL18-Feel Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: My child feels tired.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Feel Tired
C138503	PQL18-Get Hurt Accidentally	PQL18-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: My child gets hurt accidentally.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Get Hurt Accidentally
C138491	PQL18-Get Sick Easily	PQL18-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: My child gets sick easily.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Get Sick Easily
C138492	PQL18-Get Sores and/or Rashes	PQL18-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: My child gets sores and/or rashes.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Get Sores and/or Rashes
C138497	PQL18-Hands Are Weak	PQL18-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: My child's hands are weak.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Hands Are Weak
C138508	PQL18-Hard Ask Doctors/Nurses Questions	PQL18-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Hard Ask Doctors and Nurses Questions
C138509	PQL18-Hard Explain Illness to People	PQL18-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to explain his or her illness to other people.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Hard Explain Illness to People
C138510	PQL18-Hard for Family to Plan Activities	PQL18-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for our family to plan activities like vacations.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Hard for Family to Plan Activities
C138511	PQL18-Hard for Family to Rest	PQL18-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for our family to get enough rest.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Hard for Family to Rest
C138507	PQL18-Hard Tell Doctors/Nurses How Feel	PQL18-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to tell the doctors and nurses how he or she feels.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Hard Tell Doctors and Nurses How Feel
C138490	PQL18-Hard to Breathe	PQL18-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to breathe.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Hard to Breathe
C138499	PQL18-Hard to Gain/Lose Weight	PQL18-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to gain or lose weight when he or she wants to.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Hard to Gain or Lose Weight
C138506	PQL18-Hard to Go Places With Equipment	PQL18-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to go places with his or her equipment.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Hard to Go Places With Equipment

Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to swallow food.					
C138501	PQL18-Hard to Swallow Food	PQL18-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to swallow food.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Hard to Swallow Food	
C138505	PQL18-Hard to Turn During Night	PQL18-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to turn him or herself during the night.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Hard to Turn During Night	
C138498	PQL18-Hard to Use Bathroom	PQL18-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to use the bathroom.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Hard to Use Bathroom	
C138500	PQL18-Hard to Use Hands	PQL18-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to use his or her hands.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Hard to Use Hands	
C138493	PQL18-Legs Hurt	PQL18-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: My child's legs hurt.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Legs Hurt	
C138502	PQL18-Long Time to Bathe/Shower	PQL18-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: It takes my child a long time to bathe or shower.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Long Time to Bathe or Shower	
C138512	PQL18-Money Problem in Our Family	PQL18-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: I think money is a problem in our family.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Money Problem in Our Family	
C138504	PQL18-Take Long Time to Eat	PQL18-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: My child takes a long time to eat.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Take Long Time to Eat	
C138496	PQL18-Wake Up Tired	PQL18-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: My child wakes up tired.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Wake Up Tired	

C105267	PR0101	PR01-Pain Relief	Pain Relief - Pain relief for various time periods of evaluation.	PR - Pain Relief For Various Time Periods of Evaluation
C105268	PR0102	PR01-Average Pain Relief	Pain Relief - Average pain relief for various time periods of evaluation.	PR - Average Pain Relief For Various Time Periods of Evaluation
C105269	PR0103	PR01-Minimum Pain Relief	Pain Relief - Minimum pain relief for various time periods of evaluation.	PR - Minimum Pain Relief For Various Time Periods of Evaluation
C105270	PR0104	PR01-Maximum Pain Relief	Pain Relief - Maximum pain relief for various time periods of evaluation.	PR - Maximum Pain Relief For Various Time Periods of Evaluation
C105271	PR0105	PR01-Least Pain Relief	Pain Relief - Least pain relief for various time periods of evaluation.	PR - Least Pain Relief For Various Time Periods of Evaluation
C105272	PR0106	PR01-Worst Pain Relief	Pain Relief - Worst pain relief for various time periods of evaluation.	PR - Worst Pain Relief For Various Time Periods of Evaluation
C105273	PR0107	PR01-Starting Pain at Least 1/2 Gone	Pain Relief - Starting pain at least 1/2 Gone?	PR - Starting Pain Half Gone
C105274	PR0108	PR01-Was there Perceptible Pain Relief	Pain Relief - Was there perceptible pain relief?	PR - Was There Perceptible Pain Relief
C105275	PR0109	PR01-Time to Perceptible Pain Relief	Pain Relief - Time to perceptible pain relief.	PR - Time to Perceptible Pain Relief
C105276	PR0110	PR01-Was there Meaningful Pain Relief	Pain Relief - Was there meaningful pain relief?	PR - Was There Meaningful Pain Relief
C105277	PR0111	PR01-Time to Meaningful Pain Relief	Pain Relief - Time to meaningful pain relief.	PR - Time to Meaningful Pain Relief

Pain Relief Codes and Descriptions				
C105268	PR01-Average Pain Relief	PR01-Average Pain Relief	Pain Relief - Average pain relief for various time periods of evaluation.	PR - Average Pain Relief For Various Time Periods of Evaluation
C105271	PR01-Least Pain Relief	PR01-Least Pain Relief	Pain Relief - Least pain relief for various time periods of evaluation.	PR - Least Pain Relief For Various Time Periods of Evaluation
C105270	PR01-Maximum Pain Relief	PR01-Maximum Pain Relief	Pain Relief - Maximum pain relief for various time periods of evaluation.	PR - Maximum Pain Relief For Various Time Periods of Evaluation
C105269	PR01-Minimum Pain Relief	PR01-Minimum Pain Relief	Pain Relief - Minimum pain relief for various time periods of evaluation.	PR - Minimum Pain Relief For Various Time Periods of Evaluation
C105267	PR01-Pain Relief	PR01-Pain Relief	Pain Relief - Pain relief for various time periods of evaluation.	PR - Pain Relief For Various Time Periods of Evaluation
C105273	PR01-Starting Pain at Least 1/2 Gone	PR01-Starting Pain at Least 1/2 Gone	Pain Relief - Starting pain at least 1/2 Gone?	PR - Starting Pain Half Gone
C105277	PR01-Time to Meaningful Pain Relief	PR01-Time to Meaningful Pain Relief	Pain Relief - Time to meaningful pain relief.	PR - Time to Meaningful Pain Relief
C105275	PR01-Time to Perceptible Pain Relief	PR01-Time to Perceptible Pain Relief	Pain Relief - Time to perceptible pain relief.	PR - Time to Perceptible Pain Relief
C105276	PR01-Was there Meaningful Pain Relief	PR01-Was there Meaningful Pain Relief	Pain Relief - Was there meaningful pain relief?	PR - Was There Meaningful Pain Relief
C105274	PR01-Was there Perceptible Pain Relief	PR01-Was there Perceptible Pain Relief	Pain Relief - Was there perceptible pain relief?	PR - Was There Perceptible Pain Relief
C105272	PR01-Worst Pain Relief	PR01-Worst Pain Relief	Pain Relief - Worst pain relief for various time periods of evaluation.	PR - Worst Pain Relief For Various Time Periods of Evaluation

C127504	PROS0101	PROS01-Pain	Prostate Cancer Specific Quality of Life Instrument - Pain.	PROSQOLI - Pain
C127505	PROS0102	PROS01-Physical Activity	Prostate Cancer Specific Quality of Life Instrument - Physical activity.	PROSQOLI - Physical Activity
C127506	PROS0103	PROS01-Fatigue	Prostate Cancer Specific Quality of Life Instrument - Fatigue.	PROSQOLI - Fatigue
C127507	PROS0104	PROS01-Appetite	Prostate Cancer Specific Quality of Life Instrument - Appetite.	PROSQOLI - Appetite
C127508	PROS0105	PROS01-Constipation	Prostate Cancer Specific Quality of Life Instrument - Constipation.	PROSQOLI - Constipation
C127509	PROS0106	PROS01-Urinary Problems	Prostate Cancer Specific Quality of Life Instrument - Urinary problems.	PROSQOLI - Urinary Problems
C127510	PROS0107	PROS01-Enjoying Time Friends/Family	Prostate Cancer Specific Quality of Life Instrument - Enjoying time with friends and family.	PROSQOLI - Enjoying Time with Friends and Family
C127511	PROS0108	PROS01-Mood	Prostate Cancer Specific Quality of Life Instrument - Mood.	PROSQOLI - Mood
C127512	PROS0109	PROS01-Overall Well-Being	Prostate Cancer Specific Quality of Life Instrument - Overall Well-Being (How do you feel?).	PROSQOLI - Overall Well-Being
C127513	PROS0110	PROS01-Present Pain Intensity	Prostate Cancer Specific Quality of Life Instrument - Present pain intensity: Please circle the appropriate number according to how much pain you felt on average during the past 24 hours.	PROSQOLI - Present Pain Intensity

C127507	PROS01-Appetite	PROS01-Appetite	Prostate Cancer Specific Quality of Life Instrument - Appetite.	PROSQOLI - Appetite
C127508	PROS01-Constipation	PROS01-Constipation	Prostate Cancer Specific Quality of Life Instrument - Constipation.	PROSQOLI - Constipation
C127510	PROS01-Enjoying Time Friends/Family	PROS01-Enjoying Time Friends/Family	Prostate Cancer Specific Quality of Life Instrument - Enjoying time with friends and family.	PROSQOLI - Enjoying Time with Friends and Family
C127506	PROS01-Fatigue	PROS01-Fatigue	Prostate Cancer Specific Quality of Life Instrument - Fatigue.	PROSQOLI - Fatigue
C127511	PROS01-Mood	PROS01-Mood	Prostate Cancer Specific Quality of Life Instrument - Mood.	PROSQOLI - Mood
C127512	PROS01-Overall Well-Being	PROS01-Overall Well-Being	Prostate Cancer Specific Quality of Life Instrument - Overall Well-Being (How do you feel?).	PROSQOLI - Overall Well-Being
C127504	PROS01-Pain	PROS01-Pain	Prostate Cancer Specific Quality of Life Instrument - Pain.	PROSQOLI - Pain
C127505	PROS01-Physical Activity	PROS01-Physical Activity	Prostate Cancer Specific Quality of Life Instrument - Physical activity.	PROSQOLI - Physical Activity
C127513	PROS01-Present Pain Intensity	PROS01-Present Pain Intensity	Prostate Cancer Specific Quality of Life Instrument - Present pain intensity: Please circle the appropriate number according to how much pain you felt on average during the past 24 hours.	PROSQOLI - Present Pain Intensity
C127509	PROS01-Urinary Problems	PROS01-Urinary Problems	Prostate Cancer Specific Quality of Life Instrument - Urinary problems.	PROSQOLI - Urinary Problems

C180044	PT01001A	PT01-Dry Mouth Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your dry mouth at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Dry Mouth Severity
C180045	PT01002A	PT01-Difficulty Swallowing Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your difficulty swallowing at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Difficulty Swallowing Severity
C180046	PT01003A	PT01-Mouth/Throat Sores Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your mouth or throat sores at their worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Mouth/Throat Sores Severity
C180047	PT01003B	PT01-Mouth/Throat Sores Interference	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how much did mouth or throat sores interfere with your usual or daily activities?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Mouth/Throat Sores Interference
C180048	PT01004A	PT01-Cracking Corners of Mouth Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of skin cracking at the corners of your mouth at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Cracking Corners of Mouth Severity
C180049	PT01005A	PT01-Voice Quality Changes Presence	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, did you have any voice changes?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Voice Quality Changes Presence
C180050	PT01006A	PT01-Hoarseness Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your hoarse voice at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Hoarseness Severity
C180051	PT01007A	PT01-Taste Changes Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your problems with tasting food or drink at their worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Taste Changes Severity
C180052	PT01008A	PT01-Decreased Appetite Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your decreased appetite at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Decreased Appetite Severity
C180053	PT01008B	PT01-Decreased Appetite Interference	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how much did decreased appetite interfere with your usual or daily activities?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Decreased Appetite Interference
C180054	PT01009A	PT01-Nausea Frequency	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how often did you have nausea?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Nausea Frequency
C180055	PT01009B	PT01-Nausea Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your nausea at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Nausea Severity
C180056	PT01010A	PT01-Vomiting Frequency	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how often did you have vomiting?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Vomiting Frequency
C180057	PT01010B	PT01-Vomiting Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your vomiting at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Vomiting Severity
C180058	PT01011A	PT01-Heartburn Frequency	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how often did you have heartburn?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Heartburn Frequency
C180059	PT01011B	PT01-Heartburn Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your heartburn at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Heartburn Severity
C180060	PT01012A	PT01-Gas Presence	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, did you have any increased passing of gas (flatulence)?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Gas Presence

Common Terminology Criteria for Adverse Events Item Library Version 1.0				
Item ID	Item Name	Description	Criteria for Adverse Events Item Library Version 1.0	Version Date
C180061	PT01013A	PT01-Bloating Frequency	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how often did you have bloating of the abdomen (belly)?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Bloating Frequency
C180062	PT01013B	PT01-Bloating Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your bloating of the abdomen (belly) at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Bloating Severity
C180063	PT01014A	PT01-Hiccups Frequency	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how often did you have hiccups?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Hiccups Frequency
C180064	PT01014B	PT01-Hiccups Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your hiccups at their worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Hiccups Severity
C180065	PT01015A	PT01-Constipation Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your constipation at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Constipation Severity
C180066	PT01016A	PT01-Diarrhea Frequency	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how often did you have loose or watery stools (diarrhea/diarrhoea)?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Diarrhea Frequency
C180067	PT01017A	PT01-Abdominal Pain Frequency	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how often did you have pain in the abdomen (belly area)?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Abdominal Pain Frequency
C180068	PT01017B	PT01-Abdominal Pain Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your pain in the abdomen (belly area) at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Abdominal Pain Severity
C180069	PT01017C	PT01-Abdominal Pain Interference	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how much did pain in the abdomen (belly area) interfere with your usual or daily activities?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Abdominal Pain Interference
C180070	PT01018A	PT01-Fecal Incontinence Frequency	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how often did you lose control of bowel movements?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Fecal Incontinence Frequency
C180071	PT01018B	PT01-Fecal Incontinence Interference	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how much did loss of control of bowel movements interfere with your usual or daily activities?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Fecal Incontinence Interference
C180072	PT01019A	PT01-Shortness of Breath Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your shortness of breath at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Shortness of Breath Severity
C180073	PT01019B	PT01-Shortness of Breath Interference	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how much did your shortness of breath interfere with your usual or daily activities?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Shortness of Breath Interference
C180074	PT01020A	PT01-Cough Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your cough at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Cough Severity
C180075	PT01020B	PT01-Cough Interference	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how much did cough interfere with your usual or daily activities?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Cough Interference
C180076	PT01021A	PT01-Wheezing Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your wheezing (whistling noise in the chest with breathing) at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Wheezing Severity
C180077	PT01022A	PT01-Swelling Frequency	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how often did you have arm or leg swelling?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Swelling Frequency

Common Terminology Criteria for Adverse Events Item Library Version 1.0				
Item ID	Item Code	Item Name	Description	Version
C180078	PT01022B	PT01-Swelling Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your arm or leg swelling at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Swelling Severity
C180079	PT01022C	PT01-Swelling Interference	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how much did arm or leg swelling interfere with your usual or daily activities?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Swelling Interference
C180080	PT01023A	PT01-Heart Palpitations Frequency	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how often did you feel a pounding or racing heartbeat (palpitations)?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Heart Palpitations Frequency
C180081	PT01023B	PT01-Heart Palpitations Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your pounding or racing heartbeat (palpitations) at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Heart Palpitations Severity
C180082	PT01024A	PT01-Rash Presence	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, did you have any rash?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Rash Presence
C180083	PT01025A	PT01-Skin Dryness Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your dry skin at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Skin Dryness Severity
C180084	PT01026A	PT01-Acne Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your acne or pimples on the face or chest at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Acne Severity
C180085	PT01027A	PT01-Hair Loss Amount	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, did you have any hair loss?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Hair Loss Amount
C180086	PT01028A	PT01-Itching Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your itchy skin at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Itching Severity
C180087	PT01029A	PT01-Hives Presence	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, did you have any hives (itchy red bumps on the skin)?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Hives Presence
C180088	PT01030A	PT01-Hand-Foot Syndrome Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your hand-foot syndrome (a rash of the hands or feet that can cause cracking, peeling, redness or pain) at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Hand-Foot Syndrome Severity
C180089	PT01031A	PT01-Nail Loss Presence	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, did you lose any fingernails or toenails?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Nail Loss Presence
C180090	PT01032A	PT01-Nail Ridging Presence	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, did you have any ridges or bumps on your fingernails or toenails?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Nail Ridging Presence
C180091	PT01033A	PT01-Nail Discoloration Presence	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, did you have any change in the color of your fingernails or toenails?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Nail Discoloration Presence
C180092	PT01034A	PT01-Sensitivity to Sunlight Presence	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, did you have any increased skin sensitivity to sunlight?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Sensitivity to Sunlight Presence
C180093	PT01035A	PT01-Bed/Pressure Sores Presence	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, did you have any bed sores?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Bed/Pressure Sores Presence
C180094	PT01036A	PT01-Radiation Skin Reaction Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your skin burns from radiation at their worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Radiation Skin Reaction Severity

Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0				
ID	Item ID	Description	Criteria for Adverse Events Item Library Version 1.0	Version Date
C180095	PT01037A	PT01-Skin Darkening Presence	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, did you have any unusual darkening of the skin?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Skin Darkening Presence
C180096	PT01038A	PT01-Stretch Marks Presence	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, did you have any stretch marks?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Stretch Marks Presence
C180097	PT01039A	PT01-Numbness & Tingling Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your numbness or tingling in your hands or feet at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Numbness & Tingling Severity
C180098	PT01039B	PT01-Numbness & Tingling Interference	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how much did numbness or tingling in your hands or feet interfere with your usual or daily activities?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Numbness & Tingling Interference
C180099	PT01040A	PT01-Dizziness Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your dizziness at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Dizziness Severity
C180100	PT01040B	PT01-Dizziness Interference	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how much did dizziness interfere with your usual or daily activities?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Dizziness Interference
C180101	PT01041A	PT01-Blurred Vision Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your blurry vision at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Blurred Vision Severity
C180102	PT01041B	PT01-Blurred Vision Interference	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how much did blurry vision interfere with your usual or daily activities?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Blurred Vision Interference
C180103	PT01042A	PT01-Flashing Lights in Eyes Presence	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, did you have any flashing lights in front of your eyes?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Flashing Lights in Eyes Presence
C180104	PT01043A	PT01-Visual Floaters Presence	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, did you have any spots or lines (floaters) that drift in front of your eyes?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Visual Floaters Presence
C180105	PT01044A	PT01-Watery Eyes Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your watery eyes (tearing) at their worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Watery Eyes Severity
C180106	PT01044B	PT01-Watery Eyes Interference	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how much did watery eyes (tearing) interfere with your usual or daily activities?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Watery Eyes Interference
C180107	PT01045A	PT01-Ringing in Ears Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of ringing in your ears at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Ringing in Ears Severity
C180108	PT01046A	PT01-Concentration Problems Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your problems with concentration at their worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Concentration Problems Severity
C180109	PT01046B	PT01-Concentration Problems Interference	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how much did problems with concentration interfere with your usual or daily activities?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Concentration Problems Interference
C180110	PT01047A	PT01-Memory Problems Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your problems with memory at their worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Memory Problems Severity
C180111	PT01047B	PT01-Memory Problems Interference	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how much did problems with memory interfere with your usual or daily activities?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Memory Problems Interference

Common Terminology Criteria for Adverse Events Item Library Version 1.0				
Item ID	Item Code	Item Description	Definition	Scale
C180112	PT01048A	PT01-General Pain Frequency	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how often did you have pain?	PRO-CTCAE V1.0 Version Date 4/26/2020 - General Pain Frequency
C180113	PT01048B	PT01-General Pain Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your pain at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - General Pain Severity
C180114	PT01048C	PT01-General Pain Interference	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how much did pain interfere with your usual or daily activities?	PRO-CTCAE V1.0 Version Date 4/26/2020 - General Pain Interference
C180115	PT01049A	PT01-Headache Frequency	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how often did you have a headache?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Headache Frequency
C180116	PT01049B	PT01-Headache Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your headache at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Headache Severity
C180117	PT01049C	PT01-Headache Interference	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how much did your headache interfere with your usual or daily activities?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Headache Interference
C180118	PT01050A	PT01-Muscle Pain Frequency	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how often did you have aching muscles?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Muscle Pain Frequency
C180119	PT01050B	PT01-Muscle Pain Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your aching muscles at their worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Muscle Pain Severity
C180120	PT01050C	PT01-Muscle Pain Interference	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how much did aching muscles interfere with your usual or daily activities?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Muscle Pain Interference
C180121	PT01051A	PT01-Joint Pain Frequency	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how often did you have aching joints (such as elbows, knees, shoulders)?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Joint Pain Frequency
C180122	PT01051B	PT01-Joint Pain Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your aching joints (such as elbows, knees, shoulders) at their worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Joint Pain Severity
C180123	PT01051C	PT01-Joint Pain Interference	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how much did aching joints (such as elbows, knees, shoulders) interfere with your usual or daily activities?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Joint Pain Interference
C180124	PT01052A	PT01-Insomnia Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your insomnia (including difficulty falling asleep, staying asleep, or waking up early) at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Insomnia Severity
C180125	PT01052B	PT01-Insomnia Interference	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how much did insomnia (including difficulty falling asleep, staying asleep, or waking up early) interfere with your usual or daily activities?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Insomnia Interference
C180126	PT01053A	PT01-Fatigue Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your fatigue, tiredness, or lack of energy at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Fatigue Severity
C180127	PT01053B	PT01-Fatigue Interference	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how much did fatigue, tiredness, or lack of energy interfere with your usual or daily activities?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Fatigue Interference
C180128	PT01054A	PT01-Anxious Frequency	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how often did you feel anxiety?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Anxious Frequency

Common Terminology Criteria for Adverse Events Item Library Version 1.0				
Item ID	Item Code	Item Description	Definition	Version
C180129	PT01054B	PT01-Anxious Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your anxiety at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Anxious Severity
C180130	PT01054C	PT01-Anxious Interference	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how much did anxiety interfere with your usual or daily activities?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Anxious Interference
C180131	PT01055A	PT01-Discouraged Frequency	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how often did you feel that nothing could cheer you up?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Discouraged Frequency
C180132	PT01055B	PT01-Discouraged Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your feelings that nothing could cheer you up at their worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Discouraged Severity
C180133	PT01055C	PT01-Discouraged Interference	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how much did feeling that nothing could cheer you up interfere with your usual or daily activities?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Discouraged Interference
C180134	PT01056A	PT01-Sad Frequency	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how often did you have sad or unhappy feelings?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Sad Frequency
C180135	PT01056B	PT01-Sad Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your sad or unhappy feelings at their worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Sad Severity
C180136	PT01056C	PT01-Sad Interference	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how much did sad or unhappy feelings interfere with your usual or daily activities?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Sad Interference
C180137	PT01057A	PT01-Irregular Menstrual Period Presence	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, did you have any irregular menstrual periods?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Irregular Menstrual Period Presence
C180138	PT01058A	PT01-Missed Menstrual Period Presence	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, did you miss an expected menstrual period?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Missed Menstrual Period Presence
C180139	PT01059A	PT01-Vaginal Discharge Amount	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, did you have any unusual vaginal discharge?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Vaginal Discharge Amount
C180140	PT01060A	PT01-Vaginal Dryness Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your vaginal dryness at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Vaginal Dryness Severity
C180141	PT01061A	PT01-Painful Urination Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your pain or burning with urination at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Painful Urination Severity
C180142	PT01062A	PT01-Urinary Urgency Frequency	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how often did you feel an urge to urinate all of a sudden?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Urinary Urgency Frequency
C180143	PT01062B	PT01-Urinary Urgency Interference	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how much did sudden urges to urinate interfere with your usual or daily activities?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Urinary Urgency Interference
C180144	PT01063A	PT01-Urinary Frequency Frequency	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, were there times when you had to urinate frequently?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Urinary Frequency Frequency
C180145	PT01063B	PT01-Urinary Frequency Interference	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how much did frequent urination interfere with your usual or daily activities?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Urinary Frequency Interference

Common Terminology Criteria for Adverse Events Item Library Version 1.0				
Item ID	Item Code	Item Description	Item Text	Version
C180146	PT01064A	PT01-Urine Color Change Presence	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, did you have any urine color change?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Urine Color Change Presence
C180147	PT01065A	PT01-Urinary Incontinence Frequency	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how often did you have loss of control of urine (leakage)?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Urinary Incontinence Frequency
C180148	PT01065B	PT01-Urinary Incontinence Interference	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how much did loss of control of urine (leakage) interfere with your usual or daily activities?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Urinary Incontinence Interference
C180149	PT01066A	PT01-Achieve&Maintain Erection Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your difficulty getting or keeping an erection at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Achieve&Maintain Erection Severity
C180150	PT01067A	PT01-Ejaculation Frequency	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how often did you have ejaculation problems?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Ejaculation Frequency
C180151	PT01068A	PT01-Decreased Libido Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your decreased sexual interest at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Decreased Libido Severity
C180152	PT01069A	PT01-Delayed Orgasm Presence	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, did you feel that it took too long to have an orgasm or climax?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Delayed Orgasm Presence
C180153	PT01070A	PT01-Unable to Have Orgasm Presence	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, were you unable to have an orgasm or climax?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Unable to Have Orgasm Presence
C180154	PT01071A	PT01-Pain w/Sexual Intercourse Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your pain during vaginal sex at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Pain w/Sexual Intercourse Severity
C180155	PT01072A	PT01-Breast Swelling&Tenderness Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your breast area enlargement or tenderness at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Breast Swelling&Tenderness Severity
C180156	PT01073A	PT01-Bruising Presence	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, did you bruise easily (black and blue marks)?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Bruising Presence
C180157	PT01074A	PT01-Chills Frequency	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how often did you have shivering or shaking chills?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Chills Frequency
C180158	PT01074B	PT01-Chills Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your shivering or shaking chills at their worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Chills Severity
C180159	PT01075A	PT01-Increased Sweating Frequency	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how often did you have unexpected or excessive sweating during the day or nighttime (not related to hot flashes/flushes)?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Increased Sweating Frequency
C180160	PT01075B	PT01-Increased Sweating Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your unexpected or excessive sweating during the day or nighttime (not related to hot flashes/flushes) at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Increased Sweating Severity
C180161	PT01076A	PT01-Decreased Sweating Presence	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, did you have an unexpected decrease in sweating?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Decreased Sweating Presence
C180162	PT01077A	PT01-Hot Flashes Frequency	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how often did you have hot flashes/flushes?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Hot Flashes Frequency

Common Terminology Criteria for Adverse Events Item Library Version 1.0				
Item ID	Item Name	Description	Criteria for Adverse Events Item Library Version 1.0 Version Date	Version
C180163	PT01077B	PT01-Hot Flashes Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your hot flashes/flushes at their worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Hot Flashes Severity
C180164	PT01078A	PT01-Nosebleed Frequency	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how often did you have nosebleeds?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Nosebleed Frequency
C180165	PT01078B	PT01-Nosebleed Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your nosebleeds at their worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Nosebleed Severity
C180166	PT01079A	PT01-Pain&Swelling at Inj Site Presence	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, did you have any pain, swelling, or redness at a site of drug injection or IV?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Pain&Swelling at Inj Site Presence
C180167	PT01080A	PT01-Body Odor Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your body odor at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Body Odor Severity
C180168	PT01081	PT01-Any Other Symptoms Reported	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - Do you have any other symptoms that you wish to report?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Any Other Symptoms Reported
C180169	PT01082A	PT01-Other Symptom 1	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - Other symptom term 1?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Other Symptom 1
C180170	PT01082B	PT01-Other Symptom 1 Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of this symptom 1 at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Other Symptom 1 Severity
C180171	PT01083A	PT01-Other Symptom 2	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - Other symptom term 2?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Other Symptom 2
C180172	PT01083B	PT01-Other Symptom 2 Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of this symptom 2 at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Other Symptom 2 Severity
C180173	PT01084A	PT01-Other Symptom 3	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - Other symptom term 3?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Other Symptom 3
C180174	PT01084B	PT01-Other Symptom 3 Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of this symptom 3 at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Other Symptom 3 Severity
C180175	PT01085A	PT01-Other Symptom 4	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - Other symptom term 4?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Other Symptom 4
C180176	PT01085B	PT01-Other Symptom 4 Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of this symptom 4 at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Other Symptom 4 Severity
C180177	PT01086A	PT01-Other Symptom 5	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - Other symptom term 5?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Other Symptom 5
C180178	PT01086B	PT01-Other Symptom 5 Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of this symptom 5 at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Other Symptom 5 Severity
C180179	PT01087A	PT01-Other Symptom 6	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - Other symptom term 6?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Other Symptom 6
C180180	PT01087B	PT01-Other Symptom 6 Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of this symptom 6 at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Other Symptom 6 Severity

PRO-CTCAE V1.0 Version Date 4/26/2020 - Other Symptom 7				
C180181	PT01088A	PT01-Other Symptom 7	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - Other symptom term 7?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Other Symptom 7
C180182	PT01088B	PT01-Other Symptom 7 Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of this symptom 7 at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Other Symptom 7 Severity
C180183	PT01089A	PT01-Other Symptom 8	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - Other symptom term 8?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Other Symptom 8
C180184	PT01089B	PT01-Other Symptom 8 Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of this symptom 8 at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Other Symptom 8 Severity
C180185	PT01090A	PT01-Other Symptom 9	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - Other symptom term 9?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Other Symptom 9
C180186	PT01090B	PT01-Other Symptom 9 Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of this symptom 9 at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Other Symptom 9 Severity
C180187	PT01091A	PT01-Other Symptom 10	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - Other symptom term 10?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Other Symptom 10
C180188	PT01091B	PT01-Other Symptom 10 Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of this symptom 10 at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Other Symptom 10 Severity

C180067	PT01-Abdominal Pain Frequency	PT01-Abdominal Pain Frequency	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how often did you have pain in the abdomen (belly area)?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Abdominal Pain Frequency
C180069	PT01-Abdominal Pain Interference	PT01-Abdominal Pain Interference	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how much did pain in the abdomen (belly area) interfere with your usual or daily activities?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Abdominal Pain Interference
C180068	PT01-Abdominal Pain Severity	PT01-Abdominal Pain Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your pain in the abdomen (belly area) at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Abdominal Pain Severity
C180149	PT01-Achieve&Maintain Erection Severity	PT01-Achieve&Maintain Erection Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your difficulty getting or keeping an erection at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Achieve&Maintain Erection Severity
C180084	PT01-Acne Severity	PT01-Acne Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your acne or pimples on the face or chest at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Acne Severity
C180128	PT01-Anxious Frequency	PT01-Anxious Frequency	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how often did you feel anxiety?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Anxious Frequency
C180130	PT01-Anxious Interference	PT01-Anxious Interference	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how much did anxiety interfere with your usual or daily activities?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Anxious Interference
C180129	PT01-Anxious Severity	PT01-Anxious Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your anxiety at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Anxious Severity
C180168	PT01-Any Other Symptoms Reported	PT01-Any Other Symptoms Reported	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - Do you have any other symptoms that you wish to report?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Any Other Symptoms Reported
C180093	PT01-Bed/Pressure Sores Presence	PT01-Bed/Pressure Sores Presence	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, did you have any bed sores?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Bed/Pressure Sores Presence
C180061	PT01-Bloating Frequency	PT01-Bloating Frequency	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how often did you have bloating of the abdomen (belly)?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Bloating Frequency
C180062	PT01-Bloating Severity	PT01-Bloating Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your bloating of the abdomen (belly) at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Bloating Severity
C180102	PT01-Blurred Vision Interference	PT01-Blurred Vision Interference	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how much did blurry vision interfere with your usual or daily activities?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Blurred Vision Interference
C180101	PT01-Blurred Vision Severity	PT01-Blurred Vision Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your blurry vision at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Blurred Vision Severity
C180167	PT01-Body Odor Severity	PT01-Body Odor Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your body odor at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Body Odor Severity
C180155	PT01-Breast Swelling&Tenderness Severity	PT01-Breast Swelling&Tenderness Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your breast area enlargement or tenderness at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Breast Swelling&Tenderness Severity
C180156	PT01-Bruising Presence	PT01-Bruising Presence	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, did you bruise easily (black and blue marks)?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Bruising Presence

Common Terminology Criteria for Adverse Events Item Library Version 1.0				
C180157	PT01-Chills Frequency	PT01-Chills Frequency	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how often did you have shivering or shaking chills?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Chills Frequency
C180158	PT01-Chills Severity	PT01-Chills Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your shivering or shaking chills at their worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Chills Severity
C180109	PT01-Concentration Problems Interference	PT01-Concentration Problems Interference	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how much did problems with concentration interfere with your usual or daily activities?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Concentration Problems Interference
C180108	PT01-Concentration Problems Severity	PT01-Concentration Problems Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your problems with concentration at their worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Concentration Problems Severity
C180065	PT01-Constipation Severity	PT01-Constipation Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your constipation at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Constipation Severity
C180075	PT01-Cough Interference	PT01-Cough Interference	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how much did cough interfere with your usual or daily activities?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Cough Interference
C180074	PT01-Cough Severity	PT01-Cough Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your cough at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Cough Severity
C180048	PT01-Cracking Corners of Mouth Severity	PT01-Cracking Corners of Mouth Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of skin cracking at the corners of your mouth at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Cracking Corners of Mouth Severity
C180053	PT01-Decreased Appetite Interference	PT01-Decreased Appetite Interference	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how much did decreased appetite interfere with your usual or daily activities?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Decreased Appetite Interference
C180052	PT01-Decreased Appetite Severity	PT01-Decreased Appetite Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your decreased appetite at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Decreased Appetite Severity
C180151	PT01-Decreased Libido Severity	PT01-Decreased Libido Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your decreased sexual interest at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Decreased Libido Severity
C180161	PT01-Decreased Sweating Presence	PT01-Decreased Sweating Presence	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, did you have an unexpected decrease in sweating?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Decreased Sweating Presence
C180152	PT01-Delayed Orgasm Presence	PT01-Delayed Orgasm Presence	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, did you feel that it took too long to have an orgasm or climax?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Delayed Orgasm Presence
C180066	PT01-Diarrhea Frequency	PT01-Diarrhea Frequency	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how often did you have loose or watery stools (diarrhea/diarrhoea)?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Diarrhea Frequency
C180045	PT01-Difficulty Swallowing Severity	PT01-Difficulty Swallowing Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your difficulty swallowing at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Difficulty Swallowing Severity
C180131	PT01-Discouraged Frequency	PT01-Discouraged Frequency	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how often did you feel that nothing could cheer you up?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Discouraged Frequency
C180133	PT01-Discouraged Interference	PT01-Discouraged Interference	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how much did feeling that nothing could cheer you up interfere with your usual or daily activities?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Discouraged Interference

Common Terminology Criteria for Adverse Events Item Library Version 1.0					
C180132	PT01-Discouraged Severity	PT01-Discouraged Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your feelings that nothing could cheer you up at their worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Discouraged Severity	
C180100	PT01-Dizziness Interference	PT01-Dizziness Interference	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how much did dizziness interfere with your usual or daily activities?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Dizziness Interference	
C180099	PT01-Dizziness Severity	PT01-Dizziness Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your dizziness at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Dizziness Severity	
C180044	PT01-Dry Mouth Severity	PT01-Dry Mouth Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your dry mouth at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Dry Mouth Severity	
C180150	PT01-Ejaculation Frequency	PT01-Ejaculation Frequency	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how often did you have ejaculation problems?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Ejaculation Frequency	
C180127	PT01-Fatigue Interference	PT01-Fatigue Interference	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how much did fatigue, tiredness, or lack of energy interfere with your usual or daily activities?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Fatigue Interference	
C180126	PT01-Fatigue Severity	PT01-Fatigue Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your fatigue, tiredness, or lack of energy at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Fatigue Severity	
C180070	PT01-Fecal Incontinence Frequency	PT01-Fecal Incontinence Frequency	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how often did you lose control of bowel movements?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Fecal Incontinence Frequency	
C180071	PT01-Fecal Incontinence Interference	PT01-Fecal Incontinence Interference	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how much did loss of control of bowel movements interfere with your usual or daily activities?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Fecal Incontinence Interference	
C180103	PT01-Flashing Lights in Eyes Presence	PT01-Flashing Lights in Eyes Presence	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, did you have any flashing lights in front of your eyes?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Flashing Lights in Eyes Presence	
C180060	PT01-Gas Presence	PT01-Gas Presence	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, did you have any increased passing of gas (flatulence)?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Gas Presence	
C180112	PT01-General Pain Frequency	PT01-General Pain Frequency	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how often did you have pain?	PRO-CTCAE V1.0 Version Date 4/26/2020 - General Pain Frequency	
C180114	PT01-General Pain Interference	PT01-General Pain Interference	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how much did pain interfere with your usual or daily activities?	PRO-CTCAE V1.0 Version Date 4/26/2020 - General Pain Interference	
C180113	PT01-General Pain Severity	PT01-General Pain Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your pain at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - General Pain Severity	
C180085	PT01-Hair Loss Amount	PT01-Hair Loss Amount	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, did you have any hair loss?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Hair Loss Amount	
C180088	PT01-Hand-Foot Syndrome Severity	PT01-Hand-Foot Syndrome Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your hand-foot syndrome (a rash of the hands or feet that can cause cracking, peeling, redness or pain) at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Hand-Foot Syndrome Severity	
C180115	PT01-Headache Frequency	PT01-Headache Frequency	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how often did you have a headache?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Headache Frequency	

Common Terminology Criteria for Adverse Events Item Library Version 1.0				
C180117	PT01-Headache Interference	PT01-Headache Interference	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how much did your headache interfere with your usual or daily activities?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Headache Interference
C180116	PT01-Headache Severity	PT01-Headache Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your headache at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Headache Severity
C180080	PT01-Heart Palpitations Frequency	PT01-Heart Palpitations Frequency	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how often did you feel a pounding or racing heartbeat (palpitations)?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Heart Palpitations Frequency
C180081	PT01-Heart Palpitations Severity	PT01-Heart Palpitations Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your pounding or racing heartbeat (palpitations) at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Heart Palpitations Severity
C180058	PT01-Heartburn Frequency	PT01-Heartburn Frequency	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how often did you have heartburn?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Heartburn Frequency
C180059	PT01-Heartburn Severity	PT01-Heartburn Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your heartburn at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Heartburn Severity
C180063	PT01-Hiccups Frequency	PT01-Hiccups Frequency	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how often did you have hiccups?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Hiccups Frequency
C180064	PT01-Hiccups Severity	PT01-Hiccups Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your hiccups at their worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Hiccups Severity
C180087	PT01-Hives Presence	PT01-Hives Presence	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, did you have any hives (itchy red bumps on the skin)?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Hives Presence
C180050	PT01-Hoarseness Severity	PT01-Hoarseness Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your hoarse voice at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Hoarseness Severity
C180162	PT01-Hot Flashes Frequency	PT01-Hot Flashes Frequency	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how often did you have hot flashes/flushes?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Hot Flashes Frequency
C180163	PT01-Hot Flashes Severity	PT01-Hot Flashes Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your hot flashes/flushes at their worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Hot Flashes Severity
C180159	PT01-Increased Sweating Frequency	PT01-Increased Sweating Frequency	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how often did you have unexpected or excessive sweating during the day or nighttime (not related to hot flashes/flushes)?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Increased Sweating Frequency
C180160	PT01-Increased Sweating Severity	PT01-Increased Sweating Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your unexpected or excessive sweating during the day or nighttime (not related to hot flashes/flushes) at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Increased Sweating Severity
C180125	PT01-Insomnia Interference	PT01-Insomnia Interference	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how much did insomnia (including difficulty falling asleep, staying asleep, or waking up early) interfere with your usual or daily activities?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Insomnia Interference
C180124	PT01-Insomnia Severity	PT01-Insomnia Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your insomnia (including difficulty falling asleep, staying asleep, or waking up early) at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Insomnia Severity
C180137	PT01-Irregular Menstrual Period Presence	PT01-Irregular Menstrual Period Presence	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, did you have any irregular menstrual periods?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Irregular Menstrual Period Presence

Common Terminology Criteria for Adverse Events Item Library Version 1.0				
C180086	PT01-Itching Severity	PT01-Itching Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your itchy skin at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Itching Severity
C180121	PT01-Joint Pain Frequency	PT01-Joint Pain Frequency	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how often did you have aching joints (such as elbows, knees, shoulders)?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Joint Pain Frequency
C180123	PT01-Joint Pain Interference	PT01-Joint Pain Interference	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how much did aching joints (such as elbows, knees, shoulders) interfere with your usual or daily activities?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Joint Pain Interference
C180122	PT01-Joint Pain Severity	PT01-Joint Pain Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your aching joints (such as elbows, knees, shoulders) at their worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Joint Pain Severity
C180111	PT01-Memory Problems Interference	PT01-Memory Problems Interference	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how much did problems with memory interfere with your usual or daily activities?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Memory Problems Interference
C180110	PT01-Memory Problems Severity	PT01-Memory Problems Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your problems with memory at their worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Memory Problems Severity
C180138	PT01-Missed Menstrual Period Presence	PT01-Missed Menstrual Period Presence	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, did you miss an expected menstrual period?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Missed Menstrual Period Presence
C180047	PT01-Mouth/Throat Sores Interference	PT01-Mouth/Throat Sores Interference	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how much did mouth or throat sores interfere with your usual or daily activities?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Mouth/Throat Sores Interference
C180046	PT01-Mouth/Throat Sores Severity	PT01-Mouth/Throat Sores Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your mouth or throat sores at their worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Mouth/Throat Sores Severity
C180118	PT01-Muscle Pain Frequency	PT01-Muscle Pain Frequency	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how often did you have aching muscles?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Muscle Pain Frequency
C180120	PT01-Muscle Pain Interference	PT01-Muscle Pain Interference	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how much did aching muscles interfere with your usual or daily activities?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Muscle Pain Interference
C180119	PT01-Muscle Pain Severity	PT01-Muscle Pain Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your aching muscles at their worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Muscle Pain Severity
C180091	PT01-Nail Discoloration Presence	PT01-Nail Discoloration Presence	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, did you have any change in the color of your fingernails or toenails?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Nail Discoloration Presence
C180089	PT01-Nail Loss Presence	PT01-Nail Loss Presence	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, did you lose any fingernails or toenails?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Nail Loss Presence
C180090	PT01-Nail Ridging Presence	PT01-Nail Ridging Presence	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, did you have any ridges or bumps on your fingernails or toenails?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Nail Ridging Presence
C180054	PT01-Nausea Frequency	PT01-Nausea Frequency	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how often did you have nausea?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Nausea Frequency
C180055	PT01-Nausea Severity	PT01-Nausea Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your nausea at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Nausea Severity

Common Terminology Criteria for Adverse Events Version 1.0					
Item ID	Display Name	Display Name	Description	Source	Version
C180164	PT01-Nosebleed Frequency	PT01-Nosebleed Frequency	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how often did you have nosebleeds?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Nosebleed Frequency	
C180165	PT01-Nosebleed Severity	PT01-Nosebleed Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your nosebleeds at their worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Nosebleed Severity	
C180098	PT01-Numbness & Tingling Interference	PT01-Numbness & Tingling Interference	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how much did numbness or tingling in your hands or feet interfere with your usual or daily activities?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Numbness & Tingling Interference	
C180097	PT01-Numbness & Tingling Severity	PT01-Numbness & Tingling Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your numbness or tingling in your hands or feet at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Numbness & Tingling Severity	
C180170	PT01-Other Symptom 1 Severity	PT01-Other Symptom 1 Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of this symptom 1 at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Other Symptom 1 Severity	
C180169	PT01-Other Symptom 1	PT01-Other Symptom 1	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - Other symptom term 1?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Other Symptom 1	
C180188	PT01-Other Symptom 10 Severity	PT01-Other Symptom 10 Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of this symptom 10 at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Other Symptom 10 Severity	
C180187	PT01-Other Symptom 10	PT01-Other Symptom 10	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - Other symptom term 10?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Other Symptom 10	
C180172	PT01-Other Symptom 2 Severity	PT01-Other Symptom 2 Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of this symptom 2 at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Other Symptom 2 Severity	
C180171	PT01-Other Symptom 2	PT01-Other Symptom 2	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - Other symptom term 2?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Other Symptom 2	
C180174	PT01-Other Symptom 3 Severity	PT01-Other Symptom 3 Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of this symptom 3 at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Other Symptom 3 Severity	
C180173	PT01-Other Symptom 3	PT01-Other Symptom 3	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - Other symptom term 3?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Other Symptom 3	
C180176	PT01-Other Symptom 4 Severity	PT01-Other Symptom 4 Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of this symptom 4 at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Other Symptom 4 Severity	
C180175	PT01-Other Symptom 4	PT01-Other Symptom 4	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - Other symptom term 4?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Other Symptom 4	
C180178	PT01-Other Symptom 5 Severity	PT01-Other Symptom 5 Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of this symptom 5 at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Other Symptom 5 Severity	
C180177	PT01-Other Symptom 5	PT01-Other Symptom 5	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - Other symptom term 5?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Other Symptom 5	
C180180	PT01-Other Symptom 6 Severity	PT01-Other Symptom 6 Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of this symptom 6 at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Other Symptom 6 Severity	
C180179	PT01-Other Symptom 6	PT01-Other Symptom 6	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - Other symptom term 6?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Other Symptom 6	

Common Terminology Criteria for Adverse Events Item Library Version 1.0					
C180182	PT01-Other Symptom 7 Severity	PT01-Other Symptom 7 Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of this symptom 7 at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Other Symptom 7 Severity	
C180181	PT01-Other Symptom 7	PT01-Other Symptom 7	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - Other symptom term 7?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Other Symptom 7	
C180184	PT01-Other Symptom 8 Severity	PT01-Other Symptom 8 Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of this symptom 8 at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Other Symptom 8 Severity	
C180183	PT01-Other Symptom 8	PT01-Other Symptom 8	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - Other symptom term 8?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Other Symptom 8	
C180186	PT01-Other Symptom 9 Severity	PT01-Other Symptom 9 Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of this symptom 9 at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Other Symptom 9 Severity	
C180185	PT01-Other Symptom 9	PT01-Other Symptom 9	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - Other symptom term 9?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Other Symptom 9	
C180154	PT01-Pain w/Sexual Intercourse Severity	PT01-Pain w/Sexual Intercourse Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your pain during vaginal sex at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Pain w/Sexual Intercourse Severity	
C180166	PT01-Pain&Swelling at Inj Site Presence	PT01-Pain&Swelling at Inj Site Presence	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, did you have any pain, swelling, or redness at a site of drug injection or IV?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Pain&Swelling at Inj Site Presence	
C180141	PT01-Painful Urination Severity	PT01-Painful Urination Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your pain or burning with urination at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Painful Urination Severity	
C180094	PT01-Radiation Skin Reaction Severity	PT01-Radiation Skin Reaction Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your skin burns from radiation at their worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Radiation Skin Reaction Severity	
C180082	PT01-Rash Presence	PT01-Rash Presence	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, did you have any rash?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Rash Presence	
C180107	PT01-Ringing in Ears Severity	PT01-Ringing in Ears Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of ringing in your ears at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Ringing in Ears Severity	
C180134	PT01-Sad Frequency	PT01-Sad Frequency	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how often did you have sad or unhappy feelings?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Sad Frequency	
C180136	PT01-Sad Interference	PT01-Sad Interference	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how much did sad or unhappy feelings interfere with your usual or daily activities?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Sad Interference	
C180135	PT01-Sad Severity	PT01-Sad Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your sad or unhappy feelings at their worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Sad Severity	
C180092	PT01-Sensitivity to Sunlight Presence	PT01-Sensitivity to Sunlight Presence	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, did you have any increased skin sensitivity to sunlight?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Sensitivity to Sunlight Presence	
C180073	PT01-Shortness of Breath Interference	PT01-Shortness of Breath Interference	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how much did your shortness of breath interfere with your usual or daily activities?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Shortness of Breath Interference	
C180072	PT01-Shortness of Breath Severity	PT01-Shortness of Breath Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your shortness of breath at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Shortness of Breath Severity	

Common Terminology Criteria for Adverse Events Version 1.0				
Item ID	Item Name	Item Type	Description	Source
C180095	PT01-Skin Darkening Presence	PT01-Skin Darkening Presence	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, did you have any unusual darkening of the skin?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Skin Darkening Presence
C180083	PT01-Skin Dryness Severity	PT01-Skin Dryness Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your dry skin at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Skin Dryness Severity
C180096	PT01-Stretch Marks Presence	PT01-Stretch Marks Presence	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, did you have any stretch marks?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Stretch Marks Presence
C180077	PT01-Swelling Frequency	PT01-Swelling Frequency	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how often did you have arm or leg swelling?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Swelling Frequency
C180079	PT01-Swelling Interference	PT01-Swelling Interference	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how much did arm or leg swelling interfere with your usual or daily activities?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Swelling Interference
C180078	PT01-Swelling Severity	PT01-Swelling Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your arm or leg swelling at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Swelling Severity
C180051	PT01-Taste Changes Severity	PT01-Taste Changes Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your problems with tasting food or drink at their worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Taste Changes Severity
C180153	PT01-Unable to Have Orgasm Presence	PT01-Unable to Have Orgasm Presence	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, were you unable to have an orgasm or climax?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Unable to Have Orgasm Presence
C180144	PT01-Urinary Frequency Frequency	PT01-Urinary Frequency Frequency	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, were there times when you had to urinate frequently?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Urinary Frequency Frequency
C180145	PT01-Urinary Frequency Interference	PT01-Urinary Frequency Interference	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how much did frequent urination interfere with your usual or daily activities?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Urinary Frequency Interference
C180147	PT01-Urinary Incontinence Frequency	PT01-Urinary Incontinence Frequency	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how often did you have loss of control of urine (leakage)?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Urinary Incontinence Frequency
C180148	PT01-Urinary Incontinence Interference	PT01-Urinary Incontinence Interference	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how much did loss of control of urine (leakage) interfere with your usual or daily activities?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Urinary Incontinence Interference
C180142	PT01-Urinary Urgency Frequency	PT01-Urinary Urgency Frequency	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how often did you feel an urge to urinate all of a sudden?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Urinary Urgency Frequency
C180143	PT01-Urinary Urgency Interference	PT01-Urinary Urgency Interference	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how much did sudden urges to urinate interfere with your usual or daily activities?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Urinary Urgency Interference
C180146	PT01-Urine Color Change Presence	PT01-Urine Color Change Presence	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, did you have any urine color change?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Urine Color Change Presence
C180139	PT01-Vaginal Discharge Amount	PT01-Vaginal Discharge Amount	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, did you have any unusual vaginal discharge?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Vaginal Discharge Amount
C180140	PT01-Vaginal Dryness Severity	PT01-Vaginal Dryness Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your vaginal dryness at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Vaginal Dryness Severity

Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0					
C180104	PT01-Visual Floaters Presence	PT01-Visual Floaters Presence	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, did you have any spots or lines (floaters) that drift in front of your eyes?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Visual Floaters Presence	
C180049	PT01-Voice Quality Changes Presence	PT01-Voice Quality Changes Presence	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, did you have any voice changes?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Voice Quality Changes Presence	
C180056	PT01-Vomiting Frequency	PT01-Vomiting Frequency	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how often did you have vomiting?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Vomiting Frequency	
C180057	PT01-Vomiting Severity	PT01-Vomiting Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your vomiting at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Vomiting Severity	
C180106	PT01-Watery Eyes Interference	PT01-Watery Eyes Interference	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, how much did watery eyes (tearing) interfere with your usual or daily activities?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Watery Eyes Interference	
C180105	PT01-Watery Eyes Severity	PT01-Watery Eyes Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your watery eyes (tearing) at their worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Watery Eyes Severity	
C180076	PT01-Wheezing Severity	PT01-Wheezing Severity	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 - In the last 7 days, what was the severity of your wheezing (whistling noise in the chest with breathing) at its worst?	PRO-CTCAE V1.0 Version Date 4/26/2020 - Wheezing Severity	

Paced Tapping - Total Trials Expected				
C151027	PTAP101	PTAP1-Total Trials Expected	Paced Tapping - Total number of trials expected to be administered in the task.	Paced Tapping - Total Trials Expected
C151028	PTAP102	PTAP1-Total Trials Administered	Paced Tapping - Total number of trials actually administered in the task.	Paced Tapping - Total Trials Administered
C151029	PTAP103	PTAP1-Total Trials Completed	Paced Tapping - Total number of trials actually completed in the task.	Paced Tapping - Total Trials Completed
C151030	PTAP104	PTAP1-Total Interval Tone Admin All	Paced Tapping - Total number of intertap intervals across all 4 toned tapping phases of each trial administered.	Paced Tapping - Total Interval Tone Admin All
C151031	PTAP105	PTAP1-Total Interval Tone Trim All	Paced Tapping - Total number of intertap intervals across the 4 toned tapping phases of each trial, that were trimmed before analysis.	Paced Tapping - Total Interval Tone Trim All
C151032	PTAP105A	PTAP1-Minimum Interval Tone All	Paced Tapping - The minimum intertap interval within the tone-paced tapping phase across all trials (in milliseconds).	Paced Tapping - Minimum Interval Tone All
C151033	PTAP105B	PTAP1-Maximum Interval Tone All	Paced Tapping - The maximum intertap interval within the tone-paced tapping phase across all trials (in milliseconds).	Paced Tapping - Maximum Interval Tone All
C151034	PTAP105C	PTAP1-Mean Interval Tone All	Paced Tapping - The mean intertap interval within the tone-paced tapping phase across all trials (in milliseconds).	Paced Tapping - Mean Interval Tone All
C151035	PTAP105D	PTAP1-Median Interval Tone All	Paced Tapping - The median intertap interval within the tone-paced tapping phase across all trials (in milliseconds).	Paced Tapping - Median Interval Tone All
C151036	PTAP105E	PTAP1-Variance Interval Tone All	Paced Tapping - The variance of the intertap interval within the tone-paced tapping phase across all trials (in milliseconds).	Paced Tapping - Variance Interval Tone All
C151037	PTAP105F	PTAP1-Deviation Interval Tone All	Paced Tapping - The standard deviation of the intertap intervals within the tone-paced tapping phase across all trials.	Paced Tapping - Deviation Interval Tone All
C151038	PTAP105G	PTAP1-Reciprocal Interval Tone All	Paced Tapping - The reciprocal of the standard deviation of the intertap intervals within the tone-paced tapping phase across all trials.	Paced Tapping - Reciprocal Interval Tone All
C151039	PTAP105H	PTAP1-Avg Sign Dev Interval Tone All	Paced Tapping - The average signed deviation of the intertap intervals within the tone-paced tapping phase across all trials.	Paced Tapping - Avg Sign Dev Interval Tone All
C151040	PTAP106	PTAP1-Total Interval Self Admin All	Paced Tapping - Total number of interlap intervals across all 4 trials administered (self-paced tapping phases).	Paced Tapping - Total Interval Self Admin All
C151041	PTAP107	PTAP1-Total Interval Self Trim All	Paced Tapping - Total number of intertap intervals across all 4 trials that were trimmed before analysis (self-paced tapping phases).	Paced Tapping - Total Interval Self Trim All
C151042	PTAP107A	PTAP1-Minimum Interval Self All	Paced Tapping - The minimum intertap interval within the self-paced tapping phase across all trials (in milliseconds).	Paced Tapping - Minimum Interval Self All
C151043	PTAP107B	PTAP1-Maximum Interval Self All	Paced Tapping - The maximum intertap interval within the self-paced tapping phase across all trials (in milliseconds).	Paced Tapping - Maximum Interval Self All
C151044	PTAP107C	PTAP1-Mean Interval Self All	Paced Tapping - The mean intertap interval within the self-paced tapping phase across all trials (in milliseconds).	Paced Tapping - Mean Interval Self All
C151045	PTAP107D	PTAP1-Median Interval Self All	Paced Tapping - The median intertap interval within the self-paced tapping phase across all trials (in milliseconds).	Paced Tapping - Median Interval Self All
C151046	PTAP107E	PTAP1-Variance Interval Self All	Paced Tapping - The variance of the intertap interval within the self-paced tapping phase across all trials (in milliseconds).	Paced Tapping - Variance Interval Self All
C151047	PTAP107F	PTAP1-Deviation Interval Self All	Paced Tapping - The standard deviation of the intertap intervals within the self-paced tapping phase across all trials.	Paced Tapping - Deviation Interval Self All
C151048	PTAP107G	PTAP1-Reciprocal Interval Self All	Paced Tapping - The reciprocal of the standard deviation of the intertap intervals within the self-paced tapping phase across all trials.	Paced Tapping - Reciprocal Interval Self All
C151049	PTAP107H	PTAP1-Avg Sign Dev Interval Self All	Paced Tapping - The average signed deviation of the intertap intervals within the self-paced tapping phase across all trials.	Paced Tapping - Avg Sign Dev Interval Self All
C151050	PTAP108	PTAP1-Trials Expected in Trial	Paced Tapping - Number of trials expected to be administered in Trial n.	Paced Tapping - Trials Expected in Trial
C151051	PTAP109	PTAP1-Trials Administered in Trial	Paced Tapping - Number of trials actually administered in Trial n.	Paced Tapping - Trials Administered in Trial
C151052	PTAP110	PTAP1-Trials Completed in Trial	Paced Tapping - Number of trials actually completed in Trial n.	Paced Tapping - Trials Completed in Trial

Paced Tapping Metrics				
Code	Metric ID	Metric Name	Description	Label
C151053	PTAP111	PTAP1-Num Intervals Expected Tone Trial	Paced Tapping - Total number of intertap intervals expected for the tone-tapping phase of Trial n.	Paced Tapping - Num Intervals Expected Tone Trial
C151054	PTAP112	PTAP1-Num Intervals Trim Tone Trial	Paced Tapping - Total number of intertap intervals within the tone-tapping phase of Trial n, that were trimmed before analysis.	Paced Tapping - Num Intervals Trim Tone Trial
C151055	PTAP112A	PTAP1-Minimum Interval Tone Trial	Paced Tapping - The minimum intertap interval within the tone-tapping phase of Trial n (in milliseconds).	Paced Tapping - Minimum Interval Tone Trial
C151056	PTAP112B	PTAP1-Maximum Interval Tone Trial	Paced Tapping - The maximum intertap interval within the tone-tapping phase of Trial n (in milliseconds).	Paced Tapping - Maximum Interval Tone Trial
C151057	PTAP112C	PTAP1-Mean Interval Tone Trial	Paced Tapping - The mean intertap interval within the tone-tapping phase of Trial n (in milliseconds).	Paced Tapping - Mean Interval Tone Trial
C151058	PTAP112D	PTAP1-Median Interval Tone Trial	Paced Tapping - The median intertap interval within the tone-tapping phase of Trial n (in milliseconds).	Paced Tapping - Median Interval Tone Trial
C151059	PTAP112E	PTAP1-Variance Interval Tone Trial	Paced Tapping - The variance of the intertap interval within the tone-tapping phase of Trial n (in milliseconds).	Paced Tapping - Variance Interval Tone Trial
C151060	PTAP112F	PTAP1-Deviation Interval Tone Trial	Paced Tapping - The standard deviation of the intertap intervals within the tone-tapping phase of Trial n.	Paced Tapping - Deviation Interval Tone Trial
C151061	PTAP112G	PTAP1-Reciprocal Interval Tone Trial	Paced Tapping - The reciprocal of the standard deviation of the intertap intervals within the tone-tapping phase of Trial n.	Paced Tapping - Reciprocal Interval Tone Trial
C151062	PTAP112H	PTAP1-Avg Sign Dev Interval Tone Trial	Paced Tapping - The average signed deviation of the intertap intervals within the tone-tapping phase of Trial n.	Paced Tapping - Avg Sign Dev Interval Tone Trial
C151063	PTAP113	PTAP1-Num Intervals Expected Self Trial	Paced Tapping - Total number of intertap intervals expected for the self-paced tapping phase of Trial n.	Paced Tapping - Num Intervals Expected Self Trial
C151064	PTAP114	PTAP1-Num Intervals Trim Self Trial	Paced Tapping - Total number of intertap intervals within the self-paced tapping phase of Trial n, that were trimmed before analysis.	Paced Tapping - Num Intervals Trim Self Trial
C151065	PTAP114A	PTAP1-Minimum Interval Self Trial	Paced Tapping - The minimum intertap interval within the self-paced tapping phase of Trial n (in milliseconds).	Paced Tapping - Minimum Interval Self Trial
C151066	PTAP114B	PTAP1-Maximum Interval Self Trial	Paced Tapping - The maximum intertap interval within the self-paced tapping phase of Trial n (in milliseconds).	Paced Tapping - Maximum Interval Self Trial
C151067	PTAP114C	PTAP1-Mean Interval Self Trial	Paced Tapping - The mean intertap interval within the self-paced tapping phase of Trial n (in milliseconds).	Paced Tapping - Mean Interval Self Trial
C151068	PTAP114D	PTAP1-Median Interval Self Trial	Paced Tapping - The median intertap interval within the self-paced tapping phase of Trial n (in milliseconds).	Paced Tapping - Median Interval Self Trial
C151069	PTAP114E	PTAP1-Variance Interval Self Trial	Paced Tapping - The variance of the intertap interval within the self-paced tapping phase of Trial n (in milliseconds).	Paced Tapping - Variance Interval Self Trial
C151070	PTAP114F	PTAP1-Deviation Interval Self Trial	Paced Tapping - The standard deviation of the intertap intervals within the self-paced tapping phase of Trial n.	Paced Tapping - Deviation Interval Self Trial
C151071	PTAP114G	PTAP1-Reciprocal Interval Self Trial	Paced Tapping - The reciprocal of the standard deviation of the intertap intervals within the self-paced tapping phase of Trial n.	Paced Tapping - Reciprocal Interval Self Trial
C151072	PTAP114H	PTAP1-Avg Sign Dev Interval Self Trial	Paced Tapping - The average signed deviation of the intertap intervals within the self-paced tapping phase of Trial n.	Paced Tapping - Avg Sign Dev Interval Self Trial

C151049	PTAP1-Avg Sign Dev Interval Self All	PTAP1-Avg Sign Dev Interval Self All	Paced Tapping - The average signed deviation of the intertap intervals within the self-paced tapping phase across all trials.	Paced Tapping - Avg Sign Dev Interval Self All	
C151072	PTAP1-Avg Sign Dev Interval Self Trial	PTAP1-Avg Sign Dev Interval Self Trial	Paced Tapping - The average signed deviation of the intertap intervals within the self-paced tapping phase of Trial n.	Paced Tapping - Avg Sign Dev Interval Self Trial	
C151039	PTAP1-Avg Sign Dev Interval Tone All	PTAP1-Avg Sign Dev Interval Tone All	Paced Tapping - The average signed deviation of the intertap intervals within the tone-paced tapping phase across all trials.	Paced Tapping - Avg Sign Dev Interval Tone All	
C151062	PTAP1-Avg Sign Dev Interval Tone Trial	PTAP1-Avg Sign Dev Interval Tone Trial	Paced Tapping - The average signed deviation of the intertap intervals within the tone-tapping phase of Trial n.	Paced Tapping - Avg Sign Dev Interval Tone Trial	
C151047	PTAP1-Deviation Interval Self All	PTAP1-Deviation Interval Self All	Paced Tapping - The standard deviation of the intertap intervals within the self-paced tapping phase across all trials.	Paced Tapping - Deviation Interval Self All	
C151070	PTAP1-Deviation Interval Self Trial	PTAP1-Deviation Interval Self Trial	Paced Tapping - The standard deviation of the intertap intervals within the self-paced tapping phase of Trial n.	Paced Tapping - Deviation Interval Self Trial	
C151037	PTAP1-Deviation Interval Tone All	PTAP1-Deviation Interval Tone All	Paced Tapping - The standard deviation of the intertap intervals within the tone-paced tapping phase across all trials.	Paced Tapping - Deviation Interval Tone All	
C151060	PTAP1-Deviation Interval Tone Trial	PTAP1-Deviation Interval Tone Trial	Paced Tapping - The standard deviation of the intertap intervals within the tone-tapping phase of Trial n.	Paced Tapping - Deviation Interval Tone Trial	
C151043	PTAP1-Maximum Interval Self All	PTAP1-Maximum Interval Self All	Paced Tapping - The maximum intertap interval within the self-paced tapping phase across all trials (in milliseconds).	Paced Tapping - Maximum Interval Self All	
C151066	PTAP1-Maximum Interval Self Trial	PTAP1-Maximum Interval Self Trial	Paced Tapping - The maximum intertap interval within the self-paced tapping phase of Trial n (in milliseconds).	Paced Tapping - Maximum Interval Self Trial	
C151033	PTAP1-Maximum Interval Tone All	PTAP1-Maximum Interval Tone All	Paced Tapping - The maximum intertap interval within the tone-paced tapping phase across all trials (in milliseconds).	Paced Tapping - Maximum Interval Tone All	
C151056	PTAP1-Maximum Interval Tone Trial	PTAP1-Maximum Interval Tone Trial	Paced Tapping - The maximum intertap interval within the tone-tapping phase of Trial n (in milliseconds).	Paced Tapping - Maximum Interval Tone Trial	
C151044	PTAP1-Mean Interval Self All	PTAP1-Mean Interval Self All	Paced Tapping - The mean intertap interval within the self-paced tapping phase across all trials (in milliseconds).	Paced Tapping - Mean Interval Self All	
C151067	PTAP1-Mean Interval Self Trial	PTAP1-Mean Interval Self Trial	Paced Tapping - The mean intertap interval within the self-paced tapping phase of Trial n (in milliseconds).	Paced Tapping - Mean Interval Self Trial	
C151034	PTAP1-Mean Interval Tone All	PTAP1-Mean Interval Tone All	Paced Tapping - The mean intertap interval within the tone-paced tapping phase across all trials (in milliseconds).	Paced Tapping - Mean Interval Tone All	
C151057	PTAP1-Mean Interval Tone Trial	PTAP1-Mean Interval Tone Trial	Paced Tapping - The mean intertap interval within the tone-tapping phase of Trial n (in milliseconds).	Paced Tapping - Mean Interval Tone Trial	
C151045	PTAP1-Median Interval Self All	PTAP1-Median Interval Self All	Paced Tapping - The median intertap interval within the self-paced tapping phase across all trials (in milliseconds).	Paced Tapping - Median Interval Self All	
C151068	PTAP1-Median Interval Self Trial	PTAP1-Median Interval Self Trial	Paced Tapping - The median intertap interval within the self-paced tapping phase of Trial n (in milliseconds).	Paced Tapping - Median Interval Self Trial	
C151035	PTAP1-Median Interval Tone All	PTAP1-Median Interval Tone All	Paced Tapping - The median intertap interval within the tone-paced tapping phase across all trials (in milliseconds).	Paced Tapping - Median Interval Tone All	
C151058	PTAP1-Median Interval Tone Trial	PTAP1-Median Interval Tone Trial	Paced Tapping - The median intertap interval within the tone-tapping phase of Trial n (in milliseconds).	Paced Tapping - Median Interval Tone Trial	
C151042	PTAP1-Minimum Interval Self All	PTAP1-Minimum Interval Self All	Paced Tapping - The minimum intertap interval within the self-paced tapping phase across all trials (in milliseconds).	Paced Tapping - Minimum Interval Self All	
C151065	PTAP1-Minimum Interval Self Trial	PTAP1-Minimum Interval Self Trial	Paced Tapping - The minimum intertap interval within the self-paced tapping phase of Trial n (in milliseconds).	Paced Tapping - Minimum Interval Self Trial	
C151032	PTAP1-Minimum Interval Tone All	PTAP1-Minimum Interval Tone All	Paced Tapping - The minimum intertap interval within the tone-paced tapping phase across all trials (in milliseconds).	Paced Tapping - Minimum Interval Tone All	
C151055	PTAP1-Minimum Interval Tone Trial	PTAP1-Minimum Interval Tone Trial	Paced Tapping - The minimum intertap interval within the tone-tapping phase of Trial n (in milliseconds).	Paced Tapping - Minimum Interval Tone Trial	
C151063	PTAP1-Num Intervals Expected Self Trial	PTAP1-Num Intervals Expected Self Trial	Paced Tapping - Total number of intertap intervals expected for the self-paced tapping phase of Trial n.	Paced Tapping - Num Intervals Expected Self Trial	
C151053	PTAP1-Num Intervals Expected Tone Trial	PTAP1-Num Intervals Expected Tone Trial	Paced Tapping - Total number of intertap intervals expected for the tone-tapping phase of Trial n.	Paced Tapping - Num Intervals Expected Tone Trial	
C151064	PTAP1-Num Intervals Trim Self Trial	PTAP1-Num Intervals Trim Self Trial	Paced Tapping - Total number of intertap intervals within the self-paced tapping phase of Trial n, that were trimmed before analysis.	Paced Tapping - Num Intervals Trim Self Trial	

Paced Tapping Metrics				
C151054	PTAP1-Num Intervals Trim Tone Trial	PTAP1-Num Intervals Trim Tone Trial	Paced Tapping - Total number of intertap intervals within the tone-tapping phase of Trial n, that were trimmed before analysis.	Paced Tapping - Num Intervals Trim Tone Trial
C151048	PTAP1-Reciprocal Interval Self All	PTAP1-Reciprocal Interval Self All	Paced Tapping - The reciprocal of the standard deviation of the intertap intervals within the self-paced tapping phase across all trials.	Paced Tapping - Reciprocal Interval Self All
C151071	PTAP1-Reciprocal Interval Self Trial	PTAP1-Reciprocal Interval Self Trial	Paced Tapping - The reciprocal of the standard deviation of the intertap intervals within the self-paced tapping phase of Trial n.	Paced Tapping - Reciprocal Interval Self Trial
C151038	PTAP1-Reciprocal Interval Tone All	PTAP1-Reciprocal Interval Tone All	Paced Tapping - The reciprocal of the standard deviation of the intertap intervals within the tone-paced tapping phase across all trials.	Paced Tapping - Reciprocal Interval Tone All
C151061	PTAP1-Reciprocal Interval ToneTrial	PTAP1-Reciprocal Interval ToneTrial	Paced Tapping - The reciprocal of the standard deviation of the intertap intervals within the tone-tapping phase of Trial n.	Paced Tapping - Reciprocal Interval ToneTrial
C151040	PTAP1-Total Interval Self Admin All	PTAP1-Total Interval Self Admin All	Paced Tapping - Total number of interlap intervals across all 4 trials administered (self-paced tapping phases).	Paced Tapping - Total Interval Self Admin All
C151041	PTAP1-Total Interval Self Trim All	PTAP1-Total Interval Self Trim All	Paced Tapping - Total number of intertap intervals across all 4 trials that were trimmed before analysis (self-paced tapping phases).	Paced Tapping - Total Interval Self Trim All
C151030	PTAP1-Total Interval Tone Admin All	PTAP1-Total Interval Tone Admin All	Paced Tapping - Total number of intertap intervals across all 4 toned tapping phases of each trial administered.	Paced Tapping - Total Interval Tone Admin All
C151031	PTAP1-Total Interval Tone Trim All	PTAP1-Total Interval Tone Trim All	Paced Tapping - Total number of intertap intervals across the 4 toned tapping phases of each trial, that were trimmed before analysis.	Paced Tapping - Total Interval Tone Trim All
C151028	PTAP1-Total Trials Administered	PTAP1-Total Trials Administered	Paced Tapping - Total number of trials actually administered in the task.	Paced Tapping - Total Trials Administered
C151029	PTAP1-Total Trials Completed	PTAP1-Total Trials Completed	Paced Tapping - Total number of trials actually completed in the task.	Paced Tapping - Total Trials Completed
C151027	PTAP1-Total Trials Expected	PTAP1-Total Trials Expected	Paced Tapping - Total number of trials expected to be administered in the task.	Paced Tapping - Total Trials Expected
C151051	PTAP1-Trials Administered in Trial	PTAP1-Trials Administered in Trial	Paced Tapping - Number of trials actually administered in Trial n.	Paced Tapping - Trials Administered in Trial
C151052	PTAP1-Trials Completed in Trial	PTAP1-Trials Completed in Trial	Paced Tapping - Number of trials actually completed in Trial n.	Paced Tapping - Trials Completed in Trial
C151050	PTAP1-Trials Expected in Trial	PTAP1-Trials Expected in Trial	Paced Tapping - Number of trials expected to be administered in Trial n.	Paced Tapping - Trials Expected in Trial
C151046	PTAP1-Variance Interval Self All	PTAP1-Variance Interval Self All	Paced Tapping - The variance of the intertap interval within the self-paced tapping phase across all trials (in milliseconds).	Paced Tapping - Variance Interval Self All
C151069	PTAP1-Variance Interval Self Trial	PTAP1-Variance Interval Self Trial	Paced Tapping - The variance of the intertap interval within the self-paced tapping phase of Trial n (in milliseconds).	Paced Tapping - Variance Interval Self Trial
C151036	PTAP1-Variance Interval Tone All	PTAP1-Variance Interval Tone All	Paced Tapping - The variance of the intertap interval within the tone-paced tapping phase across all trials (in milliseconds).	Paced Tapping - Variance Interval Tone All
C151059	PTAP1-Variance Interval Tone Trial	PTAP1-Variance Interval Tone Trial	Paced Tapping - The variance of the intertap interval within the tone-tapping phase of Trial n (in milliseconds).	Paced Tapping - Variance Interval Tone Trial

C138365	PUL0101	PUL01-Preferred Arm	Performance of the Upper Limb Module for DMD Version 1.2 - Preferred arm.	PUL 1.2 - Preferred Arm
C138366	PUL0102	PUL01-Elbow Contractures	Performance of the Upper Limb Module for DMD Version 1.2 - Elbow contractures of the preferred arm.	PUL 1.2 - Elbow Contractures
C138393	PUL0103	PUL01-High Level Shoulder Dimension	Performance of the Upper Limb Module for DMD Version 1.2 - High level shoulder dimension score.	PUL 1.2 - High Level Shoulder Dimension
C138394	PUL0104	PUL01-Mid Level Elbow Dimension	Performance of the Upper Limb Module for DMD Version 1.2 - Mid level elbow dimension score.	PUL 1.2 - Mid Level Elbow Dimension
C138395	PUL0105	PUL01-Distal Wrist/Hand Dimension	Performance of the Upper Limb Module for DMD Version 1.2 - Distal wrist and hand dimension score.	PUL 1.2 - Distal Wrist or Hand Dimension
C138396	PUL0106	PUL01-Total Score	Performance of the Upper Limb Module for DMD Version 1.2 - Total Score.	PUL 1.2 - Total Score
C138367	PUL01A	PUL01-Entry Item	Performance of the Upper Limb Module for DMD Version 1.2 - Entry item.	PUL 1.2 - Entry Item
C138368	PUL01B	PUL01-Shoulder Abduction to Shldr Hgt	Performance of the Upper Limb Module for DMD Version 1.2 - Shoulder abduction to shoulder height.	PUL 1.2 - Shoulder Abduction to Height
C138369	PUL01C	PUL01-Shoulder Abduction Above Shldr Hgt	Performance of the Upper Limb Module for DMD Version 1.2 - Shoulder abduction above shoulder height.	PUL 1.2 - Shoulder Abduction Above Height
C138370	PUL01D	PUL01-Shoulder Flexion to Shldr Height	Performance of the Upper Limb Module for DMD Version 1.2 - Shoulder flexion to shoulder height.	PUL 1.2 - Shoulder Flexion to Height
C138371	PUL01E	PUL01-Shoulder Flexion Above Shldr Hgt	Performance of the Upper Limb Module for DMD Version 1.2 - Shoulder flexion above shoulder height.	PUL 1.2 - Shoulder Flexion Above Height
C138372	PUL01F	PUL01-Hand(s) to Mouth	Performance of the Upper Limb Module for DMD Version 1.2 - Hand(s) to mouth.	PUL 1.2 - Hand(s) to Mouth
C138373	PUL01G	PUL01-Hand(s) to Table From Lap	Performance of the Upper Limb Module for DMD Version 1.2 - Hand(s) to table from lap.	PUL 1.2 - Hand(s) to Table From Lap
C138374	PUL01H	PUL01-Move Weight on Table	Performance of the Upper Limb Module for DMD Version 1.2 - Move weight on table.	PUL 1.2 - Move Weight on Table
C138375	PUL01I	PUL01-Lifting Light Cans	Performance of the Upper Limb Module for DMD Version 1.2 - Lifting light cans.	PUL 1.2 - Lifting Light Cans
C138376	PUL01I1	PUL01-Lifting Light Cans Time	Performance of the Upper Limb Module for DMD Version 1.2 - Lifting light cans, time.	PUL 1.2 - Lifting Light Cans Time
C138377	PUL01J	PUL01-Lifting Heavy Cans	Performance of the Upper Limb Module for DMD Version 1.2 - Lifting heavy cans.	PUL 1.2 - Lifting Heavy Cans
C138378	PUL01J1	PUL01-Lifting Heavy Cans Time	Performance of the Upper Limb Module for DMD Version 1.2 - Lifting heavy cans, time.	PUL 1.2 - Lifting Heavy Cans Time
C138379	PUL01K	PUL01-Stacking Light Cans	Performance of the Upper Limb Module for DMD Version 1.2 - Stacking light cans.	PUL 1.2 - Stacking Light Cans
C138380	PUL01K1	PUL01-Stacking Light Cans Time	Performance of the Upper Limb Module for DMD Version 1.2 - Stacking light cans, time.	PUL 1.2 - Stacking Light Cans Time
C138381	PUL01L	PUL01-Stacking Heavy Cans	Performance of the Upper Limb Module for DMD Version 1.2 - Stacking heavy cans.	PUL 1.2 - Stacking Heavy Cans
C138382	PUL01L1	PUL01-Stacking Heavy Cans Time	Performance of the Upper Limb Module for DMD Version 1.2 - Stacking heavy cans, time.	PUL 1.2 - Stacking Heavy Cans Time
C138383	PUL01M	PUL01-Remove Lid From Container	Performance of the Upper Limb Module for DMD Version 1.2 - Remove lid from container.	PUL 1.2 - Remove Lid From Container
C138384	PUL01N	PUL01-Tearing Paper	Performance of the Upper Limb Module for DMD Version 1.2 - Tearing paper.	PUL 1.2 - Tearing Paper
C138385	PUL01O	PUL01-Tracing Path	Performance of the Upper Limb Module for DMD Version 1.2 - Tracing path.	PUL 1.2 - Tracing Path
C138386	PUL01P	PUL01-Push on The Light	Performance of the Upper Limb Module for DMD Version 1.2 - Push on the light.	PUL 1.2 - Push on The Light
C138387	PUL01Q	PUL01-Supination	Performance of the Upper Limb Module for DMD Version 1.2 - Supination.	PUL 1.2 - Supination

Performance Test Cases for Upper Limb Module				
Test Case ID	Test Case Name	Description	Test Case Details	Test Case Status
C138388	PUL01R	PUL01-Picking Up Coins	Performance of the Upper Limb Module for DMD Version 1.2 - Picking up coins.	PUL 1.2 - Picking Up Coins
C138389	PUL01S	PUL01-Placing Finger on Number Diagram	Performance of the Upper Limb Module for DMD Version 1.2 - Placing finger on number diagram.	PUL 1.2 - Placing Finger on Number Diagram
C138390	PUL01T	PUL01-Finger Pinch Grip	Performance of the Upper Limb Module for DMD Version 1.2 - Finger pinch grip.	PUL 1.2 - Finger Pinch Grip
C138391	PUL01U	PUL01-3 Point Grip	Performance of the Upper Limb Module for DMD Version 1.2 - 3 point grip.	PUL 1.2 - 3 Point Grip
C138392	PUL01V	PUL01-Thumb (Key) Grip	Performance of the Upper Limb Module for DMD Version 1.2 - Thumb (key) grip.	PUL 1.2 - Thumb (Key) Grip

C138391	PUL01-3 Point Grip	PUL01-3 Point Grip	Performance of the Upper Limb Module for DMD Version 1.2 - 3 point grip.	PUL 1.2 - 3 Point Grip
C138395	PUL01-Distal Wrist/Hand Dimension	PUL01-Distal Wrist/Hand Dimension	Performance of the Upper Limb Module for DMD Version 1.2 - Distal wrist and hand dimension score.	PUL 1.2 - Distal Wrist or Hand Dimension
C138366	PUL01-Elbow Contractures	PUL01-Elbow Contractures	Performance of the Upper Limb Module for DMD Version 1.2 - Elbow contractures of the preferred arm.	PUL 1.2 - Elbow Contractures
C138367	PUL01-Entry Item	PUL01-Entry Item	Performance of the Upper Limb Module for DMD Version 1.2 - Entry item.	PUL 1.2 - Entry Item
C138390	PUL01-Finger Pinch Grip	PUL01-Finger Pinch Grip	Performance of the Upper Limb Module for DMD Version 1.2 - Finger pinch grip.	PUL 1.2 - Finger Pinch Grip
C138372	PUL01-Hand(s) to Mouth	PUL01-Hand(s) to Mouth	Performance of the Upper Limb Module for DMD Version 1.2 - Hand(s) to mouth.	PUL 1.2 - Hand(s) to Mouth
C138373	PUL01-Hand(s) to Table From Lap	PUL01-Hand(s) to Table From Lap	Performance of the Upper Limb Module for DMD Version 1.2 - Hand(s) to table from lap.	PUL 1.2 - Hand(s) to Table From Lap
C138393	PUL01-High Level Shoulder Dimension	PUL01-High Level Shoulder Dimension	Performance of the Upper Limb Module for DMD Version 1.2 - High level shoulder dimension score.	PUL 1.2 - High Level Shoulder Dimension
C138378	PUL01-Lifting Heavy Cans Time	PUL01-Lifting Heavy Cans Time	Performance of the Upper Limb Module for DMD Version 1.2 - Lifting heavy cans, time.	PUL 1.2 - Lifting Heavy Cans Time
C138377	PUL01-Lifting Heavy Cans	PUL01-Lifting Heavy Cans	Performance of the Upper Limb Module for DMD Version 1.2 - Lifting heavy cans.	PUL 1.2 - Lifting Heavy Cans
C138376	PUL01-Lifting Light Cans Time	PUL01-Lifting Light Cans Time	Performance of the Upper Limb Module for DMD Version 1.2 - Lifting light cans, time.	PUL 1.2 - Lifting Light Cans Time
C138375	PUL01-Lifting Light Cans	PUL01-Lifting Light Cans	Performance of the Upper Limb Module for DMD Version 1.2 - Lifting light cans.	PUL 1.2 - Lifting Light Cans
C138394	PUL01-Mid Level Elbow Dimension	PUL01-Mid Level Elbow Dimension	Performance of the Upper Limb Module for DMD Version 1.2 - Mid level elbow dimension score.	PUL 1.2 - Mid Level Elbow Dimension
C138374	PUL01-Move Weight on Table	PUL01-Move Weight on Table	Performance of the Upper Limb Module for DMD Version 1.2 - Move weight on table.	PUL 1.2 - Move Weight on Table
C138388	PUL01-Picking Up Coins	PUL01-Picking Up Coins	Performance of the Upper Limb Module for DMD Version 1.2 - Picking up coins.	PUL 1.2 - Picking Up Coins
C138389	PUL01-Placing Finger on Number Diagram	PUL01-Placing Finger on Number Diagram	Performance of the Upper Limb Module for DMD Version 1.2 - Placing finger on number diagram.	PUL 1.2 - Placing Finger on Number Diagram
C138365	PUL01-Preferred Arm	PUL01-Preferred Arm	Performance of the Upper Limb Module for DMD Version 1.2 - Preferred arm.	PUL 1.2 - Preferred Arm
C138386	PUL01-Push on The Light	PUL01-Push on The Light	Performance of the Upper Limb Module for DMD Version 1.2 - Push on the light.	PUL 1.2 - Push on The Light
C138383	PUL01-Remove Lid From Container	PUL01-Remove Lid From Container	Performance of the Upper Limb Module for DMD Version 1.2 - Remove lid from container.	PUL 1.2 - Remove Lid From Container
C138369	PUL01-Shoulder Abduction Above Shldr Hgt	PUL01-Shoulder Abduction Above Shldr Hgt	Performance of the Upper Limb Module for DMD Version 1.2 - Shoulder abduction above shoulder height.	PUL 1.2 - Shoulder Abduction Above Height
C138368	PUL01-Shoulder Abduction to Shldr Hgt	PUL01-Shoulder Abduction to Shldr Hgt	Performance of the Upper Limb Module for DMD Version 1.2 - Shoulder abduction to shoulder height.	PUL 1.2 - Shoulder Abduction to Height
C138371	PUL01-Shoulder Flexion Above Shldr Hgt	PUL01-Shoulder Flexion Above Shldr Hgt	Performance of the Upper Limb Module for DMD Version 1.2 - Shoulder flexion above shoulder height.	PUL 1.2 - Shoulder Flexion Above Height
C138370	PUL01-Shoulder Flexion to Shldr Height	PUL01-Shoulder Flexion to Shldr Height	Performance of the Upper Limb Module for DMD Version 1.2 - Shoulder flexion to shoulder height.	PUL 1.2 - Shoulder Flexion to Height
C138382	PUL01-Stacking Heavy Cans Time	PUL01-Stacking Heavy Cans Time	Performance of the Upper Limb Module for DMD Version 1.2 - Stacking heavy cans, time.	PUL 1.2 - Stacking Heavy Cans Time
C138381	PUL01-Stacking Heavy Cans	PUL01-Stacking Heavy Cans	Performance of the Upper Limb Module for DMD Version 1.2 - Stacking heavy cans.	PUL 1.2 - Stacking Heavy Cans
C138380	PUL01-Stacking Light Cans Time	PUL01-Stacking Light Cans Time	Performance of the Upper Limb Module for DMD Version 1.2 - Stacking light cans, time.	PUL 1.2 - Stacking Light Cans Time
C138379	PUL01-Stacking Light Cans	PUL01-Stacking Light Cans	Performance of the Upper Limb Module for DMD Version 1.2 - Stacking light cans.	PUL 1.2 - Stacking Light Cans

Performance Metrics for Upper Limb Module				
C138387	PUL01-Supination	PUL01-Supination	Performance of the Upper Limb Module for DMD Version 1.2 - Supination.	PUL 1.2 - Supination
C138384	PUL01-Tearing Paper	PUL01-Tearing Paper	Performance of the Upper Limb Module for DMD Version 1.2 - Tearing paper.	PUL 1.2 - Tearing Paper
C138392	PUL01-Thumb (Key) Grip	PUL01-Thumb (Key) Grip	Performance of the Upper Limb Module for DMD Version 1.2 - Thumb (key) grip.	PUL 1.2 - Thumb (Key) Grip
C138396	PUL01-Total Score	PUL01-Total Score	Performance of the Upper Limb Module for DMD Version 1.2 - Total Score.	PUL 1.2 - Total Score
C138385	PUL01-Tracing Path	PUL01-Tracing Path	Performance of the Upper Limb Module for DMD Version 1.2 - Tracing path.	PUL 1.2 - Tracing Path

Upper Limb Module for DMD Version 2.0 - Performance of the Upper Limb Module for DMD Version 2.0 -				
C138398	PUL0201	PUL02-Shoulder Abduction Arms Above Head	Performance of the Upper Limb Module for DMD Version 2.0 - Shoulder abduction both arms above head.	PUL 2.0 - Shoulder Abduction Arms Above Head
C138399	PUL0202	PUL02-Raise Both Arms to Shoulder Height	Performance of the Upper Limb Module for DMD Version 2.0 - Raise both arms to shoulder height (elbows at shoulder height).	PUL 2.0 - Raise Both Arms to Shoulder Height
C138400	PUL0203	PUL02-Flexion Shoulder Height No Weights	Performance of the Upper Limb Module for DMD Version 2.0 - Shoulder flexion to shoulder height (no weights).	PUL 2.0 - Flexion Shoulder Height No Weights
C138401	PUL0204	PUL02-Flexion to Shoulder Height 500g	Performance of the Upper Limb Module for DMD Version 2.0 - Shoulder flexion to shoulder height with 500g weight.	PUL 2.0 - Flexion to Shoulder Height 500g
C138402	PUL0205	PUL02-Flexion Above Shoulder Height 500g	Performance of the Upper Limb Module for DMD Version 2.0 - Shoulder flexion above shoulder height with 500g weight.	PUL 2.0 - Flexion Above Shoulder Height 500g
C138403	PUL0206	PUL02-Flexion Above Shoulder Height 1kg	Performance of the Upper Limb Module for DMD Version 2.0 - Shoulder flexion above shoulder with 1 kg weight.	PUL 2.0 - Flexion Above Shoulder Height 1kg
C138404	PUL0207	PUL02-Hand(s) to Mouth	Performance of the Upper Limb Module for DMD Version 2.0 - Hand(s) to mouth.	PUL 2.0 - Hand(s) to Mouth
C138405	PUL0208	PUL02-Hands to Table From Lap	Performance of the Upper Limb Module for DMD Version 2.0 - Hands to table from lap.	PUL 2.0 - Hands to Table From Lap
C138406	PUL0209	PUL02-Move Weight on Table 100g	Performance of the Upper Limb Module for DMD Version 2.0 - Move weight on table 100g.	PUL 2.0 - Move Weight On Table 100g
C138407	PUL0210	PUL02-Move Weight on Table 500g	Performance of the Upper Limb Module for DMD Version 2.0 - Move weight on table 500g.	PUL 2.0 - Move Weight On Table 500g
C138408	PUL0211	PUL02-Move Weight on Table 1kg	Performance of the Upper Limb Module for DMD Version 2.0 - Move weight on table 1kg.	PUL 2.0 - Move Weight On Table 1kg
C138409	PUL0212	PUL02-Lift Heavy Can Diagonally	Performance of the Upper Limb Module for DMD Version 2.0 - Lift heavy can diagonally.	PUL 2.0 - Lift Heavy Can Diagonally
C138410	PUL0213	PUL02-Stack of Three Cans	Performance of the Upper Limb Module for DMD Version 2.0 - Stack of three cans.	PUL 2.0 - Stack of Three Cans
C138411	PUL0214	PUL02-Stack of Five Cans	Performance of the Upper Limb Module for DMD Version 2.0 - Stack of five cans.	PUL 2.0 - Stack of Five Cans
C138412	PUL0215	PUL02-Remove Lid From Container	Performance of the Upper Limb Module for DMD Version 2.0 - Remove lid from container.	PUL 2.0 - Remove Lid From Container
C138413	PUL0216	PUL02-Tearing Paper	Performance of the Upper Limb Module for DMD Version 2.0 - Tearing paper.	PUL 2.0 - Tearing Paper
C138414	PUL0217	PUL02-Tracing Path	Performance of the Upper Limb Module for DMD Version 2.0 - Tracing path.	PUL 2.0 - Tracing Path
C138415	PUL0218	PUL02-Push on Light	Performance of the Upper Limb Module for DMD Version 2.0 - Push on light.	PUL 2.0 - Push on Light
C138416	PUL0219	PUL02-Supination	Performance of the Upper Limb Module for DMD Version 2.0 - Supination.	PUL 2.0 - Supination
C138417	PUL0220	PUL02-Picking Up Coins	Performance of the Upper Limb Module for DMD Version 2.0 - Picking up coins.	PUL 2.0 - Picking Up Coins
C138418	PUL0221	PUL02-Placing Finger on Number Diagram	Performance of the Upper Limb Module for DMD Version 2.0 - Placing finger on number diagram.	PUL 2.0 - Placing Finger on Number Diagram
C138419	PUL0222	PUL02-Pick Up 10g Weight Finger Pinch	Performance of the Upper Limb Module for DMD Version 2.0 - Pick up 10g weight finger pinch.	PUL 2.0 - Pick Up 10g Weight Finger Pinch
C138420	PUL0223	PUL02-Preferred Arm	Performance of the Upper Limb Module for DMD Version 2.0 - Preferred arm.	PUL 2.0 - Preferred Arm
C138421	PUL0224	PUL02-Right Elbow Extension ROM	Performance of the Upper Limb Module for DMD Version 2.0 - Right elbow extension ROM.	PUL 2.0 - Right Elbow Extension ROM
C138422	PUL0225	PUL02-Left Elbow Extension ROM	Performance of the Upper Limb Module for DMD Version 2.0 - Left elbow extension ROM.	PUL 2.0 - Left Elbow Extension ROM
C138423	PUL0226	PUL02-Right Available Supination ROM	Performance of the Upper Limb Module for DMD Version 2.0 - Right available supination ROM.	PUL 2.0 - Right Available Supination ROM
C138424	PUL0227	PUL02-Left Available Supination ROM	Performance of the Upper Limb Module for DMD Version 2.0 - Left available supination ROM.	PUL 2.0 - Left Available Supination ROM

Upper Limb Module for DMD Version 2.0 - Performance Metrics				
C138425	PUL0228	PUL02-High Level Shoulder Dimension	Performance of the Upper Limb Module for DMD Version 2.0 - High level shoulder dimension score.	PUL 2.0 - High Level Shoulder Dimension
C138426	PUL0229	PUL02-Mid Level Elbow Dimension	Performance of the Upper Limb Module for DMD Version 2.0 - Mid level elbow dimension score.	PUL 2.0 - Mid Level Elbow Dimension
C138427	PUL0230	PUL02-Distal Wrist/Hand Dimension	Performance of the Upper Limb Module for DMD Version 2.0 - Distal wrist and hand dimension score.	PUL 2.0 - Distal Wrist or Hand Dimension
C138428	PUL0231	PUL02-Total Score	Performance of the Upper Limb Module for DMD Version 2.0 - Total score.	PUL 2.0 - Total Score
C138397	PUL02A	PUL02-Entry Item	Performance of the Upper Limb Module for DMD Version 2.0 - Entry item.	PUL 2.0 - Entry Item

C138427	PUL02-Distal Wrist/Hand Dimension	PUL02-Distal Wrist/Hand Dimension	Performance of the Upper Limb Module for DMD Version 2.0 - Distal wrist and hand dimension score.	PUL 2.0 - Distal Wrist or Hand Dimension
C138397	PUL02-Entry Item	PUL02-Entry Item	Performance of the Upper Limb Module for DMD Version 2.0 - Entry item.	PUL 2.0 - Entry Item
C138403	PUL02-Flexion Above Shoulder Height 1kg	PUL02-Flexion Above Shoulder Height 1kg	Performance of the Upper Limb Module for DMD Version 2.0 - Shoulder flexion above shoulder with 1 kg weight.	PUL 2.0 - Flexion Above Shoulder Height 1kg
C138402	PUL02-Flexion Above Shoulder Height 500g	PUL02-Flexion Above Shoulder Height 500g	Performance of the Upper Limb Module for DMD Version 2.0 - Shoulder flexion above shoulder height with 500g weight.	PUL 2.0 - Flexion Above Shoulder Height 500g
C138400	PUL02-Flexion Shoulder Height No Weights	PUL02-Flexion Shoulder Height No Weights	Performance of the Upper Limb Module for DMD Version 2.0 - Shoulder flexion to shoulder height (no weights).	PUL 2.0 - Flexion Shoulder Height No Weights
C138401	PUL02-Flexion to Shoulder Height 500g	PUL02-Flexion to Shoulder Height 500g	Performance of the Upper Limb Module for DMD Version 2.0 - Shoulder flexion to shoulder height with 500g weight.	PUL 2.0 - Flexion to Shoulder Height 500g
C138404	PUL02-Hand(s) to Mouth	PUL02-Hand(s) to Mouth	Performance of the Upper Limb Module for DMD Version 2.0 - Hand(s) to mouth.	PUL 2.0 - Hand(s) to Mouth
C138405	PUL02-Hands to Table From Lap	PUL02-Hands to Table From Lap	Performance of the Upper Limb Module for DMD Version 2.0 - Hands to table from lap.	PUL 2.0 - Hands to Table From Lap
C138425	PUL02-High Level Shoulder Dimension	PUL02-High Level Shoulder Dimension	Performance of the Upper Limb Module for DMD Version 2.0 - High level shoulder dimension score.	PUL 2.0 - High Level Shoulder Dimension
C138424	PUL02-Left Available Supination ROM	PUL02-Left Available Supination ROM	Performance of the Upper Limb Module for DMD Version 2.0 - Left available supination ROM.	PUL 2.0 - Left Available Supination ROM
C138422	PUL02-Left Elbow Extension ROM	PUL02-Left Elbow Extension ROM	Performance of the Upper Limb Module for DMD Version 2.0 - Left elbow extension ROM.	PUL 2.0 - Left Elbow Extension ROM
C138409	PUL02-Lift Heavy Can Diagonally	PUL02-Lift Heavy Can Diagonally	Performance of the Upper Limb Module for DMD Version 2.0 - Lift heavy can diagonally.	PUL 2.0 - Lift Heavy Can Diagonally
C138426	PUL02-Mid Level Elbow Dimension	PUL02-Mid Level Elbow Dimension	Performance of the Upper Limb Module for DMD Version 2.0 - Mid level elbow dimension score.	PUL 2.0 - Mid Level Elbow Dimension
C138406	PUL02-Move Weight on Table 100g	PUL02-Move Weight on Table 100g	Performance of the Upper Limb Module for DMD Version 2.0 - Move weight on table 100g.	PUL 2.0 - Move Weight On Table 100g
C138408	PUL02-Move Weight on Table 1kg	PUL02-Move Weight on Table 1kg	Performance of the Upper Limb Module for DMD Version 2.0 - Move weight on table 1kg.	PUL 2.0 - Move Weight On Table 1kg
C138407	PUL02-Move Weight on Table 500g	PUL02-Move Weight on Table 500g	Performance of the Upper Limb Module for DMD Version 2.0 - Move weight on table 500g.	PUL 2.0 - Move Weight On Table 500g
C138419	PUL02-Pick Up 10g Weight Finger Pinch	PUL02-Pick Up 10g Weight Finger Pinch	Performance of the Upper Limb Module for DMD Version 2.0 - Pick up 10g weight finger pinch.	PUL 2.0 - Pick Up 10g Weight Finger Pinch
C138417	PUL02-Picking Up Coins	PUL02-Picking Up Coins	Performance of the Upper Limb Module for DMD Version 2.0 - Picking up coins.	PUL 2.0 - Picking Up Coins
C138418	PUL02-Placing Finger on Number Diagram	PUL02-Placing Finger on Number Diagram	Performance of the Upper Limb Module for DMD Version 2.0 - Placing finger on number diagram.	PUL 2.0 - Placing Finger on Number Diagram
C138420	PUL02-Preferred Arm	PUL02-Preferred Arm	Performance of the Upper Limb Module for DMD Version 2.0 - Preferred arm.	PUL 2.0 - Preferred Arm
C138415	PUL02-Push on Light	PUL02-Push on Light	Performance of the Upper Limb Module for DMD Version 2.0 - Push on light.	PUL 2.0 - Push on Light
C138399	PUL02-Raise Both Arms to Shoulder Height	PUL02-Raise Both Arms to Shoulder Height	Performance of the Upper Limb Module for DMD Version 2.0 - Raise both arms to shoulder height (elbows at shoulder height).	PUL 2.0 - Raise Both Arms to Shoulder Height
C138412	PUL02-Remove Lid From Container	PUL02-Remove Lid From Container	Performance of the Upper Limb Module for DMD Version 2.0 - Remove lid from container.	PUL 2.0 - Remove Lid From Container
C138423	PUL02-Right Available Supination ROM	PUL02-Right Available Supination ROM	Performance of the Upper Limb Module for DMD Version 2.0 - Right available supination ROM.	PUL 2.0 - Right Available Supination ROM
C138421	PUL02-Right Elbow Extension ROM	PUL02-Right Elbow Extension ROM	Performance of the Upper Limb Module for DMD Version 2.0 - Right elbow extension ROM.	PUL 2.0 - Right Elbow Extension ROM
C138398	PUL02-Shoulder Abduction Arms Above Head	PUL02-Shoulder Abduction Arms Above Head	Performance of the Upper Limb Module for DMD Version 2.0 - Shoulder abduction both arms above head.	PUL 2.0 - Shoulder Abduction Arms Above Head
C138411	PUL02-Stack of Five Cans	PUL02-Stack of Five Cans	Performance of the Upper Limb Module for DMD Version 2.0 - Stack of five cans.	PUL 2.0 - Stack of Five Cans

Performance Metrics for Upper Limb Module				
C138410	PUL02-Stack of Three Cans	PUL02-Stack of Three Cans	Performance of the Upper Limb Module for DMD Version 2.0 - Stack of three cans.	PUL 2.0 - Stack of Three Cans
C138416	PUL02-Supination	PUL02-Supination	Performance of the Upper Limb Module for DMD Version 2.0 - Supination.	PUL 2.0 - Supination
C138413	PUL02-Tearing Paper	PUL02-Tearing Paper	Performance of the Upper Limb Module for DMD Version 2.0 - Tearing paper.	PUL 2.0 - Tearing Paper
C138428	PUL02-Total Score	PUL02-Total Score	Performance of the Upper Limb Module for DMD Version 2.0 - Total score.	PUL 2.0 - Total Score
C138414	PUL02-Tracing Path	PUL02-Tracing Path	Performance of the Upper Limb Module for DMD Version 2.0 - Tracing path.	PUL 2.0 - Tracing Path

Quick Inventory of Depressive Symptomatology - Clinician-Rated (QIDS-C)			
C130394	QIDSC101	QIDSC1-Sleep Onset Insomnia	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Sleep onset insomnia. QIDS-C - Sleep Onset Insomnia
C130395	QIDSC102	QIDSC1-Mid-Nocturnal Insomnia	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Mid-nocturnal insomnia. QIDS-C - Mid-Nocturnal Insomnia
C130396	QIDSC103	QIDSC1-Early Morning Insomnia	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Early morning insomnia. QIDS-C - Early Morning Insomnia
C130397	QIDSC104	QIDSC1-Hypersomnia	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Hypersomnia. QIDS-C - Hypersomnia
C130398	QIDSC105	QIDSC1-Mood (Sad)	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Mood (sad). QIDS-C - Mood (Sad)
C130399	QIDSC106	QIDSC1-Appetite (Decreased)	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Appetite (decreased). QIDS-C - Appetite (Decreased)
C130400	QIDSC107	QIDSC1-Appetite (Increased)	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Appetite (increased). QIDS-C - Appetite (Increased)
C130401	QIDSC108	QIDSC1-Weight (Decrease)	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Weight (decrease) within the last two weeks. QIDS-C - Weight (Decrease)
C130402	QIDSC109	QIDSC1-Weight (Increase)	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Weight (increase) within the last two weeks. QIDS-C - Weight (Increase)
C130403	QIDSC110	QIDSC1-Concentration/Decision Making	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Concentration/decision making. QIDS-C - Concentration or Decision Making
C130404	QIDSC111	QIDSC1-Outlook (Self)	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Outlook (self). QIDS-C - Outlook (Self)
C130405	QIDSC112	QIDSC1-Suicidal Ideation	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Suicidal ideation. QIDS-C - Suicidal Ideation
C130406	QIDSC113	QIDSC1-Involvement	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Involvement. QIDS-C - Involvement
C130407	QIDSC114	QIDSC1-Energy/Fatigability	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Energy/fatigability. QIDS-C - Energy or Fatigability
C130408	QIDSC115	QIDSC1-Psychomotor Slowing	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Psychomotor slowing. QIDS-C - Psychomotor Slowing
C130409	QIDSC116	QIDSC1-Psychomotor Agitation	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Psychomotor agitation. QIDS-C - Psychomotor Agitation
C130410	QIDSC117	QIDSC1-Highest Score Sleep Items	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Enter the highest score on any 1 of the 4 sleep items. QIDS-C - Highest Score Sleep Items
C130411	QIDSC118	QIDSC1-High Score Appetite/Weight Items	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Enter the highest score on any 1 of the 4 appetite/weight change items. QIDS-C - High Score Appetite or Weight Items
C130412	QIDSC119	QIDSC1-Highest Score Psychomotor Items	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Enter the highest score on either of the 2 psychomotor items. QIDS-C - Highest Score Psychomotor Items
C130413	QIDSC120	QIDSC1-Total Score	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Total score. QIDS-C - Total Score

C130399	QIDSC1-Appetite (Decreased)	QIDSC1-Appetite (Decreased)	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Appetite (decreased).	QIDS-C - Appetite (Decreased)
C130400	QIDSC1-Appetite (Increased)	QIDSC1-Appetite (Increased)	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Appetite (increased).	QIDS-C - Appetite (Increased)
C130403	QIDSC1-Concentration/Decision Making	QIDSC1-Concentration/Decision Making	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Concentration/decision making.	QIDS-C - Concentration or Decision Making
C130396	QIDSC1-Early Morning Insomnia	QIDSC1-Early Morning Insomnia	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Early morning insomnia.	QIDS-C - Early Morning Insomnia
C130407	QIDSC1-Energy/Fatigability	QIDSC1-Energy/Fatigability	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Energy/fatigability.	QIDS-C - Energy or Fatigability
C130411	QIDSC1-High Score Appetite/Weight Items	QIDSC1-High Score Appetite/Weight Items	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Enter the highest score on any 1 of the 4 appetite/weight change items.	QIDS-C - High Score Appetite or Weight Items
C130412	QIDSC1-Highest Score Psychomotor Items	QIDSC1-Highest Score Psychomotor Items	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Enter the highest score on either of the 2 psychomotor items.	QIDS-C - Highest Score Psychomotor Items
C130410	QIDSC1-Highest Score Sleep Items	QIDSC1-Highest Score Sleep Items	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Enter the highest score on any 1 of the 4 sleep items.	QIDS-C - Highest Score Sleep Items
C130397	QIDSC1-Hypersomnia	QIDSC1-Hypersomnia	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Hypersomnia.	QIDS-C - Hypersomnia
C130406	QIDSC1-Involvement	QIDSC1-Involvement	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Involvement.	QIDS-C - Involvement
C130395	QIDSC1-Mid-Nocturnal Insomnia	QIDSC1-Mid-Nocturnal Insomnia	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Mid-nocturnal insomnia.	QIDS-C - Mid-Nocturnal Insomnia
C130398	QIDSC1-Mood (Sad)	QIDSC1-Mood (Sad)	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Mood (sad).	QIDS-C - Mood (Sad)
C130404	QIDSC1-Outlook (Self)	QIDSC1-Outlook (Self)	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Outlook (self).	QIDS-C - Outlook (Self)
C130409	QIDSC1-Psychomotor Agitation	QIDSC1-Psychomotor Agitation	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Psychomotor agitation.	QIDS-C - Psychomotor Agitation
C130408	QIDSC1-Psychomotor Slowing	QIDSC1-Psychomotor Slowing	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Psychomotor slowing.	QIDS-C - Psychomotor Slowing
C130394	QIDSC1-Sleep Onset Insomnia	QIDSC1-Sleep Onset Insomnia	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Sleep onset insomnia.	QIDS-C - Sleep Onset Insomnia
C130405	QIDSC1-Suicidal Ideation	QIDSC1-Suicidal Ideation	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Suicidal ideation.	QIDS-C - Suicidal Ideation
C130413	QIDSC1-Total Score	QIDSC1-Total Score	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Total score.	QIDS-C - Total Score
C130401	QIDSC1-Weight (Decrease)	QIDSC1-Weight (Decrease)	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Weight (decrease) within the last two weeks.	QIDS-C - Weight (Decrease)
C130402	QIDSC1-Weight (Increase)	QIDSC1-Weight (Increase)	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Weight (increase) within the last two weeks.	QIDS-C - Weight (Increase)

C130584	QIDSR101	QIDSR1-Falling Asleep	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Falling asleep.	QIDS-SR - Falling Asleep
C130585	QIDSR102	QIDSR1-Sleep During the Night	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Sleep during the night.	QIDS-SR - Sleep During the Night
C130586	QIDSR103	QIDSR1-Waking Up Too Early	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Waking up too early.	QIDS-SR - Waking Up Too Early
C130587	QIDSR104	QIDSR1-Sleeping Too Much	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Sleeping too much.	QIDS-SR - Sleeping Too Much
C130588	QIDSR105	QIDSR1-Feeling Sad	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Feeling sad.	QIDS-SR - Feeling Sad
C130589	QIDSR106	QIDSR1-Decreased Appetite	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Decreased appetite.	QIDS-SR - Decreased Appetite
C130590	QIDSR107	QIDSR1-Increased Appetite	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Increased appetite.	QIDS-SR - Increased Appetite
C130591	QIDSR108	QIDSR1-Decreased Weight	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: within the last two weeks: Decreased weight.	QIDS-SR - Decreased Weight
C130592	QIDSR109	QIDSR1-Increased Weight	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: within the last two weeks: Increased weight.	QIDS-SR - Increased Weight
C130593	QIDSR110	QIDSR1-Concentration/Decision Making	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Concentration/decision making.	QIDS-SR - Concentration or Decision Making
C130594	QIDSR111	QIDSR1-View of Myself	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: View of myself.	QIDS-SR - View of Myself
C130595	QIDSR112	QIDSR1-Thoughts of Death or Suicide	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Thoughts of death or suicide.	QIDS-SR - Thoughts of Death or Suicide
C130596	QIDSR113	QIDSR1-General Interest	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: General interest.	QIDS-SR - General Interest
C130597	QIDSR114	QIDSR1-Energy Level	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Energy level.	QIDS-SR - Energy Level
C130598	QIDSR115	QIDSR1-Feeling Slowed Down	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Feeling slowed down.	QIDS-SR - Feeling Slowed Down
C130599	QIDSR116	QIDSR1-Feeling Restless	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Feeling restless.	QIDS-SR - Feeling Restless
C130600	QIDSR117	QIDSR1-Highest Score Sleep Items	Quick Inventory of Depressive Symptomatology - Self-Report - Enter the highest score on any 1 of the 4 sleep items.	QIDS-SR - Highest Score Sleep Items
C130601	QIDSR118	QIDSR1-High Score Appetite/Weight Items	Quick Inventory of Depressive Symptomatology - Self-Report - Enter the highest score on any 1 of the 4 appetite/weight change items.	QIDS-SR - High Score Appetite or Weight Items
C130602	QIDSR119	QIDSR1-Highest Score Psychomotor Items	Quick Inventory of Depressive Symptomatology - Self-Report - Enter the highest score on either of the 2 psychomotor items.	QIDS-SR - Highest Score Psychomotor Items
C130603	QIDSR120	QIDSR1-Total Score	Quick Inventory of Depressive Symptomatology - Self-Report - Total score.	QIDS-SR - Total Score

C130593	QIDSR1-Concentration/Decision Making	QIDSR1-Concentration/Decision Making	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Concentration/decision making.	QIDS-SR - Concentration or Decision Making
C130589	QIDSR1-Decreased Appetite	QIDSR1-Decreased Appetite	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Decreased appetite.	QIDS-SR - Decreased Appetite
C130591	QIDSR1-Decreased Weight	QIDSR1-Decreased Weight	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: within the last two weeks: Decreased weight.	QIDS-SR - Decreased Weight
C130597	QIDSR1-Energy Level	QIDSR1-Energy Level	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Energy level.	QIDS-SR - Energy Level
C130584	QIDSR1-Falling Asleep	QIDSR1-Falling Asleep	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Falling asleep.	QIDS-SR - Falling Asleep
C130599	QIDSR1-Feeling Restless	QIDSR1-Feeling Restless	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Feeling restless.	QIDS-SR - Feeling Restless
C130588	QIDSR1-Feeling Sad	QIDSR1-Feeling Sad	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Feeling sad.	QIDS-SR - Feeling Sad
C130598	QIDSR1-Feeling Slowed Down	QIDSR1-Feeling Slowed Down	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Feeling slowed down.	QIDS-SR - Feeling Slowed Down
C130596	QIDSR1-General Interest	QIDSR1-General Interest	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: General interest.	QIDS-SR - General Interest
C130601	QIDSR1-High Score Appetite/Weight Items	QIDSR1-High Score Appetite/Weight Items	Quick Inventory of Depressive Symptomatology - Self-Report - Enter the highest score on any 1 of the 4 appetite/weight change items.	QIDS-SR - High Score Appetite or Weight Items
C130602	QIDSR1-Highest Score Psychomotor Items	QIDSR1-Highest Score Psychomotor Items	Quick Inventory of Depressive Symptomatology - Self-Report - Enter the highest score on either of the 2 psychomotor items.	QIDS-SR - Highest Score Psychomotor Items
C130600	QIDSR1-Highest Score Sleep Items	QIDSR1-Highest Score Sleep Items	Quick Inventory of Depressive Symptomatology - Self-Report - Enter the highest score on any 1 of the 4 sleep items.	QIDS-SR - Highest Score Sleep Items
C130590	QIDSR1-Increased Appetite	QIDSR1-Increased Appetite	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Increased appetite.	QIDS-SR - Increased Appetite
C130592	QIDSR1-Increased Weight	QIDSR1-Increased Weight	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: within the last two weeks: Increased weight.	QIDS-SR - Increased Weight
C130585	QIDSR1-Sleep During the Night	QIDSR1-Sleep During the Night	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Sleep during the night.	QIDS-SR - Sleep During the Night
C130587	QIDSR1-Sleeping Too Much	QIDSR1-Sleeping Too Much	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Sleeping too much.	QIDS-SR - Sleeping Too Much
C130595	QIDSR1-Thoughts of Death or Suicide	QIDSR1-Thoughts of Death or Suicide	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Thoughts of death or suicide.	QIDS-SR - Thoughts of Death or Suicide
C130603	QIDSR1-Total Score	QIDSR1-Total Score	Quick Inventory of Depressive Symptomatology - Self-Report - Total score.	QIDS-SR - Total Score
C130594	QIDSR1-View of Myself	QIDSR1-View of Myself	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: View of myself.	QIDS-SR - View of Myself
C130586	QIDSR1-Waking Up Too Early	QIDSR1-Waking Up Too Early	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Waking up too early.	QIDS-SR - Waking Up Too Early

C130604	QLES101	QLES1-Free of Aches, Pains, Discomfort	Quality Of Life Enjoyment And Satisfaction Questionnaire - With regard to your physical health, during the past week how much of the time have you: Been completely free of aches, pains, or discomfort?	Q-LES-Q - Free of Aches, Pains, Discomfort
C130605	QLES102	QLES1-Felt Rested	Quality Of Life Enjoyment And Satisfaction Questionnaire - With regard to your physical health, during the past week how much of the time have you: Felt rested?	Q-LES-Q - Felt Rested
C130606	QLES103	QLES1-Felt Energetic	Quality Of Life Enjoyment And Satisfaction Questionnaire - With regard to your physical health, during the past week how much of the time have you: Felt energetic?	Q-LES-Q - Felt Energetic
C130607	QLES104	QLES1-Felt in Excellent Physical Health	Quality Of Life Enjoyment And Satisfaction Questionnaire - With regard to your physical health, during the past week how much of the time have you: Felt in excellent physical health?	Q-LES-Q - Felt in Excellent Physical Health
C130608	QLES105	QLES1-At Least Very Good Physical Health	Quality Of Life Enjoyment And Satisfaction Questionnaire - With regard to your physical health, during the past week how much of the time have you: Felt in at least very good physical health?	Q-LES-Q - At Least Very Good Physical Health
C130609	QLES106	QLES1-Free of Worry of Physical Health	Quality Of Life Enjoyment And Satisfaction Questionnaire - With regard to your physical health, during the past week how much of the time have you: Been free of worry about your physical health?	Q-LES-Q - Free of Worry of Physical Health
C130610	QLES107	QLES1-Felt You Got Enough Sleep	Quality Of Life Enjoyment And Satisfaction Questionnaire - With regard to your physical health, during the past week how much of the time have you: Felt you got enough sleep?	Q-LES-Q - Felt You Got Enough Sleep
C130611	QLES108	QLES1-Be as Physically Active as Needed	Quality Of Life Enjoyment And Satisfaction Questionnaire - With regard to your physical health, during the past week how much of the time have you: Felt able to be as physically active as needed?	Q-LES-Q - Be as Physically Active as Needed
C130612	QLES109	QLES1-Felt Well Coordinated	Quality Of Life Enjoyment And Satisfaction Questionnaire - With regard to your physical health, during the past week how much of the time have you: Felt well coordinated?	Q-LES-Q - Felt Well Coordinated
C130613	QLES110	QLES1-Felt Memory Was Functioning Well	Quality Of Life Enjoyment And Satisfaction Questionnaire - With regard to your physical health, during the past week how much of the time have you: Felt your memory was functioning well?	Q-LES-Q - Felt Memory Was Functioning Well
C130614	QLES111	QLES1-Felt Good Physically	Quality Of Life Enjoyment And Satisfaction Questionnaire - With regard to your physical health, during the past week how much of the time have you: Felt good physically?	Q-LES-Q - Felt Good Physically
C130615	QLES112	QLES1-Felt Full of Pep and Vitality	Quality Of Life Enjoyment And Satisfaction Questionnaire - With regard to your physical health, during the past week how much of the time have you: Felt full of pep and vitality?	Q-LES-Q - Felt Full of Pep and Vitality
C130616	QLES113	QLES1-Free of Visual Problems	Quality Of Life Enjoyment And Satisfaction Questionnaire - With regard to your physical health, during the past week how much of the time have you: Been free of visual problems?	Q-LES-Q - Free of Visual Problems
C130617	QLES114	QLES1-Felt Clearheaded	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt clearheaded?	Q-LES-Q - Felt Clearheaded
C130618	QLES115	QLES1-Felt Satisfied With Your Life	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt satisfied with your life?	Q-LES-Q - Felt Satisfied With Your Life
C130619	QLES116	QLES1-Felt Good About Your Appearance	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt good about your appearance?	Q-LES-Q - Felt Good About Your Appearance
C130620	QLES117	QLES1-Felt Happy or Cheerful	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt happy or cheerful?	Q-LES-Q - Felt Happy or Cheerful
C130621	QLES118	QLES1-Felt Independent	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt independent?	Q-LES-Q - Felt Independent
C130622	QLES119	QLES1-Felt Content	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt content?	Q-LES-Q - Felt Content
C130623	QLES120	QLES1-Able to Communicate With Others	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt able to communicate with others?	Q-LES-Q - Able to Communicate With Others
C130624	QLES121	QLES1-Taking Care of Your Appearance	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt interested in taking care of your appearance (hair, clothing) and personal hygiene (bathing, dressing)?	Q-LES-Q - Taking Care of Your Appearance

Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt able to make decisions?				
C130625	QLES122	QLES1-Felt Able to Make Decisions	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt able to make decisions?	Q-LES-Q - Felt Able to Make Decisions
C130626	QLES123	QLES1-Felt Relaxed	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt relaxed?	Q-LES-Q - Felt Relaxed
C130627	QLES124	QLES1-Felt Good About Your Life	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt good about your life?	Q-LES-Q - Felt Good About Your Life
C130628	QLES125	QLES1-Able to Travel About When Needed	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt able to travel about to get things done when needed (walk, use car, bus, train, or whatever is available as needed)?	Q-LES-Q - Able to Travel About to Get Things Done When Needed
C130629	QLES126	QLES1-Able to Deal With Life's Problems	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt able to deal with life's problems?	Q-LES-Q - Able to Deal With Life's Problems
C130630	QLES127	QLES1-Able to Take Care of Yourself	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt able to take care of yourself?	Q-LES-Q - Able to Take Care of Yourself
C130631	QLES128A	QLES1-Have a Job	Quality Of Life Enjoyment And Satisfaction Questionnaire - Do you have a job?	Q-LES-Q - Have a Job
C130632	QLES128B	QLES1-Work for Yourself	Quality Of Life Enjoyment And Satisfaction Questionnaire - Do you work for yourself?	Q-LES-Q - Work for Yourself
C130633	QLES128C	QLES1-Do Volunteer Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - Do you do volunteer work?	Q-LES-Q - Do Volunteer Work
C130634	QLES128D	QLES1-Reason for Not Working	Quality Of Life Enjoyment And Satisfaction Questionnaire - Reason not having a job, working for yourself, and not doing volunteer work?	Q-LES-Q - Reason for Not Working
C130635	QLES129	QLES1-Enjoyed Your Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Enjoyed your work?	Q-LES-Q - Enjoyed Your Work
C130636	QLES130	QLES1-Solved Work Problem Without Stress	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Solved work problems or dealt with them without undue stress?	Q-LES-Q - Solved Work Problem Without Stress
C130637	QLES131	QLES1-Thought Clearly About Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Thought clearly about work?	Q-LES-Q - Thought Clearly About Work
C130638	QLES132	QLES1-Decisive About Work/Made Decisions	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Been decisive about work, or made decisions when needed?	Q-LES-Q - Decisive About Work or Made Decisions
C130639	QLES133	QLES1-Accomplished What You Wanted to Do	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Accomplished what you wanted to do?	Q-LES-Q - Accomplished What You Wanted to Do
C130640	QLES134	QLES1-Pleased With Work Accomplishments	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Been pleased with your work accomplishments?	Q-LES-Q - Pleased With Work Accomplishments
C130641	QLES135	QLES1-Worked Well	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Worked well?	Q-LES-Q - Worked Well
C130642	QLES136	QLES1-Been Interested in Your Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Been interested in your work?	Q-LES-Q - Been Interested in Your Work
C130643	QLES137	QLES1-Concentrated on Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Concentrated on work?	Q-LES-Q - Concentrated on Work
C130644	QLES138	QLES1-Worked Carefully	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Worked carefully?	Q-LES-Q - Worked Carefully
C130645	QLES139	QLES1-Kept Up With Expected Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Kept up with expected work?	Q-LES-Q - Kept Up With Expected Work
C130646	QLES140	QLES1-Taken Care of Work by Yourself	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Taken care of work by yourself when it was necessary?	Q-LES-Q - Taken Care of Work by Yourself
C130647	QLES141	QLES1-Communicated/Interacted With Ease	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Communicated and interacted with ease with others while working?	Q-LES-Q - Communicated and Interacted With Ease

Quality Of Life Enjoyment And Satisfaction Questionnaire - Are you responsible for any household duties/housework/homemaker activities (e.g., cleaning, shopping, doing dishes, food shopping or preparation) for your-self or for other people?				
C130648	QLES142	QLES1-Responsible for Household	Quality Of Life Enjoyment And Satisfaction Questionnaire - Are you responsible for any household duties/housework/homemaker activities (e.g., cleaning, shopping, doing dishes, food shopping or preparation) for your-self or for other people?	Q-LES-Q - Responsible for Household
C130649	QLES142A	QLES1-Reason for No Household Activities	Quality Of Life Enjoyment And Satisfaction Questionnaire - Reason for no household duties/housework/homemaker activities (e.g., cleaning, shopping, doing dishes, food shopping or preparation) for your-self or for other people?	Q-LES-Q - Reason for No Household Activities
C130650	QLES143	QLES1-Kept Room Clean to Satisfaction	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Kept your room/apartment/house cleaned to your satisfaction?	Q-LES-Q - Kept Room Clean to Satisfaction
C130651	QLES144	QLES1-Paid Bills, Done Banking	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Paid the bills, done the banking to your satisfaction?	Q-LES-Q - Paid Bills, Done Banking
C130652	QLES145	QLES1-Shopped for Food/Household Items	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Shopped for food or other household items to your satisfaction?	Q-LES-Q - Shopped for Food or Household Items
C130653	QLES146	QLES1-Prepared Food or Obtained Food	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Prepared food or obtained food to your satisfaction?	Q-LES-Q - Prepared Food or Obtained Food
C130654	QLES147	QLES1-Taken Care of Laundry/Cleaning	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Taken care of the laundry/cleaning to your satisfaction?	Q-LES-Q - Taken Care of Laundry or Cleaning
C130655	QLES148	QLES1-Accomplish Household Activities	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Had a feeling of accomplishment with regard to household activities?	Q-LES-Q - Accomplish Household Activities
C130656	QLES149	QLES1-Thought Clearly Household Activ	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Concentrated and thought clearly about what household activities needed to be done?	Q-LES-Q - Thought Clearly Household Activities to be Done
C130657	QLES150	QLES1-Solved House Problems w/o Stress	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Solved household problems or dealt with them without undue stress?	Q-LES-Q - Solved House Problems Without Stress
C130658	QLES151	QLES1-Decisive Household Activities	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Been decisive or made decisions when needed with regard to household activities?	Q-LES-Q - Decisive With Regard to Household Activities
C130659	QLES152	QLES1-Made Repairs Household Maintenance	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Made repairs or taken care of household maintenance as needed?	Q-LES-Q - Made Repairs or Household Maintenance
C130660	QLES153	QLES1-Taken Courses/Going to Class	Quality Of Life Enjoyment And Satisfaction Questionnaire - Have you been taking any courses, going to class, or been involved in any type of course work, school or college studies during the past week?	Q-LES-Q - Taken Courses or Going to Class
C130661	QLES153A	QLES1-Reason for No Courses	Quality Of Life Enjoyment And Satisfaction Questionnaire - Reason not taking any courses, going to class, or been involved in any type of course work, school or college studies during the past week.	Q-LES-Q - Reason for No Courses
C130662	QLES154	QLES1-Enjoyed Course/Class Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Enjoyed the course/class work?	Q-LES-Q - Enjoyed Course or Class Work
C130663	QLES155	QLES1-Looked Forward to Course Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Looked forward to getting to work on the course/class work?	Q-LES-Q - Looked Forward to Course Work
C130664	QLES156	QLES1-Course/Class Work Without Stress	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Dealt with the course/class work without undue stress?	Q-LES-Q - Dealt With Course or Class Work Without Stress
C130665	QLES157	QLES1-Thought Clearly About Course Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Thought clearly about the course/class work?	Q-LES-Q - Thought Clearly About Course Work
C130666	QLES158	QLES1-Decisive About Course Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Been decisive about the course/class work when needed?	Q-LES-Q - Decisive About Course Work
C130667	QLES159	QLES1-Pleased With Course Accomplishment	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Been pleased with your course/class work accomplishments?	Q-LES-Q - Pleased With Course Accomplishment

Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how often have you: _____				
C130668	QLES160	QLES1-Interested in Your Course Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Been interested in your course/class work?	Q-LES-Q - Interested in Your Course Work
C130669	QLES161	QLES1-Concentrated on Course Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Concentrated on the course/class work?	Q-LES-Q - Concentrated on Course Work
C130670	QLES162	QLES1-Felt Good Doing Course Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt good while doing your course/class work?	Q-LES-Q - Felt Good Doing Course Work
C130671	QLES163	QLES1-Communicated With Ease at Course	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Communicated and interacted with ease with others at your course/class?	Q-LES-Q - Communicated With Ease at Course
C130672	QLES164	QLES1-Use Time for a Leisure Activity	Quality Of Life Enjoyment And Satisfaction Questionnaire - When you had time, how often did you use that time for a leisure time activity?	Q-LES-Q - Use Time for a Leisure Activity
C130673	QLES165	QLES1-Enjoy the Leisure Activities	Quality Of Life Enjoyment And Satisfaction Questionnaire - How often did you enjoy the leisure activities?	Q-LES-Q - Enjoy the Leisure Activities
C130674	QLES166	QLES1-Look Forward to Leisure Activities	Quality Of Life Enjoyment And Satisfaction Questionnaire - How often did you look forward to the leisure activities before spending time at them?	Q-LES-Q - Look Forward to Leisure Activities
C130675	QLES167	QLES1-Concentrate on Leisure Activities	Quality Of Life Enjoyment And Satisfaction Questionnaire - How often did you concentrate on the leisure activities and pay attention to them?	Q-LES-Q - Concentrate on Leisure Activities
C130676	QLES168	QLES1-Solve or Deal Without Undue Stress	Quality Of Life Enjoyment And Satisfaction Questionnaire - If a problem arose in your leisure activities, how often did you solve it or deal with it without undue stress?	Q-LES-Q - Solve or Deal Without Undue Stress
C130677	QLES169	QLES1-Leisure Activity Sustain Interest	Quality Of Life Enjoyment And Satisfaction Questionnaire - How often did the leisure activities sustain your interest?	Q-LES-Q - Leisure Activity Sustain Interest
C130678	QLES170	QLES1-Enjoyed Being With Friends	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how often have you: Enjoyed talking with or being with friends or relatives?	Q-LES-Q - Enjoyed Being With Friends
C130679	QLES171	QLES1-Getting Together With Friends	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how often have you: Looked forward to getting together with friends or relatives?	Q-LES-Q - Getting Together With Friends
C130680	QLES172	QLES1-Made Social Plans With Friends	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how often have you: Made social plans with friends or relatives for future activities?	Q-LES-Q - Made Social Plans With Friends
C130681	QLES173	QLES1-Enjoyed Talking With Co-workers	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how often have you: Enjoyed talking with co-workers or neighbors?	Q-LES-Q - Enjoyed Talking With Co-workers
C130682	QLES174	QLES1-Patient With Others	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how often have you: Been patient with others when others were irritating in their actions or words?	Q-LES-Q - Patient With Others
C130683	QLES175	QLES1-Interested in Problems of People	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how often have you: Been interested in the problems of other people?	Q-LES-Q - Interested in Problems of People
C130684	QLES176	QLES1-Felt Affection Toward People	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how often have you: Felt affection toward one or more people?	Q-LES-Q - Felt Affection Toward People
C130685	QLES177	QLES1-Gotten Along Well With People	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how often have you: Gotten along well with other people?	Q-LES-Q - Gotten Along Well With People
C130686	QLES178	QLES1-Joked or Laughed With Other People	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how often have you: Joked or laughed with other people?	Q-LES-Q - Joked or Laughed With Other People
C130687	QLES179	QLES1-Met Needs of Friends or Relatives	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how often have you: Felt you met the needs of friends or relatives?	Q-LES-Q - Met Needs of Friends or Relatives
C130688	QLES180	QLES1-Relationships Without Problems	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how often have you: Felt your relationships with your friends or relatives were without major problems or conflicts?	Q-LES-Q - Relationships Without Problems
C130689	QLES181	QLES1-Physical Health	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: Physical health?	Q-LES-Q - Physical Health

QLES1 - Quality Of Life Enjoyment And Satisfaction Questionnaire			
C130690	QLES182	QLES1-Mood	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: Mood? Q-LES-Q - Mood
C130691	QLES183	QLES1-Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: Work? Q-LES-Q - Work
C130692	QLES184	QLES1-Household Activities	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: Household activities? Q-LES-Q - Household Activities
C130693	QLES185	QLES1-Social Relationships	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: Social relationships? Q-LES-Q - Social Relationships
C130694	QLES186	QLES1-Family Relationships	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: Family relationships? Q-LES-Q - Family Relationships
C130695	QLES187	QLES1-Leisure Time Activities	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: Leisure time activities? Q-LES-Q - Leisure Time Activities
C130696	QLES188	QLES1-Ability to Function in Daily Life	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: Ability to function in daily life? Q-LES-Q - Ability to Function in Daily Life
C130697	QLES189	QLES1-Sex Drive, Interest, Performance	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: Sexual drive, interest and/or performance? Q-LES-Q - Sex Drive, Interest, Performance
C130698	QLES190	QLES1-Economic Status	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: Economic status? Q-LES-Q - Economic Status
C130699	QLES191	QLES1-Living/Housing Situation	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: Living/housing situation? Q-LES-Q - Living or Housing Situation
C130700	QLES192	QLES1-Ability to Get Around Physically	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: Ability to get around physically without feeling dizzy or unsteady or falling? Q-LES-Q - Ability to Get Around Physically
C130701	QLES193	QLES1-Vision Ability to Do Work/Hobbies	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: your vision in terms of ability to do work or hobbies? Q-LES-Q - Vision Ability to Do Work or Hobbies
C130702	QLES194	QLES1-Overall Sense of Well Being	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: Overall sense of well being? Q-LES-Q - Overall Sense of Well Being
C130703	QLES195	QLES1-Medication	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: Medication? Q-LES-Q - Medication
C130704	QLES196	QLES1-Rate Overall Life Satisfaction	Quality Of Life Enjoyment And Satisfaction Questionnaire - How would you rate your overall life satisfaction and contentment during the past week? Q-LES-Q - Rate Overall Life Satisfaction

C130696	QLES1-Ability to Function in Daily Life	QLES1-Ability to Function in Daily Life	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: Ability to function in daily life?	Q-LES-Q - Ability to Function in Daily Life
C130700	QLES1-Ability to Get Around Physically	QLES1-Ability to Get Around Physically	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: Ability to get around physically without feeling dizzy or unsteady or falling?	Q-LES-Q - Ability to Get Around Physically
C130623	QLES1-Able to Communicate With Others	QLES1-Able to Communicate With Others	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt able to communicate with others?	Q-LES-Q - Able to Communicate With Others
C130629	QLES1-Able to Deal With Life's Problems	QLES1-Able to Deal With Life's Problems	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt able to deal with life's problems?	Q-LES-Q - Able to Deal With Life's Problems
C130630	QLES1-Able to Take Care of Yourself	QLES1-Able to Take Care of Yourself	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt able to take care of yourself?	Q-LES-Q - Able to Take Care of Yourself
C130628	QLES1-Able to Travel About When Needed	QLES1-Able to Travel About When Needed	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt able to travel about to get things done when needed (walk, use car, bus, train, or whatever is available as needed)?	Q-LES-Q - Able to Travel About to Get Things Done When Needed
C130655	QLES1-Accomplish Household Activities	QLES1-Accomplish Household Activities	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Had a feeling of accomplishment with regard to household activities?	Q-LES-Q - Accomplish Household Activities
C130639	QLES1-Accomplished What You Wanted to Do	QLES1-Accomplished What You Wanted to Do	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Accomplished what you wanted to do?	Q-LES-Q - Accomplished What You Wanted to Do
C130608	QLES1-At Least Very Good Physical Health	QLES1-At Least Very Good Physical Health	Quality Of Life Enjoyment And Satisfaction Questionnaire - With regard to your physical health, during the past week how much of the time have you: Felt in at least very good physical health?	Q-LES-Q - At Least Very Good Physical Health
C130611	QLES1-Be as Physically Active as Needed	QLES1-Be as Physically Active as Needed	Quality Of Life Enjoyment And Satisfaction Questionnaire - With regard to your physical health, during the past week how much of the time have you: Felt able to be as physically active as needed?	Q-LES-Q - Be as Physically Active as Needed
C130642	QLES1-Been Interested in Your Work	QLES1-Been Interested in Your Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Been interested in your work?	Q-LES-Q - Been Interested in Your Work
C130671	QLES1-Communicated With Ease at Course	QLES1-Communicated With Ease at Course	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Communicated and interacted with ease with others at your course/class?	Q-LES-Q - Communicated With Ease at Course
C130647	QLES1-Communicated/Interacted With Ease	QLES1-Communicated/Interacted With Ease	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Communicated and interacted with ease with others while working?	Q-LES-Q - Communicated and Interacted With Ease
C130675	QLES1-Concentrate on Leisure Activities	QLES1-Concentrate on Leisure Activities	Quality Of Life Enjoyment And Satisfaction Questionnaire - How often did you concentrate on the leisure activities and pay attention to them?	Q-LES-Q - Concentrate on Leisure Activities
C130669	QLES1-Concentrated on Course Work	QLES1-Concentrated on Course Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Concentrated on the course/class work?	Q-LES-Q - Concentrated on Course Work
C130643	QLES1-Concentrated on Work	QLES1-Concentrated on Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Concentrated on work?	Q-LES-Q - Concentrated on Work
C130664	QLES1-Course/Class Work Without Stress	QLES1-Course/Class Work Without Stress	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Dealt with the course/class work without undue stress?	Q-LES-Q - Dealt With Course or Class Work Without Stress
C130666	QLES1-Decisive About Course Work	QLES1-Decisive About Course Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Been decisive about the course/class work when needed?	Q-LES-Q - Decisive About Course Work
C130638	QLES1-Decisive About Work/Made Decisions	QLES1-Decisive About Work/Made Decisions	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Been decisive about work, or made decisions when needed?	Q-LES-Q - Decisive About Work or Made Decisions
C130658	QLES1-Decisive Household Activities	QLES1-Decisive Household Activities	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Been decisive or made decisions when needed with regard to household activities?	Q-LES-Q - Decisive With Regard to Household Activities
C130633	QLES1-Do Volunteer Work	QLES1-Do Volunteer Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - Do you do volunteer work?	Q-LES-Q - Do Volunteer Work

QLES1-Quality Of Life Enjoyment And Satisfaction Questionnaire				
QID	Question	Response	Description	Label
C130698	QLES1-Economic Status	QLES1-Economic Status	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: Economic status?	Q-LES-Q - Economic Status
C130673	QLES1-Enjoy the Leisure Activities	QLES1-Enjoy the Leisure Activities	Quality Of Life Enjoyment And Satisfaction Questionnaire - How often did you enjoy the leisure activities?	Q-LES-Q - Enjoy the Leisure Activities
C130678	QLES1-Enjoyed Being With Friends	QLES1-Enjoyed Being With Friends	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how often have you: Enjoyed talking with or being with friends or relatives?	Q-LES-Q - Enjoyed Being With Friends
C130662	QLES1-Enjoyed Course/Class Work	QLES1-Enjoyed Course/Class Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Enjoyed the course/class work?	Q-LES-Q - Enjoyed Course or Class Work
C130681	QLES1-Enjoyed Talking With Co-workers	QLES1-Enjoyed Talking With Co-workers	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how often have you: Enjoyed talking with co-workers or neighbors?	Q-LES-Q - Enjoyed Talking With Co-workers
C130635	QLES1-Enjoyed Your Work	QLES1-Enjoyed Your Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Enjoyed your work?	Q-LES-Q - Enjoyed Your Work
C130694	QLES1-Family Relationships	QLES1-Family Relationships	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: Family relationships?	Q-LES-Q - Family Relationships
C130625	QLES1-Felt Able to Make Decisions	QLES1-Felt Able to Make Decisions	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt able to make decisions?	Q-LES-Q - Felt Able to Make Decisions
C130684	QLES1-Felt Affection Toward People	QLES1-Felt Affection Toward People	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how often have you: Felt affection toward one or more people?	Q-LES-Q - Felt Affection Toward People
C130617	QLES1-Felt Clearheaded	QLES1-Felt Clearheaded	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt clearheaded?	Q-LES-Q - Felt Clearheaded
C130622	QLES1-Felt Content	QLES1-Felt Content	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt content?	Q-LES-Q - Felt Content
C130606	QLES1-Felt Energetic	QLES1-Felt Energetic	Quality Of Life Enjoyment And Satisfaction Questionnaire - With regard to your physical health, during the past week how much of the time have you: Felt energetic?	Q-LES-Q - Felt Energetic
C130615	QLES1-Felt Full of Pep and Vitality	QLES1-Felt Full of Pep and Vitality	Quality Of Life Enjoyment And Satisfaction Questionnaire - With regard to your physical health, during the past week how much of the time have you: Felt full of pep and vitality?	Q-LES-Q - Felt Full of Pep and Vitality
C130619	QLES1-Felt Good About Your Appearance	QLES1-Felt Good About Your Appearance	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt good about your appearance?	Q-LES-Q - Felt Good About Your Appearance
C130627	QLES1-Felt Good About Your Life	QLES1-Felt Good About Your Life	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt good about your life?	Q-LES-Q - Felt Good About Your Life
C130670	QLES1-Felt Good Doing Course Work	QLES1-Felt Good Doing Course Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt good while doing your course/class work?	Q-LES-Q - Felt Good Doing Course Work
C130614	QLES1-Felt Good Physically	QLES1-Felt Good Physically	Quality Of Life Enjoyment And Satisfaction Questionnaire - With regard to your physical health, during the past week how much of the time have you: Felt good physically?	Q-LES-Q - Felt Good Physically
C130620	QLES1-Felt Happy or Cheerful	QLES1-Felt Happy or Cheerful	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt happy or cheerful?	Q-LES-Q - Felt Happy or Cheerful
C130607	QLES1-Felt in Excellent Physical Health	QLES1-Felt in Excellent Physical Health	Quality Of Life Enjoyment And Satisfaction Questionnaire - With regard to your physical health, during the past week how much of the time have you: Felt in excellent physical health?	Q-LES-Q - Felt in Excellent Physical Health
C130621	QLES1-Felt Independent	QLES1-Felt Independent	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt independent?	Q-LES-Q - Felt Independent
C130613	QLES1-Felt Memory Was Functioning Well	QLES1-Felt Memory Was Functioning Well	Quality Of Life Enjoyment And Satisfaction Questionnaire - With regard to your physical health, during the past week how much of the time have you: Felt your memory was functioning well?	Q-LES-Q - Felt Memory Was Functioning Well
C130626	QLES1-Felt Relaxed	QLES1-Felt Relaxed	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt relaxed?	Q-LES-Q - Felt Relaxed
C130605	QLES1-Felt Rested	QLES1-Felt Rested	Quality Of Life Enjoyment And Satisfaction Questionnaire - With regard to your physical health, during the past week how much of the time have you: Felt rested?	Q-LES-Q - Felt Rested

Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt satisfied with your life?				
C130618	QLES1-Felt Satisfied With Your Life	QLES1-Felt Satisfied With Your Life	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt satisfied with your life?	Q-LES-Q - Felt Satisfied With Your Life
C130612	QLES1-Felt Well Coordinated	QLES1-Felt Well Coordinated	Quality Of Life Enjoyment And Satisfaction Questionnaire - With regard to your physical health, during the past week how much of the time have you: Felt well coordinated?	Q-LES-Q - Felt Well Coordinated
C130610	QLES1-Felt You Got Enough Sleep	QLES1-Felt You Got Enough Sleep	Quality Of Life Enjoyment And Satisfaction Questionnaire - With regard to your physical health, during the past week how much of the time have you: Felt you got enough sleep?	Q-LES-Q - Felt You Got Enough Sleep
C130604	QLES1-Free of Aches, Pains, Discomfort	QLES1-Free of Aches, Pains, Discomfort	Quality Of Life Enjoyment And Satisfaction Questionnaire - With regard to your physical health, during the past week how much of the time have you: Been completely free of aches, pains, or discomfort?	Q-LES-Q - Free of Aches, Pains, Discomfort
C130616	QLES1-Free of Visual Problems	QLES1-Free of Visual Problems	Quality Of Life Enjoyment And Satisfaction Questionnaire - With regard to your physical health, during the past week how much of the time have you: Been free of visual problems?	Q-LES-Q - Free of Visual Problems
C130609	QLES1-Free of Worry of Physical Health	QLES1-Free of Worry of Physical Health	Quality Of Life Enjoyment And Satisfaction Questionnaire - With regard to your physical health, during the past week how much of the time have you: Been free of worry about your physical health?	Q-LES-Q - Free of Worry of Physical Health
C130679	QLES1-Getting Together With Friends	QLES1-Getting Together With Friends	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how often have you: Looked forward to getting together with friends or relatives?	Q-LES-Q - Getting Together With Friends
C130685	QLES1-Gotten Along Well With People	QLES1-Gotten Along Well With People	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how often have you: Gotten along well with other people?	Q-LES-Q - Gotten Along Well With People
C130631	QLES1-Have a Job	QLES1-Have a Job	Quality Of Life Enjoyment And Satisfaction Questionnaire - Do you have a job?	Q-LES-Q - Have a Job
C130692	QLES1-Household Activities	QLES1-Household Activities	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: Household activities?	Q-LES-Q - Household Activities
C130683	QLES1-Interested in Problems of People	QLES1-Interested in Problems of People	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how often have you: Been interested in the problems of other people?	Q-LES-Q - Interested in Problems of People
C130668	QLES1-Interested in Your Course Work	QLES1-Interested in Your Course Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Been interested in your course/class work?	Q-LES-Q - Interested in Your Course Work
C130686	QLES1-Joked or Laughed With Other People	QLES1-Joked or Laughed With Other People	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how often have you: Joked or laughed with other people?	Q-LES-Q - Joked or Laughed With Other People
C130650	QLES1-Kept Room Clean to Satisfaction	QLES1-Kept Room Clean to Satisfaction	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Kept your room/apartment/house cleaned to your satisfaction?	Q-LES-Q - Kept Room Clean to Satisfaction
C130645	QLES1-Kept Up With Expected Work	QLES1-Kept Up With Expected Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Kept up with expected work?	Q-LES-Q - Kept Up With Expected Work
C130677	QLES1-Leisure Activity Sustain Interest	QLES1-Leisure Activity Sustain Interest	Quality Of Life Enjoyment And Satisfaction Questionnaire - How often did the leisure activities sustain your interest?	Q-LES-Q - Leisure Activity Sustain Interest
C130695	QLES1-Leisure Time Activities	QLES1-Leisure Time Activities	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: Leisure time activities?	Q-LES-Q - Leisure Time Activities
C130699	QLES1-Living/Housing Situation	QLES1-Living/Housing Situation	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: Living/housing situation?	Q-LES-Q - Living or Housing Situation
C130674	QLES1-Look Forward to Leisure Activities	QLES1-Look Forward to Leisure Activities	Quality Of Life Enjoyment And Satisfaction Questionnaire - How often did you look forward to the leisure activities before spending time at them?	Q-LES-Q - Look Forward to Leisure Activities
C130663	QLES1-Looked Forward to Course Work	QLES1-Looked Forward to Course Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Looked forward to getting to work on the course/class work?	Q-LES-Q - Looked Forward to Course Work
C130659	QLES1-Made Repairs Household Maintenance	QLES1-Made Repairs Household Maintenance	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Made repairs or taken care of household maintenance as needed?	Q-LES-Q - Made Repairs or Household Maintenance
C130680	QLES1-Made Social Plans With Friends	QLES1-Made Social Plans With Friends	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how often have you: Made social plans with friends or relatives for future activities?	Q-LES-Q - Made Social Plans With Friends

Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how often have you: Felt you met the needs of friends or relatives?				
C130703	QLES1-Medication	QLES1-Medication	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: Medication?	Q-LES-Q - Medication
C130687	QLES1-Met Needs of Friends or Relatives	QLES1-Met Needs of Friends or Relatives	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how often have you: Felt you met the needs of friends or relatives?	Q-LES-Q - Met Needs of Friends or Relatives
C130690	QLES1-Mood	QLES1-Mood	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: Mood?	Q-LES-Q - Mood
C130702	QLES1-Overall Sense of Well Being	QLES1-Overall Sense of Well Being	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: Overall sense of well being?	Q-LES-Q - Overall Sense of Well Being
C130651	QLES1-Paid Bills, Done Banking	QLES1-Paid Bills, Done Banking	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Paid the bills, done the banking to your satisfaction?	Q-LES-Q - Paid Bills, Done Banking
C130682	QLES1-Patient With Others	QLES1-Patient With Others	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how often have you: Been patient with others when others were irritating in their actions or words?	Q-LES-Q - Patient With Others
C130689	QLES1-Physical Health	QLES1-Physical Health	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: Physical health?	Q-LES-Q - Physical Health
C130667	QLES1-Pleased With Course Accomplishment	QLES1-Pleased With Course Accomplishment	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Been pleased with your course/class work accomplishments?	Q-LES-Q - Pleased With Course Accomplishment
C130640	QLES1-Pleased With Work Accomplishments	QLES1-Pleased With Work Accomplishments	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Been pleased with your work accomplishments?	Q-LES-Q - Pleased With Work Accomplishments
C130653	QLES1-Prepared Food or Obtained Food	QLES1-Prepared Food or Obtained Food	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Prepared food or obtained food to your satisfaction?	Q-LES-Q - Prepared Food or Obtained Food
C130704	QLES1-Rate Overall Life Satisfaction	QLES1-Rate Overall Life Satisfaction	Quality Of Life Enjoyment And Satisfaction Questionnaire - How would you rate your overall life satisfaction and contentment during the past week?	Q-LES-Q - Rate Overall Life Satisfaction
C130661	QLES1-Reason for No Courses	QLES1-Reason for No Courses	Quality Of Life Enjoyment And Satisfaction Questionnaire - Reason not taking any courses, going to class, or been involved in any type of course work, school or college studies during the past week.	Q-LES-Q - Reason for No Courses
C130649	QLES1-Reason for No Household Activities	QLES1-Reason for No Household Activities	Quality Of Life Enjoyment And Satisfaction Questionnaire - Reason for no household duties/housework/homemaker activities (e.g., cleaning, shopping doing dishes, food shopping or preparation) for your-self or for other people?	Q-LES-Q - Reason for No Household Activities
C130634	QLES1-Reason for Not Working	QLES1-Reason for Not Working	Quality Of Life Enjoyment And Satisfaction Questionnaire - Reason not having a job, working for yourself, and not doing volunteer work?	Q-LES-Q - Reason for Not Working
C130688	QLES1-Relationships Without Problems	QLES1-Relationships Without Problems	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how often have you: Felt your relationships with your friends or relatives were without major problems or conflicts?	Q-LES-Q - Relationships Without Problems
C130648	QLES1-Responsible for Household	QLES1-Responsible for Household	Quality Of Life Enjoyment And Satisfaction Questionnaire - Are you responsible for any household duties/housework/homemaker activities (e.g., cleaning, shopping, doing dishes, food shopping or preparation) for your-self or for other people?	Q-LES-Q - Responsible for Household
C130697	QLES1-Sex Drive, Interest, Performance	QLES1-Sex Drive, Interest, Performance	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: Sexual drive, interest and/or performance?	Q-LES-Q - Sex Drive, Interest, Performance
C130652	QLES1-Shopped for Food/Household Items	QLES1-Shopped for Food/Household Items	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Shopped for food or other household items to your satisfaction?	Q-LES-Q - Shopped for Food or Household Items
C130693	QLES1-Social Relationships	QLES1-Social Relationships	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: Social relationships?	Q-LES-Q - Social Relationships
C130676	QLES1-Solve or Deal Without Undue Stress	QLES1-Solve or Deal Without Undue Stress	Quality Of Life Enjoyment And Satisfaction Questionnaire - If a problem arose in your leisure activities, how often did you solve it or deal with it without undue stress?	Q-LES-Q - Solve or Deal Without Undue Stress

Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Solved household problems or dealt with them without undue stress?				
C130657	QLES1-Solved House Problems w/o Stress	QLES1-Solved House Problems w/o Stress	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Solved household problems or dealt with them without undue stress?	Q-LES-Q - Solved House Problems Without Stress
C130636	QLES1-Solved Work Problem Without Stress	QLES1-Solved Work Problem Without Stress	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Solved work problems or dealt with them without undue stress?	Q-LES-Q - Solved Work Problem Without Stress
C130654	QLES1-Taken Care of Laundry/Cleaning	QLES1-Taken Care of Laundry/Cleaning	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Taken care of the laundry/cleaning to your satisfaction?	Q-LES-Q - Taken Care of Laundry or Cleaning
C130646	QLES1-Taken Care of Work by Yourself	QLES1-Taken Care of Work by Yourself	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Taken care of work by yourself when it was necessary?	Q-LES-Q - Taken Care of Work by Yourself
C130660	QLES1-Taken Courses/Going to Class	QLES1-Taken Courses/Going to Class	Quality Of Life Enjoyment And Satisfaction Questionnaire - Have you been taking any courses, going to class, or been involved in any type of course work, school or college studies during the past week?	Q-LES-Q - Taken Courses or Going to Class
C130624	QLES1-Taking Care of Your Appearance	QLES1-Taking Care of Your Appearance	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt interested in taking care of your appearance (hair, clothing) and personal hygiene (bathing, dressing)?	Q-LES-Q - Taking Care of Your Appearance
C130665	QLES1-Thought Clearly About Course Work	QLES1-Thought Clearly About Course Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Thought clearly about the course/class work?	Q-LES-Q - Thought Clearly About Course Work
C130637	QLES1-Thought Clearly About Work	QLES1-Thought Clearly About Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Thought clearly about work?	Q-LES-Q - Thought Clearly About Work
C130656	QLES1-Thought Clearly Household Activ	QLES1-Thought Clearly Household Activ	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Concentrated and thought clearly about what household activities needed to be done?	Q-LES-Q - Thought Clearly Household Activities to be Done
C130672	QLES1-Use Time for a Leisure Activity	QLES1-Use Time for a Leisure Activity	Quality Of Life Enjoyment And Satisfaction Questionnaire - When you had time, how often did you use that time for a leisure time activity?	Q-LES-Q - Use Time for a Leisure Activity
C130701	QLES1-Vision Ability to Do Work/Hobbies	QLES1-Vision Ability to Do Work/Hobbies	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: your vision in terms of ability to do work or hobbies?	Q-LES-Q - Vision Ability to Do Work or Hobbies
C130632	QLES1-Work for Yourself	QLES1-Work for Yourself	Quality Of Life Enjoyment And Satisfaction Questionnaire - Do you work for yourself?	Q-LES-Q - Work for Yourself
C130691	QLES1-Work	QLES1-Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: Work?	Q-LES-Q - Work
C130644	QLES1-Worked Carefully	QLES1-Worked Carefully	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Worked carefully?	Q-LES-Q - Worked Carefully
C130641	QLES1-Worked Well	QLES1-Worked Well	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Worked well?	Q-LES-Q - Worked Well

C130705	QLES201	QLES2-Physical Health	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Physical health?	Q-LES-Q-SF - Physical Health
C130706	QLES202	QLES2-Mood	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Mood?	Q-LES-Q-SF - Mood
C130707	QLES203	QLES2-Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Work?	Q-LES-Q-SF - Work
C130708	QLES204	QLES2-Household Activities	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Household activities?	Q-LES-Q-SF - Household Activities
C130709	QLES205	QLES2-Social Relationships	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Social relationships?	Q-LES-Q-SF - Social Relationships
C130710	QLES206	QLES2-Family Relationships	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Family relationships?	Q-LES-Q-SF - Family Relationships
C130711	QLES207	QLES2-Leisure Time Activities	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Leisure time activities?	Q-LES-Q-SF - Leisure Time Activities
C130712	QLES208	QLES2-Ability to Function in Daily Life	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Ability to function in daily life?	Q-LES-Q-SF - Ability to Function in Daily Life
C130713	QLES209	QLES2-Sex Drive, Interest, Performance	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Sexual drive, interest and/or performance?	Q-LES-Q-SF - Sex Drive, Interest, Performance
C130714	QLES210	QLES2-Economic Status	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Economic status?	Q-LES-Q-SF - Economic Status
C130715	QLES211	QLES2-Living/Housing Situation	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Living/housing situation?	Q-LES-Q-SF - Living or Housing Situation
C130716	QLES212	QLES2-Ability to Get Around Physically	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Ability to get around physically without feeling dizzy or unsteady or falling?	Q-LES-Q-SF - Ability to Get Around Physically
C130717	QLES213	QLES2-Vision Ability to Do Work/Hobbies	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Your vision in terms of ability to do work or hobbies?	Q-LES-Q-SF - Vision Ability to Do Work or Hobbies
C130718	QLES214	QLES2-Overall Sense of Well Being	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Overall sense of well being?	Q-LES-Q-SF - Overall Sense of Well Being
C130719	QLES215	QLES2-Medication	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Medication?	Q-LES-Q-SF - Medication
C130720	QLES216	QLES2-Rate Overall Life Satisfaction	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - How would you rate your overall life satisfaction and contentment during the past week?	Q-LES-Q-SF - Rate Overall Life Satisfaction

C130712	QLES2-Ability to Function in Daily Life	QLES2-Ability to Function in Daily Life	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Ability to function in daily life?	Q-LES-Q-SF - Ability to Function in Daily Life
C130716	QLES2-Ability to Get Around Physically	QLES2-Ability to Get Around Physically	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Ability to get around physically without feeling dizzy or unsteady or falling?	Q-LES-Q-SF - Ability to Get Around Physically
C130714	QLES2-Economic Status	QLES2-Economic Status	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Economic status?	Q-LES-Q-SF - Economic Status
C130710	QLES2-Family Relationships	QLES2-Family Relationships	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Family relationships?	Q-LES-Q-SF - Family Relationships
C130708	QLES2-Household Activities	QLES2-Household Activities	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Household activities?	Q-LES-Q-SF - Household Activities
C130711	QLES2-Leisure Time Activities	QLES2-Leisure Time Activities	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Leisure time activities?	Q-LES-Q-SF - Leisure Time Activities
C130715	QLES2-Living/Housing Situation	QLES2-Living/Housing Situation	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Living/housing situation?	Q-LES-Q-SF - Living or Housing Situation
C130719	QLES2-Medication	QLES2-Medication	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Medication?	Q-LES-Q-SF - Medication
C130706	QLES2-Mood	QLES2-Mood	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Mood?	Q-LES-Q-SF - Mood
C130718	QLES2-Overall Sense of Well Being	QLES2-Overall Sense of Well Being	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Overall sense of well being?	Q-LES-Q-SF - Overall Sense of Well Being
C130705	QLES2-Physical Health	QLES2-Physical Health	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Physical health?	Q-LES-Q-SF - Physical Health
C130720	QLES2-Rate Overall Life Satisfaction	QLES2-Rate Overall Life Satisfaction	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - How would you rate your overall life satisfaction and contentment during the past week?	Q-LES-Q-SF - Rate Overall Life Satisfaction
C130713	QLES2-Sex Drive, Interest, Performance	QLES2-Sex Drive, Interest, Performance	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Sexual drive, interest and/or performance?	Q-LES-Q-SF - Sex Drive, Interest, Performance
C130709	QLES2-Social Relationships	QLES2-Social Relationships	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Social relationships?	Q-LES-Q-SF - Social Relationships
C130717	QLES2-Vision Ability to Do Work/Hobbies	QLES2-Vision Ability to Do Work/Hobbies	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Your vision in terms of ability to do work or hobbies?	Q-LES-Q-SF - Vision Ability to Do Work or Hobbies
C130707	QLES2-Work	QLES2-Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Work?	Q-LES-Q-SF - Work

C122370	ACQ	ACQ01	Asthma Control Questionnaire (ACQ) (The Asthma Control Questionnaire is copyrighted. It may not be changed, translated or sold [paper or software] without the permission of Elizabeth Juniper, Juniper EF, O'Byrne PM, Guyatt GH, Ferrie PJ, King DR. Development and validation of a questionnaire to measure asthma control. Eur Respir J 1999;14:902-907).	Asthma Control Questionnaire
C123658	ACT	ACT01	Asthma Control Test (ACT) (Asthma Control Test copyright, QualityMetric Incorporated 2002, 2004. All Rights Reserved. Asthma Control Test is a trademark of QualityMetric Incorporated. Nathan RA, Sorkness CA, Kosinski M, Schatz M, Li JT, Marcus P, Murray JJ, Pendergraft TB. Development of the asthma control test: a survey for assessing asthma control. J Allergy Clin Immunol. 2004 Jan;113(1):59-65).	Asthma Control Test Questionnaire
C100762	ADAS-COG	ADC	The CDISC version of the Alzheimer's Disease Assessment Scale-Cognitive (ADAS-Cog CDISC Version) containing 15 summary-level tests. This version is based on combining the total pool of ADAS-Cog tests that were observed during a review of multiple case report forms administered in clinical trials of Alzheimer's disease, as well as the CRF administered in the Alzheimer's Disease Neuroimaging Initiative (ADNI) observational study. (Modified from Mohs RC, Rosen WG, Davis KL. The Alzheimer's disease assessment scale: an instrument for assessing treatment efficacy. Psychopharmacol Bull 1983;19(3):448-450. Rosen WG, Mohs RC, Davis KL. A new rating scale for Alzheimer's disease. Am J Psychiatry 1984;141(11):1356-1364. Mohs RC, Knopman D, Petersen RC et al. Development of cognitive instruments for use in clinical trials of antidementia drugs: additions to the Alzheimer's Disease Assessment Scale that broaden its scope. The Alzheimer's Disease Cooperative Study. Alzheimer Dis Assoc Disord 1997;11 Suppl 2:S13-S21. Wouters H, van Gool WA, Schmand B, Lindeboom R. Revising the ADAS-cog for a more accurate assessment of cognitive impairment. Alzheimer Dis Assoc Disord 2008;22(3):236-244.).	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version Questionnaire
C106888	ADCS-ADL MCI	ADL03	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory (ADCS-ADL), MCI Version (Galasko, D., Bennett, D., Sano, M., Ernesto, C., Thomas, R., Grundman, M., Ferris, S., and the ADCS. An Inventory to Assess Activities of Daily Living for Clinical Trials in Alzheimer's Disease. Alzheimer's Disease and Associated Disorders, 1997. Volume 11(2): S33-S39).	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory Mild Cognitive Impairment Questionnaire
C106889	ADCS-ADL SEVERE DEMENTIA	ADL02	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory (ADCS-ADL), Severe Dementia Version (Galasko, D., Bennett, D., Sano, M., Ernesto, C., Thomas, R., Grundman, M., Ferris, S., and the ADCS. An Inventory to Assess Activities of Daily Living for Clinical Trials in Alzheimer's Disease. Alzheimer's Disease and Associated Disorders, 1997. Volume 11(2): S33-S39).	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory Severe Dementia Questionnaire
C105166	ADCS-ADL	ADL01	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory (ADCS-ADL) (Galasko, D., Bennett, D., Sano, M., Ernesto, C., Thomas, R., Grundman, M., Ferris, S., and the ADCS. "An Inventory to Assess Activities of Daily Living for Clinical Trials in Alzheimer's Disease." Alzheimer's Disease and Associated Disorders, 1997. Volume 11(2): S33-S39).	Alzheimer's Disease Cooperative Study Activities of Daily Living Inventory Questionnaire
C103515	ADCS-CGIC	ACGC01	Alzheimer's Disease Cooperative Study-Clinical Global Impression of Change (ADCS-CGIC) (Schneider LS, Olin JT, Doody RS, Clark CM, Morris JC, Reisberg B, Schmitt FA, Grundman M, Thomas RG, Ferris SH, and the Alzheimer's Disease Cooperative Study. Validity and Reliability of the Alzheimer's Disease Cooperative Study-Clinical Global Impression of Change. Alzheimer Disease and Associated Disorders. 1997; 11(2):S22-S32).	Alzheimer's Disease Cooperative Study-Clinical Global Impression of Change Questionnaire
C122371	ADHD-RS-IV HOME VERSION	ADHD01	ADHD Rating Scale-IV (ADHD-RS-IV) Home Version (Copyright 1998. DuPaul GJ, Power TJ, Anastopoulos AD, Reid R. ADHD Rating Scale-IV: Checklists, Norms, and Clinical Interpretation. New York: The Guilford Press; 1998).	ADHD Rating Scale-IV Home Version Questionnaire

C163811	ADSD V1.0	ADSD01	Asthma Daytime Symptom Diary v1.0 (ADSD V1.0) (Version 1.0 Copyright 2018 Critical Path Institute. All Rights Reserved. Gater A, Nelsen L, Fleming S, Lundy J.J, Bonner N, Hall R, Marshall C, Staunton H, Krishnan JA, Stoloff S, Schatz M, Haughney J on behalf of the Patient-Reported Outcome Consortium's Asthma Working Group. Assessing asthma symptoms in adolescents and adults: qualitative research supporting development of the Asthma Daily Symptom Diary. Value in Health 2016; 19:440-450. Patient-Reported Outcome (PRO) Consortium - Asthma Daytime Symptom Diary (ADSD) and Asthma Nighttime Symptom Diary (ANS) User Manual, Version 1: March 30, 2019). No part of the ADSD V1.0 may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the Critical Path Institute and payment of any applicable fees. Copyright Critical Path Institute, 2018. All rights reserved.	Asthma Daytime Symptom Diary V1.0 Questionnaire
C163812	ANSD V1.0	ANSD01	Asthma Nighttime Symptom Diary v1.0 (ANS V1.0) (Version 1.0 Copyright 2018 Critical Path Institute. All Rights Reserved. Gater A, Nelsen L, Fleming S, Lundy J.J, Bonner N, Hall R, Marshall C, Staunton H, Krishnan JA, Stoloff S, Schatz M, Haughney J on behalf of the Patient-Reported Outcome Consortium's Asthma Working Group. Assessing asthma symptoms in adolescents and adults: qualitative research supporting development of the Asthma Daily Symptom Diary. Value in Health 2016; 19:440-450. Patient-Reported Outcome (PRO) Consortium - Asthma Daytime Symptom Diary (ADSD) and Asthma Nighttime Symptom Diary (ANS) User Manual, Version 1: March 30, 2019). No part of the ANSD V1.0 may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the Critical Path Institute and payment of any applicable fees. Copyright Critical Path Institute, 2018. All rights reserved.	Asthma Nighttime Symptom Diary V1.0 Questionnaire
C112518	AQ20	AQ01	Airway Questionnaire 20 (AQ20) (Barley EA, Quirk FH, Jones PW. Asthma health status in clinical practice: validity of a new short and simple instrument. Respir Med 1998; 92:1207-14. Copyright Reserved P.W. Jones, PhD FRCP).	Airway Questionnaire 20
C122372	AQLQ	AQLQ01	Asthma Quality of Life Questionnaire (AQLQ) (The AQLQ is copyrighted. It may not be altered, sold [paper or electronic], translated or adapted for another medium without the permission of Elizabeth Juniper. Juniper EF, Guyatt GH, Epstein RS, Ferrie PJ, Jaeschke R, Hiller TK. Evaluation of impairment of health-related quality of life in asthma: development of a questionnaire for use in clinical trials. Thorax 1992; 47:76-83).	Asthma Quality of Life Questionnaire
C125757	ASEX-FEMALE	ASEX01	Arizona Sexual Experiences Scale (ASEX)-Female (Copyright 1997 by Arizona Board of Regents, University of Arizona. All rights reserved).	Arizona Sexual Experiences Scale-Female Version Questionnaire
C125758	ASEX-MALE	ASEX02	Arizona Sexual Experiences Scale (ASEX)-Male (Copyright 1997 by Arizona Board of Regents, University of Arizona. All rights reserved).	Arizona Sexual Experiences Scale-Male Version Questionnaire
C119098	AUDIT-C	ADTC01	Alcohol Use Disorder Identification Test-Consumption Questions (AUDIT-C) (Bush K, Kivlahan DR, McDonell MB, Fihn SD, Bradley KA; for the Ambulatory Care Quality Improvement Project (ACQUIP). The AUDIT Alcohol Consumption Questions (AUDIT-C) An Effective Brief Screening Test for Problem Drinking. Arch Intern Med. Sep 14 1998;158:1789-1795).	Alcohol Use Disorder Identification Test Alcohol Consumption Questions Questionnaire
C119097	AUDIT-SR	ADT01	Alcohol Use Disorder Identification Test: Self-Report Version (AUDIT) (Saunders JB, Aasland OG, Babor TF, De La Fuente JR, Grant M. Development of the Alcohol Use Disorders Identification Test (AUDIT): WHO Collaborative Project on Early Detection of Persons with harmful Alcohol Consumption-II. Addiction (1993) 88:791-804).	Alcohol Use Disorder Identification Test Self-Report Version Questionnaire
C135735	BEBQ CONCURRENT	BEBQ01	Baby Eating Behaviour Questionnaire - Concurrent (BEBQ CONCURRENT) (Llewellyn, C. H., van Jaarsveld, C. H., Johnson, L., Carnell, S., & Wardle, J. Development and factor structure of the Baby Eating Behaviour Questionnaire in the Gemini birth cohort. Appetite 57.2, 2011, 388-396).	Baby Eating Behaviour Questionnaire Concurrent Version
C135736	BEBQ RETROSPECTIVE	BEBQ02	Baby Eating Behaviour Questionnaire - Retrospective (BEBQ RETROSPECTIVE) (Llewellyn, C. H., van Jaarsveld, C. H., Johnson, L., Carnell, S., & Wardle, J. Development and factor structure of the Baby Eating Behaviour Questionnaire in the Gemini birth cohort. Appetite 57.2, 2011, 388-396).	Baby Eating Behaviour Questionnaire Retrospective Version

Questionnaire Details				
ID	Name	Code	Description	Source
C172402	BIS-11	BIS01	Barratt Impulsiveness Scale 1995 Version (BIS-11) (Patton JH, Stanford MS, and Barratt ES (1995). Factor structure of the Barratt impulsiveness scale. Journal of Clinical Psychology, 51, 768-774. Copyright International Society for Research on Impulsivity and its licensor's. All Rights Reserved).	Barratt Impulsiveness Scale 1995 Version Questionnaire
C113874	BLCS	BLCS01	Bladder Control Scale (BLCS) (1997 by the National Multiple Sclerosis Society. All rights reserved).	Bladder Control Scale Questionnaire
C113872	BORG CR10	BCR101	Borg CR10 Scale (BORG CR10) (Borg CR10 Scale. Copyright Gunnar Borg, 1981, 1982, 1998).	Borg Category-Ratio 10 Scale Questionnaire
C100760	BPI SHORT FORM	BPI2	Brief Pain Inventory Short Form (BPI2) (copyright 1991 Charles S. Cleeland, PhD, Pain Research Group, All Right Reserved).	Brief Pain Inventory Short Form Questionnaire
C100759	BPI	BPI1	Brief Pain Inventory (BPI) (copyright 1991 Charles S. Cleeland, PhD, Pain Research Group, All Right Reserved).	Brief Pain Inventory Questionnaire
C125393	BSFS	BSFS01	Bristol Stool Form Scale (BSFS) (Lewis SJ, Heaton KW. Stool form scale as a useful guide to intestinal transit time. Scand J Gastroenterol. 1997 Sep;32(9):920-4. Copyright by ROME Foundation. All rights reserved).	Bristol Stool Scale
C43524	BSI-18	BSI181	Brief Symptom Inventory-18 (BSI-18) (Leonard R. Derogatis. Brief Symptom Inventory (BSI)-18: Administration, scoring and procedures manual. Minneapolis 2001: NCS Pearson, Inc).	Brief Symptom Inventory 18
C113875	BWCS	BWCS01	Bowel Control Scale (BWCS) (1997 by the National Multiple Sclerosis Society. All rights reserved).	Bowel Control Scale Questionnaire
C106695	C-SSRS ALREADY ENROLLED SUBJECTS	CSS05	Columbia-Suicide Severity Rating Scale (C-SSRS) Already Enrolled Subjects Version 1/14/2009 (Posner, K.; Brent, D.; Lucas, C.; Gould, M.; Stanley, B.; Brown, G.; Fisher, P.; Zelazny, J.; Burke, A.; Oquendo, M.; Mann, J.; copyright 2008 The Research Foundation for Mental Hygiene, Inc.).	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects Questionnaire
C100765	C-SSRS BASELINE	CSS01	Columbia-Suicide Severity Rating Scale (C-SSRS) Baseline Version 2009-01-14 (Posner, K.; Brent, D.; Lucas, C.; Gould, M.; Stanley, B.; Brown, G.; Fisher, P.; Zelazny, J.; Burke, A.; Oquendo, M.; Mann, J.; copyright 2008 The Research Foundation for Mental Hygiene, Inc.).	Columbia-Suicide Severity Rating Scale Baseline Questionnaire
C105164	C-SSRS BASELINE/SCREENING VERSION PHASE 1 STUDY	CSS03	Columbia-Suicide Severity Rating Scale (C-SSRS) Baseline/Screening Version Phase 1 Study Version 1/14/2009 (Posner, K.; Brent, D.; Lucas, C.; Gould, M.; Stanley, B.; Brown, G.; Fisher, P.; Zelazny, J.; Burke, A.; Oquendo, M.; Mann, J.; copyright 2008 The Research Foundation for Mental Hygiene, Inc.).	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study 1/14/09 Questionnaire
C106696	C-SSRS BASELINE/SCREENING VERSION	CSS04	Columbia-Suicide Severity Rating Scale (C-SSRS) Baseline/Screening Version 1/14/2009 (Posner, K.; Brent, D.; Lucas, C.; Gould, M.; Stanley, B.; Brown, G.; Fisher, P.; Zelazny, J.; Burke, A.; Oquendo, M.; Mann, J.; copyright 2008 The Research Foundation for Mental Hygiene, Inc.).	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Questionnaire
C111377	C-SSRS CHILDREN'S BASELINE	CSS06	Columbia-Suicide Severity Rating Scale (C-SSRS) Children's Baseline Version 6/23/2010 (Posner, K.; Brent, D.; Lucas, C.; Gould, M.; Stanley, B.; Brown, G.; Fisher, P.; Zelazny, J.; Burke, A.; Oquendo, M.; Mann, J.; copyright 2008 The Research Foundation for Mental Hygiene, Inc.).	Columbia-Suicide Severity Rating Scale Children's Baseline Questionnaire
C111378	C-SSRS CHILDREN'S BASELINE/SCREENING	CSS07	Columbia-Suicide Severity Rating Scale (C-SSRS) Children's Baseline/Screening Version 6/23/2010 (Posner, K.; Brent, D.; Lucas, C.; Gould, M.; Stanley, B.; Brown, G.; Fisher, P.; Zelazny, J.; Burke, A.; Oquendo, M.; Mann, J.; copyright 2008 The Research Foundation for Mental Hygiene, Inc.).	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening Questionnaire
C111379	C-SSRS CHILDREN'S SINCE LAST VISIT	CSS08	Columbia-Suicide Severity Rating Scale (C-SSRS) Children's Since Last Visit Version 6/23/2010 (Posner, K.; Brent, D.; Lucas, C.; Gould, M.; Stanley, B.; Brown, G.; Fisher, P.; Zelazny, J.; Burke, A.; Oquendo, M.; Mann, J.; copyright 2008 The Research Foundation for Mental Hygiene, Inc.).	Columbia-Suicide Severity Rating Scale Children's Since Last Visit Questionnaire
C117996	C-SSRS LIFETIME/RECENT VERSION	CSS11	Columbia-Suicide Severity Rating Scale (C-SSRS) Lifetime/Recent Version 1/14/2009 (Posner, K.; Brent, D.; Lucas, C.; Gould, M.; Stanley, B.; Brown, G.; Fisher, P.; Zelazny, J.; Burke, A.; Oquendo, M.; Mann, J.; copyright 2008 The Research Foundation for Mental Hygiene, Inc.).	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version Questionnaire
C113873	C-SSRS PEDIATRIC/COGNITIVELY IMPAIRED LIFETIME/RECENT	CSS10	Columbia-Suicide Severity Rating Scale (C-SSRS) Pediatric/Cognitively Impaired Lifetime/Recent Version 6/23/2010 (Posner, K.; Brent, D.; Lucas, C.; Gould, M.; Stanley, B.; Brown, G.; Fisher, P.; Zelazny, J.; Burke, A.; Oquendo, M.; Mann, J.; copyright 2008 The Research Foundation for Mental Hygiene, Inc.).	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent Questionnaire

Assessment Tools				
ID	Tool Name	Code	Description	Tool Name
C123661	C-SSRS PEDIATRIC/COGNITIVELY IMPAIRED-LIFETIME RECENT-CLINICAL	CSS12	Columbia-Suicide Severity Rating Scale (C-SSRS) Pediatric/Cognitively Impaired - Lifetime Recent - Clinical Version 6/23/2010 (Posner, K.; Brent, D.; Lucas, C.; Gould, M.; Stanley, B.; Brown, G.; Fisher, P.; Zelazny, J.; Burke, A.; Oquendo, M.; Mann, J.; copyright 2008 The Research Foundation for Mental Hygiene, Inc.).	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired - Lifetime Recent - Clinical Questionnaire
C123662	C-SSRS PEDIATRIC/COGNITIVELY IMPAIRED-SINCE LAST VISIT-CLINICAL	CSS13	Columbia-Suicide Severity Rating Scale (C-SSRS) Pediatric/Cognitively Impaired - Since Last Visit - Clinical Version 6/23/2010 (Posner, K.; Brent, D.; Lucas, C.; Gould, M.; Stanley, B.; Brown, G.; Fisher, P.; Zelazny, J.; Burke, A.; Oquendo, M.; Mann, J.; copyright 2008 The Research Foundation for Mental Hygiene, Inc.).	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired - Since Last Visit - Clinical Questionnaire
C111380	C-SSRS SCREENING	CSS09	Columbia-Suicide Severity Rating Scale (C-SSRS) Screening Version 1/14/2009 (Posner, K.; Brent, D.; Lucas, C.; Gould, M.; Stanley, B.; Brown, G.; Fisher, P.; Zelazny, J.; Burke, A.; Oquendo, M.; Mann, J.; copyright 2008 The Research Foundation for Mental Hygiene, Inc.).	Columbia-Suicide Severity Rating Scale Screening Questionnaire
C103516	C-SSRS SINCE LAST VISIT	CSS02	Columbia-Suicide Severity Rating Scale (C-SSRS) Since Last Visit Version 1/14/2009 (Posner, K.; Brent, D.; Lucas, C.; Gould, M.; Stanley, B.; Brown, G.; Fisher, P.; Zelazny, J.; Burke, A.; Oquendo, M.; Mann, J.; copyright 2008 The Research Foundation for Mental Hygiene, Inc.).	Columbia-Suicide Severity Rating Scale Since Last Visit Questionnaire
C119100	CCQ 1 WEEK VERSION	CCQ02	Clinical COPD Questionnaire (CCQ) 1 Week Version (The CCQ is copyrighted 1999. It may not be altered, sold (paper or electronic), translated or adapted for another medium without the permission of T. van der Molen, Dept. of General Practice, University Medical Center Groningen, Postbus 196, 9700 AD Groningen, The Netherlands.).	Clinical COPD Questionnaire 1 Week Version
C119099	CCQ 24 HOUR VERSION	CCQ01	Clinical COPD Questionnaire (CCQ) 24 Hour Version (The CCQ is copyrighted 1999. It may not be altered, sold (paper or electronic), translated or adapted for another medium without the permission of T. van der Molen, Dept. of General Practice, University Medical Center Groningen, Postbus 196, 9700 AD Groningen, The Netherlands.).	Clinical COPD Questionnaire 24 Hour Version
C119092	CDLQ	CDLQ1	Children's Dermatology Life Quality Index (CDLQI) (Copyright of M.S. Lewis-Jones, A.Y. Finlay, May 1993, this must not be copied without the permission of the authors).	Children's Dermatology Life Quality Index Questionnaire
C102114	CDR	CDR01	Clinical Dementia Rating (CDR) (Morris, JC. Clinical Dementia Rating: A reliable and valid diagnostic and staging measure for dementia of the Alzheimer type. International Psychogeriatrics 1997; 9, Suppl. 1, 173-176).	Clinical Dementia Rating Questionnaire
C132532	CES	CES01	Combat Exposure Scale (CES) (Keane, T.M., Fairbank, J.A., Caddell, J.M., Zimering, R.T., Taylor, K.L., & Mora, C. (1989). Clinical evaluation of a measure to assess combat exposure (PDF). Psychological Assessment, 1, 53-55).	Combat Exposure Scale Questionnaire
C135738	CGI	CGI02	Clinical Global Impression (CGI) generic modification for any disease/condition concept use case (Modified from Guy W: ECDEU Assessment Manual for Psychopharmacology. Rockville, MD: U.S. Department of Health, Education, and Welfare; 1976).	Clinical Global Impression Generic Modification Version Questionnaire
C117995	CHART-SF INTERVIEW VERSION	CHSF1	Craig Handicap Assessment and Reporting Technique - Short Form Interview Version (CHART-SF INTERVIEW VERSION) (Whitenack GG, Charlifue SW, Gerhart KA, Overholser JD, Richardson GN. Quantifying handicap: a new measure of long-term rehabilitation outcomes. Arch Phys Med Rehabil. 1992;73:519-526).	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version Questionnaire
C119101	CHART-SF PAPER VERSION	CHSF2	Craig Handicap Assessment and Reporting Technique - Short Form Paper Version (CHART-SF PAPER VERSION) (Whitenack GG, Charlifue SW, Gerhart KA, Overholser JD, Richardson GN. Quantifying handicap: a new measure of long-term rehabilitation outcomes. Arch Phys Med Rehabil. 1992;73:519-526).	Craig Handicap Assessment and Reporting Technique - Short Form Paper Version Questionnaire
C100764	COMM	COMM1	Current Opioid Misuse Measure (COMM) (copyright 2010 Inflexion, Inc., All rights reserved).	Current Opioid Misuse Measure Questionnaire
C125756	COPD ASSESSMENT TEST	CAT01	COPD Assessment Test (CAT) (COPD Assessment Test and the CAT logo is a trade mark of the GlaxoSmithKline group of companies. Copyright 2009 GlaxoSmithKline group of companies. All rights reserved).	COPD Assessment Test Questionnaire
C102115	COWS	COWS1	The Clinical Opiate Withdrawal Scale (COWS) (Wesson DR and Ling W. The Clinical Opiate Withdrawal Scale (COWS). J Psychoactive Drugs 2003;35(2):253-259).	Clinical Opiate Withdrawal Scale Questionnaire

Questionnaire Details				
ID	Questionnaire Name	Code	Description	Version
C121002	CRQ-SAS FIRST ADMINISTRATION VERSION	CRQ01	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version (Copyright 2001 McMaster University, Hamilton, Ontario, Canada. The Chronic Respiratory Questionnaire Self-Administered including the standardized Dyspnea Domain (CRQSAS), Principal authors G.H. Guyatt and Dr. H.J. Schunemann, is the copyright of McMaster University (Copyright 2001, McMaster University).	Chronic Respiratory Questionnaire Self-Administered Standardized Format First Administration Version Questionnaire
C121003	CRQ-SAS FOLLOW-UP ADMINISTRATION VERSION	CRQ02	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version (Copyright 2001 McMaster University, Hamilton, Ontario, Canada. The Chronic Respiratory Questionnaire Self-Administered including the standardized Dyspnea Domain (CRQSAS), Principal authors G.H. Guyatt and Dr. H.J. Schunemann, is the copyright of McMaster University (Copyright 2001, McMaster University).	Chronic Respiratory Questionnaire Self-Administered Standardized Format Follow-Up Administration Version Questionnaire
C105165	DAD	DAD01	Disability Assessment for Dementia (DAD) (copyright 1994 by L. Gauthier I. Gelinas. All rights reserved.).	Disability Assessment for Dementia Questionnaire
C183575	DIBSS-C V1.0	DIBC01	Diary for Irritable Bowel Syndrome Symptoms-Constipation v1.0 (DIBSS-C V1.0) (Copyright 2018 by the Critical Path Institute. All rights reserved. Fehnel S, Ervin C, McLeod L, Carson RT, Reasner DS, Hanlon J, Eremenco S, Coons SJ. Psychometric Evaluation of the Diary for Irritable Bowel Syndrome Symptoms-Constipation (DIBSS-C). Poster presented at ISPOR Europe 2018; November 10-14, 2018. Barcelona, Spain. Fehnel SE, Ervin CM, Carson RT, Rigoni G, Lackner JM, Coons SJ. Development of the Diary for Irritable Bowel Syndrome Symptoms to Assess Treatment Benefit in Clinical Trials: Foundational Qualitative Research. Value in Health 2017;20(4):618-626. Patient-Reported Outcome (PRO) Consortium Diary for Irritable Bowel Syndrome Symptoms-Constipation (DIBSS-C) v1.0 User Manual). No part of the DIBSS-C V1.0 may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the Critical Path Institute and payment of any applicable fees. Copyright Critical Path Institute, 2018. All rights reserved.	Diary for Irritable Bowel Syndrome Symptoms-Constipation Version 1.0 Questionnaire
C119102	DLQI	DLQI1	Dermatology Life Quality Index (DLQI) (Copyright Dermatology Life Quality Index. A Y Finlay, G K Khan, April 1992. www.dermatology.org.uk. This must not be copied without the permission of the authors).	Dermatology Life Quality Index Questionnaire
C141694	DRRI-2	DRRI1	Deployment Risk and Resilience Inventory-2 (DRRI-2) (Vogt, D., Smith, B. N., King, D. W., & King, L. A. (2012). The Deployment Risk and Resilience Inventory-2 (DRRI-2) [Measurement instrument]. Available from http://ptsd.va.gov).	Deployment Risk and Resilience Inventory-2 Questionnaire
C183596	EORTC QLQ-ANL27	EOR30	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Anal Cancer (EORTC QLQ-ANL27) (QLQ-ANL27 Copyright 2016 EORTC Quality of Life Group. All rights reserved). No part of the EORTC QLQ-ANL27 may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the EORTC Quality of Life Group and payment of any applicable fees. Copyright EORTC Quality of Life Group 2016. All rights reserved.	European Organization for the Research and Treatment of Cancer Quality of Life Questionnaire - Anal Cancer
C183592	EORTC QLQ-BIL21	EOR24	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Cholangiocarcinoma and Gallbladder Cancer (EORTC QLQ-BIL21) (QLQ-BIL21 Copyright 2011 EORTC Quality of Life Group. All rights reserved. (Validated module)). No part of the EORTC QLQ-BIL21 may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the EORTC Quality of Life Group and payment of any applicable fees. Copyright EORTC Quality of Life Group 2011. All rights reserved.	European Organization for the Research and Treatment of Cancer Quality of Life Questionnaire - Cholangiocarcinoma and Gallbladder Cancer
C183577	EORTC QLQ-BM22	EOR03	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Bone Metastases (EORTC QLQ-BM22) (QLQ-BM22 Copyright 2008 EORTC Quality of Life Group. All rights reserved. (Validated module)). No part of the EORTC QLQ-BM22 may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the EORTC Quality of Life Group and payment of any applicable fees. Copyright EORTC Quality of Life Group 2008. All rights reserved.	European Organization for the Research and Treatment of Cancer Quality of Life Questionnaire - Bone Metastases

C121794	EORTC QLQ-BN20	EOR04	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Brain (EORTC QLQ-BN20) (QLQ-BN20 Copyright 1994 EORTC Quality of Life Group. All rights reserved. (Validated module)). No part of the EORTC QLQ-BN20 may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the EORTC Quality of Life Group and payment of any applicable fees. Copyright EORTC Quality of Life Group 1994. All rights reserved.	Quality of Life Questionnaire-Brain Neoplasm 20
C148236	EORTC QLQ-BR23 V1.0	EOR05	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Breast Version 1.0 (EORTC QLQ-BR23 V1.0) (QLQ-BR23 Copyright 1994 EORTC Quality of Life Group. All rights reserved. (Validated module). Version 1.0). No part of the EORTC QLQ-BR23 V1.0 may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the EORTC Quality of Life Group and payment of any applicable fees. Copyright EORTC Quality of Life Group 1994. All rights reserved.	Quality of Life Questionnaire BR-23
C183597	EORTC QLQ-BR45 PHASE IV MODULE	EOR31	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Breast Cancer Phase IV Module (EORTC QLQ-BR45 PHASE IV MODULE) (QLQ-BR45 Copyright 2018 EORTC Quality of Life Group. All rights reserved. (Phase IV module)). No part of the EORTC QLQ-BR45 PHASE IV MODULE may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the EORTC Quality of Life Group and payment of any applicable fees. Copyright EORTC Quality of Life Group 2018. All rights reserved.	European Organization for the Research and Treatment of Cancer Quality of Life Questionnaire - Breast Cancer Phase IV Module Version
C183598	EORTC QLQ-BRECON23	EOR32	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Breast Reconstruction (EORTC QLQ-BRECON23) (QLQ-BRECON23 Copyright 2017 EORTC Quality of Life Group. All rights reserved. (Validated module)). No part of the EORTC QLQ-BRECON23 may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the EORTC Quality of Life Group and payment of any applicable fees. Copyright EORTC Quality of Life Group 2017. All rights reserved.	European Organization for the Research and Treatment of Cancer Quality of Life Questionnaire - Breast Reconstruction
C161653	EORTC QLQ-C15-PAL V1.0	EOR02	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Palliative Care Version 1.0 (EORTC QLQ-C15-PAL V1.0) (Copyright 1995 and 2005 EORTC Quality of Life Group. All rights reserved. Version 1.0. (Validated module)). No part of the EORTC QLQ-C15-PAL V1.0 may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the EORTC Quality of Life Group and payment of any applicable fees. Copyright EORTC Quality of Life Group 1995 and 2005. All rights reserved.	European Organization for the Research and Treatment of Cancer Quality of Life Questionnaire - Palliative Care Version 1.0
C161654	EORTC QLQ-C30 V3.0	EOR01	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0 (EORTC QLQ-C30 V3.0) (Copyright 1995 EORTC Quality of Life Group. All rights reserved. Version 3.0. (Validated module)). No part of the EORTC QLQ-C30 V3.0 may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the EORTC Quality of Life Group and payment of any applicable fees. Copyright EORTC Quality of Life Group 1995. All rights reserved.	European Organization for the Research and Treatment of Cancer Quality of Life Questionnaire - Core 30 Version 3.0
C125719	EORTC QLQ-CIPN20	EOR25	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Chemotherapy-Induced Peripheral Neuropathy (EORTC QLQ-CIPN20) (QLQ-CIPN20 Copyright 2003 EORTC Quality of Life Group. All rights reserved). No part of the EORTC QLQ-CIPN20 may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the EORTC Quality of Life Group and payment of any applicable fees. Copyright EORTC Quality of Life Group 2003. All rights reserved.	Quality of Life Questionnaire - Chemotherapy-Induced Peripheral Neuropathy 20
C183595	EORTC QLQ-CLL17	EOR29	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Chronic Lymphocytic Leukaemia (EORTC QLQ-CLL17) (QLQ-CLL17 Copyright 2015 EORTC Quality of Life Group. All rights reserved). No part of the EORTC QLQ-CLL17 may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the EORTC Quality of Life Group and payment of any applicable fees. Copyright EORTC Quality of Life Group 2015. All rights reserved.	European Organization for the Research and Treatment of Cancer Quality of Life Questionnaire - Chronic lymphocytic leukemia

European Organization for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Cancer Module Version 2.1					
C170644	EORTC QLQ-CR29 V2.1	EOR06	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Version 2.1 (EORTC QLQ-CR29 V2.1) (QLQ-CR29 Copyright 2006 EORTC Quality of Life Group. All rights reserved. Version 2.1. (Validated module)). No part of the EORTC QLQ-CR29 V2.1 may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the EORTC Quality of Life Group and payment of any applicable fees. Copyright EORTC Quality of Life Group 2006. All rights reserved.	European Organization for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Cancer Module Version 2.1	
C183578	EORTC QLQ-CX24	EOR07	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Cervical (EORTC QLQ-CX24) (QLQ-CX24 Copyright 2003 EORTC Quality of Life Group. All rights reserved. (Validated module)). No part of the EORTC QLQ-CX24 may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the EORTC Quality of Life Group and payment of any applicable fees. Copyright EORTC Quality of Life Group 2003. All rights reserved.	European Organization for the Research and Treatment of Cancer Quality of Life Questionnaire - Cervical	
C183579	EORTC QLQ-ELD14	EOR08	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Elderly Cancer Patients (EORTC QLQ-ELD14) (QLQ-ELD14 Copyright 2001 EORTC Quality of Life Group. All rights reserved. (Validated module)). No part of the EORTC QLQ-ELD14 may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the EORTC Quality of Life Group and payment of any applicable fees. Copyright EORTC Quality of Life Group 2001. All rights reserved.	European Organization for the Research and Treatment of Cancer Quality of Life Questionnaire - Elderly Cancer Patients	
C183580	EORTC QLQ-EN24	EOR09	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Endometrial (EORTC QLQ-EN24) (QLQ-EN24 Copyright 2010 EORTC Quality of Life Group. All rights reserved. (Validated module)). No part of the EORTC QLQ-EN24 may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the EORTC Quality of Life Group and payment of any applicable fees. Copyright EORTC Quality of Life Group 2010. All rights reserved.	European Organization for the Research and Treatment of Cancer Quality of Life Questionnaire - Endometrial	
C183581	EORTC QLQ-FA12	EOR10	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Cancer Related Fatigue (EORTC QLQ-FA12) (QLQ-FA12 Copyright 2016 EORTC Quality of Life Group. All rights reserved. (Validated module)). No part of the EORTC QLQ-FA12 may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the EORTC Quality of Life Group and payment of any applicable fees. Copyright EORTC Quality of Life Group 2016. All rights reserved.	European Organization for the Research and Treatment of Cancer Quality of Life Questionnaire - Cancer Related Fatigue	
C183585	EORTC QLQ-GINET21 DATE 20TH FEBRUARY 2006	EOR15	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Neuroendocrine Carcinoid, Date 20th February 2006 Version (EORTC QLQ-GINET21 DATE 20TH FEBRUARY 2006) (QLQ-G.I.NET21 Copyright 2004 EORTC Quality of Life Group. All rights reserved. Date: 20th February 2006. (Validated module)). No part of the EORTC QLQ-GINET21 may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the EORTC Quality of Life Group and payment of any applicable fees. Copyright EORTC Quality of Life Group 2004. All rights reserved.	European Organization for the Research and Treatment of Cancer Quality of Life Questionnaire - Neuroendocrine Carcinoid, Date 20th February 2006 Version	
C136497	EORTC QLQ-H&N35 V1	EOR11	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Head & Neck Version 1 (EORTC QLQ-H&N35 V1) (Copyright QLQ-H&N35 1994 EORTC Quality of Life Group, version 1. All rights reserved. (Validated module)). No part of the EORTC QLQ-H&N35 V1 may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the EORTC Quality of Life Group and payment of any applicable fees. Copyright EORTC Quality of Life Group 1994. All rights reserved.	Quality of Life Questionnaire - Head & Neck 35	
C183586	EORTC QLQ-HCC18	EOR16	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Hepatocellular Carcinoma (EORTC QLQ-HCC18) (QLQ-HCC18 Copyright 2002 EORTC Quality of Life Group. All rights reserved. (Validated module)). No part of the EORTC QLQ-HCC18 may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the EORTC Quality of Life Group and payment of any applicable fees. Copyright EORTC Quality of Life Group 2002. All rights reserved.	European Organization for the Research and Treatment of Cancer Quality of Life Questionnaire - Hepatocellular Carcinoma	

C183587	EORTC QLQ-INFO25	EOR17	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Information (EORTC QLQ-INFO25) (QLQ-C30-INFO25 Copyright 2004 EORTC Quality of Life Group. All rights reserved. (Validated module)). No part of the EORTC QLQ-INFO25 may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the EORTC Quality of Life Group and payment of any applicable fees. Copyright EORTC Quality of Life Group 2004. All rights reserved.	European Organization for the Research and Treatment of Cancer Quality of Life Questionnaire - Information
C168555	EORTC QLQ-LC13	EOR18	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Lung Cancer Module (EORTC QLQ-LC13) (QLQ-C30-LC13 Copyright 1994 EORTC Quality of life Group. All rights reserved. (Validated module)). No part of the EORTC QLQ-LC13 may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the EORTC Quality of Life Group and payment of any applicable fees. Copyright EORTC Quality of Life Group 1994. All rights reserved.	EORTC Quality of Life Questionnaire - Lung Cancer Module
C183582	EORTC QLQ-LMC21	EOR12	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Liver Metastases (EORTC QLQ-LMC21) (QLQ-LMC21 Copyright 2002 EORTC Quality of Life Group. All rights reserved. (Validated module)). No part of the EORTC QLQ-LMC21 may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the EORTC Quality of Life Group and payment of any applicable fees. Copyright EORTC Quality of Life Group 2002. All rights reserved.	European Organization for the Research and Treatment of Cancer Quality of Life Questionnaire - Colorectal Liver Metastases
C122694	EORTC QLQ-MY20	EOR19	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Multiple Myeloma (EORTC QLQ-MY20) (QLQ-MY20 Copyright 1999 EORTC Quality of Life Group. All rights reserved. (Validated module)). No part of the EORTC QLQ-MY20 may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the EORTC Quality of Life Group and payment of any applicable fees. Copyright EORTC Quality of Life Group 1999. All rights reserved.	Quality of Life Questionnaire- Multiple Myeloma 20
C183594	EORTC QLQ-NMIBC24	EOR28	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Non-Muscle-Invasive Bladder Cancer (EORTC QLQ-NMIBC24) (QLQ-NMIBC24 Copyright 1994 EORTC Quality of Life Group. All rights reserved). No part of the EORTC QLQ-NMIBC24 may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the EORTC Quality of Life Group and payment of any applicable fees. Copyright EORTC Quality of Life Group 1994. All rights reserved.	European Organization for the Research and Treatment of Cancer Quality of Life Questionnaire - Non-Muscle-Invasive Bladder Cancer
C183588	EORTC QLQ-OES18	EOR20	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Oesophageal (EORTC QLQ-OES18) (QLQ-OES18 Copyright 1999 EORTC Quality of Life Group. All rights reserved. (Validated module)). No part of the EORTC QLQ-OES18 may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the EORTC Quality of Life Group and payment of any applicable fees. Copyright EORTC Quality of Life Group 1999. All rights reserved.	European Organization for the Research and Treatment of Cancer Quality of Life Questionnaire - Esophageal
C183589	EORTC QLQ-OG25 PHASE IV MODULE	EOR21	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Oesophago-Gastric Phase IV Module (EORTC QLQ-OG25 PHASE IV MODULE) (QLQ-OG25 Copyright 2007 EORTC Quality of Life Group. All rights reserved. (Phase IV module)). No part of the EORTC QLQ-OG25 may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the EORTC Quality of Life Group and payment of any applicable fees. Copyright EORTC Quality of Life Group 2007. All rights reserved.	European Organization for the Research and Treatment of Cancer Quality of Life Questionnaire - Esophago-Gastric Phase IV Module Version
C183583	EORTC QLQ-OH15	EOR13	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Oral Health (EORTC QLQ-OH15) (QLQ-OH15 Copyright 2016 EORTC Quality of Life Group. All rights reserved. (Validated module)). No part of the EORTC QLQ-OH15 may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the EORTC Quality of Life Group and payment of any applicable fees. Copyright EORTC Quality of Life Group 2016. All rights reserved.	European Organization for the Research and Treatment of Cancer Quality of Life Questionnaire - Oral Health

Questionnaire Details				
ID	Name	Code	Description	Source / Reference
C183590	EORTC QLQ-OV28	EOR22	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Ovarian (EORTC QLQ-OV28) (QLQ-OV28 Copyright 1997 EORTC Quality of Life Group. All rights reserved. (Validated module)). No part of the EORTC QLQ-OV28 may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the EORTC Quality of Life Group and payment of any applicable fees. Copyright EORTC Quality of Life Group 1997. All rights reserved.	European Organization for the Research and Treatment of Cancer Quality of Life Questionnaire - Ovarian
C183593	EORTC QLQ-PAN26 PHASE III MODULE	EOR26	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Pancreatic Cancer Phase III Module (EORTC QLQ-PAN26 PHASE III MODULE) (QLQ-C30-PAN26 Copyright 1999 EORTC Quality of Life Group. All rights reserved. (Phase III module)). No part of the EORTC QLQ-PAN26 PHASE III MODULE may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the EORTC Quality of Life Group and payment of any applicable fees. Copyright EORTC Quality of Life Group 1999. All rights reserved.	European Organization for the Research and Treatment of Cancer Quality of Life Questionnaire - Pancreatic Cancer Phase III Module Version
C183591	EORTC QLQ-PR25	EOR23	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Prostate (EORTC QLQ-PR25) (QLQ-PR25 Copyright 1999 EORTC Quality of Life Group. All rights reserved. (Validated module)). No part of the EORTC QLQ-PR25 may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the EORTC Quality of Life Group and payment of any applicable fees. Copyright EORTC Quality of Life Group 1999. All rights reserved.	European Organization for the Research and Treatment of Cancer Quality of Life Questionnaire - Prostate
C183584	EORTC QLQ-STO22	EOR14	European Organisation for the Research and Treatment of Cancer Quality of Life Questionnaire - Gastric (EORTC QLQ-STO22) (QLQ-STO22 Copyright 1999 EORTC Quality of Life Group. All rights reserved. (Validated module)). No part of the EORTC QLQ-STO22 may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the EORTC Quality of Life Group and payment of any applicable fees. Copyright EORTC Quality of Life Group 1999. All rights reserved.	European Organization for the Research and Treatment of Cancer Quality of Life Questionnaire - Gastric
C132533	EPDS	EPDS01	Edinburgh Postnatal Depression Scale (EPDS) (Copyright by Cox, J.L., Holden, J.M., and Sagovsky, R. 1987. Detection of postnatal depression: Development of the 10-item Edinburgh Postnatal Depression Scale. British Journal of Psychiatry 150:782-786).	Edinburgh Postnatal Depression Scale Questionnaire
C127367	EPIC-26	EPIC1	The Expanded Prostate Cancer Index Composite Short Form (EPIC-26) (Copyright 2002. The University of Michigan. All rights reserved).	The Expanded Prostate Cancer Index Composite Short Form Questionnaire
C127368	EPIC-CP	EPIC2	Expanded Prostate Cancer Index Composite for Clinical Practice (EPIC-CP) (Copyright 2016 Beth Israel Deaconess Medical Center 330 Brookline Avenue, Boston, MA 02215).	Expanded Prostate Cancer Index Composite for Clinical Practice Questionnaire
C66957	EQ-5D-3L	EQ5D01	European Quality of Life Five Dimension Three Level Scale (EQ-5D-3L) (Copyright 1990 EuroQol Group. EQ-5D is a trade mark of the EuroQol Group).	European Quality of Life Five Dimension Three Level Questionnaire
C102117	EQ-5D-5L	EQ5D02	European Quality of Life Five Dimension Five Level Scale (EQ-5D-5L) (Copyright 2009 EuroQol Group. EQ-5D is a trade mark of the EuroQol Group).	European Quality of Life Five Dimension Five Level Scale Questionnaire
C103517	ESS	ESS01	Epworth Sleepiness Scale (ESS) (copyright Murray W. Johns, 1990-1997. All rights reserved.).	Epworth Sleepiness Scale Questionnaire
C123666	EXACT	EXACT1	Exacerbations of Chronic Pulmonary Disease Tool (EXACT) Patient-Reported Outcome (PRO) (Nancy K. Leidy, EXACT-PRO Initiative, Evidera, 7101 Wisconsin Avenue, Suite 1400, Bethesda, MD; EXACT copyright 2013, Evidera, Inc. All rights reserved). This also includes the subset EXACT-Respiratory Symptoms (ERS) questions. http://www.exactproinitiative.com	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome Questionnaire
C125759	EXPANDED DRS-PI CAREGIVER VERSION	ED1	Expanded Disability Rating Scale - Postacute Interview Caregiver Version (EXPANDED DRS-PI CAREGIVER VERSION) (Malek JF, Hammond FM, Giacino JT, Whyte J, Wright J. Structured Interview to Improve the Reliability and Psychometric Integrity of the Disability Rating Scale. Arch Phys Med Rehabil Sept 2012;93:1603-1608).	Expanded Disability Rating Scale - Postacute Interview Caregiver Version Questionnaire

C125760	EXPANDED DRS-PI SURVIVOR VERSION	ED2	Expanded Disability Rating Scale - Postacute Interview Survivor Version (EXPANDED DRS-PI SURVIVOR VERSION) (Malec JF, Hammond FM, Giacino JT, Whyte J, Wright J. Structured Interview to Improve the Reliability and Psychometric Integrity of the Disability Rating Scale. <i>Arch Phys Med Rehabil</i> Sept 2012;93:1603-1608).	Expanded Disability Rating Scale - Postacute Interview Survivor Version Questionnaire
C179973	FAACT V4	FAC065	Functional Assessment of Anorexia/Cachexia Treatment Version 4 (FAACT V4) (Copyright 1987, 1997 David Celli, Ph.D. All Rights Reserved; Questionnaires and all related subscales, translations, and adaptations ('FACIT System') are owned and copyrighted by David Celli, Ph.D. The ownership and copyright of the FACIT System resides strictly with Dr. Celli. Dr. Celli has granted FACIT.org the right to license usage of the FACIT System to other parties).	Functional Assessment of Anorexia/Cachexia Treatment Version 4 Questionnaire
C155325	FACIT-DYSPNEA 33 ITEM BANK	FAC100	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank (FACIT-DYSPNEA 33 ITEM BANK) (These materials discuss and/or include FACIT Measurement System, which is owned exclusively by Dr. David Celli. No part of the FACIT Measurement System may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of Dr. David Celli and payment of any applicable fees. Copyright Dr. David Celli. All rights reserved.)	Functional Assessment of Chronic Illness Therapy-Dyspnea Scale 33 Item Bank Questionnaire
C121853	FACIT-DYSPNEA SF	FAC084	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form (FACIT-DYSPNEA SF) (These materials discuss and/or include FACIT Measurement System, which is owned exclusively by Dr. David Celli. No part of the FACIT Measurement System may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of Dr. David Celli and payment of any applicable fees. Copyright Dr. David Celli. All rights reserved.)	FACIT-Dyspnea 10 Item Short Form
C129105	FACIT-F V4	FAC071	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 (FACIT-F V4) (These materials discuss and/or include FACIT Measurement System, which is owned exclusively by Dr. David Celli. No part of the FACIT Measurement System may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of Dr. David Celli and payment of any applicable fees. Copyright Dr. David Celli. All rights reserved.)	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 Questionnaire
C147585	FACIT-FATIGUE 13-ITEM V4	FAC070	Functional Assessment of Chronic Illness Therapy-Fatigue 13-Item Scale Version 4 (FACIT-FATIGUE 13-Item V4) (These materials discuss and/or include FACIT Measurement System, which is owned exclusively by Dr. David Celli. No part of the FACIT Measurement System may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of Dr. David Celli and payment of any applicable fees. Copyright Dr. David Celli. All rights reserved.)	Functional Assessment of Chronic Illness Therapy-Fatigue 13-Item Scale Version 4 Questionnaire
C183576	FACIT-SEARCHABLE ITEM LIBRARY ADULT	FSIL	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult (FACIT-SEARCHABLE ITEM LIBRARY ADULT) (These materials discuss and/or include the FACIT Measurement System, which is owned exclusively by Dr. David Celli. No part of the FACIT Measurement System may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of Dr. David Celli and payment of any applicable fees. Copyright Dr. David Celli. All rights reserved.)	Functional Assessment of Chronic Illness Therapy-Searchable Item Library Adult Version Questionnaire
C129108	FACT-B V4	FAC005	Functional Assessment of Cancer Therapy-Breast Version 4 (FACT-B V4) (These materials discuss and/or include FACIT Measurement System, which is owned exclusively by Dr. David Celli. No part of the FACIT Measurement System may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of Dr. David Celli and payment of any applicable fees. Copyright Dr. David Celli. All rights reserved.)	Functional Assessment of Cancer Therapy-Breast Version 4 Questionnaire
C155326	FACT-BL V4	FAC006	Functional Assessment of Cancer Therapy-Bladder Version 4 (FACT-BL V4) (These materials discuss and/or include FACIT Measurement System, which is owned exclusively by Dr. David Celli. No part of the FACIT Measurement System may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of Dr. David Celli and payment of any applicable fees. Copyright Dr. David Celli. All rights reserved.)	Functional Assessment of Cancer Therapy-Bladder Version 4 Questionnaire

C147583	FACT-BMT V4	FAC061	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 (FACT-BMT V4) (These materials discuss and/or include FACIT Measurement System, which is owned exclusively by Dr. David Cella. No part of the FACIT Measurement System may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of Dr. David Cella and payment of any applicable fees. Copyright Dr. David Cella. All rights reserved.)	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 Questionnaire
C179974	FACT-BP V4	FAC074	Functional Assessment of Cancer Therapy-Bone Pain Version 4 (FACT-BP V4) (Copyright 1987, 1997 David Cella, Ph.D. All Rights Reserved; Questionnaires and all related subscales, translations, and adaptations ('FACIT System') are owned and copyrighted by David Cella, Ph.D. The ownership and copyright of the FACIT System resides strictly with Dr. Cella. Dr. Cella has granted FACIT.org the right to license usage of the FACIT System to other parties). These materials discuss and/or include the Functional Assessment of Cancer Therapy-Bone Pain Version 4 (FACT-BP V4), which is owned exclusively by David Cella, Ph.D. No part of the FACT-BP V4 may be reproduced, distributed, or transmitted in any form or by any means, including photocopying recording, or other electronic or mechanical methods, without the prior written permission of David Cella, Ph.D. and payment of any applicable fees. Copyright David Cella 1987, 1997. All rights reserved.	Functional Assessment of Cancer Therapy-Bone Pain Version 4 Questionnaire
C150914	FACT-BRM V4	FAC062	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 (FACT-BRM V4) (These materials discuss and/or include FACIT Measurement System, which is owned exclusively by Dr. David Cella. No part of the FACIT Measurement System may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of Dr. David Cella and payment of any applicable fees. Copyright Dr. David Cella. All rights reserved.)	Functional Assessment of Cancer Therapy-Biologic Response Modifiers Version 4 Questionnaire
C150912	FACT-C V4	FAC008	Functional Assessment of Cancer Therapy-Colorectal Version 4 (FACT-C V4) (These materials discuss and/or include FACIT Measurement System, which is owned exclusively by Dr. David Cella. No part of the FACIT Measurement System may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of Dr. David Cella and payment of any applicable fees. Copyright Dr. David Cella. All rights reserved.)	Functional Assessment of Cancer Therapy-Colorectal Version 4 Questionnaire
C103850	FACT-COG V3	FAC075	Functional Assessment of Cancer Therapy-Cognitive Function Version 3 (FACT-COG V3) (These materials discuss and/or include FACIT Measurement System, which is owned exclusively by Dr. David Cella. No part of the FACIT Measurement System may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of Dr. David Cella and payment of any applicable fees. Copyright Dr. David Cella. All rights reserved.)	FACT-Cognitive Function
C127369	FACT-G V4	FAC001	Functional Assessment of Cancer Therapy-General Version 4 (FACT-G V4) (These materials discuss and/or include FACIT Measurement System, which is owned exclusively by Dr. David Cella. No part of the FACIT Measurement System may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of Dr. David Cella and payment of any applicable fees. Copyright Dr. David Cella. All rights reserved.)	Functional Assessment of Cancer Therapy-General Version 4 Questionnaire
C130312	FACT-HEP V4	FAC015	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 (FACT-HEP V4) (These materials discuss and/or include FACIT Measurement System, which is owned exclusively by Dr. David Cella. No part of the FACIT Measurement System may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of Dr. David Cella and payment of any applicable fees. Copyright Dr. David Cella. All rights reserved.)	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 Questionnaire
C150916	FACT-L V4	FAC016	Functional Assessment of Cancer Therapy-Lung Version 4 (FACT-L V4) (These materials discuss and/or include FACIT Measurement System, which is owned exclusively by Dr. David Cella. No part of the FACIT Measurement System may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of Dr. David Cella and payment of any applicable fees. Copyright Dr. David Cella. All rights reserved.)	Functional Assessment of Cancer Therapy-Lung Version 4 Questionnaire

List of Questionnaires and Measurement Systems				
ID	Name	Code	Description	Type
C130311	FACT-LEU V4	FAC017	Functional Assessment of Cancer Therapy-Leukemia Version 4 (FACT-LEU V4) (These materials discuss and/or include FACIT Measurement System, which is owned exclusively by Dr. David Cella. No part of the FACIT Measurement System may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of Dr. David Cella and payment of any applicable fees. Copyright Dr. David Cella. All rights reserved.)	Functional Assessment of Cancer Therapy-Leukemia Version 4 Questionnaire
C130313	FACT-LYM V4	FAC018	Functional Assessment of Cancer Therapy-Lymphoma Version 4 (FACT-LYM V4) (These materials discuss and/or include FACIT Measurement System, which is owned exclusively by Dr. David Cella. No part of the FACIT Measurement System may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of Dr. David Cella and payment of any applicable fees. Copyright Dr. David Cella. All rights reserved.)	Functional Assessment of Cancer Therapy-Lymphoma Version 4 Questionnaire
C127371	FACT-P V4	FAC023	Functional Assessment of Cancer Therapy-Prostate Version 4 (FACT-P V4) (These materials discuss and/or include FACIT Measurement System, which is owned exclusively by Dr. David Cella. No part of the FACIT Measurement System may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of Dr. David Cella and payment of any applicable fees. Copyright Dr. David Cella. All rights reserved.)	Functional Assessment of Cancer Therapy-Prostate Version 4 Questionnaire
C150913	FACT-TAXANE V4	FAC063	Functional Assessment of Cancer Therapy-Taxane Version 4 (FACT-Taxane V4) (These materials discuss and/or include FACIT Measurement System, which is owned exclusively by Dr. David Cella. No part of the FACIT Measurement System may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of Dr. David Cella and payment of any applicable fees. Copyright Dr. David Cella. All rights reserved.)	Functional Assessment of Cancer Therapy-Taxane Version 4 Questionnaire
C150915	FACT/GOG-NTX V4	FAC057	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 (FACT/GOG-NTX V4) (These materials discuss and/or include FACIT Measurement System, which is owned exclusively by Dr. David Cella. No part of the FACIT Measurement System may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of Dr. David Cella and payment of any applicable fees. Copyright Dr. David Cella. All rights reserved.)	Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity Version 4 Questionnaire
C112521	FAMS	FAMS01	Functional Assessment of Multiple Sclerosis Version 4 (FAMS) (These materials discuss and/or include FACIT Measurement System, which is owned exclusively by Dr. David Cella. No part of the FACIT Measurement System may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of Dr. David Cella and payment of any applicable fees. Copyright Dr. David Cella. All rights reserved.)	Functional Assessment of Multiple Sclerosis Questionnaire
C138336	FBRSI	FAC029	Functional Assessment of Cancer Therapy-Brain Symptom Index (FBRSI) (These materials discuss and/or include FACIT Measurement System, which is owned exclusively by Dr. David Cella. No part of the FACIT Measurement System may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of Dr. David Cella and payment of any applicable fees. Copyright Dr. David Cella. All rights reserved.)	Functional Assessment of Cancer Therapy-Brain Symptom Index Questionnaire
C103518	FIQR	FIQR01	Revised Fibromyalgia Impact Questionnaire (FIQR) (copyright 2009 Bennett RM and Friend. All Rights Reserved.). No part of the FIQR may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of Bennett RM and Friend and payment of any applicable fees. Copyright Bennett RM and Friend, 2009. All rights reserved.	Revised Fibromyalgia Impact Questionnaire
C118498	FKSI-15	FAC039	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 (FKSI-15) (These materials discuss and/or include FACIT Measurement System, which is owned exclusively by Dr. David Cella. No part of the FACIT Measurement System may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of Dr. David Cella and payment of any applicable fees. Copyright Dr. David Cella. All rights reserved.)	FKSI-15 Questionnaire

Questionnaire Details				
ID	Questionnaire Name	Code	Description	Questionnaire Name
C150917	FKSI-DRS V4	FAC041	Functional Assessment of Cancer Therapy-Kidney Symptom Index-Disease-Related Symptoms Version 4 (FKSI-DRS V4) (These materials discuss and/or include FACIT Measurement System, which is owned exclusively by Dr. David Cella. No part of the FACIT Measurement System may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of Dr. David Cella and payment of any applicable fees. Copyright Dr. David Cella. All rights reserved.)	Functional Assessment of Cancer Therapy-Kidney Symptom Index-Disease-Related Symptoms Version 4 Questionnaire
C138338	FLSI	FAC043	Functional Assessment of Cancer Therapy-Lung Symptom Index (FLSI) (These materials discuss and/or include FACIT Measurement System, which is owned exclusively by Dr. David Cella. No part of the FACIT Measurement System may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of Dr. David Cella and payment of any applicable fees. Copyright Dr. David Cella. All rights reserved.)	Functional Assessment of Cancer Therapy-Lung Symptom Index Questionnaire
C119093	FLU-IIQ ONCE DAILY	FLUIQ1	Influenza Intensity and Impact Questionnaire (Flu-IIQ) Once Daily (FLU-IIQ ONCE DAILY) (Copyright RH Osborne 2006. No part of the FLU-IIQ ONCE DAILY may be copied or reproduced in any form without written permission from the author: measuredsolutions (at) bigpond (dot) com). No part of the Flu-IIQ may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of RH Osborne and payment of any applicable fees. Copyright RH Osborne, 2006. All rights reserved.	Influenza Intensity and Impact Questionnaire Once Daily Version
C119094	FLU-IIQ TWICE DAILY	FLUIQ2	Influenza Intensity and Impact Questionnaire (Flu-IIQ) Twice Daily (FLU-IIQ TWICE DAILY) (Copyright RH Osborne 2006. No part of the Flu-IIQ may be copied or reproduced in any form without written permission from the author: measuredsolutions (at) bigpond (dot) com). No part of the FLU-IIQ TWICE DAILY may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of RH Osborne and payment of any applicable fees. Copyright RH Osborne, 2006. All rights reserved.	Influenza Intensity and Impact Questionnaire Twice Daily Version
C129109	FOSI	FAC049	Functional Assessment of Cancer Therapy-Ovarian Symptom Index (FOSI) (These materials discuss and/or include FACIT Measurement System, which is owned exclusively by Dr. David Cella. No part of the FACIT Measurement System may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of Dr. David Cella and payment of any applicable fees. Copyright Dr. David Cella. All rights reserved.)	Functional Assessment of Cancer Therapy-Ovarian Symptom Index Questionnaire
C100766	FPSR	FPSR1	Faces Pain Scale - Revised (FPS-R) (Hicks CL, von Baeyer CL, van Korlaar I, Goodenough B. Faces Pain Scale-Revised: Toward a Common Metric in Pediatric Pain Measurement. Pain 2001; 93:173-183).	Faces Pain Scale Revised Questionnaire
C106621	FSS	FSS01	Fatigue Severity Scale (FSS) (Copyright Lauren B. Krupp).	Fatigue Severity Scale
C163813	GAD-7 V2	GAD02	Generalized Anxiety Disorder - 7 Version 2 (GAD-7 V2) (Spitzer RL, Kroenke K, Williams JBW, Lowe B. A brief measure for assessing generalized anxiety disorder: The GAD-7. Arch Intern Med 2006; 166:1092-1097).	Generalized Anxiety Disorder - 7 Version 2 Questionnaire
C103519	GAD-7	GAD01	Generalized Anxiety Disorder - 7 (GAD-7) (Spitzer RL, Kroenke K, Williams JBW, Lowe B. A brief measure for assessing generalized anxiety disorder: The GAD-7. Arch Intern Med 2006; 166:1092-1097).	Generalized Anxiety Disorder - 7 Questionnaire
C105169	GCGI	GCGI01	The General Clinical Global Impressions (GCGI v1) questions were created by STANDARDS (Standardized Analgesic Database for Research, Discovery, and Submissions) and sponsored by ACTTION (Analgesic Clinical Trial Translations, Innovations, Opportunities, and Networks) www.action.org; 2012-08-07 v1.	STANDARDS General Clinical Global Impressions Questionnaire
C106698	GDS SHORT FORM	GDS02	Geriatric Depression Scale Short Form (GDS Short Form) (Sheikh JI, Yesavage JA. Geriatric Depression Scale (GDS): recent evidence and development of a shorter version. Clin Gerontol. 1986 June;5(1/2):165-173).	Geriatric Depression Scale Short Form Questionnaire
C106697	GDS	GDS01	Geriatric Depression Scale (GDS) (Yesavage JA, Brink TL, Rose TL, et al. Development and validation of a geriatric depression screening scale: a preliminary report. J Psychiatry Res. 1983;17(1):37-49).	Geriatric Depression Scale Questionnaire

Questionnaire Details				
ID	Questionnaire Name	Code	Description	Category
C163814	GMSS VERSION TYPE 1 DIABETES	GMSS01	The Glucose Monitoring System Satisfaction Survey Version: Type 1 Diabetes (GMSS VERSION TYPE 1 DIABETES) (Polonsky WH, Fisher L, Hessler D, Edelman SV. Development of a New Measure for Assessing Glucose Monitoring Device-Related Treatment Satisfaction and Quality of Life. <i>Diabetes Technol Ther</i> 2015; 17(9): 657-663).	The Glucose Monitoring Satisfaction Survey Version: Type 1 Diabetes Questionnaire
C115797	GOSE	GOSE1	Extended Glasgow Outcome Scale (GOSE) (Wilson JT, Pettigrew LE, Teasdale GM. Structured interviews for the Glasgow Outcome Scale and the Extended Glasgow Outcome Scale: Guidelines for their use. <i>Journal of Neurotrauma</i> 1998;15:573-585).	Extended Glasgow Outcome Scale Questionnaire
C103520	HADS	HADS01	Hospital Anxiety and Depression Scale (HADS) (copyright 1983, 1992, 1994 by R.P. Snaith and A.S. Zigmond. All rights reserved.).	Hospital Anxiety and Depression Scale Questionnaire
C122381	HAEM-A-QOL	HAEM09	Hemophilia Quality of Life Questionnaire Adult Version (Haem-A-QoL) (The Haemo-QoL questionnaire-set is a joint property of the Haemo-QoL Study Centre at the University of Hamburg, Germany and Bayer Biological Products, Research Triangle Park, North Carolina, USA. Development of new translations, modified versions or any other derivatives - such as electronic versions - are not permitted without special permission and involvement of the Haemo-QoL Study Group; Von Mackensen S, Scalone L, Ravera S, Mantovani L, Gringeri A, The COCHE Study Group. Assessment of health-related quality of life in patients with Hemophilia with the newly developed Hemophilia-specific instrument (Haem-A-QoL). <i>Value Health</i> 2005; 8:A127).	Hemophilia Quality of Life Questionnaire Adult Version
C122373	HAEMO-QOL CHILDREN'S LONG VERSION AGE GROUP I	HAEM01	Hemophilia Quality of Life (HAEMO-QOL) Questionnaire Children's Long Version Age Group I (The Haemo-QoL questionnaire-set is a joint property of the Haemo-QoL Study Centre at the University of Hamburg, Germany and Bayer Biological Products, Research Triangle Park, North Carolina, USA. Development of new translations, modified versions or any other derivatives - such as electronic versions - are not permitted without special permission and involvement of the Haemo-QoL Study Group).	Hemophilia Quality of Life Questionnaire Children's Long Version Age Group I
C122374	HAEMO-QOL CHILDREN'S LONG VERSION AGE GROUP II	HAEM02	Hemophilia Quality of Life (HAEMO-QOL) Questionnaire Children's Long Version Age Group II (The Haemo-QoL questionnaire-set is a joint property of the Haemo-QoL Study Centre at the University of Hamburg, Germany and Bayer Biological Products, Research Triangle Park, North Carolina, USA. Development of new translations, modified versions or any other derivatives - such as electronic versions - are not permitted without special permission and involvement of the Haemo-QoL Study Group).	Hemophilia Quality of Life Questionnaire Children's Long Version Age Group II
C122375	HAEMO-QOL CHILDREN'S LONG VERSION AGE GROUP III	HAEM03	Hemophilia Quality of Life (HAEMO-QOL) Questionnaire Children's Long Version Age Group III (The Haemo-QoL questionnaire-set is a joint property of the Haemo-QoL Study Centre at the University of Hamburg, Germany and Bayer Biological Products, Research Triangle Park, North Carolina, USA. Development of new translations, modified versions or any other derivatives - such as electronic versions - are not permitted without special permission and involvement of the Haemo-QoL Study Group).	Hemophilia Quality of Life Questionnaire Children's Long Version Age Group III
C122376	HAEMO-QOL CHILDREN'S SHORT VERSION AGE GROUP I	HAEM04	Hemophilia Quality of Life (HAEMO-QOL) Questionnaire Children's Short Version Age Group I (The Haemo-QoL questionnaire-set is a joint property of the Haemo-QoL Study Centre at the University of Hamburg, Germany and Bayer Biological Products, Research Triangle Park, North Carolina, USA. Development of new translations, modified versions or any other derivatives - such as electronic versions - are not permitted without special permission and involvement of the Haemo-QoL Study Group).	Hemophilia Quality of Life Questionnaire Children's Short Version Age Group I
C122377	HAEMO-QOL CHILDREN'S SHORT VERSION AGE GROUP II/III	HAEM05	Hemophilia Quality of Life (HAEMO-QOL) Questionnaire Children's Short Version Age Group II/III (The Haemo-QoL questionnaire-set is a joint property of the Haemo-QoL Study Centre at the University of Hamburg, Germany and Bayer Biological Products, Research Triangle Park, North Carolina, USA. Development of new translations, modified versions or any other derivatives - such as electronic versions - are not permitted without special permission and involvement of the Haemo-QoL Study Group).	Hemophilia Quality of Life Questionnaire Children's Short Version Age Group II/III
C122378	HAEMO-QOL PARENT'S LONG VERSION AGE GROUP I	HAEM06	Hemophilia Quality of Life (HAEMO-QOL) Questionnaire Parent's Long Version Age Group I (The Haemo-QoL questionnaire-set is a joint property of the Haemo-QoL Study Centre at the University of Hamburg, Germany and Bayer Biological Products, Research Triangle Park, North Carolina, USA. Development of new translations, modified versions or any other derivatives - such as electronic versions - are not permitted without special permission and involvement of the Haemo-QoL Study Group).	Hemophilia Quality of Life Questionnaire Parent's Long Version Age Group I

Questionnaire Details				
ID	Questionnaire Name	Code	Description	Version
C122379	HAEMO-QOL PARENT'S LONG VERSION AGE GROUP II	HAEM07	Hemophilia Quality of Life (HAEMO-QOL) Questionnaire Parent's Long Version Age Group II (The Haemo-QoL questionnaire-set is a joint property of the Haemo-QoL Study Centre at the University of Hamburg, Germany and Bayer Biological Products, Research Triangle Park, North Carolina, USA. Development of new translations, modified versions or any other derivatives - such as electronic versions - are not permitted without special permission and involvement of the Haemo-QoL Study Group).	Hemophilia Quality of Life Questionnaire Parent's Long Version Age Group II
C122380	HAEMO-QOL PARENT'S LONG VERSION AGE GROUP III	HAEM08	Hemophilia Quality of Life (HAEMO-QOL) Questionnaire Parent's Long Version Age Group III (The Haemo-QoL questionnaire-set is a joint property of the Haemo-QoL Study Centre at the University of Hamburg, Germany and Bayer Biological Products, Research Triangle Park, North Carolina, USA. Development of new translations, modified versions or any other derivatives - such as electronic versions - are not permitted without special permission and involvement of the Haemo-QoL Study Group).	Hemophilia Quality of Life Questionnaire Parent's Long Version Age Group III
C130314	HAMD 6 SELF-REPORT VERSION	HAMDS1	The Hamilton Depression Rating Scale 6 Self-Report Version (HAM-D6 - Self-Report Version) (Clinical Research: Rating scales in depression: limitations and pitfalls; Per Bech, MD; Copyright 2006 LLS SAS. All rights reserved).	Hamilton Depression Rating Scale 6 Self-Report Version Questionnaire
C106699	HAQ-DI WITH VAS	HAQ01	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale (HAQ-DI WITH VAS) (Fries JF. The assessment of disability: from first to future principles. Br J Rheumatol. 1983 Aug; 22(3 Suppl):48-58).	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale Questionnaire
C132534	HAQ-DI WITHOUT VAS	HAQ02	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale (HAQ-DI WITHOUT VAS) (Copyright 2003 Fries JF, Bruce B, Fries JF. The Stanford Health Assessment Questionnaire: Dimensions and Practical Applications. Health and Quality of Life Outcomes 2003. 9 June 2003; 1:20 1-6).	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale
C163815	HCS	HCS01	Hypoglycemic Confidence Scale (HCS) (Polonsky WH, Fisher L, Hessler D, Edelman SV. Investigating Hypoglycemic Confidence in Type 1 and Type 2 Diabetes. Diabetes Technol Ther 2017; 19(2): 131-6).	Hypoglycemic Confidence Scale Questionnaire
C174070	IBDQ	IBDQ01	Quality of Life in Inflammatory Bowel Disease Questionnaire (IBDQ) (Copyright 1989, McMaster University, Hamilton, Ontario, Canada. The Inflammatory Bowel Disease Questionnaire, authored by Dr. Jan Irvine et. al., was made under license from McMaster University, Hamilton, Canada (Copyright 1989, McMaster University). The IBDQ is provided under license from McMaster University and may not be copied, distributed or used in any way without the prior written consent of McMaster University. Contact the McMaster Industry Liaison Office at: milo@mcmaster.ca for licensing details).	Quality of Life in Inflammatory Bowel Disease Questionnaire
C130315	IDS-SR	IDSR1	Inventory of Depressive Symptomatology - Self-Report (IDS-SR) (Copyright UT Southwestern Medical Center at Dallas. Rush, A.J., Carmody, T. and Reimitz, P.E. The Inventory of Depressive Symptomatology (IDS): Clinician (IDS-C) and self-report (IDS-SR) ratings of depressive symptoms. International Journal of Methods in Psychiatric Research, 9:45-59, 2000).	Inventory of Depressive Symptomatology Self-Report Version Questionnaire
C103521	IIEF	IIEF01	International Index of Erectile Function (IIEF) (Rosen RC, Riley A, Wagner G, Osterloh IH, Kirkpatrick J, and Mishra A. The international index of erectile function (IIEF): a multidimensional scale for assessment of erectile dysfunction. Urology. 1997 49(6): 822-830).	International Index of Erectile Function Questionnaire
C141692	IPAQ-LF PHONE VERSION	IPAQ02	International Physical Activity Questionnaire (November 2002) Long Last 7 Days Telephone Format (IPAQ-LF PHONE VERSION)(Booth, M.L. (2000). Assessment of Physical Activity: An International Perspective. Research Quarterly for Exercise and Sport, 71 (2): s114-20. Retrieved from the International Physical Activity Questionnaire website: http://www.ipaq.ki.se).	International Physical Activity Questionnaire (November 2002) Long Last 7 Days Telephone Format
C141691	IPAQ-LF SELF-ADMINISTERED VERSION	IPAQ03	International Physical Activity Questionnaire (October 2002) Long Last 7 Days Self-Administered Format (IPAQ-LF SELF-ADMINISTERED VERSION) (Booth, M.L. (2000). Assessment of Physical Activity: An International Perspective. Research Quarterly for Exercise and Sport, 71 (2): s114-20. Retrieved from the International Physical Activity Questionnaire website: http://www.ipaq.ki.se).	International Physical Activity Questionnaire (August 2002) Long Last 7 Days Self-Administered Format
C141693	IPAQ-SF PHONE VERSION	IPAQ01	International Physical Activity Questionnaire (August 2002) Short Last 7 Days Telephone Format (IPAQ-SF PHONE VERSION)(Booth, M.L. (2000). Assessment of Physical Activity: An International Perspective. Research Quarterly for Exercise and Sport, 71 (2): s114-20. Retrieved from the International Physical Activity Questionnaire website: http://www.ipaq.ki.se).	International Physical Activity Questionnaire (August 2002) Short Last 7 Days Telephone Format

C141690	IPAQ-SF SELF-ADMINISTERED VERSION	IPAQ04	International Physical Activity Questionnaire (August 2002) Short Last 7 Days Self-Administered Format (IPAQ-SF SELF-ADMINISTERED VERSION)(Booth, M.L. (2000). Assessment of Physical Activity: An International Perspective. Research Quarterly for Exercise and Sport, 71 (2): s114-20. Retrieved from the International Physical Activity Questionnaire website: http://www.ipaq.ki.se).	International Physical Activity Questionnaire (August 2002) Short Last 7 Days Self-Administered Format
C113446	IPSS	I-PSS;IPS01	International Prostate Symptom Score (IPSS) (Barry MJ, et al. The American Urological Association symptom index for benign prostatic hyperplasia. The Measurement Committee of the American Urological Association. J Urol 1992; 148: 1549-1557). CDISC believes this instrument to be in the public domain, but you should perform your own assessment.	International Prostate Symptom Score
C113876	IVIS	IVIS01	Impact of Visual Impairment Scale (IVIS) (1997 by the National Multiple Sclerosis Society. All rights reserved).	Impact of Visual Impairment Scale Questionnaire
C135740	LEC-5 STANDARD VERSION	LEC01	Life Events Checklist for DSM-5, Standard Version (LEC-5 STANDARD VERSION) (Weathers, F.W., Blake, D.D., Schnurr, P.P., Kaloupek, D.G., Marx, B.P., & Keane, T.M. (2013). The Life Events Checklist for DSM-5 (LEC-5). Retrieved from the National Center for PTSD website: http://www.ptsd.va.gov).	Life Events Checklist for DSM-5 Standard Version Questionnaire
C122382	MADRS	MADRS1	Montgomery-Asberg Depression Rating Scale (MADRS) (Copyright Stuart Montgomery 1978. Measures of Depression, Fulcrum Press, London. Stuart A. Montgomery and Marie Asberg. A new depression scale designed to be sensitive to change. Br. J. Psychiat. (1979), 134:382-389).	Montgomery-Asberg Depression Rating Scale Questionnaire
C123660	MDQ-T	MDQ01	Menstrual Distress Questionnaire Form-T (Today) (MDQ-T) (Copyright 1968, 1989, 1991, 2000, 2010 by Rudolf H. Moos. All Rights Reserved. Published by Mind Garden, Inc. Moos RH. The development of a menstrual distress questionnaire. Psychosom Med. 1968 Nov-Dec;30(6):853-67).	Menstrual Distress Questionnaire Form-T (Today)
C100769	MDS-UPDRS	UPD2	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale (MDS-UPDRS) (copyright 2008 Movement Disorder Society. All Rights Reserved).	Movement Disorder Society Unified Parkinson's Disease Rating Scale Questionnaire
C113877	MFIS	MFIS01	Modified Fatigue Impact Scale (MFIS) (1997 by the National Multiple Sclerosis Society. All rights reserved).	Modified Fatigue Impact Scale Questionnaire
C112523	MHIS-NACC	MHIS01	Modified Hachinski Ischemic Scale-NACC Version (MHIS-NACC) Reproduced with permission. Copyright 2011 University of Washington. Created and published by the ADC Clinical Task Force (John C. Morris, MD, Chair) and the National Alzheimer's Coordinating Center (Walter A. Kukull, PhD, Director). This publication was funded by the National Institutes of Health through the National Institute on Aging (Cooperative Agreement U01 AG016976).	Modified Hachinski Ischemic Scale-NACC Version Questionnaire
C106700	MMRC	MMRC01	Modified Medical Research Council dyspnea scale (MMRC) (Mahler DA, Wells CK. Evaluation of Clinical Methods for Rating Dyspnea. Chest 1988; 93:580-586).	Modified Medical Research Council Dyspnea Scale Questionnaire
C100771	MNSI	MNSI1	Michigan Neuropathy Screening Instrument (MNSI) (copyright University of Michigan, 2000, All rights reserved).	Michigan Neuropathy Screening Instrument Questionnaire
C115798	MPAI-4	MPAI1	The Mayo-Portland Adaptability Inventory-4 (MPAI-4) (Malec, J. (2005). The Mayo-Portland Adaptability Inventory-4. The Center for Outcome Measurement in Brain Injury. http://www.tbims.org/combi/mpai).	Mayo-Portland Adaptability Inventory-4 Questionnaire
C111383	MRS	MRS01	Modified Rankin Scale (MRS) (Van Swieten J, Koudstaal P., Visser M., Schouten H., and Van Gijn J. Interobserver agreement for the assessment of handicap in stroke patients, 1988. Stroke 19: 604-607).	Modified Rankin Scale Questionnaire
C123664	MSIS-29 V1	MSIS01	Multiple Sclerosis Impact Scale version 1 (MSIS-29v1) (Copyright 2000 Neurological Outcome Measures Unit, Institute of Neurology, University College London, UK).	Multiple Sclerosis Impact Scale Version 1 Questionnaire
C123665	MSIS-29 V2	MSIS02	Multiple Sclerosis Impact Scale version 2 (MSIS-29v2) (Copyright 2005 Neurological Outcome Measures Unit, Peninsula Medical School, Plymouth, UK).	Multiple Sclerosis Impact Scale Version 2 Questionnaire
C113878	MSQOL-54	MSQL1	Multiple Sclerosis Quality of Life-54 Instrument (MSQOL-54) (Copyright 1995, University of California, Los Angeles).	Multiple Sclerosis Quality of Life-54 Instrument Questionnaire
C123663	MSWS-12	MSWS01	12-Item Multiple Sclerosis Walking Scale (MSWS-12) (Copyright 2000 Neurological Outcome Measures Unit).	12-Item Multiple Sclerosis Walking Scale Questionnaire

Comprehensive Cancer Network/Functional Assessment of Cancer Symptom Indexes				
ID	Code	Version	Description	Questionnaire
C129107	NCCN-FACT FBLSI-18 V2	FAC028	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 (NCCN-FACT FBLSI-18 V2) (Copyright 2001 David Celli, Ph.D. All Rights Reserved; Questionnaires and all related subscales, translations, and adaptations ('FACT System') are owned and copyrighted by David Celli, Ph.D. The ownership and copyright of the FACIT System resides strictly with Dr. Celli. Dr. Celli has granted FACIT.org the right to license usage of the FACIT System to other parties).	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 Questionnaire
C150918	NCCN-FACT FBRSI-24 V2	FAC030	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Brain Symptom Index-24 Version 2 (NCCN-FACT FBRSI-24 V2) (Copyright 1987, 1997 David Celli, Ph.D. All Rights Reserved; Questionnaires and all related subscales, translations, and adaptations ('FACT System') are owned and copyrighted by David Celli, Ph.D. The ownership and copyright of the FACIT System resides strictly with Dr. Celli. Dr. Celli has granted FACIT.org the right to license usage of the FACIT System to other parties).	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Brain Symptom Index-24 Version 2 Questionnaire
C150919	NCCN-FACT FHNSI-22 V2	FAC036	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Head & Neck Symptom Index-22 Version 2 (NCCN-FACT FHNSI-22 V2) (Copyright 1987, 1997 David Celli, Ph.D. All Rights Reserved; Questionnaires and all related subscales, translations, and adaptations ('FACT System') are owned and copyrighted by David Celli, Ph.D. The ownership and copyright of the FACIT System resides strictly with Dr. Celli. Dr. Celli has granted FACIT.org the right to license usage of the FACIT System to other parties).	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Head & Neck Symptom Index-22 Version 2 Questionnaire
C129106	NCCN-FACT FKSI-19 V2	FAC042	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 (NCCN-FACT FKSI-19 V2) (Copyright 2001 David Celli, Ph.D. All Rights Reserved; Questionnaires and all related subscales, translations, and adaptations ('FACT System') are owned and copyrighted by David Celli, Ph.D. The ownership and copyright of the FACIT System resides strictly with Dr. Celli. Dr. Celli has granted FACIT.org the right to license usage of the FACIT System to other parties).	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 Questionnaire
C129110	NCCN-FACT FOSI-18 V2	FAC050	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 (NCCN-FACT FOSI-18 V2) (Copyright 1987, 1997 David Celli, Ph.D. All Rights Reserved; Questionnaires and all related subscales, translations, and adaptations ('FACT System') are owned and copyrighted by David Celli, Ph.D. The ownership and copyright of the FACIT System resides strictly with Dr. Celli. Dr. Celli has granted FACIT.org the right to license usage of the FACIT System to other parties).	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 Questionnaire
C127370	NCCN-FACT FPSI-17 V2	FAC052	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 (NCCN-FACT-FPSI 17 V2) (Copyright 2001 David Celli, Ph.D. All Rights Reserved; Questionnaires and all related subscales, translations, and adaptations ('FACT System') are owned and copyrighted by David Celli, Ph.D. The ownership and copyright of the FACIT System resides strictly with Dr. Celli. Dr. Celli has granted FACIT.org the right to license usage of the FACIT System to other parties).	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 Questionnaire
C100772	NPI	NPI-12;NPI1	Neuropsychiatric Inventory (NPI) (copyright JL Cummings, 1994, all rights reserved; permission for commercial use required: npiTEST.net). No part of the NPI may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the JL Cummings and payment of any applicable fees. Copyright JL Cummings, 1994, all rights reserved.	Neuropsychiatric Inventory - 12 Item Version Questionnaire
C103522	NPS	NPS01	Neuropathic Pain Scale (NPS) (copyright Brad Galer and Mark Jensen. All rights reserved.).	Neuropathic Pain Scale Questionnaire

Questionnaire Details				
ID	Questionnaire Name	Code	Description	Questionnaire Name
C155327	NSCLC-SAQ V1.0	NSCLC1	<p>Non-Small Cell Lung Cancer Symptom Assessment Questionnaire v1.0 (NSCLC-SAQ V1.0) (Version 1.0 Copyright 2015 Critical Path Institute. All Rights Reserved. McCarrier KP, Atkinson TM, DeBusk KP, Liepa AM, Scanlon M, Coons SJ and on behalf of the Patient-Reported Outcome Consortium.</p> <p>Qualitative Development and Content Validity of the Non-small Cell Lung Cancer Symptom Assessment Questionnaire (NSCLC-SAQ), A Patient-reported Outcome Instrument. Clinical Therapeutics 2016; 38(4):794-810. Patient-Reported Outcome (PRO) Consortium - Non-Small Cell Lung Cancer Symptom Assessment Questionnaire (NSCLC-SAQ) Provisional User Manual, Version 6: March 24, 2017). No part of the NSCLC-SAQ V1.0 may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the Critical Path Institute and payment of any applicable fees. Copyright Critical Path Institute, 2018. All rights reserved).</p>	Non-Small Cell Lung Cancer Symptom Assessment Questionnaire v1.0
C103524	OAB-Q SHORT FORM	OABQ02	<p>The Overactive Bladder Questionnaire Short Form (OAB-q Short Form) (Karin S. Coyne, Christine L. Thompson, Jin-Shei Lai, and Chris C. Sexton. An Overactive Bladder Symptom and Health-Related Quality of Life Short-Form: Validation of the OAB-q SF. Neurology and Urodynamics 34:255-263, 2015).</p>	The Overactive Bladder Questionnaire Short Form
C103523	OAB-Q	OABQ01	<p>The Overactive Bladder Questionnaire (OAB-q) (Coyne K, Revicki D, Hunt T, et al. Psychometric validation of an overactive bladder symptom and health-related quality of life questionnaire: the OAB-q. Qual Life Res. Sep 2002; 11(6):563-574).</p>	The Overactive Bladder Questionnaire
C119095	OCI	OCI01	<p>Ocular Comfort Index (OCI) (The copyright owner of the Ocular Comfort Index is Dr. Michael Edward Johnson. Michael E. Johnson and Paul J. Murphy. Measurement of Ocular Surface Irritation on a Linear Interval Scale with the Ocular Comfort Index. Investigative Ophthalmology and Visual Science, October 2007, Vol. 48, No.10).</p>	Ocular Comfort Index Questionnaire
C103525	ODI V2.1A	ODI01	<p>The Oswestry Disability Index Version 2.1a (ODI v2.1A) (copyright 1980 Jeremy Fairbank. All Rights Reserved.).</p>	The Oswestry Disability Index Version 2.1a Questionnaire
C163816	PARENT-DDS	DDS02	<p>Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes (PARENT-DDS) (Hessler D, Fisher L, Polonsky W, Johnson N. Understanding the Areas and Correlates of Diabetes-Related Distress in Parent of Teens With Type 1 Diabetes. Journal of Pediatric Psychology 2016; 41(7): 750-758).</p>	Diabetes Distress Scale for Parents of Teens with Type 1 Diabetes Questionnaire
C163817	PARTNER-DDS	DDS03	<p>Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes (PARTNER-DDS) (Polonsky WH, Fisher L, Hessler D, Johnson N. Emotional Distress in the Partners of Type 1 Diabetes Adults: Worries About Hypoglycemia and Other Key Concerns. Diabetes Technology & Therapeutics May 2016; 18(5): 292-297).</p>	Diabetes Distress Scale for Partners of Adults with Type 1 Diabetes Questionnaire
C135741	PCL-5	PCL01	<p>The PTSD Checklist for DSM-5 (PCL-5) (Weathers, F.W., Litz, B. T., Keane, T. M., Palmieri, P. A., Marx, B. P., & Schnurr, P. P. (2013). The PTSD Checklist for DSM-5 (PCL-5). Retrieved from the National Center for PTSD website: http://www.ptsd.va.gov).</p>	The PTSD Checklist for DSM-5 Questionnaire
C112524	PDDS	PDDS01	<p>Patient Determined Disease Steps (PDDS) (Hohol MJ, Orav EJ, Weiner HL. Disease Steps in multiple sclerosis: A simple approach to evaluate disease progression. Neurology 1995; 45: 251-55). (Hohol MJ, Orav EJ, Weiner HL. Disease Steps in multiple sclerosis: a longitudinal study comparing disease steps and EDSS to evaluate disease progression. Multiple Sclerosis 1999; 5: 349-54). (Marrie RA and Goldman M. Validity of performance scales for disability assessment in multiple sclerosis. Multiple Sclerosis 2007; 13: 1176-1182). (The PDDS and/or PS are provided for use by the NARCOMS Registry: www.narcoms.org/pdds. NARCOMS is supported in part by the Consortium of Multiple Sclerosis Centers (CMSC) and the CMSC Foundation).</p>	Patient Determined Disease Steps Questionnaire
C100773	PDQUALIF	PDQ01	<p>Parkinson's Disease Quality of Life Scale (PDQUALIF) (Welsh M, McDermott MP, Holloway RG, Plumb S, Pfeiffer R, Hubble J, and The Parkinson Study Group. Development and Testing of the Parkinson's Disease Quality of Life Scale. Movement Disorders, 2003, Vol. 18; 637-645).</p>	Parkinson's Disease Quality of Life Scale Questionnaire
C147586	PEDS-FACIT-F	FAC099	<p>Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue (PEDS-FACIT-F) (Copyright 1987, 1997 David Cellia, Ph.D. All Rights Reserved; Questionnaires and all related subscales, translations, and adaptations ('FACIT System') are owned and copyrighted by David Cellia, Ph.D. The ownership and copyright of the FACIT System resides strictly with Dr. Cellia. Dr. Cellia has granted FACIT.org the right to license usage of the FACIT System to other parties).</p>	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue Questionnaire

C138341	PEDSQL NEUROMUSCULAR MODULE ACUTE V3 CHILD PARENT REPORT	PQL15	Pediatric Quality of Life (PedsQL) Neuromuscular Module Acute Version 3 Child Parent Report (Copyright 1998 JW Varni, Ph.D. Iannaccone, S.T., Hynan, L.S., Morton, A., Buchanan, R., Limbers, C.A., Varni, J.W., the AmSMART Group (2009). The PedsQL in pediatric patients with Spinal Muscular Atrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Generic Core Scales and Neuromuscular Module. Neuromuscular Disorders, 19, 805-812. Davis, S.E., Hynan, L.S., Limbers, C.A., Andersen, C.M., Greene, M.C., Varni, J.W., Iannaccone, S.T. (2010). The PedsQL in pediatric patients with Duchenne Muscular Dystrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Neuromuscular Module and Generic Core Scales. Journal of Clinical Neuromuscular Disease, 11, 97-109).	Pediatric Quality of Life Neuromuscular Module Acute Version 3.0 Parent Report for Child Questionnaire
C138339	PEDSQL NEUROMUSCULAR MODULE ACUTE V3 CHILD	PQL14	Pediatric Quality of Life (PedsQL) Neuromuscular Module Acute Version 3 Child (Copyright 1998 JW Varni, Ph.D. Iannaccone, S.T., Hynan, L.S., Morton, A., Buchanan, R., Limbers, C.A., Varni, J.W., the AmSMART Group (2009). The PedsQL in pediatric patients with Spinal Muscular Atrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Generic Core Scales and Neuromuscular Module. Neuromuscular Disorders, 19, 805-812. Davis, S.E., Hynan, L.S., Limbers, C.A., Andersen, C.M., Greene, M.C., Varni, J.W., Iannaccone, S.T. (2010). The PedsQL in pediatric patients with Duchenne Muscular Dystrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Neuromuscular Module and Generic Core Scales. Journal of Clinical Neuromuscular Disease, 11, 97-109).	Pediatric Quality of Life Neuromuscular Module Acute Version 3.0 Child Report Questionnaire
C138342	PEDSQL NEUROMUSCULAR MODULE ACUTE V3 TEEN PARENT REPORT	PQL13	Pediatric Quality of Life (PedsQL) Neuromuscular Module Acute Version 3 Teen Parent Report (Copyright 1998 JW Varni, Ph.D. Iannaccone, S.T., Hynan, L.S., Morton, A., Buchanan, R., Limbers, C.A., Varni, J.W., the AmSMART Group (2009). The PedsQL in pediatric patients with Spinal Muscular Atrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Generic Core Scales and Neuromuscular Module. Neuromuscular Disorders, 19, 805-812. Davis, S.E., Hynan, L.S., Limbers, C.A., Andersen, C.M., Greene, M.C., Varni, J.W., Iannaccone, S.T. (2010). The PedsQL in pediatric patients with Duchenne Muscular Dystrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Neuromuscular Module and Generic Core Scales. Journal of Clinical Neuromuscular Disease, 11, 97-109).	Pediatric Quality of Life Neuromuscular Module Acute Version 3.0 Parent Report for Teen Questionnaire
C138345	PEDSQL NEUROMUSCULAR MODULE ACUTE V3 TEEN	PQL12	Pediatric Quality of Life (PedsQL) Neuromuscular Module Acute Version 3 Teen (Copyright 1998 JW Varni, Ph.D. Iannaccone, S.T., Hynan, L.S., Morton, A., Buchanan, R., Limbers, C.A., Varni, J.W., the AmSMART Group (2009). The PedsQL in pediatric patients with Spinal Muscular Atrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Generic Core Scales and Neuromuscular Module. Neuromuscular Disorders, 19, 805-812. Davis, S.E., Hynan, L.S., Limbers, C.A., Andersen, C.M., Greene, M.C., Varni, J.W., Iannaccone, S.T. (2010). The PedsQL in pediatric patients with Duchenne Muscular Dystrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Neuromuscular Module and Generic Core Scales. Journal of Clinical Neuromuscular Disease, 11, 97-109).	Pediatric Quality of Life Neuromuscular Module Acute Version 3.0 Teen Report Questionnaire
C138340	PEDSQL NEUROMUSCULAR MODULE ACUTE V3 TODDLER PARENT REPORT	PQL18	Pediatric Quality of Life (PedsQL) Neuromuscular Module Acute Version 3 Toddler Parent Report (Copyright 1998 JW Varni, Ph.D. Iannaccone, S.T., Hynan, L.S., Morton, A., Buchanan, R., Limbers, C.A., Varni, J.W., the AmSMART Group (2009). The PedsQL in pediatric patients with Spinal Muscular Atrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Generic Core Scales and Neuromuscular Module. Neuromuscular Disorders, 19, 805-812. Davis, S.E., Hynan, L.S., Limbers, C.A., Andersen, C.M., Greene, M.C., Varni, J.W., Iannaccone, S.T. (2010). The PedsQL in pediatric patients with Duchenne Muscular Dystrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Neuromuscular Module and Generic Core Scales. Journal of Clinical Neuromuscular Disease, 11, 97-109).	Pediatric Quality of Life Neuromuscular Module Acute Version 3.0 Parent of Toddler Questionnaire
C138343	PEDSQL NEUROMUSCULAR MODULE ACUTE V3 YOUNG ADULT PARENT REPORT	PQL11	Pediatric Quality of Life (PedsQL) Neuromuscular Module Acute Version 3 Young Adult Parent Report (Copyright 1998 JW Varni, Ph.D. Iannaccone, S.T., Hynan, L.S., Morton, A., Buchanan, R., Limbers, C.A., Varni, J.W., the AmSMART Group (2009). The PedsQL in pediatric patients with Spinal Muscular Atrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Generic Core Scales and Neuromuscular Module. Neuromuscular Disorders, 19, 805-812. Davis, S.E., Hynan, L.S., Limbers, C.A., Andersen, C.M., Greene, M.C., Varni, J.W., Iannaccone, S.T. (2010). The PedsQL in pediatric patients with Duchenne Muscular Dystrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Neuromuscular Module and Generic Core Scales. Journal of Clinical Neuromuscular Disease, 11, 97-109).	Pediatric Quality of Life Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults Questionnaire

Pediatric Quality of Life (PedsQL) Neuromuscular Module Acute Version 3 Young Adult (Copyright 1998 JW Varni, Ph.D.)				
C138346	PEDSQL NEUROMUSCULAR MODULE ACUTE V3 YOUNG ADULT	PQL10	Pediatric Quality of Life (PedsQL) Neuromuscular Module Acute Version 3 Young Adult (Copyright 1998 JW Varni, Ph.D. Iannaccone, S.T., Hynan, L.S., Morton, A., Buchanan, R., Limbers, C.A., Varni, J.W., the AmSMART Group (2009). The PedsQL in pediatric patients with Spinal Muscular Atrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Generic Core Scales and Neuromuscular Module. Neuromuscular Disorders, 19, 805-812. Davis, S.E., Hynan, L.S., Limbers, C.A., Andersen, C.M., Greene, M.C., Varni, J.W., Iannaccone, S.T. (2010). The PedsQL in pediatric patients with Duchenne Muscular Dystrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Neuromuscular Module and Generic Core Scales. Journal of Clinical Neuromuscular Disease, 11, 97-109).	Pediatric Quality of Life Neuromuscular Module Acute Version 3.0 Young Adult Report Questionnaire
C138344	PEDSQL NEUROMUSCULAR MODULE ACUTE V3 YOUNG CHILD PARENT REPORT	PQL17	Pediatric Quality of Life (PedsQL) Neuromuscular Module Acute Version 3 Young Child Parent Report (Copyright 1998 JW Varni, Ph.D. Iannaccone, S.T., Hynan, L.S., Morton, A., Buchanan, R., Limbers, C.A., Varni, J.W., the AmSMART Group (2009). The PedsQL in pediatric patients with Spinal Muscular Atrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Generic Core Scales and Neuromuscular Module. Neuromuscular Disorders, 19, 805-812. Davis, S.E., Hynan, L.S., Limbers, C.A., Andersen, C.M., Greene, M.C., Varni, J.W., Iannaccone, S.T. (2010). The PedsQL in pediatric patients with Duchenne Muscular Dystrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Neuromuscular Module and Generic Core Scales. Journal of Clinical Neuromuscular Disease, 11, 97-109).	Pediatric Quality of Life Neuromuscular Module Acute Version 3.0 Parent Report for Young Child Questionnaire
C138347	PEDSQL NEUROMUSCULAR MODULE ACUTE V3 YOUNG CHILD	PQL16	Pediatric Quality of Life (PedsQL) Neuromuscular Module Acute Version 3 Young Child (Copyright 1998 JW Varni, Ph.D. Iannaccone, S.T., Hynan, L.S., Morton, A., Buchanan, R., Limbers, C.A., Varni, J.W., the AmSMART Group (2009). The PedsQL in pediatric patients with Spinal Muscular Atrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Generic Core Scales and Neuromuscular Module. Neuromuscular Disorders, 19, 805-812. Davis, S.E., Hynan, L.S., Limbers, C.A., Andersen, C.M., Greene, M.C., Varni, J.W., Iannaccone, S.T. (2010). The PedsQL in pediatric patients with Duchenne Muscular Dystrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Neuromuscular Module and Generic Core Scales. Journal of Clinical Neuromuscular Disease, 11, 97-109).	Pediatric Quality of Life Neuromuscular Module Acute Version 3.0 Young Child Report Questionnaire
C138350	PEDSQL NEUROMUSCULAR MODULE V3 CHILD PARENT REPORT	PQL06	Pediatric Quality of Life (PedsQL) Neuromuscular Module Version 3 Child Parent Report (Copyright 1998 JW Varni, Ph.D. Iannaccone, S.T., Hynan, L.S., Morton, A., Buchanan, R., Limbers, C.A., Varni, J.W., the AmSMART Group (2009). The PedsQL in pediatric patients with Spinal Muscular Atrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Generic Core Scales and Neuromuscular Module. Neuromuscular Disorders, 19, 805-812. Davis, S.E., Hynan, L.S., Limbers, C.A., Andersen, C.M., Greene, M.C., Varni, J.W., Iannaccone, S.T. (2010). The PedsQL in pediatric patients with Duchenne Muscular Dystrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Neuromuscular Module and Generic Core Scales. Journal of Clinical Neuromuscular Disease, 11, 97-109).	Pediatric Quality of Life Neuromuscular Module Version 3.0 Parent Report for Child Questionnaire
C138348	PEDSQL NEUROMUSCULAR MODULE V3 CHILD	PQL05	Pediatric Quality of Life (PedsQL) Neuromuscular Module Version 3 Child (Copyright 1998 JW Varni, Ph.D. Iannaccone, S.T., Hynan, L.S., Morton, A., Buchanan, R., Limbers, C.A., Varni, J.W., the AmSMART Group (2009). The PedsQL in pediatric patients with Spinal Muscular Atrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Generic Core Scales and Neuromuscular Module. Neuromuscular Disorders, 19, 805-812. Davis, S.E., Hynan, L.S., Limbers, C.A., Andersen, C.M., Greene, M.C., Varni, J.W., Iannaccone, S.T. (2010). The PedsQL in pediatric patients with Duchenne Muscular Dystrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Neuromuscular Module and Generic Core Scales. Journal of Clinical Neuromuscular Disease, 11, 97-109).	Pediatric Quality of Life Neuromuscular Module Version 3.0 Child Report Questionnaire
C138351	PEDSQL NEUROMUSCULAR MODULE V3 TEEN PARENT REPORT	PQL04	Pediatric Quality of Life (PedsQL) Neuromuscular Module Version 3 Teen Parent Report (Copyright 1998 JW Varni, Ph.D. Iannaccone, S.T., Hynan, L.S., Morton, A., Buchanan, R., Limbers, C.A., Varni, J.W., the AmSMART Group (2009). The PedsQL in pediatric patients with Spinal Muscular Atrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Generic Core Scales and Neuromuscular Module. Neuromuscular Disorders, 19, 805-812. Davis, S.E., Hynan, L.S., Limbers, C.A., Andersen, C.M., Greene, M.C., Varni, J.W., Iannaccone, S.T. (2010). The PedsQL in pediatric patients with Duchenne Muscular Dystrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Neuromuscular Module and Generic Core Scales. Journal of Clinical Neuromuscular Disease, 11, 97-109).	Pediatric Quality of Life Neuromuscular Module Version 3.0 Parent Report for Teen Questionnaire

C138354	PEDSQL NEUROMUSCULAR MODULE V3 TEEN	PQL03	Pediatric Quality of Life (PedsQL) Neuromuscular Module Version 3 Teen (Copyright 1998 JW Varni, Ph.D. Iannaccone, S.T., Hynan, L.S., Morton, A., Buchanan, R., Limbers, C.A., Varni, J.W., the AmSMART Group (2009). The PedsQL in pediatric patients with Spinal Muscular Atrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Generic Core Scales and Neuromuscular Module. Neuromuscular Disorders, 19, 805-812. Davis, S.E., Hynan, L.S., Limbers, C.A., Andersen, C.M., Greene, M.C., Varni, J.W., Iannaccone, S.T. (2010). The PedsQL in pediatric patients with Duchenne Muscular Dystrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Neuromuscular Module and Generic Core Scales. Journal of Clinical Neuromuscular Disease, 11, 97-109).	Pediatric Quality of Life Neuromuscular Module Version 3.0 Teen Report Questionnaire
C138349	PEDSQL NEUROMUSCULAR MODULE V3 TODDLER PARENT REPORT	PQL09	Pediatric Quality of Life (PedsQL) Neuromuscular Module Version 3 Toddler Parent Report (Copyright 1998 JW Varni, Ph.D. Iannaccone, S.T., Hynan, L.S., Morton, A., Buchanan, R., Limbers, C.A., Varni, J.W., the AmSMART Group (2009). The PedsQL in pediatric patients with Spinal Muscular Atrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Generic Core Scales and Neuromuscular Module. Neuromuscular Disorders, 19, 805-812. Davis, S.E., Hynan, L.S., Limbers, C.A., Andersen, C.M., Greene, M.C., Varni, J.W., Iannaccone, S.T. (2010). The PedsQL in pediatric patients with Duchenne Muscular Dystrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Neuromuscular Module and Generic Core Scales. Journal of Clinical Neuromuscular Disease, 11, 97-109).	Pediatric Quality of Life Neuromuscular Module Version 3.0 Parent of Toddler Questionnaire
C138352	PEDSQL NEUROMUSCULAR MODULE V3 YOUNG ADULT PARENT REPORT	PQL02	Pediatric Quality of Life (PedsQL) Neuromuscular Module Version 3 Young Adult Parent Report (Copyright 1998 JW Varni, Ph.D. Iannaccone, S.T., Hynan, L.S., Morton, A., Buchanan, R., Limbers, C.A., Varni, J.W., the AmSMART Group (2009). The PedsQL in pediatric patients with Spinal Muscular Atrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Generic Core Scales and Neuromuscular Module. Neuromuscular Disorders, 19, 805-812. Davis, S.E., Hynan, L.S., Limbers, C.A., Andersen, C.M., Greene, M.C., Varni, J.W., Iannaccone, S.T. (2010). The PedsQL in pediatric patients with Duchenne Muscular Dystrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Neuromuscular Module and Generic Core Scales. Journal of Clinical Neuromuscular Disease, 11, 97-109).	Pediatric Quality of Life Neuromuscular Module Version 3.0 Parent Report for Young Adults Report Questionnaire
C138355	PEDSQL NEUROMUSCULAR MODULE V3 YOUNG ADULT	PQL01	Pediatric Quality of Life (PedsQL) Neuromuscular Module Version 3 Young Adult (Copyright 1998 JW Varni, Ph.D. Iannaccone, S.T., Hynan, L.S., Morton, A., Buchanan, R., Limbers, C.A., Varni, J.W., the AmSMART Group (2009). The PedsQL in pediatric patients with Spinal Muscular Atrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Generic Core Scales and Neuromuscular Module. Neuromuscular Disorders, 19, 805-812. Davis, S.E., Hynan, L.S., Limbers, C.A., Andersen, C.M., Greene, M.C., Varni, J.W., Iannaccone, S.T. (2010). The PedsQL in pediatric patients with Duchenne Muscular Dystrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Neuromuscular Module and Generic Core Scales. Journal of Clinical Neuromuscular Disease, 11, 97-109).	Pediatric Quality of Life Neuromuscular Module Version 3.0 Young Adult Report Questionnaire
C138353	PEDSQL NEUROMUSCULAR MODULE V3 YOUNG CHILD PARENT REPORT	PQL08	Pediatric Quality of Life (PedsQL) Neuromuscular Module Version 3 Young Child Parent Report (Copyright 1998 JW Varni, Ph.D. Iannaccone, S.T., Hynan, L.S., Morton, A., Buchanan, R., Limbers, C.A., Varni, J.W., the AmSMART Group (2009). The PedsQL in pediatric patients with Spinal Muscular Atrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Generic Core Scales and Neuromuscular Module. Neuromuscular Disorders, 19, 805-812. Davis, S.E., Hynan, L.S., Limbers, C.A., Andersen, C.M., Greene, M.C., Varni, J.W., Iannaccone, S.T. (2010). The PedsQL in pediatric patients with Duchenne Muscular Dystrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Neuromuscular Module and Generic Core Scales. Journal of Clinical Neuromuscular Disease, 11, 97-109).	Pediatric Quality of Life Neuromuscular Module Version 3.0 Parent Report for Young Child Questionnaire
C138356	PEDSQL NEUROMUSCULAR MODULE V3 YOUNG CHILD	PQL07	Pediatric Quality of Life (PedsQL) Neuromuscular Module Version 3 Young Child (Copyright 1998 JW Varni, Ph.D. Iannaccone, S.T., Hynan, L.S., Morton, A., Buchanan, R., Limbers, C.A., Varni, J.W., the AmSMART Group (2009). The PedsQL in pediatric patients with Spinal Muscular Atrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Generic Core Scales and Neuromuscular Module. Neuromuscular Disorders, 19, 805-812. Davis, S.E., Hynan, L.S., Limbers, C.A., Andersen, C.M., Greene, M.C., Varni, J.W., Iannaccone, S.T. (2010). The PedsQL in pediatric patients with Duchenne Muscular Dystrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Neuromuscular Module and Generic Core Scales. Journal of Clinical Neuromuscular Disease, 11, 97-109).	Pediatric Quality of Life Neuromuscular Module Version 3.0 Young Child Report Questionnaire

Questionnaire Details				
ID	Name	Code	Description	Source
C135739	PGI	PGI01	Patient Global Impression (PGI) generic modification for any disease/condition concept use case (Modified from Guy W: ECDEU Assessment Manual for Psychopharmacology. Rockville, MD: U.S. Department of Health, Education, and Welfare; 1976).	Patient Global Impression Generic Modification Version Questionnaire
C125761	PHQ SCREENER VERSION	PHQ03	Patient Health Questionnaire Screener Version (PHQ Screener) (Spitzer RL, Kroenke K, Williams JBW, for the Patient Health Questionnaire Primary Care Study Group. Validation and utility of a self-report version of PRIME-MD: the PHQ Primary Care Study. JAMA 1999;282:1737-1744. http://www.phqscreeners.com/instructions/instructions.pdf).	Patient Health Questionnaire Screener Version
C103527	PHQ-15	PHQ02	Patient Health Questionnaire - 15 (PHQ-15) (Kroenke K, Spitzer RL, Williams JBW. The PHQ-15: Validity of a new measure for evaluating the severity of somatic symptoms. Psychosom Med 2002; 64:258-266).	Patient Health Questionnaire - 15 Item
C123386	PHQ-2	PHQ04	Patient Health Questionnaire-2 (PHQ-2) (Kroenke K, Spitzer RL, Williams JB. The Patient Health Questionnaire-2: Validity of a Two-Item Depression Screener. Medical Care. 2003;41:1284-92).	Patient Health Questionnaire-2
C103526	PHQ-9	PHQ01	Patient Health Questionnaire - 9 (PHQ-9) (Kroenke K, Spitzer RL, Williams JBW. The PHQ-9: Validity of a brief depression severity measure. J Gen Intern Med 2001; 16:606-613).	Patient Health Questionnaire - 9 Item
C105167	PI	PI01	The Pain Intensity (PI) questions were created by STANDARDS (Standardized Analgesic Database for Research, Discovery, and Submissions) and sponsored by ACTTION (Analgesic Clinical Trial Translations, Innovations, Opportunities, and Networks) www.action.org ; 2012-08-07 v1.	STANDARDS Pain Intensity Questionnaire
C135743	PODCI - ADOLESCENT PARENT REPORTED	PODCI2	Pediatric Outcomes Data Collection Instrument (PODCI), Adolescent Parent-Reported (Daltroy LH, Liang MH, Fossel AH, Goldberg MJ, and The Outcomes Instrument Development Work Group. The POSNA Pediatric Musculoskeletal Functional Health Questionnaire:report on reliability, validity, and sensitivity to change. J Pediatr Orthop 1998; 18: 561-71).	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported Version Questionnaire
C135744	PODCI - ADOLESCENT SELF REPORTED	PODCI3	Pediatric Outcomes Data Collection Instrument (PODCI), Adolescent Self-Reported (Daltroy LH, Liang MH, Fossel AH, Goldberg MJ, and The Outcomes Instrument Development Work Group. The POSNA Pediatric Musculoskeletal Functional Health Questionnaire:report on reliability, validity, and sensitivity to change. J Pediatr Orthop 1998; 18: 561-71).	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported Version Questionnaire
C135742	PODCI - PEDIATRIC PARENT REPORTED	PODCI1	Pediatric Outcomes Data Collection Instrument (PODCI), Pediatric Parent-Reported (Daltroy LH, Liang MH, Fossel AH, Goldberg MJ, and The Outcomes Instrument Development Work Group. The POSNA Pediatric Musculoskeletal Functional Health Questionnaire: report on reliability, validity, and sensitivity to change. J Pediatr Orthop 1998; 18: 561-71).	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported Version Questionnaire
C105168	PR	PR01	The Pain Relief (PR) questions were created by STANDARDS (Standardized Analgesic Database for Research, Discovery, and Submissions) and sponsored by ACTTION (Analgesic Clinical Trial Translations, Innovations, Opportunities, and Networks) www.action.org ; 2012-08-07 v1.	STANDARDS Pain Relief Questionnaire
C179975	PRO-CTCAE V1.0 VERSION DATE 4/26/2020	PT01	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 (PRO-CTCAE V1.0 VERSION DATE 4/26/2020). The PRO-CTCAE trademark items and information herein were developed by the Division of Cancer Control and Population Sciences in the NATIONAL CANCER INSTITUTE at the NATIONAL INSTITUTES OF HEALTH, in Bethesda, Maryland, U.S.A. Use of the PRO-CTCAE is subject to NCI's "Terms of Use". PRO-CTCAE Measurement System content should be downloaded using the "Instrument & Form Builder". https://healthcaredelivery.cancer.gov/prot-ctcae/ . (Basch E, Reeve BB, Mitchell SA, Clauer SB, Minasian LM, Dueck AC, Mendoza TR, Hay J, Atkinson TM, Abernethy AP, Bruner DW, Cleeland CS, Sloan JA, Chilukuri R, Baumgartner P, Denicoff A, St Germain D, O'Mara AM, Chen A, Kelaghan J, Bennett AV, Sit L, Rogak L, Barz A, Paul DB, Schrag D. Development of the National Cancer Institute's patient-reported outcomes version of the common terminology criteria for adverse events (PRO-CTCAE). J Natl Cancer Inst 2014 Sept 29;106(9)).	Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events Item Library Version 1.0 Version Date 4/26/2020 Questionnaire
C127372	PROSQOLI	PROSQ01	Prostate Cancer Specific Quality of Life Instrument (PROSQOLI) (Stockler MR, Osoba D, Corey P, Goodwin PJ, Tannock IF. Convergent discriminative, and predictive validity of the Prostate Cancer Specific Quality of Life Instrument (PROSQOLI) assessment and comparison with analogous scales from the EORTC QLQ-C30 and a trial-specific module. European Organisation for Research and Treatment of Cancer. Core Quality of Life Questionnaire. J Clin Epidemiol 1999;52:653-66)	Prostate Cancer Specific Quality of Life Instrument Questionnaire

C103849	PSQI	PSQI1	Pittsburgh Sleep Quality Index (PSQI) (Copyright 1989, University of Pittsburgh. Buysse,D.J., Reynolds,C.F., Monk,T.H., Berman,S.R., & Kupfer, D.J. The Pittsburgh Sleep Quality Index (PSQI): A new instrument for psychiatric practice and research. Psychiatry Research, 1989, 28(2):193-213).	Pittsburgh Sleep Quality Index
C130317	Q-LES-Q	QLES1	Quality Of Life Enjoyment And Satisfaction Questionnaire (Q-LES-Q) (Copyright Jean Endicott, PhD; Unit 123, 1051 Riverside Drive, New York, NY 10032. 212-543-5536; Endicott J, Nee J, Harrison W, Blumenthal R. Quality of Life Enjoyment and Satisfaction Questionnaire: a new measure. Psychopharmacol Bull. 1993;29(2):321-6).	Quality Of Life Enjoyment And Satisfaction Questionnaire
C130318	Q-LES-Q-SF	QLES2	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form (Q-LES-Q-SF) (Copyright Jean Endicott, PhD; Unit 123, 1051 Riverside Drive, New York, NY 10032. 212-543-5536; Endicott J, Nee J, Harrison W, Blumenthal R. Quality of Life Enjoyment and Satisfaction Questionnaire: a new measure. Psychopharmacol Bull. 1993;29(2):321-6).	Quality of Life Enjoyment and Satisfaction Questionnaire-Short Form
C130316	QIDS-SR	QIDSR1	Quick Inventory of Depressive Symptomatology - Self-Report (QIDS-SR) (Copyright UT Southwestern Medical Center at Dallas. Rush AJ, Trivedi MH, Ibrahim HM, Carmody TJ, Arnow B, Klein DN, Markowitz JC, Ninan PT, Kornstein S, Manber R, Thase ME, Kocsis JH, Keller MB. The 16-item Quick Inventory of Depressive Symptomatology (QIDS) Clinician Rating (QIDS-C) and Self-Report (QIDS-SR): A psychometric evaluation in patients with chronic major depression. Biological Psychiatry, 54:573-583, 2003).	Quick Inventory of Depressive Symptomatology Self-Report Version Questionnaire
C135745	RAND SOCIAL SUPPORT SURVEY INSTRUMENT	RSSS01	RAND Social Support Survey Instrument (Copyright the RAND Corporation. Developed at RAND as part of the Medical Outcomes Study).	RAND Social Support Survey Instrument Questionnaire
C113879	RAND-36 V1.0	R3601	RAND 36-Item Health Survey 1.0 (RAND-36) (Copyright the RAND Corporation. Developed at RAND as part of the Medical Outcomes Study).	RAND 36-Item Health Survey 1.0 Questionnaire
C100774	RDQ	RDQ01	Roland Morris Disability Questionnaire (RDQ) (Roland MO, Morris RW. A study of the natural history of back pain. Part 1: Development of a reliable and sensitive measure of disability in low back pain. Spine 1983;8:141-144).	Roland Morris Disability Questionnaire
C119103	RPQ	RPQ01	Rivermead Post Concussion Symptoms Questionnaire (RPQ) (King NS, Crawford S, Wenden FJ, Moss NEG, Wade DT. The Rivermead Post Concussion Symptoms Questionnaire: a measure of symptoms commonly experienced after head injury and its reliability. J Neurol. 1995;242:587-592).	Rivermead Post-Concussion Symptoms Questionnaire
C111384	SDS	SDS01	Sheehan Disability Scale (Copyright 1983, 2010, 2011 David V. Sheehan. All rights reserved.).	Sheehan Disability Scale Questionnaire
C174065	SF10 V1.0 CHILDREN ACUTE	SF102	The Short Form 10 Health Survey for Children, Acute, US Version 1.0 (SF10 v1.0 CHILDREN ACUTE) (copyright 2001, 2005, 2011 QualityMetric Incorporated. All rights reserved). These materials discuss and/or include one or more of the SF Health Surveys, which are owned exclusively by QualityMetric Incorporated. No part of the SF Health Surveys may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of QualityMetric Incorporated and payment of any applicable fees. Copyright QualityMetric Incorporated. All rights reserved.	Short Form 10 Health Survey for Children Acute, US Version 1.0 Questionnaire
C174064	SF10 V1.0 CHILDREN STANDARD	SF101	The Short Form 10 Health Survey for Children, Standard, US Version 1.0 (SF10 v1.0 CHILDREN STANDARD) (copyright 2001, 2005 QualityMetric Incorporated. All rights reserved). These materials discuss and/or include one or more of the SF Health Surveys, which are owned exclusively by QualityMetric Incorporated. No part of the SF Health Surveys may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of QualityMetric Incorporated and payment of any applicable fees. Copyright QualityMetric Incorporated. All rights reserved.	Short Form 10 Health Survey for Children Standard, US Version 1.0 Questionnaire
C174067	SF12 V1.0 ACUTE	SF122	The Short Form 12 Health Survey, Acute, US Version 1.0 (SF12 v1.0 ACUTE) (copyright 1994, 2002 by Medical Outcomes Trust and QualityMetric Incorporated. All rights reserved). These materials discuss and/or include one or more of the SF Health Surveys, which are owned exclusively by QualityMetric Incorporated. No part of the SF Health Surveys may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of QualityMetric Incorporated and payment of any applicable fees. Copyright QualityMetric Incorporated. All rights reserved.	Short Form 12 Health Survey Acute, US Version 1.0 Questionnaire

C174066	SF12 V1.0 STANDARD	SF121	The Short Form 12 Health Survey, Standard, US Version 1.0 (SF12 v1.0 STANDARD) (copyright 1994, 2002 by Medical Outcomes Trust and QualityMetric Incorporated. All rights reserved). These materials discuss and/or include one or more of the SF Health Surveys, which are owned exclusively by QualityMetric Incorporated. No part of the SF Health Surveys may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of QualityMetric Incorporated and payment of any applicable fees. Copyright QualityMetric Incorporated. All rights reserved.	Short Form 12 Health Survey Standard, US Version 1.0 Questionnaire
C174069	SF12 V2.0 ACUTE	SF124	The Short Form 12 Health Survey, Acute, US Version 2.0 (SF12 v2.0 ACUTE) (copyright 1994, 2002 Medical Outcomes Trust and QualityMetric Incorporated. All rights reserved). These materials discuss and/or include one or more of the SF Health Surveys, which are owned exclusively by QualityMetric Incorporated. No part of the SF Health Surveys may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of QualityMetric Incorporated and payment of any applicable fees. Copyright QualityMetric Incorporated. All rights reserved.	Short Form 12 Health Survey Acute, US Version 2.0 Questionnaire
C174068	SF12 V2.0 STANDARD	SF123	The Short Form 12 Health Survey, Standard, US Version 2.0 (SF12 v2.0 STANDARD) (copyright 1994, 2002 Medical Outcomes Trust and QualityMetric Incorporated. All rights reserved). These materials discuss and/or include one or more of the SF Health Surveys, which are owned exclusively by QualityMetric Incorporated. No part of the SF Health Surveys may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of QualityMetric Incorporated and payment of any applicable fees. Copyright QualityMetric Incorporated. All rights reserved.	Short Form 12 Health Survey Standard, US Version 2.0 Questionnaire
C102120	SF36 V1.0 ACUTE	SF362	The Short Form 36 Health Survey Acute, US Version 1.0 (SF36 V1.0 ACUTE) (copyright 1988, 2002 by Medical Outcomes Trust and QualityMetric Incorporated. All rights reserved). These materials discuss and/or include one or more of the SF Health Surveys, which are owned exclusively by QualityMetric Incorporated. No part of the SF Health Surveys may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of QualityMetric Incorporated and payment of any applicable fees. Copyright QualityMetric Incorporated. All rights reserved.	Short Form 36 Health Survey Acute, US Version 1.0 Questionnaire
C100775	SF36 V1.0 STANDARD	SF361	The Short Form 36 Health Survey Standard, US Version 1.0 (SF36 V1.0 STANDARD) (copyright 1988, 2002 by Medical Outcomes Trust and QualityMetric Incorporated. All rights reserved). These materials discuss and/or include one or more of the SF Health Surveys, which are owned exclusively by QualityMetric Incorporated. No part of the SF Health Surveys may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of QualityMetric Incorporated and payment of any applicable fees. Copyright QualityMetric Incorporated. All rights reserved.	Short Form 36 Health Survey Standard, US Version 1.0 Questionnaire
C102121	SF36 V2.0 ACUTE	SF364	The Short Form 36 Health Survey Acute, US Version 2.0 (SF36 V2.0 ACUTE) (copyright 1992, 1996, 2000 Medical Outcomes Trust and QualityMetric Incorporated. All rights reserved). These materials discuss and/or include one or more of the SF Health Surveys, which are owned exclusively by QualityMetric Incorporated. No part of the SF Health Surveys may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of QualityMetric Incorporated and payment of any applicable fees. Copyright QualityMetric Incorporated. All rights reserved.	Short Form 36 Health Survey Acute, US Version 2.0 Questionnaire
C102122	SF36 V2.0 STANDARD	SF363	The Short Form 36 Health Survey Standard, US Version 2.0 (SF36 V2.0 STANDARD) (copyright 1992, 1996, 2000 Medical Outcomes Trust and QualityMetric Incorporated. All rights reserved). These materials discuss and/or include one or more of the SF Health Surveys, which are owned exclusively by QualityMetric Incorporated. No part of the SF Health Surveys may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of QualityMetric Incorporated and payment of any applicable fees. Copyright QualityMetric Incorporated. All rights reserved.	Short Form 36 Health Survey Standard, US Version 2.0 Questionnaire

Questionnaire Details				
ID	Name	Code	Description	Version
C185761	SF6D V2.0 ACUTE	SF6D2	SF-6Dv2 Health Utility Survey Acute, English Version 2.0 (SF6D V2.0 ACUTE) (copyright 2021 QualityMetric Incorporated, LLC. All rights reserved). These materials discuss and/or include one or more of the SF Health Surveys, which are owned exclusively by QualityMetric Incorporated, LLC. No part of the SF Health Surveys may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of QualityMetric and payment of any applicable fees. Copyright QualityMetric Incorporated, LLC. All rights reserved.	SF-6Dv2 Health Utility Survey Acute, English Version 2.0 Questionnaire
C185762	SF6D V2.0 STANDARD	SF6D1	SF-6Dv2 Health Utility Survey Standard, English Version 2.0 (SF6D V2.0 STANDARD) (copyright 2021 QualityMetric Incorporated, LLC. All rights reserved). These materials discuss and/or include one or more of the SF Health Surveys, which are owned exclusively by QualityMetric Incorporated, LLC. No part of the SF Health Surveys may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of QualityMetric and payment of any applicable fees. Copyright QualityMetric Incorporated, LLC. All rights reserved.	SF-6Dv2 Health Utility Survey Standard, English Version 2.0 Questionnaire
C174063	SF8 V1.0 ACUTE	SF82	The Short Form 8 Health Survey, Acute, US Version 1.0 (SF8 v1.0 ACUTE) (copyright 1999, 2001 QualityMetric Incorporated. All rights reserved). These materials discuss and/or include one or more of the SF Health Surveys, which are owned exclusively by QualityMetric Incorporated. No part of the SF Health Surveys may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of QualityMetric Incorporated and payment of any applicable fees. Copyright QualityMetric Incorporated. All rights reserved.	Short Form 8 Health Survey Acute, US Version 1.0 Questionnaire
C174062	SF8 V1.0 STANDARD	SF81	The Short Form 8 Health Survey, Standard, US Version 1.0 (SF8 v1.0 STANDARD) (copyright 1998, 1999 QualityMetric Incorporated. All rights reserved). These materials discuss and/or include one or more of the SF Health Surveys, which are owned exclusively by QualityMetric Incorporated. No part of the SF Health Surveys may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of QualityMetric Incorporated and payment of any applicable fees. Copyright QualityMetric Incorporated. All rights reserved.	Short Form 8 Health Survey Standard, US Version 1.0 Questionnaire
C112525	SGRQ PAST 3 MONTHS VERSION	SGRQ01	St. George's Respiratory Questionnaire (SGRQ) Past 3 Months Version (copyright P.W. Jones, St. George's University of London).	St. George's Respiratory Questionnaire Past 3 Months Version
C112526	SGRQ PAST 4 WEEKS VERSION	SGRQ02	St. George's Respiratory Questionnaire (SGRQ) Past 4 Weeks Version (copyright P.W. Jones, St. George's University of London).	St. George's Respiratory Questionnaire Past 4 Weeks Version
C106890	SGRQ-C	SGRQC1	St. George's Respiratory Questionnaire for COPD Patients (SGRQ-C) (Jones PW, Quirk FH, Baveystock CM, and Littlejohns PA. Self-complete measure of health status for chronic airflow limitation. The St. George's Respiratory Questionnaire. Am Rev Respir Dis. 1992 Jun; 145(6):1321-7).	St. George's Respiratory Questionnaire for Chronic Obstructive Pulmonary Disease Patients
C100776	SHORT-FORM MPQ-2	SFMP2	Short-Form McGill Pain Questionnaire-2 (SF-MPQ-2) (Copyright R. Melzack and the Initiative on Methods, Measurement, and Pain Assessment in Clinical Trials (IMMPACT), 2009, All Rights Reserved).	Short-Form McGill Pain Questionnaire-2
C150920	SIQ	SIQ01	Suicidal Ideation Questionnaire (SIQ) (Copyright 1987 Psychological Assessment Resources, Inc. (PAR). All rights reserved. May not be reproduced in whole or in part in any form or by any means without written permission of Psychological Assessment Resources, Inc.).	Suicidal Ideation Questionnaire
C150921	SIQ-JR	SIQ02	Suicidal Ideation Questionnaire-JR (SIQ-JR) (Copyright 1987 Psychological Assessment Resources, Inc. (PAR). All rights reserved. May not be reproduced in whole or in part in any form or by any means without written permission of Psychological Assessment Resources, Inc.).	Suicidal Ideation Questionnaire-Junior
C103528	SIQR	SIQR01	Symptom Impact Questionnaire (SIQR) (copyright 2009 Bennett RM and Friend. All Rights Reserved.).	Symptom Impact Questionnaire

Questionnaire Details				
ID	Name	Code	Description	Reference
C155328	SMDDS V1.0	SMDDS1	Symptoms of Major Depressive Disorder Scale v1.0 (SMDDS V1.0) (Version 1.0 Copyright 2015 Critical Path Institute. All Rights Reserved. McCarrier KP, Deal LS, Abraham L, Blum SI, Bush EN, Martin M, Thase ME, Coons SJ on behalf of the Patient-Reported Outcome Consortium's Depression Working Group. Patient-centered research to support the development of the Symptoms of Major Depressive Disorder Scale (SMDDS): initial qualitative research. The Patient-Patient-Centered Outcomes Research 2016;9:117-134. Patient-Reported Outcome (PRO) Consortium - Symptoms of Major Depressive Disorder Scale (SMDDS) User Manual, Version 1: October 31, 2017). No part of the SMDDS V1.0 may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the Critical Path Institute and payment of any applicable fees. Copyright Critical Path Institute, 2018. All rights reserved).	Symptoms of Major Depressive Disorder Scale v1.0 Questionnaire
C100777	SOAPP-R	SOAPR1	Screener and Opioid Assessment for Patients with Pain Revised (SOAPP-R) (copyright 2007 Inflexxion, Inc., All rights reserved).	Screener and Opioid Assessment for Patients with Pain Revised Questionnaire
C123659	SOBDA	SOBDA1	Shortness of Breath with Daily Activities Questionnaire (SOBDA) (Wilcox TK, Chen WH, Howard KA, Wiklund I, Brooks J, Watkins ML, Cates CE, Tabberer MM, Crim C. Item selection, reliability and validity of the Shortness of Breath with Daily Activities (SOBDA) questionnaire: a new outcome measure for evaluating dyspnea in chronic obstructive pulmonary disease. Health and Quality of Life Outcomes 2013;11:196).	Shortness of Breath with Daily Activities Questionnaire
C103529	SOWS SHORT	SOWSB1	Short Opiate Withdrawal Scale (SOWS SHORT) (Gossop, M. The development of a short opiate withdrawal scale. Addictive Behaviors 1990; 15:487-490).	Short Opiate Withdrawal Scale Questionnaire
C102123	SOWS SUBJECTIVE	SOWSA1	The Subjective Opiate Withdrawal Scale (SOWS) (Handelsman, L., Cochrane, K. J., Aronson, M. J. Ness, R., Rubinstein K.J., Kanof, P.D. (1987) Two New Rating Scales for Opiate Withdrawal. American Journal of Alcohol Abuse, 13, 293-308).	Subjective Opiate Withdrawal Scale Questionnaire
C115799	SWLS	SWLS01	The Satisfaction With Life Scale (SWLS) (Diener, E., Emmons, R., Larsen, J., and Griffin, S. (1985). The Satisfaction With Life Scale. J Personality Assessment, 49(1): 71-75).	Satisfaction With Life Scale Questionnaire
C161655	T1-DDS	DDS01	Diabetes Distress Scale for Adults with Type 1 Diabetes (T1-DDS) (Fisher L, Polonsky WH, Hessler DM, Masharani U, Blumer I, Peters AL, Strycker LA, Bowyer V. Understanding the sources of diabetes distress in adults with type 1 diabetes. J Diabetes Complications 2015; 29(4): 572-7).	Diabetes Distress Scale for Adults with Type 1 Diabetes Questionnaire
C147587	TSCC	TSCC01	Trauma Symptom Checklist for Children (TSCC) (Copyright 1989, 1996 by PAR. All rights reserved. May not be reproduced in whole or in part in any form or by any means without written permission of PAR).	Trauma Symptom Checklist for Children Questionnaire
C147588	TSCYC	TSCYC1	Trauma Symptom Checklist for Young Children (TSCYC) (Copyright 1999, 2005 by Psychological Assessment Resources, Inc. (PAR). All rights reserved. May not be reproduced in whole or in part in any form or by any means without written permission of Psychological Assessment Resources, Inc).	Trauma Symptom Checklist for Young Children Questionnaire
C132535	TSQM V1.4	TSQM01	Treatment Satisfaction Questionnaire for Medication - Version 1.4 (TSQM V1.4) (Copyright 2004, Quintiles. All Rights Reserved).	Treatment Satisfaction Questionnaire for Medication Version 1.4
C103530	UPS	UPS01	Urgency Perception Scale (UPS) (copyright Pfizer. All rights reserved.).	Urgency Perception Scale Questionnaire
C112527	VFQ-25 INTERVIEWER ADMINISTERED	VFQ1	National Eye Institute Visual Functioning Questionnaire - 25 (VFQ-25) Version 2000 Interviewer-Administered Format (Mangione, C. M., Lee, P. P., Gutierrez, P. R., Spritzer, K., Berry, S., & Hays, R. D. Development of the 25-item National Eye Institute Visual Function Questionnaire (VFQ-25). Archives of Ophthalmology. 2001; 119:1050-1058). (This instrument was developed at RAND under the sponsorship of the National Eye Institute).	Visual Functioning Questionnaire 25-Interviewer Administered Format Version 2000
C112528	VFQ-25 SELF ADMINISTERED	VFQ2	National Eye Institute Visual Functioning Questionnaire - 25 (VFQ-25) Version 2000 Self-Administered Format (Mangione, C. M., Lee, P. P., Gutierrez, P. R., Spritzer, K., Berry, S., & Hays, R. D. Development of the 25-item National Eye Institute Visual Function Questionnaire (VFQ-25). Archives of Ophthalmology. 2001; 119:1050-1058). (This instrument was developed at RAND under the sponsorship of the National Eye Institute).	Visual Functioning Questionnaire 25-Self Administered Format Version 2000

Assessment Tools			
C130325	WHODAS 2.0 - 12 + 24-ITEM INTERVIEWER	WD4	World Health Organization Disability Assessment Schedule 2.0 - 12+24-item Version, Interviewer-administered (WHODAS 2.0 - 12+24-item Version Interviewer-administered) (Reproduced, with permission of WHO, from Measuring Health and Disability: Manual for WHO Disability Assessment Schedule (WHODAS 2.0). Geneva, World Health Organization, 2010 (WHODAS 2.0 12+24-Item Version, Interviewer-Administered www.who.int/classifications/icf/whodasii/en)).
C130322	WHODAS 2.0 - 12-ITEM INTERVIEWER	WD1	World Health Organization Disability Assessment Schedule 2.0 - 12-item Version, Interviewer-administered (WHODAS 2.0 - 12-item Version Interviewer-administered) (Reproduced, with permission of WHO, from Measuring Health and Disability: Manual for WHO Disability Assessment Schedule (WHODAS 2.0). Geneva, World Health Organization, 2010 (WHODAS 2.0 12-Item Version, Interviewer-Administered www.who.int/classifications/icf/whodasii/en)).
C130323	WHODAS 2.0 - 12-ITEM PROXY	WD2	World Health Organization Disability Assessment Schedule 2.0 - 12-item Version, Proxy-administered (WHODAS 2.0 - 12-item Version Proxy-administered) (Reproduced, with permission of WHO, from Measuring Health and Disability: Manual for WHO Disability Assessment Schedule (WHODAS 2.0). Geneva, World Health Organization, 2010 (WHODAS 2.0 12-Item Version, Proxy-Administered www.who.int/classifications/icf/whodasii/en)).
C130324	WHODAS 2.0 - 12-ITEM SELF	WD3	World Health Organization Disability Assessment Schedule 2.0 - 12-item Version, Self-administered (WHODAS 2.0 - 12-item Version Self-administered) (Reproduced, with permission of WHO, from Measuring Health and Disability: Manual for WHO Disability Assessment Schedule (WHODAS 2.0). Geneva, World Health Organization, 2010 (WHODAS 2.0 12-Item Version, Self-Administered www.who.int/classifications/icf/whodasii/en)).
C130319	WHODAS 2.0 - 36-ITEM INTERVIEWER	WD5	World Health Organization Disability Assessment Schedule 2.0 - 36-item Version, Interviewer-administered (WHODAS 2.0 - 36-item Version Interviewer-administered) (Reproduced, with permission of WHO, from Measuring Health and Disability: Manual for WHO Disability Assessment Schedule (WHODAS 2.0). Geneva, World Health Organization, 2010 (WHODAS 2.0 36-item Version, Interviewer-Administered www.who.int/classifications/icf/whodasii/en)).
C130320	WHODAS 2.0 - 36-ITEM PROXY	WD6	World Health Organization Disability Assessment Schedule 2.0 - 36-item Version, Proxy-administered (WHODAS 2.0 - 36-item Version Proxy-administered) (Reproduced, with permission of WHO, from Measuring Health and Disability: Manual for WHO Disability Assessment Schedule (WHODAS 2.0). Geneva, World Health Organization, 2010 (WHODAS 2.0 36-item Version, Proxy-Administered www.who.int/classifications/icf/whodasii/en)).
C130321	WHODAS 2.0 - 36-ITEM SELF	WD7	World Health Organization Disability Assessment Schedule 2.0 - 36-item Version, Self-administered (WHODAS 2.0 - 36-item Version Self-administered) (Reproduced, with permission of WHO, from Measuring Health and Disability: Manual for WHO Disability Assessment Schedule (WHODAS 2.0). Geneva, World Health Organization, 2010 (WHODAS 2.0 36-item Version, Self-Administered www.who.int/classifications/icf/whodasii/en)).
C119096	WLQ	WLQ01	Work Limitations Questionnaire (WLQ) (copyright 1998. The Health Institute, Tufts Medical Center /k/a New England Medical Center Hospitals, Inc.; Debra Lerner, Ph.D.; Benjamin Amick III, Ph.D.; and GlaxoWellcome, Inc. All Rights Reserved).
C122384	WOMAC LK 3.1 INDEX	WOMAC1	Western Ontario and McMaster Universities Osteoarthritis Index Version 3.1 Likert Scale Format (WOMAC LK 3.1) (Bellamy N. WOMAC Osteoarthritis Index User Guide. Version V. Brisbane, Australia 2002; WOMAC 3.1 User Guide XI; WOMAC is a registered trade-mark. Copyright 2008. Prof Nicholas Bellamy. All Rights Reserved).
C122385	WOMAC NRS 3.1 INDEX	WOMAC2	Western Ontario and McMaster Universities Osteoarthritis Index Version 3.1 Numerical Rating Scale Format (WOMAC NRS 3.1) (Bellamy N. WOMAC Osteoarthritis Index User Guide. Version V. Brisbane, Australia 2002; WOMAC 3.1 User Guide XI; WOMAC is a registered trade-mark. Copyright 2008. Prof Nicholas Bellamy. All Rights Reserved).
C122386	WOMAC VA 3.1 INDEX	WOMAC3	Western Ontario and McMaster Universities Osteoarthritis Index Version 3.1 Visual Analog Scale Format (WOMAC VA 3.1) (Bellamy N. WOMAC Osteoarthritis Index User Guide. Version V. Brisbane, Australia 2002; WOMAC 3.1 User Guide XI; WOMAC is a registered trade-mark. Copyright 2008. Prof Nicholas Bellamy. All Rights Reserved).

Questionnaire Details				
Code	Name	Code	Description	Questionnaire Name
C123285	WPAI-GH V2.0	WPAI02	The Work Productivity and Activity Impairment - General Health Version 2.0 (WPAI-GH V2.0) (Reilly MC, Zbrozek AS, Dukes EM. The validity and reproducibility of a work productivity and activity impairment instrument. <i>PharmacoEconomics</i> 1993; 4(5):353-65. http://www.reillyassociates.net/WPAI_GH.html . http://www.reillyassociates.net/WPAI_General.html).	Work Productivity and Activity Impairment General Health V2.0 Questionnaire
C100779	WPAI-SHP V2.0	WPAI01	The Work Productivity and Activity Impairment - Specific Health Problems Questionnaire Version 2.0 (WPAI-SHP V2.0) (Reilly MC, Zbrozek AS, Dukes EM. The validity and reproducibility of a work productivity and activity impairment instrument. <i>PharmacoEconomics</i> 1993; 4(5):353-65. http://www.reillyassociates.net/WPAI_SHP.html . http://www.reillyassociates.net/WPAI_General.html).	Work Productivity and Activity Impairment Specific Health Problems Version 2.0 Questionnaire
C102124	YMRS	YMRS01	Young Mania Rating Scale (YMRS) (Young RC, Biggs JT, Ziegler VE et al: A rating scale for mania: reliability, validity and sensitivity. <i>Br J Psychiatry</i> 133: 429-435, 1978).	Young Mania Rating Scale Questionnaire

C114043	R360101	R3601-Would You Say Your Health Is	RAND 36-Item Health Survey 1.0 - In general, would you say your health is:	RAND-36 - Rate Your Health
C114044	R360102	R3601-Health Now Compared to 1 Year Ago	RAND 36-Item Health Survey 1.0 - Compared to one year ago, how would you rate your health in general now?	RAND-36 - Rate Your Health Compared to One Year Ago
C114045	R360103	R3601-Health Limit Vigorous Activities	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Vigorous activities, such as running, lifting heavy objects, participating in strenuous sports.	RAND-36 - Health Limit Vigorous Activities
C114046	R360104	R3601-Health Limit Moderate Activities	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Moderate activities, such as moving a table, pushing a vacuum cleaner, bowling, or playing golf.	RAND-36 - Health Limit Moderate Activities
C114047	R360105	R3601-Health Limit Carrying Groceries	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Lifting or carrying groceries.	RAND-36 - Health Limit Lifting Groceries
C114048	R360106	R3601-Health Limit Climb Several Flights	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Climbing several flights of stairs.	RAND-36 - Health Limit Climbing Several Flights
C114049	R360107	R3601-Health Limit Climb One Flight	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Climbing one flight of stairs.	RAND-36 - Health Limit Climbing One Flight
C114050	R360108	R3601-Health Limit Bending or Kneeling	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Bending, kneeling, or stooping.	RAND-36 - Health Limit Bending or Stooping
C114051	R360109	R3601-Health Limit Walk More Than Mile	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Walking more than a mile.	RAND-36 - Health Limit Walking More Than A Mile
C114052	R360110	R3601-Health Limit Walk Several Blocks	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Walking several blocks.	RAND-36 - Health Limit Walking Several Blocks
C114053	R360111	R3601-Health Limit Walk One Block	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Walking one block.	RAND-36 - Health Limit Walking One Block
C114054	R360112	R3601-Health Limit Bathing/Dressing Self	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Bathing or dressing yourself.	RAND-36 - Health Limit Bathing or Dressing
C114055	R360113	R3601-Phys Health: Cut Work Time	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health: Cut down the amount of time you spent on work or other activities.	RAND-36 - Physical Health Cut Down Time Spent on Work
C114056	R360114	R3601-Phys Health: Accomplish Less	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health: Accomplished less than you would like.	RAND-36 - Physical Health Accomplished Less
C114057	R360115	R3601-Phys Health: Limit Kind of Work	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health: Were limited in the kind of work or other activities.	RAND-36 - Physical Health Limited in the Kind of Work
C114058	R360116	R3601-Phys Health: Difficulty Performing	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health: Had difficulty performing the work or other activities.	RAND-36 - Physical Health Difficulty Performing Work
C114059	R360117	R3601-Emotional Problem: Cut Work Time	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems: Cut down the amount of time you spent on work or other activities.	RAND-36 - Emotional Problem Cut Down Time Spent on Work
C114060	R360118	R3601-Emotional Problem: Accomplish Less	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems: Accomplished less than you would like.	RAND-36 - Emotional Problem Accomplished Less
C114061	R360119	R3601-Emotional Problem: Less Careful	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems: Didn't do work or other activities as carefully as usual.	RAND-36 - Emotional Problem Did Not Do Work as Carefully
C114062	R360120	R3601-Extent Interfered Social Activity	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, to what extent has your physical health or emotional problems interfered with your normal social activities with family, friends, neighbors, or groups?	RAND-36 - Extend Physical Health or Emotional Problems Interfere With Social Activities
C114063	R360121	R3601-How Much Bodily Pain Have You Had	RAND 36-Item Health Survey 1.0 - How much bodily pain have you had during the past 4 weeks?	RAND-36 - Bodily Pain

Health Survey Items				
C114064	R360122	R3601-Did Pain Interfere With Your Work	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, how much did pain interfere with your normal work?	RAND-36 - Pain Interfere With Normal Work
C114065	R360123	R3601-Did You Feel Full of Pep	RAND 36-Item Health Survey 1.0 - How much of the time during the past 4 weeks: Did you feel full of pep?	RAND-36 - Feel Full of Pep
C114066	R360124	R3601-Have Been a Very Nervous Person	RAND 36-Item Health Survey 1.0 - How much of the time during the past 4 weeks: Have you been a very nervous person?	RAND-36 - Been a Nervous Person
C114067	R360125	R3601-Have Felt So Down in the Dumps	RAND 36-Item Health Survey 1.0 - How much of the time during the past 4 weeks: Have you felt so down in the dumps that nothing could cheer you up?	RAND-36 - Felt Nothing Could Cheer You Up
C114068	R360126	R3601-Have You Felt Calm and Peaceful	RAND 36-Item Health Survey 1.0 - How much of the time during the past 4 weeks: Have you felt calm and peaceful?	RAND-36 - Felt Calm and Peaceful
C114069	R360127	R3601-Did You Have a Lot of Energy	RAND 36-Item Health Survey 1.0 - How much of the time during the past 4 weeks: Did you have a lot of energy?	RAND-36 - Have a Lot of Energy
C114070	R360128	R3601-Have Felt Downhearted and Blue	RAND 36-Item Health Survey 1.0 - How much of the time during the past 4 weeks: Have you felt downhearted and blue?	RAND-36 - Felt Downhearted and Blue
C114071	R360129	R3601-Did You Feel Worn Out	RAND 36-Item Health Survey 1.0 - How much of the time during the past 4 weeks: Did you feel worn out?	RAND-36 - Feel Worn Out
C114072	R360130	R3601-Have You Been a Happy Person	RAND 36-Item Health Survey 1.0 - How much of the time during the past 4 weeks: Have you been a happy person?	RAND-36 - Been a Happy Person
C114073	R360131	R3601-Did You Feel Tired	RAND 36-Item Health Survey 1.0 - How much of the time during the past 4 weeks: Did you feel tired?	RAND-36 - Feel Tired
C114074	R360132	R3601-Amt Time Interfere Social Activity	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, how much of the time has your physical health or emotional problems interfered with your social activities?	RAND-36 - Time Physical Health or Emotional Problems Interfere With Social Activities
C114075	R360133	R3601-Get Sick Easier Than Other People	RAND 36-Item Health Survey 1.0 - How TRUE or FALSE is each of the following statements for you: I seem to get sick a little easier than other people.	RAND-36 - Get Sick Easier Than Other
C114076	R360134	R3601-I Am as Healthy as Anybody I Know	RAND 36-Item Health Survey 1.0 - How TRUE or FALSE is each of the following statements for you: I am as healthy as anybody I know.	RAND-36 - As Healthy as Anybody
C114077	R360135	R3601-I Expect My Health to Get Worse	RAND 36-Item Health Survey 1.0 - How TRUE or FALSE is each of the following statements for you: I expect my health to get worse.	RAND-36 - Expect Health to Get Worse
C114078	R360136	R3601-My Health Is Excellent	RAND 36-Item Health Survey 1.0 - How TRUE or FALSE is each of the following statements for you: My health is excellent.	RAND-36 - My Health is Excellent

C114074	R3601-Amt Time Interfere Social Activity	R3601-Amt Time Interfere Social Activity	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, how much of the time has your physical health or emotional problems interfered with your social activities?	RAND-36 - Time Physical Health or Emotional Problems Interfere With Social Activities
C114064	R3601-Did Pain Interfere With Your Work	R3601-Did Pain Interfere With Your Work	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, how much did pain interfere with your normal work?	RAND-36 - Pain Interfere With Normal Work
C114065	R3601-Did You Feel Full of Pep	R3601-Did You Feel Full of Pep	RAND 36-Item Health Survey 1.0 - How much of the time during the past 4 weeks: Did you feel full of pep?	RAND-36 - Feel Full of Pep
C114073	R3601-Did You Feel Tired	R3601-Did You Feel Tired	RAND 36-Item Health Survey 1.0 - How much of the time during the past 4 weeks: Did you feel tired?	RAND-36 - Feel Tired
C114071	R3601-Did You Feel Worn Out	R3601-Did You Feel Worn Out	RAND 36-Item Health Survey 1.0 - How much of the time during the past 4 weeks: Did you feel worn out?	RAND-36 - Feel Worn Out
C114069	R3601-Did You Have a Lot of Energy	R3601-Did You Have a Lot of Energy	RAND 36-Item Health Survey 1.0 - How much of the time during the past 4 weeks: Did you have a lot of energy?	RAND-36 - Have a Lot of Energy
C114060	R3601-Emotional Problem: Accomplish Less	R3601-Emotional Problem: Accomplish Less	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems: Accomplished less than you would like.	RAND-36 - Emotional Problem Accomplished Less
C114059	R3601-Emotional Problem: Cut Work Time	R3601-Emotional Problem: Cut Work Time	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems: Cut down the amount of time you spent on work or other activities.	RAND-36 - Emotional Problem Cut Down Time Spent on Work
C114061	R3601-Emotional Problem: Less Careful	R3601-Emotional Problem: Less Careful	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems: Didn't do work or other activities as carefully as usual.	RAND-36 - Emotional Problem Did Not Do Work as Carefully
C114062	R3601-Extent Interfered Social Activity	R3601-Extent Interfered Social Activity	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, to what extent has your physical health or emotional problems interfered with your normal social activities with family, friends, neighbors, or groups?	RAND-36 - Extend Physical Health or Emotional Problems Interfere With Social Activities
C114075	R3601-Get Sick Easier Than Other People	R3601-Get Sick Easier Than Other People	RAND 36-Item Health Survey 1.0 - How TRUE or FALSE is each of the following statements for you: I seem to get sick a little easier than other people.	RAND-36 - Get Sick Easier Than Other
C114066	R3601-Have Been a Very Nervous Person	R3601-Have Been a Very Nervous Person	RAND 36-Item Health Survey 1.0 - How much of the time during the past 4 weeks: Have you been a very nervous person?	RAND-36 - Been a Nervous Person
C114070	R3601-Have Felt Downhearted and Blue	R3601-Have Felt Downhearted and Blue	RAND 36-Item Health Survey 1.0 - How much of the time during the past 4 weeks: Have you felt downhearted and blue?	RAND-36 - Felt Downhearted and Blue
C114067	R3601-Have Felt So Down in the Dumps	R3601-Have Felt So Down in the Dumps	RAND 36-Item Health Survey 1.0 - How much of the time during the past 4 weeks: Have you felt so down in the dumps that nothing could cheer you up?	RAND-36 - Felt Nothing Could Cheer You Up
C114072	R3601-Have You Been a Happy Person	R3601-Have You Been a Happy Person	RAND 36-Item Health Survey 1.0 - How much of the time during the past 4 weeks: Have you been a happy person?	RAND-36 - Been a Happy Person
C114068	R3601-Have You Felt Calm and Peaceful	R3601-Have You Felt Calm and Peaceful	RAND 36-Item Health Survey 1.0 - How much of the time during the past 4 weeks: Have you felt calm and peaceful?	RAND-36 - Felt Calm and Peaceful
C114054	R3601-Health Limit Bathing/Dressing Self	R3601-Health Limit Bathing/Dressing Self	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Bathing or dressing yourself.	RAND-36 - Health Limit Bathing or Dressing
C114050	R3601-Health Limit Bending or Kneeling	R3601-Health Limit Bending or Kneeling	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Bending, kneeling, or stooping.	RAND-36 - Health Limit Bending or Stooping
C114047	R3601-Health Limit Carrying Groceries	R3601-Health Limit Carrying Groceries	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Lifting or carrying groceries.	RAND-36 - Health Limit Lifting Groceries
C114049	R3601-Health Limit Climb One Flight	R3601-Health Limit Climb One Flight	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Climbing one flight of stairs.	RAND-36 - Health Limit Climbing One Flight
C114048	R3601-Health Limit Climb Several Flights	R3601-Health Limit Climb Several Flights	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Climbing several flights of stairs.	RAND-36 - Health Limit Climbing Several Flights
C114046	R3601-Health Limit Moderate Activities	R3601-Health Limit Moderate Activities	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Moderate activities, such as moving a table, pushing a vacuum cleaner, bowling, or playing golf.	RAND-36 - Health Limit Moderate Activities
C114045	R3601-Health Limit Vigorous Activities	R3601-Health Limit Vigorous Activities	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Vigorous activities, such as running, lifting heavy objects, participating in strenuous sports.	RAND-36 - Health Limit Vigorous Activities

Health Limit Walk				
C114051	R3601-Health Limit Walk More Than Mile	R3601-Health Limit Walk More Than Mile	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Walking more than a mile.	RAND-36 - Health Limit Walking More Than A Mile
C114053	R3601-Health Limit Walk One Block	R3601-Health Limit Walk One Block	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Walking one block.	RAND-36 - Health Limit Walking One Block
C114052	R3601-Health Limit Walk Several Blocks	R3601-Health Limit Walk Several Blocks	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Walking several blocks.	RAND-36 - Health Limit Walking Several Blocks
C114044	R3601-Health Now Compared to 1 Year Ago	R3601-Health Now Compared to 1 Year Ago	RAND 36-Item Health Survey 1.0 - Compared to one year ago, how would you rate your health in general now?	RAND-36 - Rate Your Health Compared to One Year Ago
C114063	R3601-How Much Bodily Pain Have You Had	R3601-How Much Bodily Pain Have You Had	RAND 36-Item Health Survey 1.0 - How much bodily pain have you had during the past 4 weeks?	RAND-36 - Bodily Pain
C114076	R3601-I Am as Healthy as Anybody I Know	R3601-I Am as Healthy as Anybody I Know	RAND 36-Item Health Survey 1.0 - How TRUE or FALSE is each of the following statements for you: I am as healthy as anybody I know.	RAND-36 - As Healthy as Anybody
C114077	R3601-I Expect My Health to Get Worse	R3601-I Expect My Health to Get Worse	RAND 36-Item Health Survey 1.0 - How TRUE or FALSE is each of the following statements for you: I expect my health to get worse.	RAND-36 - Expect Health to Get Worse
C114078	R3601-My Health Is Excellent	R3601-My Health Is Excellent	RAND 36-Item Health Survey 1.0 - How TRUE or FALSE is each of the following statements for you: My health is excellent.	RAND-36 - My Health is Excellent
C114056	R3601-Phys Health: Accomplish Less	R3601-Phys Health: Accomplish Less	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health: Accomplished less than you would like.	RAND-36 - Physical Health Accomplished Less
C114055	R3601-Phys Health: Cut Work Time	R3601-Phys Health: Cut Work Time	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health: Cut down the amount of time you spent on work or other activities.	RAND-36 - Physical Health Cut Down Time Spent on Work
C114058	R3601-Phys Health: Difficulty Performing	R3601-Phys Health: Difficulty Performing	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health: Had difficulty performing the work or other activities.	RAND-36 - Physical Health Difficulty Performing Work
C114057	R3601-Phys Health: Limit Kind of Work	R3601-Phys Health: Limit Kind of Work	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health: Were limited in the kind of work or other activities.	RAND-36 - Physical Health Limited in the Kind of Work
C114043	R3601-Would You Say Your Health Is	R3601-Would You Say Your Health Is	RAND 36-Item Health Survey 1.0 - In general, would you say your health is:	RAND-36 - Rate Your Health

NCI Code: C171409, Codelist extensible: No

C171419	RASS0101	RASS01-Score	Richmond Agitation-Sedation Scale - Score.	RASS - Score
---------	----------	--------------	--------------------------------------------	--------------

NCI Code: C171408, Codelist extensible: No

C171419	RASS01-Score	RASS01-Score	Richmond Agitation-Sedation Scale - Score.	RASS - Score
---------	--------------	--------------	--------------------------------------------	--------------

NCI Code: C124672, Codelist extensible: No

C124723	RCVD0101	RCVD01-Reynolds CVD 10-Year Risk Score	Reynolds Cardiovascular Disease 10-Year Risk Score - Cardiovascular disease 10-year risk score.	Reynolds CVD 10-Year Risk Score - Risk Score
---------	----------	----------------------------------------	----------------------------------------------------------------------------------------------------	----------------------------------------------

NCI Code: C124671, Codelist extensible: No

C124723	RCVD01-Reynolds CVD 10-Year Risk Score	RCVD01-Reynolds CVD 10-Year Risk Score	Reynolds Cardiovascular Disease 10-Year Risk Score - Cardiovascular disease 10-year risk score.	Reynolds CVD 10-Year Risk Score - Risk Score
---------	----------------------------------------	----------------------------------------	----------------------------------------------------------------------------------------------------	----------------------------------------------

Roland Morris Disability Questionnaire - RDQ Items				
C100780	RDQ0101	RDQ01-Stay at Home	Roland Morris Disability Questionnaire - I stay at home most of the time because of my back.	RDQ - Stay at Home
C100781	RDQ0102	RDQ01-Change Position Frequently	Roland Morris Disability Questionnaire - I change position frequently to try and get my back comfortable.	RDQ - Change Position Frequently
C100782	RDQ0103	RDQ01-Walk More Slowly	Roland Morris Disability Questionnaire - I walk more slowly than usual because of my back.	RDQ - Walk More Slowly
C100783	RDQ0104	RDQ01-Not Do Any Usual Jobs	Roland Morris Disability Questionnaire - Because of my back, I am not doing any of the jobs that I usually do around the house.	RDQ - Not Do Any Usual House Jobs
C100784	RDQ0105	RDQ01-Use Handrail to Get Upstairs	Roland Morris Disability Questionnaire - Because of my back, I use a handrail to get upstairs.	RDQ - Use Handrail to Get Upstairs
C100785	RDQ0106	RDQ01-Lie Down to Rest More Often	Roland Morris Disability Questionnaire - Because of my back, I lie down to rest more often.	RDQ - Lie Down to Rest More Often
C100786	RDQ0107	RDQ01-Hold on to Get Out of a Chair	Roland Morris Disability Questionnaire - Because of my back, I have to hold on to something to get out of an easy chair.	RDQ - Hold on to Get Out of a Chair
C100787	RDQ0108	RDQ01-Get Other People to Do Things	Roland Morris Disability Questionnaire - Because of my back, I try to get other people to do things for me.	RDQ - Get Other People to Do Things
C100788	RDQ0109	RDQ01-Get Dressed More Slowly	Roland Morris Disability Questionnaire - I get dressed more slowly than usual because of my back.	RDQ - Get Dressed More Slowly
C100789	RDQ0110	RDQ01-Only Stand for Short Periods	Roland Morris Disability Questionnaire - I only stand for short periods of time because of my back.	RDQ - Only Stand for Short Periods
C100790	RDQ0111	RDQ01-Try Not to Bend or Kneel	Roland Morris Disability Questionnaire - Because of my back, I try not to bend or kneel down.	RDQ - Try Not to Bend or Kneel
C100791	RDQ0112	RDQ01-Difficult to Get Out of a Chair	Roland Morris Disability Questionnaire - I find it difficult to get out of a chair because of my back.	RDQ - Difficult to Get Out of a Chair
C100792	RDQ0113	RDQ01-Painful Almost All the Time	Roland Morris Disability Questionnaire - My back is painful almost all the time.	RDQ - Painful Almost All the Time
C100793	RDQ0114	RDQ01-Difficult to Turn Over in Bed	Roland Morris Disability Questionnaire - I find it difficult to turn over in bed because of my back.	RDQ - Difficult to Turn Over in Bed
C100794	RDQ0115	RDQ01-Appetite is Not Very Good	Roland Morris Disability Questionnaire - My appetite is not very good because of my back pain.	RDQ - Appetite is Not Very Good
C100795	RDQ0116	RDQ01-Trouble Putting on Socks/Stockings	Roland Morris Disability Questionnaire - I have trouble putting on my socks (or stockings) because of the pain in my back.	RDQ - Trouble Putting on Socks or Stockings
C100796	RDQ0117	RDQ01-Only Walk Short Distances	Roland Morris Disability Questionnaire - I only walk short distances because of my back.	RDQ - Only Walk Short Distances
C100797	RDQ0118	RDQ01-Sleep Less Well	Roland Morris Disability Questionnaire - I sleep less well because of my back.	RDQ - Sleep Less Well
C100798	RDQ0119	RDQ01-Get Dressed With Help	Roland Morris Disability Questionnaire - Because of my back pain, I get dressed with help from someone else.	RDQ - Get Dressed With Help
C100799	RDQ0120	RDQ01-Sit Down Most of the Day	Roland Morris Disability Questionnaire - I sit down for most of the day because of my back.	RDQ - Sit Down Most of the Day
C100800	RDQ0121	RDQ01-Avoid Heavy Jobs	Roland Morris Disability Questionnaire - I avoid heavy jobs around the house because of my back.	RDQ - Avoid Heavy Jobs
C100801	RDQ0122	RDQ01-More Irritable With People	Roland Morris Disability Questionnaire - Because of my back pain, I am more irritable and bad tempered with people than usual.	RDQ - More Irritable With People
C100802	RDQ0123	RDQ01-Go Upstairs More Slowly	Roland Morris Disability Questionnaire - Because of my back, I go upstairs more slowly than usual.	RDQ - Go Upstairs More Slowly
C100803	RDQ0124	RDQ01-Stay in Bed	Roland Morris Disability Questionnaire - I stay in bed most of the time because of my back.	RDQ - Stay in Bed
C100804	RDQ0125	RDQ01-RDQ Total Score	Roland Morris Disability Questionnaire - RDQ total derived score.	RDQ - Total Derived Score

C100794	RDQ01-Appetite is Not Very Good	RDQ01-Appetite is Not Very Good	Roland Morris Disability Questionnaire - My appetite is not very good because of my back pain.	RDQ - Appetite is Not Very Good
C100800	RDQ01-Avoid Heavy Jobs	RDQ01-Avoid Heavy Jobs	Roland Morris Disability Questionnaire - I avoid heavy jobs around the house because of my back.	RDQ - Avoid Heavy Jobs
C100781	RDQ01-Change Position Frequently	RDQ01-Change Position Frequently	Roland Morris Disability Questionnaire - I change position frequently to try and get my back comfortable.	RDQ - Change Position Frequently
C100791	RDQ01-Difficult to Get Out of a Chair	RDQ01-Difficult to Get Out of a Chair	Roland Morris Disability Questionnaire - I find it difficult to get out of a chair because of my back.	RDQ - Difficult to Get Out of a Chair
C100793	RDQ01-Difficult to Turn Over in Bed	RDQ01-Difficult to Turn Over in Bed	Roland Morris Disability Questionnaire - I find it difficult to turn over in bed because of my back.	RDQ - Difficult to Turn Over in Bed
C100788	RDQ01-Get Dressed More Slowly	RDQ01-Get Dressed More Slowly	Roland Morris Disability Questionnaire - I get dressed more slowly than usual because of my back.	RDQ - Get Dressed More Slowly
C100798	RDQ01-Get Dressed With Help	RDQ01-Get Dressed With Help	Roland Morris Disability Questionnaire - Because of my back pain, I get dressed with help from someone else.	RDQ - Get Dressed With Help
C100787	RDQ01-Get Other People to Do Things	RDQ01-Get Other People to Do Things	Roland Morris Disability Questionnaire - Because of my back, I try to get other people to do things for me.	RDQ - Get Other People to Do Things
C100802	RDQ01-Go Upstairs More Slowly	RDQ01-Go Upstairs More Slowly	Roland Morris Disability Questionnaire - Because of my back, I go upstairs more slowly than usual.	RDQ - Go Upstairs More Slowly
C100786	RDQ01-Hold on to Get Out of a Chair	RDQ01-Hold on to Get Out of a Chair	Roland Morris Disability Questionnaire - Because of my back, I have to hold on to something to get out of an easy chair.	RDQ - Hold on to Get Out of a Chair
C100785	RDQ01-Lie Down to Rest More Often	RDQ01-Lie Down to Rest More Often	Roland Morris Disability Questionnaire - Because of my back, I lie down to rest more often.	RDQ - Lie Down to Rest More Often
C100801	RDQ01-More Irritable With People	RDQ01-More Irritable With People	Roland Morris Disability Questionnaire - Because of my back pain, I am more irritable and bad tempered with people than usual.	RDQ - More Irritable With People
C100783	RDQ01-Not Do Any Usual Jobs	RDQ01-Not Do Any Usual Jobs	Roland Morris Disability Questionnaire - Because of my back, I am not doing any of the jobs that I usually do around the house.	RDQ - Not Do Any Usual House Jobs
C100789	RDQ01-Only Stand for Short Periods	RDQ01-Only Stand for Short Periods	Roland Morris Disability Questionnaire - I only stand for short periods of time because of my back.	RDQ - Only Stand for Short Periods
C100796	RDQ01-Only Walk Short Distances	RDQ01-Only Walk Short Distances	Roland Morris Disability Questionnaire - I only walk short distances because of my back.	RDQ - Only Walk Short Distances
C100792	RDQ01-Painful Almost All the Time	RDQ01-Painful Almost All the Time	Roland Morris Disability Questionnaire - My back is painful almost all the time.	RDQ - Painful Almost All the Time
C100804	RDQ01-RDQ Total Score	RDQ01-RDQ Total Score	Roland Morris Disability Questionnaire - RDQ total derived score.	RDQ - Total Derived Score
C100799	RDQ01-Sit Down Most of the Day	RDQ01-Sit Down Most of the Day	Roland Morris Disability Questionnaire - I sit down for most of the day because of my back.	RDQ - Sit Down Most of the Day
C100797	RDQ01-Sleep Less Well	RDQ01-Sleep Less Well	Roland Morris Disability Questionnaire - I sleep less well because of my back.	RDQ - Sleep Less Well
C100780	RDQ01-Stay at Home	RDQ01-Stay at Home	Roland Morris Disability Questionnaire - I stay at home most of the time because of my back.	RDQ - Stay at Home
C100803	RDQ01-Stay in Bed	RDQ01-Stay in Bed	Roland Morris Disability Questionnaire - I stay in bed most of the time because of my back.	RDQ - Stay in Bed
C100795	RDQ01-Trouble Putting on Socks/Stockings	RDQ01-Trouble Putting on Socks/Stockings	Roland Morris Disability Questionnaire - I have trouble putting on my socks (or stockings) because of the pain in my back.	RDQ - Trouble Putting on Socks or Stockings
C100790	RDQ01-Try Not to Bend or Kneel	RDQ01-Try Not to Bend or Kneel	Roland Morris Disability Questionnaire - Because of my back, I try not to bend or kneel down.	RDQ - Try Not to Bend or Kneel
C100784	RDQ01-Use Handrail to Get Upstairs	RDQ01-Use Handrail to Get Upstairs	Roland Morris Disability Questionnaire - Because of my back, I use a handrail to get upstairs.	RDQ - Use Handrail to Get Upstairs
C100782	RDQ01-Walk More Slowly	RDQ01-Walk More Slowly	Roland Morris Disability Questionnaire - I walk more slowly than usual because of my back.	RDQ - Walk More Slowly

C174105	RISEF101	RISEF1-Was Rising From Floor Performed	Rising From Floor - Was Rising From Floor performed?	Rising From Floor - Was Rising From Floor Performed
C141702	RISEF102	RISEF1-Time to Rise From Floor	Rising From Floor - If yes, time taken to rise from floor.	Rising From Floor - Time to Rise From Floor
C151073	RISEF103	RISEF1-Wear Orthoses	Rising From Floor - If yes, did subject wear orthoses?	Rising From Floor - Wear Orthoses
C141703	RISEF104	RISEF1-Test Grade	Rising From Floor - Test grade.	Rising From Floor - Test Grade

C141703	RISEF1-Test Grade	RISEF1-Test Grade	Rising From Floor - Test grade.	Rising From Floor - Test Grade
C141702	RISEF1-Time to Rise From Floor	RISEF1-Time to Rise From Floor	Rising From Floor - If yes, time taken to rise from floor.	Rising From Floor - Time to Rise From Floor
C174105	RISEF1-Was Rising From Floor Performed	RISEF1-Was Rising From Floor Performed	Rising From Floor - Was Rising From Floor performed?	Rising From Floor - Was Rising From Floor Performed
C151073	RISEF1-Wear Orthoses	RISEF1-Wear Orthoses	Rising From Floor - If yes, did subject wear orthoses?	Rising From Floor - Wear Orthoses

NCI Code: C166190, Codelist extensible: No

C166338 ROCK0101	ROCK01-Time To Complete Rockport One Mile Walk Test - Time to complete one-mile walk. One Mile Walk	RFWT Version 1 - Time To Complete One Mile Walk
---------------------	-----------------------------------------------------------------------------------------------------------	----------------------------------------------------

C166338	ROCK01-Time To Complete One Mile Walk	ROCK01-Time To Complete One Mile Walk	Rockport One Mile Walk Test - Time to complete one-mile walk.	RFWT Version 1 - Time To Complete One Mile Walk
---------	---------------------------------------	---------------------------------------	---------------------------------------------------------------	-------------------------------------------------

C119175	RPQ0101	RPQ01-Headaches	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Headaches.	RPQ - Headaches
C119176	RPQ0102	RPQ01-Feelings of Dizziness	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Feelings of dizziness.	RPQ - Feelings of Dizziness
C119177	RPQ0103	RPQ01-Nausea and/or Vomiting	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Nausea and/or vomiting.	RPQ - Nausea and/or Vomiting
C119178	RPQ0104	RPQ01-Noise Sensitivity/Loud Noise	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Noise sensitivity, easily upset by loud noise.	RPQ - Noise Sensitivity
C119179	RPQ0105	RPQ01-Sleep Disturbance	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Sleep disturbance.	RPQ - Sleep Disturbance
C119180	RPQ0106	RPQ01-Fatigue, Tiring More Easily	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Fatigue, tiring more easily.	RPQ - Fatigue, Tiring More Easily
C119181	RPQ0107	RPQ01-Being Irritable, Easily Angered	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Being irritable, easily angered.	RPQ - Being Irritable, Easily Angered
C119182	RPQ0108	RPQ01-Feeling Depressed or Tearful	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Feeling depressed or tearful.	RPQ - Feeling Depressed or Tearful
C119183	RPQ0109	RPQ01-Feeling Frustrated or Impatient	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Feeling frustrated or impatient.	RPQ - Feeling Frustrated or Impatient
C119184	RPQ0110	RPQ01-Forgetfulness, Poor Memory	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Forgetfulness, poor memory.	RPQ - Forgetfulness, Poor Memory
C119185	RPQ0111	RPQ01-Poor Concentration	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Poor concentration.	RPQ - Poor Concentration
C119186	RPQ0112	RPQ01-Taking Longer to Think	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Taking longer to think.	RPQ - Taking Longer to Think
C119187	RPQ0113	RPQ01-Blurred Vision	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Blurred vision.	RPQ - Blurred Vision
C119188	RPQ0114	RPQ01-Light Sensitivity/Bright Light	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Light sensitivity, easily upset by bright light.	RPQ - Light Sensitivity
C119189	RPQ0115	RPQ01-Double Vision	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Double vision.	RPQ - Double Vision
C119190	RPQ0116	RPQ01-Restlessness	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Restlessness.	RPQ - Restlessness
C119191	RPQ0117A	RPQ01-Any Other Difficulties 1 (Text)	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, are you experiencing any other difficulties 1? (Text).	RPQ - Any Other Difficulties 1 (Text)
C119192	RPQ0117B	RPQ01-Any Other Difficulties 1	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, are you experiencing any other difficulties 1?	RPQ - Any Other Difficulties 1 (number)
C119193	RPQ0118A	RPQ01-Any Other Difficulties 2 (Text)	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, are you experiencing any other difficulties 2? (Text).	RPQ - Any Other Difficulties 2 (Text)
C119194	RPQ0118B	RPQ01-Any Other Difficulties 2	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, are you experiencing any other difficulties 2?	RPQ - Any Other Difficulties 2 (Number)

C119191	RPQ01-Any Other Difficulties 1 (Text)	RPQ01-Any Other Difficulties 1 (Text)	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, are you experiencing any other difficulties 1? (Text).	RPQ - Any Other Difficulties 1 (Text)
C119192	RPQ01-Any Other Difficulties 1	RPQ01-Any Other Difficulties 1	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, are you experiencing any other difficulties 1?	RPQ - Any Other Difficulties 1 (number)
C119193	RPQ01-Any Other Difficulties 2 (Text)	RPQ01-Any Other Difficulties 2 (Text)	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, are you experiencing any other difficulties 2? (Text).	RPQ - Any Other Difficulties 2 (Text)
C119194	RPQ01-Any Other Difficulties 2	RPQ01-Any Other Difficulties 2	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, are you experiencing any other difficulties 2?	RPQ - Any Other Difficulties 2 (Number)
C119181	RPQ01-Being Irritable, Easily Angered	RPQ01-Being Irritable, Easily Angered	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Being irritable, easily angered.	RPQ - Being Irritable, Easily Angered
C119187	RPQ01-Blurred Vision	RPQ01-Blurred Vision	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Blurred vision.	RPQ - Blurred Vision
C119189	RPQ01-Double Vision	RPQ01-Double Vision	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Double vision.	RPQ - Double Vision
C119180	RPQ01-Fatigue, Tiring More Easily	RPQ01-Fatigue, Tiring More Easily	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Fatigue, tiring more easily.	RPQ - Fatigue, Tiring More Easily
C119182	RPQ01-Feeling Depressed or Tearful	RPQ01-Feeling Depressed or Tearful	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Feeling depressed or tearful.	RPQ - Feeling Depressed or Tearful
C119183	RPQ01-Feeling Frustrated or Impatient	RPQ01-Feeling Frustrated or Impatient	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Feeling frustrated or impatient.	RPQ - Feeling Frustrated or Impatient
C119176	RPQ01-Feelings of Dizziness	RPQ01-Feelings of Dizziness	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Feelings of dizziness.	RPQ - Feelings of Dizziness
C119184	RPQ01-Forgetfulness, Poor Memory	RPQ01-Forgetfulness, Poor Memory	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Forgetfulness, poor memory.	RPQ - Forgetfulness, Poor Memory
C119175	RPQ01-Headaches	RPQ01-Headaches	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Headaches.	RPQ - Headaches
C119188	RPQ01-Light Sensitivity/Bright Light	RPQ01-Light Sensitivity/Bright Light	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Light sensitivity, easily upset by bright light.	RPQ - Light Sensitivity
C119177	RPQ01-Nausea and/or Vomiting	RPQ01-Nausea and/or Vomiting	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Nausea and/or vomiting.	RPQ - Nausea and/or Vomiting
C119178	RPQ01-Noise Sensitivity/Loud Noise	RPQ01-Noise Sensitivity/Loud Noise	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Noise sensitivity, easily upset by loud noise.	RPQ - Noise Sensitivity
C119185	RPQ01-Poor Concentration	RPQ01-Poor Concentration	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Poor concentration.	RPQ - Poor Concentration
C119190	RPQ01-Restlessness	RPQ01-Restlessness	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Restlessness.	RPQ - Restlessness
C119179	RPQ01-Sleep Disturbance	RPQ01-Sleep Disturbance	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Sleep disturbance.	RPQ - Sleep Disturbance
C119186	RPQ01-Taking Longer to Think	RPQ01-Taking Longer to Think	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Taking longer to think.	RPQ - Taking Longer to Think

C136215	RSSS0101	RSSS01-Count on to Listen to You	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone you can count on to listen to you when you need to talk.	RAND Social Support Survey - Count on to Listen to You
C136216	RSSS0102	RSSS01-Give You Info to Help Understand	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone to give you information to help you understand a situation.	RAND Social Support Survey - Give You Info to Help Understand
C136217	RSSS0103	RSSS01-Give You Advice About a Crisis	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone to give you good advice about a crisis.	RAND Social Support Survey - Give You Advice About a Crisis
C136218	RSSS0104	RSSS01-Confide in/Talk to About Yourself	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone to confide in or talk to about yourself or your problems.	RAND Social Support Survey - Confide in or Talk to About Yourself
C136219	RSSS0105	RSSS01-Advice You Really Want	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone whose advice you really want.	RAND Social Support Survey - Advice You Really Want
C136220	RSSS0106	RSSS01-Share Your Private Worries/Fears	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone to share your most private worries and fears with.	RAND Social Support Survey - Share Your Private Worries and Fears
C136221	RSSS0107	RSSS01-Turn to Suggestions Personal Prob	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone to turn to for suggestions about how to deal with a personal problem.	RAND Social Support Survey - Suggestions to Deal With Personal Problem
C136222	RSSS0108	RSSS01-Understands Your Problems	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone who understands your problems.	RAND Social Support Survey - Understands Your Problems
C136223	RSSS0109	RSSS01-Help If You Were Confined to Bed	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone to help you if you were confined to bed.	RAND Social Support Survey - Help If You Were Confined to Bed
C136224	RSSS0110	RSSS01-Take You to the Doctor If Needed	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone to take you to the doctor if you needed it.	RAND Social Support Survey - Take You to the Doctor If Needed
C136225	RSSS0111	RSSS01-Prepare Your Meals If Unable	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone to prepare your meals if you were unable to do it yourself.	RAND Social Support Survey - Prepare Your Meals If Unable
C136226	RSSS0112	RSSS01-Help With Daily Chores If Sick	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone to help with daily chores if you were sick.	RAND Social Support Survey - Help With Daily Chores If Sick
C136227	RSSS0113	RSSS01-Shows You Love and Affection	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone who shows you love and affection.	RAND Social Support Survey - Shows You Love and Affection
C136228	RSSS0114	RSSS01-Love and Make You Feel Wanted	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone to love and make you feel wanted.	RAND Social Support Survey - Love and Make You Feel Wanted
C136229	RSSS0115	RSSS01-Hugs You	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone who hugs you.	RAND Social Support Survey - Hugs You
C136230	RSSS0116	RSSS01-Have a Good Time With	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone to have a good time with.	RAND Social Support Survey - Have a Good Time With
C136231	RSSS0117	RSSS01-Get Together With for Relaxation	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone to get together with for relaxation.	RAND Social Support Survey - Get Together With for Relaxation
C136232	RSSS0118	RSSS01-Do Something Enjoyable With	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone to do something enjoyable with.	RAND Social Support Survey - Do Something Enjoyable With
C136233	RSSS0119	RSSS01-Help You Get Your Mind Off Things	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone to do things with to help you get your mind off things.	RAND Social Support Survey - Help You Get Your Mind Off Things

C136219	RSSS01-Advice You Really Want	RSSS01-Advice You Really Want	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone whose advice you really want.	RAND Social Support Survey - Advice You Really Want
C136218	RSSS01-Confide in/Talk to About Yourself	RSSS01-Confide in/Talk to About Yourself	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone to confide in or talk to about yourself or your problems.	RAND Social Support Survey - Confide in or Talk to About Yourself
C136215	RSSS01-Count on to Listen to You	RSSS01-Count on to Listen to You	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone you can count on to listen to you when you need to talk.	RAND Social Support Survey - Count on to Listen to You
C136232	RSSS01-Do Something Enjoyable With	RSSS01-Do Something Enjoyable With	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone to do something enjoyable with.	RAND Social Support Survey - Do Something Enjoyable With
C136231	RSSS01-Get Together With for Relaxation	RSSS01-Get Together With for Relaxation	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone to get together with for relaxation.	RAND Social Support Survey - Get Together With for Relaxation
C136217	RSSS01-Give You Advice About a Crisis	RSSS01-Give You Advice About a Crisis	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone to give you good advice about a crisis.	RAND Social Support Survey - Give You Advice About a Crisis
C136216	RSSS01-Give You Info to Help Understand	RSSS01-Give You Info to Help Understand	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone to give you information to help you understand a situation.	RAND Social Support Survey - Give You Info to Help Understand
C136230	RSSS01-Have a Good Time With	RSSS01-Have a Good Time With	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone to have a good time with.	RAND Social Support Survey - Have a Good Time With
C136223	RSSS01-Help If You Were Confined to Bed	RSSS01-Help If You Were Confined to Bed	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone to help you if you were confined to bed.	RAND Social Support Survey - Help If You Were Confined to Bed
C136226	RSSS01-Help With Daily Chores If Sick	RSSS01-Help With Daily Chores If Sick	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone to help with daily chores if you were sick.	RAND Social Support Survey - Help With Daily Chores If Sick
C136233	RSSS01-Help You Get Your Mind Off Things	RSSS01-Help You Get Your Mind Off Things	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone to do things with to help you get your mind off things.	RAND Social Support Survey - Help You Get Your Mind Off Things
C136229	RSSS01-Hugs You	RSSS01-Hugs You	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone who hugs you.	RAND Social Support Survey - Hugs You
C136228	RSSS01-Love and Make You Feel Wanted	RSSS01-Love and Make You Feel Wanted	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone to love and make you feel wanted.	RAND Social Support Survey - Love and Make You Feel Wanted
C136225	RSSS01-Prepare Your Meals If Unable	RSSS01-Prepare Your Meals If Unable	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone to prepare your meals if you were unable to do it yourself.	RAND Social Support Survey - Prepare Your Meals If Unable
C136220	RSSS01-Share Your Private Worries/Fears	RSSS01-Share Your Private Worries/Fears	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone to share your most private worries and fears with.	RAND Social Support Survey - Share Your Private Worries and Fears
C136227	RSSS01-Shows You Love and Affection	RSSS01-Shows You Love and Affection	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone who shows you love and affection.	RAND Social Support Survey - Shows You Love and Affection
C136224	RSSS01-Take You to the Doctor If Needed	RSSS01-Take You to the Doctor If Needed	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone to take you to the doctor if you needed it.	RAND Social Support Survey - Take You to the Doctor If Needed
C136221	RSSS01-Turn to Suggestions Personal Prob	RSSS01-Turn to Suggestions Personal Prob	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone to turn to for suggestions about how to deal with a personal problem.	RAND Social Support Survey - Suggestions to Deal With Personal Problem
C136222	RSSS01-Understands Your Problems	RSSS01-Understands Your Problems	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone who understands your problems.	RAND Social Support Survey - Understands Your Problems

NCI Code: C171413, Codelist extensible: No

C171420 SAS0101

SAS01-Score

Riker Sedation-Agitation Scale - Score.

SAS - Score

NCI Code: C171412, Codelist extensible: No

C171420	SAS01-Score	SAS01-Score	Riker Sedation-Agitation Scale - Score.	SAS - Score
---------	-------------	-------------	-----------------------------------------	-------------

NCI Code: C115396, Codelist extensible: No

C115816 SDMT0101

SDMT01-Total Score

Symbol Digit Modalities Test - Total score.

SDMT - Total Score

NCI Code: C115395, Codelist extensible: No

C115816 SDMT01-Total Score

SDMT01-Total Score

Symbol Digit Modalities Test - Total score.

SDMT - Total Score

C111521	SDS0101	SDS01-Work/School	Sheehan Disability Scale - The symptoms have disrupted your work/school work.	SDS - Symptoms Disrupted Work/School Work
C111522	SDS0101A	SDS01-No Work/Study - Unrelated Disorder	Sheehan Disability Scale - I have not worked/studied at all during the past week for reasons unrelated to the disorder.	SDS - Not Worked/Studied in Past Week for Reason Unrelated to Disorder
C111523	SDS0102	SDS01-Social Life	Sheehan Disability Scale - The symptoms have disrupted your social life/leisure activities.	SDS - Symptoms Disrupted Social Life/Leisure Activities
C111524	SDS0103	SDS01-Family Life/Home Responsibilities	Sheehan Disability Scale - The symptoms have disrupted your family life/home responsibilities.	SDS - Symptoms Disrupted Family Life/Home Responsibilities
C111525	SDS0104	SDS01-Days Lost	Sheehan Disability Scale - On how many days in the last week did your symptoms cause you to miss school or work or leave you unable to carry out your normal daily responsibilities?	SDS - Days Lost
C111526	SDS0105	SDS01-Days Unproductive	Sheehan Disability Scale - On how many days in the last week did you feel so impaired by your symptoms, that even though you went to school or work or had other daily responsibilities, your productivity was reduced?	SDS - Days Unproductive

C111525	SDS01-Days Lost	SDS01-Days Lost	Sheehan Disability Scale - On how many days in the last week did your symptoms cause you to miss school or work or leave you unable to carry out your normal daily responsibilities?	SDS - Days Lost	
C111526	SDS01-Days Unproductive	SDS01-Days Unproductive	Sheehan Disability Scale - On how many days in the last week did you feel so impaired by your symptoms, that even though you went to school or work or had other daily responsibilities, your productivity was reduced?	SDS - Days Unproductive	
C111524	SDS01-Family Life/Home Responsibilities	SDS01-Family Life/Home Responsibilities	Sheehan Disability Scale - The symptoms have disrupted your family life/home responsibilities.	SDS - Symptoms Disrupted Family Life/Home Responsibilities	
C111522	SDS01-No Work/Study - Unrelated Disorder	SDS01-No Work/Study - Unrelated Disorder	Sheehan Disability Scale - I have not worked/studied at all during the past week for reasons unrelated to the disorder.	SDS - Not Worked/Studied in Past Week for Reason Unrelated to Disorder	
C111523	SDS01-Social Life	SDS01-Social Life	Sheehan Disability Scale - The symptoms have disrupted your social life/leisure activities.	SDS - Symptoms Disrupted Social Life/Leisure Activities	
C111521	SDS01-Work/School	SDS01-Work/School	Sheehan Disability Scale - The symptoms have disrupted your work/school work.	SDS - Symptoms Disrupted Work/School Work	

C176090	SES0101	SES01-Ileum: Explored	Simple Endoscopic Score for Crohn's Disease Version 1 - Was ileum explored?	SES-CD Version 1 - Ileum: Explored
C176091	SES0102	SES01-Ileum: Size of Ulcers	Simple Endoscopic Score for Crohn's Disease Version 1 - Size of ulcers - ileum.	SES-CD Version 1 - Ileum: Size of Ulcers
C176092	SES0103	SES01-Ileum: Ulcerated Surface	Simple Endoscopic Score for Crohn's Disease Version 1 - Ulcerated surface - ileum.	SES-CD Version 1 - Ileum: Ulcerated Surface
C176093	SES0104	SES01-Ileum: Affected Surface	Simple Endoscopic Score for Crohn's Disease Version 1 - Affected surface - ileum.	SES-CD Version 1 - Ileum: Affected Surface
C176094	SES0105	SES01-Ileum: Presence of Narrowing	Simple Endoscopic Score for Crohn's Disease Version 1 - Presence of narrowing - ileum.	SES-CD Version 1 - Ileum: Presence of Narrowing
C176095	SES0106	SES01-Right Colon: Explored	Simple Endoscopic Score for Crohn's Disease Version 1 - Was right colon explored?	SES-CD Version 1 - Right Colon: Explored
C176096	SES0107	SES01-Right Colon: Size of Ulcers	Simple Endoscopic Score for Crohn's Disease Version 1 - Size of ulcers - right colon.	SES-CD Version 1 - Right Colon: Size of Ulcers
C176097	SES0108	SES01-Right Colon: Ulcerated Surface	Simple Endoscopic Score for Crohn's Disease Version 1 - Ulcerated surface - right colon.	SES-CD Version 1 - Right Colon: Ulcerated Surface
C176098	SES0109	SES01-Right Colon: Affected Surface	Simple Endoscopic Score for Crohn's Disease Version 1 - Affected surface - right colon.	SES-CD Version 1 - Right Colon: Affected Surface
C176099	SES0110	SES01-Right Colon: Presence of Narrowing	Simple Endoscopic Score for Crohn's Disease Version 1 - Presence of narrowing - right colon.	SES-CD Version 1 - Right Colon: Presence of Narrowing
C176100	SES0111	SES01-Trans Colon: Explored	Simple Endoscopic Score for Crohn's Disease Version 1 - Was transverse colon explored?	SES-CD Version 1 - Trans Colon: Explored
C176101	SES0112	SES01-Trans Colon: Size of Ulcers	Simple Endoscopic Score for Crohn's Disease Version 1 - Size of ulcers - transverse colon.	SES-CD Version 1 - Trans Colon: Size of Ulcers
C176102	SES0113	SES01-Trans Colon: Ulcerated Surface	Simple Endoscopic Score for Crohn's Disease Version 1 - Ulcerated surface - transverse colon.	SES-CD Version 1 - Trans Colon: Ulcerated Surface
C176103	SES0114	SES01-Trans Colon: Affected Surface	Simple Endoscopic Score for Crohn's Disease Version 1 - Affected surface - transverse colon.	SES-CD Version 1 - Trans Colon: Affected Surface
C176104	SES0115	SES01-Trans Colon: Presence of Narrowing	Simple Endoscopic Score for Crohn's Disease Version 1 - Presence of narrowing - transverse colon.	SES-CD Version 1 - Trans Colon: Presence of Narrowing
C176105	SES0116	SES01-Left Colon: Explored	Simple Endoscopic Score for Crohn's Disease Version 1 - Was sigmoid and left colon explored?	SES-CD Version 1 - Left Colon: Explored
C176106	SES0117	SES01-Left Colon: Size of Ulcers	Simple Endoscopic Score for Crohn's Disease Version 1 - Size of ulcers - sigmoid and left colon.	SES-CD Version 1 - Left Colon: Size of Ulcers
C176107	SES0118	SES01-Left Colon: Ulcerated Surface	Simple Endoscopic Score for Crohn's Disease Version 1 - Ulcerated surface - sigmoid and left colon.	SES-CD Version 1 - Left Colon: Ulcerated Surface
C176108	SES0119	SES01-Left Colon: Affected Surface	Simple Endoscopic Score for Crohn's Disease Version 1 - Affected surface - sigmoid and left colon.	SES-CD Version 1 - Left Colon: Affected Surface
C176109	SES0120	SES01-Left Colon: Presence of Narrowing	Simple Endoscopic Score for Crohn's Disease Version 1 - Presence of narrowing - sigmoid and left colon.	SES-CD Version 1 - Left Colon: Presence of Narrowing
C176110	SES0121	SES01-Rectum: Explored	Simple Endoscopic Score for Crohn's Disease Version 1 - Was rectum explored?	SES-CD Version 1 - Rectum: Explored
C176111	SES0122	SES01-Rectum: Size of Ulcers	Simple Endoscopic Score for Crohn's Disease Version 1 - Size of ulcers - rectum.	SES-CD Version 1 - Rectum: Size of Ulcers
C176112	SES0123	SES01-Rectum: Ulcerated Surface	Simple Endoscopic Score for Crohn's Disease Version 1 - Ulcerated surface - rectum.	SES-CD Version 1 - Rectum: Ulcerated Surface
C176113	SES0124	SES01-Rectum: Affected Surface	Simple Endoscopic Score for Crohn's Disease Version 1 - Affected surface - rectum.	SES-CD Version 1 - Rectum: Affected Surface
C176114	SES0125	SES01-Rectum: Presence of Narrowing	Simple Endoscopic Score for Crohn's Disease Version 1 - Presence of narrowing - rectum.	SES-CD Version 1 - Rectum: Presence of Narrowing
C176115	SES0126	SES01-Ileum Subscore	Simple Endoscopic Score for Crohn's Disease Version 1 - Ileum subscore.	SES-CD Version 1 - Ileum Subscore

Simple Endoscopic Score for Crohn's Disease Version 1					
C176116	SES0127	SES01-Right Colon Subscore	Simple Endoscopic Score for Crohn's Disease Version 1 - Right colon subscore.	SES-CD Version 1 - Right Colon Subscore	
C176117	SES0128	SES01-Trans Colon Subscore	Simple Endoscopic Score for Crohn's Disease Version 1 - Transverse colon subscore.	SES-CD Version 1 - Trans Colon Subscore	
C176118	SES0129	SES01-Left Colon Subscore	Simple Endoscopic Score for Crohn's Disease Version 1 - Sigmoid and left colon subscore.	SES-CD Version 1 - Left Colon Subscore	
C176119	SES0130	SES01-Rectum Subscore	Simple Endoscopic Score for Crohn's Disease Version 1 - Rectum subscore.	SES-CD Version 1 - Rectum Subscore	
C176120	SES0131	SES01-Total Score	Simple Endoscopic Score for Crohn's Disease Version 1 - SES-CD total score.	SES-CD Version 1 - Total Score	

C176115	SES01-Ileum Subscore	SES01-Ileum Subscore	Simple Endoscopic Score for Crohn's Disease Version 1 - Ileum subscore.	SES-CD Version 1 - Ileum Subscore
C176093	SES01-Ileum: Affected Surface	SES01-Ileum: Affected Surface	Simple Endoscopic Score for Crohn's Disease Version 1 - Affected surface - ileum.	SES-CD Version 1 - Ileum: Affected Surface
C176090	SES01-Ileum: Explored	SES01-Ileum: Explored	Simple Endoscopic Score for Crohn's Disease Version 1 - Was ileum explored?	SES-CD Version 1 - Ileum: Explored
C176094	SES01-Ileum: Presence of Narrowing	SES01-Ileum: Presence of Narrowing	Simple Endoscopic Score for Crohn's Disease Version 1 - Presence of narrowing - ileum.	SES-CD Version 1 - Ileum: Presence of Narrowing
C176091	SES01-Ileum: Size of Ulcers	SES01-Ileum: Size of Ulcers	Simple Endoscopic Score for Crohn's Disease Version 1 - Size of ulcers - ileum.	SES-CD Version 1 - Ileum: Size of Ulcers
C176092	SES01-Ileum: Ulcerated Surface	SES01-Ileum: Ulcerated Surface	Simple Endoscopic Score for Crohn's Disease Version 1 - Ulcerated surface - ileum.	SES-CD Version 1 - Ileum: Ulcerated Surface
C176118	SES01-Left Colon Subscore	SES01-Left Colon Subscore	Simple Endoscopic Score for Crohn's Disease Version 1 - Sigmoid and left colon subscore.	SES-CD Version 1 - Left Colon Subscore
C176108	SES01-Left Colon: Affected Surface	SES01-Left Colon: Affected Surface	Simple Endoscopic Score for Crohn's Disease Version 1 - Affected surface - sigmoid and left colon.	SES-CD Version 1 - Left Colon: Affected Surface
C176105	SES01-Left Colon: Explored	SES01-Left Colon: Explored	Simple Endoscopic Score for Crohn's Disease Version 1 - Was sigmoid and left colon explored?	SES-CD Version 1 - Left Colon: Explored
C176109	SES01-Left Colon: Presence of Narrowing	SES01-Left Colon: Presence of Narrowing	Simple Endoscopic Score for Crohn's Disease Version 1 - Presence of narrowing - sigmoid and left colon.	SES-CD Version 1 - Left Colon: Presence of Narrowing
C176106	SES01-Left Colon: Size of Ulcers	SES01-Left Colon: Size of Ulcers	Simple Endoscopic Score for Crohn's Disease Version 1 - Size of ulcers - sigmoid and left colon.	SES-CD Version 1 - Left Colon: Size of Ulcers
C176107	SES01-Left Colon: Ulcerated Surface	SES01-Left Colon: Ulcerated Surface	Simple Endoscopic Score for Crohn's Disease Version 1 - Ulcerated surface - sigmoid and left colon.	SES-CD Version 1 - Left Colon: Ulcerated Surface
C176119	SES01-Rectum Subscore	SES01-Rectum Subscore	Simple Endoscopic Score for Crohn's Disease Version 1 - Rectum subscore.	SES-CD Version 1 - Rectum Subscore
C176113	SES01-Rectum: Affected Surface	SES01-Rectum: Affected Surface	Simple Endoscopic Score for Crohn's Disease Version 1 - Affected surface - rectum.	SES-CD Version 1 - Rectum: Affected Surface
C176110	SES01-Rectum: Explored	SES01-Rectum: Explored	Simple Endoscopic Score for Crohn's Disease Version 1 - Was rectum explored?	SES-CD Version 1 - Rectum: Explored
C176114	SES01-Rectum: Presence of Narrowing	SES01-Rectum: Presence of Narrowing	Simple Endoscopic Score for Crohn's Disease Version 1 - Presence of narrowing - rectum.	SES-CD Version 1 - Rectum: Presence of Narrowing
C176111	SES01-Rectum: Size of Ulcers	SES01-Rectum: Size of Ulcers	Simple Endoscopic Score for Crohn's Disease Version 1 - Size of ulcers - rectum.	SES-CD Version 1 - Rectum: Size of Ulcers
C176112	SES01-Rectum: Ulcerated Surface	SES01-Rectum: Ulcerated Surface	Simple Endoscopic Score for Crohn's Disease Version 1 - Ulcerated surface - rectum.	SES-CD Version 1 - Rectum: Ulcerated Surface
C176116	SES01-Right Colon Subscore	SES01-Right Colon Subscore	Simple Endoscopic Score for Crohn's Disease Version 1 - Right colon subscore.	SES-CD Version 1 - Right Colon Subscore
C176098	SES01-Right Colon: Affected Surface	SES01-Right Colon: Affected Surface	Simple Endoscopic Score for Crohn's Disease Version 1 - Affected surface - right colon.	SES-CD Version 1 - Right Colon: Affected Surface
C176095	SES01-Right Colon: Explored	SES01-Right Colon: Explored	Simple Endoscopic Score for Crohn's Disease Version 1 - Was right colon explored?	SES-CD Version 1 - Right Colon: Explored
C176099	SES01-Right Colon: Presence of Narrowing	SES01-Right Colon: Presence of Narrowing	Simple Endoscopic Score for Crohn's Disease Version 1 - Presence of narrowing - right colon.	SES-CD Version 1 - Right Colon: Presence of Narrowing
C176096	SES01-Right Colon: Size of Ulcers	SES01-Right Colon: Size of Ulcers	Simple Endoscopic Score for Crohn's Disease Version 1 - Size of ulcers - right colon.	SES-CD Version 1 - Right Colon: Size of Ulcers
C176097	SES01-Right Colon: Ulcerated Surface	SES01-Right Colon: Ulcerated Surface	Simple Endoscopic Score for Crohn's Disease Version 1 - Ulcerated surface - right colon.	SES-CD Version 1 - Right Colon: Ulcerated Surface
C176120	SES01-Total Score	SES01-Total Score	Simple Endoscopic Score for Crohn's Disease Version 1 - SES-CD total score.	SES-CD Version 1 - Total Score
C176117	SES01-Trans Colon Subscore	SES01-Trans Colon Subscore	Simple Endoscopic Score for Crohn's Disease Version 1 - Transverse colon subscore.	SES-CD Version 1 - Trans Colon Subscore

Simple Endoscopic Score for Crohn's Disease Version 1 - Transverse Colon				
C176103	SES01-Trans Colon: Affected Surface	SES01-Trans Colon: Affected Surface	Simple Endoscopic Score for Crohn's Disease Version 1 - Affected surface - transverse colon.	SES-CD Version 1 - Trans Colon: Affected Surface
C176100	SES01-Trans Colon: Explored	SES01-Trans Colon: Explored	Simple Endoscopic Score for Crohn's Disease Version 1 - Was transverse colon explored?	SES-CD Version 1 - Trans Colon: Explored
C176104	SES01-Trans Colon: Presence of Narrowing	SES01-Trans Colon: Presence of Narrowing	Simple Endoscopic Score for Crohn's Disease Version 1 - Presence of narrowing - transverse colon.	SES-CD Version 1 - Trans Colon: Presence of Narrowing
C176101	SES01-Trans Colon: Size of Ulcers	SES01-Trans Colon: Size of Ulcers	Simple Endoscopic Score for Crohn's Disease Version 1 - Size of ulcers - transverse colon.	SES-CD Version 1 - Trans Colon: Size of Ulcers
C176102	SES01-Trans Colon: Ulcerated Surface	SES01-Trans Colon: Ulcerated Surface	Simple Endoscopic Score for Crohn's Disease Version 1 - Ulcerated surface - transverse colon.	SES-CD Version 1 - Trans Colon: Ulcerated Surface

C177837	SF10101	SF101-In General You Say Child Health Is	The Short Form 10 Health Survey Children Standard, US Version 1.0 - In general, would you say your child's health is.	SF10 v1.0 Children Standard - In General You Say Child Health Is
C177838	SF10102A	SF101-Doing Things That Take Some Energy	The Short Form 10 Health Survey Children Standard, US Version 1.0 - During the past 4 weeks, has your child been limited in any activities due to HEALTH problems - Doing things that take some energy such as riding a bike or skating?	SF10 v1.0 Children Standard - Doing Things That Take Some Energy
C177839	SF10102B	SF101-Bending/Lifting/Stooping	The Short Form 10 Health Survey Children Standard, US Version 1.0 - During the past 4 weeks, has your child been limited in any activities due to HEALTH problems - bending, lifting, or stooping?	SF10 v1.0 Children Standard - Bending, Lifting, Stooping
C177840	SF10103	SF101-Physical: Schoolwork/Activities	The Short Form 10 Health Survey Children Standard, US Version 1.0 - During the past 4 weeks, has your child been limited in the KIND of schoolwork or activities with friends he/she could do because of PHYSICAL health problems?	SF10 v1.0 Children Standard - Physical: Schoolwork, Activities
C177841	SF10104	SF101-Emotional: Schoolwork/Activities	The Short Form 10 Health Survey Children Standard, US Version 1.0 - During the past 4 weeks, has your child been limited in the KIND of schoolwork or activities with friends he/she could do because of EMOTIONAL or BEHAVIORAL problems?.	SF10 v1.0 Children Standard - Emotional: Schoolwork, Activities
C177842	SF10105	SF101-How Much Bodily Pain Child Had	The Short Form 10 Health Survey Children Standard, US Version 1.0 - During the past 4 weeks, how much bodily pain or discomfort has your child had?	SF10 v1.0 Children Standard - How Much Bodily Pain Child Had
C177843	SF10106	SF101-Felt About His/Her Friendships	The Short Form 10 Health Survey Children Standard, US Version 1.0 - During the past 4 weeks, how satisfied do you think your child has felt about his/her friendships?	SF10 v1.0 Children Standard - Felt About His/Her Friendships
C177844	SF10107	SF101-Felt About His/Her Life Overall	The Short Form 10 Health Survey Children Standard, US Version 1.0 - During the past 4 weeks, how satisfied do you think your child has felt about his/her life overall?	SF10 v1.0 Children Standard - Felt About His/Her Life Overall
C177845	SF10108	SF101-Acted Bothered or Upset	The Short Form 10 Health Survey Children Standard, US Version 1.0 - During the past 4 weeks, how much of the time do you think your child acted bothered or upset?	SF10 v1.0 Children Standard - Acted Bothered or Upset
C177846	SF10109	SF101-His/Her Behavior Is	The Short Form 10 Health Survey Children Standard, US Version 1.0 - Compared to other children your child's age, in general would you say his/her behavior is.	SF10 v1.0 Children Standard - His/Her Behavior Is

C177845	SF101-Acted Bothered or Upset	SF101-Acted Bothered or Upset	The Short Form 10 Health Survey Children Standard, US Version 1.0 - During the past 4 weeks, how much of the time do you think your child acted bothered or upset?	SF10 v1.0 Children Standard - Acted Bothered or Upset
C177839	SF101-Bending/Lifting/Stooping	SF101-Bending/Lifting/Stooping	The Short Form 10 Health Survey Children Standard, US Version 1.0 - During the past 4 weeks, has your child been limited in any activities due to HEALTH problems - bending, lifting, or stooping?	SF10 v1.0 Children Standard - Bending, Lifting, Stooping
C177838	SF101-Doing Things That Take Some Energy	SF101-Doing Things That Take Some Energy	The Short Form 10 Health Survey Children Standard, US Version 1.0 - During the past 4 weeks, has your child been limited in any activities due to HEALTH problems - Doing things that take some energy such as riding a bike or skating?	SF10 v1.0 Children Standard - Doing Things That Take Some Energy
C177841	SF101-Emotional: Schoolwork/Activities	SF101-Emotional: Schoolwork/Activities	The Short Form 10 Health Survey Children Standard, US Version 1.0 - During the past 4 weeks, has your child been limited in the KIND of schoolwork or activities with friends he/she could do because of EMOTIONAL or BEHAVIORAL problems?.	SF10 v1.0 Children Standard - Emotional: Schoolwork, Activities
C177843	SF101-Felt About His/Her Friendships	SF101-Felt About His/Her Friendships	The Short Form 10 Health Survey Children Standard, US Version 1.0 - During the past 4 weeks, how satisfied do you think your child has felt about his/her friendships?	SF10 v1.0 Children Standard - Felt About His/Her Friendships
C177844	SF101-Felt About His/Her Life Overall	SF101-Felt About His/Her Life Overall	The Short Form 10 Health Survey Children Standard, US Version 1.0 - During the past 4 weeks, how satisfied do you think your child has felt about his/her life overall?	SF10 v1.0 Children Standard - Felt About His/Her Life Overall
C177846	SF101-His/Her Behavior Is	SF101-His/Her Behavior Is	The Short Form 10 Health Survey Children Standard, US Version 1.0 - Compared to other children your child's age, in general would you say his/her behavior is.	SF10 v1.0 Children Standard - His/Her Behavior Is
C177842	SF101-How Much Bodily Pain Child Had	SF101-How Much Bodily Pain Child Had	The Short Form 10 Health Survey Children Standard, US Version 1.0 - During the past 4 weeks, how much bodily pain or discomfort has your child had?	SF10 v1.0 Children Standard - How Much Bodily Pain Child Had
C177837	SF101-In General You Say Child Health Is	SF101-In General You Say Child Health Is	The Short Form 10 Health Survey Children Standard, US Version 1.0 - In general, would you say your child's health is.	SF10 v1.0 Children Standard - In General You Say Child Health Is
C177840	SF101-Physical: Schoolwork/Activities	SF101-Physical: Schoolwork/Activities	The Short Form 10 Health Survey Children Standard, US Version 1.0 - During the past 4 weeks, has your child been limited in the KIND of schoolwork or activities with friends he/she could do because of PHYSICAL health problems?	SF10 v1.0 Children Standard - Physical: Schoolwork, Activities

C177827	SF10201	SF102-In General You Say Child Health Is	The Short Form 10 Health Survey Children Acute, US Version 1.0 - In general, would you say your child's health is.	SF10 v1.0 Children Acute - In General You Say Child Health Is
C177828	SF10202A	SF102-Doing Things That Take Some Energy	The Short Form 10 Health Survey Children Acute, US Version 1.0 - During the past week, has your child been limited in any of the following activities due to HEALTH problems - Doing things that take some energy such as riding a bike or skating?	SF10 v1.0 Children Acute - Doing Things That Take Some Energy
C177829	SF10202B	SF102-Bending/Lifting/Stooping	The Short Form 10 Health Survey Children Acute, US Version 1.0 - During the past week, has your child been limited in any of the following activities due to HEALTH problems - bending, lifting, or stooping?	SF10 v1.0 Children Acute - Bending, Lifting, Stooping
C177830	SF10203	SF102-Physical: Schoolwork/Activities	The Short Form 10 Health Survey Children Acute, US Version 1.0 - During the past week, has your child been limited in the KIND of schoolwork or activities with friends he/she could do because of PHYSICAL health problems?	SF10 v1.0 Children Acute - Physical: Schoolwork, Activities
C177831	SF10204	SF102-Emotional: Schoolwork/Activities	The Short Form 10 Health Survey Children Acute, US Version 1.0 - During the past week, has your child been limited in the KIND of schoolwork or activities with friends he/she could do because of EMOTIONAL or BEHAVIORAL problems?	SF10 v1.0 Children Acute - Emotional: Schoolwork, Activities
C177832	SF10205	SF102-How Much Bodily Pain Child Had	The Short Form 10 Health Survey Children Acute, US Version 1.0 - During the past week, how much bodily pain or discomfort has your child had?	SF10 v1.0 Children Acute - How Much Bodily Pain Child Had
C177833	SF10206	SF102-Felt About His/Her Friendships	The Short Form 10 Health Survey Children Acute, US Version 1.0 - During the past week, how satisfied do you think your child has felt about his/her friendships?	SF10 v1.0 Children Acute - Felt About His/Her Friendships
C177834	SF10207	SF102-Felt About His/Her Life Overall	The Short Form 10 Health Survey Children Acute, US Version 1.0 - During the past week, how satisfied do you think your child has felt about his/her life overall?	SF10 v1.0 Children Acute - Felt About His/Her Life Overall
C177835	SF10208	SF102-Acted Bothered or Upset	The Short Form 10 Health Survey Children Acute, US Version 1.0 - During the past week, how much of the time do you think your child acted bothered or upset?	SF10 v1.0 Children Acute - Acted Bothered or Upset
C177836	SF10209	SF102-His/Her Behavior Is	The Short Form 10 Health Survey Children Acute, US Version 1.0 - Compared to other children your child's age, in general would you say his/her behavior is.	SF10 v1.0 Children Acute - His/Her Behavior Is

C177835	SF102-Acted Bothered or Upset	SF102-Acted Bothered or Upset	The Short Form 10 Health Survey Children Acute, US Version 1.0 - During the past week, how much of the time do you think your child acted bothered or upset?	SF10 v1.0 Children Acute - Acted Bothered or Upset	
C177829	SF102-Bending/Lifting/Stooping	SF102-Bending/Lifting/Stooping	The Short Form 10 Health Survey Children Acute, US Version 1.0 - During the past week, has your child been limited in any of the following activities due to HEALTH problems - bending, lifting, or stooping?	SF10 v1.0 Children Acute - Bending, Lifting, Stooping	
C177828	SF102-Doing Things That Take Some Energy	SF102-Doing Things That Take Some Energy	The Short Form 10 Health Survey Children Acute, US Version 1.0 - During the past week, has your child been limited in any of the following activities due to HEALTH problems - Doing things that take some energy such as riding a bike or skating?	SF10 v1.0 Children Acute - Doing Things That Take Some Energy	
C177831	SF102-Emotional: Schoolwork/Activities	SF102-Emotional: Schoolwork/Activities	The Short Form 10 Health Survey Children Acute, US Version 1.0 - During the past week, has your child been limited in the KIND of schoolwork or activities with friends he/she could do because of EMOTIONAL or BEHAVIORAL problems?	SF10 v1.0 Children Acute - Emotional: Schoolwork, Activities	
C177833	SF102-Felt About His/Her Friendships	SF102-Felt About His/Her Friendships	The Short Form 10 Health Survey Children Acute, US Version 1.0 - During the past week, how satisfied do you think your child has felt about his/her friendships?	SF10 v1.0 Children Acute - Felt About His/Her Friendships	
C177834	SF102-Felt About His/Her Life Overall	SF102-Felt About His/Her Life Overall	The Short Form 10 Health Survey Children Acute, US Version 1.0 - During the past week, how satisfied do you think your child has felt about his/her life overall?	SF10 v1.0 Children Acute - Felt About His/Her Life Overall	
C177836	SF102-His/Her Behavior Is	SF102-His/Her Behavior Is	The Short Form 10 Health Survey Children Acute, US Version 1.0 - Compared to other children your child's age, in general would you say his/her behavior is.	SF10 v1.0 Children Acute - His/Her Behavior Is	
C177832	SF102-How Much Bodily Pain Child Had	SF102-How Much Bodily Pain Child Had	The Short Form 10 Health Survey Children Acute, US Version 1.0 - During the past week, how much bodily pain or discomfort has your child had?	SF10 v1.0 Children Acute - How Much Bodily Pain Child Had	
C177827	SF102-In General You Say Child Health Is	SF102-In General You Say Child Health Is	The Short Form 10 Health Survey Children Acute, US Version 1.0 - In general, would you say your child's health is.	SF10 v1.0 Children Acute - In General You Say Child Health Is	
C177830	SF102-Physical: Schoolwork/Activities	SF102-Physical: Schoolwork/Activities	The Short Form 10 Health Survey Children Acute, US Version 1.0 - During the past week, has your child been limited in the KIND of schoolwork or activities with friends he/she could do because of PHYSICAL health problems?	SF10 v1.0 Children Acute - Physical: Schoolwork, Activities	

C177859	SF12101	SF121-In General You Say Your Health Is	The Short Form 12 Health Survey Standard, US Version 1.0 - In general, would you say your health is.	SF12 v1.0 Standard - In General You Say Your Health Is
C177860	SF12102A	SF121-Limit Moderate Activities	The Short Form 12 Health Survey Standard, US Version 1.0 - How much does your health now limit you in - moderate activities, such as moving a table, pushing a vacuum cleaner, bowling, or playing golf.	SF12 v1.0 Standard - Limit Moderate Activities
C177861	SF12102B	SF121-Limit Climbing Several Flights	The Short Form 12 Health Survey Standard, US Version 1.0 - How much does your health now limit you in - climbing several flights of stairs.	SF12 v1.0 Standard - Limit Climbing Several Flights
C177862	SF12103A	SF121-Physical: Accomplished Less	The Short Form 12 Health Survey Standard, US Version 1.0 - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health - accomplished less than you would like.	SF12 v1.0 Standard - Physical: Accomplished Less
C177863	SF12103B	SF121-Physical: Limited Kind of Work	The Short Form 12 Health Survey Standard, US Version 1.0 - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health - were limited in the kind of work or other activities.	SF12 v1.0 Standard - Physical: Limited Kind of Work
C177864	SF12104A	SF121-Emotional: Accomplished Less	The Short Form 12 Health Survey Standard, US Version 1.0 - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious) - accomplished less than you would like.	SF12 v1.0 Standard - Emotional: Accomplished Less
C177865	SF12104B	SF121-Emotional: Did Work Less Carefully	The Short Form 12 Health Survey Standard, US Version 1.0 - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious) - did work or other activities less carefully than usual.	SF12 v1.0 Standard - Emotional: Did Work Less Carefully
C177866	SF12105	SF121-Pain Interfere With Normal Work	The Short Form 12 Health Survey Standard, US Version 1.0 - During the past 4 weeks, how much did pain interfere with your normal work (including both work outside the home and housework)?	SF12 v1.0 Standard - Pain Interfere With Normal Work
C177867	SF12106A	SF121-Have You Felt Calm and Peaceful	The Short Form 12 Health Survey Standard, US Version 1.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past 4 weeks - have you felt calm and peaceful?	SF12 v1.0 Standard - Have You Felt Calm and Peaceful
C177868	SF12106B	SF121-Did You Have a Lot of Energy	The Short Form 12 Health Survey Standard, US Version 1.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past 4 weeks - did you have a lot of energy?	SF12 v1.0 Standard - Did You Have a Lot of Energy
C177869	SF12106C	SF121-You Felt Downhearted and Blue	The Short Form 12 Health Survey Standard, US Version 1.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past 4 weeks - have you felt downhearted and blue?	SF12 v1.0 Standard - You Felt Downhearted and Blue
C177870	SF12107	SF121-Time Phys/Emotional Interfered	The Short Form 12 Health Survey Standard, US Version 1.0 - During the past 4 weeks, how much of the time has your physical health or emotional problems interfered with your social activities (like visiting friends, relatives, etc.)?	SF12 v1.0 Standard - Time Physical Health, Emotional Interfered
C180457	SF12108	SF121-Physical Component Score	The Short Form 12 Health Survey Standard, US Version 1.0 - Physical component score.	SF12 v1.0 Standard - Physical Component Score
C180458	SF12109	SF121-Mental Component Score	The Short Form 12 Health Survey Standard, US Version 1.0 - Mental component score.	SF12 v1.0 Standard - Mental Component Score
C180459	SF12110	SF121-SF-6D_R2 (Util Index Rel 2) Score	The Short Form 12 Health Survey Standard, US Version 1.0 - SF-6D_R2 (utility index release 2) score.	SF12 v1.0 Standard - SF-6D_R2 Score

C177868	SF121-Did You Have a Lot of Energy	SF121-Did You Have a Lot of Energy	The Short Form 12 Health Survey Standard, US Version 1.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past 4 weeks - did you have a lot of energy?	SF12 v1.0 Standard - Did You Have a Lot of Energy
C177864	SF121-Emotional: Accomplished Less	SF121-Emotional: Accomplished Less	The Short Form 12 Health Survey Standard, US Version 1.0 - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious) - accomplished less than you would like.	SF12 v1.0 Standard - Emotional: Accomplished Less
C177865	SF121-Emotional: Did Work Less Carefully	SF121-Emotional: Did Work Less Carefully	The Short Form 12 Health Survey Standard, US Version 1.0 - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious) - did work or other activities less carefully than usual.	SF12 v1.0 Standard - Emotional: Did Work Less Carefully
C177867	SF121-Have You Felt Calm and Peaceful	SF121-Have You Felt Calm and Peaceful	The Short Form 12 Health Survey Standard, US Version 1.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past 4 weeks - have you felt calm and peaceful?	SF12 v1.0 Standard - Have You Felt Calm and Peaceful
C177859	SF121-In General You Say Your Health Is	SF121-In General You Say Your Health Is	The Short Form 12 Health Survey Standard, US Version 1.0 - In general, would you say your health is.	SF12 v1.0 Standard - In General You Say Your Health Is
C177861	SF121-Limit Climbing Several Flights	SF121-Limit Climbing Several Flights	The Short Form 12 Health Survey Standard, US Version 1.0 - How much does your health now limit you in - climbing several flights of stairs.	SF12 v1.0 Standard - Limit Climbing Several Flights
C177860	SF121-Limit Moderate Activities	SF121-Limit Moderate Activities	The Short Form 12 Health Survey Standard, US Version 1.0 - How much does your health now limit you in - moderate activities, such as moving a table, pushing a vacuum cleaner, bowling, or playing golf.	SF12 v1.0 Standard - Limit Moderate Activities
C180458	SF121-Mental Component Score	SF121-Mental Component Score	The Short Form 12 Health Survey Standard, US Version 1.0 - Mental component score.	SF12 v1.0 Standard - Mental Component Score
C177866	SF121-Pain Interfere With Normal Work	SF121-Pain Interfere With Normal Work	The Short Form 12 Health Survey Standard, US Version 1.0 - During the past 4 weeks, how much did pain interfere with your normal work (including both work outside the home and housework)?	SF12 v1.0 Standard - Pain Interfere With Normal Work
C180457	SF121-Physical Component Score	SF121-Physical Component Score	The Short Form 12 Health Survey Standard, US Version 1.0 - Physical component score.	SF12 v1.0 Standard - Physical Component Score
C177862	SF121-Physical: Accomplished Less	SF121-Physical: Accomplished Less	The Short Form 12 Health Survey Standard, US Version 1.0 - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health - accomplished less than you would like.	SF12 v1.0 Standard - Physical: Accomplished Less
C177863	SF121-Physical: Limited Kind of Work	SF121-Physical: Limited Kind of Work	The Short Form 12 Health Survey Standard, US Version 1.0 - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health - were limited in the kind of work or other activities.	SF12 v1.0 Standard - Physical: Limited Kind of Work
C180459	SF121-SF-6D_R2 (Util Index Rel 2) Score	SF121-SF-6D_R2 (Util Index Rel 2) Score	The Short Form 12 Health Survey Standard, US Version 1.0 - SF-6D_R2 (utility index release 2) score.	SF12 v1.0 Standard - SF-6D_R2 Score
C177870	SF121-Time Phys/Emotional Interfered	SF121-Time Phys/Emotional Interfered	The Short Form 12 Health Survey Standard, US Version 1.0 - During the past 4 weeks, how much of the time has your physical health or emotional problems interfered with your social activities (like visiting friends, relatives, etc.)?	SF12 v1.0 Standard - Time Physical Health, Emotional Interfered
C177869	SF121-You Felt Downhearted and Blue	SF121-You Felt Downhearted and Blue	The Short Form 12 Health Survey Standard, US Version 1.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past 4 weeks - have you felt downhearted and blue?	SF12 v1.0 Standard - You Felt Downhearted and Blue

C177847	SF12201	SF122-In General You Say Your Health Is	The Short Form 12 Health Survey Acute, US Version 1.0 - In general, would you say your health is.	SF12 v1.0 Acute - In General You Say Your Health Is
C177848	SF12202A	SF122-Limit Moderate Activities	The Short Form 12 Health Survey Acute, US Version 1.0 - How much does your health now limit you in - moderate activities, such as moving a table, pushing a vacuum cleaner, bowling, or playing golf.	SF12 v1.0 Acute - Limit Moderate Activities
C177849	SF12202B	SF122-Limit Climbing Several Flights	The Short Form 12 Health Survey Acute, US Version 1.0 - How much does your health now limit you in - climbing several flights of stairs.	SF12 v1.0 Acute - Limit Climbing Several Flights
C177850	SF12203A	SF122-Physical: Accomplished Less	The Short Form 12 Health Survey Acute, US Version 1.0 - During the past week, have you had any of the following problems with your work or other regular daily activities as a result of your physical health - accomplished less than you would like.	SF12 v1.0 Acute - Physical: Accomplished Less
C177851	SF12203B	SF122-Physical: Limited Kind of Work	The Short Form 12 Health Survey Acute, US Version 1.0 - During the past week, have you had any of the following problems with your work or other regular daily activities as a result of your physical health - were limited in the kind of work or other activities.	SF12 v1.0 Acute - Physical: Limited Kind of Work
C177852	SF12204A	SF122-Emotional: Accomplished Less	The Short Form 12 Health Survey Acute, US Version 1.0 - During the past week, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious) - accomplished less than you would like.	SF12 v1.0 Acute - Emotional: Accomplished Less
C177853	SF12204B	SF122-Emotional: Did Work Less Carefully	The Short Form 12 Health Survey Acute, US Version 1.0 - During the past week, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious) - did work or other activities less carefully than usual.	SF12 v1.0 Acute - Emotional: Did Work Less Carefully
C177854	SF12205	SF122-Pain Interfere With Normal Work	The Short Form 12 Health Survey Acute, US Version 1.0 - During the past week, how much did pain interfere with your normal work (including both work outside the home and housework)?	SF12 v1.0 Acute - Pain Interfere With Normal Work
C177855	SF12206A	SF122-Have You Felt Calm and Peaceful	The Short Form 12 Health Survey Acute, US Version 1.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past week - have you felt calm and peaceful?	SF12 v1.0 Acute - Have You Felt Calm and Peaceful
C177856	SF12206B	SF122-Did You Have a Lot of Energy	The Short Form 12 Health Survey Acute, US Version 1.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past week - did you have a lot of energy?	SF12 v1.0 Acute - Did You Have a Lot of Energy
C177857	SF12206C	SF122-You Felt Downhearted and Blue	The Short Form 12 Health Survey Acute, US Version 1.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past week - have you felt downhearted and blue?	SF12 v1.0 Acute - You Felt Downhearted and Blue
C177858	SF12207	SF122-Time Phys/Emotional Interfered	The Short Form 12 Health Survey Acute, US Version 1.0 - During the past week, how much of the time has your physical health or emotional problems interfered with your social activities (like visiting friends, relatives, etc.)?	SF12 v1.0 Acute - Time Physical Health, Emotional Interfered
C180454	SF12208	SF122-Physical Component Score	The Short Form 12 Health Survey Acute, US Version 1.0 - Physical component score.	SF12 v1.0 Acute - Physical Component Score
C180455	SF12209	SF122-Mental Component Score	The Short Form 12 Health Survey Acute, US Version 1.0 - Mental component score.	SF12 v1.0 Acute - Mental Component Score
C180456	SF12210	SF122-SF-6D_R2 (Util Index Rel 2) Score	The Short Form 12 Health Survey Acute, US Version 1.0 - SF-6D_R2 (utility index release 2) score.	SF12 v1.0 Acute - SF-6D_R2 Score

C177856	SF122-Did You Have a Lot of Energy	SF122-Did You Have a Lot of Energy	The Short Form 12 Health Survey Acute, US Version 1.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past week - did you have a lot of energy?	SF12 v1.0 Acute - Did You Have a Lot of Energy
C177852	SF122-Emotional: Accomplished Less	SF122-Emotional: Accomplished Less	The Short Form 12 Health Survey Acute, US Version 1.0 - During the past week, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious) - accomplished less than you would like.	SF12 v1.0 Acute - Emotional: Accomplished Less
C177853	SF122-Emotional: Did Work Less Carefully	SF122-Emotional: Did Work Less Carefully	The Short Form 12 Health Survey Acute, US Version 1.0 - During the past week, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious) - did work or other activities less carefully than usual.	SF12 v1.0 Acute - Emotional: Did Work Less Carefully
C177855	SF122-Have You Felt Calm and Peaceful	SF122-Have You Felt Calm and Peaceful	The Short Form 12 Health Survey Acute, US Version 1.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past week - have you felt calm and peaceful?	SF12 v1.0 Acute - Have You Felt Calm and Peaceful
C177847	SF122-In General You Say Your Health Is	SF122-In General You Say Your Health Is	The Short Form 12 Health Survey Acute, US Version 1.0 - In general, would you say your health is.	SF12 v1.0 Acute - In General You Say Your Health Is
C177849	SF122-Limit Climbing Several Flights	SF122-Limit Climbing Several Flights	The Short Form 12 Health Survey Acute, US Version 1.0 - How much does your health now limit you in - climbing several flights of stairs.	SF12 v1.0 Acute - Limit Climbing Several Flights
C177848	SF122-Limit Moderate Activities	SF122-Limit Moderate Activities	The Short Form 12 Health Survey Acute, US Version 1.0 - How much does your health now limit you in - moderate activities, such as moving a table, pushing a vacuum cleaner, bowling, or playing golf.	SF12 v1.0 Acute - Limit Moderate Activities
C180455	SF122-Mental Component Score	SF122-Mental Component Score	The Short Form 12 Health Survey Acute, US Version 1.0 - Mental component score.	SF12 v1.0 Acute - Mental Component Score
C177854	SF122-Pain Interfere With Normal Work	SF122-Pain Interfere With Normal Work	The Short Form 12 Health Survey Acute, US Version 1.0 - During the past week, how much did pain interfere with your normal work (including both work outside the home and housework)?	SF12 v1.0 Acute - Pain Interfere With Normal Work
C180454	SF122-Physical Component Score	SF122-Physical Component Score	The Short Form 12 Health Survey Acute, US Version 1.0 - Physical component score.	SF12 v1.0 Acute - Physical Component Score
C177850	SF122-Physical: Accomplished Less	SF122-Physical: Accomplished Less	The Short Form 12 Health Survey Acute, US Version 1.0 - During the past week, have you had any of the following problems with your work or other regular daily activities as a result of your physical health - accomplished less than you would like.	SF12 v1.0 Acute - Physical: Accomplished Less
C177851	SF122-Physical: Limited Kind of Work	SF122-Physical: Limited Kind of Work	The Short Form 12 Health Survey Acute, US Version 1.0 - During the past week, have you had any of the following problems with your work or other regular daily activities as a result of your physical health - were limited in the kind of work or other activities.	SF12 v1.0 Acute - Physical: Limited Kind of Work
C180456	SF122-SF-6D_R2 (Util Index Rel 2) Score	SF122-SF-6D_R2 (Util Index Rel 2) Score	The Short Form 12 Health Survey Acute, US Version 1.0 - SF-6D_R2 (utility index release 2) score.	SF12 v1.0 Acute - SF-6D_R2 Score
C177858	SF122-Time Phys/Emotional Interfered	SF122-Time Phys/Emotional Interfered	The Short Form 12 Health Survey Acute, US Version 1.0 - During the past week, how much of the time has your physical health or emotional problems interfered with your social activities (like visiting friends, relatives, etc.)?	SF12 v1.0 Acute - Time Physical Health, Emotional Interfered
C177857	SF122-You Felt Downhearted and Blue	SF122-You Felt Downhearted and Blue	The Short Form 12 Health Survey Acute, US Version 1.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past week - have you felt downhearted and blue?	SF12 v1.0 Acute - You Felt Downhearted and Blue

C177883	SF12301	SF123-In General You Say Your Health Is	The Short Form 12 Health Survey Standard, US Version 2.0 - In general, would you say your health is.	SF12 v2.0 Standard - In General You Say Your Health Is
C177884	SF12302A	SF123-Limit Moderate Activities	The Short Form 12 Health Survey Standard, US Version 2.0 - How much does your health now limit you in - moderate activities, such as moving a table, pushing a vacuum cleaner, bowling, or playing golf.	SF12 v2.0 Standard - Limit Moderate Activities
C177885	SF12302B	SF123-Limit Climbing Several Flights	The Short Form 12 Health Survey Standard, US Version 2.0 - How much does your health now limit you in - climbing several flights of stairs.	SF12 v2.0 Standard - Limit Climbing Several Flights
C177886	SF12303A	SF123-Physical: Accomplished Less	The Short Form 12 Health Survey Standard, US Version 2.0 - During the past 4 weeks, how much of the time have you had any of the following problems with your work or other regular daily activities as a result of your physical health - accomplished less than you would like.	SF12 v2.0 Standard - Physical: Accomplished Less
C177887	SF12303B	SF123-Physical: Limited Kind of Work	The Short Form 12 Health Survey Standard, US Version 2.0 - During the past 4 weeks, how much of the time have you had any of the following problems with your work or other regular daily activities as a result of your physical health - were limited in the kind of work or other activities.	SF12 v2.0 Standard - Physical: Limited Kind of Work
C177888	SF12304A	SF123-Emotional: Accomplished Less	The Short Form 12 Health Survey Standard, US Version 2.0 - During the past 4 weeks, how much of the time have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious) - accomplished less than you would like.	SF12 v2.0 Standard - Emotional: Accomplished Less
C177889	SF12304B	SF123-Emotional: Did Work Less Carefully	The Short Form 12 Health Survey Standard, US Version 2.0 - During the past 4 weeks, how much of the time have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious) - did work or other activities less carefully than usual.	SF12 v2.0 Standard - Emotional: Did Work Less Carefully
C177890	SF12305	SF123-Pain Interfere With Normal Work	The Short Form 12 Health Survey Standard, US Version 2.0 - During the past 4 weeks, how much did pain interfere with your normal work (including both work outside the home and housework)?	SF12 v2.0 Standard - Pain Interfere With Normal Work
C177891	SF12306A	SF123-Have You Felt Calm and Peaceful	The Short Form 12 Health Survey Standard, US Version 2.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past 4 weeks - have you felt calm and peaceful?	SF12 v2.0 Standard - Have You Felt Calm and Peaceful
C177892	SF12306B	SF123-Did You Have a Lot of Energy	The Short Form 12 Health Survey Standard, US Version 2.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past 4 weeks - did you have a lot of energy?	SF12 v2.0 Standard - Did You Have a Lot of Energy
C177893	SF12306C	SF123-You Felt Downhearted and Depressed	The Short Form 12 Health Survey Standard, US Version 2.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past 4 weeks - have you felt downhearted and depressed?	SF12 v2.0 Standard - You Felt Downhearted and Depressed
C177894	SF12307	SF123-Time Phys/Emotional Interfered	The Short Form 12 Health Survey Standard, US Version 2.0 - During the past 4 weeks, how much has your physical health or emotional problems interfered with your social activities (like visiting friends, relatives, etc.)?	SF12 v2.0 Standard - Time Physical Health, Emotional Interfered
C180479	SF12308	SF123-Physical Functioning 0-100 Score	The Short Form 12 Health Survey Standard, US Version 2.0 - Physical functioning 0-100 score.	SF12 v2.0 Standard - Physical Functioning 0-100 Score
C180480	SF12309	SF123-Role Physical 0-100 Score	The Short Form 12 Health Survey Standard, US Version 2.0 - Role physical 0-100 score.	SF12 v2.0 Standard - Role Physical 0-100 Score
C180481	SF12310	SF123-Bodily Pain 0-100 Score	The Short Form 12 Health Survey Standard, US Version 2.0 - Bodily pain 0-100 score.	SF12 v2.0 Standard - Bodily Pain 0-100 Score
C180482	SF12311	SF123-General Health 0-100 Score	The Short Form 12 Health Survey Standard, US Version 2.0 - General health 0-100 score.	SF12 v2.0 Standard - General Health 0-100 Score
C180483	SF12312	SF123-Vitality 0-100 Score	The Short Form 12 Health Survey Standard, US Version 2.0 - Vitality 0-100 score.	SF12 v2.0 Standard - Vitality 0-100 Score
C180484	SF12313	SF123-Social Functioning 0-100 Score	The Short Form 12 Health Survey Standard, US Version 2.0 - Social functioning 0-100 score.	SF12 v2.0 Standard - Social Functioning 0-100 Score

SF12 v2.0 Standard - SF-6D_R2 (Util Index Rel 2) Score				
C180485	SF12314	SF123-Role Emotional 0-100 Score	The Short Form 12 Health Survey Standard, US Version 2.0 - Role emotional 0-100 score.	SF12 v2.0 Standard - Role Emotional 0-100 Score
C180486	SF12315	SF123-Mental Health 0-100 Score	The Short Form 12 Health Survey Standard, US Version 2.0 - Mental health 0-100 score.	SF12 v2.0 Standard - Mental Health 0-100 Score
C180487	SF12316	SF123-Phys Functioning Norm-Based Score	The Short Form 12 Health Survey Standard, US Version 2.0 - Physical functioning norm-based score.	SF12 v2.0 Standard - Phys Functioning Norm-Based Score
C180488	SF12317	SF123-Role Physical Norm-Based Score	The Short Form 12 Health Survey Standard, US Version 2.0 - Role physical norm-based score.	SF12 v2.0 Standard - Role Physical Norm-Based Score
C180489	SF12318	SF123-Bodily Pain Norm-Based Score	The Short Form 12 Health Survey Standard, US Version 2.0 - Bodily pain norm-based score.	SF12 v2.0 Standard - Bodily Pain Norm-Based Score
C180490	SF12319	SF123-General Health Norm-Based Score	The Short Form 12 Health Survey Standard, US Version 2.0 - General health norm-based score.	SF12 v2.0 Standard - General Health Norm-Based Score
C180491	SF12320	SF123-Vitality Norm-Based Score	The Short Form 12 Health Survey Standard, US Version 2.0 - Vitality norm-based score.	SF12 v2.0 Standard - Vitality Norm-Based Score
C180492	SF12321	SF123-Social Function Norm-Based Score	The Short Form 12 Health Survey Standard, US Version 2.0 - Social function norm-based score.	SF12 v2.0 Standard - Social Function Norm-Based Score
C180493	SF12322	SF123-Role Emotional Norm-Based Score	The Short Form 12 Health Survey Standard, US Version 2.0 - Role emotional norm-based score.	SF12 v2.0 Standard - Role Emotional Norm-Based Score
C180494	SF12323	SF123-Mental Health Norm-Based Score	The Short Form 12 Health Survey Standard, US Version 2.0 - Mental health norm-based score.	SF12 v2.0 Standard - Mental Health Norm-Based Score
C180495	SF12324	SF123-Physical Component Score	The Short Form 12 Health Survey Standard, US Version 2.0 - Physical component score.	SF12 v2.0 Standard - Physical Component Score
C180496	SF12325	SF123-Mental Component Score	The Short Form 12 Health Survey Standard, US Version 2.0 - Mental component score.	SF12 v2.0 Standard - Mental Component Score
C180497	SF12326	SF123-SF-6D_R2 (Util Index Rel 2) Score	The Short Form 12 Health Survey Standard, US Version 2.0 - SF-6D_R2 (utility index release 2) score.	SF12 v2.0 Standard - SF-6D_R2 (Util Index Rel 2) Score

C180481	SF123-Bodily Pain 0-100 Score	SF123-Bodily Pain 0-100 Score	The Short Form 12 Health Survey Standard, US Version 2.0 - Bodily pain 0-100 score.	SF12 v2.0 Standard - Bodily Pain 0-100 Score
C180489	SF123-Bodily Pain Norm-Based Score	SF123-Bodily Pain Norm-Based Score	The Short Form 12 Health Survey Standard, US Version 2.0 - Bodily pain norm-based score.	SF12 v2.0 Standard - Bodily Pain Norm-Based Score
C177892	SF123-Did You Have a Lot of Energy	SF123-Did You Have a Lot of Energy	The Short Form 12 Health Survey Standard, US Version 2.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past 4 weeks - did you have a lot of energy?	SF12 v2.0 Standard - Did You Have a Lot of Energy
C177888	SF123-Emotional: Accomplished Less	SF123-Emotional: Accomplished Less	The Short Form 12 Health Survey Standard, US Version 2.0 - During the past 4 weeks, how much of the time have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious) - accomplished less than you would like.	SF12 v2.0 Standard - Emotional: Accomplished Less
C177889	SF123-Emotional: Did Work Less Carefully	SF123-Emotional: Did Work Less Carefully	The Short Form 12 Health Survey Standard, US Version 2.0 - During the past 4 weeks, how much of the time have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious) - did work or other activities less carefully than usual.	SF12 v2.0 Standard - Emotional: Did Work Less Carefully
C180482	SF123-General Health 0-100 Score	SF123-General Health 0-100 Score	The Short Form 12 Health Survey Standard, US Version 2.0 - General health 0-100 score.	SF12 v2.0 Standard - General Health 0-100 Score
C180490	SF123-General Health Norm-Based Score	SF123-General Health Norm-Based Score	The Short Form 12 Health Survey Standard, US Version 2.0 - General health norm-based score.	SF12 v2.0 Standard - General Health Norm-Based Score
C177891	SF123-Have You Felt Calm and Peaceful	SF123-Have You Felt Calm and Peaceful	The Short Form 12 Health Survey Standard, US Version 2.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past 4 weeks - have you felt calm and peaceful?	SF12 v2.0 Standard - Have You Felt Calm and Peaceful
C177883	SF123-In General You Say Your Health Is	SF123-In General You Say Your Health Is	The Short Form 12 Health Survey Standard, US Version 2.0 - In general, would you say your health is.	SF12 v2.0 Standard - In General You Say Your Health Is
C177885	SF123-Limit Climbing Several Flights	SF123-Limit Climbing Several Flights	The Short Form 12 Health Survey Standard, US Version 2.0 - How much does your health now limit you in - climbing several flights of stairs.	SF12 v2.0 Standard - Limit Climbing Several Flights
C177884	SF123-Limit Moderate Activities	SF123-Limit Moderate Activities	The Short Form 12 Health Survey Standard, US Version 2.0 - How much does your health now limit you in - moderate activities, such as moving a table, pushing a vacuum cleaner, bowling, or playing golf.	SF12 v2.0 Standard - Limit Moderate Activities
C180496	SF123-Mental Component Score	SF123-Mental Component Score	The Short Form 12 Health Survey Standard, US Version 2.0 - Mental component score.	SF12 v2.0 Standard - Mental Component Score
C180486	SF123-Mental Health 0-100 Score	SF123-Mental Health 0-100 Score	The Short Form 12 Health Survey Standard, US Version 2.0 - Mental health 0-100 score.	SF12 v2.0 Standard - Mental Health 0-100 Score
C180494	SF123-Mental Health Norm-Based Score	SF123-Mental Health Norm-Based Score	The Short Form 12 Health Survey Standard, US Version 2.0 - Mental health norm-based score.	SF12 v2.0 Standard - Mental Health Norm-Based Score
C177890	SF123-Pain Interfere With Normal Work	SF123-Pain Interfere With Normal Work	The Short Form 12 Health Survey Standard, US Version 2.0 - During the past 4 weeks, how much did pain interfere with your normal work (including both work outside the home and housework)?	SF12 v2.0 Standard - Pain Interfere With Normal Work
C180487	SF123-Phys Functioning Norm-Based Score	SF123-Phys Functioning Norm-Based Score	The Short Form 12 Health Survey Standard, US Version 2.0 - Physical functioning norm-based score.	SF12 v2.0 Standard - Phys Functioning Norm-Based Score
C180495	SF123-Physical Component Score	SF123-Physical Component Score	The Short Form 12 Health Survey Standard, US Version 2.0 - Physical component score.	SF12 v2.0 Standard - Physical Component Score
C180479	SF123-Physical Functioning 0-100 Score	SF123-Physical Functioning 0-100 Score	The Short Form 12 Health Survey Standard, US Version 2.0 - Physical functioning 0-100 score.	SF12 v2.0 Standard - Physical Functioning 0-100 Score
C177886	SF123-Physical: Accomplished Less	SF123-Physical: Accomplished Less	The Short Form 12 Health Survey Standard, US Version 2.0 - During the past 4 weeks, how much of the time have you had any of the following problems with your work or other regular daily activities as a result of your physical health - accomplished less than you would like.	SF12 v2.0 Standard - Physical: Accomplished Less

SF123 Items				
C177887	SF123-Physical: Limited Kind of Work	SF123-Physical: Limited Kind of Work	The Short Form 12 Health Survey Standard, US Version 2.0 - During the past 4 weeks, how much of the time have you had any of the following problems with your work or other regular daily activities as a result of your physical health - were limited in the kind of work or other activities.	SF12 v2.0 Standard - Physical: Limited Kind of Work
C180485	SF123-Role Emotional 0-100 Score	SF123-Role Emotional 0-100 Score	The Short Form 12 Health Survey Standard, US Version 2.0 - Role emotional 0-100 score.	SF12 v2.0 Standard - Role Emotional 0-100 Score
C180493	SF123-Role Emotional Norm-Based Score	SF123-Role Emotional Norm-Based Score	The Short Form 12 Health Survey Standard, US Version 2.0 - Role emotional norm-based score.	SF12 v2.0 Standard - Role Emotional Norm-Based Score
C180480	SF123-Role Physical 0-100 Score	SF123-Role Physical 0-100 Score	The Short Form 12 Health Survey Standard, US Version 2.0 - Role physical 0-100 score.	SF12 v2.0 Standard - Role Physical 0-100 Score
C180488	SF123-Role Physical Norm-Based Score	SF123-Role Physical Norm-Based Score	The Short Form 12 Health Survey Standard, US Version 2.0 - Role physical norm-based score.	SF12 v2.0 Standard - Role Physical Norm-Based Score
C180497	SF123-SF-6D_R2 (Util Index Rel 2) Score	SF123-SF-6D_R2 (Util Index Rel 2) Score	The Short Form 12 Health Survey Standard, US Version 2.0 - SF-6D_R2 (utility index release 2) score.	SF12 v2.0 Standard - SF-6D_R2 (Util Index Rel 2) Score
C180492	SF123-Social Function Norm-Based Score	SF123-Social Function Norm-Based Score	The Short Form 12 Health Survey Standard, US Version 2.0 - Social function norm-based score.	SF12 v2.0 Standard - Social Function Norm-Based Score
C180484	SF123-Social Functioning 0-100 Score	SF123-Social Functioning 0-100 Score	The Short Form 12 Health Survey Standard, US Version 2.0 - Social functioning 0-100 score.	SF12 v2.0 Standard - Social Functioning 0-100 Score
C177894	SF123-Time Phys/Emotional Interfered	SF123-Time Phys/Emotional Interfered	The Short Form 12 Health Survey Standard, US Version 2.0 - During the past 4 weeks, how much of the time has your physical health or emotional problems interfered with your social activities (like visiting friends, relatives, etc.)?	SF12 v2.0 Standard - Time Physical Health, Emotional Interfered
C180483	SF123-Vitality 0-100 Score	SF123-Vitality 0-100 Score	The Short Form 12 Health Survey Standard, US Version 2.0 - Vitality 0-100 score.	SF12 v2.0 Standard - Vitality 0-100 Score
C180491	SF123-Vitality Norm-Based Score	SF123-Vitality Norm-Based Score	The Short Form 12 Health Survey Standard, US Version 2.0 - Vitality norm-based score.	SF12 v2.0 Standard - Vitality Norm-Based Score
C177893	SF123-You Felt Downhearted and Depressed	SF123-You Felt Downhearted and Depressed	The Short Form 12 Health Survey Standard, US Version 2.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past 4 weeks - have you felt downhearted and depressed?	SF12 v2.0 Standard - You Felt Downhearted and Depressed

C177871	SF12401	SF124-In General You Say Your Health Is	The Short Form 12 Health Survey Acute, US Version 2.0 - In general, would you say your health is.	SF12 v2.0 Acute - In General You Say Your Health Is
C177872	SF12402A	SF124-Limit Moderate Activities	The Short Form 12 Health Survey Acute, US Version 2.0 - The following questions are about activities you might do during a typical day. Does your health now limit you in these activities?	SF12 v2.0 Acute - Limit Moderate Activities
C177873	SF12402B	SF124-Limit Climbing Several Flights	The Short Form 12 Health Survey Acute, US Version 2.0 - How much does your health now limit you in - climbing several flights of stairs.	SF12 v2.0 Acute - Limit Climbing Several Flights
C177874	SF12403A	SF124-Physical: Accomplished Less	The Short Form 12 Health Survey Acute, US Version 2.0 - During the past week, how much of the time have you had any of the following problems with your work or other regular daily activities as a result of your physical health - accomplished less than you would like.	SF12 v2.0 Acute - Physical: Accomplished Less
C177875	SF12403B	SF124-Physical: Limited Kind of Work	The Short Form 12 Health Survey Acute, US Version 2.0 - During the past week, how much of the time have you had any of the following problems with your work or other regular daily activities as a result of your physical health - were limited in the kind of work or other activities.	SF12 v2.0 Acute - Physical: Limited Kind of Work
C177876	SF12404A	SF124-Emotional: Accomplished Less	The Short Form 12 Health Survey Acute, US Version 2.0 - During the past week, how much of the time have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious) - accomplished less than you would like.	SF12 v2.0 Acute - Emotional: Accomplished Less
C177877	SF12404B	SF124-Emotional: Did Work Less Carefully	The Short Form 12 Health Survey Acute, US Version 2.0 - During the past week, how much of the time have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious) - did work or other activities less carefully than usual.	SF12 v2.0 Acute - Emotional: Did Work Less Carefully
C177878	SF12405	SF124-Pain Interfere With Normal Work	The Short Form 12 Health Survey Acute, US Version 2.0 - During the past week, how much did pain interfere with your normal work (including both work outside the home and housework)?	SF12 v2.0 Acute - Pain Interfere With Normal Work
C177879	SF12406A	SF124-Have You Felt Calm and Peaceful	The Short Form 12 Health Survey Acute, US Version 2.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past week - have you felt calm and peaceful?	SF12 v2.0 Acute - Have You Felt Calm and Peaceful
C177880	SF12406B	SF124-Did You Have a Lot of Energy	The Short Form 12 Health Survey Acute, US Version 2.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past week - did you have a lot of energy?	SF12 v2.0 Acute - Did You Have a Lot of Energy
C177881	SF12406C	SF124-You Felt Downhearted and Depressed	The Short Form 12 Health Survey Acute, US Version 2.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past week - have you felt downhearted and depressed?	SF12 v2.0 Acute - You Felt Downhearted and Depressed
C177882	SF12407	SF124-Time Phys/Emotional Interfered	The Short Form 12 Health Survey Acute, US Version 2.0 - During the past week, how much of the time has your physical health or emotional problems interfered with your social activities (like visiting friends, relatives, etc.)?	SF12 v2.0 Acute - Time Physical Health, Emotional Interfered
C180460	SF12408	SF124-Physical Functioning 0-100 Score	The Short Form 12 Health Survey Acute, US Version 2.0 - Physical functioning 0-100 score.	SF12 v2.0 Acute - Physical Functioning 0-100 Score
C180461	SF12409	SF124-Role Physical 0-100 Score	The Short Form 12 Health Survey Acute, US Version 2.0 - Role physical 0-100 score.	SF12 v2.0 Acute - Role Physical 0-100 Score
C180462	SF12410	SF124-Bodily Pain 0-100 Score	The Short Form 12 Health Survey Acute, US Version 2.0 - Bodily pain 0-100 score.	SF12 v2.0 Acute - Bodily Pain 0-100 Score
C180463	SF12411	SF124-General Health 0-100 Score	The Short Form 12 Health Survey Acute, US Version 2.0 - General health 0-100 score.	SF12 v2.0 Acute - General Health 0-100 Score
C180464	SF12412	SF124-Vitality 0-100 Score	The Short Form 12 Health Survey Acute, US Version 2.0 - Vitality 0-100 score.	SF12 v2.0 Acute - Vitality 0-100 Score
C180465	SF12413	SF124-Social Functioning 0-100 Score	The Short Form 12 Health Survey Acute, US Version 2.0 - Social functioning 0-100 score.	SF12 v2.0 Acute - Social Functioning 0-100 Score
C180466	SF12414	SF124-Role Emotional 0-100 Score	The Short Form 12 Health Survey Acute, US Version 2.0 - Role emotional 0-100 score.	SF12 v2.0 Acute - Role Emotional 0-100 Score
C180467	SF12415	SF124-Mental Health 0-100 Score	The Short Form 12 Health Survey Acute, US Version 2.0 - Mental health 0-100 score.	SF12 v2.0 Acute - Mental Health 0-100 Score

SF12 v2.0 Acute - SF-6D_R2 (Util Index Rel 2) Score				
C180468	SF12416	SF124-Phys Functioning Norm-Based Score	The Short Form 12 Health Survey Acute, US Version 2.0 - Physical functioning norm-based score.	SF12 v2.0 Acute - Phys Functioning Norm-Based Score
C180469	SF12417	SF124-Role Physical Norm-Based Score	The Short Form 12 Health Survey Acute, US Version 2.0 - Role physical norm-based score.	SF12 v2.0 Acute - Role Physical Norm-Based Score
C180470	SF12418	SF124-Bodily Pain Norm-Based Score	The Short Form 12 Health Survey Acute, US Version 2.0 - Bodily pain norm-based score.	SF12 v2.0 Acute - Bodily Pain Norm-Based Score
C180471	SF12419	SF124-General Health Norm-Based Score	The Short Form 12 Health Survey Acute, US Version 2.0 - General health norm-based score.	SF12 v2.0 Acute - General Health Norm-Based Score
C180472	SF12420	SF124-Vitality Norm-Based Score	The Short Form 12 Health Survey Acute, US Version 2.0 - Vitality norm-based score.	SF12 v2.0 Acute - Vitality Norm-Based Score
C180473	SF12421	SF124-Social Function Norm-Based Score	The Short Form 12 Health Survey Acute, US Version 2.0 - Social function norm-based score.	SF12 v2.0 Acute - Social Function Norm-Based Score
C180474	SF12422	SF124-Role Emotional Norm-Based Score	The Short Form 12 Health Survey Acute, US Version 2.0 - Role emotional norm-based score.	SF12 v2.0 Acute - Role Emotional Norm-Based Score
C180475	SF12423	SF124-Mental Health Norm-Based Score	The Short Form 12 Health Survey Acute, US Version 2.0 - Mental health norm-based score.	SF12 v2.0 Acute - Mental Health Norm-Based Score
C180476	SF12424	SF124-Physical Component Score	The Short Form 12 Health Survey Acute, US Version 2.0 - Physical component score.	SF12 v2.0 Acute - Physical Component Score
C180477	SF12425	SF124-Mental Component Score	The Short Form 12 Health Survey Acute, US Version 2.0 - Mental component score.	SF12 v2.0 Acute - Mental Component Score
C180478	SF12426	SF124-SF-6D_R2 (Util Index Rel 2) Score	The Short Form 12 Health Survey Acute, US Version 2.0 - SF-6D_R2 (utility index release 2) score.	SF12 v2.0 Acute - SF-6D_R2 (Util Index Rel 2) Score

C180462	SF124-Bodily Pain 0-100 Score	SF124-Bodily Pain 0-100 Score	The Short Form 12 Health Survey Acute, US Version 2.0 - Bodily pain 0-100 score.	SF12 v2.0 Acute - Bodily Pain 0-100 Score
C180470	SF124-Bodily Pain Norm-Based Score	SF124-Bodily Pain Norm-Based Score	The Short Form 12 Health Survey Acute, US Version 2.0 - Bodily pain norm-based score.	SF12 v2.0 Acute - Bodily Pain Norm-Based Score
C177880	SF124-Did You Have a Lot of Energy	SF124-Did You Have a Lot of Energy	The Short Form 12 Health Survey Acute, US Version 2.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past week - did you have a lot of energy?	SF12 v2.0 Acute - Did You Have a Lot of Energy
C177876	SF124-Emotional: Accomplished Less	SF124-Emotional: Accomplished Less	The Short Form 12 Health Survey Acute, US Version 2.0 - During the past week, how much of the time have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious) - accomplished less than you would like.	SF12 v2.0 Acute - Emotional: Accomplished Less
C177877	SF124-Emotional: Did Work Less Carefully	SF124-Emotional: Did Work Less Carefully	The Short Form 12 Health Survey Acute, US Version 2.0 - During the past week, how much of the time have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious) - did work or other activities less carefully than usual.	SF12 v2.0 Acute - Emotional: Did Work Less Carefully
C180463	SF124-General Health 0-100 Score	SF124-General Health 0-100 Score	The Short Form 12 Health Survey Acute, US Version 2.0 - General health 0-100 score.	SF12 v2.0 Acute - General Health 0-100 Score
C180471	SF124-General Health Norm-Based Score	SF124-General Health Norm-Based Score	The Short Form 12 Health Survey Acute, US Version 2.0 - General health norm-based score.	SF12 v2.0 Acute - General Health Norm-Based Score
C177879	SF124-Have You Felt Calm and Peaceful	SF124-Have You Felt Calm and Peaceful	The Short Form 12 Health Survey Acute, US Version 2.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past week - have you felt calm and peaceful?	SF12 v2.0 Acute - Have You Felt Calm and Peaceful
C177871	SF124-In General You Say Your Health Is	SF124-In General You Say Your Health Is	The Short Form 12 Health Survey Acute, US Version 2.0 - In general, would you say your health is.	SF12 v2.0 Acute - In General You Say Your Health Is
C177873	SF124-Limit Climbing Several Flights	SF124-Limit Climbing Several Flights	The Short Form 12 Health Survey Acute, US Version 2.0 - How much does your health now limit you in - climbing several flights of stairs.	SF12 v2.0 Acute - Limit Climbing Several Flights
C177872	SF124-Limit Moderate Activities	SF124-Limit Moderate Activities	The Short Form 12 Health Survey Acute, US Version 2.0 - The following questions are about activities you might do during a typical day. Does your health now limit you in these activities?	SF12 v2.0 Acute - Limit Moderate Activities
C180477	SF124-Mental Component Score	SF124-Mental Component Score	The Short Form 12 Health Survey Acute, US Version 2.0 - Mental component score.	SF12 v2.0 Acute - Mental Component Score
C180467	SF124-Mental Health 0-100 Score	SF124-Mental Health 0-100 Score	The Short Form 12 Health Survey Acute, US Version 2.0 - Mental health 0-100 score.	SF12 v2.0 Acute - Mental Health 0-100 Score
C180475	SF124-Mental Health Norm-Based Score	SF124-Mental Health Norm-Based Score	The Short Form 12 Health Survey Acute, US Version 2.0 - Mental health norm-based score.	SF12 v2.0 Acute - Mental Health Norm-Based Score
C177878	SF124-Pain Interfere With Normal Work	SF124-Pain Interfere With Normal Work	The Short Form 12 Health Survey Acute, US Version 2.0 - During the past week, how much did pain interfere with your normal work (including both work outside the home and housework)?	SF12 v2.0 Acute - Pain Interfere With Normal Work
C180468	SF124-Phys Functioning Norm-Based Score	SF124-Phys Functioning Norm-Based Score	The Short Form 12 Health Survey Acute, US Version 2.0 - Physical functioning norm-based score.	SF12 v2.0 Acute - Phys Functioning Norm-Based Score
C180476	SF124-Physical Component Score	SF124-Physical Component Score	The Short Form 12 Health Survey Acute, US Version 2.0 - Physical component score.	SF12 v2.0 Acute - Physical Component Score
C180460	SF124-Physical Functioning 0-100 Score	SF124-Physical Functioning 0-100 Score	The Short Form 12 Health Survey Acute, US Version 2.0 - Physical functioning 0-100 score.	SF12 v2.0 Acute - Physical Functioning 0-100 Score
C177874	SF124-Physical: Accomplished Less	SF124-Physical: Accomplished Less	The Short Form 12 Health Survey Acute, US Version 2.0 - During the past week, how much of the time have you had any of the following problems with your work or other regular daily activities as a result of your physical health - accomplished less than you would like.	SF12 v2.0 Acute - Physical: Accomplished Less
C177875	SF124-Physical: Limited Kind of Work	SF124-Physical: Limited Kind of Work	The Short Form 12 Health Survey Acute, US Version 2.0 - During the past week, how much of the time have you had any of the following problems with your work or other regular daily activities as a result of your physical health - were limited in the kind of work or other activities.	SF12 v2.0 Acute - Physical: Limited Kind of Work
C180466	SF124-Role Emotional 0-100 Score	SF124-Role Emotional 0-100 Score	The Short Form 12 Health Survey Acute, US Version 2.0 - Role emotional 0-100 score.	SF12 v2.0 Acute - Role Emotional 0-100 Score

SF124 Health Survey Acute, US Version 2.0				
C180474	SF124-Role Emotional Norm-Based Score	SF124-Role Emotional Norm-Based Score	The Short Form 12 Health Survey Acute, US Version 2.0 - Role emotional norm-based score.	SF12 v2.0 Acute - Role Emotional Norm-Based Score
C180461	SF124-Role Physical 0-100 Score	SF124-Role Physical 0-100 Score	The Short Form 12 Health Survey Acute, US Version 2.0 - Role physical 0-100 score.	SF12 v2.0 Acute - Role Physical 0-100 Score
C180469	SF124-Role Physical Norm-Based Score	SF124-Role Physical Norm-Based Score	The Short Form 12 Health Survey Acute, US Version 2.0 - Role physical norm-based score.	SF12 v2.0 Acute - Role Physical Norm-Based Score
C180478	SF124-SF-6D_R2 (Util Index Rel 2) Score	SF124-SF-6D_R2 (Util Index Rel 2) Score	The Short Form 12 Health Survey Acute, US Version 2.0 - SF-6D_R2 (utility index release 2) score.	SF12 v2.0 Acute - SF-6D_R2 (Util Index Rel 2) Score
C180473	SF124-Social Function Norm-Based Score	SF124-Social Function Norm-Based Score	The Short Form 12 Health Survey Acute, US Version 2.0 - Social function norm-based score.	SF12 v2.0 Acute - Social Function Norm-Based Score
C180465	SF124-Social Functioning 0-100 Score	SF124-Social Functioning 0-100 Score	The Short Form 12 Health Survey Acute, US Version 2.0 - Social functioning 0-100 score.	SF12 v2.0 Acute - Social Functioning 0-100 Score
C177882	SF124-Time Phys/Emotional Interfered	SF124-Time Phys/Emotional Interfered	The Short Form 12 Health Survey Acute, US Version 2.0 - During the past week, how much of the time has your physical health or emotional problems interfered with your social activities (like visiting friends, relatives, etc.)?	SF12 v2.0 Acute - Time Physical Health, Emotional Interfered
C180464	SF124-Vitality 0-100 Score	SF124-Vitality 0-100 Score	The Short Form 12 Health Survey Acute, US Version 2.0 - Vitality 0-100 score.	SF12 v2.0 Acute - Vitality 0-100 Score
C180472	SF124-Vitality Norm-Based Score	SF124-Vitality Norm-Based Score	The Short Form 12 Health Survey Acute, US Version 2.0 - Vitality norm-based score.	SF12 v2.0 Acute - Vitality Norm-Based Score
C177881	SF124-You Felt Downhearted and Depressed	SF124-You Felt Downhearted and Depressed	The Short Form 12 Health Survey Acute, US Version 2.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past week - have you felt downhearted and depressed?	SF12 v2.0 Acute - You Felt Downhearted and Depressed

C100813	SF36101	SF361-In General You Say Your Health Is	The Short Form 36 Health Survey Standard, US Version 1.0 - In general, would you say your health is.	SF36 v1.0 Standard - In General You Say Your Health Is
C100814	SF36102	SF361-Comp Year Ago Rate Gen Health Now	The Short Form 36 Health Survey Standard, US Version 1.0 - Compared to one year ago, how would you rate your health in general now?	SF36 v1.0 Standard - Comp Year Ago Rate Gen Health Now
C100815	SF36103A	SF361-Limit Vigorous Activities	The Short Form 36 Health Survey Standard, US Version 1.0 - How much does your health now limit you in - vigorous activities, such as running, lifting heavy objects, participating in strenuous sports.	SF36 v1.0 Standard - Limit Vigorous Activities
C100816	SF36103B	SF361-Limit Moderate Activities	The Short Form 36 Health Survey Standard, US Version 1.0 - How much does your health now limit you in - moderate activities, such as moving a table, pushing a vacuum cleaner, bowling, or playing golf.	SF36 v1.0 Standard - Limit Moderate Activities
C100817	SF36103C	SF361-Limit Lifting or Carrying	The Short Form 36 Health Survey Standard, US Version 1.0 - How much does your health now limit you in - lifting or carrying groceries.	SF36 v1.0 Standard - Limit Lifting or Carrying
C100818	SF36103D	SF361-Limit Climbing Several Flights	The Short Form 36 Health Survey Standard, US Version 1.0 - How much does your health now limit you in - climbing several flights of stairs.	SF36 v1.0 Standard - Limit Climbing Several Flights
C100819	SF36103E	SF361-Limit Climbing One Flight Stairs	The Short Form 36 Health Survey Standard, US Version 1.0 - How much does your health now limit you in - climbing one flight of stairs.	SF36 v1.0 Standard - Limit Climbing One Flight Stairs
C100820	SF36103F	SF361-Limit Bending/Kneeling/Stooping	The Short Form 36 Health Survey Standard, US Version 1.0 - How much does your health now limit you in - bending, kneeling, or stooping.	SF36 v1.0 Standard - Limit Bending/Kneeling/Stooping
C100821	SF36103G	SF361-Limit Walking More Than a Mile	The Short Form 36 Health Survey Standard, US Version 1.0 - How much does your health now limit you in - walking more than a mile.	SF36 v1.0 Standard - Limit Walking More Than a Mile
C100822	SF36103H	SF361-Limit Walking Several Blocks	The Short Form 36 Health Survey Standard, US Version 1.0 - How much does your health now limit you in - walking several blocks.	SF36 v1.0 Standard - Limit Walking Several Blocks
C100823	SF36103I	SF361-Limit Walking One Block	The Short Form 36 Health Survey Standard, US Version 1.0 - How much does your health now limit you in - walking one block.	SF36 v1.0 Standard - Limit Walking One Block
C100824	SF36103J	SF361-Limit Bathing or Dressing Yourself	The Short Form 36 Health Survey Standard, US Version 1.0 - How much does your health now limit you in - bathing or dressing yourself.	SF36 v1.0 Standard - Limit Bathing or Dressing Yourself
C100825	SF36104A	SF361-Physical: Cut Down Time on Work	The Short Form 36 Health Survey Standard, US Version 1.0 - During the past 4 weeks, how much of the time have you had any problems with your work or other regular daily activities as a result of your physical health - cut down on the amount of time you spent on work or other activities.	SF36 v1.0 Standard - Physical: Cut Down Time on Work
C100826	SF36104B	SF361-Physical: Accomplished Less	The Short Form 36 Health Survey Standard, US Version 1.0 - During the past 4 weeks, how much of the time have you had any problems with your work or other regular daily activities as a result of your physical health - accomplished less than you would like.	SF36 v1.0 Standard - Physical: Accomplished Less
C100827	SF36104C	SF361-Physical: Limited Kind of Work	The Short Form 36 Health Survey Standard, US Version 1.0 - During the past 4 weeks, how much of the time have you had any problems with your work or other regular daily activities as a result of your physical health - were limited in the kind of work or other activities.	SF36 v1.0 Standard - Physical: Limited Kind of Work
C100828	SF36104D	SF361-Physical: Difficulty Perform Work	The Short Form 36 Health Survey Standard, US Version 1.0 - During the past 4 weeks, how much of the time have you had any problems with your work or other regular daily activities as a result of your physical health - had difficulty performing the work or other activities (for example, it took extra effort).	SF36 v1.0 Standard - Physical: Difficulty Perform Work
C100829	SF36105A	SF361-Emotional: Cut Down Time on Work	The Short Form 36 Health Survey Standard, US Version 1.0 - During the past 4 weeks, how much of the time have you had problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious) - cut down on the amount of time you spent on work or other activities.	SF36 v1.0 Standard - Emotional: Cut Down Time on Work

SF36 v1.0 Standard - Emotional: Accomplished Less				
C100830	SF36105B	SF361-Emotional: Accomplished Less	The Short Form 36 Health Survey Standard, US Version 1.0 - During the past 4 weeks, how much of the time have you had problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious) - accomplished less than you would like.	SF36 v1.0 Standard - Emotional: Accomplished Less
C100831	SF36105C	SF361-Emotional: Did Work Less Carefully	The Short Form 36 Health Survey Standard, US Version 1.0 - During the past 4 weeks, how much of the time have you had problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious) - did work or other activities less carefully than usual.	SF36 v1.0 Standard - Emotional: Did Work Less Carefully
C100832	SF36106	SF361-Extent Phys/Emotional Interfered	The Short Form 36 Health Survey Standard, US Version 1.0 - During the past 4 weeks, to what extent has your physical health or emotional problems interfered with your normal social activities with family, friends, neighbors, or groups?	SF36 v1.0 Standard - Extent Phys/Emotional Interfered
C100833	SF36107	SF361-How Much Bodily Pain Have You Had	The Short Form 36 Health Survey Standard, US Version 1.0 - How much bodily pain have you had during the past 4 weeks?	SF36 v1.0 Standard - How Much Bodily Pain Have You Had
C100834	SF36108	SF361-Pain Interfere With Normal Work	The Short Form 36 Health Survey Standard, US Version 1.0 - During the past 4 weeks, how much did pain interfere with your normal work (including both work outside the home and housework)?	SF36 v1.0 Standard - Pain Interfere With Normal Work
C100835	SF36109A	SF361-Did You Feel Full of Pep	The Short Form 36 Health Survey Standard, US Version 1.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past 4 weeks - did you feel full of pep.	SF36 v1.0 Standard - Did You Feel Full of Pep
C100836	SF36109B	SF361-Have You Been Very Nervous Person	The Short Form 36 Health Survey Standard, US Version 1.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past 4 weeks - have you been a very nervous person.	SF36 v1.0 Standard - Have You Been Very Nervous Person
C100837	SF36109C	SF361-Felt Down Nothing Cheer You Up	The Short Form 36 Health Survey Standard, US Version 1.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past 4 weeks - have you felt so down in the dumps that nothing could cheer you up.	SF36 v1.0 Standard - Felt Down Nothing Cheer You Up
C100838	SF36109D	SF361-Have You Felt Calm and Peaceful	The Short Form 36 Health Survey Standard, US Version 1.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past 4 weeks - have you felt calm and peaceful.	SF36 v1.0 Standard - Have You Felt Calm and Peaceful
C100839	SF36109E	SF361-Did You Have a Lot of Energy	The Short Form 36 Health Survey Standard, US Version 1.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past 4 weeks - did you have a lot of energy.	SF36 v1.0 Standard - Did You Have a Lot of Energy
C100840	SF36109F	SF361-You Felt Downhearted and Blue	The Short Form 36 Health Survey Standard, US Version 1.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past 4 weeks - have you felt downhearted and blue.	SF36 v1.0 Standard - You Felt Downhearted and Blue
C100841	SF36109G	SF361-Did You Feel Worn Out	The Short Form 36 Health Survey Standard, US Version 1.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past 4 weeks - did you feel worn out.	SF36 v1.0 Standard - Did You Feel Worn Out
C100842	SF36109H	SF361-Have You Been Happy Person	The Short Form 36 Health Survey Standard, US Version 1.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past 4 weeks - have you been a happy person.	SF36 v1.0 Standard - Have You Been Happy Person
C100843	SF36109I	SF361-Did You Feel Tired	The Short Form 36 Health Survey Standard, US Version 1.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past 4 weeks - did you feel tired.	SF36 v1.0 Standard - Did You Feel Tired
C100844	SF36110	SF361-Time Phys/Emotional Interfered	The Short Form 36 Health Survey Standard, US Version 1.0 - During the past 4 weeks, how much of the time has your physical health or emotional problems interfered with your social activities (like visiting friends, relatives, etc.)?	SF36 v1.0 Standard - Time Phys/Emotional Interfered
C100845	SF36111A	SF361-Get Sick Little Easier Than Other	The Short Form 36 Health Survey Standard, US Version 1.0 - How TRUE or FALSE is the following statement for you - I seem to get sick a little easier than other people.	SF36 v1.0 Standard - Get Sick Little Easier Than Other
C100846	SF36111B	SF361-I Am as Healthy as Anybody I Know	The Short Form 36 Health Survey Standard, US Version 1.0 - How TRUE or FALSE is the following statement for you - I am as healthy as anybody I know.	SF36 v1.0 Standard - I Am as Healthy as Anybody I Know

SF36 Health Survey Standard, US Version 1.0				
C100847	SF36111C	SF361-I Expect My Health to Get Worse	The Short Form 36 Health Survey Standard, US Version 1.0 - How TRUE or FALSE is the following statement for you - I expect my health to get worse.	SF36 v1.0 Standard - I Expect My Health to Get Worse
C100848	SF36111D	SF361-My Health is Excellent	The Short Form 36 Health Survey Standard, US Version 1.0 - How TRUE or FALSE is the following statement for you - my health is excellent	SF36 v1.0 Standard - My Health is Excellent
C176142	SF36112	SF361-Physical Functioning 0-100 Score	The Short Form 36 Health Survey Standard, US Version 1.0 - Physical functioning 0-100 score.	SF36 v1.0 Standard - Physical Functioning 0-100 Score
C176143	SF36113	SF361-Role Physical 0-100 Score	The Short Form 36 Health Survey Standard, US Version 1.0 - Role physical 0-100 score.	SF36 v1.0 Standard - Role Physical 0-100 Score
C176144	SF36114	SF361-Bodily Pain 0-100 Score	The Short Form 36 Health Survey Standard, US Version 1.0 - Bodily pain 0-100 score.	SF36 v1.0 Standard - Bodily Pain 0-100 Score
C176145	SF36115	SF361-General Health 0-100 Score	The Short Form 36 Health Survey Standard, US Version 1.0 - General health 0-100 score.	SF36 v1.0 Standard - General Health 0-100 Score
C176146	SF36116	SF361-Vitality 0-100 Score	The Short Form 36 Health Survey Standard, US Version 1.0 - Vitality 0-100 score.	SF36 v1.0 Standard - Vitality 0-100 Score
C176147	SF36117	SF361-Social Functioning 0-100 Score	The Short Form 36 Health Survey Standard, US Version 1.0 - Social functioning 0-100 score.	SF36 v1.0 Standard - Social Functioning 0-100 Score
C176148	SF36118	SF361-Role Emotional 0-100 Score	The Short Form 36 Health Survey Standard, US Version 1.0 - Role emotional 0-100 score.	SF36 v1.0 Standard - Role Emotional 0-100 Score
C176149	SF36119	SF361-Mental Health 0-100 Score	The Short Form 36 Health Survey Standard, US Version 1.0 - Mental health 0-100 score.	SF36 v1.0 Standard - Mental Health 0-100 Score
C176150	SF36120	SF361-Phys Functioning Norm-Based Score	The Short Form 36 Health Survey Standard, US Version 1.0 - Phys functioning norm-based score.	SF36 v1.0 Standard - Phys Functioning Norm-Based Score
C176151	SF36121	SF361-Role Physical Norm-Based Score	The Short Form 36 Health Survey Standard, US Version 1.0 - Role physical norm-based score.	SF36 v1.0 Standard - Role Physical Norm-Based Score
C176152	SF36122	SF361-Bodily Pain Norm-Based Score	The Short Form 36 Health Survey Standard, US Version 1.0 - Bodily pain norm-based score.	SF36 v1.0 Standard - Bodily Pain Norm-Based Score
C176153	SF36123	SF361-General Health Norm-Based Score	The Short Form 36 Health Survey Standard, US Version 1.0 - General health norm-based score.	SF36 v1.0 Standard - General Health Norm-Based Score
C176154	SF36124	SF361-Vitality Norm-Based Score	The Short Form 36 Health Survey Standard, US Version 1.0 - Vitality norm-based score.	SF36 v1.0 Standard - Vitality Norm-Based Score
C176155	SF36125	SF361-Social Function Norm-Based Score	The Short Form 36 Health Survey Standard, US Version 1.0 - Social function norm-based score.	SF36 v1.0 Standard - Social Function Norm-Based Score
C176156	SF36126	SF361-Role Emotional Norm-Based Score	The Short Form 36 Health Survey Standard, US Version 1.0 - Role emotional norm-based score.	SF36 v1.0 Standard - Role Emotional Norm-Based Score
C176157	SF36127	SF361-Mental Health Norm-Based Score	The Short Form 36 Health Survey Standard, US Version 1.0 - Mental health norm-based score.	SF36 v1.0 Standard - Mental Health Norm-Based Score
C176158	SF36128	SF361-Physical Component Score	The Short Form 36 Health Survey Standard, US Version 1.0 - Physical component score.	SF36 v1.0 Standard - Physical Component Score
C176159	SF36129	SF361-Mental Component Score	The Short Form 36 Health Survey Standard, US Version 1.0 - Mental component score.	SF36 v1.0 Standard - Mental Component Score
C176160	SF36130	SF361-SF-6D (Utility Index) Score	The Short Form 36 Health Survey Standard, US Version 1.0 - 6D (utility index) score.	SF36 v1.0 Standard - SF-6D (Utility Index) Score
C176161	SF36131	SF361-SF-6D_R2 (Util Index Rel 2) Score	The Short Form 36 Health Survey Standard, US Version 1.0 - 6D_R2 (util index rel 2) score.	SF36 v1.0 Standard - SF-6D_R2 (Util Index Rel 2) Score
C176162	SF36132	SF361-Response Consistency Score	The Short Form 36 Health Survey Standard, US Version 1.0 - Response consistency score.	SF36 v1.0 Standard - Response Consistency Score

C176144	SF361-Bodily Pain 0-100 Score	SF361-Bodily Pain 0-100 Score	The Short Form 36 Health Survey Standard, US Version 1.0 - Bodily pain 0-100 score.	SF36 v1.0 Standard - Bodily Pain 0-100 Score
C176152	SF361-Bodily Pain Norm-Based Score	SF361-Bodily Pain Norm-Based Score	The Short Form 36 Health Survey Standard, US Version 1.0 - Bodily pain norm-based score.	SF36 v1.0 Standard - Bodily Pain Norm-Based Score
C100814	SF361-Comp Year Ago Rate Gen Health Now	SF361-Comp Year Ago Rate Gen Health Now	The Short Form 36 Health Survey Standard, US Version 1.0 - Compared to one year ago, how would you rate your health in general now?	SF36 v1.0 Standard - Comp Year Ago Rate Gen Health Now
C100835	SF361-Did You Feel Full of Pep	SF361-Did You Feel Full of Pep	The Short Form 36 Health Survey Standard, US Version 1.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past 4 weeks - did you feel full of pep.	SF36 v1.0 Standard - Did You Feel Full of Pep
C100843	SF361-Did You Feel Tired	SF361-Did You Feel Tired	The Short Form 36 Health Survey Standard, US Version 1.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past 4 weeks - did you feel tired.	SF36 v1.0 Standard - Did You Feel Tired
C100841	SF361-Did You Feel Worn Out	SF361-Did You Feel Worn Out	The Short Form 36 Health Survey Standard, US Version 1.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past 4 weeks - did you feel worn out.	SF36 v1.0 Standard - Did You Feel Worn Out
C100839	SF361-Did You Have a Lot of Energy	SF361-Did You Have a Lot of Energy	The Short Form 36 Health Survey Standard, US Version 1.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past 4 weeks - did you have a lot of energy.	SF36 v1.0 Standard - Did You Have a Lot of Energy
C100830	SF361-Emotional: Accomplished Less	SF361-Emotional: Accomplished Less	The Short Form 36 Health Survey Standard, US Version 1.0 - During the past 4 weeks, how much of the time have you had problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious) - accomplished less than you would like.	SF36 v1.0 Standard - Emotional: Accomplished Less
C100829	SF361-Emotional: Cut Down Time on Work	SF361-Emotional: Cut Down Time on Work	The Short Form 36 Health Survey Standard, US Version 1.0 - During the past 4 weeks, how much of the time have you had problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious) - cut down on the amount of time you spent on work or other activities.	SF36 v1.0 Standard - Emotional: Cut Down Time on Work
C100831	SF361-Emotional: Did Work Less Carefully	SF361-Emotional: Did Work Less Carefully	The Short Form 36 Health Survey Standard, US Version 1.0 - During the past 4 weeks, how much of the time have you had problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious) - did work or other activities less carefully than usual.	SF36 v1.0 Standard - Emotional: Did Work Less Carefully
C100832	SF361-Extent Phys/Emotional Interfered	SF361-Extent Phys/Emotional Interfered	The Short Form 36 Health Survey Standard, US Version 1.0 - During the past 4 weeks, to what extent has your physical health or emotional problems interfered with your normal social activities with family, friends, neighbors, or groups?	SF36 v1.0 Standard - Extent Phys/Emotional Interfered
C100837	SF361-Felt Down Nothing Cheer You Up	SF361-Felt Down Nothing Cheer You Up	The Short Form 36 Health Survey Standard, US Version 1.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past 4 weeks - have you felt so down in the dumps that nothing could cheer you up.	SF36 v1.0 Standard - Felt Down Nothing Cheer You Up
C176145	SF361-General Health 0-100 Score	SF361-General Health 0-100 Score	The Short Form 36 Health Survey Standard, US Version 1.0 - General health 0-100 score.	SF36 v1.0 Standard - General Health 0-100 Score
C176153	SF361-General Health Norm-Based Score	SF361-General Health Norm-Based Score	The Short Form 36 Health Survey Standard, US Version 1.0 - General health norm-based score.	SF36 v1.0 Standard - General Health Norm-Based Score
C100845	SF361-Get Sick Little Easier Than Other	SF361-Get Sick Little Easier Than Other	The Short Form 36 Health Survey Standard, US Version 1.0 - How TRUE or FALSE is the following statement for you - I seem to get sick a little easier than other people.	SF36 v1.0 Standard - Get Sick Little Easier Than Other
C100842	SF361-Have You Been Happy Person	SF361-Have You Been Happy Person	The Short Form 36 Health Survey Standard, US Version 1.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past 4 weeks - have you been a happy person.	SF36 v1.0 Standard - Have You Been Happy Person
C100836	SF361-Have You Been Very Nervous Person	SF361-Have You Been Very Nervous Person	The Short Form 36 Health Survey Standard, US Version 1.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past 4 weeks - have you been a very nervous person.	SF36 v1.0 Standard - Have You Been Very Nervous Person

SF36 v1.0 Standard Items				
C100838	SF361-Have You Felt Calm and Peaceful	SF361-Have You Felt Calm and Peaceful	The Short Form 36 Health Survey Standard, US Version 1.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past 4 weeks - have you felt calm and peaceful.	SF36 v1.0 Standard - Have You Felt Calm and Peaceful
C100833	SF361-How Much Bodily Pain Have You Had	SF361-How Much Bodily Pain Have You Had	The Short Form 36 Health Survey Standard, US Version 1.0 - How much bodily pain have you had during the past 4 weeks?	SF36 v1.0 Standard - How Much Bodily Pain Have You Had
C100846	SF361-I Am as Healthy as Anybody I Know	SF361-I Am as Healthy as Anybody I Know	The Short Form 36 Health Survey Standard, US Version 1.0 - How TRUE or FALSE is the following statement for you - I am as healthy as anybody I know.	SF36 v1.0 Standard - I Am as Healthy as Anybody I Know
C100847	SF361-I Expect My Health to Get Worse	SF361-I Expect My Health to Get Worse	The Short Form 36 Health Survey Standard, US Version 1.0 - How TRUE or FALSE is the following statement for you - I expect my health to get worse.	SF36 v1.0 Standard - I Expect My Health to Get Worse
C100813	SF361-In General You Say Your Health Is	SF361-In General You Say Your Health Is	The Short Form 36 Health Survey Standard, US Version 1.0 - In general, would you say your health is.	SF36 v1.0 Standard - In General You Say Your Health Is
C100824	SF361-Limit Bathing or Dressing Yourself	SF361-Limit Bathing or Dressing Yourself	The Short Form 36 Health Survey Standard, US Version 1.0 - How much does your health now limit you in - bathing or dressing yourself.	SF36 v1.0 Standard - Limit Bathing or Dressing Yourself
C100820	SF361-Limit Bending/Kneeling/Stooping	SF361-Limit Bending/Kneeling/Stooping	The Short Form 36 Health Survey Standard, US Version 1.0 - How much does your health now limit you in - bending, kneeling, or stooping.	SF36 v1.0 Standard - Limit Bending/Kneeling/Stooping
C100819	SF361-Limit Climbing One Flight Stairs	SF361-Limit Climbing One Flight Stairs	The Short Form 36 Health Survey Standard, US Version 1.0 - How much does your health now limit you in - climbing one flight of stairs.	SF36 v1.0 Standard - Limit Climbing One Flight Stairs
C100818	SF361-Limit Climbing Several Flights	SF361-Limit Climbing Several Flights	The Short Form 36 Health Survey Standard, US Version 1.0 - How much does your health now limit you in - climbing several flights of stairs.	SF36 v1.0 Standard - Limit Climbing Several Flights
C100817	SF361-Limit Lifting or Carrying	SF361-Limit Lifting or Carrying	The Short Form 36 Health Survey Standard, US Version 1.0 - How much does your health now limit you in - lifting or carrying groceries.	SF36 v1.0 Standard - Limit Lifting or Carrying
C100816	SF361-Limit Moderate Activities	SF361-Limit Moderate Activities	The Short Form 36 Health Survey Standard, US Version 1.0 - How much does your health now limit you in - moderate activities, such as moving a table, pushing a vacuum cleaner, bowling, or playing golf.	SF36 v1.0 Standard - Limit Moderate Activities
C100815	SF361-Limit Vigorous Activities	SF361-Limit Vigorous Activities	The Short Form 36 Health Survey Standard, US Version 1.0 - How much does your health now limit you in - vigorous activities, such as running, lifting heavy objects, participating in strenuous sports.	SF36 v1.0 Standard - Limit Vigorous Activities
C100821	SF361-Limit Walking More Than a Mile	SF361-Limit Walking More Than a Mile	The Short Form 36 Health Survey Standard, US Version 1.0 - How much does your health now limit you in - walking more than a mile.	SF36 v1.0 Standard - Limit Walking More Than a Mile
C100823	SF361-Limit Walking One Block	SF361-Limit Walking One Block	The Short Form 36 Health Survey Standard, US Version 1.0 - How much does your health now limit you in - walking one block.	SF36 v1.0 Standard - Limit Walking One Block
C100822	SF361-Limit Walking Several Blocks	SF361-Limit Walking Several Blocks	The Short Form 36 Health Survey Standard, US Version 1.0 - How much does your health now limit you in - walking several blocks.	SF36 v1.0 Standard - Limit Walking Several Blocks
C176159	SF361-Mental Component Score	SF361-Mental Component Score	The Short Form 36 Health Survey Standard, US Version 1.0 - Mental component score.	SF36 v1.0 Standard - Mental Component Score
C176149	SF361-Mental Health 0-100 Score	SF361-Mental Health 0-100 Score	The Short Form 36 Health Survey Standard, US Version 1.0 - Mental health 0-100 score.	SF36 v1.0 Standard - Mental Health 0-100 Score
C176157	SF361-Mental Health Norm-Based Score	SF361-Mental Health Norm-Based Score	The Short Form 36 Health Survey Standard, US Version 1.0 - Mental health norm-based score.	SF36 v1.0 Standard - Mental Health Norm-Based Score
C100848	SF361-My Health is Excellent	SF361-My Health is Excellent	The Short Form 36 Health Survey Standard, US Version 1.0 - How TRUE or FALSE is the following statement for you - my health is excellent	SF36 v1.0 Standard - My Health is Excellent
C100834	SF361-Pain Interfere With Normal Work	SF361-Pain Interfere With Normal Work	The Short Form 36 Health Survey Standard, US Version 1.0 - During the past 4 weeks, how much did pain interfere with your normal work (including both work outside the home and housework)?	SF36 v1.0 Standard - Pain Interfere With Normal Work
C176150	SF361-Phys Functioning Norm-Based Score	SF361-Phys Functioning Norm-Based Score	The Short Form 36 Health Survey Standard, US Version 1.0 - Phys functioning norm-based score.	SF36 v1.0 Standard - Phys Functioning Norm-Based Score

SF36 Health Survey Standard, US Version 1.0				
C176158	SF361-Physical Component Score	SF361-Physical Component Score	The Short Form 36 Health Survey Standard, US Version 1.0 - Physical component score.	SF36 v1.0 Standard - Physical Component Score
C176142	SF361-Physical Functioning 0-100 Score	SF361-Physical Functioning 0-100 Score	The Short Form 36 Health Survey Standard, US Version 1.0 - Physical functioning 0-100 score.	SF36 v1.0 Standard - Physical Functioning 0-100 Score
C100826	SF361-Physical: Accomplished Less	SF361-Physical: Accomplished Less	The Short Form 36 Health Survey Standard, US Version 1.0 - During the past 4 weeks, how much of the time have you had any problems with your work or other regular daily activities as a result of your physical health - accomplished less than you would like.	SF36 v1.0 Standard - Physical: Accomplished Less
C100825	SF361-Physical: Cut Down Time on Work	SF361-Physical: Cut Down Time on Work	The Short Form 36 Health Survey Standard, US Version 1.0 - During the past 4 weeks, how much of the time have you had any problems with your work or other regular daily activities as a result of your physical health - cut down on the amount of time you spent on work or other activities.	SF36 v1.0 Standard - Physical: Cut Down Time on Work
C100828	SF361-Physical: Difficulty Perform Work	SF361-Physical: Difficulty Perform Work	The Short Form 36 Health Survey Standard, US Version 1.0 - During the past 4 weeks, how much of the time have you had any problems with your work or other regular daily activities as a result of your physical health - had difficulty performing the work or other activities (for example, it took extra effort).	SF36 v1.0 Standard - Physical: Difficulty Perform Work
C100827	SF361-Physical: Limited Kind of Work	SF361-Physical: Limited Kind of Work	The Short Form 36 Health Survey Standard, US Version 1.0 - During the past 4 weeks, how much of the time have you had any problems with your work or other regular daily activities as a result of your physical health - were limited in the kind of work or other activities.	SF36 v1.0 Standard - Physical: Limited Kind of Work
C176162	SF361-Response Consistency Score	SF361-Response Consistency Score	The Short Form 36 Health Survey Standard, US Version 1.0 - Response consistency score.	SF36 v1.0 Standard - Response Consistency Score
C176148	SF361-Role Emotional 0-100 Score	SF361-Role Emotional 0-100 Score	The Short Form 36 Health Survey Standard, US Version 1.0 - Role emotional 0-100 score.	SF36 v1.0 Standard - Role Emotional 0-100 Score
C176156	SF361-Role Emotional Norm-Based Score	SF361-Role Emotional Norm-Based Score	The Short Form 36 Health Survey Standard, US Version 1.0 - Role emotional norm-based score.	SF36 v1.0 Standard - Role Emotional Norm-Based Score
C176143	SF361-Role Physical 0-100 Score	SF361-Role Physical 0-100 Score	The Short Form 36 Health Survey Standard, US Version 1.0 - Role physical 0-100 score.	SF36 v1.0 Standard - Role Physical 0-100 Score
C176151	SF361-Role Physical Norm-Based Score	SF361-Role Physical Norm-Based Score	The Short Form 36 Health Survey Standard, US Version 1.0 - Role physical norm-based score.	SF36 v1.0 Standard - Role Physical Norm-Based Score
C176160	SF361-SF-6D (Utility Index) Score	SF361-SF-6D (Utility Index) Score	The Short Form 36 Health Survey Standard, US Version 1.0 - 6D (utility index) score.	SF36 v1.0 Standard - SF-6D (Utility Index) Score
C176161	SF361-SF-6D_R2 (Util Index Rel 2) Score	SF361-SF-6D_R2 (Util Index Rel 2) Score	The Short Form 36 Health Survey Standard, US Version 1.0 - 6D_R2 (util index rel 2) score.	SF36 v1.0 Standard - SF-6D_R2 (Util Index Rel 2) Score
C176155	SF361-Social Function Norm-Based Score	SF361-Social Function Norm-Based Score	The Short Form 36 Health Survey Standard, US Version 1.0 - Social function norm-based score.	SF36 v1.0 Standard - Social Function Norm-Based Score
C176147	SF361-Social Functioning 0-100 Score	SF361-Social Functioning 0-100 Score	The Short Form 36 Health Survey Standard, US Version 1.0 - Social functioning 0-100 score.	SF36 v1.0 Standard - Social Functioning 0-100 Score
C100844	SF361-Time Phys/Emotional Interfered	SF361-Time Phys/Emotional Interfered	The Short Form 36 Health Survey Standard, US Version 1.0 - During the past 4 weeks, how much of the time has your physical health or emotional problems interfered with your social activities (like visiting friends, relatives, etc.)?	SF36 v1.0 Standard - Time Phys/Emotional Interfered
C176146	SF361-Vitality 0-100 Score	SF361-Vitality 0-100 Score	The Short Form 36 Health Survey Standard, US Version 1.0 - Vitality 0-100 score.	SF36 v1.0 Standard - Vitality 0-100 Score
C176154	SF361-Vitality Norm-Based Score	SF361-Vitality Norm-Based Score	The Short Form 36 Health Survey Standard, US Version 1.0 - Vitality norm-based score.	SF36 v1.0 Standard - Vitality Norm-Based Score
C100840	SF361-You Felt Downhearted and Blue	SF361-You Felt Downhearted and Blue	The Short Form 36 Health Survey Standard, US Version 1.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past 4 weeks - have you felt downhearted and blue.	SF36 v1.0 Standard - You Felt Downhearted and Blue

C102125	SF36201	SF362-In General You Say Your Health Is	The Short Form 36 Health Survey Acute, US Version 1.0 - In general, would you say your health is.	SF-36 v1.0 Acute - In General You Say Your Health Is
C102126	SF36202	SF362-Comp Week Ago Rate Gen Health Now	The Short Form 36 Health Survey Acute, US Version 1.0 - Compared to one week ago, how would you rate your health in general now?	SF-36 v1.0 Acute - Comp Week Ago Rate Gen Health Now
C102127	SF36203A	SF362-Limit Vigorous Activities	The Short Form 36 Health Survey Acute, US Version 1.0 - How much does your health now limit you in - vigorous activities, such as running, lifting heavy objects, participating in strenuous sports.	SF-36 v1.0 Acute - Limit Vigorous Activities
C102128	SF36203B	SF362-Limit Moderate Activities	The Short Form 36 Health Survey Acute, US Version 1.0 - How much does your health now limit you in - moderate activities, such as moving a table, pushing a vacuum cleaner, bowling, or playing golf.	SF-36 v1.0 Acute - Limit Moderate Activities
C102129	SF36203C	SF362-Limit Lifting or Carrying	The Short Form 36 Health Survey Acute, US Version 1.0 - How much does your health now limit you in - lifting or carrying groceries.	SF-36 v1.0 Acute - Limit Lifting or Carrying
C102130	SF36203D	SF362-Limit Climbing Several Flights	The Short Form 36 Health Survey Acute, US Version 1.0 - How much does your health now limit you in - climbing several flights of stairs.	SF-36 v1.0 Acute - Limit Climbing Several Flights
C102131	SF36203E	SF362-Limit Climbing One Flight Stairs	The Short Form 36 Health Survey Acute, US Version 1.0 - How much does your health now limit you in - climbing one flight of stairs.	SF-36 v1.0 Acute - Limit Climbing One Flight Stairs
C102132	SF36203F	SF362-Limit Bending/Kneeling/Stooping	The Short Form 36 Health Survey Acute, US Version 1.0 - How much does your health now limit you in - bending, kneeling, or stooping.	SF-36 v1.0 Acute - Limit Bending/Kneeling/Stooping
C102133	SF36203G	SF362-Limit Walking More Than a Mile	The Short Form 36 Health Survey Acute, US Version 1.0 - How much does your health now limit you in - walking more than a mile.	SF-36 v1.0 Acute - Limit Walking More Than a Mile
C102134	SF36203H	SF362-Limit Walking Several Blocks	The Short Form 36 Health Survey Acute, US Version 1.0 - How much does your health now limit you in - walking several blocks.	SF-36 v1.0 Acute - Limit Walking Several Blocks
C102135	SF36203I	SF362-Limit Walking One Block	The Short Form 36 Health Survey Acute, US Version 1.0 - How much does your health now limit you in - walking one block.	SF-36 v1.0 Acute - Limit Walking One Block
C102136	SF36203J	SF362-Limit Bathing or Dressing Yourself	The Short Form 36 Health Survey Acute, US Version 1.0 - How much does your health now limit you in - bathing or dressing yourself.	SF-36 v1.0 Acute - Limit Bathing or Dressing Yourself
C102137	SF36204A	SF362-Physical: Cut Down Time on Work	The Short Form 36 Health Survey Acute, US Version 1.0 (SF36 V1.0 ACUTE) - During the past week, have you had any of the following problems with your work or other regular daily activities as a result of your physical health - cut down on the amount of time you spent on work or other activities.	SF-36 v1.0 Acute - Physical: Cut Down Time on Work
C102138	SF36204B	SF362-Physical: Accomplished Less	The Short Form 36 Health Survey Acute, US Version 1.0 - During the past week, have you had any of the following problems with your work or other regular daily activities as a result of your physical health - accomplished less than you would like.	SF-36 v1.0 Acute - Physical: Accomplished Less
C102139	SF36204C	SF362-Physical: Limited Kind of Work	The Short Form 36 Health Survey Acute, US Version 1.0 - During the past week, have you had any of the following problems with your work or other regular daily activities as a result of your physical health - were limited in the kind of work or other activities.	SF-36 v1.0 Acute - Physical: Limited Kind of Work
C102140	SF36204D	SF362-Physical: Difficulty Perform Work	The Short Form 36 Health Survey Acute, US Version 1.0 - During the past week, have you had any of the following problems with your work or other regular daily activities as a result of your physical health - had difficulty performing the work or other activities (for example, it took extra effort).	SF-36 v1.0 Acute - Physical: Difficulty Perform Work
C102141	SF36205A	SF362-Emotional: Cut Down Time on Work	The Short Form 36 Health Survey Acute, US Version 1.0 - During the past week, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious) - cut down on the amount of time you spent on work or other activities.	SF-36 v1.0 Acute - Emotional: Cut Down Time on Work
C102142	SF36205B	SF362-Emotional: Accomplished Less	The Short Form 36 Health Survey Acute, US Version 1.0 - During the past week, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious) - accomplished less than you would like.	SF-36 v1.0 Acute - Emotional: Accomplished Less

SF36 Health Survey Acute, US Version 1.0				
C102143	SF36205C	SF362-Emotional: Did Work Less Carefully	The Short Form 36 Health Survey Acute, US Version 1.0 - During the past week, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious) - did work or other activities less carefully than usual.	SF-36 v1.0 Acute - Emotional: Did Work Less Carefully
C102144	SF36206	SF362-Extent Phys/Emotional Interfered	The Short Form 36 Health Survey Acute, US Version 1.0 - During the past week, to what extent has your physical health or emotional problems interfered with your normal social activities with family, friends, neighbors, or groups?	SF-36 v1.0 Acute - Extent Phys/Emotional Interfered
C102145	SF36207	SF362-How Much Bodily Pain Have You Had	The Short Form 36 Health Survey Acute, US Version 1.0 - How much bodily pain have you had during the past week?	SF-36 v1.0 Acute - How Much Bodily Pain Have You Had
C102146	SF36208	SF362-Pain Interfere With Normal Work	The Short Form 36 Health Survey Acute, US Version 1.0 - During the past week, how much did pain interfere with your normal work (including both work outside the home and housework)?	SF-36 v1.0 Acute - Pain Interfere With Normal Work
C102147	SF36209A	SF362-Did You Feel Full of Pep	The Short Form 36 Health Survey Acute, US Version 1.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past week - did you feel full of pep.	SF-36 v1.0 Acute - Did You Feel Full of Pep
C102148	SF36209B	SF362-Have You Been Very Nervous Person	The Short Form 36 Health Survey Acute, US Version 1.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past week - have you been a very nervous person.	SF-36 v1.0 Acute - Have You Been Very Nervous Person
C102149	SF36209C	SF362-Felt Down Nothing Cheer You Up	The Short Form 36 Health Survey Acute, US Version 1.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past week - have you felt so down in the dumps that nothing could cheer you up.	SF-36 v1.0 Acute - Felt Down Nothing Cheer You Up
C102150	SF36209D	SF362-Have You Felt Calm and Peaceful	The Short Form 36 Health Survey Acute, US Version 1.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past week - have you felt calm and peaceful.	SF-36 v1.0 Acute - Have You Felt Calm and Peaceful
C102151	SF36209E	SF362-Did You Have a Lot of Energy	The Short Form 36 Health Survey Acute, US Version 1.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past week - did you have a lot of energy.	SF-36 v1.0 Acute - Did You Have a Lot of Energy
C102152	SF36209F	SF362-You Felt Downhearted and Blue	The Short Form 36 Health Survey Acute, US Version 1.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past week - have you felt downhearted and blue.	SF-36 v1.0 Acute - You Felt Downhearted and Blue
C102153	SF36209G	SF362-Did You Feel Worn Out	The Short Form 36 Health Survey Acute, US Version 1.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past week - did you feel worn out.	SF-36 v1.0 Acute - Did You Feel Worn Out
C102154	SF36209H	SF362-Have You Been a Happy Person	The Short Form 36 Health Survey Acute, US Version 1.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past week - have you been a happy person.	SF-36 v1.0 Acute - Have You Been a Happy Person
C102155	SF36209I	SF362-Did You Feel Tired	The Short Form 36 Health Survey Acute, US Version 1.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past week - did you feel tired.	SF-36 v1.0 Acute - Did You Feel Tired
C102156	SF36210	SF362-Time Phys/Emotional Interfered	The Short Form 36 Health Survey Acute, US Version 1.0 - During the past week, how much of the time has your physical health or emotional problems interfered with your social activities (like visiting friends, relatives, etc.)?	SF-36 v1.0 Acute - Time Phys/Emotional Interfered
C102157	SF36211A	SF362-Get Sick Little Easier Than Other	The Short Form 36 Health Survey Acute, US Version 1.0 - How TRUE or FALSE is the following statement for you - I seem to get sick a little easier than other people.	SF-36 v1.0 Acute - Get Sick Little Easier Than Other
C102158	SF36211B	SF362-I Am as Healthy as Anybody I Know	The Short Form 36 Health Survey Acute, US Version 1.0 - How TRUE or FALSE is the following statement for you - I am as healthy as anybody I know.	SF-36 v1.0 Acute - I Am as Healthy as Anybody I Know
C102159	SF36211C	SF362-I Expect My Health to Get Worse	The Short Form 36 Health Survey Acute, US Version 1.0 - How TRUE or FALSE is the following statement for you - I expect my health to get worse.	SF-36 v1.0 Acute - I Expect My Health to Get Worse
C102160	SF36211D	SF362-My Health is Excellent	The Short Form 36 Health Survey Acute, US Version 1.0 - How TRUE or FALSE is the following statement for you - my health is excellent	SF-36 v1.0 Acute - My Health is Excellent

SF-36 v1.0 Acute - Summary				
C176121	SF36212	SF362-Physical Functioning 0-100 Score	The Short Form 36 Health Survey Acute, US Version 1.0 - Physical functioning 0-100 score.	SF-36 v1.0 Acute - Physical Functioning 0-100 Score
C176122	SF36213	SF362-Role Physical 0-100 Score	The Short Form 36 Health Survey Acute, US Version 1.0 - Role physical 0-100 score.	SF-36 v1.0 Acute - Role Physical 0-100 Score
C176123	SF36214	SF362-Bodily Pain 0-100 Score	The Short Form 36 Health Survey Acute, US Version 1.0 - Bodily pain 0-100 score.	SF-36 v1.0 Acute - Bodily Pain 0-100 Score
C176124	SF36215	SF362-General Health 0-100 Score	The Short Form 36 Health Survey Acute, US Version 1.0 - General health 0-100 score.	SF-36 v1.0 Acute - General Health 0-100 Score
C176125	SF36216	SF362-Vitality 0-100 Score	The Short Form 36 Health Survey Acute, US Version 1.0 - Vitality 0-100 score.	SF-36 v1.0 Acute - Vitality 0-100 Score
C176126	SF36217	SF362-Social Functioning 0-100 Score	The Short Form 36 Health Survey Acute, US Version 1.0 - Social functioning 0-100 score.	SF-36 v1.0 Acute - Social Functioning 0-100 Score
C176127	SF36218	SF362-Role Emotional 0-100 Score	The Short Form 36 Health Survey Acute, US Version 1.0 - Role emotional 0-100 score.	SF-36 v1.0 Acute - Role Emotional 0-100 Score
C176128	SF36219	SF362-Mental Health 0-100 Score	The Short Form 36 Health Survey Acute, US Version 1.0 - Mental health 0-100 score.	SF-36 v1.0 Acute - Mental Health 0-100 Score
C176129	SF36220	SF362-Phys Functioning Norm-Based Score	The Short Form 36 Health Survey Acute, US Version 1.0 - Phys functioning norm-based score.	SF-36 v1.0 Acute - Phys Functioning Norm-Based Score
C176130	SF36221	SF362-Role Physical Norm-Based Score	The Short Form 36 Health Survey Acute, US Version 1.0 - Role physical norm-based score.	SF-36 v1.0 Acute - Role Physical Norm-Based Score
C176131	SF36222	SF362-Bodily Pain Norm-Based Score	The Short Form 36 Health Survey Acute, US Version 1.0 - Bodily pain norm-based score.	SF-36 v1.0 Acute - Bodily Pain Norm-Based Score
C176132	SF36223	SF362-General Health Norm-Based Score	The Short Form 36 Health Survey Acute, US Version 1.0 - General health norm-based score.	SF-36 v1.0 Acute - General Health Norm-Based Score
C176133	SF36224	SF362-Vitality Norm-Based Score	The Short Form 36 Health Survey Acute, US Version 1.0 - Vitality norm-based score.	SF-36 v1.0 Acute - Vitality Norm-Based Score
C176134	SF36225	SF362-Social Function Norm-Based Score	The Short Form 36 Health Survey Acute, US Version 1.0 - Social function norm-based score.	SF-36 v1.0 Acute - Social Function Norm-Based Score
C176135	SF36226	SF362-Role Emotional Norm-Based Score	The Short Form 36 Health Survey Acute, US Version 1.0 - Role emotional norm-based score.	SF-36 v1.0 Acute - Role Emotional Norm-Based Score
C176136	SF36227	SF362-Mental Health Norm-Based Score	The Short Form 36 Health Survey Acute, US Version 1.0 - Mental health norm-based score.	SF-36 v1.0 Acute - Mental Health Norm-Based Score
C176137	SF36228	SF362-Physical Component Score	The Short Form 36 Health Survey Acute, US Version 1.0 - Physical component score.	SF-36 v1.0 Acute - Physical Component Score
C176138	SF36229	SF362-Mental Component Score	The Short Form 36 Health Survey Acute, US Version 1.0 - Mental component score.	SF-36 v1.0 Acute - Mental Component Score
C176139	SF36230	SF362-SF-6D (Utility Index) Score	The Short Form 36 Health Survey Acute, US Version 1.0 - 6D (utility index) score.	SF-36 v1.0 Acute - SF-6D (Utility Index) Score
C176140	SF36231	SF362-SF-6D_R2 (Util Index Rel 2) Score	The Short Form 36 Health Survey Acute, US Version 1.0 - 6D_R2 (util index rel 2) score.	SF-36 v1.0 Acute - SF-6D_R2 (Util Index Rel 2) Score
C176141	SF36232	SF362-Response Consistency Score	The Short Form 36 Health Survey Acute, US Version 1.0 - Response consistency score.	SF-36 v1.0 Acute - Response Consistency Score

C176123	SF362-Bodily Pain 0-100 Score	SF362-Bodily Pain 0-100 Score	The Short Form 36 Health Survey Acute, US Version 1.0 - Bodily pain 0-100 score.	SF-36 v1.0 Acute - Bodily Pain 0-100 Score
C176131	SF362-Bodily Pain Norm-Based Score	SF362-Bodily Pain Norm-Based Score	The Short Form 36 Health Survey Acute, US Version 1.0 - Bodily pain norm-based score.	SF-36 v1.0 Acute - Bodily Pain Norm-Based Score
C102126	SF362-Comp Week Ago Rate Gen Health Now	SF362-Comp Week Ago Rate Gen Health Now	The Short Form 36 Health Survey Acute, US Version 1.0 - Compared to one week ago, how would you rate your health in general now?	SF-36 v1.0 Acute - Comp Week Ago Rate Gen Health Now
C102147	SF362-Did You Feel Full of Pep	SF362-Did You Feel Full of Pep	The Short Form 36 Health Survey Acute, US Version 1.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past week - did you feel full of pep.	SF-36 v1.0 Acute - Did You Feel Full of Pep
C102155	SF362-Did You Feel Tired	SF362-Did You Feel Tired	The Short Form 36 Health Survey Acute, US Version 1.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past week - did you feel tired.	SF-36 v1.0 Acute - Did You Feel Tired
C102153	SF362-Did You Feel Worn Out	SF362-Did You Feel Worn Out	The Short Form 36 Health Survey Acute, US Version 1.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past week - did you feel worn out.	SF-36 v1.0 Acute - Did You Feel Worn Out
C102151	SF362-Did You Have a Lot of Energy	SF362-Did You Have a Lot of Energy	The Short Form 36 Health Survey Acute, US Version 1.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past week - did you have a lot of energy.	SF-36 v1.0 Acute - Did You Have a Lot of Energy
C102142	SF362-Emotional: Accomplished Less	SF362-Emotional: Accomplished Less	The Short Form 36 Health Survey Acute, US Version 1.0 - During the past week, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious) - accomplished less than you would like.	SF-36 v1.0 Acute - Emotional: Accomplished Less
C102141	SF362-Emotional: Cut Down Time on Work	SF362-Emotional: Cut Down Time on Work	The Short Form 36 Health Survey Acute, US Version 1.0 - During the past week, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious) - cut down on the amount of time you spent on work or other activities.	SF-36 v1.0 Acute - Emotional: Cut Down Time on Work
C102143	SF362-Emotional: Did Work Less Carefully	SF362-Emotional: Did Work Less Carefully	The Short Form 36 Health Survey Acute, US Version 1.0 - During the past week, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious) - did work or other activities less carefully than usual.	SF-36 v1.0 Acute - Emotional: Did Work Less Carefully
C102144	SF362-Extent Phys/Emotional Interfered	SF362-Extent Phys/Emotional Interfered	The Short Form 36 Health Survey Acute, US Version 1.0 - During the past week, to what extent has your physical health or emotional problems interfered with your normal social activities with family, friends, neighbors, or groups?	SF-36 v1.0 Acute - Extent Phys/Emotional Interfered
C102149	SF362-Felt Down Nothing Cheer You Up	SF362-Felt Down Nothing Cheer You Up	The Short Form 36 Health Survey Acute, US Version 1.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past week - have you felt so down in the dumps that nothing could cheer you up.	SF-36 v1.0 Acute - Felt Down Nothing Cheer You Up
C176124	SF362-General Health 0-100 Score	SF362-General Health 0-100 Score	The Short Form 36 Health Survey Acute, US Version 1.0 - General health 0-100 score.	SF-36 v1.0 Acute - General Health 0-100 Score
C176132	SF362-General Health Norm-Based Score	SF362-General Health Norm-Based Score	The Short Form 36 Health Survey Acute, US Version 1.0 - General health norm-based score.	SF-36 v1.0 Acute - General Health Norm-Based Score
C102157	SF362-Get Sick Little Easier Than Other	SF362-Get Sick Little Easier Than Other	The Short Form 36 Health Survey Acute, US Version 1.0 - How TRUE or FALSE is the following statement for you - I seem to get sick a little easier than other people.	SF-36 v1.0 Acute - Get Sick Little Easier Than Other
C102154	SF362-Have You Been a Happy Person	SF362-Have You Been a Happy Person	The Short Form 36 Health Survey Acute, US Version 1.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past week - have you been a happy person.	SF-36 v1.0 Acute - Have You Been a Happy Person
C102148	SF362-Have You Been Very Nervous Person	SF362-Have You Been Very Nervous Person	The Short Form 36 Health Survey Acute, US Version 1.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past week - have you been a very nervous person.	SF-36 v1.0 Acute - Have You Been Very Nervous Person
C102150	SF362-Have You Felt Calm and Peaceful	SF362-Have You Felt Calm and Peaceful	The Short Form 36 Health Survey Acute, US Version 1.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past week - have you felt calm and peaceful.	SF-36 v1.0 Acute - Have You Felt Calm and Peaceful

SF362 Health Survey Acute, US Version 1.0				
C102145	SF362-How Much Bodily Pain Have You Had	SF362-How Much Bodily Pain Have You Had	The Short Form 36 Health Survey Acute, US Version 1.0 - How much bodily pain have you had during the past week?	SF-36 v1.0 Acute - How Much Bodily Pain Have You Had
C102158	SF362-I Am as Healthy as Anybody I Know	SF362-I Am as Healthy as Anybody I Know	The Short Form 36 Health Survey Acute, US Version 1.0 - How TRUE or FALSE is the following statement for you - I am as healthy as anybody I know.	SF-36 v1.0 Acute - I Am as Healthy as Anybody I Know
C102159	SF362-I Expect My Health to Get Worse	SF362-I Expect My Health to Get Worse	The Short Form 36 Health Survey Acute, US Version 1.0 - How TRUE or FALSE is the following statement for you - I expect my health to get worse.	SF-36 v1.0 Acute - I Expect My Health to Get Worse
C102125	SF362-In General You Say Your Health Is	SF362-In General You Say Your Health Is	The Short Form 36 Health Survey Acute, US Version 1.0 - In general, would you say your health is.	SF-36 v1.0 Acute - In General You Say Your Health Is
C102136	SF362-Limit Bathing or Dressing Yourself	SF362-Limit Bathing or Dressing Yourself	The Short Form 36 Health Survey Acute, US Version 1.0 - How much does your health now limit you in - bathing or dressing yourself.	SF-36 v1.0 Acute - Limit Bathing or Dressing Yourself
C102132	SF362-Limit Bending/Kneeling/Stooping	SF362-Limit Bending/Kneeling/Stooping	The Short Form 36 Health Survey Acute, US Version 1.0 - How much does your health now limit you in - bending, kneeling, or stooping.	SF-36 v1.0 Acute - Limit Bending/Kneeling/Stooping
C102131	SF362-Limit Climbing One Flight Stairs	SF362-Limit Climbing One Flight Stairs	The Short Form 36 Health Survey Acute, US Version 1.0 - How much does your health now limit you in - climbing one flight of stairs.	SF-36 v1.0 Acute - Limit Climbing One Flight Stairs
C102130	SF362-Limit Climbing Several Flights	SF362-Limit Climbing Several Flights	The Short Form 36 Health Survey Acute, US Version 1.0 - How much does your health now limit you in - climbing several flights of stairs.	SF-36 v1.0 Acute - Limit Climbing Several Flights
C102129	SF362-Limit Lifting or Carrying	SF362-Limit Lifting or Carrying	The Short Form 36 Health Survey Acute, US Version 1.0 - How much does your health now limit you in - lifting or carrying groceries.	SF-36 v1.0 Acute - Limit Lifting or Carrying
C102128	SF362-Limit Moderate Activities	SF362-Limit Moderate Activities	The Short Form 36 Health Survey Acute, US Version 1.0 - How much does your health now limit you in - moderate activities, such as moving a table, pushing a vacuum cleaner, bowling, or playing golf.	SF-36 v1.0 Acute - Limit Moderate Activities
C102127	SF362-Limit Vigorous Activities	SF362-Limit Vigorous Activities	The Short Form 36 Health Survey Acute, US Version 1.0 - How much does your health now limit you in - vigorous activities, such as running, lifting heavy objects, participating in strenuous sports.	SF-36 v1.0 Acute - Limit Vigorous Activities
C102133	SF362-Limit Walking More Than a Mile	SF362-Limit Walking More Than a Mile	The Short Form 36 Health Survey Acute, US Version 1.0 - How much does your health now limit you in - walking more than a mile.	SF-36 v1.0 Acute - Limit Walking More Than a Mile
C102135	SF362-Limit Walking One Block	SF362-Limit Walking One Block	The Short Form 36 Health Survey Acute, US Version 1.0 - How much does your health now limit you in - walking one block.	SF-36 v1.0 Acute - Limit Walking One Block
C102134	SF362-Limit Walking Several Blocks	SF362-Limit Walking Several Blocks	The Short Form 36 Health Survey Acute, US Version 1.0 - How much does your health now limit you in - walking several blocks.	SF-36 v1.0 Acute - Limit Walking Several Blocks
C176138	SF362-Mental Component Score	SF362-Mental Component Score	The Short Form 36 Health Survey Acute, US Version 1.0 - Mental component score.	SF-36 v1.0 Acute - Mental Component Score
C176128	SF362-Mental Health 0-100 Score	SF362-Mental Health 0-100 Score	The Short Form 36 Health Survey Acute, US Version 1.0 - Mental health 0-100 score.	SF-36 v1.0 Acute - Mental Health 0-100 Score
C176136	SF362-Mental Health Norm-Based Score	SF362-Mental Health Norm-Based Score	The Short Form 36 Health Survey Acute, US Version 1.0 - Mental health norm-based score.	SF-36 v1.0 Acute - Mental Health Norm-Based Score
C102160	SF362-My Health is Excellent	SF362-My Health is Excellent	The Short Form 36 Health Survey Acute, US Version 1.0 - How TRUE or FALSE is the following statement for you - my health is excellent	SF-36 v1.0 Acute - My Health is Excellent
C102146	SF362-Pain Interfere With Normal Work	SF362-Pain Interfere With Normal Work	The Short Form 36 Health Survey Acute, US Version 1.0 - During the past week, how much did pain interfere with your normal work (including both work outside the home and housework)?	SF-36 v1.0 Acute - Pain Interfere With Normal Work
C176129	SF362-Phys Functioning Norm-Based Score	SF362-Phys Functioning Norm-Based Score	The Short Form 36 Health Survey Acute, US Version 1.0 - Phys functioning norm-based score.	SF-36 v1.0 Acute - Phys Functioning Norm-Based Score
C176137	SF362-Physical Component Score	SF362-Physical Component Score	The Short Form 36 Health Survey Acute, US Version 1.0 - Physical component score.	SF-36 v1.0 Acute - Physical Component Score
C176121	SF362-Physical Functioning 0-100 Score	SF362-Physical Functioning 0-100 Score	The Short Form 36 Health Survey Acute, US Version 1.0 - Physical functioning 0-100 score.	SF-36 v1.0 Acute - Physical Functioning 0-100 Score

SF-36 v1.0 Acute - Physical: Accomplished Less				
C102138	SF362-Physical: Accomplished Less	SF362-Physical: Accomplished Less	The Short Form 36 Health Survey Acute, US Version 1.0 - During the past week, have you had any of the following problems with your work or other regular daily activities as a result of your physical health - accomplished less than you would like.	SF-36 v1.0 Acute - Physical: Accomplished Less
C102137	SF362-Physical: Cut Down Time on Work	SF362-Physical: Cut Down Time on Work	The Short Form 36 Health Survey Acute, US Version 1.0 (SF36 V1.0 ACUTE) -During the past week, have you had any of the following problems with your work or other regular daily activities as a result of your physical health - cut down on the amount of time you spent on work or other activities.	SF-36 v1.0 Acute - Physical: Cut Down Time on Work
C102140	SF362-Physical: Difficulty Perform Work	SF362-Physical: Difficulty Perform Work	The Short Form 36 Health Survey Acute, US Version 1.0 - During the past week, have you had any of the following problems with your work or other regular daily activities as a result of your physical health - had difficulty performing the work or other activities (for example, it took extra effort).	SF-36 v1.0 Acute - Physical: Difficulty Perform Work
C102139	SF362-Physical: Limited Kind of Work	SF362-Physical: Limited Kind of Work	The Short Form 36 Health Survey Acute, US Version 1.0 - During the past week, have you had any of the following problems with your work or other regular daily activities as a result of your physical health - were limited in the kind of work or other activities.	SF-36 v1.0 Acute - Physical: Limited Kind of Work
C176141	SF362-Response Consistency Score	SF362-Response Consistency Score	The Short Form 36 Health Survey Acute, US Version 1.0 - Response consistency score.	SF-36 v1.0 Acute - Response Consistency Score
C176127	SF362-Role Emotional 0-100 Score	SF362-Role Emotional 0-100 Score	The Short Form 36 Health Survey Acute, US Version 1.0 - Role emotional 0-100 score.	SF-36 v1.0 Acute - Role Emotional 0-100 Score
C176135	SF362-Role Emotional Norm-Based Score	SF362-Role Emotional Norm-Based Score	The Short Form 36 Health Survey Acute, US Version 1.0 - Role emotional norm-based score.	SF-36 v1.0 Acute - Role Emotional Norm-Based Score
C176122	SF362-Role Physical 0-100 Score	SF362-Role Physical 0-100 Score	The Short Form 36 Health Survey Acute, US Version 1.0 - Role physical 0-100 score.	SF-36 v1.0 Acute - Role Physical 0-100 Score
C176130	SF362-Role Physical Norm-Based Score	SF362-Role Physical Norm-Based Score	The Short Form 36 Health Survey Acute, US Version 1.0 - Role physical norm-based score.	SF-36 v1.0 Acute - Role Physical Norm-Based Score
C176139	SF362-SF-6D (Utility Index) Score	SF362-SF-6D (Utility Index) Score	The Short Form 36 Health Survey Acute, US Version 1.0 - 6D (utility index) score.	SF-36 v1.0 Acute - SF-6D (Utility Index) Score
C176140	SF362-SF-6D_R2 (Util Index Rel 2) Score	SF362-SF-6D_R2 (Util Index Rel 2) Score	The Short Form 36 Health Survey Acute, US Version 1.0 - 6D_R2 (util index rel 2) score.	SF-36 v1.0 Acute - SF-6D_R2 (Util Index Rel 2) Score
C176134	SF362-Social Function Norm-Based Score	SF362-Social Function Norm-Based Score	The Short Form 36 Health Survey Acute, US Version 1.0 - Social function norm-based score.	SF-36 v1.0 Acute - Social Function Norm-Based Score
C176126	SF362-Social Functioning 0-100 Score	SF362-Social Functioning 0-100 Score	The Short Form 36 Health Survey Acute, US Version 1.0 - Social functioning 0-100 score.	SF-36 v1.0 Acute - Social Functioning 0-100 Score
C102156	SF362-Time Phys/Emotional Interfered	SF362-Time Phys/Emotional Interfered	The Short Form 36 Health Survey Acute, US Version 1.0 - During the past week, how much of the time has your physical health or emotional problems interfered with your social activities (like visiting friends, relatives, etc.)?	SF-36 v1.0 Acute - Time Phys/Emotional Interfered
C176125	SF362-Vitality 0-100 Score	SF362-Vitality 0-100 Score	The Short Form 36 Health Survey Acute, US Version 1.0 - Vitality 0-100 score.	SF-36 v1.0 Acute - Vitality 0-100 Score
C176133	SF362-Vitality Norm-Based Score	SF362-Vitality Norm-Based Score	The Short Form 36 Health Survey Acute, US Version 1.0 - Vitality norm-based score.	SF-36 v1.0 Acute - Vitality Norm-Based Score
C102152	SF362-You Felt Downhearted and Blue	SF362-You Felt Downhearted and Blue	The Short Form 36 Health Survey Acute, US Version 1.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past week - have you felt downhearted and blue.	SF-36 v1.0 Acute - You Felt Downhearted and Blue

C102197	SF36301	SF363-In General You Say Your Health Is	The Short Form 36 Health Survey Standard, US Version 2.0 - In general, would you say your health is.	SF-36 v2.0 Standard - In General You Say Your Health Is
C102198	SF36302	SF363-Comp Year Ago Rate Gen Health Now	The Short Form 36 Health Survey Standard, US Version 2.0 - Compared to one year ago, how would you rate your health in general now?	SF-36 v2.0 Standard - Comp Year Ago Rate Gen Health Now
C102199	SF36303A	SF363-Limit Vigorous Activities	The Short Form 36 Health Survey Standard, US Version 2.0 - How much does your health now limit you in - vigorous activities, such as running, lifting heavy objects, participating in strenuous sports.	SF-36 v2.0 Standard - Limit Vigorous Activities
C102200	SF36303B	SF363-Limit Moderate Activities	The Short Form 36 Health Survey Standard, US Version 2.0 - How much does your health now limit you in - moderate activities, such as moving a table, pushing a vacuum cleaner, bowling, or playing golf.	SF-36 v2.0 Standard - Limit Moderate Activities
C102201	SF36303C	SF363-Limit Lifting or Carrying	The Short Form 36 Health Survey Standard, US Version 2.0 - How much does your health now limit you in - lifting or carrying groceries.	SF-36 v2.0 Standard - Limit Lifting or Carrying
C102202	SF36303D	SF363-Limit Climbing Several Flights	The Short Form 36 Health Survey Standard, US Version 2.0 - How much does your health now limit you in - climbing several flights of stairs.	SF-36 v2.0 Standard - Limit Climbing Several Flights
C102203	SF36303E	SF363-Limit Climbing One Flight Stairs	The Short Form 36 Health Survey Standard, US Version 2.0 - How much does your health now limit you in - climbing one flight of stairs.	SF-36 v2.0 Standard - Limit Climbing One Flight Stairs
C102204	SF36303F	SF363-Limit Bending/Kneeling/Stooping	The Short Form 36 Health Survey Standard, US Version 2.0 - How much does your health now limit you in - bending, kneeling, or stooping.	SF-36 v2.0 Standard - Limit Bending/Kneeling/Stooping
C102205	SF36303G	SF363-Limit Walking More Than a Mile	The Short Form 36 Health Survey Standard, US Version 2.0 - How much does your health now limit you in - walking more than a mile.	SF-36 v2.0 Standard - Limit Walking More Than a Mile
C102206	SF36303H	SF363-Limit Walking Several Hundred Yds	The Short Form 36 Health Survey Standard, US Version 2.0 - How much does your health now limit you in - walking several hundred yards.	SF-36 v2.0 Standard - Limit Walking Several Hundred Yds
C102207	SF36303I	SF363-Limit Walking One Hundred Yards	The Short Form 36 Health Survey Standard, US Version 2.0 - How much does your health now limit you in - walking one hundred yards.	SF-36 v2.0 Standard - Limit Walking One Hundred Yards
C102208	SF36303J	SF363-Limit Bathing or Dressing Yourself	The Short Form 36 Health Survey Standard, US Version 2.0 - How much does your health now limit you in - bathing or dressing yourself.	SF-36 v2.0 Standard - Limit Bathing or Dressing Yourself
C102209	SF36304A	SF363-Physical: Cut Down Time on Work	The Short Form 36 Health Survey Standard, US Version 2.0 - During the past 4 weeks, how much of the time have you had any problems with your work or other regular daily activities as a result of your physical health - cut down on the amount of time you spent on work or other activities.	SF-36 v2.0 Standard - Physical: Cut Down Time on Work
C102210	SF36304B	SF363-Physical: Accomplished Less	The Short Form 36 Health Survey Standard, US Version 2.0 - During the past 4 weeks, how much of the time have you had any problems with your work or other regular daily activities as a result of your physical health - accomplished less than you would like.	SF-36 v2.0 Standard - Physical: Accomplished Less
C102211	SF36304C	SF363-Physical: Limited Kind of Work	The Short Form 36 Health Survey Standard, US Version 2.0 - During the past 4 weeks, how much of the time have you had any problems with your work or other regular daily activities as a result of your physical health - were limited in the kind of work or other activities.	SF-36 v2.0 Standard - Physical: Limited Kind of Work
C102212	SF36304D	SF363-Physical: Difficulty Perform Work	The Short Form 36 Health Survey Standard, US Version 2.0 - During the past 4 weeks, how much of the time have you had any problems with your work or other regular daily activities as a result of your physical health - had difficulty performing the work or other activities (for example, it took extra effort).	SF-36 v2.0 Standard - Physical: Difficulty Perform Work
C102213	SF36305A	SF363-Emotional: Cut Down Time on Work	The Short Form 36 Health Survey Standard, US Version 2.0 - During the past 4 weeks, how much of the time have you had problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious) - cut down on the amount of time you spent on work or other activities.	SF-36 v2.0 Standard - Emotional: Cut Down Time on Work

SF36 v2.0 Standard - Emotional: Accomplished Less				
C102214	SF36305B	SF363-Emotional: Accomplished Less	The Short Form 36 Health Survey Standard, US Version 2.0 - During the past 4 weeks, how much of the time have you had problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious) - accomplished less than you would like.	SF-36 v2.0 Standard - Emotional: Accomplished Less
C102215	SF36305C	SF363-Emotional: Did Work Less Carefully	The Short Form 36 Health Survey Standard, US Version 2.0 - During the past 4 weeks, how much of the time have you had problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious) - did work or other activities less carefully than usual.	SF-36 v2.0 Standard - Emotional: Did Work Less Carefully
C102216	SF36306	SF363-Extent Phys/Emotional Interfered	The Short Form 36 Health Survey Standard, US Version 2.0 - During the past 4 weeks, to what extent has your physical health or emotional problems interfered with your normal social activities with family, friends, neighbors, or groups?	SF-36 v2.0 Standard - Extent Phys/Emotional Interfered
C102217	SF36307	SF363-How Much Bodily Pain Have You Had	The Short Form 36 Health Survey Standard, US Version 2.0 - How much bodily pain have you had during the past 4 weeks?	SF-36 v2.0 Standard - How Much Bodily Pain Have You Had
C102218	SF36308	SF363-Pain Interfere With Normal Work	The Short Form 36 Health Survey Standard, US Version 2.0 - During the past 4 weeks, how much did pain interfere with your normal work (including both work outside the home and housework)?	SF-36 v2.0 Standard - Pain Interfere With Normal Work
C102219	SF36309A	SF363-Did You Feel Full of Life	The Short Form 36 Health Survey Standard, US Version 2.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past 4 weeks - did you feel full of life.	SF-36 v2.0 Standard - Did You Feel Full of Life
C102220	SF36309B	SF363-Have You Been Very Nervous	The Short Form 36 Health Survey Standard, US Version 2.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past 4 weeks - have you been very nervous.	SF-36 v2.0 Standard - Have You Been Very Nervous
C102221	SF36309C	SF363-Felt Down Nothing Cheer You Up	The Short Form 36 Health Survey Standard, US Version 2.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past 4 weeks - have you felt so down in the dumps that nothing could cheer you up.	SF-36 v2.0 Standard - Felt Down Nothing Cheer You Up
C102222	SF36309D	SF363-Have You Felt Calm and Peaceful	The Short Form 36 Health Survey Standard, US Version 2.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past 4 weeks - have you felt calm and peaceful.	SF-36 v2.0 Standard - Have You Felt Calm and Peaceful
C102223	SF36309E	SF363-Did You Have a Lot of Energy	The Short Form 36 Health Survey Standard, US Version 2.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past 4 weeks - did you have a lot of energy.	SF-36 v2.0 Standard - Did You Have a Lot of Energy
C102224	SF36309F	SF363-You Felt Downhearted and Depressed	The Short Form 36 Health Survey Standard, US Version 2.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past 4 weeks - have you felt downhearted and depressed.	SF-36 v2.0 Standard - You Felt Downhearted and Depressed
C102225	SF36309G	SF363-Did You Feel Worn Out	The Short Form 36 Health Survey Standard, US Version 2.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past 4 weeks - did you feel worn out.	SF-36 v2.0 Standard - Did You Feel Worn Out
C102226	SF36309H	SF363-Have You Been Happy	The Short Form 36 Health Survey Standard, US Version 2.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past 4 weeks - have you been happy.	SF-36 v2.0 Standard - Have You Been Happy
C102227	SF36309I	SF363-Did You Feel Tired	The Short Form 36 Health Survey Standard, US Version 2.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past 4 weeks - did you feel tired.	SF-36 v2.0 Standard - Did You Feel Tired
C102228	SF36310	SF363-Time Phys/Emotional Interfered	The Short Form 36 Health Survey Standard, US Version 2.0 - During the past 4 weeks, how much of the time has your physical health or emotional problems interfered with your social activities (like visiting friends, relatives, etc.)?	SF-36 v2.0 Standard - Time Phys/Emotional Interfered
C102229	SF36311A	SF363-Get Sick Little Easier Than Other	The Short Form 36 Health Survey Standard, US Version 2.0 - How TRUE or FALSE is the following statement for you - I seem to get sick a little easier than other people.	SF-36 v2.0 Standard - Get Sick Little Easier Than Other
C102230	SF36311B	SF363-I Am as Healthy as Anybody I Know	The Short Form 36 Health Survey Standard, US Version 2.0 - How TRUE or FALSE is the following statement for you - I am as healthy as anybody I know.	SF-36 v2.0 Standard - I Am as Healthy as Anybody I Know

SF36 Health Survey Standard, US Version 2.0				
C102231	SF36311C	SF363-I Expect My Health to Get Worse	The Short Form 36 Health Survey Standard, US Version 2.0 - How TRUE or FALSE is the following statement for you - I expect my health to get worse.	SF-36 v2.0 Standard - I Expect My Health to Get Worse
C102232	SF36311D	SF363-My Health is Excellent	The Short Form 36 Health Survey Standard, US Version 2.0 - How TRUE or FALSE is the following statement for you - my health is excellent	SF-36 v2.0 Standard - My Health is Excellent
C176184	SF36312	SF363-Physical Functioning 0-100 Score	The Short Form 36 Health Survey Standard, US Version 2.0 - Physical functioning 0-100 score.	SF-36 v2.0 Standard - Physical Functioning 0-100 Score
C176185	SF36313	SF363-Role Physical 0-100 Score	The Short Form 36 Health Survey Standard, US Version 2.0 - Role physical 0-100 score.	SF-36 v2.0 Standard - Role Physical 0-100 Score
C176186	SF36314	SF363-Bodily Pain 0-100 Score	The Short Form 36 Health Survey Standard, US Version 2.0 - Bodily pain 0-100 score.	SF-36 v2.0 Standard - Bodily Pain 0-100 Score
C176187	SF36315	SF363-General Health 0-100 Score	The Short Form 36 Health Survey Standard, US Version 2.0 - General health 0-100 score.	SF-36 v2.0 Standard - General Health 0-100 Score
C176188	SF36316	SF363-Vitality 0-100 Score	The Short Form 36 Health Survey Standard, US Version 2.0 - Vitality 0-100 score.	SF-36 v2.0 Standard - Vitality 0-100 Score
C176189	SF36317	SF363-Social Functioning 0-100 Score	The Short Form 36 Health Survey Standard, US Version 2.0 - Social functioning 0-100 score.	SF-36 v2.0 Standard - Social Functioning 0-100 Score
C176190	SF36318	SF363-Role Emotional 0-100 Score	The Short Form 36 Health Survey Standard, US Version 2.0 - Role emotional 0-100 score.	SF-36 v2.0 Standard - Role Emotional 0-100 Score
C176191	SF36319	SF363-Mental Health 0-100 Score	The Short Form 36 Health Survey Standard, US Version 2.0 - Mental health 0-100 score.	SF-36 v2.0 Standard - Mental Health 0-100 Score
C176192	SF36320	SF363-Phys Functioning Norm-Based Score	The Short Form 36 Health Survey Standard, US Version 2.0 - Phys functioning norm-based score.	SF-36 v2.0 Standard - Phys Functioning Norm-Based Score
C176193	SF36321	SF363-Role Physical Norm-Based Score	The Short Form 36 Health Survey Standard, US Version 2.0 - Role physical norm-based score.	SF-36 v2.0 Standard - Role Physical Norm-Based Score
C176194	SF36322	SF363-Bodily Pain Norm-Based Score	The Short Form 36 Health Survey Standard, US Version 2.0 - Bodily pain norm-based score.	SF-36 v2.0 Standard - Bodily Pain Norm-Based Score
C176195	SF36323	SF363-General Health Norm-Based Score	The Short Form 36 Health Survey Standard, US Version 2.0 - General health norm-based score.	SF-36 v2.0 Standard - General Health Norm-Based Score
C176196	SF36324	SF363-Vitality Norm-Based Score	The Short Form 36 Health Survey Standard, US Version 2.0 - Vitality norm-based score.	SF-36 v2.0 Standard - Vitality Norm-Based Score
C176197	SF36325	SF363-Social Function Norm-Based Score	The Short Form 36 Health Survey Standard, US Version 2.0 - Social function norm-based score.	SF-36 v2.0 Standard - Social Function Norm-Based Score
C176198	SF36326	SF363-Role Emotional Norm-Based Score	The Short Form 36 Health Survey Standard, US Version 2.0 - Role emotional norm-based score.	SF-36 v2.0 Standard - Role Emotional Norm-Based Score
C176199	SF36327	SF363-Mental Health Norm-Based Score	The Short Form 36 Health Survey Standard, US Version 2.0 - Mental health norm-based score.	SF-36 v2.0 Standard - Mental Health Norm-Based Score
C176200	SF36328	SF363-Physical Component Score	The Short Form 36 Health Survey Standard, US Version 2.0 - Physical component score.	SF-36 v2.0 Standard - Physical Component Score
C176201	SF36329	SF363-Mental Component Score	The Short Form 36 Health Survey Standard, US Version 2.0 - Mental component score.	SF-36 v2.0 Standard - Mental Component Score
C176202	SF36330	SF363-SF-6D (Utility Index) Score	The Short Form 36 Health Survey Standard, US Version 2.0 - 6D (utility index) score.	SF-36 v2.0 Standard - SF-6D (Utility Index) Score
C176203	SF36331	SF363-SF-6D_R2 (Util Index Rel 2) Score	The Short Form 36 Health Survey Standard, US Version 2.0 - 6D_R2 (util index rel 2) score.	SF-36 v2.0 Standard - SF-6D_R2 (Util Index Rel 2) Score
C176204	SF36332	SF363-Mental Health Enhanced Score	The Short Form 36 Health Survey Standard, US Version 2.0 - Mental health enhanced score.	SF-36 v2.0 Standard - Mental Health Enhanced Score
C180248	SF36333	SF363-Response Consistency Score	The Short Form 36 Health Survey Standard, US Version 2.0 - Response consistency score.	SF-36 v2.0 Standard - Response Consistency Score
C185787	SF36334	SF363-Utility Index Score UK Weights	The Short Form 36 Health Survey Standard, US Version 2.0 - Utility index score United Kingdom weights.	SF-36 v2.0 Standard - Utility Index Score UK Weights
C185788	SF36335	SF363-Utility Index Score CN Weights	The Short Form 36 Health Survey Standard, US Version 2.0 - Utility index score Canada weights.	SF-36 v2.0 Standard - Utility Index Score CN Weights

SF-36 v2.0 Standard - Utility Index Score AU Weights				
C185789	SF36336	SF363-Utility Index Score AU Weights	The Short Form 36 Health Survey Standard, US Version 2.0 - Utility index score Australia weights.	SF-36 v2.0 Standard - Utility Index Score AU Weights
C185790	SF36337	SF363-Utility Index Score US Weights	The Short Form 36 Health Survey Standard, US Version 2.0 - Utility index score United States weights.	SF-36 v2.0 Standard - Utility Index Score US Weights

C176186	SF363-Bodily Pain 0-100 Score	SF363-Bodily Pain 0-100 Score	The Short Form 36 Health Survey Standard, US Version 2.0 - Bodily pain 0-100 score.	SF-36 v2.0 Standard - Bodily Pain 0-100 Score
C176194	SF363-Bodily Pain Norm-Based Score	SF363-Bodily Pain Norm-Based Score	The Short Form 36 Health Survey Standard, US Version 2.0 - Bodily pain norm-based score.	SF-36 v2.0 Standard - Bodily Pain Norm-Based Score
C102198	SF363-Comp Year Ago Rate Gen Health Now	SF363-Comp Year Ago Rate Gen Health Now	The Short Form 36 Health Survey Standard, US Version 2.0 - Compared to one year ago, how would you rate your health in general now?	SF-36 v2.0 Standard - Comp Year Ago Rate Gen Health Now
C102219	SF363-Did You Feel Full of Life	SF363-Did You Feel Full of Life	The Short Form 36 Health Survey Standard, US Version 2.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past 4 weeks - did you feel full of life.	SF-36 v2.0 Standard - Did You Feel Full of Life
C102227	SF363-Did You Feel Tired	SF363-Did You Feel Tired	The Short Form 36 Health Survey Standard, US Version 2.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past 4 weeks - did you feel tired.	SF-36 v2.0 Standard - Did You Feel Tired
C102225	SF363-Did You Feel Worn Out	SF363-Did You Feel Worn Out	The Short Form 36 Health Survey Standard, US Version 2.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past 4 weeks - did you feel worn out.	SF-36 v2.0 Standard - Did You Feel Worn Out
C102223	SF363-Did You Have a Lot of Energy	SF363-Did You Have a Lot of Energy	The Short Form 36 Health Survey Standard, US Version 2.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past 4 weeks - did you have a lot of energy.	SF-36 v2.0 Standard - Did You Have a Lot of Energy
C102214	SF363-Emotional: Accomplished Less	SF363-Emotional: Accomplished Less	The Short Form 36 Health Survey Standard, US Version 2.0 - During the past 4 weeks, how much of the time have you had problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious) - accomplished less than you would like.	SF-36 v2.0 Standard - Emotional: Accomplished Less
C102213	SF363-Emotional: Cut Down Time on Work	SF363-Emotional: Cut Down Time on Work	The Short Form 36 Health Survey Standard, US Version 2.0 - During the past 4 weeks, how much of the time have you had problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious) - cut down on the amount of time you spent on work or other activities.	SF-36 v2.0 Standard - Emotional: Cut Down Time on Work
C102215	SF363-Emotional: Did Work Less Carefully	SF363-Emotional: Did Work Less Carefully	The Short Form 36 Health Survey Standard, US Version 2.0 - During the past 4 weeks, how much of the time have you had problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious) - did work or other activities less carefully than usual.	SF-36 v2.0 Standard - Emotional: Did Work Less Carefully
C102216	SF363-Extent Phys/Emotional Interfered	SF363-Extent Phys/Emotional Interfered	The Short Form 36 Health Survey Standard, US Version 2.0 - During the past 4 weeks, to what extent has your physical health or emotional problems interfered with your normal social activities with family, friends, neighbors, or groups?	SF-36 v2.0 Standard - Extent Phys/Emotional Interfered
C102221	SF363-Felt Down Nothing Cheer You Up	SF363-Felt Down Nothing Cheer You Up	The Short Form 36 Health Survey Standard, US Version 2.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past 4 weeks - have you felt so down in the dumps that nothing could cheer you up.	SF-36 v2.0 Standard - Felt Down Nothing Cheer You Up
C176187	SF363-General Health 0-100 Score	SF363-General Health 0-100 Score	The Short Form 36 Health Survey Standard, US Version 2.0 - General health 0-100 score.	SF-36 v2.0 Standard - General Health 0-100 Score
C176195	SF363-General Health Norm-Based Score	SF363-General Health Norm-Based Score	The Short Form 36 Health Survey Standard, US Version 2.0 - General health norm-based score.	SF-36 v2.0 Standard - General Health Norm-Based Score
C102229	SF363-Get Sick Little Easier Than Other	SF363-Get Sick Little Easier Than Other	The Short Form 36 Health Survey Standard, US Version 2.0 - How TRUE or FALSE is the following statement for you - I seem to get sick a little easier than other people.	SF-36 v2.0 Standard - Get Sick Little Easier Than Other
C102226	SF363-Have You Been Happy	SF363-Have You Been Happy	The Short Form 36 Health Survey Standard, US Version 2.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past 4 weeks - have you been happy.	SF-36 v2.0 Standard - Have You Been Happy
C102220	SF363-Have You Been Very Nervous	SF363-Have You Been Very Nervous	The Short Form 36 Health Survey Standard, US Version 2.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past 4 weeks - have you been very nervous.	SF-36 v2.0 Standard - Have You Been Very Nervous

SF-36 v2.0 Item Details					
Item ID	Item Description	Item Type	Item Definition	Item Label	Item Category
C102222	SF363-Have You Felt Calm and Peaceful	SF363-Have You Felt Calm and Peaceful	The Short Form 36 Health Survey Standard, US Version 2.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past 4 weeks - have you felt calm and peaceful.	SF-36 v2.0 Standard - Have You Felt Calm and Peaceful	
C102217	SF363-How Much Bodily Pain Have You Had	SF363-How Much Bodily Pain Have You Had	The Short Form 36 Health Survey Standard, US Version 2.0 - How much bodily pain have you had during the past 4 weeks?	SF-36 v2.0 Standard - How Much Bodily Pain Have You Had	
C102230	SF363-I Am as Healthy as Anybody I Know	SF363-I Am as Healthy as Anybody I Know	The Short Form 36 Health Survey Standard, US Version 2.0 - How TRUE or FALSE is the following statement for you - I am as healthy as anybody I know.	SF-36 v2.0 Standard - I Am as Healthy as Anybody I Know	
C102231	SF363-I Expect My Health to Get Worse	SF363-I Expect My Health to Get Worse	The Short Form 36 Health Survey Standard, US Version 2.0 - How TRUE or FALSE is the following statement for you - I expect my health to get worse.	SF-36 v2.0 Standard - I Expect My Health to Get Worse	
C102197	SF363-In General You Say Your Health Is	SF363-In General You Say Your Health Is	The Short Form 36 Health Survey Standard, US Version 2.0 - In general, would you say your health is.	SF-36 v2.0 Standard - In General You Say Your Health Is	
C102208	SF363-Limit Bathing or Dressing Yourself	SF363-Limit Bathing or Dressing Yourself	The Short Form 36 Health Survey Standard, US Version 2.0 - How much does your health now limit you in - bathing or dressing yourself.	SF-36 v2.0 Standard - Limit Bathing or Dressing Yourself	
C102204	SF363-Limit Bending/Kneeling/Stooping	SF363-Limit Bending/Kneeling/Stooping	The Short Form 36 Health Survey Standard, US Version 2.0 - How much does your health now limit you in - bending, kneeling, or stooping.	SF-36 v2.0 Standard - Limit Bending/Kneeling/Stooping	
C102203	SF363-Limit Climbing One Flight Stairs	SF363-Limit Climbing One Flight Stairs	The Short Form 36 Health Survey Standard, US Version 2.0 - How much does your health now limit you in - climbing one flight of stairs.	SF-36 v2.0 Standard - Limit Climbing One Flight Stairs	
C102202	SF363-Limit Climbing Several Flights	SF363-Limit Climbing Several Flights	The Short Form 36 Health Survey Standard, US Version 2.0 - How much does your health now limit you in - climbing several flights of stairs.	SF-36 v2.0 Standard - Limit Climbing Several Flights	
C102201	SF363-Limit Lifting or Carrying	SF363-Limit Lifting or Carrying	The Short Form 36 Health Survey Standard, US Version 2.0 - How much does your health now limit you in - lifting or carrying groceries.	SF-36 v2.0 Standard - Limit Lifting or Carrying	
C102200	SF363-Limit Moderate Activities	SF363-Limit Moderate Activities	The Short Form 36 Health Survey Standard, US Version 2.0 - How much does your health now limit you in - moderate activities, such as moving a table, pushing a vacuum cleaner, bowling, or playing golf.	SF-36 v2.0 Standard - Limit Moderate Activities	
C102199	SF363-Limit Vigorous Activities	SF363-Limit Vigorous Activities	The Short Form 36 Health Survey Standard, US Version 2.0 - How much does your health now limit you in - vigorous activities, such as running, lifting heavy objects, participating in strenuous sports.	SF-36 v2.0 Standard - Limit Vigorous Activities	
C102205	SF363-Limit Walking More Than a Mile	SF363-Limit Walking More Than a Mile	The Short Form 36 Health Survey Standard, US Version 2.0 - How much does your health now limit you in - walking more than a mile.	SF-36 v2.0 Standard - Limit Walking More Than a Mile	
C102207	SF363-Limit Walking One Hundred Yards	SF363-Limit Walking One Hundred Yards	The Short Form 36 Health Survey Standard, US Version 2.0 - How much does your health now limit you in - walking one hundred yards.	SF-36 v2.0 Standard - Limit Walking One Hundred Yards	
C102206	SF363-Limit Walking Several Hundred Yds	SF363-Limit Walking Several Hundred Yds	The Short Form 36 Health Survey Standard, US Version 2.0 - How much does your health now limit you in - walking several hundred yards.	SF-36 v2.0 Standard - Limit Walking Several Hundred Yds	
C176201	SF363-Mental Component Score	SF363-Mental Component Score	The Short Form 36 Health Survey Standard, US Version 2.0 - Mental component score.	SF-36 v2.0 Standard - Mental Component Score	
C176191	SF363-Mental Health 0-100 Score	SF363-Mental Health 0-100 Score	The Short Form 36 Health Survey Standard, US Version 2.0 - Mental health 0-100 score.	SF-36 v2.0 Standard - Mental Health 0-100 Score	
C176204	SF363-Mental Health Enhanced Score	SF363-Mental Health Enhanced Score	The Short Form 36 Health Survey Standard, US Version 2.0 - Mental health enhanced score.	SF-36 v2.0 Standard - Mental Health Enhanced Score	
C176199	SF363-Mental Health Norm-Based Score	SF363-Mental Health Norm-Based Score	The Short Form 36 Health Survey Standard, US Version 2.0 - Mental health norm-based score.	SF-36 v2.0 Standard - Mental Health Norm-Based Score	
C102232	SF363-My Health is Excellent	SF363-My Health is Excellent	The Short Form 36 Health Survey Standard, US Version 2.0 - How TRUE or FALSE is the following statement for you - my health is excellent	SF-36 v2.0 Standard - My Health is Excellent	
C102218	SF363-Pain Interfere With Normal Work	SF363-Pain Interfere With Normal Work	The Short Form 36 Health Survey Standard, US Version 2.0 - During the past 4 weeks, how much did pain interfere with your normal work (including both work outside the home and housework)?	SF-36 v2.0 Standard - Pain Interfere With Normal Work	

SF36 Health Survey Standard, US Version 2.0				
C176192	SF363-Phys Functioning Norm-Based Score	SF363-Phys Functioning Norm-Based Score	The Short Form 36 Health Survey Standard, US Version 2.0 - Phys functioning norm-based score.	SF-36 v2.0 Standard - Phys Functioning Norm-Based Score
C176200	SF363-Physical Component Score	SF363-Physical Component Score	The Short Form 36 Health Survey Standard, US Version 2.0 - Physical component score.	SF-36 v2.0 Standard - Physical Component Score
C176184	SF363-Physical Functioning 0-100 Score	SF363-Physical Functioning 0-100 Score	The Short Form 36 Health Survey Standard, US Version 2.0 - Physical functioning 0-100 score.	SF-36 v2.0 Standard - Physical Functioning 0-100 Score
C102210	SF363-Physical: Accomplished Less	SF363-Physical: Accomplished Less	The Short Form 36 Health Survey Standard, US Version 2.0 - During the past 4 weeks, how much of the time have you had any problems with your work or other regular daily activities as a result of your physical health - accomplished less than you would like.	SF-36 v2.0 Standard - Physical: Accomplished Less
C102209	SF363-Physical: Cut Down Time on Work	SF363-Physical: Cut Down Time on Work	The Short Form 36 Health Survey Standard, US Version 2.0 - During the past 4 weeks, how much of the time have you had any problems with your work or other regular daily activities as a result of your physical health - cut down on the amount of time you spent on work or other activities.	SF-36 v2.0 Standard - Physical: Cut Down Time on Work
C102212	SF363-Physical: Difficulty Perform Work	SF363-Physical: Difficulty Perform Work	The Short Form 36 Health Survey Standard, US Version 2.0 - During the past 4 weeks, how much of the time have you had any problems with your work or other regular daily activities as a result of your physical health - had difficulty performing the work or other activities (for example, it took extra effort).	SF-36 v2.0 Standard - Physical: Difficulty Perform Work
C102211	SF363-Physical: Limited Kind of Work	SF363-Physical: Limited Kind of Work	The Short Form 36 Health Survey Standard, US Version 2.0 - During the past 4 weeks, how much of the time have you had any problems with your work or other regular daily activities as a result of your physical health - were limited in the kind of work or other activities.	SF-36 v2.0 Standard - Physical: Limited Kind of Work
C180248	SF363-Response Consistency Score	SF363-Response Consistency Score	The Short Form 36 Health Survey Standard, US Version 2.0 - Response consistency score.	SF-36 v2.0 Standard - Response Consistency Score
C176190	SF363-Role Emotional 0-100 Score	SF363-Role Emotional 0-100 Score	The Short Form 36 Health Survey Standard, US Version 2.0 - Role emotional 0-100 score.	SF-36 v2.0 Standard - Role Emotional 0-100 Score
C176198	SF363-Role Emotional Norm-Based Score	SF363-Role Emotional Norm-Based Score	The Short Form 36 Health Survey Standard, US Version 2.0 - Role emotional norm-based score.	SF-36 v2.0 Standard - Role Emotional Norm-Based Score
C176185	SF363-Role Physical 0-100 Score	SF363-Role Physical 0-100 Score	The Short Form 36 Health Survey Standard, US Version 2.0 - Role physical 0-100 score.	SF-36 v2.0 Standard - Role Physical 0-100 Score
C176193	SF363-Role Physical Norm-Based Score	SF363-Role Physical Norm-Based Score	The Short Form 36 Health Survey Standard, US Version 2.0 - Role physical norm-based score.	SF-36 v2.0 Standard - Role Physical Norm-Based Score
C176202	SF363-SF-6D (Utility Index) Score	SF363-SF-6D (Utility Index) Score	The Short Form 36 Health Survey Standard, US Version 2.0 - 6D (utility index) score.	SF-36 v2.0 Standard - SF-6D (Utility Index) Score
C176203	SF363-SF-6D_R2 (Util Index Rel 2) Score	SF363-SF-6D_R2 (Util Index Rel 2) Score	The Short Form 36 Health Survey Standard, US Version 2.0 - 6D_R2 (util index rel 2) score.	SF-36 v2.0 Standard - SF-6D_R2 (Util Index Rel 2) Score
C176197	SF363-Social Function Norm-Based Score	SF363-Social Function Norm-Based Score	The Short Form 36 Health Survey Standard, US Version 2.0 - Social function norm-based score.	SF-36 v2.0 Standard - Social Function Norm-Based Score
C176189	SF363-Social Functioning 0-100 Score	SF363-Social Functioning 0-100 Score	The Short Form 36 Health Survey Standard, US Version 2.0 - Social functioning 0-100 score.	SF-36 v2.0 Standard - Social Functioning 0-100 Score
C102228	SF363-Time Phys/Emotional Interfered	SF363-Time Phys/Emotional Interfered	The Short Form 36 Health Survey Standard, US Version 2.0 - During the past 4 weeks, how much of the time has your physical health or emotional problems interfered with your social activities (like visiting friends, relatives, etc.)?	SF-36 v2.0 Standard - Time Phys/Emotional Interfered
C185789	SF363-Utility Index Score AU Weights	SF363-Utility Index Score AU Weights	The Short Form 36 Health Survey Standard, US Version 2.0 - Utility index score Australia weights.	SF-36 v2.0 Standard - Utility Index Score AU Weights
C185788	SF363-Utility Index Score CN Weights	SF363-Utility Index Score CN Weights	The Short Form 36 Health Survey Standard, US Version 2.0 - Utility index score Canada weights.	SF-36 v2.0 Standard - Utility Index Score CN Weights
C185787	SF363-Utility Index Score UK Weights	SF363-Utility Index Score UK Weights	The Short Form 36 Health Survey Standard, US Version 2.0 - Utility index score United Kingdom weights.	SF-36 v2.0 Standard - Utility Index Score UK Weights
C185790	SF363-Utility Index Score US Weights	SF363-Utility Index Score US Weights	The Short Form 36 Health Survey Standard, US Version 2.0 - Utility index score United States weights.	SF-36 v2.0 Standard - Utility Index Score US Weights
C176188	SF363-Vitality 0-100 Score	SF363-Vitality 0-100 Score	The Short Form 36 Health Survey Standard, US Version 2.0 - Vitality 0-100 score.	SF-36 v2.0 Standard - Vitality 0-100 Score
C176196	SF363-Vitality Norm-Based Score	SF363-Vitality Norm-Based Score	The Short Form 36 Health Survey Standard, US Version 2.0 - Vitality norm-based score.	SF-36 v2.0 Standard - Vitality Norm-Based Score

C102224	SF363-You Felt Downhearted and Depressed	SF363-You Felt Downhearted and Depressed	The Short Form 36 Health Survey Standard, US Version 2.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past 4 weeks - have you felt downhearted and depressed.	SF-36 v2.0 Standard - You Felt Downhearted and Depressed
---------	---------------------------------------------	---------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------

C102161	SF36401	SF364-In General You Say Your Health Is	The Short Form 36 Health Survey Acute, US Version 2.0 - In general, would you say your health is.	SF-36 v2.0 Acute - In General You Say Your Health Is
C102162	SF36402	SF364-Comp Week Ago Rate Gen Health Now	The Short Form 36 Health Survey Acute, US Version 2.0 - Compared to one week ago, how would you rate your health in general now?	SF-36 v2.0 Acute - Comp Week Ago Rate Gen Health Now
C102163	SF36403A	SF364-Limit Vigorous Activities	The Short Form 36 Health Survey Acute, US Version 2.0 - How much does your health now limit you in - vigorous activities, such as running, lifting heavy objects, participating in strenuous sports.	SF-36 v2.0 Acute - Limit Vigorous Activities
C102164	SF36403B	SF364-Limit Moderate Activities	The Short Form 36 Health Survey Acute, US Version 2.0 - How much does your health now limit you in - moderate activities, such as moving a table, pushing a vacuum cleaner, bowling, or playing golf.	SF-36 v2.0 Acute - Limit Moderate Activities
C102165	SF36403C	SF364-Limit Lifting or Carrying	The Short Form 36 Health Survey Acute, US Version 2.0 - How much does your health now limit you in - lifting or carrying groceries.	SF-36 v2.0 Acute - Limit Lifting or Carrying
C102166	SF36403D	SF364-Limit Climbing Several Flights	The Short Form 36 Health Survey Acute, US Version 2.0 - How much does your health now limit you in - climbing several flights of stairs.	SF-36 v2.0 Acute - Limit Climbing Several Flights
C102167	SF36403E	SF364-Limit Climbing One Flight Stairs	The Short Form 36 Health Survey Acute, US Version 2.0 - How much does your health now limit you in - climbing one flight of stairs.	SF-36 v2.0 Acute - Limit Climbing One Flight Stairs
C102168	SF36403F	SF364-Limit Bending/Kneeling/Stooping	The Short Form 36 Health Survey Acute, US Version 2.0 - How much does your health now limit you in - bending, kneeling, or stooping.	SF-36 v2.0 Acute - Limit Bending/Kneeling/Stooping
C102169	SF36403G	SF364-Limit Walking More Than a Mile	The Short Form 36 Health Survey Acute, US Version 2.0 - How much does your health now limit you in - walking more than a mile.	SF-36 v2.0 Acute - Limit Walking More Than a Mile
C102170	SF36403H	SF364-Limit Walking Several Hundred Yds	The Short Form 36 Health Survey Acute, US Version 2.0 - How much does your health now limit you in - walking several hundred yards.	SF-36 v2.0 Acute - Limit Walking Several Hundred Yds
C102171	SF36403I	SF364-Limit Walking One Hundred Yards	The Short Form 36 Health Survey Acute, US Version 2.0 - How much does your health now limit you in - walking one hundred yards.	SF-36 v2.0 Acute - Limit Walking One Hundred Yards
C102172	SF36403J	SF364-Limit Bathing or Dressing Yourself	The Short Form 36 Health Survey Acute, US Version 2.0 - How much does your health now limit you in - bathing or dressing yourself.	SF-36 v2.0 Acute - Limit Bathing or Dressing Yourself
C102173	SF36404A	SF364-Physical: Cut Down Time on Work	The Short Form 36 Health Survey Acute, US Version 2.0 - During the past week, how much of the time have you had any problems with your work or other regular daily activities as a result of your physical health - cut down on the amount of time you spent on work or other activities.	SF-36 v2.0 Acute - Physical: Cut Down Time on Work
C102174	SF36404B	SF364-Physical: Accomplished Less	The Short Form 36 Health Survey Acute, US Version 2.0 - During the past week, how much of the time have you had any problems with your work or other regular daily activities as a result of your physical health - accomplished less than you would like.	SF-36 v2.0 Acute - Physical: Accomplished Less
C102175	SF36404C	SF364-Physical: Limited Kind of Work	The Short Form 36 Health Survey Acute, US Version 2.0 - During the past week, how much of the time have you had any problems with your work or other regular daily activities as a result of your physical health - were limited in the kind of work or other activities.	SF-36 v2.0 Acute - Physical: Limited Kind of Work
C102176	SF36404D	SF364-Physical: Difficulty Perform Work	The Short Form 36 Health Survey Acute, US Version 2.0 - During the past week, how much of the time have you had any problems with your work or other regular daily activities as a result of your physical health - had difficulty performing the work or other activities (for example, it took extra effort).	SF-36 v2.0 Acute - Physical: Difficulty Perform Work
C102177	SF36405A	SF364-Emotional: Cut Down Time on Work	The Short Form 36 Health Survey Acute, US Version 2.0 - During the past week, how much of the time have you had problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious) - cut down on the amount of time you spent on work or other activities.	SF-36 v2.0 Acute - Emotional: Cut Down Time on Work
C102178	SF36405B	SF364-Emotional: Accomplished Less	The Short Form 36 Health Survey Acute, US Version 2.0 - During the past week, how much of the time have you had problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious) - accomplished less than you would like.	SF-36 v2.0 Acute - Emotional: Accomplished Less

SF36 v2.0 Acute - Did You Feel Full of Life				
C102179	SF36405C	SF364-Emotional: Did Work Less Carefully	The Short Form 36 Health Survey Acute, US Version 2.0 - During the past week, how much of the time have you had problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious) - did work or other activities less carefully than usual.	SF-36 v2.0 Acute - Emotional: Did Work Less Carefully
C102180	SF36406	SF364-Extent Phys/Emotional Interfered	The Short Form 36 Health Survey Acute, US Version 2.0 - During the past week, to what extent has your physical health or emotional problems interfered with your normal social activities with family, friends, neighbors, or groups?	SF-36 v2.0 Acute - Extent Phys/Emotional Interfered
C102181	SF36407	SF364-How Much Bodily Pain Have You Had	The Short Form 36 Health Survey Acute, US Version 2.0 - How much bodily pain have you had during the past week?	SF-36 v2.0 Acute - How Much Bodily Pain Have You Had
C102182	SF36408	SF364-Pain Interfere With Normal Work	The Short Form 36 Health Survey Acute, US Version 2.0 - During the past week, how much did pain interfere with your normal work (including both work outside the home and housework)?	SF-36 v2.0 Acute - Pain Interfere With Normal Work
C102183	SF36409A	SF364-Did You Feel Full of Life	The Short Form 36 Health Survey Acute, US Version 2.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past week - did you feel full of life.	SF-36 v2.0 Acute - Did You Feel Full of Life
C102184	SF36409B	SF364-Have You Been Very Nervous	The Short Form 36 Health Survey Acute, US Version 2.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past week - have you been very nervous.	SF-36 v2.0 Acute - Have You Been Very Nervous
C102185	SF36409C	SF364-Felt Down Nothing Cheer You Up	The Short Form 36 Health Survey Acute, US Version 2.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past week - have you felt so down in the dumps that nothing could cheer you up.	SF-36 v2.0 Acute - Felt Down Nothing Cheer You Up
C102186	SF36409D	SF364-Have You Felt Calm and Peaceful	The Short Form 36 Health Survey Acute, US Version 2.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past week - have you felt calm and peaceful.	SF-36 v2.0 Acute - Have You Felt Calm and Peaceful
C102187	SF36409E	SF364-Did You Have a Lot of Energy	The Short Form 36 Health Survey Acute, US Version 2.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past week - did you have a lot of energy.	SF-36 v2.0 Acute - Did You Have a Lot of Energy
C102188	SF36409F	SF364-You Felt Downhearted and Depressed	The Short Form 36 Health Survey Acute, US Version 2.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past week - have you felt downhearted and depressed.	SF-36 v2.0 Acute - You Felt Downhearted and Depressed
C102189	SF36409G	SF364-Did You Feel Worn Out	The Short Form 36 Health Survey Acute, US Version 2.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past week - did you feel worn out.	SF-36 v2.0 Acute - Did You Feel Worn Out
C102190	SF36409H	SF364-Have You Been Happy	The Short Form 36 Health Survey Acute, US Version 2.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past week - have you been happy.	SF-36 v2.0 Acute - Have You Been Happy
C102191	SF36409I	SF364-Did You Feel Tired	The Short Form 36 Health Survey Acute, US Version 2.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past week - did you feel tired.	SF-36 v2.0 Acute - Did You Feel Tired
C102192	SF36410	SF364-Time Phys/Emotional Interfered	The Short Form 36 Health Survey Acute, US Version 2.0 - During the past week, how much of the time has your physical health or emotional problems interfered with your social activities (like visiting friends, relatives, etc.)?	SF-36 v2.0 Acute - Time Phys/Emotional Interfered
C102193	SF36411A	SF364-Get Sick Little Easier Than Other	The Short Form 36 Health Survey Acute, US Version 2.0 - How TRUE or FALSE is the following statement for you - I seem to get sick a little easier than other people.	SF-36 v2.0 Acute - Get Sick Little Easier Than Other
C102194	SF36411B	SF364-I Am as Healthy as Anybody I Know	The Short Form 36 Health Survey Acute, US Version 2.0 - How TRUE or FALSE is the following statement for you - I am as healthy as anybody I know.	SF-36 v2.0 Acute - I Am as Healthy as Anybody I Know
C102195	SF36411C	SF364-I Expect My Health to Get Worse	The Short Form 36 Health Survey Acute, US Version 2.0 - How TRUE or FALSE is the following statement for you - I expect my health to get worse.	SF-36 v2.0 Acute - I Expect My Health to Get Worse
C102196	SF36411D	SF364-My Health is Excellent	The Short Form 36 Health Survey Acute, US Version 2.0 - How TRUE or FALSE is the following statement for you - my health is excellent	SF-36 v2.0 Acute - My Health is Excellent

SF36 Health Survey Acute, US Version 2.0				
C176163	SF36412	SF364-Physical Functioning 0-100 Score	The Short Form 36 Health Survey Acute, US Version 2.0 - Physical functioning 0-100 score.	SF-36 v2.0 Acute - Physical Functioning 0-100 Score
C176164	SF36413	SF364-Role Physical 0-100 Score	The Short Form 36 Health Survey Acute, US Version 2.0 - Role physical 0-100 score.	SF-36 v2.0 Acute - Role Physical 0-100 Score
C176165	SF36414	SF364-Bodily Pain 0-100 Score	The Short Form 36 Health Survey Acute, US Version 2.0 - Bodily pain 0-100 score.	SF-36 v2.0 Acute - Bodily Pain 0-100 Score
C176166	SF36415	SF364-General Health 0-100 Score	The Short Form 36 Health Survey Acute, US Version 2.0 - General health 0-100 score.	SF-36 v2.0 Acute - General Health 0-100 Score
C176167	SF36416	SF364-Vitality 0-100 Score	The Short Form 36 Health Survey Acute, US Version 2.0 - Vitality 0-100 score.	SF-36 v2.0 Acute - Vitality 0-100 Score
C176168	SF36417	SF364-Social Functioning 0-100 Score	The Short Form 36 Health Survey Acute, US Version 2.0 - Social functioning 0-100 score.	SF-36 v2.0 Acute - Social Functioning 0-100 Score
C176169	SF36418	SF364-Role Emotional 0-100 Score	The Short Form 36 Health Survey Acute, US Version 2.0 - Role emotional 0-100 score.	SF-36 v2.0 Acute - Role Emotional 0-100 Score
C176170	SF36419	SF364-Mental Health 0-100 Score	The Short Form 36 Health Survey Acute, US Version 2.0 - Mental health 0-100 score.	SF-36 v2.0 Acute - Mental Health 0-100 Score
C176171	SF36420	SF364-Phys Functioning Norm-Based Score	The Short Form 36 Health Survey Acute, US Version 2.0 - Phys functioning norm-based score.	SF-36 v2.0 Acute - Phys Functioning Norm-Based Score
C176172	SF36421	SF364-Role Physical Norm-Based Score	The Short Form 36 Health Survey Acute, US Version 2.0 - Role physical norm-based score.	SF-36 v2.0 Acute - Role Physical Norm-Based Score
C176173	SF36422	SF364-Bodily Pain Norm-Based Score	The Short Form 36 Health Survey Acute, US Version 2.0 - Bodily pain norm-based score.	SF-36 v2.0 Acute - Bodily Pain Norm-Based Score
C176174	SF36423	SF364-General Health Norm-Based Score	The Short Form 36 Health Survey Acute, US Version 2.0 - General health norm-based score.	SF-36 v2.0 Acute - General Health Norm-Based Score
C176175	SF36424	SF364-Vitality Norm-Based Score	The Short Form 36 Health Survey Acute, US Version 2.0 - Vitality norm-based score.	SF-36 v2.0 Acute - Vitality Norm-Based Score
C176176	SF36425	SF364-Social Function Norm-Based Score	The Short Form 36 Health Survey Acute, US Version 2.0 - Social function norm-based score.	SF-36 v2.0 Acute - Social Function Norm-Based Score
C176177	SF36426	SF364-Role Emotional Norm-Based Score	The Short Form 36 Health Survey Acute, US Version 2.0 - Role emotional norm-based score.	SF-36 v2.0 Acute - Role Emotional Norm-Based Score
C176178	SF36427	SF364-Mental Health Norm-Based Score	The Short Form 36 Health Survey Acute, US Version 2.0 - Mental health norm-based score.	SF-36 v2.0 Acute - Mental Health Norm-Based Score
C176179	SF36428	SF364-Physical Component Score	The Short Form 36 Health Survey Acute, US Version 2.0 - Physical component score.	SF-36 v2.0 Acute - Physical Component Score
C176180	SF36429	SF364-Mental Component Score	The Short Form 36 Health Survey Acute, US Version 2.0 - Mental component score.	SF-36 v2.0 Acute - Mental Component Score
C176181	SF36430	SF364-SF-6D (Utility Index) Score	The Short Form 36 Health Survey Acute, US Version 2.0 - 6D (utility index) score.	SF-36 v2.0 Acute - SF-6D (Utility Index) Score
C176182	SF36431	SF364-SF-6D_R2 (Util Index Rel 2) Score	The Short Form 36 Health Survey Acute, US Version 2.0 - 6D_R2 (util index rel 2) score.	SF-36 v2.0 Acute - SF-6D_R2 (Util Index Rel 2) Score
C176183	SF36432	SF364-Mental Health Enhanced Score	The Short Form 36 Health Survey Acute, US Version 2.0 - Mental health enhanced score.	SF-36 v2.0 Acute - Mental Health Enhanced Score
C180247	SF36433	SF364-Response Consistency Score	The Short Form 36 Health Survey Acute, US Version 2.0 - Response consistency score.	SF-36 v2.0 Acute - Response Consistency Score
C185783	SF36434	SF364-Utility Index Score UK Weights	The Short Form 36 Health Survey Acute, US Version 2.0 - Utility index score United Kingdom weights.	SF-36 v2.0 Acute - Utility Index Score UK Weights
C185784	SF36435	SF364-Utility Index Score CN Weights	The Short Form 36 Health Survey Acute, US Version 2.0 - Utility index score Canada weights.	SF-36 v2.0 Acute - Utility Index Score CN Weights
C185785	SF36436	SF364-Utility Index Score AU Weights	The Short Form 36 Health Survey Acute, US Version 2.0 - Utility index score Australia weights.	SF-36 v2.0 Acute - Utility Index Score AU Weights
C185786	SF36437	SF364-Utility Index Score US Weights	The Short Form 36 Health Survey Acute, US Version 2.0 - Utility index score United States weights.	SF-36 v2.0 Acute - Utility Index Score US Weights

C176165	SF364-Bodily Pain 0-100 Score	SF364-Bodily Pain 0-100 Score	The Short Form 36 Health Survey Acute, US Version 2.0 - Bodily pain 0-100 score.	SF-36 v2.0 Acute - Bodily Pain 0-100 Score
C176173	SF364-Bodily Pain Norm-Based Score	SF364-Bodily Pain Norm-Based Score	The Short Form 36 Health Survey Acute, US Version 2.0 - Bodily pain norm-based score.	SF-36 v2.0 Acute - Bodily Pain Norm-Based Score
C102162	SF364-Comp Week Ago Rate Gen Health Now	SF364-Comp Week Ago Rate Gen Health Now	The Short Form 36 Health Survey Acute, US Version 2.0 - Compared to one week ago, how would you rate your health in general now?	SF-36 v2.0 Acute - Comp Week Ago Rate Gen Health Now
C102183	SF364-Did You Feel Full of Life	SF364-Did You Feel Full of Life	The Short Form 36 Health Survey Acute, US Version 2.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past week - did you feel full of life.	SF-36 v2.0 Acute - Did You Feel Full of Life
C102191	SF364-Did You Feel Tired	SF364-Did You Feel Tired	The Short Form 36 Health Survey Acute, US Version 2.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past week - did you feel tired.	SF-36 v2.0 Acute - Did You Feel Tired
C102189	SF364-Did You Feel Worn Out	SF364-Did You Feel Worn Out	The Short Form 36 Health Survey Acute, US Version 2.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past week - did you feel worn out.	SF-36 v2.0 Acute - Did You Feel Worn Out
C102187	SF364-Did You Have a Lot of Energy	SF364-Did You Have a Lot of Energy	The Short Form 36 Health Survey Acute, US Version 2.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past week - did you have a lot of energy.	SF-36 v2.0 Acute - Did You Have a Lot of Energy
C102178	SF364-Emotional: Accomplished Less	SF364-Emotional: Accomplished Less	The Short Form 36 Health Survey Acute, US Version 2.0 - During the past week, how much of the time have you had problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious) - accomplished less than you would like.	SF-36 v2.0 Acute - Emotional: Accomplished Less
C102177	SF364-Emotional: Cut Down Time on Work	SF364-Emotional: Cut Down Time on Work	The Short Form 36 Health Survey Acute, US Version 2.0 - During the past week, how much of the time have you had problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious) - cut down on the amount of time you spent on work or other activities.	SF-36 v2.0 Acute - Emotional: Cut Down Time on Work
C102179	SF364-Emotional: Did Work Less Carefully	SF364-Emotional: Did Work Less Carefully	The Short Form 36 Health Survey Acute, US Version 2.0 - During the past week, how much of the time have you had problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious) - did work or other activities less carefully than usual.	SF-36 v2.0 Acute - Emotional: Did Work Less Carefully
C102180	SF364-Extent Phys/Emotional Interfered	SF364-Extent Phys/Emotional Interfered	The Short Form 36 Health Survey Acute, US Version 2.0 - During the past week, to what extent has your physical health or emotional problems interfered with your normal social activities with family, friends, neighbors, or groups?	SF-36 v2.0 Acute - Extent Phys/Emotional Interfered
C102185	SF364-Felt Down Nothing Cheer You Up	SF364-Felt Down Nothing Cheer You Up	The Short Form 36 Health Survey Acute, US Version 2.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past week - have you felt so down in the dumps that nothing could cheer you up.	SF-36 v2.0 Acute - Felt Down Nothing Cheer You Up
C176166	SF364-General Health 0-100 Score	SF364-General Health 0-100 Score	The Short Form 36 Health Survey Acute, US Version 2.0 - General health 0-100 score.	SF-36 v2.0 Acute - General Health 0-100 Score
C176174	SF364-General Health Norm-Based Score	SF364-General Health Norm-Based Score	The Short Form 36 Health Survey Acute, US Version 2.0 - General health norm-based score.	SF-36 v2.0 Acute - General Health Norm-Based Score
C102193	SF364-Get Sick Little Easier Than Other	SF364-Get Sick Little Easier Than Other	The Short Form 36 Health Survey Acute, US Version 2.0 - How TRUE or FALSE is the following statement for you - I seem to get sick a little easier than other people.	SF-36 v2.0 Acute - Get Sick Little Easier Than Other
C102190	SF364-Have You Been Happy	SF364-Have You Been Happy	The Short Form 36 Health Survey Acute, US Version 2.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past week - have you been happy.	SF-36 v2.0 Acute - Have You Been Happy
C102184	SF364-Have You Been Very Nervous	SF364-Have You Been Very Nervous	The Short Form 36 Health Survey Acute, US Version 2.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past week - have you been very nervous.	SF-36 v2.0 Acute - Have You Been Very Nervous
C102186	SF364-Have You Felt Calm and Peaceful	SF364-Have You Felt Calm and Peaceful	The Short Form 36 Health Survey Acute, US Version 2.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past week - have you felt calm and peaceful.	SF-36 v2.0 Acute - Have You Felt Calm and Peaceful

SF36 Health Survey Acute, US Version 2.0				
C102181	SF364-How Much Bodily Pain Have You Had	SF364-How Much Bodily Pain Have You Had	The Short Form 36 Health Survey Acute, US Version 2.0 - How much bodily pain have you had during the past week?	SF-36 v2.0 Acute - How Much Bodily Pain Have You Had
C102194	SF364-I Am as Healthy as Anybody I Know	SF364-I Am as Healthy as Anybody I Know	The Short Form 36 Health Survey Acute, US Version 2.0 - How TRUE or FALSE is the following statement for you - I am as healthy as anybody I know.	SF-36 v2.0 Acute - I Am as Healthy as Anybody I Know
C102195	SF364-I Expect My Health to Get Worse	SF364-I Expect My Health to Get Worse	The Short Form 36 Health Survey Acute, US Version 2.0 - How TRUE or FALSE is the following statement for you - I expect my health to get worse.	SF-36 v2.0 Acute - I Expect My Health to Get Worse
C102161	SF364-In General You Say Your Health Is	SF364-In General You Say Your Health Is	The Short Form 36 Health Survey Acute, US Version 2.0 - In general, would you say your health is.	SF-36 v2.0 Acute - In General You Say Your Health Is
C102172	SF364-Limit Bathing or Dressing Yourself	SF364-Limit Bathing or Dressing Yourself	The Short Form 36 Health Survey Acute, US Version 2.0 - How much does your health now limit you in - bathing or dressing yourself.	SF-36 v2.0 Acute - Limit Bathing or Dressing Yourself
C102168	SF364-Limit Bending/Kneeling/Stooping	SF364-Limit Bending/Kneeling/Stooping	The Short Form 36 Health Survey Acute, US Version 2.0 - How much does your health now limit you in - bending, kneeling, or stooping.	SF-36 v2.0 Acute - Limit Bending/Kneeling/Stooping
C102167	SF364-Limit Climbing One Flight Stairs	SF364-Limit Climbing One Flight Stairs	The Short Form 36 Health Survey Acute, US Version 2.0 - How much does your health now limit you in - climbing one flight of stairs.	SF-36 v2.0 Acute - Limit Climbing One Flight Stairs
C102166	SF364-Limit Climbing Several Flights	SF364-Limit Climbing Several Flights	The Short Form 36 Health Survey Acute, US Version 2.0 - How much does your health now limit you in - climbing several flights of stairs.	SF-36 v2.0 Acute - Limit Climbing Several Flights
C102165	SF364-Limit Lifting or Carrying	SF364-Limit Lifting or Carrying	The Short Form 36 Health Survey Acute, US Version 2.0 - How much does your health now limit you in - lifting or carrying groceries.	SF-36 v2.0 Acute - Limit Lifting or Carrying
C102164	SF364-Limit Moderate Activities	SF364-Limit Moderate Activities	The Short Form 36 Health Survey Acute, US Version 2.0 - How much does your health now limit you in - moderate activities, such as moving a table, pushing a vacuum cleaner, bowling, or playing golf.	SF-36 v2.0 Acute - Limit Moderate Activities
C102163	SF364-Limit Vigorous Activities	SF364-Limit Vigorous Activities	The Short Form 36 Health Survey Acute, US Version 2.0 - How much does your health now limit you in - vigorous activities, such as running, lifting heavy objects, participating in strenuous sports.	SF-36 v2.0 Acute - Limit Vigorous Activities
C102169	SF364-Limit Walking More Than a Mile	SF364-Limit Walking More Than a Mile	The Short Form 36 Health Survey Acute, US Version 2.0 - How much does your health now limit you in - walking more than a mile.	SF-36 v2.0 Acute - Limit Walking More Than a Mile
C102171	SF364-Limit Walking One Hundred Yards	SF364-Limit Walking One Hundred Yards	The Short Form 36 Health Survey Acute, US Version 2.0 - How much does your health now limit you in - walking one hundred yards.	SF-36 v2.0 Acute - Limit Walking One Hundred Yards
C102170	SF364-Limit Walking Several Hundred Yds	SF364-Limit Walking Several Hundred Yds	The Short Form 36 Health Survey Acute, US Version 2.0 - How much does your health now limit you in - walking several hundred yards.	SF-36 v2.0 Acute - Limit Walking Several Hundred Yds
C176180	SF364-Mental Component Score	SF364-Mental Component Score	The Short Form 36 Health Survey Acute, US Version 2.0 - Mental component score.	SF-36 v2.0 Acute - Mental Component Score
C176170	SF364-Mental Health 0-100 Score	SF364-Mental Health 0-100 Score	The Short Form 36 Health Survey Acute, US Version 2.0 - Mental health 0-100 score.	SF-36 v2.0 Acute - Mental Health 0-100 Score
C176183	SF364-Mental Health Enhanced Score	SF364-Mental Health Enhanced Score	The Short Form 36 Health Survey Acute, US Version 2.0 - Mental health enhanced score.	SF-36 v2.0 Acute - Mental Health Enhanced Score
C176178	SF364-Mental Health Norm-Based Score	SF364-Mental Health Norm-Based Score	The Short Form 36 Health Survey Acute, US Version 2.0 - Mental health norm-based score.	SF-36 v2.0 Acute - Mental Health Norm-Based Score
C102196	SF364-My Health is Excellent	SF364-My Health is Excellent	The Short Form 36 Health Survey Acute, US Version 2.0 - How TRUE or FALSE is the following statement for you - my health is excellent	SF-36 v2.0 Acute - My Health is Excellent
C102182	SF364-Pain Interfere With Normal Work	SF364-Pain Interfere With Normal Work	The Short Form 36 Health Survey Acute, US Version 2.0 - During the past week, how much did pain interfere with your normal work (including both work outside the home and housework)?	SF-36 v2.0 Acute - Pain Interfere With Normal Work
C176171	SF364-Phys Functioning Norm-Based Score	SF364-Phys Functioning Norm-Based Score	The Short Form 36 Health Survey Acute, US Version 2.0 - Phys functioning norm-based score.	SF-36 v2.0 Acute - Phys Functioning Norm-Based Score
C176179	SF364-Physical Component Score	SF364-Physical Component Score	The Short Form 36 Health Survey Acute, US Version 2.0 - Physical component score.	SF-36 v2.0 Acute - Physical Component Score

SF36 Health Survey Acute, US Version 2.0				
C176163	SF364-Physical Functioning 0-100 Score	SF364-Physical Functioning 0-100 Score	The Short Form 36 Health Survey Acute, US Version 2.0 - Physical functioning 0-100 score.	SF-36 v2.0 Acute - Physical Functioning 0-100 Score
C102174	SF364-Physical: Accomplished Less	SF364-Physical: Accomplished Less	The Short Form 36 Health Survey Acute, US Version 2.0 - During the past week, how much of the time have you had any problems with your work or other regular daily activities as a result of your physical health - accomplished less than you would like.	SF-36 v2.0 Acute - Physical: Accomplished Less
C102173	SF364-Physical: Cut Down Time on Work	SF364-Physical: Cut Down Time on Work	The Short Form 36 Health Survey Acute, US Version 2.0 - During the past week, how much of the time have you had any problems with your work or other regular daily activities as a result of your physical health - cut down on the amount of time you spent on work or other activities.	SF-36 v2.0 Acute - Physical: Cut Down Time on Work
C102176	SF364-Physical: Difficulty Perform Work	SF364-Physical: Difficulty Perform Work	The Short Form 36 Health Survey Acute, US Version 2.0 - During the past week, how much of the time have you had any problems with your work or other regular daily activities as a result of your physical health - had difficulty performing the work or other activities (for example, it took extra effort).	SF-36 v2.0 Acute - Physical: Difficulty Perform Work
C102175	SF364-Physical: Limited Kind of Work	SF364-Physical: Limited Kind of Work	The Short Form 36 Health Survey Acute, US Version 2.0 - During the past week, how much of the time have you had any problems with your work or other regular daily activities as a result of your physical health - were limited in the kind of work or other activities.	SF-36 v2.0 Acute - Physical: Limited Kind of Work
C180247	SF364-Response Consistency Score	SF364-Response Consistency Score	The Short Form 36 Health Survey Acute, US Version 2.0 - Response consistency score.	SF-36 v2.0 Acute - Response Consistency Score
C176169	SF364-Role Emotional 0-100 Score	SF364-Role Emotional 0-100 Score	The Short Form 36 Health Survey Acute, US Version 2.0 - Role emotional 0-100 score.	SF-36 v2.0 Acute - Role Emotional 0-100 Score
C176177	SF364-Role Emotional Norm-Based Score	SF364-Role Emotional Norm-Based Score	The Short Form 36 Health Survey Acute, US Version 2.0 - Role emotional norm-based score.	SF-36 v2.0 Acute - Role Emotional Norm-Based Score
C176164	SF364-Role Physical 0-100 Score	SF364-Role Physical 0-100 Score	The Short Form 36 Health Survey Acute, US Version 2.0 - Role physical 0-100 score.	SF-36 v2.0 Acute - Role Physical 0-100 Score
C176172	SF364-Role Physical Norm-Based Score	SF364-Role Physical Norm-Based Score	The Short Form 36 Health Survey Acute, US Version 2.0 - Role physical norm-based score.	SF-36 v2.0 Acute - Role Physical Norm-Based Score
C176181	SF364-SF-6D (Utility Index) Score	SF364-SF-6D (Utility Index) Score	The Short Form 36 Health Survey Acute, US Version 2.0 - 6D (utility index) score.	SF-36 v2.0 Acute - SF-6D (Utility Index) Score
C176182	SF364-SF-6D_R2 (Util Index Rel 2) Score	SF364-SF-6D_R2 (Util Index Rel 2) Score	The Short Form 36 Health Survey Acute, US Version 2.0 - 6D_R2 (util index rel 2) score.	SF-36 v2.0 Acute - SF-6D_R2 (Util Index Rel 2) Score
C176176	SF364-Social Function Norm-Based Score	SF364-Social Function Norm-Based Score	The Short Form 36 Health Survey Acute, US Version 2.0 - Social function norm-based score.	SF-36 v2.0 Acute - Social Function Norm-Based Score
C176168	SF364-Social Functioning 0-100 Score	SF364-Social Functioning 0-100 Score	The Short Form 36 Health Survey Acute, US Version 2.0 - Social functioning 0-100 score.	SF-36 v2.0 Acute - Social Functioning 0-100 Score
C102192	SF364-Time Phys/Emotional Interfered	SF364-Time Phys/Emotional Interfered	The Short Form 36 Health Survey Acute, US Version 2.0 - During the past week, how much of the time has your physical health or emotional problems interfered with your social activities (like visiting friends, relatives, etc.)?	SF-36 v2.0 Acute - Time Phys/Emotional Interfered
C185785	SF364-Utility Index Score AU Weights	SF364-Utility Index Score AU Weights	The Short Form 36 Health Survey Acute, US Version 2.0 - Utility index score Australia weights.	SF-36 v2.0 Acute - Utility Index Score AU Weights
C185784	SF364-Utility Index Score CN Weights	SF364-Utility Index Score CN Weights	The Short Form 36 Health Survey Acute, US Version 2.0 - Utility index score Canada weights.	SF-36 v2.0 Acute - Utility Index Score CN Weights
C185783	SF364-Utility Index Score UK Weights	SF364-Utility Index Score UK Weights	The Short Form 36 Health Survey Acute, US Version 2.0 - Utility index score United Kingdom weights.	SF-36 v2.0 Acute - Utility Index Score UK Weights
C185786	SF364-Utility Index Score US Weights	SF364-Utility Index Score US Weights	The Short Form 36 Health Survey Acute, US Version 2.0 - Utility index score United States weights.	SF-36 v2.0 Acute - Utility Index Score US Weights
C176167	SF364-Vitality 0-100 Score	SF364-Vitality 0-100 Score	The Short Form 36 Health Survey Acute, US Version 2.0 - Vitality 0-100 score.	SF-36 v2.0 Acute - Vitality 0-100 Score
C176175	SF364-Vitality Norm-Based Score	SF364-Vitality Norm-Based Score	The Short Form 36 Health Survey Acute, US Version 2.0 - Vitality norm-based score.	SF-36 v2.0 Acute - Vitality Norm-Based Score
C102188	SF364-You Felt Downhearted and Depressed	SF364-You Felt Downhearted and Depressed	The Short Form 36 Health Survey Acute, US Version 2.0 - Please give the one answer that comes closest to the way you have been feeling. How much of the time during the past week - have you felt downhearted and depressed.	SF-36 v2.0 Acute - You Felt Downhearted and Depressed

C185773	SF6D101	SF6D1-Health Limit Physical Activities	SF-6Dv2 Health Utility Survey Standard, English Version 2.0 (SF6D V2.0 STANDARD) - Does your health now limit you in your physical activities?	SF6D Version 2.0 Standard - Health Limit Physical Activities
C185774	SF6D102	SF6D1-Accomplished Less Due to Problems	SF-6Dv2 Health Utility Survey Standard, English Version 2.0 (SF6D V2.0 STANDARD) - During the past 4 weeks, how much of the time have you accomplished less than you would like at work or during other regular daily activities as a result of your physical health or emotional problems?	SF6D Version 2.0 Standard - Accomplished Less Due to Problems
C185775	SF6D103	SF6D1-How Much Bodily Pain Have You Had	SF-6Dv2 Health Utility Survey Standard, English Version 2.0 (SF6D V2.0 STANDARD) - During the past 4 weeks, how much bodily pain have you had?	SF6D Version 2.0 Standard - How Much Bodily Pain Have You Had
C185776	SF6D104	SF6D1-Time Have You Felt Worn Out	SF-6Dv2 Health Utility Survey Standard, English Version 2.0 (SF6D V2.0 STANDARD) - During the past 4 weeks, how much of the time have you felt worn out?	SF6D Version 2.0 Standard - Time Have You Felt Worn Out
C185777	SF6D105	SF6D1-Interfered With Social Activities	SF-6Dv2 Health Utility Survey Standard, English Version 2.0 (SF6D V2.0 STANDARD) - During the past 4 weeks, how much of the time has your physical health or emotional problems interfered with your social activities (like visiting with friends, relatives, etc.)?	SF6D Version 2.0 Standard - Interfered With Social Activities
C185778	SF6D106	SF6D1-Time Felt Depressed/Very Nervous	SF-6Dv2 Health Utility Survey Standard, English Version 2.0 (SF6D V2.0 STANDARD) - During the past 4 weeks, how much of the time have you felt depressed or very nervous?	SF6D Version 2.0 Standard - Time Felt Depressed/Very Nervous
C185779	SF6D107	SF6D1-Utility Index Score UK Weights	SF-6Dv2 Health Utility Survey Standard, English Version 2.0 (SF6D V2.0 STANDARD) - Utility index score United Kingdom weights.	SF6D Version 2.0 Standard - Utility Index Score UK Weights
C185780	SF6D108	SF6D1-Utility Index Score CN Weights	SF-6Dv2 Health Utility Survey Standard, English Version 2.0 (SF6D V2.0 STANDARD) - Utility index score Canada weights.	SF6D Version 2.0 Standard - Utility Index Score CN Weights
C185781	SF6D109	SF6D1-Utility Index Score AU Weights	SF-6Dv2 Health Utility Survey Standard, English Version 2.0 (SF6D V2.0 STANDARD) - Utility index score Australia weights.	SF6D Version 2.0 Standard - Utility Index Score AU Weights
C185782	SF6D110	SF6D1-Utility Index Score US Weights	SF-6Dv2 Health Utility Survey Standard, English Version 2.0 (SF6D V2.0 STANDARD) - Utility index score United States weights.	SF6D Version 2.0 Standard - Utility Index Score US Weights

C185774	SF6D1-Accomplished Less Due to Problems	SF6D1-Accomplished Less Due to Problems	SF-6Dv2 Health Utility Survey Standard, English Version 2.0 (SF6D V2.0 STANDARD) - During the past 4 weeks, how much of the time have you accomplished less than you would like at work or during other regular daily activities as a result of your physical health or emotional problems?	SF6D Version 2.0 Standard - Accomplished Less Due to Problems
C185773	SF6D1-Health Limit Physical Activities	SF6D1-Health Limit Physical Activities	SF-6Dv2 Health Utility Survey Standard, English Version 2.0 (SF6D V2.0 STANDARD) - Does your health now limit you in your physical activities?	SF6D Version 2.0 Standard - Health Limit Physical Activities
C185775	SF6D1-How Much Bodily Pain Have You Had	SF6D1-How Much Bodily Pain Have You Had	SF-6Dv2 Health Utility Survey Standard, English Version 2.0 (SF6D V2.0 STANDARD) - During the past 4 weeks, how much bodily pain have you had?	SF6D Version 2.0 Standard - How Much Bodily Pain Have You Had
C185777	SF6D1-Interfered With Social Activities	SF6D1-Interfered With Social Activities	SF-6Dv2 Health Utility Survey Standard, English Version 2.0 (SF6D V2.0 STANDARD) - During the past 4 weeks, how much of the time has your physical health or emotional problems interfered with your social activities (like visiting with friends, relatives, etc.)?	SF6D Version 2.0 Standard - Interfered With Social Activities
C185778	SF6D1-Time Felt Depressed/Very Nervous	SF6D1-Time Felt Depressed/Very Nervous	SF-6Dv2 Health Utility Survey Standard, English Version 2.0 (SF6D V2.0 STANDARD) - During the past 4 weeks, how much of the time have you felt depressed or very nervous?	SF6D Version 2.0 Standard - Time Felt Depressed/Very Nervous
C185776	SF6D1-Time Have You Felt Worn Out	SF6D1-Time Have You Felt Worn Out	SF-6Dv2 Health Utility Survey Standard, English Version 2.0 (SF6D V2.0 STANDARD) - During the past 4 weeks, how much of the time have you felt worn out?	SF6D Version 2.0 Standard - Time Have You Felt Worn Out
C185781	SF6D1-Utility Index Score AU Weights	SF6D1-Utility Index Score AU Weights	SF-6Dv2 Health Utility Survey Standard, English Version 2.0 (SF6D V2.0 STANDARD) - Utility index score Australia weights.	SF6D Version 2.0 Standard - Utility Index Score AU Weights
C185780	SF6D1-Utility Index Score CN Weights	SF6D1-Utility Index Score CN Weights	SF-6Dv2 Health Utility Survey Standard, English Version 2.0 (SF6D V2.0 STANDARD) - Utility index score Canada weights.	SF6D Version 2.0 Standard - Utility Index Score CN Weights
C185779	SF6D1-Utility Index Score UK Weights	SF6D1-Utility Index Score UK Weights	SF-6Dv2 Health Utility Survey Standard, English Version 2.0 (SF6D V2.0 STANDARD) - Utility index score United Kingdom weights.	SF6D Version 2.0 Standard - Utility Index Score UK Weights
C185782	SF6D1-Utility Index Score US Weights	SF6D1-Utility Index Score US Weights	SF-6Dv2 Health Utility Survey Standard, English Version 2.0 (SF6D V2.0 STANDARD) - Utility index score United States weights.	SF6D Version 2.0 Standard - Utility Index Score US Weights

C185763	SF6D201	SF6D2-Health Limit Physical Activities	SF-6Dv2 Health Utility Survey Acute, English Version 2.0 (SF6D V2.0 ACUTE) - Does your health now limit you in your physical activities?	SF6D Version 2.0 Acute - Health Limit Physical Activities
C185764	SF6D202	SF6D2-Accomplished Less Due to Problems	SF-6Dv2 Health Utility Survey Acute, English Version 2.0 (SF6D V2.0 ACUTE) - During the past week how much of the time have you accomplished less than you would like at work or during other regular daily activities as a result of your physical health or emotional problems?	SF6D Version 2.0 Acute - Accomplished Less Due to Problems
C185765	SF6D203	SF6D2-How Much Bodily Pain Have You Had	SF-6Dv2 Health Utility Survey Acute, English Version 2.0 (SF6D V2.0 ACUTE) - During the past week, how much bodily pain have you had?	SF6D Version 2.0 Acute - How Much Bodily Pain Have You Had
C185766	SF6D204	SF6D2-Time Have You Felt Worn Out	SF-6Dv2 Health Utility Survey Acute, English Version 2.0 (SF6D V2.0 ACUTE) - During the past week, how much of the time have you felt worn out?	SF6D Version 2.0 Acute - Time Have You Felt Worn Out
C185767	SF6D205	SF6D2-Interfered With Social Activities	SF-6Dv2 Health Utility Survey Acute, English Version 2.0 (SF6D V2.0 ACUTE) - During the past week, how much of the time has your physical health or emotional problems interfered with your social activities (like visiting with friends, relatives, etc.)?	SF6D Version 2.0 Acute - Interfered With Social Activities
C185768	SF6D206	SF6D2-Time Felt Depressed/Very Nervous	SF-6Dv2 Health Utility Survey Acute, English Version 2.0 (SF6D V2.0 ACUTE) - During the past week, how much of the time have you felt depressed or very nervous?	SF6D Version 2.0 Acute - Time Felt Depressed/Very Nervous
C185769	SF6D207	SF6D2-Utility Index Score UK Weights	SF-6Dv2 Health Utility Survey Acute, English Version 2.0 (SF6D V2.0 ACUTE) - Utility index score United Kingdom weights.	SF6D Version 2.0 Acute - Utility Index Score UK Weights
C185770	SF6D208	SF6D2-Utility Index Score CN Weights	SF-6Dv2 Health Utility Survey Acute, English Version 2.0 (SF6D V2.0 ACUTE) - Utility index score Canada weights.	SF6D Version 2.0 Acute - Utility Index Score CN Weights
C185771	SF6D209	SF6D2-Utility Index Score AU Weights	SF-6Dv2 Health Utility Survey Acute, English Version 2.0 (SF6D V2.0 ACUTE) - Utility index score Australia weights.	SF6D Version 2.0 Acute - Utility Index Score AU Weights
C185772	SF6D210	SF6D2-Utility Index Score US Weights	SF-6Dv2 Health Utility Survey Acute, English Version 2.0 (SF6D V2.0 ACUTE) - Utility index score United States weights.	SF6D Version 2.0 Acute - Utility Index Score US Weights

C185764	SF6D2-Accomplished Less Due to Problems	SF6D2-Accomplished Less Due to Problems	SF-6Dv2 Health Utility Survey Acute, English Version 2.0 (SF6D V2.0 ACUTE) - During the past week how much of the time have you accomplished less than you would like at work or during other regular daily activities as a result of your physical health or emotional problems?	SF6D Version 2.0 Acute - Accomplished Less Due to Problems
C185763	SF6D2-Health Limit Physical Activities	SF6D2-Health Limit Physical Activities	SF-6Dv2 Health Utility Survey Acute, English Version 2.0 (SF6D V2.0 ACUTE) - Does your health now limit you in your physical activities?	SF6D Version 2.0 Acute - Health Limit Physical Activities
C185765	SF6D2-How Much Bodily Pain Have You Had	SF6D2-How Much Bodily Pain Have You Had	SF-6Dv2 Health Utility Survey Acute, English Version 2.0 (SF6D V2.0 ACUTE) - During the past week, how much bodily pain have you had?	SF6D Version 2.0 Acute - How Much Bodily Pain Have You Had
C185767	SF6D2-Interfered With Social Activities	SF6D2-Interfered With Social Activities	SF-6Dv2 Health Utility Survey Acute, English Version 2.0 (SF6D V2.0 ACUTE) - During the past week, how much of the time has your physical health or emotional problems interfered with your social activities (like visiting with friends, relatives, etc.)?	SF6D Version 2.0 Acute - Interfered With Social Activities
C185768	SF6D2-Time Felt Depressed/Very Nervous	SF6D2-Time Felt Depressed/Very Nervous	SF-6Dv2 Health Utility Survey Acute, English Version 2.0 (SF6D V2.0 ACUTE) - During the past week, how much of the time have you felt depressed or very nervous?	SF6D Version 2.0 Acute - Time Felt Depressed/Very Nervous
C185766	SF6D2-Time Have You Felt Worn Out	SF6D2-Time Have You Felt Worn Out	SF-6Dv2 Health Utility Survey Acute, English Version 2.0 (SF6D V2.0 ACUTE) - During the past week, how much of the time have you felt worn out?	SF6D Version 2.0 Acute - Time Have You Felt Worn Out
C185769	SF6D2-Utility Index Score UK Weights	SF6D2-Utility Index Score UK Weights	SF-6Dv2 Health Utility Survey Acute, English Version 2.0 (SF6D V2.0 ACUTE) - Utility index score United Kingdom weights.	SF6D Version 2.0 Acute - Utility Index Score UK Weights
C185771	SF6D2-Utility Index Score AU Weights	SF6D2-Utility Index Score AU Weights	SF-6Dv2 Health Utility Survey Acute, English Version 2.0 (SF6D V2.0 ACUTE) - Utility index score Australia weights.	SF6D Version 2.0 Acute - Utility Index Score AU Weights
C185770	SF6D2-Utility Index Score CN Weights	SF6D2-Utility Index Score CN Weights	SF-6Dv2 Health Utility Survey Acute, English Version 2.0 (SF6D V2.0 ACUTE) - Utility index score Canada weights.	SF6D Version 2.0 Acute - Utility Index Score CN Weights
C185772	SF6D2-Utility Index Score US Weights	SF6D2-Utility Index Score US Weights	SF-6Dv2 Health Utility Survey Acute, English Version 2.0 (SF6D V2.0 ACUTE) - Utility index score United States weights.	SF6D Version 2.0 Acute - Utility Index Score US Weights

SF8 Health Survey Standard, US Version 1.0 - Overall, how would you rate your health during the past 4 weeks?				
C177819	SF8101	SF81-Overall How You Rate Your Health	The Short Form 8 Health Survey Standard, US Version 1.0 - Overall, how would you rate your health during the past 4 weeks?	SF8 v1.0 Standard - Overall How You Rate Your Health
C177820	SF8102	SF81-How Much Limit Physical Activities	The Short Form 8 Health Survey Standard, US Version 1.0 - During the past 4 weeks, how much did physical health problems limit your usual physical activities (walking, climbing stairs)?.	SF8 v1.0 Standard - How Much Limit Physical Activities
C177821	SF8103	SF81-Difficulty Doing Daily Work	The Short Form 8 Health Survey Standard, US Version 1.0 - During the past 4 weeks, how much difficulty did you have doing your daily work, both at home and away from home, because of your physical health?	SF8 v1.0 Standard - Difficulty Doing Daily Work
C177822	SF8104	SF81-How Much Bodily Pain You Have Had	The Short Form 8 Health Survey Standard, US Version 1.0 - How much bodily pain have you had during the past 4 weeks?	SF8 v1.0 Standard - How Much Bodily Pain You Have Had
C177823	SF8105	SF81-How Much Energy Did You Have	The Short Form 8 Health Survey Standard, US Version 1.0 - During the past 4 weeks, how much energy did you have?	SF8 v1.0 Standard - How Much Energy Did You Have
C177824	SF8106	SF81-Physical/Emotional Limit Activities	The Short Form 8 Health Survey Standard, US Version 1.0 - During the past 4 weeks, how much did your physical health or emotional problems limit your usual social activities with family or friends?	SF8 v1.0 Standard - Physical, Emotional Limit Activities
C177825	SF8107	SF81-Bothered by Emotional Problems	The Short Form 8 Health Survey Standard, US Version 1.0 - During the past 4 weeks, how much have you been bothered by emotional problems (such as feeling anxious, depressed or irritable)?	SF8 v1.0 Standard - Bothered by Emotional Problems
C177826	SF8108	SF81-Emotional Problems Keep From Work	The Short Form 8 Health Survey Standard, US Version 1.0 - During the past 4 weeks, how much did personal or emotional problems keep you from doing your usual work, school or other daily activities?	SF8 v1.0 Standard - Emotional Problems Keep From Work
C180444	SF8109	SF81-Phys. Functioning Norm-Based Score	The Short Form 8 Health Survey Standard, US Version 1.0 - Physical functioning norm-based score.	SF8 v1.0 Standard - Physical Functioning Norm-Based Score
C180445	SF8110	SF81-Role Physical Norm-Based Score	The Short Form 8 Health Survey Standard, US Version 1.0 - Role physical norm-based score.	SF8 v1.0 Standard - Role Physical Norm-Based Score
C180446	SF8111	SF81-Bodily Pain Norm-Based Score	The Short Form 8 Health Survey Standard, US Version 1.0 - Bodily pain norm-based score.	SF8 v1.0 Standard - Bodily Pain Norm-Based Score
C180447	SF8112	SF81-General Health Norm-Based Score	The Short Form 8 Health Survey Standard, US Version 1.0 - General health norm-based score.	SF8 v1.0 Standard - General Health Norm-Based Score
C180448	SF8113	SF81-Vitality Norm-Based Score	The Short Form 8 Health Survey Standard, US Version 1.0 - Vitality norm-based score.	SF8 v1.0 Standard - Vitality Norm-Based Score
C180449	SF8114	SF81-Social Functioning Norm-Based Score	The Short Form 8 Health Survey Standard, US Version 1.0 - Social functioning norm-based score.	SF8 v1.0 Standard - Social Functioning Norm-Based Score
C180450	SF8115	SF81-Role Emotional Norm-Based Score	The Short Form 8 Health Survey Standard, US Version 1.0 - Role emotional norm-based score.	SF8 v1.0 Standard - Role Emotional Norm-Based Score
C180451	SF8116	SF81-Mental Health Norm-Based Score	The Short Form 8 Health Survey Standard, US Version 1.0 - Mental health norm-based score.	SF8 v1.0 Standard - Mental Health Norm-Based Score
C180452	SF8117	SF81-Physical Component Score	The Short Form 8 Health Survey Standard, US Version 1.0 - Physical component score.	SF8 v1.0 Standard - Physical Component Score
C180453	SF8118	SF81-Mental Component Score	The Short Form 8 Health Survey Standard, US Version 1.0 - Mental component score.	SF8 v1.0 Standard - Mental Component Score

C180446	SF81-Bodily Pain Norm-Based Score	SF81-Bodily Pain Norm-Based Score	The Short Form 8 Health Survey Standard, US Version 1.0 - Bodily pain norm-based score.	SF8 v1.0 Standard - Bodily Pain Norm-Based Score
C177825	SF81-Bothered by Emotional Problems	SF81-Bothered by Emotional Problems	The Short Form 8 Health Survey Standard, US Version 1.0 - During the past 4 weeks, how much have you been bothered by emotional problems (such as feeling anxious, depressed or irritable)?	SF8 v1.0 Standard - Bothered by Emotional Problems
C177821	SF81-Difficulty Doing Daily Work	SF81-Difficulty Doing Daily Work	The Short Form 8 Health Survey Standard, US Version 1.0 - During the past 4 weeks, how much difficulty did you have doing your daily work, both at home and away from home, because of your physical health?	SF8 v1.0 Standard - Difficulty Doing Daily Work
C177826	SF81-Emotional Problems Keep From Work	SF81-Emotional Problems Keep From Work	The Short Form 8 Health Survey Standard, US Version 1.0 - During the past 4 weeks, how much did personal or emotional problems keep you from doing your usual work, school or other daily activities?	SF8 v1.0 Standard - Emotional Problems Keep From Work
C180447	SF81-General Health Norm-Based Score	SF81-General Health Norm-Based Score	The Short Form 8 Health Survey Standard, US Version 1.0 - General health norm-based score.	SF8 v1.0 Standard - General Health Norm-Based Score
C177822	SF81-How Much Bodily Pain You Have Had	SF81-How Much Bodily Pain You Have Had	The Short Form 8 Health Survey Standard, US Version 1.0 - How much bodily pain have you had during the past 4 weeks?	SF8 v1.0 Standard - How Much Bodily Pain You Have Had
C177823	SF81-How Much Energy Did You Have	SF81-How Much Energy Did You Have	The Short Form 8 Health Survey Standard, US Version 1.0 - During the past 4 weeks, how much energy did you have?	SF8 v1.0 Standard - How Much Energy Did You Have
C177820	SF81-How Much Limit Physical Activities	SF81-How Much Limit Physical Activities	The Short Form 8 Health Survey Standard, US Version 1.0 - During the past 4 weeks, how much did physical health problems limit your usual physical activities (walking, climbing stairs)?.	SF8 v1.0 Standard - How Much Limit Physical Activities
C180453	SF81-Mental Component Score	SF81-Mental Component Score	The Short Form 8 Health Survey Standard, US Version 1.0 - Mental component score.	SF8 v1.0 Standard - Mental Component Score
C180451	SF81-Mental Health Norm-Based Score	SF81-Mental Health Norm-Based Score	The Short Form 8 Health Survey Standard, US Version 1.0 - Mental health norm-based score.	SF8 v1.0 Standard - Mental Health Norm-Based Score
C177819	SF81-Overall How You Rate Your Health	SF81-Overall How You Rate Your Health	The Short Form 8 Health Survey Standard, US Version 1.0 - Overall, how would you rate your health during the past 4 weeks?	SF8 v1.0 Standard - Overall How You Rate Your Health
C180444	SF81-Phys. Functioning Norm-Based Score	SF81-Phys. Functioning Norm-Based Score	The Short Form 8 Health Survey Standard, US Version 1.0 - Physical functioning norm-based score.	SF8 v1.0 Standard - Physical Functioning Norm-Based Score
C180452	SF81-Physical Component Score	SF81-Physical Component Score	The Short Form 8 Health Survey Standard, US Version 1.0 - Physical component score.	SF8 v1.0 Standard - Physical Component Score
C177824	SF81-Physical/Emotional Limit Activities	SF81-Physical/Emotional Limit Activities	The Short Form 8 Health Survey Standard, US Version 1.0 - During the past 4 weeks, how much did your physical health or emotional problems limit your usual social activities with family or friends?	SF8 v1.0 Standard - Physical, Emotional Limit Activities
C180450	SF81-Role Emotional Norm-Based Score	SF81-Role Emotional Norm-Based Score	The Short Form 8 Health Survey Standard, US Version 1.0 - Role emotional norm-based score.	SF8 v1.0 Standard - Role Emotional Norm-Based Score
C180445	SF81-Role Physical Norm-Based Score	SF81-Role Physical Norm-Based Score	The Short Form 8 Health Survey Standard, US Version 1.0 - Role physical norm-based score.	SF8 v1.0 Standard - Role Physical Norm-Based Score
C180449	SF81-Social Functioning Norm-Based Score	SF81-Social Functioning Norm-Based Score	The Short Form 8 Health Survey Standard, US Version 1.0 - Social functioning norm-based score.	SF8 v1.0 Standard - Social Functioning Norm-Based Score
C180448	SF81-Vitality Norm-Based Score	SF81-Vitality Norm-Based Score	The Short Form 8 Health Survey Standard, US Version 1.0 - Vitality norm-based score.	SF8 v1.0 Standard - Vitality Norm-Based Score

C177811	SF8201	SF82-Overall How You Rate Your Health	The Short Form 8 Health Survey Acute, US Version 1.0 - Overall, how would you rate your health during the past week?	SF8 v1.0 Acute - Overall How You Rate Your Health
C177812	SF8202	SF82-How Much Limit Physical Activities	The Short Form 8 Health Survey Acute, US Version 1.0 - During the past week, how much did physical health problems limit your usual physical activities (walking, climbing stairs)?	SF8 v1.0 Acute - How Much Limit Physical Activities
C177813	SF8203	SF82-Difficulty Doing Daily Work	The Short Form 8 Health Survey Acute, US Version 1.0 - During the past week, how much difficulty did you have doing your daily work, both at home and away from home, because of your physical health?	SF8 v1.0 Acute - Difficulty Doing Daily Work
C177814	SF8204	SF82-How Much Bodily Pain Have You Had	The Short Form 8 Health Survey Acute, US Version 1.0 - How much bodily pain have you had during the past week?	SF8 v1.0 Acute - How Much Bodily Pain Have You Had
C177815	SF8205	SF82-How Much Energy Did You Have	The Short Form 8 Health Survey Acute, US Version 1.0 - During the past week, how much energy did you have?	SF8 v1.0 Acute - How Much Energy Did You Have
C177816	SF8206	SF82-Physical/Emotional Limit Activities	The Short Form 8 Health Survey Acute, US Version 1.0 - During the past week, how much did your physical health or emotional problems limit your usual social activities with family or friends?	SF8 v1.0 Acute - Physical, Emotional Limit Activities
C177817	SF8207	SF82-Bothered by Emotional Problems	The Short Form 8 Health Survey Acute, US Version 1.0 - During the past week, how much have you been bothered by emotional problems (such as feeling anxious, depressed or irritable)?	SF8 v1.0 Acute - Bothered by Emotional Problems
C177818	SF8208	SF82-Emotional Problems Keep From Work	The Short Form 8 Health Survey Acute, US Version 1.0 - During the past week, how much did personal or emotional problems keep you from doing your usual work, school or other daily activities?	SF8 v1.0 Acute - Emotional Problems Keep From Work
C180434	SF8209	SF82-Phys. Functioning Norm-Based Score	The Short Form 8 Health Survey Acute, US Version 1.0 - Physical functioning norm-based score.	SF8 v1.0 Acute - Physical Functioning Norm-Based Score
C180435	SF8210	SF82-Role Physical Norm-Based Score	The Short Form 8 Health Survey Acute, US Version 1.0 - Role physical norm-based score.	SF8 v1.0 Acute - Role Physical Norm-Based Score
C180436	SF8211	SF82-Bodily Pain Norm-Based Score	The Short Form 8 Health Survey Acute, US Version 1.0 - Bodily pain norm-based score.	SF8 v1.0 Acute - Bodily Pain Norm-Based Score
C180437	SF8212	SF82-General Health Norm-Based Score	The Short Form 8 Health Survey Acute, US Version 1.0 - General health norm-based score.	SF8 v1.0 Acute - General Health Norm-Based Score
C180438	SF8213	SF82-Vitality Norm-Based Score	The Short Form 8 Health Survey Acute, US Version 1.0 - Vitality norm-based score.	SF8 v1.0 Acute - Vitality Norm-Based Score
C180439	SF8214	SF82-Social Functioning Norm-Based Score	The Short Form 8 Health Survey Acute, US Version 1.0 - Social functioning norm-based score.	SF8 v1.0 Acute - Social Functioning Norm-Based Score
C180440	SF8215	SF82-Role Emotional Norm-Based Score	The Short Form 8 Health Survey Acute, US Version 1.0 - Role emotional norm-based score.	SF8 v1.0 Acute - Role Emotional Norm-Based Score
C180441	SF8216	SF82-Mental Health Norm-Based Score	The Short Form 8 Health Survey Acute, US Version 1.0 - Mental health norm-based score.	SF8 v1.0 Acute - Mental Health Norm-Based Score
C180442	SF8217	SF82-Physical Component Score	The Short Form 8 Health Survey Acute, US Version 1.0 - Physical component score.	SF8 v1.0 Acute - Physical Component Score
C180443	SF8218	SF82-Mental Component Score	The Short Form 8 Health Survey Acute, US Version 1.0 - Mental component score.	SF8 v1.0 Acute - Mental Component Score

C180436	SF82-Bodily Pain Norm-Based Score	SF82-Bodily Pain Norm-Based Score	The Short Form 8 Health Survey Acute, US Version 1.0 - Bodily pain norm-based score.	SF8 v1.0 Acute - Bodily Pain Norm-Based Score
C177817	SF82-Bothered by Emotional Problems	SF82-Bothered by Emotional Problems	The Short Form 8 Health Survey Acute, US Version 1.0 - During the past week, how much have you been bothered by emotional problems (such as feeling anxious, depressed or irritable)?	SF8 v1.0 Acute - Bothered by Emotional Problems
C177813	SF82-Difficulty Doing Daily Work	SF82-Difficulty Doing Daily Work	The Short Form 8 Health Survey Acute, US Version 1.0 - During the past week, how much difficulty did you have doing your daily work, both at home and away from home, because of your physical health?	SF8 v1.0 Acute - Difficulty Doing Daily Work
C177818	SF82-Emotional Problems Keep From Work	SF82-Emotional Problems Keep From Work	The Short Form 8 Health Survey Acute, US Version 1.0 - During the past week, how much did personal or emotional problems keep you from doing your usual work, school or other daily activities?	SF8 v1.0 Acute - Emotional Problems Keep From Work
C180437	SF82-General Health Norm-Based Score	SF82-General Health Norm-Based Score	The Short Form 8 Health Survey Acute, US Version 1.0 - General health norm-based score.	SF8 v1.0 Acute - General Health Norm-Based Score
C177814	SF82-How Much Bodily Pain Have You Had	SF82-How Much Bodily Pain Have You Had	The Short Form 8 Health Survey Acute, US Version 1.0 - How much bodily pain have you had during the past week?	SF8 v1.0 Acute - How Much Bodily Pain Have You Had
C177815	SF82-How Much Energy Did You Have	SF82-How Much Energy Did You Have	The Short Form 8 Health Survey Acute, US Version 1.0 - During the past week, how much energy did you have?	SF8 v1.0 Acute - How Much Energy Did You Have
C177812	SF82-How Much Limit Physical Activities	SF82-How Much Limit Physical Activities	The Short Form 8 Health Survey Acute, US Version 1.0 - During the past week, how much did physical health problems limit your usual physical activities (walking, climbing stairs)?	SF8 v1.0 Acute - How Much Limit Physical Activities
C180443	SF82-Mental Component Score	SF82-Mental Component Score	The Short Form 8 Health Survey Acute, US Version 1.0 - Mental component score.	SF8 v1.0 Acute - Mental Component Score
C180441	SF82-Mental Health Norm-Based Score	SF82-Mental Health Norm-Based Score	The Short Form 8 Health Survey Acute, US Version 1.0 - Mental health norm-based score.	SF8 v1.0 Acute - Mental Health Norm-Based Score
C177811	SF82-Overall How You Rate Your Health	SF82-Overall How You Rate Your Health	The Short Form 8 Health Survey Acute, US Version 1.0 - Overall, how would you rate your health during the past week?	SF8 v1.0 Acute - Overall How You Rate Your Health
C180434	SF82-Phys. Functioning Norm-Based Score	SF82-Phys. Functioning Norm-Based Score	The Short Form 8 Health Survey Acute, US Version 1.0 - Physical functioning norm-based score.	SF8 v1.0 Acute - Physical Functioning Norm-Based Score
C180442	SF82-Physical Component Score	SF82-Physical Component Score	The Short Form 8 Health Survey Acute, US Version 1.0 - Physical component score.	SF8 v1.0 Acute - Physical Component Score
C177816	SF82-Physical/Emotional Limit Activities	SF82-Physical/Emotional Limit Activities	The Short Form 8 Health Survey Acute, US Version 1.0 - During the past week, how much did your physical health or emotional problems limit your usual social activities with family or friends?	SF8 v1.0 Acute - Physical, Emotional Limit Activities
C180440	SF82-Role Emotional Norm-Based Score	SF82-Role Emotional Norm-Based Score	The Short Form 8 Health Survey Acute, US Version 1.0 - Role emotional norm-based score.	SF8 v1.0 Acute - Role Emotional Norm-Based Score
C180435	SF82-Role Physical Norm-Based Score	SF82-Role Physical Norm-Based Score	The Short Form 8 Health Survey Acute, US Version 1.0 - Role physical norm-based score.	SF8 v1.0 Acute - Role Physical Norm-Based Score
C180439	SF82-Social Functioning Norm-Based Score	SF82-Social Functioning Norm-Based Score	The Short Form 8 Health Survey Acute, US Version 1.0 - Social functioning norm-based score.	SF8 v1.0 Acute - Social Functioning Norm-Based Score
C180438	SF82-Vitality Norm-Based Score	SF82-Vitality Norm-Based Score	The Short Form 8 Health Survey Acute, US Version 1.0 - Vitality norm-based score.	SF8 v1.0 Acute - Vitality Norm-Based Score

C100849	SFMP201	SFMP2-Throbbing Pain	Short-Form McGill Pain Questionnaire-2 - Throbbing pain.	SF-MPQ-2 - Throbbing Pain
C100850	SFMP202	SFMP2-Shooting Pain	Short-Form McGill Pain Questionnaire-2 - Shooting pain.	SF-MPQ-2 - Shooting Pain
C100851	SFMP203	SFMP2-Stabbing Pain	Short-Form McGill Pain Questionnaire-2 - Stabbing pain.	SF-MPQ-2 - Stabbing Pain
C100852	SFMP204	SFMP2-Sharp Pain	Short-Form McGill Pain Questionnaire-2 - Sharp pain.	SF-MPQ-2 - Sharp Pain
C100853	SFMP205	SFMP2-Cramping Pain	Short-Form McGill Pain Questionnaire-2 - Cramping pain.	SF-MPQ-2 - Cramping Pain
C100854	SFMP206	SFMP2-Gnawing Pain	Short-Form McGill Pain Questionnaire-2 - Gnawing pain.	SF-MPQ-2 - Gnawing Pain
C100855	SFMP207	SFMP2-Hot-burning Pain	Short-Form McGill Pain Questionnaire-2 - Hot-burning pain.	SF-MPQ-2 - Hot-burning Pain
C100856	SFMP208	SFMP2-Aching Pain	Short-Form McGill Pain Questionnaire-2 - Aching pain.	SF-MPQ-2 - Aching Pain
C100857	SFMP209	SFMP2-Heavy Pain	Short-Form McGill Pain Questionnaire-2 - Heavy pain.	SF-MPQ-2 - Heavy Pain
C100858	SFMP210	SFMP2-Tender	Short-Form McGill Pain Questionnaire-2 - Tender.	SF-MPQ-2 - Tender
C100859	SFMP211	SFMP2-Splitting Pain	Short-Form McGill Pain Questionnaire-2 - Splitting pain.	SF-MPQ-2 - Splitting Pain
C100860	SFMP212	SFMP2-Tiring-Exhausting	Short-Form McGill Pain Questionnaire-2 - Tiring-exhausting.	SF-MPQ-2 - Tiring-Exhausting
C100861	SFMP213	SFMP2-Sickening	Short-Form McGill Pain Questionnaire-2 - Sickening.	SF-MPQ-2 - Sickening
C100862	SFMP214	SFMP2-Fearful	Short-Form McGill Pain Questionnaire-2 - Fearful.	SF-MPQ-2 - Fearful
C100863	SFMP215	SFMP2-Punishing-Cruel	Short-Form McGill Pain Questionnaire-2 - Punishing-cruel.	SF-MPQ-2 - Punishing-Cruel
C100864	SFMP216	SFMP2-Electric-Shock Pain	Short-Form McGill Pain Questionnaire-2 - Electric-shock pain.	SF-MPQ-2 - Electric-Shock Pain
C100865	SFMP217	SFMP2-Cold-Freezing Pain	Short-Form McGill Pain Questionnaire-2 - Cold-freezing pain.	SF-MPQ-2 - Cold-Freezing Pain
C100866	SFMP218	SFMP2-Piercing	Short-Form McGill Pain Questionnaire-2 - Piercing.	SF-MPQ-2 - Piercing
C100867	SFMP219	SFMP2-Pain Caused by Light Touch	Short-Form McGill Pain Questionnaire-2 - Pain caused by light touch.	SF-MPQ-2 - Pain Caused by Light Touch
C100868	SFMP220	SFMP2-Itching	Short-Form McGill Pain Questionnaire-2 - Itching.	SF-MPQ-2 - Itching
C101021	SFMP221	SFMP2-Tingling or 'Pins and Needles'	Short-Form McGill Pain Questionnaire-2 - Tingling or 'pins and needles'.	SF-MPQ-2 - Tingling or 'Pins and Needles'
C100869	SFMP222	SFMP2-Numbness	Short-Form McGill Pain Questionnaire-2 - Numbness.	SF-MPQ-2 - Numbness

C100856	SFMP2-Aching Pain	SFMP2-Aching Pain	Short-Form McGill Pain Questionnaire-2 - Aching pain.	SF-MPQ-2 - Aching Pain
C100865	SFMP2-Cold-Freezing Pain	SFMP2-Cold-Freezing Pain	Short-Form McGill Pain Questionnaire-2 - Cold-freezing pain.	SF-MPQ-2 - Cold-Freezing Pain
C100853	SFMP2-Cramping Pain	SFMP2-Cramping Pain	Short-Form McGill Pain Questionnaire-2 - Cramping pain.	SF-MPQ-2 - Cramping Pain
C100864	SFMP2-Electric-Shock Pain	SFMP2-Electric-Shock Pain	Short-Form McGill Pain Questionnaire-2 - Electric-shock pain.	SF-MPQ-2 - Electric-Shock Pain
C100862	SFMP2-Fearful	SFMP2-Fearful	Short-Form McGill Pain Questionnaire-2 - Fearful.	SF-MPQ-2 - Fearful
C100854	SFMP2-Gnawing Pain	SFMP2-Gnawing Pain	Short-Form McGill Pain Questionnaire-2 - Gnawing pain.	SF-MPQ-2 - Gnawing Pain
C100857	SFMP2-Heavy Pain	SFMP2-Heavy Pain	Short-Form McGill Pain Questionnaire-2 - Heavy pain.	SF-MPQ-2 - Heavy Pain
C100855	SFMP2-Hot-burning Pain	SFMP2-Hot-burning Pain	Short-Form McGill Pain Questionnaire-2 - Hot-burning pain.	SF-MPQ-2 - Hot-burning Pain
C100868	SFMP2-Itching	SFMP2-Itching	Short-Form McGill Pain Questionnaire-2 - Itching.	SF-MPQ-2 - Itching
C100869	SFMP2-Numbness	SFMP2-Numbness	Short-Form McGill Pain Questionnaire-2 - Numbness.	SF-MPQ-2 - Numbness
C100867	SFMP2-Pain Caused by Light Touch	SFMP2-Pain Caused by Light Touch	Short-Form McGill Pain Questionnaire-2 - Pain caused by light touch.	SF-MPQ-2 - Pain Caused by Light Touch
C100866	SFMP2-Piercing	SFMP2-Piercing	Short-Form McGill Pain Questionnaire-2 - Piercing.	SF-MPQ-2 - Piercing
C100863	SFMP2-Punishing-Cruel	SFMP2-Punishing-Cruel	Short-Form McGill Pain Questionnaire-2 - Punishing-cruel.	SF-MPQ-2 - Punishing-Cruel
C100852	SFMP2-Sharp Pain	SFMP2-Sharp Pain	Short-Form McGill Pain Questionnaire-2 - Sharp pain.	SF-MPQ-2 - Sharp Pain
C100850	SFMP2-Shooting Pain	SFMP2-Shooting Pain	Short-Form McGill Pain Questionnaire-2 - Shooting pain.	SF-MPQ-2 - Shooting Pain
C100861	SFMP2-Sickening	SFMP2-Sickening	Short-Form McGill Pain Questionnaire-2 - Sickening.	SF-MPQ-2 - Sickening
C100859	SFMP2-Splitting Pain	SFMP2-Splitting Pain	Short-Form McGill Pain Questionnaire-2 - Splitting pain.	SF-MPQ-2 - Splitting Pain
C100851	SFMP2-Stabbing Pain	SFMP2-Stabbing Pain	Short-Form McGill Pain Questionnaire-2 - Stabbing pain.	SF-MPQ-2 - Stabbing Pain
C100858	SFMP2-Tender	SFMP2-Tender	Short-Form McGill Pain Questionnaire-2 - Tender.	SF-MPQ-2 - Tender
C100849	SFMP2-Throbbing Pain	SFMP2-Throbbing Pain	Short-Form McGill Pain Questionnaire-2 - Throbbing pain.	SF-MPQ-2 - Throbbing Pain
C101021	SFMP2-Tingling or 'Pins and Needles'	SFMP2-Tingling or 'Pins and Needles'	Short-Form McGill Pain Questionnaire-2 - Tingling or 'pins and needles'.	SF-MPQ-2 - Tingling or 'Pins and Needles'
C100860	SFMP2-Tiring-Exhausting	SFMP2-Tiring-Exhausting	Short-Form McGill Pain Questionnaire-2 - Tiring-exhausting.	SF-MPQ-2 - Tiring-Exhausting

C112627	SGRQ0101	SGRQ01-Describe Your Current Health	St. George's Respiratory Questionnaire Past 3 Months Version - Please check one box to show how you describe your current health.	SGRQ Past 3 Months Version - Describe Your Current Health
C112628	SGRQ0102	SGRQ01-I Have Coughed	St. George's Respiratory Questionnaire Past 3 Months Version - Over the past 3 months, I have coughed.	SGRQ Past 3 Months Version - I Have Coughed
C112629	SGRQ0103	SGRQ01-I Have Brought Up Phlegm	St. George's Respiratory Questionnaire Past 3 Months Version - Over the past 3 months, I have brought up phlegm (sputum).	SGRQ Past 3 Months Version - I Have Brought Up Phlegm
C112630	SGRQ0104	SGRQ01-I Have Had Shortness of Breath	St. George's Respiratory Questionnaire Past 3 Months Version - Over the past 3 months, I have had shortness of breath.	SGRQ Past 3 Months Version - I Have Had Shortness of Breath
C112631	SGRQ0105	SGRQ01-I Have Had Wheezing Attacks	St. George's Respiratory Questionnaire Past 3 Months Version - Over the past 3 months, I have had wheezing attacks.	SGRQ Past 3 Months Version - I Have Had Wheezing Attacks
C112632	SGRQ0106	SGRQ01-Times Suffered Sev Resp Attacks	St. George's Respiratory Questionnaire Past 3 Months Version - How many times during the past 3 months have you suffered from severe or very unpleasant respiratory attacks?	SGRQ Past 3 Months Version - Times Suffered From Severe Respiratory Attacks
C112633	SGRQ0107	SGRQ01-How Long Worst Resp Attack Last	St. George's Respiratory Questionnaire Past 3 Months Version - How long did the worst respiratory attack last?	SGRQ Past 3 Months Version - How Long Did Worst Respiratory Attack Last
C112634	SGRQ0108	SGRQ01-How Many Good Days Have You Had	St. George's Respiratory Questionnaire Past 3 Months Version - Over the past 3 months, in a typical week, how many good days (with few respiratory problems) have you had?	SGRQ Past 3 Months Version - How Many Good Days You Had
C112635	SGRQ0109	SGRQ01-Wheeze Worse in the Morning	St. George's Respiratory Questionnaire Past 3 Months Version - If you wheeze, is it worse when you get up in the morning?	SGRQ Past 3 Months Version - Wheeze Worse When Get Up in the Morning
C112636	SGRQ0110	SGRQ01-Describe Your Resp Condition	St. George's Respiratory Questionnaire Past 3 Months Version - How would you describe your respiratory condition?	SGRQ Past 3 Months Version - Describe Your Respiratory Condition
C112637	SGRQ0111	SGRQ01-If You Have Ever Held a Job	St. George's Respiratory Questionnaire Past 3 Months Version - If you have ever held a job.	SGRQ Past 3 Months Version - Held a Job
C112638	SGRQ0112	SGRQ01-Sitting or Lying Still	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about what activities usually make you feel short of breath these days: Sitting or lying still.	SGRQ Past 3 Months Version - Sitting or Lying Still
C112639	SGRQ0113	SGRQ01-Washing or Dressing Yourself	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about what activities usually make you feel short of breath these days: Washing or dressing yourself.	SGRQ Past 3 Months Version - Washing or Dressing Yourself
C112640	SGRQ0114	SGRQ01-Walking Around the House	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about what activities usually make you feel short of breath these days: Walking around the house.	SGRQ Past 3 Months Version - Walking Around the House
C112641	SGRQ0115	SGRQ01-Walking Outside on Level Ground	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about what activities usually make you feel short of breath these days: Walking outside on level ground.	SGRQ Past 3 Months Version - Walking Outside on Level Ground
C112642	SGRQ0116	SGRQ01-Walking Up a Flight of Stairs	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about what activities usually make you feel short of breath these days: Walking up a flight of stairs.	SGRQ Past 3 Months Version - Walking Up a Flight of Stairs
C112643	SGRQ0117	SGRQ01-Walking Up Hills	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about what activities usually make you feel short of breath these days: Walking up hills.	SGRQ Past 3 Months Version - Walking Up Hills
C112644	SGRQ0118	SGRQ01-Playing Sports	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about what activities usually make you feel short of breath these days: Playing sports or other physical activities.	SGRQ Past 3 Months Version - Playing Sports or Other Physical Activities
C112645	SGRQ0119	SGRQ01-Coughing Hurts	St. George's Respiratory Questionnaire Past 3 Months Version - These are more questions about your cough and shortness of breath these days: Coughing hurts.	SGRQ Past 3 Months Version - Coughing Hurts
C112646	SGRQ0120	SGRQ01-Coughing Makes Me Tired	St. George's Respiratory Questionnaire Past 3 Months Version - These are more questions about your cough and shortness of breath these days: Coughing makes me tired.	SGRQ Past 3 Months Version - Coughing Makes Me Tired

SGRQ Items and Descriptions				
C112647	SGRQ0121	SGRQ01-Short of Breath When I Talk	St. George's Respiratory Questionnaire Past 3 Months Version - These are more questions about your cough and shortness of breath these days: I am short of breath when I talk.	SGRQ Past 3 Months Version - Short of Breath When I Talk
C112648	SGRQ0122	SGRQ01-Short of Breath When Bend Over	St. George's Respiratory Questionnaire Past 3 Months Version - These are more questions about your cough and shortness of breath these days: I am short of breath when I bend over.	SGRQ Past 3 Months Version - Short of Breath When Bend Over
C112649	SGRQ0123	SGRQ01-Coughing Disturbs My Sleep	St. George's Respiratory Questionnaire Past 3 Months Version - These are more questions about your cough and shortness of breath these days: My coughing or breathing disturbs my sleep.	SGRQ Past 3 Months Version - Coughing Disturbs My Sleep
C112650	SGRQ0124	SGRQ01-I Get Exhausted Easily	St. George's Respiratory Questionnaire Past 3 Months Version - These are more questions about your cough and shortness of breath these days: I get exhausted easily.	SGRQ Past 3 Months Version - I Get Exhausted Easily
C112651	SGRQ0125	SGRQ01-Cough Is Embarrassing in Public	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about other effects that your respiratory problems may have on you these days: My cough or breathing is embarrassing in public.	SGRQ Past 3 Months Version - My Cough is Embarrassing in Public
C112652	SGRQ0126	SGRQ01-Respiratory Problems a Nuisance	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about other effects that your respiratory problems may have on you these days: My respiratory problems are a nuisance to my family, friends or neighbors.	SGRQ Past 3 Months Version - Respiratory Problems a Nuisance to Family
C112653	SGRQ0127	SGRQ01-Afraid When Cannot Catch Breath	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about other effects that your respiratory problems may have on you these days: I get afraid or panic when I cannot catch my breath.	SGRQ Past 3 Months Version - Get Afraid When Cannot Catch My Breath
C112654	SGRQ0128	SGRQ01-Not in Control of Resp Problems	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about other effects that your respiratory problems may have on you these days: I feel that I am not in control of my respiratory problems.	SGRQ Past 3 Months Version - Not in Control of My Respiratory Problems
C112655	SGRQ0129	SGRQ01-Not Expect Probs to Get Better	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about other effects that your respiratory problems may have on you these days: I do not expect my respiratory problems to get any better.	SGRQ Past 3 Months Version - Not Expect Respiratory Problems Get Better
C112656	SGRQ0130	SGRQ01-I Have Become Frail	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about other effects that your respiratory problems may have on you these days: I have become frail or an invalid because of my respiratory problems.	SGRQ Past 3 Months Version - Become Frail or Invalid Because of My Respiratory Problems
C112657	SGRQ0131	SGRQ01-Exercise Is Not Safe for Me	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about other effects that your respiratory problems may have on you these days: Exercise is not safe for me.	SGRQ Past 3 Months Version - Exercise Is Not Safe for Me
C112658	SGRQ0132	SGRQ01-Everything Too Much Effort	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about other effects that your respiratory problems may have on you these days: Everything seems too much of an effort.	SGRQ Past 3 Months Version - Everything Too Much Effort
C112659	SGRQ0133	SGRQ01-Treatment Does Not Help Me Much	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about your respiratory treatment: My treatment does not help me very much.	SGRQ Past 3 Months Version - Treatment Does Not Help Me Much
C112660	SGRQ0134	SGRQ01-Embarrassed Using Med in Public	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about your respiratory treatment: I get embarrassed using my medication in public.	SGRQ Past 3 Months Version - Embarrassed Using Medication in Public
C112661	SGRQ0135	SGRQ01-Unpleasant Side Effect From Med	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about your respiratory treatment: I have unpleasant side effects from my medication.	SGRQ Past 3 Months Version - Unpleasant Side Effects From Medication
C112662	SGRQ0136	SGRQ01-Treatment Interferes With Life	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about your respiratory treatment: My treatment interferes with my life a lot.	SGRQ Past 3 Months Version - Treatment Interferes With My Life
C112663	SGRQ0137	SGRQ01-Take a Long Time to Get Washed	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about how your activities might be affected by your respiratory problems: I take a long time to get washed or dressed.	SGRQ Past 3 Months Version - Take Long Time to Get Washed or Dressed
C112664	SGRQ0138	SGRQ01-I Cannot Take a Bath or Shower	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about how your activities might be affected by your respiratory problems: I cannot take a bath or shower, or I take a long time to do it.	SGRQ Past 3 Months Version - Cannot Take a Bath or Shower
C112665	SGRQ0139	SGRQ01-I Walk Slower Than Other People	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about how your activities might be affected by your respiratory problems: I walk slower than other people my age, or I stop to rest.	SGRQ Past 3 Months Version - Walk Slower Than Other People My Age

SGRQ Items				
C112666	SGRQ0140	SGRQ01-Jobs Take a Long Time	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about how your activities might be affected by your respiratory problems: Jobs such as household chores take a long time, or I have to stop to rest.	SGRQ Past 3 Months Version - Jobs Take Long Time or I Have to Stop
C112667	SGRQ0141	SGRQ01-Walk Up Flight of Stairs Slowly	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about how your activities might be affected by your respiratory problems: If I walk up one flight of stairs, I have to go slowly or stop.	SGRQ Past 3 Months Version - If Walk Up One Flight of Stairs I Have to Go Slow
C112668	SGRQ0142	SGRQ01-If I Hurry, I Have to Stop	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about how your activities might be affected by your respiratory problems: If I hurry or walk fast, I have to stop or slow down.	SGRQ Past 3 Months Version - If Walk Fast I Have to Stop or Slow Down
C112669	SGRQ0143	SGRQ01-Difficult to Walk Up Hills	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about how your activities might be affected by your respiratory problems: My breathing makes it difficult to do things such as walk up hills, carry things up stairs, light gardening such as weeding, dance, bowl or play golf.	SGRQ Past 3 Months Version - Breathing Makes Difficult to Walk Up Hills
C112670	SGRQ0144	SGRQ01-Difficult to Carry Heavy Loads	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about how your activities might be affected by your respiratory problems: My breathing makes it difficult to do things such as carry heavy loads, dig in the garden or shovel snow, jog or walk briskly (5 miles per hour), play tennis or swim.	SGRQ Past 3 Months Version - Breathing Makes Difficult to Carry Heavy Loads
C112671	SGRQ0145	SGRQ01-Difficult to Do Very Heavy Work	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about how your activities might be affected by your respiratory problems: My breathing makes it difficult to do things such as very heavy manual work, ride a bike, run, swim fast, or play competitive sports.	SGRQ Past 3 Months Version - Breathing Makes Difficult to Do Heavy Manual Work
C112672	SGRQ0146	SGRQ01-I Cannot Play Sports	St. George's Respiratory Questionnaire Past 3 Months Version - We would like to know how your respiratory problems usually affect your daily life: I cannot play sports or do other physical activities.	SGRQ Past 3 Months Version - Cannot Play Sports or Do Physical Activities
C112673	SGRQ0147	SGRQ01-Cannot Go Out for Entertainment	St. George's Respiratory Questionnaire Past 3 Months Version - We would like to know how your respiratory problems usually affect your daily life: I cannot go out for entertainment or recreation.	SGRQ Past 3 Months Version - Cannot Go Out for Entertainment
C112674	SGRQ0148	SGRQ01-Cannot Go Out to Do Shopping	St. George's Respiratory Questionnaire Past 3 Months Version - We would like to know how your respiratory problems usually affect your daily life: I cannot go out of the house to do the shopping.	SGRQ Past 3 Months Version - Cannot Go Out to Do Shopping
C112675	SGRQ0149	SGRQ01-I Cannot Do Household Chores	St. George's Respiratory Questionnaire Past 3 Months Version - We would like to know how your respiratory problems usually affect your daily life: I cannot do household chores.	SGRQ Past 3 Months Version - Cannot Do Household Chores
C112676	SGRQ0150	SGRQ01-I Cannot Move Far From My Bed	St. George's Respiratory Questionnaire Past 3 Months Version - We would like to know how your respiratory problems usually affect your daily life: I cannot move far from my bed or chair.	SGRQ Past 3 Months Version - Cannot Move Far From Bed or Chair
C112677	SGRQ0151	SGRQ01-How Resp Problems Affect You	St. George's Respiratory Questionnaire Past 3 Months Version - Best describe how your respiratory problems affect you.	SGRQ Past 3 Months Version - How Respiratory Problems Affect You

C112653	SGRQ01-Afraid When Cannot Catch Breath	SGRQ01-Afraid When Cannot Catch Breath	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about other effects that your respiratory problems may have on you these days: I get afraid or panic when I cannot catch my breath.	SGRQ Past 3 Months Version - Get Afraid When Cannot Catch My Breath
C112673	SGRQ01-Cannot Go Out for Entertainment	SGRQ01-Cannot Go Out for Entertainment	St. George's Respiratory Questionnaire Past 3 Months Version - We would like to know how your respiratory problems usually affect your daily life: I cannot go out for entertainment or recreation.	SGRQ Past 3 Months Version - Cannot Go Out for Entertainment
C112674	SGRQ01-Cannot Go Out to Do Shopping	SGRQ01-Cannot Go Out to Do Shopping	St. George's Respiratory Questionnaire Past 3 Months Version - We would like to know how your respiratory problems usually affect your daily life: I cannot go out of the house to do the shopping.	SGRQ Past 3 Months Version - Cannot Go Out to Do Shopping
C112651	SGRQ01-Cough Is Embarrassing in Public	SGRQ01-Cough Is Embarrassing in Public	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about other effects that your respiratory problems may have on you these days: My cough or breathing is embarrassing in public.	SGRQ Past 3 Months Version - My Cough is Embarrassing in Public
C112649	SGRQ01-Coughing Disturbs My Sleep	SGRQ01-Coughing Disturbs My Sleep	St. George's Respiratory Questionnaire Past 3 Months Version - These are more questions about your cough and shortness of breath these days: My coughing or breathing disturbs my sleep.	SGRQ Past 3 Months Version - Coughing Disturbs My Sleep
C112645	SGRQ01-Coughing Hurts	SGRQ01-Coughing Hurts	St. George's Respiratory Questionnaire Past 3 Months Version - These are more questions about your cough and shortness of breath these days: Coughing hurts.	SGRQ Past 3 Months Version - Coughing Hurts
C112646	SGRQ01-Coughing Makes Me Tired	SGRQ01-Coughing Makes Me Tired	St. George's Respiratory Questionnaire Past 3 Months Version - These are more questions about your cough and shortness of breath these days: Coughing makes me tired.	SGRQ Past 3 Months Version - Coughing Makes Me Tired
C112627	SGRQ01-Describe Your Current Health	SGRQ01-Describe Your Current Health	St. George's Respiratory Questionnaire Past 3 Months Version - Please check one box to show how you describe your current health.	SGRQ Past 3 Months Version - Describe Your Current Health
C112636	SGRQ01-Describe Your Resp Condition	SGRQ01-Describe Your Resp Condition	St. George's Respiratory Questionnaire Past 3 Months Version - How would you describe your respiratory condition?	SGRQ Past 3 Months Version - Describe Your Respiratory Condition
C112670	SGRQ01-Difficult to Carry Heavy Loads	SGRQ01-Difficult to Carry Heavy Loads	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about how your activities might be affected by your respiratory problems: My breathing makes it difficult to do things such as carry heavy loads, dig in the garden or shovel snow, jog or walk briskly (5 miles per hour), play tennis or swim.	SGRQ Past 3 Months Version - Breathing Makes Difficult to Carry Heavy Loads
C112671	SGRQ01-Difficult to Do Very Heavy Work	SGRQ01-Difficult to Do Very Heavy Work	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about how your activities might be affected by your respiratory problems: My breathing makes it difficult to do things such as very heavy manual work, ride a bike, run, swim fast, or play competitive sports.	SGRQ Past 3 Months Version - Breathing Makes Difficult to Do Heavy Manual Work
C112669	SGRQ01-Difficult to Walk Up Hills	SGRQ01-Difficult to Walk Up Hills	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about how your activities might be affected by your respiratory problems: My breathing makes it difficult to do things such as walk up hills, carry things up stairs, light gardening such as weeding, dance, bowl or play golf.	SGRQ Past 3 Months Version - Breathing Makes Difficult to Walk Up Hills
C112660	SGRQ01-Embarrassed Using Med in Public	SGRQ01-Embarrassed Using Med in Public	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about your respiratory treatment: I get embarrassed using my medication in public.	SGRQ Past 3 Months Version - Embarrassed Using Medication in Public
C112658	SGRQ01-Everything Too Much Effort	SGRQ01-Everything Too Much Effort	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about other effects that your respiratory problems may have on you these days: Everything seems too much of an effort.	SGRQ Past 3 Months Version - Everything Too Much Effort
C112657	SGRQ01-Exercise Is Not Safe for Me	SGRQ01-Exercise Is Not Safe for Me	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about other effects that your respiratory problems may have on you these days: Exercise is not safe for me.	SGRQ Past 3 Months Version - Exercise Is Not Safe for Me
C112633	SGRQ01-How Long Worst Resp Attack Last	SGRQ01-How Long Worst Resp Attack Last	St. George's Respiratory Questionnaire Past 3 Months Version - How long did the worst respiratory attack last?	SGRQ Past 3 Months Version - How Long Did Worst Respiratory Attack Last
C112634	SGRQ01-How Many Good Days Have You Had	SGRQ01-How Many Good Days Have You Had	St. George's Respiratory Questionnaire Past 3 Months Version - Over the past 3 months, in a typical week, how many good days (with few respiratory problems) have you had?	SGRQ Past 3 Months Version - How Many Good Days You Had

SGRQ Items				
C112677	SGRQ01-How Resp Problems Affect You	SGRQ01-How Resp Problems Affect You	St. George's Respiratory Questionnaire Past 3 Months Version - Best describe how your respiratory problems affect you.	SGRQ Past 3 Months Version - How Respiratory Problems Affect You
C112675	SGRQ01-I Cannot Do Household Chores	SGRQ01-I Cannot Do Household Chores	St. George's Respiratory Questionnaire Past 3 Months Version - We would like to know how your respiratory problems usually affect your daily life: I cannot do household chores.	SGRQ Past 3 Months Version - Cannot Do Household Chores
C112676	SGRQ01-I Cannot Move Far From My Bed	SGRQ01-I Cannot Move Far From My Bed	St. George's Respiratory Questionnaire Past 3 Months Version - We would like to know how your respiratory problems usually affect your daily life: I cannot move far from my bed or chair.	SGRQ Past 3 Months Version - Cannot Move Far From Bed or Chair
C112672	SGRQ01-I Cannot Play Sports	SGRQ01-I Cannot Play Sports	St. George's Respiratory Questionnaire Past 3 Months Version - We would like to know how your respiratory problems usually affect your daily life: I cannot play sports or do other physical activities.	SGRQ Past 3 Months Version - Cannot Play Sports or Do Physical Activities
C112664	SGRQ01-I Cannot Take a Bath or Shower	SGRQ01-I Cannot Take a Bath or Shower	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about how your activities might be affected by your respiratory problems: I cannot take a bath or shower, or I take a long time to do it.	SGRQ Past 3 Months Version - Cannot Take a Bath or Shower
C112650	SGRQ01-I Get Exhausted Easily	SGRQ01-I Get Exhausted Easily	St. George's Respiratory Questionnaire Past 3 Months Version - These are more questions about your cough and shortness of breath these days: I get exhausted easily.	SGRQ Past 3 Months Version - I Get Exhausted Easily
C112656	SGRQ01-I Have Become Frail	SGRQ01-I Have Become Frail	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about other effects that your respiratory problems may have on you these days: I have become frail or an invalid because of my respiratory problems.	SGRQ Past 3 Months Version - Become Frail or Invalid Because of My Respiratory Problems
C112629	SGRQ01-I Have Brought Up Phlegm	SGRQ01-I Have Brought Up Phlegm	St. George's Respiratory Questionnaire Past 3 Months Version - Over the past 3 months, I have brought up phlegm (sputum).	SGRQ Past 3 Months Version - I Have Brought Up Phlegm
C112628	SGRQ01-I Have Coughed	SGRQ01-I Have Coughed	St. George's Respiratory Questionnaire Past 3 Months Version - Over the past 3 months, I have coughed.	SGRQ Past 3 Months Version - I Have Coughed
C112630	SGRQ01-I Have Had Shortness of Breath	SGRQ01-I Have Had Shortness of Breath	St. George's Respiratory Questionnaire Past 3 Months Version - Over the past 3 months, I have had shortness of breath.	SGRQ Past 3 Months Version - I Have Had Shortness of Breath
C112631	SGRQ01-I Have Had Wheezing Attacks	SGRQ01-I Have Had Wheezing Attacks	St. George's Respiratory Questionnaire Past 3 Months Version - Over the past 3 months, I have had wheezing attacks.	SGRQ Past 3 Months Version - I Have Had Wheezing Attacks
C112665	SGRQ01-I Walk Slower Than Other People	SGRQ01-I Walk Slower Than Other People	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about how your activities might be affected by your respiratory problems: I walk slower than other people my age, or I stop to rest.	SGRQ Past 3 Months Version - Walk Slower Than Other People My Age
C112668	SGRQ01-If I Hurry, I Have to Stop	SGRQ01-If I Hurry, I Have to Stop	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about how your activities might be affected by your respiratory problems: If I hurry or walk fast, I have to stop or slow down.	SGRQ Past 3 Months Version - If Walk Fast I Have to Stop or Slow Down
C112637	SGRQ01-If You Have Ever Held a Job	SGRQ01-If You Have Ever Held a Job	St. George's Respiratory Questionnaire Past 3 Months Version - If you have ever held a job.	SGRQ Past 3 Months Version - Held a Job
C112666	SGRQ01-Jobs Take a Long Time	SGRQ01-Jobs Take a Long Time	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about how your activities might be affected by your respiratory problems: Jobs such as household chores take a long time, or I have to stop to rest.	SGRQ Past 3 Months Version - Jobs Take Long Time or I Have to Stop
C112655	SGRQ01-Not Expect Probs to Get Better	SGRQ01-Not Expect Probs to Get Better	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about other effects that your respiratory problems may have on you these days: I do not expect my respiratory problems to get any better.	SGRQ Past 3 Months Version - Not Expect Respiratory Problems Get Better
C112654	SGRQ01-Not in Control of Resp Problems	SGRQ01-Not in Control of Resp Problems	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about other effects that your respiratory problems may have on you these days: I feel that I am not in control of my respiratory problems.	SGRQ Past 3 Months Version - Not in Control of My Respiratory Problems
C112644	SGRQ01-Playing Sports	SGRQ01-Playing Sports	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about what activities usually make you feel short of breath these days: Playing sports or other physical activities.	SGRQ Past 3 Months Version - Playing Sports or Other Physical Activities
C112652	SGRQ01-Respiratory Problems a Nuisance	SGRQ01-Respiratory Problems a Nuisance	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about other effects that your respiratory problems may have on you these days: My respiratory problems are a nuisance to my family, friends or neighbors.	SGRQ Past 3 Months Version - Respiratory Problems a Nuisance to Family

SGRQ Items				
C112648	SGRQ01-Short of Breath When Bend Over	SGRQ01-Short of Breath When Bend Over	St. George's Respiratory Questionnaire Past 3 Months Version - These are more questions about your cough and shortness of breath these days: I am short of breath when I bend over.	SGRQ Past 3 Months Version - Short of Breath When Bend Over
C112647	SGRQ01-Short of Breath When I Talk	SGRQ01-Short of Breath When I Talk	St. George's Respiratory Questionnaire Past 3 Months Version - These are more questions about your cough and shortness of breath these days: I am short of breath when I talk.	SGRQ Past 3 Months Version - Short of Breath When I Talk
C112638	SGRQ01-Sitting or Lying Still	SGRQ01-Sitting or Lying Still	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about what activities usually make you feel short of breath these days: Sitting or lying still.	SGRQ Past 3 Months Version - Sitting or Lying Still
C112663	SGRQ01-Take a Long Time to Get Washed	SGRQ01-Take a Long Time to Get Washed	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about how your activities might be affected by your respiratory problems: I take a long time to get washed or dressed.	SGRQ Past 3 Months Version - Take Long Time to Get Washed or Dressed
C112632	SGRQ01-Times Suffered Sev Resp Attacks	SGRQ01-Times Suffered Sev Resp Attacks	St. George's Respiratory Questionnaire Past 3 Months Version - How many times during the past 3 months have you suffered from severe or very unpleasant respiratory attacks?	SGRQ Past 3 Months Version - Times Suffered From Severe Respiratory Attacks
C112659	SGRQ01-Treatment Does Not Help Me Much	SGRQ01-Treatment Does Not Help Me Much	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about your respiratory treatment: My treatment does not help me very much.	SGRQ Past 3 Months Version - Treatment Does Not Help Me Much
C112662	SGRQ01-Treatment Interferes With Life	SGRQ01-Treatment Interferes With Life	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about your respiratory treatment: My treatment interferes with my life a lot.	SGRQ Past 3 Months Version - Treatment Interferes With My Life
C112661	SGRQ01-Unpleasant Side Effect From Med	SGRQ01-Unpleasant Side Effect From Med	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about your respiratory treatment: I have unpleasant side effects from my medication.	SGRQ Past 3 Months Version - Unpleasant Side Effects From Medication
C112667	SGRQ01-Walk Up Flight of Stairs Slowly	SGRQ01-Walk Up Flight of Stairs Slowly	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about how your activities might be affected by your respiratory problems: If I walk up one flight of stairs, I have to go slowly or stop.	SGRQ Past 3 Months Version - If Walk Up One Flight of Stairs I Have to Go Slow
C112640	SGRQ01-Walking Around the House	SGRQ01-Walking Around the House	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about what activities usually make you feel short of breath these days: Walking around the house.	SGRQ Past 3 Months Version - Walking Around the House
C112641	SGRQ01-Walking Outside on Level Ground	SGRQ01-Walking Outside on Level Ground	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about what activities usually make you feel short of breath these days: Walking outside on level ground.	SGRQ Past 3 Months Version - Walking Outside on Level Ground
C112642	SGRQ01-Walking Up a Flight of Stairs	SGRQ01-Walking Up a Flight of Stairs	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about what activities usually make you feel short of breath these days: Walking up a flight of stairs.	SGRQ Past 3 Months Version - Walking Up a Flight of Stairs
C112643	SGRQ01-Walking Up Hills	SGRQ01-Walking Up Hills	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about what activities usually make you feel short of breath these days: Walking up hills.	SGRQ Past 3 Months Version - Walking Up Hills
C112639	SGRQ01-Washing or Dressing Yourself	SGRQ01-Washing or Dressing Yourself	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about what activities usually make you feel short of breath these days: Washing or dressing yourself.	SGRQ Past 3 Months Version - Washing or Dressing Yourself
C112635	SGRQ01-Wheeze Worse in the Morning	SGRQ01-Wheeze Worse in the Morning	St. George's Respiratory Questionnaire Past 3 Months Version - If you wheeze, is it worse when you get up in the morning?	SGRQ Past 3 Months Version - Wheeze Worse When Get Up in the Morning

Detailed Description of the Codelist Items				
C112678	SGRQ0201	SGRQ02-Describe Your Current Health	St. George's Respiratory Questionnaire Past 4 Weeks Version - Please check one box to show how you describe your current health.	SGRQ Past 4 Weeks Version - Describe Your Current Health
C112679	SGRQ0202	SGRQ02-I Have Coughed	St. George's Respiratory Questionnaire Past 4 Weeks Version - Over the past 4 weeks, I have coughed.	SGRQ Past 4 Weeks Version - I Have Coughed
C112680	SGRQ0203	SGRQ02-I Have Brought Up Phlegm	St. George's Respiratory Questionnaire Past 4 Weeks Version - Over the past 4 weeks, I have brought up phlegm (sputum).	SGRQ Past 4 Weeks Version - I Have Brought Up Phlegm
C112681	SGRQ0204	SGRQ02-I Have Had Shortness of Breath	St. George's Respiratory Questionnaire Past 4 Weeks Version - Over the past 4 weeks, I have had shortness of breath.	SGRQ Past 4 Weeks Version - I Have Had Shortness of Breath
C112682	SGRQ0205	SGRQ02-I Have Had Wheezing Attacks	St. George's Respiratory Questionnaire Past 4 Weeks Version - Over the past 4 weeks, I have had wheezing attacks.	SGRQ Past 4 Weeks Version - I Have Had Wheezing Attacks
C112683	SGRQ0206	SGRQ02-Times Suffered Sev Resp Attacks	St. George's Respiratory Questionnaire Past 4 Weeks Version - How many times during the past 4 weeks have you suffered from severe or very unpleasant respiratory attacks?	SGRQ Past 4 Weeks Version - Times Suffered From Severe Respiratory Attacks
C112684	SGRQ0207	SGRQ02-How Long Worst Resp Attack Last	St. George's Respiratory Questionnaire Past 4 Weeks Version - How long did the worst respiratory attack last?	SGRQ Past 4 Weeks Version - How Long Did Worst Respiratory Attack Last
C112685	SGRQ0208	SGRQ02-How Many Good Days Have You Had	St. George's Respiratory Questionnaire Past 4 Weeks Version - Over the past 4 weeks, in a typical week, how many good days (with few respiratory problems) have you had?	SGRQ Past 4 Weeks Version - How Many Good Days You Had
C112686	SGRQ0209	SGRQ02-Wheeze Worse in the Morning	St. George's Respiratory Questionnaire Past 4 Weeks Version - If you wheeze, is it worse when you get up in the morning?	SGRQ Past 4 Weeks Version - Wheeze Worse When Get Up in the Morning
C112687	SGRQ0210	SGRQ02-Describe Your Resp Condition	St. George's Respiratory Questionnaire Past 4 Weeks Version - How would you describe your respiratory condition?	SGRQ Past 4 Weeks Version - Describe Your Respiratory Condition
C112688	SGRQ0211	SGRQ02-If You Have Ever Held a Job	St. George's Respiratory Questionnaire Past 4 Weeks Version - If you have ever held a job.	SGRQ Past 4 Weeks Version - Held a Job
C112689	SGRQ0212	SGRQ02-Sitting or Lying Still	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about what activities usually make you feel short of breath these days: Sitting or lying still.	SGRQ Past 4 Weeks Version - Sitting or Lying Still
C112690	SGRQ0213	SGRQ02-Washing or Dressing Yourself	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about what activities usually make you feel short of breath these days: Washing or dressing yourself.	SGRQ Past 4 Weeks Version - Washing or Dressing Yourself
C112691	SGRQ0214	SGRQ02-Walking Around the House	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about what activities usually make you feel short of breath these days: Walking around the house.	SGRQ Past 4 Weeks Version - Walking Around the House
C112692	SGRQ0215	SGRQ02-Walking Outside on Level Ground	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about what activities usually make you feel short of breath these days: Walking outside on level ground.	SGRQ Past 4 Weeks Version - Walking Outside on Level Ground
C112693	SGRQ0216	SGRQ02-Walking Up a Flight of Stairs	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about what activities usually make you feel short of breath these days: Walking up a flight of stairs.	SGRQ Past 4 Weeks Version - Walking Up a Flight of Stairs
C112694	SGRQ0217	SGRQ02-Walking Up Hills	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about what activities usually make you feel short of breath these days: Walking up hills.	SGRQ Past 4 Weeks Version - Walking Up Hills
C112695	SGRQ0218	SGRQ02-Playing Sports	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about what activities usually make you feel short of breath these days: Playing sports or other physical activities.	SGRQ Past 4 Weeks Version - Playing Sports or Other Physical Activities
C112696	SGRQ0219	SGRQ02-Coughing Hurts	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are more questions about your cough and shortness of breath these days: Coughing hurts.	SGRQ Past 4 Weeks Version - Coughing Hurts
C112697	SGRQ0220	SGRQ02-Coughing Makes Me Tired	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are more questions about your cough and shortness of breath these days: Coughing makes me tired.	SGRQ Past 4 Weeks Version - Coughing Makes Me Tired
C112698	SGRQ0221	SGRQ02-Short of Breath When I Talk	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are more questions about your cough and shortness of breath these days: I am short of breath when I talk.	SGRQ Past 4 Weeks Version - Short of Breath When I Talk

SGRQ Items				
C112699	SGRQ0222	SGRQ02-Short of Breath When Bend Over	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are more questions about your cough and shortness of breath these days: I am short of breath when I bend over.	SGRQ Past 4 Weeks Version - Short of Breath When Bend Over
C112700	SGRQ0223	SGRQ02-Coughing Disturbs My Sleep	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are more questions about your cough and shortness of breath these days: My coughing or breathing disturbs my sleep.	SGRQ Past 4 Weeks Version - Coughing Disturbs My Sleep
C112701	SGRQ0224	SGRQ02-I Get Exhausted Easily	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are more questions about your cough and shortness of breath these days: I get exhausted easily.	SGRQ Past 4 Weeks Version - I Get Exhausted Easily
C112702	SGRQ0225	SGRQ02-Cough Is Embarrassing in Public	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about other effects that your respiratory problems may have on you these days: My cough or breathing is embarrassing in public.	SGRQ Past 4 Weeks Version - My Cough is Embarrassing in Public
C112703	SGRQ0226	SGRQ02-Respiratory Problems a Nuisance	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about other effects that your respiratory problems may have on you these days: My respiratory problems are a nuisance to my family, friends or neighbors.	SGRQ Past 4 Weeks Version - Respiratory Problems a Nuisance to Family
C112704	SGRQ0227	SGRQ02-Afraid When Cannot Catch Breath	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about other effects that your respiratory problems may have on you these days: I get afraid or panic when I cannot catch my breath.	SGRQ Past 4 Weeks Version - Get Afraid When Cannot Catch My Breath
C112705	SGRQ0228	SGRQ02-Not in Control of Resp Problems	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about other effects that your respiratory problems may have on you these days: I feel that I am not in control of my respiratory problems.	SGRQ Past 4 Weeks Version - Not in Control of My Respiratory Problems
C112706	SGRQ0229	SGRQ02-Not Expect Probs to Get Better	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about other effects that your respiratory problems may have on you these days: I do not expect my respiratory problems to get any better.	SGRQ Past 4 Weeks Version - Not Expect Respiratory Problems Get Better
C112707	SGRQ0230	SGRQ02-I Have Become Frail	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about other effects that your respiratory problems may have on you these days: I have become frail or an invalid because of my respiratory problems.	SGRQ Past 4 Weeks Version - Become Frail or Invalid Because of My Respiratory Problems
C112708	SGRQ0231	SGRQ02-Exercise Is Not Safe for Me	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about other effects that your respiratory problems may have on you these days: Exercise is not safe for me.	SGRQ Past 4 Weeks Version - Exercise Is Not Safe for Me
C112709	SGRQ0232	SGRQ02-Everything Too Much Effort	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about other effects that your respiratory problems may have on you these days: Everything seems too much of an effort.	SGRQ Past 4 Weeks Version - Everything Too Much Effort
C112710	SGRQ0233	SGRQ02-Treatment Does Not Help Me Much	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about your respiratory treatment: My treatment does not help me very much.	SGRQ Past 4 Weeks Version - Treatment Does Not Help Me Much
C112711	SGRQ0234	SGRQ02-Embarrassed Using Med in Public	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about your respiratory treatment: I get embarrassed using my medication in public.	SGRQ Past 4 Weeks Version - Embarrassed Using Medication in Public
C112712	SGRQ0235	SGRQ02-Unpleasant Side Effect From Med	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about your respiratory treatment: I have unpleasant side effects from my medication.	SGRQ Past 4 Weeks Version - Unpleasant Side Effects From Medication
C112713	SGRQ0236	SGRQ02-Treatment Interferes With Life	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about your respiratory treatment: My treatment interferes with my life a lot.	SGRQ Past 4 Weeks Version - Treatment Interferes With My Life
C112714	SGRQ0237	SGRQ02-Take a Long Time to Get Washed	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about how your activities might be affected by your respiratory problems: I take a long time to get washed or dressed.	SGRQ Past 4 Weeks Version - Take Long Time to Get Washed or Dressed
C112715	SGRQ0238	SGRQ02-I Cannot Take a Bath or Shower	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about how your activities might be affected by your respiratory problems: I cannot take a bath or shower, or I take a long time to do it.	SGRQ Past 4 Weeks Version - Cannot Take A Bath or Shower
C112716	SGRQ0239	SGRQ02-I Walk Slower Than Other People	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about how your activities might be affected by your respiratory problems: I walk slower than other people my age, or I stop to rest.	SGRQ Past 4 Weeks Version - Walk Slower Than Other People My Age

St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about how your activities might be affected by your respiratory problems: Jobs such as household chores take a long time, or I have to stop to rest.				
C112717	SGRQ0240	SGRQ02-Jobs Take a Long Time	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about how your activities might be affected by your respiratory problems: Jobs such as household chores take a long time, or I have to stop to rest.	SGRQ Past 4 Weeks Version - Jobs Take Long Time or I Have to Stop
C112718	SGRQ0241	SGRQ02-Walk Up Flight of Stairs Slowly	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about how your activities might be affected by your respiratory problems: If I walk up one flight of stairs, I have to go slowly or stop.	SGRQ Past 4 Weeks Version - If Walk Up One Flight of Stairs I Have to Go Slow
C112719	SGRQ0242	SGRQ02-If I Hurry, I Have to Stop	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about how your activities might be affected by your respiratory problems: If I hurry or walk fast, I have to stop or slow down.	SGRQ Past 4 Weeks Version - If Walk Fast I Have to Stop or Slow Down
C112720	SGRQ0243	SGRQ02-Difficult to Walk Up Hills	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about how your activities might be affected by your respiratory problems: My breathing makes it difficult to do things such as walk up hills, carry things up stairs, light gardening such as weeding, dance, bowl or play golf.	SGRQ Past 4 Weeks Version - Breathing Makes Difficult to Walk Up Hills
C112721	SGRQ0244	SGRQ02-Difficult to Carry Heavy Loads	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about how your activities might be affected by your respiratory problems: My breathing makes it difficult to do things such as carry heavy loads, dig in the garden or shovel snow, jog or walk briskly (5 miles per hour), play tennis or swim.	SGRQ Past 4 Weeks Version - Breathing Makes Difficult to Carry Heavy Loads
C112722	SGRQ0245	SGRQ02-Difficult to Do Very Heavy Work	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about how your activities might be affected by your respiratory problems: My breathing makes it difficult to do things such as very heavy manual work, ride a bike, run, swim fast, or play competitive sports.	SGRQ Past 4 Weeks Version - Breathing Makes Difficult to Do Heavy Manual Work
C112723	SGRQ0246	SGRQ02-I Cannot Play Sports	St. George's Respiratory Questionnaire Past 4 Weeks Version - We would like to know how your respiratory problems usually affect your daily life: I cannot play sports or do other physical activities.	SGRQ Past 4 Weeks Version - Cannot Play Sports or Do Physical Activities
C112724	SGRQ0247	SGRQ02-Cannot Go Out for Entertainment	St. George's Respiratory Questionnaire Past 4 Weeks Version - We would like to know how your respiratory problems usually affect your daily life: I cannot go out for entertainment or recreation.	SGRQ Past 4 Weeks Version - Cannot Go Out for Entertainment
C112725	SGRQ0248	SGRQ02-Cannot Go Out to Do Shopping	St. George's Respiratory Questionnaire Past 4 Weeks Version - We would like to know how your respiratory problems usually affect your daily life: I cannot go out of the house to do the shopping.	SGRQ Past 4 Weeks Version - Cannot Go Out to Do Shopping
C112726	SGRQ0249	SGRQ02-I Cannot Do Household Chores	St. George's Respiratory Questionnaire Past 4 Weeks Version - We would like to know how your respiratory problems usually affect your daily life: I cannot do household chores.	SGRQ Past 4 Weeks Version - Cannot Do Household Chores
C112727	SGRQ0250	SGRQ02-I Cannot Move Far From My Bed	St. George's Respiratory Questionnaire Past 4 Weeks Version - We would like to know how your respiratory problems usually affect your daily life: I cannot move far from my bed or chair.	SGRQ Past 4 Weeks Version - Cannot Move Far From Bed or Chair
C112728	SGRQ0251	SGRQ02-How Resp Problems Affect You	St. George's Respiratory Questionnaire Past 4 Weeks Version - Best describe how your respiratory problems affect you.	SGRQ Past 4 Weeks Version - How Respiratory Problems Affect You

C112704	SGRQ02-Afraid When Cannot Catch Breath	SGRQ02-Afraid When Cannot Catch Breath	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about other effects that your respiratory problems may have on you these days: I get afraid or panic when I cannot catch my breath.	SGRQ Past 4 Weeks Version - Get Afraid When Cannot Catch My Breath
C112724	SGRQ02-Cannot Go Out for Entertainment	SGRQ02-Cannot Go Out for Entertainment	St. George's Respiratory Questionnaire Past 4 Weeks Version - We would like to know how your respiratory problems usually affect your daily life: I cannot go out for entertainment or recreation.	SGRQ Past 4 Weeks Version - Cannot Go Out for Entertainment
C112725	SGRQ02-Cannot Go Out to Do Shopping	SGRQ02-Cannot Go Out to Do Shopping	St. George's Respiratory Questionnaire Past 4 Weeks Version - We would like to know how your respiratory problems usually affect your daily life: I cannot go out of the house to do the shopping.	SGRQ Past 4 Weeks Version - Cannot Go Out to Do Shopping
C112702	SGRQ02-Cough Is Embarrassing in Public	SGRQ02-Cough Is Embarrassing in Public	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about other effects that your respiratory problems may have on you these days: My cough or breathing is embarrassing in public.	SGRQ Past 4 Weeks Version - My Cough is Embarrassing in Public
C112700	SGRQ02-Coughing Disturbs My Sleep	SGRQ02-Coughing Disturbs My Sleep	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are more questions about your cough and shortness of breath these days: My coughing or breathing disturbs my sleep.	SGRQ Past 4 Weeks Version - Coughing Disturbs My Sleep
C112696	SGRQ02-Coughing Hurts	SGRQ02-Coughing Hurts	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are more questions about your cough and shortness of breath these days: Coughing hurts.	SGRQ Past 4 Weeks Version - Coughing Hurts
C112697	SGRQ02-Coughing Makes Me Tired	SGRQ02-Coughing Makes Me Tired	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are more questions about your cough and shortness of breath these days: Coughing makes me tired.	SGRQ Past 4 Weeks Version - Coughing Makes Me Tired
C112678	SGRQ02-Describe Your Current Health	SGRQ02-Describe Your Current Health	St. George's Respiratory Questionnaire Past 4 Weeks Version - Please check one box to show how you describe your current health.	SGRQ Past 4 Weeks Version - Describe Your Current Health
C112687	SGRQ02-Describe Your Resp Condition	SGRQ02-Describe Your Resp Condition	St. George's Respiratory Questionnaire Past 4 Weeks Version - How would you describe your respiratory condition?	SGRQ Past 4 Weeks Version - Describe Your Respiratory Condition
C112721	SGRQ02-Difficult to Carry Heavy Loads	SGRQ02-Difficult to Carry Heavy Loads	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about how your activities might be affected by your respiratory problems: My breathing makes it difficult to do things such as carry heavy loads, dig in the garden or shovel snow, jog or walk briskly (5 miles per hour), play tennis or swim.	SGRQ Past 4 Weeks Version - Breathing Makes Difficult to Carry Heavy Loads
C112722	SGRQ02-Difficult to Do Very Heavy Work	SGRQ02-Difficult to Do Very Heavy Work	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about how your activities might be affected by your respiratory problems: My breathing makes it difficult to do things such as very heavy manual work, ride a bike, run, swim fast, or play competitive sports.	SGRQ Past 4 Weeks Version - Breathing Makes Difficult to Do Heavy Manual Work
C112720	SGRQ02-Difficult to Walk Up Hills	SGRQ02-Difficult to Walk Up Hills	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about how your activities might be affected by your respiratory problems: My breathing makes it difficult to do things such as walk up hills, carry things up stairs, light gardening such as weeding, dance, bowl or play golf.	SGRQ Past 4 Weeks Version - Breathing Makes Difficult to Walk Up Hills
C112711	SGRQ02-Embarrassed Using Med in Public	SGRQ02-Embarrassed Using Med in Public	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about your respiratory treatment: I get embarrassed using my medication in public.	SGRQ Past 4 Weeks Version - Embarrassed Using Medication in Public
C112709	SGRQ02-Everything Too Much Effort	SGRQ02-Everything Too Much Effort	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about other effects that your respiratory problems may have on you these days: Everything seems too much of an effort.	SGRQ Past 4 Weeks Version - Everything Too Much Effort
C112708	SGRQ02-Exercise Is Not Safe for Me	SGRQ02-Exercise Is Not Safe for Me	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about other effects that your respiratory problems may have on you these days: Exercise is not safe for me.	SGRQ Past 4 Weeks Version - Exercise Is Not Safe for Me
C112684	SGRQ02-How Long Worst Resp Attack Last	SGRQ02-How Long Worst Resp Attack Last	St. George's Respiratory Questionnaire Past 4 Weeks Version - How long did the worst respiratory attack last?	SGRQ Past 4 Weeks Version - How Long Did Worst Respiratory Attack Last
C112685	SGRQ02-How Many Good Days Have You Had	SGRQ02-How Many Good Days Have You Had	St. George's Respiratory Questionnaire Past 4 Weeks Version - Over the past 4 weeks, in a typical week, how many good days (with few respiratory problems) have you had?	SGRQ Past 4 Weeks Version - How Many Good Days You Had

SGRQ Past 4 Weeks Version				
C112728	SGRQ02-How Resp Problems Affect You	SGRQ02-How Resp Problems Affect You	St. George's Respiratory Questionnaire Past 4 Weeks Version - Best describe how your respiratory problems affect you.	SGRQ Past 4 Weeks Version - How Respiratory Problems Affect You
C112726	SGRQ02-I Cannot Do Household Chores	SGRQ02-I Cannot Do Household Chores	St. George's Respiratory Questionnaire Past 4 Weeks Version - We would like to know how your respiratory problems usually affect your daily life: I cannot do household chores.	SGRQ Past 4 Weeks Version - Cannot Do Household Chores
C112727	SGRQ02-I Cannot Move Far From My Bed	SGRQ02-I Cannot Move Far From My Bed	St. George's Respiratory Questionnaire Past 4 Weeks Version - We would like to know how your respiratory problems usually affect your daily life: I cannot move far from my bed or chair.	SGRQ Past 4 Weeks Version - Cannot Move Far From Bed or Chair
C112723	SGRQ02-I Cannot Play Sports	SGRQ02-I Cannot Play Sports	St. George's Respiratory Questionnaire Past 4 Weeks Version - We would like to know how your respiratory problems usually affect your daily life: I cannot play sports or do other physical activities.	SGRQ Past 4 Weeks Version - Cannot Play Sports or Do Physical Activities
C112715	SGRQ02-I Cannot Take a Bath or Shower	SGRQ02-I Cannot Take a Bath or Shower	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about how your activities might be affected by your respiratory problems: I cannot take a bath or shower, or I take a long time to do it.	SGRQ Past 4 Weeks Version - Cannot Take A Bath or Shower
C112701	SGRQ02-I Get Exhausted Easily	SGRQ02-I Get Exhausted Easily	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are more questions about your cough and shortness of breath these days: I get exhausted easily.	SGRQ Past 4 Weeks Version - I Get Exhausted Easily
C112707	SGRQ02-I Have Become Frail	SGRQ02-I Have Become Frail	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about other effects that your respiratory problems may have on you these days: I have become frail or an invalid because of my respiratory problems.	SGRQ Past 4 Weeks Version - Become Frail or Invalid Because of My Respiratory Problems
C112680	SGRQ02-I Have Brought Up Phlegm	SGRQ02-I Have Brought Up Phlegm	St. George's Respiratory Questionnaire Past 4 Weeks Version - Over the past 4 weeks, I have brought up phlegm (sputum).	SGRQ Past 4 Weeks Version - I Have Brought Up Phlegm
C112679	SGRQ02-I Have Coughed	SGRQ02-I Have Coughed	St. George's Respiratory Questionnaire Past 4 Weeks Version - Over the past 4 weeks, I have coughed.	SGRQ Past 4 Weeks Version - I Have Coughed
C112681	SGRQ02-I Have Had Shortness of Breath	SGRQ02-I Have Had Shortness of Breath	St. George's Respiratory Questionnaire Past 4 Weeks Version - Over the past 4 weeks, I have had shortness of breath.	SGRQ Past 4 Weeks Version - I Have Had Shortness of Breath
C112682	SGRQ02-I Have Had Wheezing Attacks	SGRQ02-I Have Had Wheezing Attacks	St. George's Respiratory Questionnaire Past 4 Weeks Version - Over the past 4 weeks, I have had wheezing attacks.	SGRQ Past 4 Weeks Version - I Have Had Wheezing Attacks
C112716	SGRQ02-I Walk Slower Than Other People	SGRQ02-I Walk Slower Than Other People	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about how your activities might be affected by your respiratory problems: I walk slower than other people my age, or I stop to rest.	SGRQ Past 4 Weeks Version - Walk Slower Than Other People My Age
C112719	SGRQ02-If I Hurry, I Have to Stop	SGRQ02-If I Hurry, I Have to Stop	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about how your activities might be affected by your respiratory problems: If I hurry or walk fast, I have to stop or slow down.	SGRQ Past 4 Weeks Version - If Walk Fast I Have to Stop or Slow Down
C112688	SGRQ02-If You Have Ever Held a Job	SGRQ02-If You Have Ever Held a Job	St. George's Respiratory Questionnaire Past 4 Weeks Version - If you have ever held a job.	SGRQ Past 4 Weeks Version - Held a Job
C112717	SGRQ02-Jobs Take a Long Time	SGRQ02-Jobs Take a Long Time	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about how your activities might be affected by your respiratory problems: Jobs such as household chores take a long time, or I have to stop to rest.	SGRQ Past 4 Weeks Version - Jobs Take Long Time or I Have to Stop
C112706	SGRQ02-Not Expect Probs to Get Better	SGRQ02-Not Expect Probs to Get Better	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about other effects that your respiratory problems may have on you these days: I do not expect my respiratory problems to get any better.	SGRQ Past 4 Weeks Version - Not Expect Respiratory Problems Get Better
C112705	SGRQ02-Not in Control of Resp Problems	SGRQ02-Not in Control of Resp Problems	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about other effects that your respiratory problems may have on you these days: I feel that I am not in control of my respiratory problems.	SGRQ Past 4 Weeks Version - Not in Control of My Respiratory Problems
C112695	SGRQ02-Playing Sports	SGRQ02-Playing Sports	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about what activities usually make you feel short of breath these days: Playing sports or other physical activities.	SGRQ Past 4 Weeks Version - Playing Sports or Other Physical Activities
C112703	SGRQ02-Respiratory Problems a Nuisance	SGRQ02-Respiratory Problems a Nuisance	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about other effects that your respiratory problems may have on you these days: My respiratory problems are a nuisance to my family, friends or neighbors.	SGRQ Past 4 Weeks Version - Respiratory Problems a Nuisance to Family
C112699	SGRQ02-Short of Breath When Bend Over	SGRQ02-Short of Breath When Bend Over	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are more questions about your cough and shortness of breath these days: I am short of breath when I bend over.	SGRQ Past 4 Weeks Version - Short of Breath When Bend Over

SGRQ Items				
C112698	SGRQ02-Short of Breath When I Talk	SGRQ02-Short of Breath When I Talk	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are more questions about your cough and shortness of breath these days: I am short of breath when I talk.	SGRQ Past 4 Weeks Version - Short of Breath When I Talk
C112689	SGRQ02-Sitting or Lying Still	SGRQ02-Sitting or Lying Still	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about what activities usually make you feel short of breath these days: Sitting or lying still.	SGRQ Past 4 Weeks Version - Sitting or Lying Still
C112714	SGRQ02-Take a Long Time to Get Washed	SGRQ02-Take a Long Time to Get Washed	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about how your activities might be affected by your respiratory problems: I take a long time to get washed or dressed.	SGRQ Past 4 Weeks Version - Take Long Time to Get Washed or Dressed
C112683	SGRQ02-Times Suffered Sev Resp Attacks	SGRQ02-Times Suffered Sev Resp Attacks	St. George's Respiratory Questionnaire Past 4 Weeks Version - How many times during the past 4 weeks have you suffered from severe or very unpleasant respiratory attacks?	SGRQ Past 4 Weeks Version - Times Suffered From Severe Respiratory Attacks
C112710	SGRQ02-Treatment Does Not Help Me Much	SGRQ02-Treatment Does Not Help Me Much	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about your respiratory treatment: My treatment does not help me very much.	SGRQ Past 4 Weeks Version - Treatment Does Not Help Me Much
C112713	SGRQ02-Treatment Interferes With Life	SGRQ02-Treatment Interferes With Life	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about your respiratory treatment: My treatment interferes with my life a lot.	SGRQ Past 4 Weeks Version - Treatment Interferes With My Life
C112712	SGRQ02-Unpleasant Side Effect From Med	SGRQ02-Unpleasant Side Effect From Med	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about your respiratory treatment: I have unpleasant side effects from my medication.	SGRQ Past 4 Weeks Version - Unpleasant Side Effects From Medication
C112718	SGRQ02-Walk Up Flight of Stairs Slowly	SGRQ02-Walk Up Flight of Stairs Slowly	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about how your activities might be affected by your respiratory problems: If I walk up one flight of stairs, I have to go slowly or stop.	SGRQ Past 4 Weeks Version - If Walk Up One Flight of Stairs I Have to Go Slow
C112691	SGRQ02-Walking Around the House	SGRQ02-Walking Around the House	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about what activities usually make you feel short of breath these days: Walking around the house.	SGRQ Past 4 Weeks Version - Walking Around the House
C112692	SGRQ02-Walking Outside on Level Ground	SGRQ02-Walking Outside on Level Ground	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about what activities usually make you feel short of breath these days: Walking outside on level ground.	SGRQ Past 4 Weeks Version - Walking Outside on Level Ground
C112693	SGRQ02-Walking Up a Flight of Stairs	SGRQ02-Walking Up a Flight of Stairs	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about what activities usually make you feel short of breath these days: Walking up a flight of stairs.	SGRQ Past 4 Weeks Version - Walking Up a Flight of Stairs
C112694	SGRQ02-Walking Up Hills	SGRQ02-Walking Up Hills	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about what activities usually make you feel short of breath these days: Walking up hills.	SGRQ Past 4 Weeks Version - Walking Up Hills
C112690	SGRQ02-Washing or Dressing Yourself	SGRQ02-Washing or Dressing Yourself	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about what activities usually make you feel short of breath these days: Washing or dressing yourself.	SGRQ Past 4 Weeks Version - Washing or Dressing Yourself
C112686	SGRQ02-Wheeze Worse in the Morning	SGRQ02-Wheeze Worse in the Morning	St. George's Respiratory Questionnaire Past 4 Weeks Version - If you wheeze, is it worse when you get up in the morning?	SGRQ Past 4 Weeks Version - Wheeze Worse When Get Up in the Morning

C106853	SGRQC101	SGRQC1-Describe Your Current Health	St. George's Respiratory Questionnaire - Please check one box to show how you describe your current health.	SGRQ-C - Description of Your Current Health
C106854	SGRQC102	SGRQC1-I Cough	St. George's Respiratory Questionnaire - I cough.	SGRQ-C - Cough
C106855	SGRQC103	SGRQC1-I Bring Up Phlegm	St. George's Respiratory Questionnaire - I bring up phlegm (sputum).	SGRQ-C - Bring Up Phlegm
C106856	SGRQC104	SGRQC1-I Have Shortness of Breath	St. George's Respiratory Questionnaire - I have shortness of breath.	SGRQ-C - Have Shortness of Breath
C106857	SGRQC105	SGRQC1-I Have Attacks of Wheezing	St. George's Respiratory Questionnaire - I have attacks of wheezing.	SGRQ-C - Have Attacks of Wheezing
C106858	SGRQC106	SGRQC1-How Many Respiratory Attacks	St. George's Respiratory Questionnaire - How many respiratory attacks did you have during the last year?	SGRQ-C - Number of Respiratory Attacks Last Year
C106859	SGRQC107	SGRQC1-How Often Do You Have Good Days	St. George's Respiratory Questionnaire - How often do you have good days (with few respiratory problems)?	SGRQ-C - Good Days with Few Respiratory Problems
C106860	SGRQC108	SGRQC1-Wheeze Worse in the Morning	St. George's Respiratory Questionnaire - If you wheeze, is it worse when you get up in the morning?	SGRQ-C - Wheezing Worse In the Morning
C106861	SGRQC109	SGRQC1-Describe Your Resp Problems	St. George's Respiratory Questionnaire - How would you describe your respiratory problems?	SGRQ-C - Description of Your Respiratory Problems
C106862	SGRQC110	SGRQC1-Washing or Dressing Yourself	St. George's Respiratory Questionnaire - Questions about what activities usually make you feel breathless: Washing or dressing yourself.	SGRQ-C - Feel Breathless Washing or Dressing Yourself
C106863	SGRQC111	SGRQC1-Walking Around the House	St. George's Respiratory Questionnaire - Questions about what activities usually make you feel breathless: Walking around the house.	SGRQ-C - Feel Breathless Walking Around the House
C106864	SGRQC112	SGRQC1-Walking Outside on Level Ground	St. George's Respiratory Questionnaire - Questions about what activities usually make you feel breathless: Walking outside on level ground.	SGRQ-C - Feel Breathless Walking Outside on Level Ground
C106865	SGRQC113	SGRQC1-Walking Up a Flight of Stairs	St. George's Respiratory Questionnaire - Questions about what activities usually make you feel breathless: Walking up a flight of stairs.	SGRQ-C - Feel Breathless Walking Up a Flight of Stairs
C106866	SGRQC114	SGRQC1-Walking Up Hills	St. George's Respiratory Questionnaire - Questions about what activities usually make you feel breathless: Walking up hills.	SGRQ-C - Feel Breathless Walking Up Hills
C106867	SGRQC115	SGRQC1-Coughing Hurts	St. George's Respiratory Questionnaire - Some more questions about your cough and breathlessness: Coughing hurts.	SGRQ-C - Coughing Hurts
C106868	SGRQC116	SGRQC1-Coughing Makes Me Tired	St. George's Respiratory Questionnaire - Some more questions about your cough and breathlessness: Coughing makes me tired.	SGRQ-C - Coughing Makes Me Tired
C106869	SGRQC117	SGRQC1-Short of Breath When Talk	St. George's Respiratory Questionnaire - Some more questions about your cough and breathlessness: I am short of breath when I talk.	SGRQ-C - Short of Breath When Talk
C106870	SGRQC118	SGRQC1-Short of Breath When Bend Over	St. George's Respiratory Questionnaire - Some more questions about your cough and breathlessness: I am short of breath when I bend over.	SGRQ-C - Short of Breath When Bend Over
C106871	SGRQC119	SGRQC1-Coughing Disturbs My Sleep	St. George's Respiratory Questionnaire - Some more questions about your cough and breathlessness: My coughing or breathing disturbs my sleep.	SGRQ-C - Coughing Disturbs My Sleep
C106872	SGRQC120	SGRQC1-Get Exhausted Easily	St. George's Respiratory Questionnaire - Some more questions about your cough and breathlessness: I get exhausted easily.	SGRQ-C - Get Exhausted Easily
C106873	SGRQC121	SGRQC1-Cough Is Embarrassing in Public	St. George's Respiratory Questionnaire - Questions about other effects that your respiratory problems may have on you: My cough or breathing is embarrassing in public.	SGRQ-C - Cough Is Embarrassing in Public
C107021	SGRQC122	SGRQC1-Respiratory Problems a Nuisance	St. George's Respiratory Questionnaire - Questions about other effects that your respiratory problems may have on you: My respiratory problems are a nuisance to my family, friends or neighbours.	SGRQ-C - Respiratory Problems a Nuisance to Family, Friends or Neighbours
C106874	SGRQC123	SGRQC1-Afraid When Cannot Catch Breath	St. George's Respiratory Questionnaire - Questions about other effects that your respiratory problems may have on you: I get afraid or panic when I cannot catch my breath.	SGRQ-C - Afraid or Panic When Cannot Catch Breath

SGRQ-C - Respiratory Problems Affect Daily Life: Cannot Move Far From Bed				
C106875	SGRQC124	SGRQC1-Not in Control of Resp Problems	St. George's Respiratory Questionnaire - Questions about other effects that your respiratory problems may have on you: I feel that I am not in control of my respiratory problems.	SGRQ-C - Not in Control of Respiratory Problems
C106876	SGRQC125	SGRQC1-Frail Because of Resp Problems	St. George's Respiratory Questionnaire - Questions about other effects that your respiratory problems may have on you: I have become frail or an invalid because of my respiratory problems.	SGRQ-C - Become Frail Because of Respiratory Problems
C106877	SGRQC126	SGRQC1-Exercise Is Not Safe for Me	St. George's Respiratory Questionnaire - Questions about other effects that your respiratory problems may have on you: Exercise is not safe for me.	SGRQ-C - Exercise Is Not Safe for Me
C106878	SGRQC127	SGRQC1-Everything Too Much Effort	St. George's Respiratory Questionnaire - Questions about other effects that your respiratory problems may have on you: Everything seems too much of an effort.	SGRQ-C - Everything Seems Too Much Effort
C106879	SGRQC128	SGRQC1-Take a Long Time to Get Washed	St. George's Respiratory Questionnaire - These are questions about how your activities might be affected by your respiratory problems: I take a long time to get washed or dressed.	SGRQ-C - Take a Long Time to Get Washed or Dressed
C106880	SGRQC129	SGRQC1-Cannot Take a Bath or Shower	St. George's Respiratory Questionnaire - These are questions about how your activities might be affected by your respiratory problems: I cannot take a bath or shower, or I take a long time to do it.	SGRQ-C - Cannot Take a Bath or Shower
C106881	SGRQC130	SGRQC1-Walk Slow Than Others My Age	St. George's Respiratory Questionnaire - These are questions about how your activities might be affected by your respiratory problems: I walk slower than other people my age, or I stop to rest.	SGRQ-C - Walk Slower Than Other People My Age
C106882	SGRQC131	SGRQC1-Jobs Take a Long Time	St. George's Respiratory Questionnaire - These are questions about how your activities might be affected by your respiratory problems: Jobs such as household chores take a long time, or I have to stop to rest.	SGRQ-C - Jobs Take a Long Time
C106883	SGRQC132	SGRQC1-Walk Up Flight of Stairs Slowly	St. George's Respiratory Questionnaire - These are questions about how your activities might be affected by your respiratory problems: If I walk up one flight of stairs, I have to go slowly or stop.	SGRQ-C - Walk Up Flight of Stairs Slowly
C106884	SGRQC133	SGRQC1-If I Hurry, I Have to Stop	St. George's Respiratory Questionnaire - These are questions about how your activities might be affected by your respiratory problems: If I hurry or walk fast, I have to stop or slow down.	SGRQ-C - If Walk Fast Have to Stop
C106885	SGRQC134	SGRQC1-Difficult to Walk Up Hills	St. George's Respiratory Questionnaire - These are questions about how your activities might be affected by your respiratory problems: My breathing makes it difficult to do things such as walk up hills, carry things up stairs, light gardening such as weeding, dance, bowl or play golf.	SGRQ-C - Difficult to Walk Up Hills
C106886	SGRQC135	SGRQC1-Difficult to Carry Heavy Loads	St. George's Respiratory Questionnaire - These are questions about how your activities might be affected by your respiratory problems: My breathing makes it difficult to do things such as carry heavy loads, dig in the garden or shovel snow, jog or walk briskly (5 miles per hour), play tennis or swim.	SGRQ-C - Difficult to Carry Heavy Loads
C107022	SGRQC136	SGRQC1-Cannot Play Sports	St. George's Respiratory Questionnaire - We would like to know how your respiratory problems usually affect your daily life: I cannot play sports or do other physical activities.	SGRQ-C - Respiratory Problems Affect Daily Life: Cannot Play Sports
C107023	SGRQC137	SGRQC1-Cannot Go Out for Entertainment	St. George's Respiratory Questionnaire - We would like to know how your respiratory problems usually affect your daily life: I cannot go out for entertainment or recreation.	SGRQ-C - Respiratory Problems Affect Daily Life: Cannot Go Out for Entertainment
C107024	SGRQC138	SGRQC1-Cannot Go Out to Do Shopping	St. George's Respiratory Questionnaire - We would like to know how your respiratory problems usually affect your daily life: I cannot go out of the house to do the shopping.	SGRQ-C - Respiratory Problems Affect Daily Life: Cannot Go Out to Do Shopping
C107025	SGRQC139	SGRQC1-Cannot Do Household Chores	St. George's Respiratory Questionnaire - We would like to know how your respiratory problems usually affect your daily life: I cannot do household chores.	SGRQ-C - Respiratory Problems Affect Daily Life: Cannot Do Household Chores
C107026	SGRQC140	SGRQC1-Cannot Move Far From My Bed	St. George's Respiratory Questionnaire - We would like to know how your respiratory problems usually affect your daily life: I cannot move far from my bed or chair.	SGRQ-C - Respiratory Problems Affect Daily Life: Cannot Move Far From Bed
C106887	SGRQC141	SGRQC1-How Resp Problems Affect You	St. George's Respiratory Questionnaire - How do your respiratory problems affect you?	SGRQ-C - How Respiratory Problems Affect You

C106874	SGRQC1-Afraid When Cannot Catch Breath	SGRQC1-Afraid When Cannot Catch Breath	St. George's Respiratory Questionnaire - Questions about other effects that your respiratory problems may have on you: I get afraid or panic when I cannot catch my breath.	SGRQ-C - Afraid or Panic When Cannot Catch Breath
C107025	SGRQC1-Cannot Do Household Chores	SGRQC1-Cannot Do Household Chores	St. George's Respiratory Questionnaire - We would like to know how your respiratory problems usually affect your daily life: I cannot do household chores.	SGRQ-C - Respiratory Problems Affect Daily Life: Cannot Do Household Chores
C107023	SGRQC1-Cannot Go Out for Entertainment	SGRQC1-Cannot Go Out for Entertainment	St. George's Respiratory Questionnaire - We would like to know how your respiratory problems usually affect your daily life: I cannot go out for entertainment or recreation.	SGRQ-C - Respiratory Problems Affect Daily Life: Cannot Go Out for Entertainment
C107024	SGRQC1-Cannot Go Out to Do Shopping	SGRQC1-Cannot Go Out to Do Shopping	St. George's Respiratory Questionnaire - We would like to know how your respiratory problems usually affect your daily life: I cannot go out of the house to do the shopping.	SGRQ-C - Respiratory Problems Affect Daily Life: Cannot Go Out to Do Shopping
C107026	SGRQC1-Cannot Move Far From My Bed	SGRQC1-Cannot Move Far From My Bed	St. George's Respiratory Questionnaire - We would like to know how your respiratory problems usually affect your daily life: I cannot move far from my bed or chair.	SGRQ-C - Respiratory Problems Affect Daily Life: Cannot Move Far From Bed
C107022	SGRQC1-Cannot Play Sports	SGRQC1-Cannot Play Sports	St. George's Respiratory Questionnaire - We would like to know how your respiratory problems usually affect your daily life: I cannot play sports or do other physical activities.	SGRQ-C - Respiratory Problems Affect Daily Life: Cannot Play Sports
C106880	SGRQC1-Cannot Take a Bath or Shower	SGRQC1-Cannot Take a Bath or Shower	St. George's Respiratory Questionnaire - These are questions about how your activities might be affected by your respiratory problems: I cannot take a bath or shower, or I take a long time to do it.	SGRQ-C - Cannot Take a Bath or Shower
C106873	SGRQC1-Cough Is Embarrassing in Public	SGRQC1-Cough Is Embarrassing in Public	St. George's Respiratory Questionnaire - Questions about other effects that your respiratory problems may have on you: My cough or breathing is embarrassing in public.	SGRQ-C - Cough Is Embarrassing in Public
C106871	SGRQC1-Coughing Disturbs My Sleep	SGRQC1-Coughing Disturbs My Sleep	St. George's Respiratory Questionnaire - Some more questions about your cough and breathlessness: My coughing or breathing disturbs my sleep.	SGRQ-C - Coughing Disturbs My Sleep
C106867	SGRQC1-Coughing Hurts	SGRQC1-Coughing Hurts	St. George's Respiratory Questionnaire - Some more questions about your cough and breathlessness: Coughing hurts.	SGRQ-C - Coughing Hurts
C106868	SGRQC1-Coughing Makes Me Tired	SGRQC1-Coughing Makes Me Tired	St. George's Respiratory Questionnaire - Some more questions about your cough and breathlessness: Coughing makes me tired.	SGRQ-C - Coughing Makes Me Tired
C106853	SGRQC1-Describe Your Current Health	SGRQC1-Describe Your Current Health	St. George's Respiratory Questionnaire - Please check one box to show how you describe your current health.	SGRQ-C - Description of Your Current Health
C106861	SGRQC1-Describe Your Resp Problems	SGRQC1-Describe Your Resp Problems	St. George's Respiratory Questionnaire - How would you describe your respiratory problems?	SGRQ-C - Description of Your Respiratory Problems
C106886	SGRQC1-Difficult to Carry Heavy Loads	SGRQC1-Difficult to Carry Heavy Loads	St. George's Respiratory Questionnaire - These are questions about how your activities might be affected by your respiratory problems: My breathing makes it difficult to do things such as carry heavy loads, dig in the garden or shovel snow, jog or walk briskly (5 miles per hour), play tennis or swim.	SGRQ-C - Difficult to Carry Heavy Loads
C106885	SGRQC1-Difficult to Walk Up Hills	SGRQC1-Difficult to Walk Up Hills	St. George's Respiratory Questionnaire - These are questions about how your activities might be affected by your respiratory problems: My breathing makes it difficult to do things such as walk up hills, carry things up stairs, light gardening such as weeding, dance, bowl or play golf.	SGRQ-C - Difficult to Walk Up Hills
C106878	SGRQC1-Everything Too Much Effort	SGRQC1-Everything Too Much Effort	St. George's Respiratory Questionnaire - Questions about other effects that your respiratory problems may have on you: Everything seems too much of an effort.	SGRQ-C - Everything Seems Too Much Effort
C106877	SGRQC1-Exercise Is Not Safe for Me	SGRQC1-Exercise Is Not Safe for Me	St. George's Respiratory Questionnaire - Questions about other effects that your respiratory problems may have on you: Exercise is not safe for me.	SGRQ-C - Exercise Is Not Safe for Me
C106876	SGRQC1-Frail Because of Resp Problems	SGRQC1-Frail Because of Resp Problems	St. George's Respiratory Questionnaire - Questions about other effects that your respiratory problems may have on you: I have become frail or an invalid because of my respiratory problems.	SGRQ-C - Become Frail Because of Respiratory Problems
C106872	SGRQC1-Get Exhausted Easily	SGRQC1-Get Exhausted Easily	St. George's Respiratory Questionnaire - Some more questions about your cough and breathlessness: I get exhausted easily.	SGRQ-C - Get Exhausted Easily
C106858	SGRQC1-How Many Respiratory Attacks	SGRQC1-How Many Respiratory Attacks	St. George's Respiratory Questionnaire - How many respiratory attacks did you have during the last year?	SGRQ-C - Number of Respiratory Attacks Last Year

SGRQ-C - Summary of Respiratory Questionnaire				
C106859	SGRQC1-How Often Do You Have Good Days	SGRQC1-How Often Do You Have Good Days	St. George's Respiratory Questionnaire - How often do you have good days (with few respiratory problems)?	SGRQ-C - Good Days with Few Respiratory Problems
C106887	SGRQC1-How Resp Problems Affect You	SGRQC1-How Resp Problems Affect You	St. George's Respiratory Questionnaire - How do your respiratory problems affect you?	SGRQ-C - How Respiratory Problems Affect You
C106855	SGRQC1-I Bring Up Phlegm	SGRQC1-I Bring Up Phlegm	St. George's Respiratory Questionnaire - I bring up phlegm (sputum).	SGRQ-C - Bring Up Phlegm
C106854	SGRQC1-I Cough	SGRQC1-I Cough	St. George's Respiratory Questionnaire - I cough.	SGRQ-C - Cough
C106857	SGRQC1-I Have Attacks of Wheezing	SGRQC1-I Have Attacks of Wheezing	St. George's Respiratory Questionnaire - I have attacks of wheezing.	SGRQ-C - Have Attacks of Wheezing
C106856	SGRQC1-I Have Shortness of Breath	SGRQC1-I Have Shortness of Breath	St. George's Respiratory Questionnaire - I have shortness of breath.	SGRQ-C - Have Shortness of Breath
C106884	SGRQC1-If I Hurry, I Have to Stop	SGRQC1-If I Hurry, I Have to Stop	St. George's Respiratory Questionnaire - These are questions about how your activities might be affected by your respiratory problems: If I hurry or walk fast, I have to stop or slow down.	SGRQ-C - If Walk Fast Have to Stop
C106882	SGRQC1-Jobs Take a Long Time	SGRQC1-Jobs Take a Long Time	St. George's Respiratory Questionnaire - These are questions about how your activities might be affected by your respiratory problems: Jobs such as household chores take a long time, or I have to stop to rest.	SGRQ-C - Jobs Take a Long Time
C106875	SGRQC1-Not in Control of Resp Problems	SGRQC1-Not in Control of Resp Problems	St. George's Respiratory Questionnaire - Questions about other effects that your respiratory problems may have on you: I feel that I am not in control of my respiratory problems.	SGRQ-C - Not in Control of Respiratory Problems
C107021	SGRQC1-Respiratory Problems a Nuisance	SGRQC1-Respiratory Problems a Nuisance	St. George's Respiratory Questionnaire - Questions about other effects that your respiratory problems may have on you: My respiratory problems are a nuisance to my family, friends or neighbours.	SGRQ-C - Respiratory Problems a Nuisance to Family, Friends or Neighbours
C106870	SGRQC1-Short of Breath When Bend Over	SGRQC1-Short of Breath When Bend Over	St. George's Respiratory Questionnaire - Some more questions about your cough and breathlessness: I am short of breath when I bend over.	SGRQ-C - Short of Breath When Bend Over
C106869	SGRQC1-Short of Breath When Talk	SGRQC1-Short of Breath When Talk	St. George's Respiratory Questionnaire - Some more questions about your cough and breathlessness: I am short of breath when I talk.	SGRQ-C - Short of Breath When Talk
C106879	SGRQC1-Take a Long Time to Get Washed	SGRQC1-Take a Long Time to Get Washed	St. George's Respiratory Questionnaire - These are questions about how your activities might be affected by your respiratory problems: I take a long time to get washed or dressed.	SGRQ-C - Take a Long Time to Get Washed or Dressed
C106881	SGRQC1-Walk Slow Than Others My Age	SGRQC1-Walk Slow Than Others My Age	St. George's Respiratory Questionnaire - These are questions about how your activities might be affected by your respiratory problems: I walk slower than other people my age, or I stop to rest.	SGRQ-C - Walk Slower Than Other People My Age
C106883	SGRQC1-Walk Up Flight of Stairs Slowly	SGRQC1-Walk Up Flight of Stairs Slowly	St. George's Respiratory Questionnaire - These are questions about how your activities might be affected by your respiratory problems: If I walk up one flight of stairs, I have to go slowly or stop.	SGRQ-C - Walk Up Flight of Stairs Slowly
C106863	SGRQC1-Walking Around the House	SGRQC1-Walking Around the House	St. George's Respiratory Questionnaire - Questions about what activities usually make you feel breathless: Walking around the house.	SGRQ-C - Feel Breathless Walking Around the House
C106864	SGRQC1-Walking Outside on Level Ground	SGRQC1-Walking Outside on Level Ground	St. George's Respiratory Questionnaire - Questions about what activities usually make you feel breathless: Walking outside on level ground.	SGRQ-C - Feel Breathless Walking Outside on Level Ground
C106865	SGRQC1-Walking Up a Flight of Stairs	SGRQC1-Walking Up a Flight of Stairs	St. George's Respiratory Questionnaire - Questions about what activities usually make you feel breathless: Walking up a flight of stairs.	SGRQ-C - Feel Breathless Walking Up a Flight of Stairs
C106866	SGRQC1-Walking Up Hills	SGRQC1-Walking Up Hills	St. George's Respiratory Questionnaire - Questions about what activities usually make you feel breathless: Walking up hills.	SGRQ-C - Feel Breathless Walking Up Hills
C106862	SGRQC1-Washing or Dressing Yourself	SGRQC1-Washing or Dressing Yourself	St. George's Respiratory Questionnaire - Questions about what activities usually make you feel breathless: Washing or dressing yourself.	SGRQ-C - Feel Breathless Washing or Dressing Yourself
C106860	SGRQC1-Wheeze Worse in the Morning	SGRQC1-Wheeze Worse in the Morning	St. George's Respiratory Questionnaire - If you wheeze, is it worse when you get up in the morning?	SGRQ-C - Wheezing Worse In the Morning

Suicidal Ideation Questionnaire - I thought it would be better if I was not alive.				
C151326	SIQ0101	SIQ01-Would Be Better If I Was Not Alive	Suicidal Ideation Questionnaire - I thought it would be better if I was not alive.	SIQ - Would Be Better If I Was Not Alive
C151327	SIQ0102	SIQ01-I Thought About Killing Myself	Suicidal Ideation Questionnaire - I thought about killing myself.	SIQ - I Thought About Killing Myself
C151328	SIQ0103	SIQ01-I Thought How I Would Kill Myself	Suicidal Ideation Questionnaire - I thought about how I would kill myself.	SIQ - I Thought How I Would Kill Myself
C151329	SIQ0104	SIQ01-I Thought When I Would Kill Myself	Suicidal Ideation Questionnaire - I thought about when I would kill myself.	SIQ - I Thought When I Would Kill Myself
C151330	SIQ0105	SIQ01-I Thought About People Dying	Suicidal Ideation Questionnaire - I thought about people dying.	SIQ - I Thought About People Dying
C151331	SIQ0106	SIQ01-I Thought About Death	Suicidal Ideation Questionnaire - I thought about death.	SIQ - I Thought About Death
C151332	SIQ0107	SIQ01-What to Write in a Suicide Note	Suicidal Ideation Questionnaire - I thought about what to write in a suicide note.	SIQ - What to Write in a Suicide Note
C151333	SIQ0108	SIQ01-I Thought About Writing a Will	Suicidal Ideation Questionnaire - I thought about writing a will.	SIQ - I Thought About Writing a Will
C151334	SIQ0109	SIQ01-Tell People I Plan to Kill Myself	Suicidal Ideation Questionnaire - I thought about telling people I plan to kill myself.	SIQ - Tell People I Plan to Kill Myself
C151335	SIQ0110	SIQ01-People Happier If Not Around	Suicidal Ideation Questionnaire - I thought that people would be happier if I were not around.	SIQ - People Happier If Not Around
C151336	SIQ0111	SIQ01-How People Feel If I Killed Myself	Suicidal Ideation Questionnaire - I thought about how people would feel if I killed myself.	SIQ - How People Feel If I Killed Myself
C151337	SIQ0112	SIQ01-I Wished I Were Dead	Suicidal Ideation Questionnaire - I wished I were dead.	SIQ - I Wished I Were Dead
C151338	SIQ0113	SIQ01-How Easy It Would Be to End It All	Suicidal Ideation Questionnaire - I thought about how easy it would be to end it all.	SIQ - How Easy It Would Be to End It All
C151339	SIQ0114	SIQ01-Killing Myself Would Solve Problem	Suicidal Ideation Questionnaire - I thought that killing myself would solve my problems.	SIQ - Killing Myself Would Solve Problem
C151340	SIQ0115	SIQ01-Others Better Off If I Was Dead	Suicidal Ideation Questionnaire - I thought others would be better off if I was dead.	SIQ - Others Better Off If I Was Dead
C151341	SIQ0116	SIQ01-Wished I Had the Nerve Kill Myself	Suicidal Ideation Questionnaire - I wished I had the nerve to kill myself.	SIQ - Wished I Had the Nerve Kill Myself
C151342	SIQ0117	SIQ01-Wished I Had Never Been Born	Suicidal Ideation Questionnaire - I wished that I had never been born.	SIQ - Wished I Had Never Been Born
C151343	SIQ0118	SIQ01-If Had Chance I Would Kill Myself	Suicidal Ideation Questionnaire - I thought if I had the chance I would kill myself.	SIQ - If Had Chance I Would Kill Myself
C151344	SIQ0119	SIQ01-Thought Way People Kill Themselves	Suicidal Ideation Questionnaire - I thought about ways people kill themselves.	SIQ - Thought Way People Kill Themselves
C151345	SIQ0120	SIQ01-Thought Killing Myself Not Do It	Suicidal Ideation Questionnaire - I thought about killing myself, but would not do it.	SIQ - Thought Killing Myself Not Do It
C151346	SIQ0121	SIQ01-Thought About Having Bad Accident	Suicidal Ideation Questionnaire - I thought about having a bad accident.	SIQ - Thought About Having Bad Accident
C151347	SIQ0122	SIQ01-Thought Life Was Not Worth Living	Suicidal Ideation Questionnaire - I thought that life was not worth living.	SIQ - Thought Life Was Not Worth Living
C151348	SIQ0123	SIQ01-My Life Was Too Rotten to Continue	Suicidal Ideation Questionnaire - I thought that my life was too rotten to continue.	SIQ - My Life Was Too Rotten to Continue
C151349	SIQ0124	SIQ01-Only Way Be Noticed Is Kill Myself	Suicidal Ideation Questionnaire - I thought that the only way to be noticed is to kill myself.	SIQ - Only Way Be Noticed Is Kill Myself
C151350	SIQ0125	SIQ01-People Realize Worth Caring About	Suicidal Ideation Questionnaire - I thought that if I killed myself people would realize I was worth caring about.	SIQ - People Realize Worth Caring About
C151351	SIQ0126	SIQ01-No One Cared If I Lived or Died	Suicidal Ideation Questionnaire - I thought that no one cared if I lived or died.	SIQ - No One Cared If I Lived or Died
C151352	SIQ0127	SIQ01-Hurting Myself but Not Kill Myself	Suicidal Ideation Questionnaire - I thought about hurting myself but not really killing myself.	SIQ - Hurting Myself but Not Kill Myself

Suicidal Ideation Questionnaire - SIQ				
C151353	SIQ0128	SIQ01-Wondered If Had Nerve Kill Myself	Suicidal Ideation Questionnaire - I wondered if I had the nerve to kill myself.	SIQ - Wondered If Had Nerve Kill Myself
C151354	SIQ0129	SIQ01-If Things Not Better I Kill Myself	Suicidal Ideation Questionnaire - I thought that if things did not get better I would kill myself.	SIQ - If Things Not Better I Kill Myself
C151355	SIQ0130	SIQ01-Wished I Had Right to Kill Myself	Suicidal Ideation Questionnaire - I wished that I had the right to kill myself.	SIQ - Wished I Had Right to Kill Myself
C151356	SIQ0131	SIQ01-TS	Suicidal Ideation Questionnaire - TS (total raw score).	SIQ - TS
C151357	SIQ0132	SIQ01-Total %	Suicidal Ideation Questionnaire - Total standardization sample %.	SIQ - Total %
C151358	SIQ0133	SIQ01-Specific %: Standard Sample 1	Suicidal Ideation Questionnaire - Specific standardization %: Sample 1.	SIQ - Specific %: Standard Sample 1
C151359	SIQ0134	SIQ01-Specific %: Standard Sample 2	Suicidal Ideation Questionnaire - Specific standardization %: Sample 2.	SIQ - Specific %: Standard Sample 2
C151360	SIQ0135	SIQ01-Specific %: Standard Sample 3	Suicidal Ideation Questionnaire - Specific standardization %: Sample 3.	SIQ - Specific %: Standard Sample 3
C151361	SIQ0136	SIQ01-Critical Item 1	Suicidal Ideation Questionnaire - Critical item 1.	SIQ - Critical Item 1
C151362	SIQ0137	SIQ01-Critical Item 2	Suicidal Ideation Questionnaire - Critical item 2.	SIQ - Critical Item 2
C151363	SIQ0138	SIQ01-Critical Item 3	Suicidal Ideation Questionnaire - Critical item 3.	SIQ - Critical Item 3
C151364	SIQ0139	SIQ01-Critical Item 4	Suicidal Ideation Questionnaire - Critical item 4.	SIQ - Critical Item 4
C151365	SIQ0140	SIQ01-Critical Item 5	Suicidal Ideation Questionnaire - Critical item 5.	SIQ - Critical Item 5
C151366	SIQ0141	SIQ01-Critical Item 6	Suicidal Ideation Questionnaire - Critical item 6.	SIQ - Critical Item 6
C151367	SIQ0142	SIQ01-Critical Item 7	Suicidal Ideation Questionnaire - Critical item 7.	SIQ - Critical Item 7
C151368	SIQ0143	SIQ01-Critical Item 8	Suicidal Ideation Questionnaire - Critical item 8.	SIQ - Critical Item 8

C151361	SIQ01-Critical Item 1	SIQ01-Critical Item 1	Suicidal Ideation Questionnaire - Critical item 1.	SIQ - Critical Item 1
C151362	SIQ01-Critical Item 2	SIQ01-Critical Item 2	Suicidal Ideation Questionnaire - Critical item 2.	SIQ - Critical Item 2
C151363	SIQ01-Critical Item 3	SIQ01-Critical Item 3	Suicidal Ideation Questionnaire - Critical item 3.	SIQ - Critical Item 3
C151364	SIQ01-Critical Item 4	SIQ01-Critical Item 4	Suicidal Ideation Questionnaire - Critical item 4.	SIQ - Critical Item 4
C151365	SIQ01-Critical Item 5	SIQ01-Critical Item 5	Suicidal Ideation Questionnaire - Critical item 5.	SIQ - Critical Item 5
C151366	SIQ01-Critical Item 6	SIQ01-Critical Item 6	Suicidal Ideation Questionnaire - Critical item 6.	SIQ - Critical Item 6
C151367	SIQ01-Critical Item 7	SIQ01-Critical Item 7	Suicidal Ideation Questionnaire - Critical item 7.	SIQ - Critical Item 7
C151368	SIQ01-Critical Item 8	SIQ01-Critical Item 8	Suicidal Ideation Questionnaire - Critical item 8.	SIQ - Critical Item 8
C151338	SIQ01-How Easy It Would Be to End It All	SIQ01-How Easy It Would Be to End It All	Suicidal Ideation Questionnaire - I thought about how easy it would be to end it all.	SIQ - How Easy It Would Be to End It All
C151336	SIQ01-How People Feel If I Killed Myself	SIQ01-How People Feel If I Killed Myself	Suicidal Ideation Questionnaire - I thought about how people would feel if I killed myself.	SIQ - How People Feel If I Killed Myself
C151352	SIQ01-Hurting Myself but Not Kill Myself	SIQ01-Hurting Myself but Not Kill Myself	Suicidal Ideation Questionnaire - I thought about hurting myself but not really killing myself.	SIQ - Hurting Myself but Not Kill Myself
C151331	SIQ01-I Thought About Death	SIQ01-I Thought About Death	Suicidal Ideation Questionnaire - I thought about death.	SIQ - I Thought About Death
C151327	SIQ01-I Thought About Killing Myself	SIQ01-I Thought About Killing Myself	Suicidal Ideation Questionnaire - I thought about killing myself.	SIQ - I Thought About Killing Myself
C151330	SIQ01-I Thought About People Dying	SIQ01-I Thought About People Dying	Suicidal Ideation Questionnaire - I thought about people dying.	SIQ - I Thought About People Dying
C151333	SIQ01-I Thought About Writing a Will	SIQ01-I Thought About Writing a Will	Suicidal Ideation Questionnaire - I thought about writing a will.	SIQ - I Thought About Writing a Will
C151328	SIQ01-I Thought How I Would Kill Myself	SIQ01-I Thought How I Would Kill Myself	Suicidal Ideation Questionnaire - I thought about how I would kill myself.	SIQ - I Thought How I Would Kill Myself
C151329	SIQ01-I Thought When I Would Kill Myself	SIQ01-I Thought When I Would Kill Myself	Suicidal Ideation Questionnaire - I thought about when I would kill myself.	SIQ - I Thought When I Would Kill Myself
C151337	SIQ01-I Wished I Were Dead	SIQ01-I Wished I Were Dead	Suicidal Ideation Questionnaire - I wished I were dead.	SIQ - I Wished I Were Dead
C151343	SIQ01-If Had Chance I Would Kill Myself	SIQ01-If Had Chance I Would Kill Myself	Suicidal Ideation Questionnaire - I thought if I had the chance I would kill myself.	SIQ - If Had Chance I Would Kill Myself
C151354	SIQ01-If Things Not Better I Kill Myself	SIQ01-If Things Not Better I Kill Myself	Suicidal Ideation Questionnaire - I thought that if things did not get better I would kill myself.	SIQ - If Things Not Better I Kill Myself
C151339	SIQ01-Killing Myself Would Solve Problem	SIQ01-Killing Myself Would Solve Problem	Suicidal Ideation Questionnaire - I thought that killing myself would solve my problems.	SIQ - Killing Myself Would Solve Problem
C151348	SIQ01-My Life Was Too Rotten to Continue	SIQ01-My Life Was Too Rotten to Continue	Suicidal Ideation Questionnaire - I thought that my life was too rotten to continue.	SIQ - My Life Was Too Rotten to Continue
C151351	SIQ01-No One Cared If I Lived or Died	SIQ01-No One Cared If I Lived or Died	Suicidal Ideation Questionnaire - I thought that no one cared if I lived or died.	SIQ - No One Cared If I Lived or Died
C151349	SIQ01-Only Way Be Noticed Is Kill Myself	SIQ01-Only Way Be Noticed Is Kill Myself	Suicidal Ideation Questionnaire - I thought that the only way to be noticed is to kill myself.	SIQ - Only Way Be Noticed Is Kill Myself
C151340	SIQ01-Others Better Off If I Was Dead	SIQ01-Others Better Off If I Was Dead	Suicidal Ideation Questionnaire - I thought others would be better off if I was dead.	SIQ - Others Better Off If I Was Dead
C151335	SIQ01-People Happier If Not Around	SIQ01-People Happier If Not Around	Suicidal Ideation Questionnaire - I thought that people would be happier if I were not around.	SIQ - People Happier If Not Around
C151350	SIQ01-People Realize Worth Caring About	SIQ01-People Realize Worth Caring About	Suicidal Ideation Questionnaire - I thought that if I killed myself people would realize I was worth caring about.	SIQ - People Realize Worth Caring About
C151358	SIQ01-Specific %: Standard Sample 1	SIQ01-Specific %: Standard Sample 1	Suicidal Ideation Questionnaire - Specific standardization %: Sample 1.	SIQ - Specific %: Standard Sample 1
C151359	SIQ01-Specific %: Standard Sample 2	SIQ01-Specific %: Standard Sample 2	Suicidal Ideation Questionnaire - Specific standardization %: Sample 2.	SIQ - Specific %: Standard Sample 2
C151360	SIQ01-Specific %: Standard Sample 3	SIQ01-Specific %: Standard Sample 3	Suicidal Ideation Questionnaire - Specific standardization %: Sample 3.	SIQ - Specific %: Standard Sample 3

C151334	SIQ01-Tell People I Plan to Kill Myself	SIQ01-Tell People I Plan to Kill Myself	Suicidal Ideation Questionnaire - I thought about telling people I plan to kill myself.	SIQ - Tell People I Plan to Kill Myself
C151346	SIQ01-Thought About Having Bad Accident	SIQ01-Thought About Having Bad Accident	Suicidal Ideation Questionnaire - I thought about having a bad accident.	SIQ - Thought About Having Bad Accident
C151345	SIQ01-Thought Killing Myself Not Do It	SIQ01-Thought Killing Myself Not Do It	Suicidal Ideation Questionnaire - I thought about killing myself, but would not do it.	SIQ - Thought Killing Myself Not Do It
C151347	SIQ01-Thought Life Was Not Worth Living	SIQ01-Thought Life Was Not Worth Living	Suicidal Ideation Questionnaire - I thought that life was not worth living.	SIQ - Thought Life Was Not Worth Living
C151344	SIQ01-Thought Way People Kill Themselves	SIQ01-Thought Way People Kill Themselves	Suicidal Ideation Questionnaire - I thought about ways people kill themselves.	SIQ - Thought Way People Kill Themselves
C151357	SIQ01-Total %	SIQ01-Total %	Suicidal Ideation Questionnaire - Total standardization sample %.	SIQ - Total %
C151356	SIQ01-TS	SIQ01-TS	Suicidal Ideation Questionnaire - TS (total raw score).	SIQ - TS
C151332	SIQ01-What to Write in a Suicide Note	SIQ01-What to Write in a Suicide Note	Suicidal Ideation Questionnaire - I thought about what to write in a suicide note.	SIQ - What to Write in a Suicide Note
C151342	SIQ01-Wished I Had Never Been Born	SIQ01-Wished I Had Never Been Born	Suicidal Ideation Questionnaire - I wished that I had never been born.	SIQ - Wished I Had Never Been Born
C151355	SIQ01-Wished I Had Right to Kill Myself	SIQ01-Wished I Had Right to Kill Myself	Suicidal Ideation Questionnaire - I wished that I had the right to kill myself.	SIQ - Wished I Had Right to Kill Myself
C151341	SIQ01-Wished I Had the Nerve Kill Myself	SIQ01-Wished I Had the Nerve Kill Myself	Suicidal Ideation Questionnaire - I wished I had the nerve to kill myself.	SIQ - Wished I Had the Nerve Kill Myself
C151353	SIQ01-Wondered If Had Nerve Kill Myself	SIQ01-Wondered If Had Nerve Kill Myself	Suicidal Ideation Questionnaire - I wondered if I had the nerve to kill myself.	SIQ - Wondered If Had Nerve Kill Myself
C151326	SIQ01-Would Be Better If I Was Not Alive	SIQ01-Would Be Better If I Was Not Alive	Suicidal Ideation Questionnaire - I thought it would be better if I was not alive.	SIQ - Would Be Better If I Was Not Alive

C151369	SIQ0201	SIQ02-Would Be Better If I Was Not Alive	Suicidal Ideation Questionnaire-JR - I thought it would be better if I was not live.	SIQ-JR - Would Be Better If I Was Not Alive
C151370	SIQ0202	SIQ02-I Thought About Killing Myself	Suicidal Ideation Questionnaire-JR - I thought about killing myself.	SIQ-JR - I Thought About Killing Myself
C151371	SIQ0203	SIQ02-I Thought How I Would Kill Myself	Suicidal Ideation Questionnaire-JR - I thought about how I would kill myself.	SIQ-JR - I Thought How I Would Kill Myself
C151372	SIQ0204	SIQ02-I Thought When I Would Kill Myself	Suicidal Ideation Questionnaire-JR - I thought about when I would kill myself.	SIQ-JR - I Thought When I Would Kill Myself
C151373	SIQ0205	SIQ02-I Thought About People Dying	Suicidal Ideation Questionnaire-JR - I thought about people dying.	SIQ-JR - I Thought About People Dying
C151374	SIQ0206	SIQ02-I Thought About Death	Suicidal Ideation Questionnaire-JR - I thought about death.	SIQ-JR - I Thought About Death
C151375	SIQ0207	SIQ02-What to Write in a Suicide Note	Suicidal Ideation Questionnaire-JR - I thought about what to write in a suicide note.	SIQ-JR - What to Write in a Suicide Note
C151376	SIQ0208	SIQ02-I Thought About Writing a Will	Suicidal Ideation Questionnaire-JR - I thought about writing a will.	SIQ-JR - I Thought About Writing a Will
C151377	SIQ0209	SIQ02-Tell People I Plan to Kill Myself	Suicidal Ideation Questionnaire-JR - I thought about telling people I plan to kill myself.	SIQ-JR - Tell People I Plan to Kill Myself
C151378	SIQ0210	SIQ02-How People Feel If I Killed Myself	Suicidal Ideation Questionnaire-JR - I thought about how people would feel if I killed myself.	SIQ-JR - How People Feel If I Killed Myself
C151379	SIQ0211	SIQ02-I Wished I Were Dead	Suicidal Ideation Questionnaire-JR - I wished I were dead.	SIQ-JR - I Wished I Were Dead
C151380	SIQ0212	SIQ02-Killing Myself Would Solve Problem	Suicidal Ideation Questionnaire-JR - I thought that killing myself would solve my problems.	SIQ-JR - Killing Myself Would Solve Problem
C151381	SIQ0213	SIQ02-Others Be Happier If I Was Dead	Suicidal Ideation Questionnaire-JR - I thought that others would be happier if I was dead.	SIQ-JR - Others Be Happier If I Was Dead
C151382	SIQ0214	SIQ02-Wished I Had Never Been Born	Suicidal Ideation Questionnaire-JR - I wished that I had never been born.	SIQ-JR - Wished I Had Never Been Born
C151383	SIQ0215	SIQ02-No One Cared If I Lived or Died	Suicidal Ideation Questionnaire-JR - I thought that no one cared if I lived or died.	SIQ-JR - No One Cared If I Lived or Died
C151384	SIQ0216	SIQ02-TS	Suicidal Ideation Questionnaire-JR - TS (total raw score).	SIQ-JR - TS
C151385	SIQ0217	SIQ02-Total %	Suicidal Ideation Questionnaire-JR - Total standardization sample %.	SIQ-JR - Total %
C151386	SIQ0218	SIQ02-Specific %: Standard Sample 1	Suicidal Ideation Questionnaire-JR - Specific standardization %: Sample 1.	SIQ-JR - Specific %: Standard Sample 1
C151387	SIQ0219	SIQ02-Specific %: Standard Sample 2	Suicidal Ideation Questionnaire-JR - Specific standardization %: Sample 2.	SIQ-JR - Specific %: Standard Sample 2
C151388	SIQ0220	SIQ02-Specific %: Standard Sample 3	Suicidal Ideation Questionnaire-JR - Specific standardization %: Sample 3.	SIQ-JR - Specific %: Standard Sample 3
C151389	SIQ0221	SIQ02-Critical Item 1	Suicidal Ideation Questionnaire-JR - Critical item 1.	SIQ-JR - Critical Item 1
C151390	SIQ0222	SIQ02-Critical Item 2	Suicidal Ideation Questionnaire-JR - Critical item 2.	SIQ-JR - Critical Item 2
C151391	SIQ0223	SIQ02-Critical Item 3	Suicidal Ideation Questionnaire-JR - Critical item 3.	SIQ-JR - Critical Item 3
C151392	SIQ0224	SIQ02-Critical Item 4	Suicidal Ideation Questionnaire-JR - Critical item 4.	SIQ-JR - Critical Item 4
C151393	SIQ0225	SIQ02-Critical Item 5	Suicidal Ideation Questionnaire-JR - Critical item 5.	SIQ-JR - Critical Item 5
C151394	SIQ0226	SIQ02-Critical Item 6	Suicidal Ideation Questionnaire-JR - Critical item 6.	SIQ-JR - Critical Item 6

C151389	SIQ02-Critical Item 1	SIQ02-Critical Item 1	Suicidal Ideation Questionnaire-JR - Critical item 1.	SIQ-JR - Critical Item 1
C151390	SIQ02-Critical Item 2	SIQ02-Critical Item 2	Suicidal Ideation Questionnaire-JR - Critical item 2.	SIQ-JR - Critical Item 2
C151391	SIQ02-Critical Item 3	SIQ02-Critical Item 3	Suicidal Ideation Questionnaire-JR - Critical item 3.	SIQ-JR - Critical Item 3
C151392	SIQ02-Critical Item 4	SIQ02-Critical Item 4	Suicidal Ideation Questionnaire-JR - Critical item 4.	SIQ-JR - Critical Item 4
C151393	SIQ02-Critical Item 5	SIQ02-Critical Item 5	Suicidal Ideation Questionnaire-JR - Critical item 5.	SIQ-JR - Critical Item 5
C151394	SIQ02-Critical Item 6	SIQ02-Critical Item 6	Suicidal Ideation Questionnaire-JR - Critical item 6.	SIQ-JR - Critical Item 6
C151378	SIQ02-How People Feel If I Killed Myself	SIQ02-How People Feel If I Killed Myself	Suicidal Ideation Questionnaire-JR - I thought about how people would feel if I killed myself.	SIQ-JR - How People Feel If I Killed Myself
C151374	SIQ02-I Thought About Death	SIQ02-I Thought About Death	Suicidal Ideation Questionnaire-JR - I thought about death.	SIQ-JR - I Thought About Death
C151370	SIQ02-I Thought About Killing Myself	SIQ02-I Thought About Killing Myself	Suicidal Ideation Questionnaire-JR - I thought about killing myself.	SIQ-JR - I Thought About Killing Myself
C151373	SIQ02-I Thought About People Dying	SIQ02-I Thought About People Dying	Suicidal Ideation Questionnaire-JR - I thought about people dying.	SIQ-JR - I Thought About People Dying
C151376	SIQ02-I Thought About Writing a Will	SIQ02-I Thought About Writing a Will	Suicidal Ideation Questionnaire-JR - I thought about writing a will.	SIQ-JR - I Thought About Writing a Will
C151371	SIQ02-I Thought How I Would Kill Myself	SIQ02-I Thought How I Would Kill Myself	Suicidal Ideation Questionnaire-JR - I thought about how I would kill myself.	SIQ-JR - I Thought How I Would Kill Myself
C151372	SIQ02-I Thought When I Would Kill Myself	SIQ02-I Thought When I Would Kill Myself	Suicidal Ideation Questionnaire-JR - I thought about when I would kill myself.	SIQ-JR - I Thought When I Would Kill Myself
C151379	SIQ02-I Wished I Were Dead	SIQ02-I Wished I Were Dead	Suicidal Ideation Questionnaire-JR - I wished I were dead.	SIQ-JR - I Wished I Were Dead
C151380	SIQ02-Killing Myself Would Solve Problem	SIQ02-Killing Myself Would Solve Problem	Suicidal Ideation Questionnaire-JR - I thought that killing myself would solve my problems.	SIQ-JR - Killing Myself Would Solve Problem
C151383	SIQ02-No One Cared If I Lived or Died	SIQ02-No One Cared If I Lived or Died	Suicidal Ideation Questionnaire-JR - I thought that no one cared if I lived or died.	SIQ-JR - No One Cared If I Lived or Died
C151381	SIQ02-Others Be Happier If I Was Dead	SIQ02-Others Be Happier If I Was Dead	Suicidal Ideation Questionnaire-JR - I thought that others would be happier if I was dead.	SIQ-JR - Others Be Happier If I Was Dead
C151386	SIQ02-Specific %: Standard Sample 1	SIQ02-Specific %: Standard Sample 1	Suicidal Ideation Questionnaire-JR - Specific standardization %: Sample 1.	SIQ-JR - Specific %: Standard Sample 1
C151387	SIQ02-Specific %: Standard Sample 2	SIQ02-Specific %: Standard Sample 2	Suicidal Ideation Questionnaire-JR - Specific standardization %: Sample 2.	SIQ-JR - Specific %: Standard Sample 2
C151388	SIQ02-Specific %: Standard Sample 3	SIQ02-Specific %: Standard Sample 3	Suicidal Ideation Questionnaire-JR - Specific standardization %: Sample 3.	SIQ-JR - Specific %: Standard Sample 3
C151377	SIQ02-Tell People I Plan to Kill Myself	SIQ02-Tell People I Plan to Kill Myself	Suicidal Ideation Questionnaire-JR - I thought about telling people I plan to kill myself.	SIQ-JR - Tell People I Plan to Kill Myself
C151385	SIQ02-Total %	SIQ02-Total %	Suicidal Ideation Questionnaire-JR - Total standardization sample %.	SIQ-JR - Total %
C151384	SIQ02-TS	SIQ02-TS	Suicidal Ideation Questionnaire-JR - TS (total raw score).	SIQ-JR - TS
C151375	SIQ02-What to Write in a Suicide Note	SIQ02-What to Write in a Suicide Note	Suicidal Ideation Questionnaire-JR - I thought about what to write in a suicide note.	SIQ-JR - What to Write in a Suicide Note
C151382	SIQ02-Wished I Had Never Been Born	SIQ02-Wished I Had Never Been Born	Suicidal Ideation Questionnaire-JR - I wished that I had never been born.	SIQ-JR - Wished I Had Never Been Born
C151369	SIQ02-Would Be Better If I Was Not Alive	SIQ02-Would Be Better If I Was Not Alive	Suicidal Ideation Questionnaire-JR - I thought it would be better if I was not alive.	SIQ-JR - Would Be Better If I Was Not Alive

C103730	SIQR0101	SIQR01-Brush or Comb Your Hair	Symptom Impact Questionnaire - Brush or comb your hair.	SIQR - Brush or Comb Your Hair
C103731	SIQR0102	SIQR01-Walk Continuously for 20 Minutes	Symptom Impact Questionnaire - Walk continuously for 20 minutes.	SIQR - Walk Continuously for 20 Minutes
C103732	SIQR0103	SIQR01-Prepare a Homemade Meal	Symptom Impact Questionnaire - Prepare a homemade meal.	SIQR - Prepare a Homemade Meal
C103733	SIQR0104	SIQR01-Vacuum Scrub or Sweep Floors	Symptom Impact Questionnaire - Vacuum, scrub or sweep floors.	SIQR - Vacuum Scrub or Sweep Floors
C103734	SIQR0105	SIQR01-Lift/Carry Bag Full of Groceries	Symptom Impact Questionnaire - Lift and carry a bag full of groceries.	SIQR - Lift and Carry a Bag Full of Groceries
C103735	SIQR0106	SIQR01-Climb One Flight of Stairs	Symptom Impact Questionnaire - Climb one flight of stairs.	SIQR - Climb One Flight of Stairs
C103736	SIQR0107	SIQR01-Change Bed Sheets	Symptom Impact Questionnaire - Change bed sheets.	SIQR - Change Bed Sheets
C103737	SIQR0108	SIQR01-Sit in a Chair for 45 Minutes	Symptom Impact Questionnaire - Sit in a chair for 45 minutes.	SIQR - Sit in a Chair for 45 Minutes
C103738	SIQR0109	SIQR01-Go Shopping for Groceries	Symptom Impact Questionnaire - Go shopping for groceries.	SIQR - Go Shopping for Groceries
C103739	SIQR0110	SIQR01-Prevent from Accomplishing Goals	Symptom Impact Questionnaire - My medical problems prevented me from accomplishing goals for week.	SIQR - My Medical Problem Prevented Me from Accomplishing Goals for the Week
C103740	SIQR0111	SIQR01-Overwhelmed by Medical Problems	Symptom Impact Questionnaire - I was completely overwhelmed by my medical problems.	SIQR - I was Completely Overwhelmed by My Medical Problem
C103741	SIQR0112	SIQR01-Pain	Symptom Impact Questionnaire - Please rate your level of pain.	SIQR - Pain
C103742	SIQR0113	SIQR01-Energy	Symptom Impact Questionnaire - Please rate your level of energy.	SIQR - Energy
C103743	SIQR0114	SIQR01-Stiffness	Symptom Impact Questionnaire - Please rate your level of stiffness.	SIQR - Stiffness
C103744	SIQR0115	SIQR01-Your Sleep	Symptom Impact Questionnaire - Please rate the quality of your sleep.	SIQR - Your Sleep
C103745	SIQR0116	SIQR01-Depression	Symptom Impact Questionnaire - Please rate your level of depression.	SIQR - Depression
C103746	SIQR0117	SIQR01-Memory Problems	Symptom Impact Questionnaire - Please rate your level of memory problems.	SIQR - Memory Problems
C103747	SIQR0118	SIQR01-Anxiety	Symptom Impact Questionnaire - Please rate your level of anxiety.	SIQR - Anxiety
C103748	SIQR0119	SIQR01-Tenderness to Touch	Symptom Impact Questionnaire - Please rate your level of tenderness to touch.	SIQR - Tenderness to Touch
C103749	SIQR0120	SIQR01-Balance Problems	Symptom Impact Questionnaire - Please rate your level of balance problems.	SIQR - Balance Problems
C103750	SIQR0121	SIQR01-Sensitivity Noise/Light/Odor/Cold	Symptom Impact Questionnaire - Please rate your level of sensitivity to loud noises, bright lights, odors and cold.	SIQR - Sensitivity to Loud Noises, Bright Lights, Odors and Cold

C103747	SIQR01-Anxiety	SIQR01-Anxiety	Symptom Impact Questionnaire - Please rate your level of anxiety.	SIQR - Anxiety
C103749	SIQR01-Balance Problems	SIQR01-Balance Problems	Symptom Impact Questionnaire - Please rate your level of balance problems.	SIQR - Balance Problems
C103730	SIQR01-Brush or Comb Your Hair	SIQR01-Brush or Comb Your Hair	Symptom Impact Questionnaire - Brush or comb your hair.	SIQR - Brush or Comb Your Hair
C103736	SIQR01-Change Bed Sheets	SIQR01-Change Bed Sheets	Symptom Impact Questionnaire - Change bed sheets.	SIQR - Change Bed Sheets
C103735	SIQR01-Climb One Flight of Stairs	SIQR01-Climb One Flight of Stairs	Symptom Impact Questionnaire - Climb one flight of stairs.	SIQR - Climb One Flight of Stairs
C103745	SIQR01-Depression	SIQR01-Depression	Symptom Impact Questionnaire - Please rate your level of depression.	SIQR - Depression
C103742	SIQR01-Energy	SIQR01-Energy	Symptom Impact Questionnaire - Please rate your level of energy.	SIQR - Energy
C103738	SIQR01-Go Shopping for Groceries	SIQR01-Go Shopping for Groceries	Symptom Impact Questionnaire - Go shopping for groceries.	SIQR - Go Shopping for Groceries
C103734	SIQR01-Lift/Carry Bag Full of Groceries	SIQR01-Lift/Carry Bag Full of Groceries	Symptom Impact Questionnaire - Lift and carry a bag full of groceries.	SIQR - Lift and Carry a Bag Full of Groceries
C103746	SIQR01-Memory Problems	SIQR01-Memory Problems	Symptom Impact Questionnaire - Please rate your level of memory problems.	SIQR - Memory Problems
C103740	SIQR01-Overwhelmed by Medical Problems	SIQR01-Overwhelmed by Medical Problems	Symptom Impact Questionnaire - I was completely overwhelmed by my medical problems.	SIQR - I was Completely Overwhelmed by My Medical Problem
C103741	SIQR01-Pain	SIQR01-Pain	Symptom Impact Questionnaire - Please rate your level of pain.	SIQR - Pain
C103732	SIQR01-Prepare a Homemade Meal	SIQR01-Prepare a Homemade Meal	Symptom Impact Questionnaire - Prepare a homemade meal.	SIQR - Prepare a Homemade Meal
C103739	SIQR01-Prevent from Accomplishing Goals	SIQR01-Prevent from Accomplishing Goals	Symptom Impact Questionnaire - My medical problems prevented me from accomplishing goals for week.	SIQR - My Medical Problem Prevented Me from Accomplishing Goals for the Week
C103750	SIQR01-Sensitivity Noise/Light/Odor/Cold	SIQR01-Sensitivity Noise/Light/Odor/Cold	Symptom Impact Questionnaire - Please rate your level of sensitivity to loud noises, bright lights, odors and cold.	SIQR - Sensitivity to Loud Noises, Bright Lights, Odors and Cold
C103737	SIQR01-Sit in a Chair for 45 Minutes	SIQR01-Sit in a Chair for 45 Minutes	Symptom Impact Questionnaire - Sit in a chair for 45 minutes.	SIQR - Sit in a Chair for 45 Minutes
C103743	SIQR01-Stiffness	SIQR01-Stiffness	Symptom Impact Questionnaire - Please rate your level of stiffness.	SIQR - Stiffness
C103748	SIQR01-Tenderness to Touch	SIQR01-Tenderness to Touch	Symptom Impact Questionnaire - Please rate your level of tenderness to touch.	SIQR - Tenderness to Touch
C103733	SIQR01-Vacuum Scrub or Sweep Floors	SIQR01-Vacuum Scrub or Sweep Floors	Symptom Impact Questionnaire - Vacuum, scrub or sweep floors.	SIQR - Vacuum Scrub or Sweep Floors
C103731	SIQR01-Walk Continuously for 20 Minutes	SIQR01-Walk Continuously for 20 Minutes	Symptom Impact Questionnaire - Walk continuously for 20 minutes.	SIQR - Walk Continuously for 20 Minutes
C103744	SIQR01-Your Sleep	SIQR01-Your Sleep	Symptom Impact Questionnaire - Please rate the quality of your sleep.	SIQR - Your Sleep

C115800	SIXMW101	SIXMW1-Distance at 1 Minute	6 Minute Walk Test - Distance at 1 minute.	6MWT - Distance at 1 Minute
C115801	SIXMW102	SIXMW1-Distance at 2 Minutes	6 Minute Walk Test - Distance at 2 minutes.	6MWT - Distance at 2 Minutes
C115802	SIXMW103	SIXMW1-Distance at 3 Minutes	6 Minute Walk Test - Distance at 3 minutes.	6MWT - Distance at 3 Minutes
C115803	SIXMW104	SIXMW1-Distance at 4 Minutes	6 Minute Walk Test - Distance at 4 minutes.	6MWT - Distance at 4 Minutes
C115804	SIXMW105	SIXMW1-Distance at 5 Minutes	6 Minute Walk Test - Distance at 5 minutes.	6MWT - Distance at 5 Minutes
C115805	SIXMW106	SIXMW1-Distance at 6 Minutes	6 Minute Walk Test - Distance at 6 minutes.	6MWT - Distance at 6 Minutes

C115800	SIXMW1-Distance at 1 Minute	SIXMW1-Distance at 1 Minute	6 Minute Walk Test - Distance at 1 minute.	6MWT - Distance at 1 Minute
C115801	SIXMW1-Distance at 2 Minutes	SIXMW1-Distance at 2 Minutes	6 Minute Walk Test - Distance at 2 minutes.	6MWT - Distance at 2 Minutes
C115802	SIXMW1-Distance at 3 Minutes	SIXMW1-Distance at 3 Minutes	6 Minute Walk Test - Distance at 3 minutes.	6MWT - Distance at 3 Minutes
C115803	SIXMW1-Distance at 4 Minutes	SIXMW1-Distance at 4 Minutes	6 Minute Walk Test - Distance at 4 minutes.	6MWT - Distance at 4 Minutes
C115804	SIXMW1-Distance at 5 Minutes	SIXMW1-Distance at 5 Minutes	6 Minute Walk Test - Distance at 5 minutes.	6MWT - Distance at 5 Minutes
C115805	SIXMW1-Distance at 6 Minutes	SIXMW1-Distance at 6 Minutes	6 Minute Walk Test - Distance at 6 minutes.	6MWT - Distance at 6 Minutes

C155629	SMDDS101	SMDDS1-How Sad Have You Felt	Symptoms of Major Depressive Disorder Scale v1.0 - Over the past 7 days, how sad have you felt?	SMDDS Version 1.0 - How Sad Have You Felt
C155630	SMDDS102	SMDDS1-How Hopeless Have You Felt	Symptoms of Major Depressive Disorder Scale v1.0 - Over the past 7 days, how hopeless have you felt?	SMDDS Version 1.0 - How Hopeless Have You Felt
C155631	SMDDS103	SMDDS1-How Irritable Have You Felt	Symptoms of Major Depressive Disorder Scale v1.0 - Over the past 7 days, how irritable have you felt?	SMDDS Version 1.0 - How Irritable Have You Felt
C155632	SMDDS104	SMDDS1-How Overwhelmed Have You Felt	Symptoms of Major Depressive Disorder Scale v1.0 - Over the past 7 days, how overwhelmed have you felt?	SMDDS Version 1.0 - How Overwhelmed Have You Felt
C155633	SMDDS105	SMDDS1-How Worried Have You Felt	Symptoms of Major Depressive Disorder Scale v1.0 - Over the past 7 days, how worried have you felt?	SMDDS Version 1.0 - How Worried Have You Felt
C155634	SMDDS106	SMDDS1-How Tired Have You Felt	Symptoms of Major Depressive Disorder Scale v1.0 - Over the past 7 days, how tired have you felt?	SMDDS Version 1.0 - How Tired Have You Felt
C155635	SMDDS107	SMDDS1-How Difficult Stop Think Problems	Symptoms of Major Depressive Disorder Scale v1.0 - Over the past 7 days, how difficult was it for you to stop thinking about your problems?	SMDDS Version 1.0 - How Difficult Stop Think Problems
C155636	SMDDS108	SMDDS1-How Difficult to Concentrate	Symptoms of Major Depressive Disorder Scale v1.0 - Over the past 7 days, how difficult was it for you to concentrate?	SMDDS Version 1.0 - How Difficult to Concentrate
C155637	SMDDS109	SMDDS1-How Difficult to Enjoy Daily Life	Symptoms of Major Depressive Disorder Scale v1.0 - Over the past 7 days, how difficult was it for you to enjoy your daily life?	SMDDS Version 1.0 - How Difficult to Enjoy Daily Life
C155638	SMDDS110	SMDDS1-How Often Problem With Sleep	Symptoms of Major Depressive Disorder Scale v1.0 - Over the past 7 days, how often did you have a problem with your sleep (falling asleep, staying asleep, or sleeping too much)?	SMDDS Version 1.0 - How Often Problem With Sleep
C155639	SMDDS111	SMDDS1-How Often Have Poor Appetite	Symptoms of Major Depressive Disorder Scale v1.0 - Over the past 7 days, how often did you have a poor appetite?	SMDDS Version 1.0 - How Often Have Poor Appetite
C155640	SMDDS112	SMDDS1-How Often Did You Over Eat	Symptoms of Major Depressive Disorder Scale v1.0 - Over the past 7 days, how often did you over eat?	SMDDS Version 1.0 - How Often Did You Over Eat
C155641	SMDDS113	SMDDS1-How Much Push Yourself Do Things	Symptoms of Major Depressive Disorder Scale v1.0 - Over the past 7 days, how much of the time did you have to push yourself to do things?	SMDDS Version 1.0 - How Much Push Yourself Do Things
C155642	SMDDS114	SMDDS1-How Much Feel Like Doing Nothing	Symptoms of Major Depressive Disorder Scale v1.0 - Over the past 7 days, how much of the time did you feel like doing nothing?	SMDDS Version 1.0 - How Much Feel Like Doing Nothing
C155643	SMDDS115	SMDDS1-How Much Blame Yourself Bad Thing	Symptoms of Major Depressive Disorder Scale v1.0 - Over the past 7 days, how much of the time did you blame yourself when bad things happened?	SMDDS Version 1.0 - How Much Blame Yourself Bad Thing
C155644	SMDDS116	SMDDS1-How Much Feel Not Worth Living	Symptoms of Major Depressive Disorder Scale v1.0 - Over the past 7 days, how much of the time did you feel that life is not worth living?	SMDDS Version 1.0 - How Much Feel Not Worth Living
C176211	SMDDS117	SMDDS1-Negative Emotions/Mood Subscore	Symptoms of Major Depressive Disorder Scale v1.0 - Negative emotions/mood subscore.	SMDDS Version 1.0 - Negative Emotions/Mood Subscore
C176212	SMDDS118	SMDDS1-Anxiety Subscore	Symptoms of Major Depressive Disorder Scale v1.0 - Anxiety subscore.	SMDDS Version 1.0 - Anxiety Subscore
C176213	SMDDS119	SMDDDS1-Low Energy Subscore	Symptoms of Major Depressive Disorder Scale v1.0 - Low energy subscore.	SMDDS Version 1.0 - SMDDDS1-Low Energy Subscore
C176214	SMDDS120	SMDDS1-Cognition Subscore	Symptoms of Major Depressive Disorder Scale v1.0 - Cognition subscore.	SMDDS Version 1.0 - Cognition Subscore
C176215	SMDDS121	SMDDS1-Sleep Disturbances Subscore	Symptoms of Major Depressive Disorder Scale v1.0 - Sleep disturbances subscore.	SMDDS Version 1.0 - Sleep Disturbances Subscore
C176216	SMDDS122	SMDDS1-Eating Behavior Subscore	Symptoms of Major Depressive Disorder Scale v1.0 - Eating behavior subscore.	SMDDS Version 1.0 - Eating Behavior Subscore
C176217	SMDDS123	SMDDS1-Low Motivation Subscore	Symptoms of Major Depressive Disorder Scale v1.0 - Low motivation subscore.	SMDDS Version 1.0 - Low Motivation Subscore
C176218	SMDDS124	SMDDS1-Sense of Self Subscore	Symptoms of Major Depressive Disorder Scale v1.0 - Sense of self subscore.	SMDDS Version 1.0 - Sense of Self Subscore

SMDSS125				
C176219	SMDSS125	SMDSS1-Self-Harm/Suicide Subscore	Symptoms of Major Depressive Disorder Scale v1.0 - Self-harm/suicide subscore.	SMDSS Version 1.0 - Self-Harm/Suicide Subscore
C155645	SMDSS126	SMDSS1-Total Score	Symptoms of Major Depressive Disorder Scale v1.0 - Total score.	SMDSS Version 1.0 - Total Score

C176213	SMDDDS1-Low Energy Subscore	SMDDDS1-Low Energy Subscore	Symptoms of Major Depressive Disorder Scale v1.0 - Low energy subscore.	SMDDS Version 1.0 - SMDDDS1-Low Energy Subscore
C176212	SMDDS1-Anxiety Subscore	SMDDS1-Anxiety Subscore	Symptoms of Major Depressive Disorder Scale v1.0 - Anxiety subscore.	SMDDS Version 1.0 - Anxiety Subscore
C176214	SMDDS1-Cognition Subscore	SMDDS1-Cognition Subscore	Symptoms of Major Depressive Disorder Scale v1.0 - Cognition subscore.	SMDDS Version 1.0 - Cognition Subscore
C176216	SMDDS1-Eating Behavior Subscore	SMDDS1-Eating Behavior Subscore	Symptoms of Major Depressive Disorder Scale v1.0 - Eating behavior subscore.	SMDDS Version 1.0 - Eating Behavior Subscore
C155635	SMDDS1-How Difficult Stop Think Problems	SMDDS1-How Difficult Stop Think Problems	Symptoms of Major Depressive Disorder Scale v1.0 - Over the past 7 days, how difficult was it for you to stop thinking about your problems?	SMDDS Version 1.0 - How Difficult Stop Think Problems
C155636	SMDDS1-How Difficult to Concentrate	SMDDS1-How Difficult to Concentrate	Symptoms of Major Depressive Disorder Scale v1.0 - Over the past 7 days, how difficult was it for you to concentrate?	SMDDS Version 1.0 - How Difficult to Concentrate
C155637	SMDDS1-How Difficult to Enjoy Daily Life	SMDDS1-How Difficult to Enjoy Daily Life	Symptoms of Major Depressive Disorder Scale v1.0 - Over the past 7 days, how difficult was it for you to enjoy your daily life?	SMDDS Version 1.0 - How Difficult to Enjoy Daily Life
C155630	SMDDS1-How Hopeless Have You Felt	SMDDS1-How Hopeless Have You Felt	Symptoms of Major Depressive Disorder Scale v1.0 - Over the past 7 days, how hopeless have you felt?	SMDDS Version 1.0 - How Hopeless Have You Felt
C155631	SMDDS1-How Irritable Have You Felt	SMDDS1-How Irritable Have You Felt	Symptoms of Major Depressive Disorder Scale v1.0 - Over the past 7 days, how irritable have you felt?	SMDDS Version 1.0 - How Irritable Have You Felt
C155643	SMDDS1-How Much Blame Yourself Bad Thing	SMDDS1-How Much Blame Yourself Bad Thing	Symptoms of Major Depressive Disorder Scale v1.0 - Over the past 7 days, how much of the time did you blame yourself when bad things happened?	SMDDS Version 1.0 - How Much Blame Yourself Bad Thing
C155642	SMDDS1-How Much Feel Like Doing Nothing	SMDDS1-How Much Feel Like Doing Nothing	Symptoms of Major Depressive Disorder Scale v1.0 - Over the past 7 days, how much of the time did you feel like doing nothing?	SMDDS Version 1.0 - How Much Feel Like Doing Nothing
C155644	SMDDS1-How Much Feel Not Worth Living	SMDDS1-How Much Feel Not Worth Living	Symptoms of Major Depressive Disorder Scale v1.0 - Over the past 7 days, how much of the time did you feel that life is not worth living?	SMDDS Version 1.0 - How Much Feel Not Worth Living
C155641	SMDDS1-How Much Push Yourself Do Things	SMDDS1-How Much Push Yourself Do Things	Symptoms of Major Depressive Disorder Scale v1.0 - Over the past 7 days, how much of the time did you have to push yourself to do things?	SMDDS Version 1.0 - How Much Push Yourself Do Things
C155640	SMDDS1-How Often Did You Over Eat	SMDDS1-How Often Did You Over Eat	Symptoms of Major Depressive Disorder Scale v1.0 - Over the past 7 days, how often did you over eat?	SMDDS Version 1.0 - How Often Did You Over Eat
C155639	SMDDS1-How Often Have Poor Appetite	SMDDS1-How Often Have Poor Appetite	Symptoms of Major Depressive Disorder Scale v1.0 - Over the past 7 days, how often did you have a poor appetite?	SMDDS Version 1.0 - How Often Have Poor Appetite
C155638	SMDDS1-How Often Problem With Sleep	SMDDS1-How Often Problem With Sleep	Symptoms of Major Depressive Disorder Scale v1.0 - Over the past 7 days, how often did you have a problem with your sleep (falling asleep, staying asleep, or sleeping too much)?	SMDDS Version 1.0 - How Often Problem With Sleep
C155632	SMDDS1-How Overwhelmed Have You Felt	SMDDS1-How Overwhelmed Have You Felt	Symptoms of Major Depressive Disorder Scale v1.0 - Over the past 7 days, how overwhelmed have you felt?	SMDDS Version 1.0 - How Overwhelmed Have You Felt
C155629	SMDDS1-How Sad Have You Felt	SMDDS1-How Sad Have You Felt	Symptoms of Major Depressive Disorder Scale v1.0 - Over the past 7 days, how sad have you felt?	SMDDS Version 1.0 - How Sad Have You Felt
C155634	SMDDS1-How Tired Have You Felt	SMDDS1-How Tired Have You Felt	Symptoms of Major Depressive Disorder Scale v1.0 - Over the past 7 days, how tired have you felt?	SMDDS Version 1.0 - How Tired Have You Felt
C155633	SMDDS1-How Worried Have You Felt	SMDDS1-How Worried Have You Felt	Symptoms of Major Depressive Disorder Scale v1.0 - Over the past 7 days, how worried have you felt?	SMDDS Version 1.0 - How Worried Have You Felt
C176217	SMDDS1-Low Motivation Subscore	SMDDS1-Low Motivation Subscore	Symptoms of Major Depressive Disorder Scale v1.0 - Low motivation subscore.	SMDDS Version 1.0 - Low Motivation Subscore
C176211	SMDDS1-Negative Emotions/Mood Subscore	SMDDS1-Negative Emotions/Mood Subscore	Symptoms of Major Depressive Disorder Scale v1.0 - Negative emotions/mood subscore.	SMDDS Version 1.0 - Negative Emotions/Mood Subscore
C176219	SMDDS1-Self-Harm/Suicide Subscore	SMDDS1-Self-Harm/Suicide Subscore	Symptoms of Major Depressive Disorder Scale v1.0 - Self-harm/suicide subscore.	SMDDS Version 1.0 - Self-Harm/Suicide Subscore
C176218	SMDDS1-Sense of Self Subscore	SMDDS1-Sense of Self Subscore	Symptoms of Major Depressive Disorder Scale v1.0 - Sense of self subscore.	SMDDS Version 1.0 - Sense of Self Subscore

SMDSS1-Sleep Disturbances Subscore				
C176215	SMDSS1-Sleep Disturbances Subscore	SMDSS1-Sleep Disturbances Subscore	Symptoms of Major Depressive Disorder Scale v1.0 - Sleep disturbances subscore.	SMDSS Version 1.0 - Sleep Disturbances Subscore
C155645	SMDSS1-Total Score	SMDSS1-Total Score	Symptoms of Major Depressive Disorder Scale v1.0 - Total score.	SMDSS Version 1.0 - Total Score

C100870	SOAPR101	SOAPR1-How Often Mood Swings	Screener and Opioid Assessment for Patients with Pain - Revised - How often do you have mood swings?	SOAPP-R - How Often Mood Swings
C100871	SOAPR102	SOAPR1-Need Higher Doses of Medication	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you felt a need for higher doses of medication to treat your pain?	SOAPP-R - Need Higher Doses of Medication
C100872	SOAPR103	SOAPR1-Felt Impatient With Doctors	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you felt impatient with your doctors?	SOAPP-R - Felt Impatient With Doctors
C100873	SOAPR104	SOAPR1-Felt That Things Are Overwhelming	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you felt that things are just too overwhelming that you can't handle them?	SOAPP-R - Felt That Things Are Overwhelming
C100874	SOAPR105	SOAPR1-How Often Tension at Home	Screener and Opioid Assessment for Patients with Pain - Revised - How often is there tension in the home?	SOAPP-R - How Often Tension at Home
C100875	SOAPR106	SOAPR1-How Often Counted Pain Pills	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you counted pain pills to see how many are remaining?	SOAPP-R - How Often Counted Pain Pills
C100876	SOAPR107	SOAPR1-Concerned People Will Judge You	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you been concerned that people will judge you for taking pain medication?	SOAPP-R - Concerned People Will Judge You
C100877	SOAPR108	SOAPR1-How Often Feel Bored	Screener and Opioid Assessment for Patients with Pain - Revised - How often do you feel bored?	SOAPP-R - How Often Feel Bored
C100878	SOAPR109	SOAPR1-How Often Taken More Pain Med	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you taken more pain medication than you were supposed to?	SOAPP-R - How Often Taken More Pain Medication
C100879	SOAPR110	SOAPR1-Worried About Being Left Alone	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you worried about being left alone?	SOAPP-R - Worried About Being Left Alone
C100880	SOAPR111	SOAPR1-Felt Craving for Medication	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you felt a craving for medication?	SOAPP-R - Felt Craving for Medication
C100881	SOAPR112	SOAPR1-Expressed Concern Over Med Use	Screener and Opioid Assessment for Patients with Pain - Revised - How often have others expressed concern over your use of medication?	SOAPP-R - Others Expressed Concern Over Medication Use
C100882	SOAPR113	SOAPR1-How Often Friends Had Problem	Screener and Opioid Assessment for Patients with Pain - Revised - How often have any of your close friends had a problem with alcohol or drugs?	SOAPP-R - How Often Friends Had Problem
C100883	SOAPR114	SOAPR1-Others Told You Bad Temper	Screener and Opioid Assessment for Patients with Pain - Revised - How often have others told you that you had a bad temper?	SOAPP-R - Others Told You Bad Temper
C100884	SOAPR115	SOAPR1-Felt Consumed to Get Pain Med	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you felt consumed by the need to get pain medication?	SOAPP-R - Felt Consumed to Get Pain Medication
C100885	SOAPR116	SOAPR1-Run Out of Pain Med Early	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you run out of pain medication early?	SOAPP-R - Run Out of Pain Medication Early
C100886	SOAPR117	SOAPR1-Kept From What You Deserve	Screener and Opioid Assessment for Patients with Pain - Revised - How often have others kept you from getting what you deserve?	SOAPP-R - Others Kept You From what You Deserve
C100887	SOAPR118	SOAPR1-Legal Problems or Arrested	Screener and Opioid Assessment for Patients with Pain - Revised - How often, in your lifetime, have you had legal problems or been arrested?	SOAPP-R - Legal Problems or Arrested
C100888	SOAPR119	SOAPR1-Attended AA or NA Meeting	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you attended an AA or NA meeting?	SOAPP-R - Attended AA or NA Meeting
C100889	SOAPR120	SOAPR1-Argument Someone Got Hurt	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you been in an argument that was so out of control that someone got hurt?	SOAPP-R - Argument Where Someone Got Hurt
C100890	SOAPR121	SOAPR1-How Often Sexually Abused	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you been sexually abused?	SOAPP-R - How Often Sexually Abused
C100891	SOAPR122	SOAPR1-Suggested Drug or Alcohol Problem	Screener and Opioid Assessment for Patients with Pain - Revised - How often have others suggested that you have a drug or alcohol problem?	SOAPP-R - Others Suggested Drug or Alcohol Problem
C100892	SOAPR123	SOAPR1-How Often Borrowed Pain Meds	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you had to borrow pain medications from your family or friends?	SOAPP-R - How Often Borrowed Pain Medication

C100893	SOAPR124	SOAPR1-Treated for Alcohol or Drug Prob	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you been treated for an alcohol or drug problem?	SOAPP-R - Treated for Alcohol or Drug Problem
C100894	SOAPR125	SOAPR1-Any Additional Information	Screener and Opioid Assessment for Patients with Pain - Revised - Please include any additional information you wish about the above answers.	SOAPP-R - Any Additional Information
C100895	SOAPR126	SOAPR1-Score	Screener and Opioid Assessment for Patients with Pain - Revised - Score.	SOAPP-R - Score

C100894	SOAPR1-Any Additional Information	SOAPR1-Any Additional Information	Screener and Opioid Assessment for Patients with Pain - Revised - Please include any additional information you wish about the above answers.	SOAPP-R - Any Additional Information
C100889	SOAPR1-Argument Someone Got Hurt	SOAPR1-Argument Someone Got Hurt	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you been in an argument that was so out of control that someone got hurt?	SOAPP-R - Argument Where Someone Got Hurt
C100888	SOAPR1-Attended AA or NA Meeting	SOAPR1-Attended AA or NA Meeting	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you attended an AA or NA meeting?	SOAPP-R - Attended AA or NA Meeting
C100876	SOAPR1-Concerned People Will Judge You	SOAPR1-Concerned People Will Judge You	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you been concerned that people will judge you for taking pain medication?	SOAPP-R - Concerned People Will Judge You
C100881	SOAPR1-Expressed Concern Over Med Use	SOAPR1-Expressed Concern Over Med Use	Screener and Opioid Assessment for Patients with Pain - Revised - How often have others expressed concern over your use of medication?	SOAPP-R - Others Expressed Concern Over Medication Use
C100884	SOAPR1-Felt Consumed to Get Pain Med	SOAPR1-Felt Consumed to Get Pain Med	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you felt consumed by the need to get pain medication?	SOAPP-R - Felt Consumed to Get Pain Medication
C100880	SOAPR1-Felt Craving for Medication	SOAPR1-Felt Craving for Medication	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you felt a craving for medication?	SOAPP-R - Felt Craving for Medication
C100872	SOAPR1-Felt Impatient With Doctors	SOAPR1-Felt Impatient With Doctors	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you felt impatient with your doctors?	SOAPP-R - Felt Impatient With Doctors
C100873	SOAPR1-Felt That Things Are Overwhelming	SOAPR1-Felt That Things Are Overwhelming	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you felt that things are just too overwhelming that you can't handle them?	SOAPP-R - Felt That Things Are Overwhelming
C100892	SOAPR1-How Often Borrowed Pain Meds	SOAPR1-How Often Borrowed Pain Meds	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you had to borrow pain medications from your family or friends?	SOAPP-R - How Often Borrowed Pain Medication
C100875	SOAPR1-How Often Counted Pain Pills	SOAPR1-How Often Counted Pain Pills	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you counted pain pills to see how many are remaining?	SOAPP-R - How Often Counted Pain Pills
C100877	SOAPR1-How Often Feel Bored	SOAPR1-How Often Feel Bored	Screener and Opioid Assessment for Patients with Pain - Revised - How often do you feel bored?	SOAPP-R - How Often Feel Bored
C100882	SOAPR1-How Often Friends Had Problem	SOAPR1-How Often Friends Had Problem	Screener and Opioid Assessment for Patients with Pain - Revised - How often have any of your close friends had a problem with alcohol or drugs?	SOAPP-R - How Often Friends Had Problem
C100870	SOAPR1-How Often Mood Swings	SOAPR1-How Often Mood Swings	Screener and Opioid Assessment for Patients with Pain - Revised - How often do you have mood swings?	SOAPP-R - How Often Mood Swings
C100890	SOAPR1-How Often Sexually Abused	SOAPR1-How Often Sexually Abused	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you been sexually abused?	SOAPP-R - How Often Sexually Abused
C100878	SOAPR1-How Often Taken More Pain Med	SOAPR1-How Often Taken More Pain Med	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you taken more pain medication than you were supposed to?	SOAPP-R - How Often Taken More Pain Medication
C100874	SOAPR1-How Often Tension at Home	SOAPR1-How Often Tension at Home	Screener and Opioid Assessment for Patients with Pain - Revised - How often is there tension in the home?	SOAPP-R - How Often Tension at Home
C100886	SOAPR1-Kept From What You Deserve	SOAPR1-Kept From What You Deserve	Screener and Opioid Assessment for Patients with Pain - Revised - How often have others kept you from getting what you deserve?	SOAPP-R - Others Kept You From what You Deserve
C100887	SOAPR1-Legal Problems or Arrested	SOAPR1-Legal Problems or Arrested	Screener and Opioid Assessment for Patients with Pain - Revised - How often, in your lifetime, have you had legal problems or been arrested?	SOAPP-R - Legal Problems or Arrested
C100871	SOAPR1-Need Higher Doses of Medication	SOAPR1-Need Higher Doses of Medication	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you felt a need for higher doses of medication to treat your pain?	SOAPP-R - Need Higher Doses of Medication
C100883	SOAPR1-Others Told You Bad Temper	SOAPR1-Others Told You Bad Temper	Screener and Opioid Assessment for Patients with Pain - Revised - How often have others told you that you had a bad temper?	SOAPP-R - Others Told You Bad Temper
C100885	SOAPR1-Run Out of Pain Med Early	SOAPR1-Run Out of Pain Med Early	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you run out of pain medication early?	SOAPP-R - Run Out of Pain Medication Early
C100895	SOAPR1-Score	SOAPR1-Score	Screener and Opioid Assessment for Patients with Pain - Revised - Score.	SOAPP-R - Score

Screening Questions					
C100891	SOAPR1-Suggested Drug or Alcohol Problem	SOAPR1-Suggested Drug or Alcohol Problem	Screener and Opioid Assessment for Patients with Pain - Revised - How often have others suggested that you have a drug or alcohol problem?	SOAPP-R - Others Suggested Drug or Alcohol Problem	
C100893	SOAPR1-Treated for Alcohol or Drug Prob	SOAPR1-Treated for Alcohol or Drug Prob	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you been treated for an alcohol or drug problem?	SOAPP-R - Treated for Alcohol or Drug Problem	
C100879	SOAPR1-Worried About Being Left Alone	SOAPR1-Worried About Being Left Alone	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you worried about being left alone?	SOAPP-R - Worried About Being Left Alone	

C102409	SOWSA101	SOWSA1-I Feel Anxious	Subjective Opiate Withdrawal Scale - I feel anxious.	SOWS Subjective (Handelsman) - I Feel Anxious
C102410	SOWSA102	SOWSA1-I Feel Like Yawning	Subjective Opiate Withdrawal Scale - I feel like yawning.	SOWS Subjective (Handelsman) - I Feel Like Yawning
C102411	SOWSA103	SOWSA1-I'm Perspiring	Subjective Opiate Withdrawal Scale - I'm perspiring.	SOWS Subjective (Handelsman) - I'm Perspiring
C102412	SOWSA104	SOWSA1-My Eyes Are Tearing	Subjective Opiate Withdrawal Scale - My eyes are tearing.	SOWS Subjective (Handelsman) - My Eyes Are Tearing
C102413	SOWSA105	SOWSA1-My Nose is Running	Subjective Opiate Withdrawal Scale - My nose is running.	SOWS Subjective (Handelsman) - My Nose is Running
C102414	SOWSA106	SOWSA1-I Have Goose Flesh	Subjective Opiate Withdrawal Scale - I have goose flesh.	SOWS Subjective (Handelsman) - I Have Goose Flesh
C102415	SOWSA107	SOWSA1-I Am Shaking	Subjective Opiate Withdrawal Scale - I am shaking.	SOWS Subjective (Handelsman) - I Am Shaking
C102416	SOWSA108	SOWSA1-I Have Hot Flashes	Subjective Opiate Withdrawal Scale - I have hot flashes.	SOWS Subjective (Handelsman) - I Have Hot Flashes
C102417	SOWSA109	SOWSA1-I Have Cold Flashes	Subjective Opiate Withdrawal Scale - I have cold flashes.	SOWS Subjective (Handelsman) - I Have Cold Flashes
C102418	SOWSA110	SOWSA1-My Bones and Muscles Ache	Subjective Opiate Withdrawal Scale - My bones and muscles ache.	SOWS Subjective (Handelsman) - My Bones and Muscles Ache
C102419	SOWSA111	SOWSA1-I Feel Restless	Subjective Opiate Withdrawal Scale - I feel restless.	SOWS Subjective (Handelsman) - I Feel Restless
C102420	SOWSA112	SOWSA1-I Feel Nauseous	Subjective Opiate Withdrawal Scale - I feel nauseous.	SOWS Subjective (Handelsman) - I Feel Nauseous
C102421	SOWSA113	SOWSA1-I Feel Like Vomiting	Subjective Opiate Withdrawal Scale - I feel like vomiting.	SOWS Subjective (Handelsman) - I Feel Like Vomiting
C102422	SOWSA114	SOWSA1-My Muscles Twitch	Subjective Opiate Withdrawal Scale - My muscles twitch.	SOWS Subjective (Handelsman) - My Muscles Twitch
C102423	SOWSA115	SOWSA1-I Have Cramps in My Stomach	Subjective Opiate Withdrawal Scale - I have cramps in my stomach.	SOWS Subjective (Handelsman) - I Have Cramps in My Stomach
C102424	SOWSA116	SOWSA1-I Feel Like Shooting Up Now	Subjective Opiate Withdrawal Scale - I feel like shooting up now.	SOWS Subjective (Handelsman) - I Feel Like Shooting Up Now

C102415	SOWSA1-I Am Shaking	SOWSA1-I Am Shaking	Subjective Opiate Withdrawal Scale - I am shaking.	SOWS Subjective (Handelsman) - I Am Shaking
C102409	SOWSA1-I Feel Anxious	SOWSA1-I Feel Anxious	Subjective Opiate Withdrawal Scale - I feel anxious.	SOWS Subjective (Handelsman) - I Feel Anxious
C102424	SOWSA1-I Feel Like Shooting Up Now	SOWSA1-I Feel Like Shooting Up Now	Subjective Opiate Withdrawal Scale - I feel like shooting up now.	SOWS Subjective (Handelsman) - I Feel Like Shooting Up Now
C102421	SOWSA1-I Feel Like Vomiting	SOWSA1-I Feel Like Vomiting	Subjective Opiate Withdrawal Scale - I feel like vomiting.	SOWS Subjective (Handelsman) - I Feel Like Vomiting
C102410	SOWSA1-I Feel Like Yawning	SOWSA1-I Feel Like Yawning	Subjective Opiate Withdrawal Scale - I feel like yawning.	SOWS Subjective (Handelsman) - I Feel Like Yawning
C102420	SOWSA1-I Feel Nauseous	SOWSA1-I Feel Nauseous	Subjective Opiate Withdrawal Scale - I feel nauseous.	SOWS Subjective (Handelsman) - I Feel Nauseous
C102419	SOWSA1-I Feel Restless	SOWSA1-I Feel Restless	Subjective Opiate Withdrawal Scale - I feel restless.	SOWS Subjective (Handelsman) - I Feel Restless
C102417	SOWSA1-I Have Cold Flashes	SOWSA1-I Have Cold Flashes	Subjective Opiate Withdrawal Scale - I have cold flashes.	SOWS Subjective (Handelsman) - I Have Cold Flashes
C102423	SOWSA1-I Have Cramps in My Stomach	SOWSA1-I Have Cramps in My Stomach	Subjective Opiate Withdrawal Scale - I have cramps in my stomach.	SOWS Subjective (Handelsman) - I Have Cramps in My Stomach
C102414	SOWSA1-I Have Goose Flesh	SOWSA1-I Have Goose Flesh	Subjective Opiate Withdrawal Scale - I have goose flesh.	SOWS Subjective (Handelsman) - I Have Goose Flesh
C102416	SOWSA1-I Have Hot Flashes	SOWSA1-I Have Hot Flashes	Subjective Opiate Withdrawal Scale - I have hot flashes.	SOWS Subjective (Handelsman) - I Have Hot Flashes
C102411	SOWSA1-I'm Perspiring	SOWSA1-I'm Perspiring	Subjective Opiate Withdrawal Scale - I'm perspiring.	SOWS Subjective (Handelsman) - I'm Perspiring
C102418	SOWSA1-My Bones and Muscles Ache	SOWSA1-My Bones and Muscles Ache	Subjective Opiate Withdrawal Scale - My bones and muscles ache.	SOWS Subjective (Handelsman) - My Bones and Muscles Ache
C102412	SOWSA1-My Eyes Are Tearing	SOWSA1-My Eyes Are Tearing	Subjective Opiate Withdrawal Scale - My eyes are tearing.	SOWS Subjective (Handelsman) - My Eyes Are Tearing
C102422	SOWSA1-My Muscles Twitch	SOWSA1-My Muscles Twitch	Subjective Opiate Withdrawal Scale - My muscles twitch.	SOWS Subjective (Handelsman) - My Muscles Twitch
C102413	SOWSA1-My Nose is Running	SOWSA1-My Nose is Running	Subjective Opiate Withdrawal Scale - My nose is running.	SOWS Subjective (Handelsman) - My Nose is Running

Short Physical Performance Battery V1.2 - Side-By-Side Stand: Side-by-side score.				
C170693	SPPB101	SPPB1-Side-by-Side Score	Short Physical Performance Battery V1.2 - Side-By-Side Stand: Side-by-side score.	SPPB Version 1.2 - Side-by-Side Score
C170694	SPPB101A	SPPB1-Side-by-Side Seconds Held If <10	Short Physical Performance Battery V1.2 - Side-By-Side Stand: Number of seconds held if less than 10 sec.	SPPB Version 1.2 - Side-by-Side Seconds Held If <10
C170695	SPPB102	SPPB1-Semi-Tandem Stand Score	Short Physical Performance Battery V1.2 - Semi-Tandem Stand: Semi-tandem stand score.	SPPB Version 1.2 - Semi-Tandem Stand Score
C170696	SPPB102A	SPPB1-Semi-Tandem Seconds Held If <10	Short Physical Performance Battery V1.2 - Semi-Tandem Stand: Number of seconds held if less than 10 sec.	SPPB Version 1.2 - Semi-Tandem Seconds Held If <10
C170697	SPPB103	SPPB1-Tandem Stand Score	Short Physical Performance Battery V1.2 - Tandem Stand: Tandem stand score.	SPPB Version 1.2 - Tandem Stand Score
C170698	SPPB103A	SPPB1-Tandem Seconds If <10	Short Physical Performance Battery V1.2 - Tandem Stand: Number of seconds if less than 10 sec.	SPPB Version 1.2 - Tandem Seconds If <10
C170699	SPPB104	SPPB1-Did Not Attempt Test Balance	Short Physical Performance Battery V1.2 - Balance Tests: If participant did not attempt test.	SPPB Version 1.2 - Did Not Attempt Test Balance
C170700	SPPB104A	SPPB1-Did Not Attempt Balance Specify	Short Physical Performance Battery V1.2 - Balance Tests: If participant did not attempt test: Other (specify).	SPPB Version 1.2 - Did Not Attempt Balance Specify
C170701	SPPB105	SPPB1-Total Balance Tests Score	Short Physical Performance Battery V1.2 - Total balance tests score.	SPPB Version 1.2 - Total Balance Tests Score
C170702	SPPB106	SPPB1-Length of Walk Test Course	Short Physical Performance Battery V1.2 - Gait Speed Test: Length of walk test course.	SPPB Version 1.2 - Length of Walk Test Course
C170703	SPPB107	SPPB1-Time for 3 or 4 Meters 1st Gait	Short Physical Performance Battery V1.2 - Gait Speed Test - First Gait Speed Test: Time for 3 or 4 meters.	SPPB Version 1.2 - Time for 3 or 4 Meters 1st Gait
C170704	SPPB107A	SPPB1-Did Not Attempt 1st Gait	Short Physical Performance Battery V1.2 - Gait Speed Test - First Gait Speed Test: If participant did not attempt test.	SPPB Version 1.2 - Did Not Attempt 1st Gait
C170705	SPPB107B	SPPB1-Did Not Attempt 1st Gait Specify	Short Physical Performance Battery V1.2 - Gait Speed Test - First Gait Speed Test: If participant did not attempt test: Other (specify).	SPPB Version 1.2 - Did Not Attempt 1st Gait Specify
C170706	SPPB107C	SPPB1-Aids Used 1st Gait	Short Physical Performance Battery V1.2 - Gait Speed Test - First Gait Speed Test: Aids used for first walk.	SPPB Version 1.2 - Aids Used 1st Gait
C170707	SPPB107D	SPPB1-Aids Used 1st Gait Specify	Short Physical Performance Battery V1.2 - Gait Speed Test - First Gait Speed Test: Aids used for first walk: Other (specify).	SPPB Version 1.2 - Aids Used 1st Gait Specify
C170708	SPPB108	SPPB1-Time for 3 or 4 Meters - 2nd Gait	Short Physical Performance Battery V1.2 - Gait Speed Test - Second Gait Speed Test: Time for 3 or 4 meters.	SPPB Version 1.2 - Time for 3 or 4 Meters - 2nd Gait
C170709	SPPB108A	SPPB1-Did Not Attempt or Failed 2nd Gait	Short Physical Performance Battery V1.2 - Gait Speed Test - Second Gait Speed Test: If participant did not attempt or failed.	SPPB Version 1.2 - Did Not Attempt or Failed 2nd Gait
C170710	SPPB108B	SPPB1-Did Not Attempt 2nd Gait Specify	Short Physical Performance Battery V1.2 - Gait Speed Test - Second Gait Speed Test: If participant did not attempt or failed: Other (specify).	SPPB Version 1.2 - Did Not Attempt 2nd Gait Specify
C170711	SPPB108C	SPPB1-Aids Used 2nd Gait	Short Physical Performance Battery V1.2 - Gait Speed Test - Second Gait Speed Test: Aids used for second walk.	SPPB Version 1.2 - Aids Used 2nd Gait
C170712	SPPB108D	SPPB1-Aids Used 2nd Gait Specify	Short Physical Performance Battery V1.2 - Gait Speed Test - Second Gait Speed Test: Aids used for second walk: Other (specify).	SPPB Version 1.2 - Aids Used 2nd Gait Specify
C170713	SPPB109A	SPPB1-For 4-Meter Walk	Short Physical Performance Battery V1.2 - Gait Speed Test: For 4-meter walk.	SPPB Version 1.2 - For 4-Meter Walk
C170714	SPPB109B	SPPB1-For 3-Meter Walk	Short Physical Performance Battery V1.2 - Gait Speed Test: For 3-meter walk.	SPPB Version 1.2 - For 3-Meter Walk
C170715	SPPB110	SPPB1-Safe to Stand Without Help	Short Physical Performance Battery V1.2 - Chair Stand Test - Single Chair Stand Test: Safe to stand without help.	SPPB Version 1.2 - Safe to Stand Without Help
C170716	SPPB111	SPPB1-Results Single Chair	Short Physical Performance Battery V1.2 - Chair Stand Test - Single Chair Stand Test: Results.	SPPB Version 1.2 - Results Single Chair
C170717	SPPB111A	SPPB1-Did Not Attempt Single Chair	Short Physical Performance Battery V1.2 - Chair Stand Test - Single Chair Stand Test: If participant did not attempt or failed.	SPPB Version 1.2 - Did Not Attempt Single Chair
C170718	SPPB111B	SPPB1-Not Attempt Single Chair Specify	Short Physical Performance Battery V1.2 - Chair Stand Test - Single Chair Stand Test: If participant did not attempt or failed: Other (specify).	SPPB Version 1.2 - Not Attempt Single Chair Specify

Short Physical Performance Battery V1.2 - Chair Stand Test - Repeated Chair Stand Test: Safe to stand five times.				
C170719	SPPB112	SPPB1-Safe to Stand Five Times	Short Physical Performance Battery V1.2 - Chair Stand Test - Repeated Chair Stand Test: Safe to stand five times.	SPPB Version 1.2 - Safe to Stand Five Times
C170720	SPPB113	SPPB1-Time to Complete Five Stands	Short Physical Performance Battery V1.2 - Chair Stand Test - Repeated Chair Stand Test: Time to complete five stands.	SPPB Version 1.2 - Time to Complete Five Stands
C170721	SPPB113A	SPPB1-Did Not Attempt Repeated Chair	Short Physical Performance Battery V1.2 - Chair Stand Test - Repeated Chair Stand Test: If participant did not attempt test or failed.	SPPB Version 1.2 - Did Not Attempt Repeated Chair
C170722	SPPB113B	SPPB1-Not Attempt Repeated Chair Specify	Short Physical Performance Battery V1.2 - Chair Stand Test - Repeated Chair Stand Test: If participant did not attempt test or failed: Other (specify).	SPPB Version 1.2 - Not Attempt Repeated Chair Specify
C170723	SPPB113C	SPPB1-Chair Stand Score Repeated	Short Physical Performance Battery V1.2 - Chair Stand Test - Repeated Chair Stand Test: Chair stand score.	SPPB Version 1.2 - Chair Stand Score Repeated
C170724	SPPB114	SPPB1-Total Score	Short Physical Performance Battery V1.2 - Total score.	SPPB Version 1.2 - Total Score

C170707	SPPB1-Aids Used 1st Gait Specify	SPPB1-Aids Used 1st Gait Specify	Short Physical Performance Battery V1.2 - Gait Speed Test - First Gait Speed Test: Aids used for first walk: Other (specify).	SPPB Version 1.2 - Aids Used 1st Gait Specify
C170706	SPPB1-Aids Used 1st Gait	SPPB1-Aids Used 1st Gait	Short Physical Performance Battery V1.2 - Gait Speed Test - First Gait Speed Test: Aids used for first walk.	SPPB Version 1.2 - Aids Used 1st Gait
C170712	SPPB1-Aids Used 2nd Gait Specify	SPPB1-Aids Used 2nd Gait Specify	Short Physical Performance Battery V1.2 - Gait Speed Test - Second Gait Speed Test: Aids used for second walk: Other (specify).	SPPB Version 1.2 - Aids Used 2nd Gait Specify
C170711	SPPB1-Aids Used 2nd Gait	SPPB1-Aids Used 2nd Gait	Short Physical Performance Battery V1.2 - Gait Speed Test - Second Gait Speed Test: Aids used for second walk.	SPPB Version 1.2 - Aids Used 2nd Gait
C170723	SPPB1-Chair Stand Score Repeated	SPPB1-Chair Stand Score Repeated	Short Physical Performance Battery V1.2 - Chair Stand Test - Repeated Chair Stand Test: Chair stand score.	SPPB Version 1.2 - Chair Stand Score Repeated
C170705	SPPB1-Did Not Attempt 1st Gait Specify	SPPB1-Did Not Attempt 1st Gait Specify	Short Physical Performance Battery V1.2 - Gait Speed Test - First Gait Speed Test: If participant did not attempt test: Other (specify).	SPPB Version 1.2 - Did Not Attempt 1st Gait Specify
C170704	SPPB1-Did Not Attempt 1st Gait	SPPB1-Did Not Attempt 1st Gait	Short Physical Performance Battery V1.2 - Gait Speed Test - First Gait Speed Test: If participant did not attempt test.	SPPB Version 1.2 - Did Not Attempt 1st Gait
C170710	SPPB1-Did Not Attempt 2nd Gait Specify	SPPB1-Did Not Attempt 2nd Gait Specify	Short Physical Performance Battery V1.2 - Gait Speed Test - Second Gait Speed Test: If participant did not attempt or failed: Other (specify).	SPPB Version 1.2 - Did Not Attempt 2nd Gait Specify
C170700	SPPB1-Did Not Attempt Balance Specify	SPPB1-Did Not Attempt Balance Specify	Short Physical Performance Battery V1.2 - Balance Tests: If participant did not attempt test: Other (specify).	SPPB Version 1.2 - Did Not Attempt Balance Specify
C170709	SPPB1-Did Not Attempt or Failed 2nd Gait	SPPB1-Did Not Attempt or Failed 2nd Gait	Short Physical Performance Battery V1.2 - Gait Speed Test - Second Gait Speed Test: If participant did not attempt or failed.	SPPB Version 1.2 - Did Not Attempt or Failed 2nd Gait
C170721	SPPB1-Did Not Attempt Repeated Chair	SPPB1-Did Not Attempt Repeated Chair	Short Physical Performance Battery V1.2 - Chair Stand Test - Repeated Chair Stand Test: If participant did not attempt test or failed.	SPPB Version 1.2 - Did Not Attempt Repeated Chair
C170717	SPPB1-Did Not Attempt Single Chair	SPPB1-Did Not Attempt Single Chair	Short Physical Performance Battery V1.2 - Chair Stand Test - Single Chair Stand Test: If participant did not attempt or failed.	SPPB Version 1.2 - Did Not Attempt Single Chair
C170699	SPPB1-Did Not Attempt Test Balance	SPPB1-Did Not Attempt Test Balance	Short Physical Performance Battery V1.2 - Balance Tests: If participant did not attempt test.	SPPB Version 1.2 - Did Not Attempt Test Balance
C170714	SPPB1-For 3-Meter Walk	SPPB1-For 3-Meter Walk	Short Physical Performance Battery V1.2 - Gait Speed Test: For 3-meter walk.	SPPB Version 1.2 - For 3-Meter Walk
C170713	SPPB1-For 4-Meter Walk	SPPB1-For 4-Meter Walk	Short Physical Performance Battery V1.2 - Gait Speed Test: For 4-meter walk.	SPPB Version 1.2 - For 4-Meter Walk
C170702	SPPB1-Length of Walk Test Course	SPPB1-Length of Walk Test Course	Short Physical Performance Battery V1.2 - Gait Speed Test: Length of walk test course.	SPPB Version 1.2 - Length of Walk Test Course
C170722	SPPB1-Not Attempt Repeated Chair Specify	SPPB1-Not Attempt Repeated Chair Specify	Short Physical Performance Battery V1.2 - Chair Stand Test - Repeated Chair Stand Test: If participant did not attempt test or failed: Other (specify).	SPPB Version 1.2 - Not Attempt Repeated Chair Specify
C170718	SPPB1-Not Attempt Single Chair Specify	SPPB1-Not Attempt Single Chair Specify	Short Physical Performance Battery V1.2 - Chair Stand Test - Single Chair Stand Test: If participant did not attempt or failed: Other (specify).	SPPB Version 1.2 - Not Attempt Single Chair Specify
C170716	SPPB1-Results Single Chair	SPPB1-Results Single Chair	Short Physical Performance Battery V1.2 - Chair Stand Test - Single Chair Stand Test: Results.	SPPB Version 1.2 - Results Single Chair
C170719	SPPB1-Safe to Stand Five Times	SPPB1-Safe to Stand Five Times	Short Physical Performance Battery V1.2 - Chair Stand Test - Repeated Chair Stand Test: Safe to stand five times.	SPPB Version 1.2 - Safe to Stand Five Times
C170715	SPPB1-Safe to Stand Without Help	SPPB1-Safe to Stand Without Help	Short Physical Performance Battery V1.2 - Chair Stand Test - Single Chair Stand Test: Safe to stand without help.	SPPB Version 1.2 - Safe to Stand Without Help
C170696	SPPB1-Semi-Tandem Seconds Held If <10	SPPB1-Semi-Tandem Seconds Held If <10	Short Physical Performance Battery V1.2 - Semi-Tandem Stand: Number of seconds held if less than 10 sec.	SPPB Version 1.2 - Semi-Tandem Seconds Held If <10
C170695	SPPB1-Semi-Tandem Stand Score	SPPB1-Semi-Tandem Stand Score	Short Physical Performance Battery V1.2 - Semi-Tandem Stand: Semi-tandem stand score.	SPPB Version 1.2 - Semi-Tandem Stand Score
C170693	SPPB1-Side-by-Side Score	SPPB1-Side-by-Side Score	Short Physical Performance Battery V1.2 - Side-By-Side Stand: Side-by-side score.	SPPB Version 1.2 - Side-by-Side Score
C170694	SPPB1-Side-by-Side Seconds Held If <10	SPPB1-Side-by-Side Seconds Held If <10	Short Physical Performance Battery V1.2 - Side-By-Side Stand: Number of seconds held if less than 10 sec.	SPPB Version 1.2 - Side-by-Side Seconds Held If <10

Short Physical Performance Battery V1.2				
C170698	SPPB1-Tandem Seconds If <10	SPPB1-Tandem Seconds If <10	Short Physical Performance Battery V1.2 - Tandem Stand: Number of seconds if less than 10 sec.	SPPB Version 1.2 - Tandem Seconds If <10
C170697	SPPB1-Tandem Stand Score	SPPB1-Tandem Stand Score	Short Physical Performance Battery V1.2 - Tandem Stand: Tandem stand score.	SPPB Version 1.2 - Tandem Stand Score
C170708	SPPB1-Time for 3 or 4 Meters - 2nd Gait	SPPB1-Time for 3 or 4 Meters - 2nd Gait	Short Physical Performance Battery V1.2 - Gait Speed Test - Second Gait Speed Test: Time for 3 or 4 meters.	SPPB Version 1.2 - Time for 3 or 4 Meters - 2nd Gait
C170703	SPPB1-Time for 3 or 4 Meters 1st Gait	SPPB1-Time for 3 or 4 Meters 1st Gait	Short Physical Performance Battery V1.2 - Gait Speed Test - First Gait Speed Test: Time for 3 or 4 meters.	SPPB Version 1.2 - Time for 3 or 4 Meters 1st Gait
C170720	SPPB1-Time to Complete Five Stands	SPPB1-Time to Complete Five Stands	Short Physical Performance Battery V1.2 - Chair Stand Test - Repeated Chair Stand Test: Time to complete five stands.	SPPB Version 1.2 - Time to Complete Five Stands
C170701	SPPB1-Total Balance Tests Score	SPPB1-Total Balance Tests Score	Short Physical Performance Battery V1.2 - Total balance tests score.	SPPB Version 1.2 - Total Balance Tests Score
C170724	SPPB1-Total Score	SPPB1-Total Score	Short Physical Performance Battery V1.2 - Total score.	SPPB Version 1.2 - Total Score

C119198	STCG0101	STCG01-STC ARC Grade	Stent Thrombosis Coronary ARC Grade - A grading system to describe the coronary stent thrombosis per the classification schema described by the Academic Research Consortium.	ARC STC Grade - Stent Thrombosis Coronary ARC Grade
---------	----------	----------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------

C119198	STCG01-STC ARC Grade	STCG01-STC ARC Grade	Stent Thrombosis Coronary ARC Grade - A grading system to describe the coronary stent thrombosis per the classification schema described by the Academic Research Consortium.	ARC STC Grade - Stent Thrombosis Coronary ARC Grade

C115895	SWLS0101	SWLS01-My Life is Close to Ideal	Satisfaction With Life Scale - In most ways my life is close to ideal.	SWLS - My Life is Close to Ideal
C115896	SWLS0102	SWLS01-My Life Conditions are Excellent	Satisfaction With Life Scale - The conditions of my life are excellent.	SWLS - Life Conditions are Excellent
C115897	SWLS0103	SWLS01-I Am Satisfied with My Life	Satisfaction With Life Scale - I am satisfied with my life.	SWLS - Satisfied with My Life
C115898	SWLS0104	SWLS01-Have Gotten Important Things	Satisfaction With Life Scale - So far I have gotten the important things I want in life.	SWLS - Have Gotten Important Things
C115899	SWLS0105	SWLS01-Live Life Over Change Nothing	Satisfaction With Life Scale - If I could live my life over, I would change almost nothing.	SWLS - Live Life Over Change Nothing

C115898	SWLS01-Have Gotten Important Things	SWLS01-Have Gotten Important Things	Satisfaction With Life Scale - So far I have gotten the important things I want in life.	SWLS - Have Gotten Important Things
C115897	SWLS01-I Am Satisfied with My Life	SWLS01-I Am Satisfied with My Life	Satisfaction With Life Scale - I am satisfied with my life.	SWLS - Satisfied with My Life
C115899	SWLS01-Live Life Over Change Nothing	SWLS01-Live Life Over Change Nothing	Satisfaction With Life Scale - If I could live my life over, I would change almost nothing.	SWLS - Live Life Over Change Nothing
C115896	SWLS01-My Life Conditions are Excellent	SWLS01-My Life Conditions are Excellent	Satisfaction With Life Scale - The conditions of my life are excellent.	SWLS - Life Conditions are Excellent
C115895	SWLS01-My Life is Close to Ideal	SWLS01-My Life is Close to Ideal	Satisfaction With Life Scale - In most ways my life is close to ideal.	SWLS - My Life is Close to Ideal

C115817	T25FW101	T25FW1-Time to Complete 25-Foot Walk	Timed 25-Foot Walk - Time in seconds to complete 25-foot walk.	T25FW - Time to Complete 25-Foot Walk
C115818	T25FW102	T25FW1-More Than Two Attempts	Timed 25-Foot Walk - Did it take more than two attempts to get two successful trials?	T25FW - More Than Two Attempts
C151074	T25FW103	T25FW1-Did Patient Wear AFO	Timed 25-Foot Walk - Did patient wear an AFO?	T25FW - Did Patient Wear AFO
C151075	T25FW104	T25FW1-Was Assistive Device Used	Timed 25-Foot Walk - Was assistive device used?	T25FW - Was Assistive Device Used

C151074	T25FW1-Did Patient Wear AFO	T25FW1-Did Patient Wear AFO	Timed 25-Foot Walk - Did patient wear an AFO?	T25FW - Did Patient Wear AFO
C115818	T25FW1-More Than Two Attempts	T25FW1-More Than Two Attempts	Timed 25-Foot Walk - Did it take more than two attempts to get two successful trials?	T25FW - More Than Two Attempts
C115817	T25FW1-Time to Complete 25-Foot Walk	T25FW1-Time to Complete 25-Foot Walk	Timed 25-Foot Walk - Time in seconds to complete 25-foot walk.	T25FW - Time to Complete 25-Foot Walk
C151075	T25FW1-Was Assistive Device Used	T25FW1-Was Assistive Device Used	Timed 25-Foot Walk - Was assistive device used?	T25FW - Was Assistive Device Used

C124718	TANN0101	TANN01-Breast Stages	Tanner Scale Girl - Breast stages.	Tanner Scale-Girl - Breast Stages
C124719	TANN0102	TANN01-Pubic Hair Stages	Tanner Scale Girl - Pubic hair stages.	Tanner Scale-Girl - Pubic Hair Stages

C124718	TANN01-Breast Stages	TANN01-Breast Stages	Tanner Scale Girl - Breast stages.	Tanner Scale-Girl - Breast Stages
C124719	TANN01-Pubic Hair Stages	TANN01-Pubic Hair Stages	Tanner Scale Girl - Pubic hair stages.	Tanner Scale-Girl - Pubic Hair Stages

C124716	TANN0201	TANN02-Genitalia Stages	Tanner Scale Boy - Genitalia stages.	Tanner Scale-Boy - Genitalia Stages
C124717	TANN0202	TANN02-Pubic Hair Stages	Tanner Scale Boy - Pubic hair stages.	Tanner Scale-Boy - Pubic Hair Stages

C124716	TANN02-Genitalia Stages	TANN02-Genitalia Stages	Tanner Scale Boy - Genitalia stages.	Tanner Scale-Boy - Genitalia Stages
C124717	TANN02-Pubic Hair Stages	TANN02-Pubic Hair Stages	Tanner Scale Boy - Pubic hair stages.	Tanner Scale-Boy - Pubic Hair Stages

C106704	TDI0101	TDI01-Change in Functional Impairment	Transition Dyspnea Index - Change in functional impairment.	TDI - Change in Functional Impairment
C106705	TDI0102	TDI01-Change in Magnitude of Task	Transition Dyspnea Index - Change in magnitude of task.	TDI - Change in Magnitude of Task
C106706	TDI0103	TDI01-Change in Magnitude of Effort	Transition Dyspnea Index - Change in magnitude of effort.	TDI - Change in Magnitude of Effort
C161763	TDI0104	TDI01-Transition Focal Score	Transition Dyspnea Index - Transition focal score.	TDI - Transition Focal Score

C106704	TDI01-Change in Functional Impairment	TDI01-Change in Functional Impairment	Transition Dyspnea Index - Change in functional impairment.	TDI - Change in Functional Impairment
C106706	TDI01-Change in Magnitude of Effort	TDI01-Change in Magnitude of Effort	Transition Dyspnea Index - Change in magnitude of effort.	TDI - Change in Magnitude of Effort
C106705	TDI01-Change in Magnitude of Task	TDI01-Change in Magnitude of Task	Transition Dyspnea Index - Change in magnitude of task.	TDI - Change in Magnitude of Task
C161763	TDI01-Transition Focal Score	TDI01-Transition Focal Score	Transition Dyspnea Index - Transition focal score.	TDI - Transition Focal Score

C174106	TENMW101	TENMW1-Was Walk/Run Performed	10-Meter Walk/Run - Was the 10-meter walk/run performed?	10-Meter Walk/Run - Was Walk/Run Performed
C141700	TENMW102	TENMW1-Time to Walk/Run 10 Meters	10-Meter Walk/Run - If yes, time to walk or run 10 meters.	10-Meter Walk/Run - Time to Walk/Run 10 Meters
C147592	TENMW103	TENMW1-Wear Orthoses	10-Meter Walk/Run - If yes, did subject wear orthoses?	10-Meter Walk/Run - Wear Orthoses
C141701	TENMW104	TENMW1-Test Grade	10-Meter Walk/Run - Test grade.	10-Meter Walk/Run - Test Grade

C141701	TENMW1-Test Grade	TENMW1-Test Grade	10-Meter Walk/Run - Test grade.	10-Meter Walk/Run - Test Grade
C141700	TENMW1-Time to Walk/Run 10 Meters	TENMW1-Time to Walk/Run 10 Meters	10-Meter Walk/Run - If yes, time to walk or run 10 meters.	10-Meter Walk/Run - Time to Walk/Run 10 Meters
C174106	TENMW1-Was Walk/Run Performed	TENMW1-Was Walk/Run Performed	10-Meter Walk/Run - Was the 10-meter walk/run performed?	10-Meter Walk/Run - Was Walk/Run Performed
C147592	TENMW1-Wear Orthoses	TENMW1-Wear Orthoses	10-Meter Walk/Run - If yes, did subject wear orthoses?	10-Meter Walk/Run - Wear Orthoses

C119195	TIMG0101	TIMG01-Coronary Thrombus TIMI Grade	Coronary Thrombus TIMI Grade - Grade corresponding to thrombus development as defined in the grading system by the Thrombolysis in the Myocardial Infarction Group.	TIMI Thrombus Grade - Coronary Thrombus TIMI Grade

C119195	TIMG01-Coronary Thrombus TIMI Grade	TIMG01-Coronary Thrombus TIMI Grade	Coronary Thrombus TIMI Grade - Grade corresponding to thrombus development as defined in the grading system by the Thrombolysis in the Myocardial Infarction Group.	TIMI Thrombus Grade - Coronary Thrombus TIMI Grade

C124780	TMT0101	TMT01-Time to Complete Trails A	Trail Making Test - Time (in seconds) to complete Trails A.	TMT - Time to Complete Trails A
C124781	TMT0102	TMT01-Time to Complete Trails B	Trail Making Test - Time (in seconds) to complete Trails B.	TMT - Time to Complete Trails B

C124780	TMT01-Time to Complete Trails A	TMT01-Time to Complete Trails A	Trail Making Test - Time (in seconds) to complete Trails A.	TMT - Time to Complete Trails A
C124781	TMT01-Time to Complete Trails B	TMT01-Time to Complete Trails B	Trail Making Test - Time (in seconds) to complete Trails B.	TMT - Time to Complete Trails B

C147699	TSCC0101	TSCC01-Bad Dreams or Nightmares	Trauma Symptom Checklist for Children - Bad dreams or nightmares.	TSCC - Bad Dreams or Nightmares
C147700	TSCC0102	TSCC01-Afraid Something Bad Might Happen	Trauma Symptom Checklist for Children - Feeling afraid something bad might happen.	TSCC - Afraid Something Bad Might Happen
C147701	TSCC0103	TSCC01-Scary Ideas Just Pop Into My Head	Trauma Symptom Checklist for Children - Scary ideas or pictures just pop into my head.	TSCC - Scary Ideas Just Pop Into My Head
C147702	TSCC0104	TSCC01-Wanting to Say Dirty Words	Trauma Symptom Checklist for Children - Wanting to say dirty words.	TSCC - Wanting to Say Dirty Words
C147703	TSCC0105	TSCC01-Pretending I am Someone Else	Trauma Symptom Checklist for Children - Pretending I am someone else.	TSCC - Pretending I am Someone Else
C147704	TSCC0106	TSCC01-Arguing Too Much	Trauma Symptom Checklist for Children - Arguing too much.	TSCC - Arguing Too Much
C147705	TSCC0107	TSCC01-Feeling Lonely	Trauma Symptom Checklist for Children - Feeling lonely.	TSCC - Feeling Lonely
C147706	TSCC0108	TSCC01-Touching Private Parts Too Much	Trauma Symptom Checklist for Children - Touching my private parts too much.	TSCC - Touching Private Parts Too Much
C147707	TSCC0109	TSCC01-Feeling Sad or Unhappy	Trauma Symptom Checklist for Children - Feeling sad or unhappy.	TSCC - Feeling Sad or Unhappy
C147708	TSCC0110	TSCC01-Remembering Things I Didn't Like	Trauma Symptom Checklist for Children - Remembering things that happened that I didn't like.	TSCC - Remembering Things I Didn't Like
C147709	TSCC0111	TSCC01-Going Away in My Mind	Trauma Symptom Checklist for Children - Going away in my mind, trying not to think.	TSCC - Going Away in My Mind
C147710	TSCC0112	TSCC01-Remembering Scary Things	Trauma Symptom Checklist for Children - Remembering scary things.	TSCC - Remembering Scary Things
C147711	TSCC0113	TSCC01-Wanting to Yell and Break Things	Trauma Symptom Checklist for Children - Wanting to yell and break things.	TSCC - Wanting to Yell and Break Things
C147712	TSCC0114	TSCC01-Crying	Trauma Symptom Checklist for Children - Crying.	TSCC - Crying
C147713	TSCC0115	TSCC01-Getting Scared All of Sudden	Trauma Symptom Checklist for Children - Getting scared all of a sudden and don't know why.	TSCC - Getting Scared All of Sudden
C147714	TSCC0116	TSCC01-Getting Mad and Can't Calm Down	Trauma Symptom Checklist for Children - Getting mad and can't calm down.	TSCC - Getting Mad and Can't Calm Down
C147715	TSCC0117	TSCC01-Thinking About Having Sex	Trauma Symptom Checklist for Children - Thinking about having sex.	TSCC - Thinking About Having Sex
C147716	TSCC0118	TSCC01-Feeling Dizzy	Trauma Symptom Checklist for Children - Feeling dizzy.	TSCC - Feeling Dizzy
C147717	TSCC0119	TSCC01-Wanting to Yell at People	Trauma Symptom Checklist for Children - Wanting to yell at people.	TSCC - Wanting to Yell at People
C147718	TSCC0120	TSCC01-Wanting to Hurt Myself	Trauma Symptom Checklist for Children - Wanting to hurt myself.	TSCC - Wanting to Hurt Myself
C147719	TSCC0121	TSCC01-Wanting to Hurt Other People	Trauma Symptom Checklist for Children - Wanting to hurt other people.	TSCC - Wanting to Hurt Other People
C147720	TSCC0122	TSCC01-Think Touch People Private Parts	Trauma Symptom Checklist for Children - Thinking about touching other people's private parts.	TSCC - Think Touch People Private Parts
C147721	TSCC0123	TSCC01-Think About Sex When Don't Want	Trauma Symptom Checklist for Children - Thinking about sex when I don't want to.	TSCC - Think About Sex When Don't Want
C147722	TSCC0124	TSCC01-Feeling Scared of Men	Trauma Symptom Checklist for Children - Feeling scared of men.	TSCC - Feeling Scared of Men
C147723	TSCC0125	TSCC01-Feeling Scared of Women	Trauma Symptom Checklist for Children - Feeling scared of women.	TSCC - Feeling Scared of Women
C147724	TSCC0126	TSCC01-Washing Myself Because Feel Dirty	Trauma Symptom Checklist for Children - Washing myself because I feel dirty on the inside.	TSCC - Washing Myself Because Feel Dirty
C147725	TSCC0127	TSCC01-Feeling Stupid or Bad	Trauma Symptom Checklist for Children - Feeling stupid or bad.	TSCC - Feeling Stupid or Bad
C147726	TSCC0128	TSCC01-Feeling Like Did Something Wrong	Trauma Symptom Checklist for Children - Feeling like I did something wrong.	TSCC - Feeling Like Did Something Wrong

Trauma Symptom Checklist for Children - Trauma Symptom Checklist for Children				
C147727	TSCC0129	TSCC01-Feeling Like Things Aren't Real	Trauma Symptom Checklist for Children - Feeling like things aren't real.	TSCC - Feeling Like Things Aren't Real
C147728	TSCC0130	TSCC01-Forgetting Things	Trauma Symptom Checklist for Children - Forgetting things, can't remember things.	TSCC - Forgetting Things
C147729	TSCC0131	TSCC01-Feeling Like I'm Not in My Body	Trauma Symptom Checklist for Children - Feeling like I'm not in my body.	TSCC - Feeling Like I'm Not in My Body
C147730	TSCC0132	TSCC01-Feeling Nervous or Jumpy Inside	Trauma Symptom Checklist for Children - Feeling nervous or jumpy inside.	TSCC - Feeling Nervous or Jumpy Inside
C147731	TSCC0133	TSCC01-Feeling Afraid	Trauma Symptom Checklist for Children - Feeling afraid.	TSCC - Feeling Afraid
C147732	TSCC0134	TSCC01-Not Trusting People Because Sex	Trauma Symptom Checklist for Children - Not trusting people because they might want sex.	TSCC - Not Trusting People Because Sex
C147733	TSCC0135	TSCC01-Can't Stop Thinking Something Bad	Trauma Symptom Checklist for Children - Can't stop thinking about something bad that happened to me.	TSCC - Can't Stop Thinking Something Bad
C147734	TSCC0136	TSCC01-Getting Into Fights	Trauma Symptom Checklist for Children - Getting into fights.	TSCC - Getting Into Fights
C147735	TSCC0137	TSCC01-Feeling Mean	Trauma Symptom Checklist for Children - Feeling mean.	TSCC - Feeling Mean
C147736	TSCC0138	TSCC01-Pretending I'm Somewhere Else	Trauma Symptom Checklist for Children - Pretending I'm somewhere else.	TSCC - Pretending I'm Somewhere Else
C147737	TSCC0139	TSCC01-Being Afraid of the Dark	Trauma Symptom Checklist for Children - Being afraid of the dark.	TSCC - Being Afraid of the Dark
C147738	TSCC0140	TSCC01-Scared When Think About Sex	Trauma Symptom Checklist for Children - Getting scared or upset when I think about sex.	TSCC - Scared When Think About Sex
C147739	TSCC0141	TSCC01-Worrying About Things	Trauma Symptom Checklist for Children - Worrying about things.	TSCC - Worrying About Things
C147740	TSCC0142	TSCC01-Feeling Like Nobody Likes Me	Trauma Symptom Checklist for Children - Feeling like nobody likes me.	TSCC - Feeling Like Nobody Likes Me
C147741	TSCC0143	TSCC01-Remembering Things Don't Want To	Trauma Symptom Checklist for Children - Remembering things I don't want to remember.	TSCC - Remembering Things Don't Want To
C147742	TSCC0144	TSCC01-Having Sex Feelings in My Body	Trauma Symptom Checklist for Children - Having sex feelings in my body.	TSCC - Having Sex Feelings in My Body
C147743	TSCC0145	TSCC01-My Mind Going Empty or Blank	Trauma Symptom Checklist for Children - My mind going empty or blank.	TSCC - My Mind Going Empty or Blank
C147744	TSCC0146	TSCC01-Feeling Like I Hate People	Trauma Symptom Checklist for Children - Feeling like I hate people.	TSCC - Feeling Like I Hate People
C147745	TSCC0147	TSCC01-Can't Stop Thinking About Sex	Trauma Symptom Checklist for Children - Can't stop thinking about sex.	TSCC - Can't Stop Thinking About Sex
C147746	TSCC0148	TSCC01-Trying Not to Have Any Feelings	Trauma Symptom Checklist for Children - Trying not to have any feelings.	TSCC - Trying Not to Have Any Feelings
C147747	TSCC0149	TSCC01-Feeling Mad	Trauma Symptom Checklist for Children - Feeling mad.	TSCC - Feeling Mad
C147748	TSCC0150	TSCC01-Feeling Afraid Somebody Kill Me	Trauma Symptom Checklist for Children - Feeling afraid somebody will kill me.	TSCC - Feeling Afraid Somebody Kill Me
C147749	TSCC0151	TSCC01-Wishing Bad Things Never Happened	Trauma Symptom Checklist for Children - Wishing bad things had never happened.	TSCC - Wishing Bad Things Never Happened
C147750	TSCC0152	TSCC01-Wanting to Kill Myself	Trauma Symptom Checklist for Children - Wanting to kill myself.	TSCC - Wanting to Kill Myself
C147751	TSCC0153	TSCC01-Daydreaming	Trauma Symptom Checklist for Children - Daydreaming.	TSCC - Daydreaming
C147752	TSCC0154	TSCC01-Getting Upset People Talk Sex	Trauma Symptom Checklist for Children - Getting upset when people talk about sex.	TSCC - Getting Upset People Talk Sex

C147700	TSCC01-Afraid Something Bad Might Happen	TSCC01-Afraid Something Bad Might Happen	Trauma Symptom Checklist for Children - Feeling afraid something bad might happen.	TSCC - Afraid Something Bad Might Happen
C147704	TSCC01-Arguing Too Much	TSCC01-Arguing Too Much	Trauma Symptom Checklist for Children - Arguing too much.	TSCC - Arguing Too Much
C147699	TSCC01-Bad Dreams or Nightmares	TSCC01-Bad Dreams or Nightmares	Trauma Symptom Checklist for Children - Bad dreams or nightmares.	TSCC - Bad Dreams or Nightmares
C147737	TSCC01-Being Afraid of the Dark	TSCC01-Being Afraid of the Dark	Trauma Symptom Checklist for Children - Being afraid of the dark.	TSCC - Being Afraid of the Dark
C147745	TSCC01-Can't Stop Thinking About Sex	TSCC01-Can't Stop Thinking About Sex	Trauma Symptom Checklist for Children - Can't stop thinking about sex.	TSCC - Can't Stop Thinking About Sex
C147733	TSCC01-Can't Stop Thinking Something Bad	TSCC01-Can't Stop Thinking Something Bad	Trauma Symptom Checklist for Children - Can't stop thinking about something bad that happened to me.	TSCC - Can't Stop Thinking Something Bad
C147712	TSCC01-Crying	TSCC01-Crying	Trauma Symptom Checklist for Children - Crying.	TSCC - Crying
C147751	TSCC01-Daydreaming	TSCC01-Daydreaming	Trauma Symptom Checklist for Children - Daydreaming.	TSCC - Daydreaming
C147748	TSCC01-Feeling Afraid Somebody Kill Me	TSCC01-Feeling Afraid Somebody Kill Me	Trauma Symptom Checklist for Children - Feeling afraid somebody will kill me.	TSCC - Feeling Afraid Somebody Kill Me
C147731	TSCC01-Feeling Afraid	TSCC01-Feeling Afraid	Trauma Symptom Checklist for Children - Feeling afraid.	TSCC - Feeling Afraid
C147716	TSCC01-Feeling Dizzy	TSCC01-Feeling Dizzy	Trauma Symptom Checklist for Children - Feeling dizzy.	TSCC - Feeling Dizzy
C147726	TSCC01-Feeling Like Did Something Wrong	TSCC01-Feeling Like Did Something Wrong	Trauma Symptom Checklist for Children - Feeling like I did something wrong.	TSCC - Feeling Like Did Something Wrong
C147744	TSCC01-Feeling Like I Hate People	TSCC01-Feeling Like I Hate People	Trauma Symptom Checklist for Children - Feeling like I hate people.	TSCC - Feeling Like I Hate People
C147729	TSCC01-Feeling Like I'm Not in My Body	TSCC01-Feeling Like I'm Not in My Body	Trauma Symptom Checklist for Children - Feeling like I'm not in my body.	TSCC - Feeling Like I'm Not in My Body
C147740	TSCC01-Feeling Like Nobody Likes Me	TSCC01-Feeling Like Nobody Likes Me	Trauma Symptom Checklist for Children - Feeling like nobody likes me.	TSCC - Feeling Like Nobody Likes Me
C147727	TSCC01-Feeling Like Things Aren't Real	TSCC01-Feeling Like Things Aren't Real	Trauma Symptom Checklist for Children - Feeling like things aren't real.	TSCC - Feeling Like Things Aren't Real
C147705	TSCC01-Feeling Lonely	TSCC01-Feeling Lonely	Trauma Symptom Checklist for Children - Feeling lonely.	TSCC - Feeling Lonely
C147747	TSCC01-Feeling Mad	TSCC01-Feeling Mad	Trauma Symptom Checklist for Children - Feeling mad.	TSCC - Feeling Mad
C147735	TSCC01-Feeling Mean	TSCC01-Feeling Mean	Trauma Symptom Checklist for Children - Feeling mean.	TSCC - Feeling Mean
C147730	TSCC01-Feeling Nervous or Jumpy Inside	TSCC01-Feeling Nervous or Jumpy Inside	Trauma Symptom Checklist for Children - Feeling nervous or jumpy inside.	TSCC - Feeling Nervous or Jumpy Inside
C147707	TSCC01-Feeling Sad or Unhappy	TSCC01-Feeling Sad or Unhappy	Trauma Symptom Checklist for Children - Feeling sad or unhappy.	TSCC - Feeling Sad or Unhappy
C147722	TSCC01-Feeling Scared of Men	TSCC01-Feeling Scared of Men	Trauma Symptom Checklist for Children - Feeling scared of men.	TSCC - Feeling Scared of Men
C147723	TSCC01-Feeling Scared of Women	TSCC01-Feeling Scared of Women	Trauma Symptom Checklist for Children - Feeling scared of women.	TSCC - Feeling Scared of Women
C147725	TSCC01-Feeling Stupid or Bad	TSCC01-Feeling Stupid or Bad	Trauma Symptom Checklist for Children - Feeling stupid or bad.	TSCC - Feeling Stupid or Bad
C147728	TSCC01-Forgetting Things	TSCC01-Forgetting Things	Trauma Symptom Checklist for Children - Forgetting things, can't remember things.	TSCC - Forgetting Things
C147734	TSCC01-Getting Into Fights	TSCC01-Getting Into Fights	Trauma Symptom Checklist for Children - Getting into fights.	TSCC - Getting Into Fights
C147714	TSCC01-Getting Mad and Can't Calm Down	TSCC01-Getting Mad and Can't Calm Down	Trauma Symptom Checklist for Children - Getting mad and can't calm down.	TSCC - Getting Mad and Can't Calm Down
C147713	TSCC01-Getting Scared All of Sudden	TSCC01-Getting Scared All of Sudden	Trauma Symptom Checklist for Children - Getting scared all of a sudden and don't know why.	TSCC - Getting Scared All of Sudden
C147752	TSCC01-Getting Upset People Talk Sex	TSCC01-Getting Upset People Talk Sex	Trauma Symptom Checklist for Children - Getting upset when people talk about sex.	TSCC - Getting Upset People Talk Sex
C147709	TSCC01-Going Away in My Mind	TSCC01-Going Away in My Mind	Trauma Symptom Checklist for Children - Going away in my mind, trying not to think.	TSCC - Going Away in My Mind

Trauma Symptom Checklist for Children - Trauma Symptom Checklist for Children				
ID	Item Description	Sub-Item Description	Description	Category
C147742	TSCC01-Having Sex Feelings in My Body	TSCC01-Having Sex Feelings in My Body	Trauma Symptom Checklist for Children - Having sex feelings in my body.	TSCC - Having Sex Feelings in My Body
C147743	TSCC01-My Mind Going Empty or Blank	TSCC01-My Mind Going Empty or Blank	Trauma Symptom Checklist for Children - My mind going empty or blank.	TSCC - My Mind Going Empty or Blank
C147732	TSCC01-Not Trusting People Because Sex	TSCC01-Not Trusting People Because Sex	Trauma Symptom Checklist for Children - Not trusting people because they might want sex.	TSCC - Not Trusting People Because Sex
C147703	TSCC01-Pretending I am Someone Else	TSCC01-Pretending I am Someone Else	Trauma Symptom Checklist for Children - Pretending I am someone else.	TSCC - Pretending I am Someone Else
C147736	TSCC01-Pretending I'm Somewhere Else	TSCC01-Pretending I'm Somewhere Else	Trauma Symptom Checklist for Children - Pretending I'm somewhere else.	TSCC - Pretending I'm Somewhere Else
C147710	TSCC01-Remembering Scary Things	TSCC01-Remembering Scary Things	Trauma Symptom Checklist for Children - Remembering scary things.	TSCC - Remembering Scary Things
C147741	TSCC01-Remembering Things Don't Want To	TSCC01-Remembering Things Don't Want To	Trauma Symptom Checklist for Children - Remembering things I don't want to remember.	TSCC - Remembering Things Don't Want To
C147708	TSCC01-Remembering Things I Didn't Like	TSCC01-Remembering Things I Didn't Like	Trauma Symptom Checklist for Children - Remembering things that happened that I didn't like.	TSCC - Remembering Things I Didn't Like
C147738	TSCC01-Scared When Think About Sex	TSCC01-Scared When Think About Sex	Trauma Symptom Checklist for Children - Getting scared or upset when I think about sex.	TSCC - Scared When Think About Sex
C147701	TSCC01-Scary Ideas Just Pop Into My Head	TSCC01-Scary Ideas Just Pop Into My Head	Trauma Symptom Checklist for Children - Scary ideas or pictures just pop into my head.	TSCC - Scary Ideas Just Pop Into My Head
C147721	TSCC01-Think About Sex When Don't Want	TSCC01-Think About Sex When Don't Want	Trauma Symptom Checklist for Children - Thinking about sex when I don't want to.	TSCC - Think About Sex When Don't Want
C147720	TSCC01-Think Touch People Private Parts	TSCC01-Think Touch People Private Parts	Trauma Symptom Checklist for Children - Thinking about touching other people's private parts.	TSCC - Think Touch People Private Parts
C147715	TSCC01-Thinking About Having Sex	TSCC01-Thinking About Having Sex	Trauma Symptom Checklist for Children - Thinking about having sex.	TSCC - Thinking About Having Sex
C147706	TSCC01-Touching Private Parts Too Much	TSCC01-Touching Private Parts Too Much	Trauma Symptom Checklist for Children - Touching my private parts too much.	TSCC - Touching Private Parts Too Much
C147746	TSCC01-Trying Not to Have Any Feelings	TSCC01-Trying Not to Have Any Feelings	Trauma Symptom Checklist for Children - Trying not to have any feelings.	TSCC - Trying Not to Have Any Feelings
C147718	TSCC01-Wanting to Hurt Myself	TSCC01-Wanting to Hurt Myself	Trauma Symptom Checklist for Children - Wanting to hurt myself.	TSCC - Wanting to Hurt Myself
C147719	TSCC01-Wanting to Hurt Other People	TSCC01-Wanting to Hurt Other People	Trauma Symptom Checklist for Children - Wanting to hurt other people.	TSCC - Wanting to Hurt Other People
C147750	TSCC01-Wanting to Kill Myself	TSCC01-Wanting to Kill Myself	Trauma Symptom Checklist for Children - Wanting to kill myself.	TSCC - Wanting to Kill Myself
C147702	TSCC01-Wanting to Say Dirty Words	TSCC01-Wanting to Say Dirty Words	Trauma Symptom Checklist for Children - Wanting to say dirty words.	TSCC - Wanting to Say Dirty Words
C147711	TSCC01-Wanting to Yell and Break Things	TSCC01-Wanting to Yell and Break Things	Trauma Symptom Checklist for Children - Wanting to yell and break things.	TSCC - Wanting to Yell and Break Things
C147717	TSCC01-Wanting to Yell at People	TSCC01-Wanting to Yell at People	Trauma Symptom Checklist for Children - Wanting to yell at people.	TSCC - Wanting to Yell at People
C147724	TSCC01-Washing Myself Because Feel Dirty	TSCC01-Washing Myself Because Feel Dirty	Trauma Symptom Checklist for Children - Washing myself because I feel dirty on the inside.	TSCC - Washing Myself Because Feel Dirty
C147749	TSCC01-Wishing Bad Things Never Happened	TSCC01-Wishing Bad Things Never Happened	Trauma Symptom Checklist for Children - Wishing bad things had never happened.	TSCC - Wishing Bad Things Never Happened
C147739	TSCC01-Worrying About Things	TSCC01-Worrying About Things	Trauma Symptom Checklist for Children - Worrying about things.	TSCC - Worrying About Things

Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month:				
C147753	TSCYC101	TSCYC1-Temper Tantrums	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Temper tantrums.	TSCYC - Temper Tantrums
C147754	TSCYC102	TSCYC1-Looking Sad	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Looking sad.	TSCYC - Looking Sad
C147755	TSCYC103	TSCYC1-Telling a Lie	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Telling a lie.	TSCYC - Telling a Lie
C147756	TSCYC104	TSCYC1-Bad Dreams or Nightmares	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Bad dreams or nightmares.	TSCYC - Bad Dreams or Nightmares
C147757	TSCYC105	TSCYC1-Living in a Fantasy World	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Living in a fantasy world.	TSCYC - Living in a Fantasy World
C147758	TSCYC106	TSCYC1-Seeming to Know More About Sex	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Seeming to know more about sex than he or she should.	TSCYC - Seeming to Know More About Sex
C147759	TSCYC107	TSCYC1-Being Easily Scared	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Being easily scared.	TSCYC - Being Easily Scared
C147760	TSCYC108	TSCYC1-Not Wanting to Go Somewhere	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Not wanting to go somewhere that reminded him or her of a bad thing from the past.	TSCYC - Not Wanting to Go Somewhere
C147761	TSCYC109	TSCYC1-Worrying Food Was Poisoned	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Worrying that his or her food was poisoned.	TSCYC - Worrying Food Was Poisoned
C147762	TSCYC110	TSCYC1-Flinching When Someone Moved	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Flinching or jumping when someone moved quickly or there was a loud noise.	TSCYC - Flinching When Someone Moved
C147763	TSCYC111	TSCYC1-Being Bothered by Memories	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Being bothered by memories of something that happened to him or her.	TSCYC - Being Bothered by Memories
C147764	TSCYC112	TSCYC1-Worrying Someone Might Be Sexual	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Worrying that someone might be sexual with him or her.	TSCYC - Worrying Someone Might Be Sexual
C147765	TSCYC113	TSCYC1-Not Wanting to Talk	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Not wanting to talk about something that happened to him or her.	TSCYC - Not Wanting to Talk
C147766	TSCYC114	TSCYC1-Not Do Something Supposed to Do	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Not doing something he or she was supposed to do.	TSCYC - Not Do Something Supposed to Do
C147767	TSCYC115	TSCYC1-Breaking Things on Purpose	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Breaking things on purpose.	TSCYC - Breaking Things on Purpose
C147768	TSCYC116	TSCYC1-Talking About Sexual Things	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Talking about sexual things.	TSCYC - Talking About Sexual Things
C147769	TSCYC117	TSCYC1-Having Trouble Concentrating	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Having trouble concentrating.	TSCYC - Having Trouble Concentrating
C147770	TSCYC118	TSCYC1-Blaming for Things Weren't Fault	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Blaming himself or herself for things that weren't his or her fault.	TSCYC - Blaming for Things Weren't Fault

Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month:				
C147771	TSCYC119	TSCYC1-Acting Frightened Reminded Past	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Acting frightened when he or she was reminded of something that happened in the past.	TSCYC - Acting Frightened Reminded Past
C147772	TSCYC120	TSCYC1-Pretending to Have Sex	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Pretending to have sex.	TSCYC - Pretending to Have Sex
C147773	TSCYC121	TSCYC1-Worrying Bad Things in Future	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Worrying that bad things would happen in the future.	TSCYC - Worrying Bad Things in Future
C147774	TSCYC122	TSCYC1-Arguing	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Arguing.	TSCYC - Arguing
C147775	TSCYC123	TSCYC1-Getting Into Physical Fights	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Getting into physical fights.	TSCYC - Getting Into Physical Fights
C147776	TSCYC124	TSCYC1-Drawing Pictures Upsetting Thing	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Drawing pictures about an upsetting thing that happened to him or her.	TSCYC - Drawing Pictures Upsetting Thing
C147777	TSCYC125	TSCYC1-Not Noticing What He or She Doing	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Not noticing what he or she was doing.	TSCYC - Not Noticing What He or She Doing
C147778	TSCYC126	TSCYC1-Having Trouble Sitting Still	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Having trouble sitting still.	TSCYC - Having Trouble Sitting Still
C147779	TSCYC127	TSCYC1-Playing Games Something Bad Past	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Playing games about something bad that actually happened to him or her in the past.	TSCYC - Playing Games Something Bad Past
C147780	TSCYC128	TSCYC1-Seeming to Be in a Daze	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Seeming to be in a daze.	TSCYC - Seeming to Be in a Daze
C147781	TSCYC129	TSCYC1-Trouble Remembering Upsetting Thing	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Having trouble remembering an upsetting thing that happened in the past.	TSCYC - Trouble Remembering Upsetting Thing
C147782	TSCYC130	TSCYC1-Using Drugs	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Using drugs.	TSCYC - Using Drugs
C147783	TSCYC131	TSCYC1-Fear of the Dark	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Fear of the dark.	TSCYC - Fear of the Dark
C147784	TSCYC132	TSCYC1-Being Afraid to Be Alone	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Being afraid to be alone.	TSCYC - Being Afraid to Be Alone
C147785	TSCYC133	TSCYC1-Spacing Out	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Spacing out.	TSCYC - Spacing Out
C147786	TSCYC134	TSCYC1-Being Too Aggressive	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Being too aggressive.	TSCYC - Being Too Aggressive
C147787	TSCYC135	TSCYC1-Touching Other Private Parts	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Touching other children's or adults' private parts (under or over clothes).	TSCYC - Touching Other Private Parts
C147788	TSCYC136	TSCYC1-Seeing Bad Happened in the Past	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Suddenly seeing, feeling, or hearing something bad that happened in the past.	TSCYC - Seeing Bad Happened in the Past
C147789	TSCYC137	TSCYC1-Hearing Voices to Hurt Someone	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Hearing voices telling him or her to hurt someone.	TSCYC - Hearing Voices to Hurt Someone

Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month:				
C147790	TSCYC138	TSCYC1-Staring Off Into Space	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Staring off into space.	TSCYC - Staring Off Into Space
C147791	TSCYC139	TSCYC1-Changing Subject About Bad Thing	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Changing the subject or not answering when he or she was asked about a bad thing that happened to him or her.	TSCYC - Changing Subject About Bad Thing
C147792	TSCYC140	TSCYC1-Having a Nervous Breakdown	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Having a nervous breakdown.	TSCYC - Having a Nervous Breakdown
C147793	TSCYC141	TSCYC1-Not Happy Like Other Children	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Not laughing or being happy like other children.	TSCYC - Not Happy Like Other Children
C147794	TSCYC142	TSCYC1-Crying at Night Frightened	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Crying at night because he or she was frightened.	TSCYC - Crying at Night Frightened
C147795	TSCYC143	TSCYC1-Hitting Adults	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Hitting adults (including parents).	TSCYC - Hitting Adults
C147796	TSCYC144	TSCYC1-Being Frightened of Men	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Being frightened of men.	TSCYC - Being Frightened of Men
C147797	TSCYC145	TSCYC1-Not Being Able to Pay Attention	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Not being able to pay attention.	TSCYC - Not Being Able to Pay Attention
C147798	TSCYC146	TSCYC1-Seeming to Be Million Miles Away	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Seeming to be a million miles away.	TSCYC - Seeming to Be Million Miles Away
C147799	TSCYC147	TSCYC1-Being Easily Startled	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Being easily startled.	TSCYC - Being Easily Startled
C147800	TSCYC148	TSCYC1-Watching Out for Possible Danger	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Watching out everywhere for possible danger.	TSCYC - Watching Out for Possible Danger
C147801	TSCYC149	TSCYC1-No Longer Doing Things Enjoy	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: No longer doing things that he or she used to enjoy.	TSCYC - No Longer Doing Things Enjoy
C147802	TSCYC150	TSCYC1-Frightened Something Sexual Seen	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Becoming frightened or disturbed when something sexual was mentioned or seen.	TSCYC - Frightened Something Sexual Seen
C147803	TSCYC151	TSCYC1-Not Sleeping for Two or More Days	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Not sleeping for two or more days.	TSCYC - Not Sleeping for Two or More Days
C147804	TSCYC152	TSCYC1-Not Paying Attention in Own World	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Not paying attention because he or she was in his or her own world.	TSCYC - Not Paying Attention in Own World
C147805	TSCYC153	TSCYC1-Making Mistakes	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Making mistakes.	TSCYC - Making Mistakes
C147806	TSCYC154	TSCYC1-Crying for No Obvious Reason	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Crying for no obvious reason.	TSCYC - Crying for No Obvious Reason
C147807	TSCYC155	TSCYC1-Not Wanting to Be Around Someone	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Not wanting to be around someone who did something bad to him or her or reminded him or her of something bad.	TSCYC - Not Wanting to Be Around Someone

Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month:				
C147808	TSCYC156	TSCYC1-Being Tense	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Being tense.	TSCYC - Being Tense
C147809	TSCYC157	TSCYC1-Worrying About People's Safety	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Worrying about other people's safety.	TSCYC - Worrying About People's Safety
C147810	TSCYC158	TSCYC1-Very Angry Over a Little Thing	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Becoming very angry over a little thing.	TSCYC - Very Angry Over a Little Thing
C147811	TSCYC159	TSCYC1-Drawing Pictures About Sex Things	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Drawing pictures about sexual things.	TSCYC - Drawing Pictures About Sex Things
C147812	TSCYC160	TSCYC1-Pulling His or Her Hair Out	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Pulling his or her hair out.	TSCYC - Pulling His or Her Hair Out
C147813	TSCYC161	TSCYC1-Calling Himself or Herself Bad	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Calling himself or herself bad, stupid, or ugly.	TSCYC - Calling Himself or Herself Bad
C147814	TSCYC162	TSCYC1-Throwing Things at Friends/Family	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Throwing things at friends or family members.	TSCYC - Throwing Things at Friends/Family
C147815	TSCYC163	TSCYC1-Getting Upset About the Past	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Getting upset about something in the past.	TSCYC - Getting Upset About the Past
C147816	TSCYC164	TSCYC1-Temporary Blindness or Paralysis	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Temporary blindness or paralysis.	TSCYC - Temporary Blindness or Paralysis
C147817	TSCYC165	TSCYC1-Getting Upset Something Sexual	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Getting upset about something sexual.	TSCYC - Getting Upset Something Sexual
C147818	TSCYC166	TSCYC1-Not Going to Bed First Time Asked	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Not going to bed at night the first time he or she was asked.	TSCYC - Not Going to Bed First Time Asked
C147819	TSCYC167	TSCYC1-Fear He or She Killed by Someone	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Fear that he or she would be killed by someone.	TSCYC - Fear He or She Killed by Someone
C147820	TSCYC168	TSCYC1-Saying Nobody Liked Him or Her	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Saying that nobody liked him or her.	TSCYC - Saying Nobody Liked Him or Her
C147821	TSCYC169	TSCYC1-Crying When Reminded From Past	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Crying when he or she was reminded of something from the past.	TSCYC - Crying When Reminded From Past
C147822	TSCYC170	TSCYC1-Saying Bad Didn't Happen	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Saying that something bad didn't happen to him or her even though it did happen.	TSCYC - Saying Bad Didn't Happen
C147823	TSCYC171	TSCYC1-Saying He or She Wanted to Die	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Saying he or she wanted to die or be killed.	TSCYC - Saying He or She Wanted to Die
C147824	TSCYC172	TSCYC1-Acting as If Didn't Have Feelings	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Acting as if he or she didn't have any feelings about something bad that happened to him or her.	TSCYC - Acting as If Didn't Have Feelings

Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month:				
C147825	TSCYC173	TSCYC1-Whining	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Whining.	TSCYC - Whining
C147826	TSCYC174	TSCYC1-Not Sleeping Well	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Not sleeping well.	TSCYC - Not Sleeping Well
C147827	TSCYC175	TSCYC1-Worrying About Sexual Things	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Worrying about sexual things.	TSCYC - Worrying About Sexual Things
C147828	TSCYC176	TSCYC1-Being Frightened by Things	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Being frightened by things that didn't used to scare him or her.	TSCYC - Being Frightened by Things
C147829	TSCYC177	TSCYC1-Hallucinating	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Hallucinating.	TSCYC - Hallucinating
C147830	TSCYC178	TSCYC1-Acting Like He/She Was in Trance	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Acting like he or she was in a trance.	TSCYC - Acting Like He or She Was in Trance
C147831	TSCYC179	TSCYC1-Forgetting His or Her Own Name	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Forgetting his or her own name.	TSCYC - Forgetting His or Her Own Name
C147832	TSCYC180	TSCYC1-Upset When Reminded Bad Happened	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Getting upset when he or she was reminded of something bad that happened.	TSCYC - Upset When Reminded Bad Happened
C147833	TSCYC181	TSCYC1-Avoiding Bad Happened in Past	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Avoiding things that reminded him or her of a bad thing that had happened in the past.	TSCYC - Avoiding Bad Happened in Past
C147834	TSCYC182	TSCYC1-Acting Jumpy	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Acting jumpy.	TSCYC - Acting Jumpy
C147835	TSCYC183	TSCYC1-Making a Mess	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Making a mess.	TSCYC - Making a Mess
C147836	TSCYC184	TSCYC1-Acting Sad or Depressed	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Acting sad or depressed.	TSCYC - Acting Sad or Depressed
C147837	TSCYC185	TSCYC1-Being Absent-minded	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Being so absent-minded that he or she didn't notice what was going on around him or her.	TSCYC - Being Absent-minded
C147838	TSCYC186	TSCYC1-Not Wanting to Eat Certain Foods	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Not wanting to eat certain foods.	TSCYC - Not Wanting to Eat Certain Foods
C147839	TSCYC187	TSCYC1-Yelling at Family/Friend/Teachers	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Yelling at family, friends, or teachers.	TSCYC - Yelling at Family, Friends or Teachers
C147840	TSCYC188	TSCYC1-Not Playing Because Depressed	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Not playing because he or she was depressed.	TSCYC - Not Playing Because Depressed
C147841	TSCYC189	TSCYC1-Being Disobedient	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Being disobedient.	TSCYC - Being Disobedient
C147842	TSCYC190	TSCYC1-Intentionally Hurt Other Children	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Intentionally hurting other children or family members.	TSCYC - Intentionally Hurt Other Children

C147824	TSCYC1-Acting as If Didn't Have Feelings	TSCYC1-Acting as If Didn't Have Feelings	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Acting as if he or she didn't have any feelings about something bad that happened to him or her.	TSCYC - Acting as If Didn't Have Feelings
C147771	TSCYC1-Acting Frightened Reminded Past	TSCYC1-Acting Frightened Reminded Past	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Acting frightened when he or she was reminded of something that happened in the past.	TSCYC - Acting Frightened Reminded Past
C147834	TSCYC1-Acting Jumpy	TSCYC1-Acting Jumpy	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Acting jumpy.	TSCYC - Acting Jumpy
C147830	TSCYC1-Acting Like He/She Was in Trance	TSCYC1-Acting Like He/She Was in Trance	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Acting like he or she was in a trance.	TSCYC - Acting Like He or She Was in Trance
C147836	TSCYC1-Acting Sad or Depressed	TSCYC1-Acting Sad or Depressed	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Acting sad or depressed.	TSCYC - Acting Sad or Depressed
C147774	TSCYC1-Arguing	TSCYC1-Arguing	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Arguing.	TSCYC - Arguing
C147833	TSCYC1-Avoiding Bad Happened in Past	TSCYC1-Avoiding Bad Happened in Past	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Avoiding things that reminded him or her of a bad thing that had happened in the past.	TSCYC - Avoiding Bad Happened in Past
C147756	TSCYC1-Bad Dreams or Nightmares	TSCYC1-Bad Dreams or Nightmares	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Bad dreams or nightmares.	TSCYC - Bad Dreams or Nightmares
C147837	TSCYC1-Being Absent-minded	TSCYC1-Being Absent-minded	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Being so absent-minded that he or she didn't notice what was going on around him or her.	TSCYC - Being Absent-minded
C147784	TSCYC1-Being Afraid to Be Alone	TSCYC1-Being Afraid to Be Alone	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Being afraid to be alone.	TSCYC - Being Afraid to Be Alone
C147763	TSCYC1-Being Bothered by Memories	TSCYC1-Being Bothered by Memories	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Being bothered by memories of something that happened to him or her.	TSCYC - Being Bothered by Memories
C147841	TSCYC1-Being Disobedient	TSCYC1-Being Disobedient	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Being disobedient.	TSCYC - Being Disobedient
C147759	TSCYC1-Being Easily Scared	TSCYC1-Being Easily Scared	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Being easily scared.	TSCYC - Being Easily Scared
C147799	TSCYC1-Being Easily Startled	TSCYC1-Being Easily Startled	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Being easily startled.	TSCYC - Being Easily Startled
C147828	TSCYC1-Being Frightened by Things	TSCYC1-Being Frightened by Things	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Being frightened by things that didn't used to scare him or her.	TSCYC - Being Frightened by Things
C147796	TSCYC1-Being Frightened of Men	TSCYC1-Being Frightened of Men	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Being frightened of men.	TSCYC - Being Frightened of Men
C147808	TSCYC1-Being Tense	TSCYC1-Being Tense	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Being tense.	TSCYC - Being Tense
C147786	TSCYC1-Being Too Aggressive	TSCYC1-Being Too Aggressive	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Being too aggressive.	TSCYC - Being Too Aggressive

Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month:					
C147770	TSCYC1-Blaming for Things Weren't Fault	TSCYC1-Blaming for Things Weren't Fault	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Blaming himself or herself for things that weren't his or her fault.	TSCYC - Blaming for Things Weren't Fault	
C147767	TSCYC1-Breaking Things on Purpose	TSCYC1-Breaking Things on Purpose	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Breaking things on purpose.	TSCYC - Breaking Things on Purpose	
C147813	TSCYC1-Calling Himself or Herself Bad	TSCYC1-Calling Himself or Herself Bad	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Calling himself or herself bad, stupid, or ugly.	TSCYC - Calling Himself or Herself Bad	
C147791	TSCYC1-Changing Subject About Bad Thing	TSCYC1-Changing Subject About Bad Thing	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Changing the subject or not answering when he or she was asked about a bad thing that happened to him or her.	TSCYC - Changing Subject About Bad Thing	
C147794	TSCYC1-Crying at Night Frightened	TSCYC1-Crying at Night Frightened	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Crying at night because he or she was frightened.	TSCYC - Crying at Night Frightened	
C147806	TSCYC1-Crying for No Obvious Reason	TSCYC1-Crying for No Obvious Reason	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Crying for no obvious reason.	TSCYC - Crying for No Obvious Reason	
C147821	TSCYC1-Crying When Reminded From Past	TSCYC1-Crying When Reminded From Past	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Crying when he or she was reminded of something from the past.	TSCYC - Crying When Reminded From Past	
C147811	TSCYC1-Drawing Pictures About Sex Things	TSCYC1-Drawing Pictures About Sex Things	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Drawing pictures about sexual things.	TSCYC - Drawing Pictures About Sex Things	
C147776	TSCYC1-Drawing Pictures Upsetting Thing	TSCYC1-Drawing Pictures Upsetting Thing	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Drawing pictures about an upsetting thing that happened to him or her.	TSCYC - Drawing Pictures Upsetting Thing	
C147819	TSCYC1-Fear He or She Killed by Someone	TSCYC1-Fear He or She Killed by Someone	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Fear that he or she would be killed by someone.	TSCYC - Fear He or She Killed by Someone	
C147783	TSCYC1-Fear of the Dark	TSCYC1-Fear of the Dark	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Fear of the dark.	TSCYC - Fear of the Dark	
C147762	TSCYC1-Flinching When Someone Moved	TSCYC1-Flinching When Someone Moved	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Flinching or jumping when someone moved quickly or there was a loud noise.	TSCYC - Flinching When Someone Moved	
C147831	TSCYC1-Forgetting His or Her Own Name	TSCYC1-Forgetting His or Her Own Name	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Forgetting his or her own name.	TSCYC - Forgetting His or Her Own Name	
C147802	TSCYC1-Frightened Something Sexual Seen	TSCYC1-Frightened Something Sexual Seen	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Becoming frightened or disturbed when something sexual was mentioned or seen.	TSCYC - Frightened Something Sexual Seen	
C147775	TSCYC1-Getting Into Physical Fights	TSCYC1-Getting Into Physical Fights	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Getting into physical fights.	TSCYC - Getting Into Physical Fights	
C147815	TSCYC1-Getting Upset About the Past	TSCYC1-Getting Upset About the Past	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Getting upset about something in the past.	TSCYC - Getting Upset About the Past	
C147817	TSCYC1-Getting Upset Something Sexual	TSCYC1-Getting Upset Something Sexual	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Getting upset about something sexual.	TSCYC - Getting Upset Something Sexual	
C147829	TSCYC1-Hallucinating	TSCYC1-Hallucinating	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Hallucinating.	TSCYC - Hallucinating	

Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month:				
C147792	TSCYC1-Having a Nervous Breakdown	TSCYC1-Having a Nervous Breakdown	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Having a nervous breakdown.	TSCYC - Having a Nervous Breakdown
C147769	TSCYC1-Having Trouble Concentrating	TSCYC1-Having Trouble Concentrating	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Having trouble concentrating.	TSCYC - Having Trouble Concentrating
C147778	TSCYC1-Having Trouble Sitting Still	TSCYC1-Having Trouble Sitting Still	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Having trouble sitting still.	TSCYC - Having Trouble Sitting Still
C147789	TSCYC1-Hearing Voices to Hurt Someone	TSCYC1-Hearing Voices to Hurt Someone	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Hearing voices telling him or her to hurt someone.	TSCYC - Hearing Voices to Hurt Someone
C147795	TSCYC1-Hitting Adults	TSCYC1-Hitting Adults	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Hitting adults (including parents).	TSCYC - Hitting Adults
C147842	TSCYC1-Intentionally Hurt Other Children	TSCYC1-Intentionally Hurt Other Children	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Intentionally hurting other children or family members.	TSCYC - Intentionally Hurt Other Children
C147757	TSCYC1-Living in a Fantasy World	TSCYC1-Living in a Fantasy World	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Living in a fantasy world.	TSCYC - Living in a Fantasy World
C147754	TSCYC1-Looking Sad	TSCYC1-Looking Sad	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Looking sad.	TSCYC - Looking Sad
C147835	TSCYC1-Making a Mess	TSCYC1-Making a Mess	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Making a mess.	TSCYC - Making a Mess
C147805	TSCYC1-Making Mistakes	TSCYC1-Making Mistakes	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Making mistakes.	TSCYC - Making Mistakes
C147801	TSCYC1-No Longer Doing Things Enjoy	TSCYC1-No Longer Doing Things Enjoy	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: No longer doing things that he or she used to enjoy.	TSCYC - No Longer Doing Things Enjoy
C147797	TSCYC1-Not Being Able to Pay Attention	TSCYC1-Not Being Able to Pay Attention	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Not being able to pay attention.	TSCYC - Not Being Able to Pay Attention
C147766	TSCYC1-Not Do Something Supposed to Do	TSCYC1-Not Do Something Supposed to Do	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Not doing something he or she was supposed to do.	TSCYC - Not Do Something Supposed to Do
C147818	TSCYC1-Not Going to Bed First Time Asked	TSCYC1-Not Going to Bed First Time Asked	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Not going to bed at night the first time he or she was asked.	TSCYC - Not Going to Bed First Time Asked
C147793	TSCYC1-Not Happy Like Other Children	TSCYC1-Not Happy Like Other Children	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Not laughing or being happy like other children.	TSCYC - Not Happy Like Other Children
C147777	TSCYC1-Not Noticing What He or She Doing	TSCYC1-Not Noticing What He or She Doing	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Not noticing what he or she was doing.	TSCYC - Not Noticing What He or She Doing
C147804	TSCYC1-Not Paying Attention in Own World	TSCYC1-Not Paying Attention in Own World	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Not paying attention because he or she was in his or her own world.	TSCYC - Not Paying Attention in Own World
C147840	TSCYC1-Not Playing Because Depressed	TSCYC1-Not Playing Because Depressed	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Not playing because he or she was depressed.	TSCYC - Not Playing Because Depressed
C147803	TSCYC1-Not Sleeping for Two or More Days	TSCYC1-Not Sleeping for Two or More Days	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Not sleeping for two or more days.	TSCYC - Not Sleeping for Two or More Days

Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month:					
C147826	TSCYC1-Not Sleeping Well	TSCYC1-Not Sleeping Well	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Not sleeping well.	TSCYC - Not Sleeping Well	
C147807	TSCYC1-Not Wanting to Be Around Someone	TSCYC1-Not Wanting to Be Around Someone	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Not wanting to be around someone who did something bad to him or her or reminded him or her of something bad.	TSCYC - Not Wanting to Be Around Someone	
C147838	TSCYC1-Not Wanting to Eat Certain Foods	TSCYC1-Not Wanting to Eat Certain Foods	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Not wanting to eat certain foods.	TSCYC - Not Wanting to Eat Certain Foods	
C147760	TSCYC1-Not Wanting to Go Somewhere	TSCYC1-Not Wanting to Go Somewhere	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Not wanting to go somewhere that reminded him or her of a bad thing from the past.	TSCYC - Not Wanting to Go Somewhere	
C147765	TSCYC1-Not Wanting to Talk	TSCYC1-Not Wanting to Talk	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Not wanting to talk about something that happened to him or her.	TSCYC - Not Wanting to Talk	
C147779	TSCYC1-Playing Games Something Bad Past	TSCYC1-Playing Games Something Bad Past	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Playing games about something bad that actually happened to him or her in the past.	TSCYC - Playing Games Something Bad Past	
C147772	TSCYC1-Pretending to Have Sex	TSCYC1-Pretending to Have Sex	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Pretending to have sex.	TSCYC - Pretending to Have Sex	
C147812	TSCYC1-Pulling His or Her Hair Out	TSCYC1-Pulling His or Her Hair Out	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Pulling his or her hair out.	TSCYC - Pulling His or Her Hair Out	
C147822	TSCYC1-Saying Bad Didn't Happen	TSCYC1-Saying Bad Didn't Happen	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Saying that something bad didn't happen to him or her even though it did happen.	TSCYC - Saying Bad Didn't Happen	
C147823	TSCYC1-Saying He or She Wanted to Die	TSCYC1-Saying He or She Wanted to Die	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Saying he or she wanted to die or be killed.	TSCYC - Saying He or She Wanted to Die	
C147820	TSCYC1-Saying Nobody Liked Him or Her	TSCYC1-Saying Nobody Liked Him or Her	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Saying that nobody liked him or her.	TSCYC - Saying Nobody Liked Him or Her	
C147788	TSCYC1-Seeing Bad Happened in the Past	TSCYC1-Seeing Bad Happened in the Past	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Suddenly seeing, feeling, or hearing something bad that happened in the past.	TSCYC - Seeing Bad Happened in the Past	
C147780	TSCYC1-Seeming to Be in a Daze	TSCYC1-Seeming to Be in a Daze	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Seeming to be in a daze.	TSCYC - Seeming to Be in a Daze	
C147798	TSCYC1-Seeming to Be Million Miles Away	TSCYC1-Seeming to Be Million Miles Away	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Seeming to be a million miles away.	TSCYC - Seeming to Be Million Miles Away	
C147758	TSCYC1-Seeming to Know More About Sex	TSCYC1-Seeming to Know More About Sex	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Seeming to know more about sex than he or she should.	TSCYC - Seeming to Know More About Sex	
C147785	TSCYC1-Spacing Out	TSCYC1-Spacing Out	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Spacing out.	TSCYC - Spacing Out	
C147790	TSCYC1-Staring Off Into Space	TSCYC1-Staring Off Into Space	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Staring off into space.	TSCYC - Staring Off Into Space	
C147768	TSCYC1-Talking About Sexual Things	TSCYC1-Talking About Sexual Things	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Talking about sexual things.	TSCYC - Talking About Sexual Things	
C147755	TSCYC1-Telling a Lie	TSCYC1-Telling a Lie	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Telling a lie.	TSCYC - Telling a Lie	

Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month:				
C147753	TSCYC1-Temper Tantrums	TSCYC1-Temper Tantrums	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Temper tantrums.	TSCYC - Temper Tantrums
C147816	TSCYC1-Temporary Blindness or Paralysis	TSCYC1-Temporary Blindness or Paralysis	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Temporary blindness or paralysis.	TSCYC - Temporary Blindness or Paralysis
C147814	TSCYC1-Throwing Things at Friends/Family	TSCYC1-Throwing Things at Friends/Family	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Throwing things at friends or family members.	TSCYC - Throwing Things at Friends/Family
C147787	TSCYC1-Touching Other Private Parts	TSCYC1-Touching Other Private Parts	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Touching other children's or adults' private parts (under or over clothes).	TSCYC - Touching Other Private Parts
C147781	TSCYC1-Trouble Remember Upsetting Thing	TSCYC1-Trouble Remember Upsetting Thing	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Having trouble remembering an upsetting thing that happened in the past.	TSCYC - Trouble Remember Upsetting Thing
C147832	TSCYC1-Upset When Reminded Bad Happened	TSCYC1-Upset When Reminded Bad Happened	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Getting upset when he or she was reminded of something bad that happened.	TSCYC - Upset When Reminded Bad Happened
C147782	TSCYC1-Using Drugs	TSCYC1-Using Drugs	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Using drugs.	TSCYC - Using Drugs
C147810	TSCYC1-Very Angry Over a Little Thing	TSCYC1-Very Angry Over a Little Thing	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Becoming very angry over a little thing.	TSCYC - Very Angry Over a Little Thing
C147800	TSCYC1-Watching Out for Possible Danger	TSCYC1-Watching Out for Possible Danger	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Watching out everywhere for possible danger.	TSCYC - Watching Out for Possible Danger
C147825	TSCYC1-Whining	TSCYC1-Whining	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Whining.	TSCYC - Whining
C147809	TSCYC1-Worrying About People's Safety	TSCYC1-Worrying About People's Safety	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Worrying about other people's safety.	TSCYC - Worrying About People's Safety
C147827	TSCYC1-Worrying About Sexual Things	TSCYC1-Worrying About Sexual Things	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Worrying about sexual things.	TSCYC - Worrying About Sexual Things
C147773	TSCYC1-Worrying Bad Things in Future	TSCYC1-Worrying Bad Things in Future	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Worrying that bad things would happen in the future.	TSCYC - Worrying Bad Things in Future
C147761	TSCYC1-Worrying Food Was Poisoned	TSCYC1-Worrying Food Was Poisoned	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Worrying that his or her food was poisoned.	TSCYC - Worrying Food Was Poisoned
C147764	TSCYC1-Worrying Someone Might Be Sexual	TSCYC1-Worrying Someone Might Be Sexual	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Worrying that someone might be sexual with him or her.	TSCYC - Worrying Someone Might Be Sexual
C147839	TSCYC1-Yelling at Family/Friend/Teachers	TSCYC1-Yelling at Family/Friend/Teachers	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Yelling at family, friends, or teachers.	TSCYC - Yelling at Family, Friends or Teachers

Treatment Satisfaction Questionnaire for Medication - How satisfied or dissatisfied are you with the ability of the medication to prevent or treat your condition?				
C132618	TSQM0101	TSQM01-Med to Prevent/Treat Condition	Treatment Satisfaction Questionnaire for Medication - How satisfied or dissatisfied are you with the ability of the medication to prevent or treat your condition?	TSQM Version 1.4 - Medication to Prevent or Treat Condition
C132619	TSQM0102	TSQM01-Way Medication Relieves Symptoms	Treatment Satisfaction Questionnaire for Medication - How satisfied or dissatisfied are you with the way the medication relieves your symptoms?	TSQM Version 1.4 - Way Medication Relieves Symptoms
C132620	TSQM0103	TSQM01-Time Takes Med to Start Working	Treatment Satisfaction Questionnaire for Medication - How satisfied or dissatisfied are you with the amount of time it takes the medication to start working?	TSQM Version 1.4 - Time Takes Medication to Start Working
C132621	TSQM0104	TSQM01-Experience Any Side Effect at All	Treatment Satisfaction Questionnaire for Medication - As a result of taking this medication, do you experience any side effects at all?	TSQM Version 1.4 - Experience Any Side Effect at All
C132622	TSQM0105	TSQM01-How Bothersome Are Side Effects	Treatment Satisfaction Questionnaire for Medication - How bothersome are the side effects of the medication you take to treat your condition?	TSQM Version 1.4 - How Bothersome Are Side Effects
C132623	TSQM0106	TSQM01-Interfere With Physical Health	Treatment Satisfaction Questionnaire for Medication - To what extent do the side effects interfere with your physical health and ability to function (i.e., strength, energy levels, etc.)?	TSQM Version 1.4 - Interfere With Physical Health
C132624	TSQM0107	TSQM01-Interfere With Mental Function	Treatment Satisfaction Questionnaire for Medication - To what extent do the side effects interfere with your mental function (i.e., ability to think clearly, stay awake, etc.)?	TSQM Version 1.4 - Interfere With Mental Function
C132625	TSQM0108	TSQM01-Side Effect Affect Overall Satisf	Treatment Satisfaction Questionnaire for Medication - To what degree have medication side effects affected your overall satisfaction with the medication?	TSQM Version 1.4 - Side Effect Affect Overall Satisfaction
C132626	TSQM0109	TSQM01-Easy/Difficult Use Medication	Treatment Satisfaction Questionnaire for Medication - How easy or difficult is it to use the medication in its current form?	TSQM Version 1.4 - Easy or Difficult Use Medication
C132627	TSQM0110	TSQM01-Easy/Difficult to Plan Use of Med	Treatment Satisfaction Questionnaire for Medication - How easy or difficult is it to plan when you will use the medication each time?	TSQM Version 1.4 - Easy or Difficult to Plan Use of Medication
C132628	TSQM0111	TSQM01-Convenient/Inconvenient Take Med	Treatment Satisfaction Questionnaire for Medication - How convenient or inconvenient is it to take the medication as instructed?	TSQM Version 1.4 - Convenient or Inconvenient Take Medication
C132629	TSQM0112	TSQM01-Confident Med Is Good for You	Treatment Satisfaction Questionnaire for Medication - Overall, how confident are you that taking this medication is a good thing for you?	TSQM Version 1.4 - Confident Medication Is Good for You
C132630	TSQM0113	TSQM01-Certain Good Things Outweigh Bad	Treatment Satisfaction Questionnaire for Medication - How certain are you that the good things about your medication outweigh the bad things?	TSQM Version 1.4 - Certain Good Things Outweigh Bad
C132631	TSQM0114	TSQM01-Satisfied/Dissatisfied With Med	Treatment Satisfaction Questionnaire for Medication - Taking all things into account, how satisfied or dissatisfied are you with this medication?	TSQM Version 1.4 - Satisfied or Dissatisfied With Medication

C132630	TSQM01-Certain Good Things Outweigh Bad	TSQM01-Certain Good Things Outweigh Bad	Treatment Satisfaction Questionnaire for Medication - How certain are you that the good things about your medication outweigh the bad things?	TSQM Version 1.4 - Certain Good Things Outweigh Bad
C132629	TSQM01-Confident Med Is Good for You	TSQM01-Confident Med Is Good for You	Treatment Satisfaction Questionnaire for Medication - Overall, how confident are you that taking this medication is a good thing for you?	TSQM Version 1.4 - Confident Medication Is Good for You
C132628	TSQM01-Convenient/Inconvenient Take Med	TSQM01-Convenient/Inconvenient Take Med	Treatment Satisfaction Questionnaire for Medication - How convenient or inconvenient is it to take the medication as instructed?	TSQM Version 1.4 - Convenient or Inconvenient Take Medication
C132627	TSQM01-Easy/Difficult to Plan Use of Med	TSQM01-Easy/Difficult to Plan Use of Med	Treatment Satisfaction Questionnaire for Medication - How easy or difficult is it to plan when you will use the medication each time?	TSQM Version 1.4 - Easy or Difficult to Plan Use of Medication
C132626	TSQM01-Easy/Difficult Use Medication	TSQM01-Easy/Difficult Use Medication	Treatment Satisfaction Questionnaire for Medication - How easy or difficult is it to use the medication in its current form?	TSQM Version 1.4 - Easy or Difficult Use Medication
C132621	TSQM01-Experience Any Side Effect at All	TSQM01-Experience Any Side Effect at All	Treatment Satisfaction Questionnaire for Medication - As a result of taking this medication, do you experience any side effects at all?	TSQM Version 1.4 - Experience Any Side Effect at All
C132622	TSQM01-How Bothersome Are Side Effects	TSQM01-How Bothersome Are Side Effects	Treatment Satisfaction Questionnaire for Medication - How bothersome are the side effects of the medication you take to treat your condition?	TSQM Version 1.4 - How Bothersome Are Side Effects
C132624	TSQM01-Interfere With Mental Function	TSQM01-Interfere With Mental Function	Treatment Satisfaction Questionnaire for Medication - To what extent do the side effects interfere with your mental function (i.e., ability to think clearly, stay awake, etc.)?	TSQM Version 1.4 - Interfere With Mental Function
C132623	TSQM01-Interfere With Physical Health	TSQM01-Interfere With Physical Health	Treatment Satisfaction Questionnaire for Medication - To what extent do the side effects interfere with your physical health and ability to function (i.e., strength, energy levels, etc.)?	TSQM Version 1.4 - Interfere With Physical Health
C132618	TSQM01-Med to Prevent/Treat Condition	TSQM01-Med to Prevent/Treat Condition	Treatment Satisfaction Questionnaire for Medication - How satisfied or dissatisfied are you with the ability of the medication to prevent or treat your condition?	TSQM Version 1.4 - Medication to Prevent or Treat Condition
C132631	TSQM01-Satisfied/Dissatisfied With Med	TSQM01-Satisfied/Dissatisfied With Med	Treatment Satisfaction Questionnaire for Medication - Taking all things into account, how satisfied or dissatisfied are you with this medication?	TSQM Version 1.4 - Satisfied or Dissatisfied With Medication
C132625	TSQM01-Side Effect Affect Overall Satisf	TSQM01-Side Effect Affect Overall Satisf	Treatment Satisfaction Questionnaire for Medication - To what degree have medication side effects affected your overall satisfaction with the medication?	TSQM Version 1.4 - Side Effect Affect Overall Satisfaction
C132620	TSQM01-Time Takes Med to Start Working	TSQM01-Time Takes Med to Start Working	Treatment Satisfaction Questionnaire for Medication - How satisfied or dissatisfied are you with the amount of time it takes the medication to start working?	TSQM Version 1.4 - Time Takes Medication to Start Working
C132619	TSQM01-Way Medication Relieves Symptoms	TSQM01-Way Medication Relieves Symptoms	Treatment Satisfaction Questionnaire for Medication - How satisfied or dissatisfied are you with the way the medication relieves your symptoms?	TSQM Version 1.4 - Way Medication Relieves Symptoms

NCI Code: C115400, Codelist extensible: No

C115819	TUG0101	TUG01-Time to Complete TUG Test	Timed Up and Go - Time in seconds to complete TUG test.	TUG - Time to Complete TUG Test
---------	---------	------------------------------------	---------------------------------------------------------	------------------------------------

C115819	TUG01-Time to Complete TUG Test	TUG01-Time to Complete TUG Test	Timed Up and Go - Time in seconds to complete TUG test.	TUG - Time to Complete TUG Test
---------	------------------------------------	------------------------------------	---------------------------------------------------------	------------------------------------

C155370	UHDR101A	UHDR1-Ocular Pursuit: Horizontal	Unified Huntington's Disease Rating Scale '99 - Ocular pursuit, horizontal.	UHDRS 1999 Version - Ocular Pursuit: Horizontal
C155371	UHDR101B	UHDR1-Ocular Pursuit: Vertical	Unified Huntington's Disease Rating Scale '99 - Ocular pursuit, vertical.	UHDRS 1999 Version - Ocular Pursuit: Vertical
C155372	UHDR102A	UHDR1-Saccade Initiation: Horizontal	Unified Huntington's Disease Rating Scale '99 - Saccade initiation, horizontal.	UHDRS 1999 Version - Saccade Initiation: Horizontal
C155373	UHDR102B	UHDR1-Saccade Initiation: Vertical	Unified Huntington's Disease Rating Scale '99 - Saccade initiation, vertical.	UHDRS 1999 Version - Saccade Initiation: Vertical
C155374	UHDR103A	UHDR1-Saccade Velocity: Horizontal	Unified Huntington's Disease Rating Scale '99 - Saccade velocity, horizontal.	UHDRS 1999 Version - Saccade Velocity: Horizontal
C155375	UHDR103B	UHDR1-Saccade Velocity: Vertical	Unified Huntington's Disease Rating Scale '99 - Saccade velocity, vertical.	UHDRS 1999 Version - Saccade Velocity: Vertical
C155376	UHDR104	UHDR1-Dysarthria	Unified Huntington's Disease Rating Scale '99 - Dysarthria.	UHDRS 1999 Version - Dysarthria
C155377	UHDR105	UHDR1-Tongue Protrusion	Unified Huntington's Disease Rating Scale '99 - Tongue protrusion.	UHDRS 1999 Version - Tongue Protrusion
C155378	UHDR106A	UHDR1-Finger Taps: Right	Unified Huntington's Disease Rating Scale '99 - Finger taps, right.	UHDRS 1999 Version - Finger Taps: Right
C155379	UHDR106B	UHDR1-Finger Taps: Left	Unified Huntington's Disease Rating Scale '99 - Finger taps, left.	UHDRS 1999 Version - Finger Taps: Left
C155380	UHDR107A	UHDR1-Pronate/Supinate: Hands: Right	Unified Huntington's Disease Rating Scale '99 - Pronate/supinate-hands, right.	UHDRS 1999 Version - Pronate/Supinate: Hands: Right
C155381	UHDR107B	UHDR1-Pronate/Supinate: Hands: Left	Unified Huntington's Disease Rating Scale '99 - Pronate/supinate-hands, left.	UHDRS 1999 Version - Pronate/Supinate: Hands: Left
C155382	UHDR108	UHDR1-Luria	Unified Huntington's Disease Rating Scale '99 - Luria (fist-hand palm test).	UHDRS 1999 Version - Luria
C155383	UHDR109A	UHDR1-Rigidity: Arms: Right	Unified Huntington's Disease Rating Scale '99 - Rigidity-arms, right.	UHDRS 1999 Version - Rigidity: Arms: Right
C155384	UHDR109B	UHDR1-Rigidity: Arms: Left	Unified Huntington's Disease Rating Scale '99 - Rigidity-arms, left.	UHDRS 1999 Version - Rigidity: Arms: Left
C155385	UHDR110	UHDR1-Bradykinesia: Body	Unified Huntington's Disease Rating Scale '99 - Bradykinesia-body.	UHDRS 1999 Version - Bradykinesia: Body
C155386	UHDR111A	UHDR1-Maximal Dystonia: Trunk	Unified Huntington's Disease Rating Scale '99 - Maximal dystonia-Trunk.	UHDRS 1999 Version - Maximal Dystonia: Trunk
C155387	UHDR111B	UHDR1-Maximal Dystonia: RUE	Unified Huntington's Disease Rating Scale '99 - Maximal dystonia-RUE.	UHDRS 1999 Version - Maximal Dystonia: RUE
C155388	UHDR111C	UHDR1-Maximal Dystonia: LUE	Unified Huntington's Disease Rating Scale '99 - Maximal dystonia-LUE.	UHDRS 1999 Version - Maximal Dystonia: LUE
C155389	UHDR111D	UHDR1-Maximal Dystonia: RLE	Unified Huntington's Disease Rating Scale '99 - Maximal dystonia-RLE.	UHDRS 1999 Version - Maximal Dystonia: RLE
C155390	UHDR111E	UHDR1-Maximal Dystonia: LLE	Unified Huntington's Disease Rating Scale '99 - Maximal dystonia-LLE.	UHDRS 1999 Version - Maximal Dystonia: LLE
C155391	UHDR112A	UHDR1-Maximal Chorea: Face	Unified Huntington's Disease Rating Scale '99 - Maximal chorea-Face.	UHDRS 1999 Version - Maximal Chorea: Face
C155392	UHDR112B	UHDR1-Maximal Chorea: BOL	Unified Huntington's Disease Rating Scale '99 - Maximal chorea-BOL.	UHDRS 1999 Version - Maximal Chorea: BOL
C155393	UHDR112C	UHDR1-Maximal Chorea: Trunk	Unified Huntington's Disease Rating Scale '99 - Maximal chorea-Trunk.	UHDRS 1999 Version - Maximal Chorea: Trunk
C155394	UHDR112D	UHDR1-Maximal Chorea: RUE	Unified Huntington's Disease Rating Scale '99 - Maximal chorea-RUE.	UHDRS 1999 Version - Maximal Chorea: RUE
C155395	UHDR112E	UHDR1-Maximal Chorea: LUE	Unified Huntington's Disease Rating Scale '99 - Maximal chorea-LUE.	UHDRS 1999 Version - Maximal Chorea: LUE

Unified Huntington's Disease Rating Scale '99 - Maximal chorea: RLE				
C155396	UHDR112F	UHDR1-Maximal Chorea: RLE	Unified Huntington's Disease Rating Scale '99 - Maximal chorea-RLE.	UHDRS 1999 Version - Maximal Chorea: RLE
C155397	UHDR112G	UHDR1-Maximal Chorea: LLE	Unified Huntington's Disease Rating Scale '99 - Maximal chorea-LLE.	UHDRS 1999 Version - Maximal Chorea: LLE
C155398	UHDR113	UHDR1-Gait	Unified Huntington's Disease Rating Scale '99 - Gait.	UHDRS 1999 Version - Gait
C155399	UHDR114	UHDR1-Tandem Walking	Unified Huntington's Disease Rating Scale '99 - Tandem walking.	UHDRS 1999 Version - Tandem Walking
C155400	UHDR115	UHDR1-Retropulsion Pull Test	Unified Huntington's Disease Rating Scale '99 - Retropulsion pull test.	UHDRS 1999 Version - Retropulsion Pull Test
C155401	UHDR117	UHDR1-Diagnosis Confidence Level	Unified Huntington's Disease Rating Scale '99 - Diagnosis confidence level: To what degree are you confident that this person meets the operational definition of the unequivocal presence of an otherwise unexplained extrapyramidal movement disorder (e.g., chorea, dystonia, bradykinesia, rigidity) in a subject at risk of HD?	UHDRS 1999 Version - Diagnosis Confidence Level
C155402	UHDR119	UHDR1-Verbal Fluency Test	Unified Huntington's Disease Rating Scale '99 - Verbal fluency test (raw score).	UHDRS 1999 Version - Verbal Fluency Test
C155403	UHDR120	UHDR1-Symbol Digit Modalities Test	Unified Huntington's Disease Rating Scale '99 - Symbol digit modalities test (raw score).	UHDRS 1999 Version - Symbol Digit Modalities Test
C155404	UHDR125A	UHDR1-Depressed Mood: Frequency	Unified Huntington's Disease Rating Scale '99 - Depressed mood: Frequency: Within the past month, how often have you been feeling sad, down or "blue"?	UHDRS 1999 Version - Depressed Mood: Frequency
C155405	UHDR125B	UHDR1-Depressed Mood: Severity	Unified Huntington's Disease Rating Scale '99 - Depressed mood: Severity: How has your mood affected your daily activities? [Evidence of sad mood from behavioral observation includes sad voice or expression, tearfulness.]	UHDRS 1999 Version - Depressed Mood: Severity
C155406	UHDR126A	UHDR1-Apathy: Frequency	Unified Huntington's Disease Rating Scale '99 - Apathy: Frequency: Within the past month, how often have you found that you have lost interest in things that used to be important to you?	UHDRS 1999 Version - Apathy: Frequency
C155407	UHDR126B	UHDR1-Apathy: Severity	Unified Huntington's Disease Rating Scale '99 - Apathy: Severity: How has apathy impacted your ability to carry out daily activities?	UHDRS 1999 Version - Apathy: Severity
C155408	UHDR127A	UHDR1-Self-esteem/Guilt: Frequency	Unified Huntington's Disease Rating Scale '99 - Self-esteem/guilt: Frequency: Within the past month, how often have you been feeling badly about yourself?	UHDRS 1999 Version - Self-esteem/Guilt: Frequency
C155409	UHDR127B	UHDR1-Self-esteem/Guilt: Severity	Unified Huntington's Disease Rating Scale '99 - Self-esteem/guilt: Severity: How have these feelings affected your daily activities?	UHDRS 1999 Version - Self-esteem/Guilt: Severity
C155410	UHDR128A	UHDR1-Suicidal Thoughts: Frequency	Unified Huntington's Disease Rating Scale '99 - Suicidal thoughts: Frequency: Within the past month, how often have you thought about hurting yourself or ending it all?	UHDRS 1999 Version - Suicidal Thoughts: Frequency
C155411	UHDR128B	UHDR1-Suicidal Thoughts: Severity	Unified Huntington's Disease Rating Scale '99 - Suicidal thoughts: Severity: Do you have a plan in mind to end it all? Have you taken any steps toward carrying out your plan?	UHDRS 1999 Version - Suicidal Thoughts: Severity
C155412	UHDR129A	UHDR1-Anxiety: Frequency	Unified Huntington's Disease Rating Scale '99 - Anxiety: Frequency: Within the past month, how often have you found yourself worrying about things?	UHDRS 1999 Version - Anxiety: Frequency
C155413	UHDR129B	UHDR1-Anxiety: Severity	Unified Huntington's Disease Rating Scale '99 - Anxiety: Severity: How much has nervousness or worry affected your daily activities?	UHDRS 1999 Version - Anxiety: Severity
C155414	UHDR130A	UHDR1-Irritable Behavior: Frequency	Unified Huntington's Disease Rating Scale '99 - Irritable behavior: Frequency: In the past month, how often have you felt impatient, irritable, or "cranky"?	UHDRS 1999 Version - Irritable Behavior: Frequency
C155415	UHDR130B	UHDR1-Irritable Behavior: Severity	Unified Huntington's Disease Rating Scale '99 - Irritable behavior: Severity: How has irritability impacted your ability to get along with others?	UHDRS 1999 Version - Irritable Behavior: Severity
C155416	UHDR131A	UHDR1-Disruptive Behavior: Frequency	Unified Huntington's Disease Rating Scale '99 - Disruptive or aggressive behavior: Frequency: Within the past month, how often have you had emotional or temper outbursts? How often have you had times when you lost control of yourself?	UHDRS 1999 Version - Disruptive Behavior: Frequency
C155417	UHDR131B	UHDR1-Disruptive Behavior: Severity	Unified Huntington's Disease Rating Scale '99 - Disruptive or aggressive behavior: Severity: Have you used threats or hostile words? Have you hit or shoved or thrown things or expressed your temper in a physical way?	UHDRS 1999 Version - UHDR1-Disruptive Behavior: Severity

UHDRS 1999 Version -				
C155418	UHDR132A	UHDR1-Perseverative Thinking: Frequency	Unified Huntington's Disease Rating Scale '99 - Perseverative/obsessional thinking: Frequency: Within the past month, how often have you found yourself getting stuck on certain ideas? How often have you been bothered by thoughts, images, or fears that keep coming back even if you try not to have them?	UHDRS 1999 Version - Perseverative Thinking: Frequency
C155419	UHDR132B	UDHR1-Perseverative Thinking: Severity	Unified Huntington's Disease Rating Scale '99 - Perseverative/obsessional thinking: Severity: Have do repeated thoughts impact your daily life?	UHDRS 1999 Version - UDHR1-Perseverative Thinking: Severity
C155420	UHDR133A	UHDR1-Compulsive Behavior: Frequency	Unified Huntington's Disease Rating Scale '99 - Compulsive behavior: Frequency: Within the past month, how often have you found yourself doing certain things over and over again (counting, washing, checking)?	UHDRS 1999 Version - Compulsive Behavior: Frequency
C155421	UHDR133B	UDHR1-Compulsive Behavior: Severity	Unified Huntington's Disease Rating Scale '99 - Compulsive behavior: Severity: Are you unable to resist doing some of these things?	UHDRS 1999 Version - UDHR1-Compulsive Behavior: Severity
C155422	UHDR134A	UDHR1-Delusions: Frequency	Unified Huntington's Disease Rating Scale '99 - Delusions: Frequency: How often does it seem like people are out to get you, people are controlling you, or you are very suspicious of others? Do you have special powers or importance?	UHDRS 1999 Version - Delusions: Frequency
C155423	UHDR134B	UDHR1-Delusions: Severity	Unified Huntington's Disease Rating Scale '99 - Delusions: Severity: When you feel suspicious (insert delusion here), are you able to convince yourself that it is not rational? [Severity should reflect the behavior's impact on the individual's ability to carry out daily activities as indicated by response choices.]	UHDRS 1999 Version - UDHR1-Delusions: Severity
C155424	UHDR135A	UHDR1-Hallucinations: Frequency	Unified Huntington's Disease Rating Scale '99 - Hallucinations: Frequency: How often have you heard things that other people couldn't hear, or seen things that other people couldn't see?	UHDRS 1999 Version - Hallucinations: Frequency
C155425	UHDR135B	UDHR1-Hallucinations: Severity	Unified Huntington's Disease Rating Scale '99 - Hallucinations: Severity: When you see or hear things (insert hallucination here), are you able to convince yourself that it is not rational? [Severity should reflect the behavior's impact on the individual's ability to carry out daily activities as indicated by response choices.]	UHDRS 1999 Version - UDHR1-Hallucinations: Severity
C155426	UHDR136	UDHR1-Examiner Believe Subject Confused	Unified Huntington's Disease Rating Scale '99 - Confusion is defined as intermittent or persistent disorganized thinking, perceptual disturbances or disorientation to time, place, or person. Does the examiner believe the subject is confused?	UHDRS 1999 Version - UDHR1-Examiner Believe Subject Confused
C155427	UHDR136A	UDHR1-Confusion Altered Performance	Unified Huntington's Disease Rating Scale '99 - If yes: Does the examiner believe that this has altered the performance on the UHDRS?	UHDRS 1999 Version - UDHR1-Confusion Altered Performance
C155428	UHDR137	UDHR1-Examiner Believe Signs of Dementia	Unified Huntington's Disease Rating Scale '99 - Dementia is defined as progressive impairment in memory, abstract thinking or judgment that interferes with work or usual social activities and relationships. Does the examiner believe that the participant is showing signs of dementia?	UHDRS 1999 Version - UDHR1-Examiner Believe Signs of Dementia
C155429	UHDR137A	UDHR1-Dementia Altered Performance	Unified Huntington's Disease Rating Scale '99 - If yes: Does the examiner believe that this has altered the performance on the UHDRS?	UHDRS 1999 Version - UDHR1-Dementia Altered Performance
C155430	UHDR138	UDHR1-Examiner Believe Signs Depression	Unified Huntington's Disease Rating Scale '99 - Depression is defined as persistent depressed mood, anhedonia, or vegetative signs sufficient to interfere with daily functioning. Does the examiner believe that the participant is showing signs of depression?	UHDRS 1999 Version - UDHR1-Examiner Believe Signs Depression
C155431	UHDR139	UHDR1-Pharmacotherapy of Depression	Unified Huntington's Disease Rating Scale '99 - In the opinion of the examiner, is a clinical evaluation or follow up warranted for possible pharmacotherapy of depression?	UHDRS 1999 Version - Pharmacotherapy of Depression
C155432	UHDR140	UHDR1-Pharmacotherapy of Irritability	Unified Huntington's Disease Rating Scale '99 - In the opinion of the examiner, is a clinical evaluation or follow up warranted for possible pharmacotherapy of irritability?	UHDRS 1999 Version - Pharmacotherapy of Irritability
C155433	UHDR141	UHDR1-Behavior Assessment Obtained From	Unified Huntington's Disease Rating Scale '99 - Was the Behavioral Assessment information obtained from.	UHDRS 1999 Version - Behavior Assessment Obtained From
C155434	UHDR143	UHDR1-Gainful Employment Accustomed Work	Unified Huntington's Disease Rating Scale '99 - Could the subject engage in gainful employment in his/her accustomed work?	UHDRS 1999 Version - Gainful Employment Accustomed Work
C155435	UHDR144	UHDR1-Any Gainful Employment	Unified Huntington's Disease Rating Scale '99 - Could the subject engage in any kind of gainful employment?	UHDRS 1999 Version - Any Gainful Employment

UHDRS 1999 Version - Functional Assessment Information				
ID	Code	Description	Unified Huntington's Disease Rating Scale '99 Question	UHDRS 1999 Version - Description
C155436	UHDR145	UHDR1-Volunteer or Non Gainful Work	Unified Huntington's Disease Rating Scale '99 - Could the subject engage in any kind of volunteer or non gainful work?	UHDERS 1999 Version - Volunteer or Non Gainful Work
C155437	UHDR146	UHDR1-Manage Finances Without Help	Unified Huntington's Disease Rating Scale '99 - Could the subject manage his/her finances (monthly) without any help?	UHDERS 1999 Version - Manage Finances Without Help
C155438	UHDR147	UHDR1-Shop for Groceries Without Help	Unified Huntington's Disease Rating Scale '99 - Could the subject shop for groceries without help?	UHDERS 1999 Version - Shop for Groceries Without Help
C155439	UHDR148	UHDR1-Handle Money as Purchaser	Unified Huntington's Disease Rating Scale '99 - Could the subject handle money as a purchaser in a simple cash (store) transaction?	UHDERS 1999 Version - Handle Money as Purchaser
C155440	UHDR149	UHDR1-Supervise Children Without Help	Unified Huntington's Disease Rating Scale '99 - Could the subject supervise children without help?	UHDERS 1999 Version - Supervise Children Without Help
C155441	UHDR150	UHDR1-Operate Automobile Safely	Unified Huntington's Disease Rating Scale '99 - Could the subject operate an automobile safely and independently?	UHDERS 1999 Version - Operate Automobile Safely
C155442	UHDR151	UHDR1-Do Housework Without Help	Unified Huntington's Disease Rating Scale '99 - Could the subject do his/her own housework without help?	UHDERS 1999 Version - Do Housework Without Help
C155443	UHDR152	UHDR1-Do Laundry Without Help	Unified Huntington's Disease Rating Scale '99 - Could the subject do his/her own laundry (wash/dry) without help?	UHDERS 1999 Version - Do Laundry Without Help
C155444	UHDR153	UHDR1-Prepare Own Meals Without Help	Unified Huntington's Disease Rating Scale '99 - Could the subject prepare his/her own meals without help?	UHDERS 1999 Version - Prepare Own Meals Without Help
C155445	UHDR154	UHDR1-Use Telephone Without Help	Unified Huntington's Disease Rating Scale '99 - Could the subject use the telephone without help?	UHDERS 1999 Version - Use Telephone Without Help
C155446	UHDR155	UHDR1-Take Medications Without Help	Unified Huntington's Disease Rating Scale '99 - Could the subject take his/her own medications without help?	UHDERS 1999 Version - Take Medications Without Help
C155447	UHDR156	UHDR1-Feed Himself/Herself Without Help	Unified Huntington's Disease Rating Scale '99 - Could the subject feed himself/herself without help?	UHDERS 1999 Version - Feed Himself/Herself Without Help
C155448	UHDR157	UHDR1-Dress Himself/Herself Without Help	Unified Huntington's Disease Rating Scale '99 - Could the subject dress himself/herself without help?	UHDERS 1999 Version - Dress Himself/Herself Without Help
C155449	UHDR158	UHDR1-Bathe Himself/Herself Without Help	Unified Huntington's Disease Rating Scale '99 - Could the subject bathe himself/herself without help?	UHDERS 1999 Version - Bathe Himself/Herself Without Help
C155450	UHDR159	UHDR1-Public Transportation Without Help	Unified Huntington's Disease Rating Scale '99 - Could the subject use public transportation to get places without help?	UHDERS 1999 Version - Public Transportation Without Help
C155451	UHDR160	UHDR1-Walk Own Neighborhood Without Help	Unified Huntington's Disease Rating Scale '99 - Could the subject walk to places in his/her own neighborhood without help?	UHDERS 1999 Version - Walk Own Neighborhood Without Help
C155452	UHDR161	UHDR1-Walk Without Falling	Unified Huntington's Disease Rating Scale '99 - Could the subject walk without falling?	UHDERS 1999 Version - Walk Without Falling
C155453	UHDR162	UHDR1-Walk Without Help	Unified Huntington's Disease Rating Scale '99 - Could the subject walk without help?	UHDERS 1999 Version - Walk Without Help
C155454	UHDR163	UHDR1-Comb Hair Without Help	Unified Huntington's Disease Rating Scale '99 - Could the subject comb hair without help?	UHDERS 1999 Version - Comb Hair Without Help
C155455	UHDR164	UHDR1-Transfer Chair Without Help	Unified Huntington's Disease Rating Scale '99 - Could the subject transfer between chairs without help?	UHDERS 1999 Version - Transfer Chair Without Help
C155456	UHDR165	UHDR1-Get in and Out of Bed Without Help	Unified Huntington's Disease Rating Scale '99 - Could the subject get in and out of bed without help?	UHDERS 1999 Version - Get in and Out of Bed Without Help
C155457	UHDR166	UHDR1-Use Toilet/Commode Without Help	Unified Huntington's Disease Rating Scale '99 - Could the subject use the toilet/commode without help?	UHDERS 1999 Version - Use Toilet/Commode Without Help
C155458	UHDR167	UHDR1-Care Provided at Home	Unified Huntington's Disease Rating Scale '99 - Could the subject's care still be provided at home?	UHDERS 1999 Version - Care Provided at Home
C155459	UHDR168	UHDR1-Functional Assess Obtained From	Unified Huntington's Disease Rating Scale '99 - Was the Functional Assessment information obtained from.	UHDERS 1999 Version - Functional Assess Obtained From

UHDRS 1999 Version - Current Level Subject Independence				
C155460	UHDR169	UHDR1-Current Level Subject Independence	Unified Huntington's Disease Rating Scale '99 - Please indicate the most accurate current level of subject's independence (only increments of 5 are acceptable).	UHDRS 1999 Version - Current Level Subject Independence
C155461	UHDR170	UHDR1-Occupation	Unified Huntington's Disease Rating Scale '99 - Occupation.	UHDRS 1999 Version - Occupation
C155462	UHDR171	UHDR1-Finances	Unified Huntington's Disease Rating Scale '99 - Finances.	UHDRS 1999 Version - Finances
C155463	UHDR172	UHDR1-Domestic Chores	Unified Huntington's Disease Rating Scale '99 - Domestic Chores.	UHDRS 1999 Version - Domestic Chores
C155464	UHDR173	UHDR1-ADL	Unified Huntington's Disease Rating Scale '99 - ADL.	UHDRS 1999 Version - ADL
C155465	UHDR174	UHDR1-Care Level	Unified Huntington's Disease Rating Scale '99 - Care Level.	UHDRS 1999 Version - Care Level
C155466	UHDR175	UHDR1-Functional Capacity Obtained From	Unified Huntington's Disease Rating Scale '99 - Was the Functional Capacity information obtained from.	UHDRS 1999 Version - Functional Capacity Obtained From
C155467	UHDR177	UHDR1-Purpose of This Visit	Unified Huntington's Disease Rating Scale '99 - What was the purpose of this visit?	UHDRS 1999 Version - Purpose of This Visit
C155468	UHDR178	UHDR1-Since Last Assessment Opinion	Unified Huntington's Disease Rating Scale '99 - Since your last assessment of the subject, in your opinion, has the subject.	UHDRS 1999 Version - Since Last Assessment Opinion
C155469	UHDR179	UHDR1-Since Last Assessment Feel	Unified Huntington's Disease Rating Scale '99 - Since your last assessment does the subject feel.	UHDRS 1999 Version - Since Last Assessment Feel
C155470	UHDR180	UHDR1-Believe Subject Has Manifest HD	Unified Huntington's Disease Rating Scale '99 - Based on the entire UHDRS (Motor, Cognitive, Behavioral and Functional components) do you believe with a confidence level >= 99% that this subject has manifest HD?	UHDRS 1999 Version - Believe Subject Has Manifest HD
C155471	UHDR183A	UHDR1-Permanently Institutionalized	Unified Huntington's Disease Rating Scale '99 - Since the last visit, has the subject been permanently institutionalized?	UHDRS 1999 Version - Permanently Institutionalized
C155472	UHDR183B	UHDR1-Continue to Be Assessed for Study	Unified Huntington's Disease Rating Scale '99 - If the subject was institutionalized will the subject continue to be assessed for this study?	UHDRS 1999 Version - Continue to Be Assessed for Study
C155473	UHDR184	UHDR1-Total Motor Score	Unified Huntington's Disease Rating Scale '99 - Total Motor score.	UHDRS 1999 Version - Total Motor Score
C155474	UHDR185	UHDR1-Total Behavior Score	Unified Huntington's Disease Rating Scale '99 - Total Behavior score.	UHDRS 1999 Version - Total Behavior Score
C155475	UHDR186	UHDR1-Mood Subscale Score	Unified Huntington's Disease Rating Scale '99 - Mood subscale score of the total behavior score.	UHDRS 1999 Version - Mood Subscale Score
C155476	UHDR187	UHDR1-Behavior Subscale Score	Unified Huntington's Disease Rating Scale '99 - Behavior subscale score of the total behavior score.	UHDRS 1999 Version - Behavior Subscale Score
C155477	UHDR188	UHDR1-Psychosis Subscale Score	Unified Huntington's Disease Rating Scale '99 - Psychosis subscale score of the total behavior score.	UHDRS 1999 Version - Psychosis Subscale Score
C155478	UHDR189	UHDR1-Obsessive Subscale Score	Unified Huntington's Disease Rating Scale '99 - Obsessive subscale score of the total behavior score.	UHDRS 1999 Version - Obsessive Subscale Score
C155479	UHDR190	UHDR1-Total Functional Capacity Score	Unified Huntington's Disease Rating Scale '99 - Total functional capacity score.	UHDRS 1999 Version - Total Functional Capacity Score
C155480	UHDR191	UHDR1-Independence Scale Score	Unified Huntington's Disease Rating Scale '99 - Independence scale score.	UHDRS 1999 Version - Independence Scale Score
C155481	UHDR192	UHDR1-Functional Checklist Score	Unified Huntington's Disease Rating Scale '99 - Functional checklist score.	UHDRS 1999 Version - Functional Checklist Score

C155421	UDHR1-Compulsive Behavior: Severity	UDHR1-Compulsive Behavior: Severity	Unified Huntington's Disease Rating Scale '99 - Compulsive behavior: Severity: Are you unable to resist doing some of these things?	UHDRS 1999 Version - UDHR1-Compulsive Behavior: Severity
C155427	UDHR1-Confusion Altered Performance	UDHR1-Confusion Altered Performance	Unified Huntington's Disease Rating Scale '99 - If yes: Does the examiner believe that this has altered the performance on the UHDRS?	UHDRS 1999 Version - UDHR1-Confusion Altered Performance
C155423	UDHR1-Delusions: Severity	UDHR1-Delusions: Severity	Unified Huntington's Disease Rating Scale '99 - Delusions: Severity: When you feel suspicious (insert delusion here), are you able to convince yourself that it is not rational? [Severity should reflect the behavior's impact on the individual's ability to carry out daily activities as indicated by response choices.]	UHDRS 1999 Version - UDHR1-Delusions: Severity
C155429	UDHR1-Dementia Altered Performance	UDHR1-Dementia Altered Performance	Unified Huntington's Disease Rating Scale '99 - If yes: Does the examiner believe that this has altered the performance on the UHDRS?	UHDRS 1999 Version - UDHR1-Dementia Altered Performance
C155417	UDHR1-Disruptive Behavior: Severity	UDHR1-Disruptive Behavior: Severity	Unified Huntington's Disease Rating Scale '99 - Disruptive or aggressive behavior: Severity: Have you used threats or hostile words? Have you hit or shoved or thrown things or expressed your temper in a physical way?	UHDRS 1999 Version - UDHR1-Disruptive Behavior: Severity
C155430	UDHR1-Examiner Believe Signs Depression	UDHR1-Examiner Believe Signs Depression	Unified Huntington's Disease Rating Scale '99 - Depression is defined as persistent depressed mood, anhedonia, or vegetative signs sufficient to interfere with daily functioning. Does the examiner believe that the participant is showing signs of depression?	UHDRS 1999 Version - UDHR1-Examiner Believe Signs Depression
C155428	UDHR1-Examiner Believe Signs of Dementia	UDHR1-Examiner Believe Signs of Dementia	Unified Huntington's Disease Rating Scale '99 - Dementia is defined as progressive impairment in memory, abstract thinking or judgment that interferes with work or usual social activities and relationships. Does the examiner believe that the participant is showing signs of dementia?	UHDRS 1999 Version - UDHR1-Examiner Believe Signs of Dementia
C155426	UDHR1-Examiner Believe Subject Confused	UDHR1-Examiner Believe Subject Confused	Unified Huntington's Disease Rating Scale '99 - Confusion is defined as intermittent or persistent disorganized thinking, perceptual disturbances or disorientation to time, place, or person. Does the examiner believe the subject is confused?	UHDRS 1999 Version - UDHR1-Examiner Believe Subject Confused
C155425	UDHR1-Hallucinations: Severity	UDHR1-Hallucinations: Severity	Unified Huntington's Disease Rating Scale '99 - Hallucinations: Severity: When you see or hear things (insert hallucination here), are you able to convince yourself that it is not rational? [Severity should reflect the behavior's impact on the individual's ability to carry out daily activities as indicated by response choices.]	UHDRS 1999 Version - UDHR1-Hallucinations: Severity
C155419	UDHR1-Perseverative Thinking: Severity	UDHR1-Perseverative Thinking: Severity	Unified Huntington's Disease Rating Scale '99 - Perseverative/obsessional thinking: Severity: Have do repeated thoughts impact your daily life?	UHDRS 1999 Version - UDHR1-Perseverative Thinking: Severity
C155464	UHDR1-ADL	UHDR1-ADL	Unified Huntington's Disease Rating Scale '99 - ADL.	UHDRS 1999 Version - ADL
C155412	UHDR1-Anxiety: Frequency	UHDR1-Anxiety: Frequency	Unified Huntington's Disease Rating Scale '99 - Anxiety: Frequency: Within the past month, how often have you found yourself worrying about things?	UHDRS 1999 Version - Anxiety: Frequency
C155413	UHDR1-Anxiety: Severity	UHDR1-Anxiety: Severity	Unified Huntington's Disease Rating Scale '99 - Anxiety: Severity: How much has nervousness or worry affected your daily activities?	UHDRS 1999 Version - Anxiety: Severity
C155435	UHDR1-Any Gainful Employment	UHDR1-Any Gainful Employment	Unified Huntington's Disease Rating Scale '99 - Could the subject engage in any kind of gainful employment?	UHDRS 1999 Version - Any Gainful Employment
C155406	UHDR1-Apathy: Frequency	UHDR1-Apathy: Frequency	Unified Huntington's Disease Rating Scale '99 - Apathy: Frequency: Within the past month, how often have you found that you have lost interest in things that used to be important to you?	UHDRS 1999 Version - Apathy: Frequency
C155407	UHDR1-Apathy: Severity	UHDR1-Apathy: Severity	Unified Huntington's Disease Rating Scale '99 - Apathy: Severity: How has apathy impacted your ability to carry out daily activities?	UHDRS 1999 Version - Apathy: Severity
C155449	UHDR1-Bathe Himself/Herself Without Help	UHDR1-Bathe Himself/Herself Without Help	Unified Huntington's Disease Rating Scale '99 - Could the subject bathe himself/herself without help?	UHDRS 1999 Version - Bathe Himself/Herself Without Help
C155433	UHDR1-Behavior Assessment Obtained From	UHDR1-Behavior Assessment Obtained From	Unified Huntington's Disease Rating Scale '99 - Was the Behavioral Assessment information obtained from.	UHDRS 1999 Version - Behavior Assessment Obtained From
C155476	UHDR1-Behavior Subscale Score	UHDR1-Behavior Subscale Score	Unified Huntington's Disease Rating Scale '99 - Behavior subscale score of the total behavior score.	UHDRS 1999 Version - Behavior Subscale Score

UHDRS 1999 Version - Believe Subject Has Manifest HD				
C155470	UHDR1-Believe Subject Has Manifest HD	UHDR1-Believe Subject Has Manifest HD	Unified Huntington's Disease Rating Scale '99 - Based on the entire UHDRS (Motor, Cognitive, Behavioral and Functional components) do you believe with a confidence level >= 99% that this subject has manifest HD?	UHDRS 1999 Version - Believe Subject Has Manifest HD
C155385	UHDR1-Bradykinesia: Body	UHDR1-Bradykinesia: Body	Unified Huntington's Disease Rating Scale '99 - Bradykinesia-body.	UHDRS 1999 Version - Bradykinesia: Body
C155465	UHDR1-Care Level	UHDR1-Care Level	Unified Huntington's Disease Rating Scale '99 - Care Level.	UHDRS 1999 Version - Care Level
C155458	UHDR1-Care Provided at Home	UHDR1-Care Provided at Home	Unified Huntington's Disease Rating Scale '99 - Could the subject's care still be provided at home?	UHDRS 1999 Version - Care Provided at Home
C155454	UHDR1-Comb Hair Without Help	UHDR1-Comb Hair Without Help	Unified Huntington's Disease Rating Scale '99 - Could the subject comb hair without help?	UHDRS 1999 Version - Comb Hair Without Help
C155420	UHDR1-Compulsive Behavior: Frequency	UHDR1-Compulsive Behavior: Frequency	Unified Huntington's Disease Rating Scale '99 - Compulsive behavior: Frequency: Within the past month, how often have you found yourself doing certain things over and over again (counting, washing, checking)?	UHDRS 1999 Version - Compulsive Behavior: Frequency
C155472	UHDR1-Continue to Be Assessed for Study	UHDR1-Continue to Be Assessed for Study	Unified Huntington's Disease Rating Scale '99 - If the subject was institutionalized will the subject continue to be assessed for this study?	UHDRS 1999 Version - Continue to Be Assessed for Study
C155460	UHDR1-Current Level Subject Independence	UHDR1-Current Level Subject Independence	Unified Huntington's Disease Rating Scale '99 - Please indicate the most accurate current level of subject's independence (only increments of 5 are acceptable).	UHDRS 1999 Version - Current Level Subject Independence
C155422	UHDR1-Delusions: Frequency	UHDR1-Delusions: Frequency	Unified Huntington's Disease Rating Scale '99 - Delusions: Frequency: How often does it seem like people are out to get you, people are controlling you, or you are very suspicious of others? Do you have special powers or importance?	UHDRS 1999 Version - Delusions: Frequency
C155404	UHDR1-Depressed Mood: Frequency	UHDR1-Depressed Mood: Frequency	Unified Huntington's Disease Rating Scale '99 - Depressed mood: Frequency: Within the past month, how often have you been feeling sad, down or "blue"?	UHDRS 1999 Version - Depressed Mood: Frequency
C155405	UHDR1-Depressed Mood: Severity	UHDR1-Depressed Mood: Severity	Unified Huntington's Disease Rating Scale '99 - Depressed mood: Severity: How has your mood affected your daily activities? [Evidence of sad mood from behavioral observation includes sad voice or expression, tearfulness.]	UHDRS 1999 Version - Depressed Mood: Severity
C155401	UHDR1-Diagnosis Confidence Level	UHDR1-Diagnosis Confidence Level	Unified Huntington's Disease Rating Scale '99 - Diagnosis confidence level: To what degree are you confident that this person meets the operational definition of the unequivocal presence of an otherwise unexplained extrapyramidal movement disorder (e.g., chorea, dystonia, bradykinesia, rigidity) in a subject at risk of HD?	UHDRS 1999 Version - Diagnosis Confidence Level
C155416	UHDR1-Disruptive Behavior: Frequency	UHDR1-Disruptive Behavior: Frequency	Unified Huntington's Disease Rating Scale '99 - Disruptive or aggressive behavior: Frequency: Within the past month, how often have you had emotional or temper outbursts? How often have you had times when you lost control of yourself?	UHDRS 1999 Version - Disruptive Behavior: Frequency
C155442	UHDR1-Do Housework Without Help	UHDR1-Do Housework Without Help	Unified Huntington's Disease Rating Scale '99 - Could the subject do his/her own housework without help?	UHDRS 1999 Version - Do Housework Without Help
C155443	UHDR1-Do Laundry Without Help	UHDR1-Do Laundry Without Help	Unified Huntington's Disease Rating Scale '99 - Could the subject do his/her own laundry (wash/dry) without help?	UHDRS 1999 Version - Do Laundry Without Help
C155463	UHDR1-Domestic Chores	UHDR1-Domestic Chores	Unified Huntington's Disease Rating Scale '99 - Domestic Chores.	UHDRS 1999 Version - Domestic Chores
C155448	UHDR1-Dress Himself/Herself Without Help	UHDR1-Dress Himself/Herself Without Help	Unified Huntington's Disease Rating Scale '99 - Could the subject dress himself/herself without help?	UHDRS 1999 Version - Dress Himself/Herself Without Help
C155376	UHDR1-Dysarthria	UHDR1-Dysarthria	Unified Huntington's Disease Rating Scale '99 - Dysarthria.	UHDRS 1999 Version - Dysarthria
C155447	UHDR1-Feed Himself/Herself Without Help	UHDR1-Feed Himself/Herself Without Help	Unified Huntington's Disease Rating Scale '99 - Could the subject feed himself/herself without help?	UHDRS 1999 Version - Feed Himself/Herself Without Help
C155462	UHDR1-Finances	UHDR1-Finances	Unified Huntington's Disease Rating Scale '99 - Finances.	UHDRS 1999 Version - Finances
C155379	UHDR1-Finger Taps: Left	UHDR1-Finger Taps: Left	Unified Huntington's Disease Rating Scale '99 - Finger taps, left.	UHDRS 1999 Version - Finger Taps: Left
C155378	UHDR1-Finger Taps: Right	UHDR1-Finger Taps: Right	Unified Huntington's Disease Rating Scale '99 - Finger taps, right.	UHDRS 1999 Version - Finger Taps: Right

UHDRS 1999 Version - Mood Subscale Score				
C155459	UHDR1-Functional Assess Obtained From	UHDR1-Functional Assess Obtained From	Unified Huntington's Disease Rating Scale '99 - Was the Functional Assessment information obtained from.	UHDRS 1999 Version - Functional Assess Obtained From
C155466	UHDR1-Functional Capacity Obtained From	UHDR1-Functional Capacity Obtained From	Unified Huntington's Disease Rating Scale '99 - Was the Functional Capacity information obtained from.	UHDRS 1999 Version - Functional Capacity Obtained From
C155481	UHDR1-Functional Checklist Score	UHDR1-Functional Checklist Score	Unified Huntington's Disease Rating Scale '99 - Functional checklist score.	UHDRS 1999 Version - Functional Checklist Score
C155434	UHDR1-Gainful Employment Accustomed Work	UHDR1-Gainful Employment Accustomed Work	Unified Huntington's Disease Rating Scale '99 - Could the subject engage in gainful employment in his/her accustomed work?	UHDRS 1999 Version - Gainful Employment Accustomed Work
C155398	UHDR1-Gait	UHDR1-Gait	Unified Huntington's Disease Rating Scale '99 - Gait.	UHDRS 1999 Version - Gait
C155456	UHDR1-Get in and Out of Bed Without Help	UHDR1-Get in and Out of Bed Without Help	Unified Huntington's Disease Rating Scale '99 - Could the subject get in and out of bed without help?	UHDRS 1999 Version - Get in and Out of Bed Without Help
C155424	UHDR1-Hallucinations: Frequency	UHDR1-Hallucinations: Frequency	Unified Huntington's Disease Rating Scale '99 - Hallucinations: Frequency: How often have you heard things that other people couldn't hear, or seen things that other people couldn't see?	UHDRS 1999 Version - Hallucinations: Frequency
C155439	UHDR1-Handle Money as Purchaser	UHDR1-Handle Money as Purchaser	Unified Huntington's Disease Rating Scale '99 - Could the subject handle money as a purchaser in a simple cash (store) transaction?	UHDRS 1999 Version - Handle Money as Purchaser
C155480	UHDR1-Independence Scale Score	UHDR1-Independence Scale Score	Unified Huntington's Disease Rating Scale '99 - Independence scale score.	UHDRS 1999 Version - Independence Scale Score
C155414	UHDR1-Irritable Behavior: Frequency	UHDR1-Irritable Behavior: Frequency	Unified Huntington's Disease Rating Scale '99 - Irritable behavior: Frequency: In the past month, how often have you felt impatient, irritable, or "cranky"?	UHDRS 1999 Version - Irritable Behavior: Frequency
C155415	UHDR1-Irritable Behavior: Severity	UHDR1-Irritable Behavior: Severity	Unified Huntington's Disease Rating Scale '99 - Irritable behavior: Severity: How has irritability impacted your ability to get along with others?	UHDRS 1999 Version - Irritable Behavior: Severity
C155382	UHDR1-Luria	UHDR1-Luria	Unified Huntington's Disease Rating Scale '99 - Luria (fist-hand palm test).	UHDRS 1999 Version - Luria
C155437	UHDR1-Manage Finances Without Help	UHDR1-Manage Finances Without Help	Unified Huntington's Disease Rating Scale '99 - Could the subject manage his/her finances (monthly) without any help?	UHDRS 1999 Version - Manage Finances Without Help
C155392	UHDR1-Maximal Chorea: BOL	UHDR1-Maximal Chorea: BOL	Unified Huntington's Disease Rating Scale '99 - Maximal chorea-BOL.	UHDRS 1999 Version - Maximal Chorea: BOL
C155391	UHDR1-Maximal Chorea: Face	UHDR1-Maximal Chorea: Face	Unified Huntington's Disease Rating Scale '99 - Maximal chorea-Face.	UHDRS 1999 Version - Maximal Chorea: Face
C155397	UHDR1-Maximal Chorea: LLE	UHDR1-Maximal Chorea: LLE	Unified Huntington's Disease Rating Scale '99 - Maximal chorea-LLE.	UHDRS 1999 Version - Maximal Chorea: LLE
C155395	UHDR1-Maximal Chorea: LUE	UHDR1-Maximal Chorea: LUE	Unified Huntington's Disease Rating Scale '99 - Maximal chorea-LUE.	UHDRS 1999 Version - Maximal Chorea: LUE
C155396	UHDR1-Maximal Chorea: RLE	UHDR1-Maximal Chorea: RLE	Unified Huntington's Disease Rating Scale '99 - Maximal chorea-RLE.	UHDRS 1999 Version - Maximal Chorea: RLE
C155394	UHDR1-Maximal Chorea: RUE	UHDR1-Maximal Chorea: RUE	Unified Huntington's Disease Rating Scale '99 - Maximal chorea-RUE.	UHDRS 1999 Version - Maximal Chorea: RUE
C155393	UHDR1-Maximal Chorea: Trunk	UHDR1-Maximal Chorea: Trunk	Unified Huntington's Disease Rating Scale '99 - Maximal chorea-Trunk.	UHDRS 1999 Version - Maximal Chorea: Trunk
C155390	UHDR1-Maximal Dystonia: LLE	UHDR1-Maximal Dystonia: LLE	Unified Huntington's Disease Rating Scale '99 - Maximal dystonia-LLE.	UHDRS 1999 Version - Maximal Dystonia: LLE
C155388	UHDR1-Maximal Dystonia: LUE	UHDR1-Maximal Dystonia: LUE	Unified Huntington's Disease Rating Scale '99 - Maximal dystonia-LUE.	UHDRS 1999 Version - Maximal Dystonia: LUE
C155389	UHDR1-Maximal Dystonia: RLE	UHDR1-Maximal Dystonia: RLE	Unified Huntington's Disease Rating Scale '99 - Maximal dystonia-RLE.	UHDRS 1999 Version - Maximal Dystonia: RLE
C155387	UHDR1-Maximal Dystonia: RUE	UHDR1-Maximal Dystonia: RUE	Unified Huntington's Disease Rating Scale '99 - Maximal dystonia-RUE.	UHDRS 1999 Version - Maximal Dystonia: RUE
C155386	UHDR1-Maximal Dystonia: Trunk	UHDR1-Maximal Dystonia: Trunk	Unified Huntington's Disease Rating Scale '99 - Maximal dystonia-Trunk.	UHDRS 1999 Version - Maximal Dystonia: Trunk
C155475	UHDR1-Mood Subscale Score	UHDR1-Mood Subscale Score	Unified Huntington's Disease Rating Scale '99 - Mood subscale score of the total behavior score.	UHDRS 1999 Version - Mood Subscale Score

UHDRS 1999 Version - Obsessive Subscale Score				
C155478	UHDR1-Obsessive Subscale Score	UHDR1-Obsessive Subscale Score	Unified Huntington's Disease Rating Scale '99 - Obsessive subscale score of the total behavior score.	UHDRS 1999 Version - Obsessive Subscale Score
C155461	UHDR1-Occupation	UHDR1-Occupation	Unified Huntington's Disease Rating Scale '99 - Occupation.	UHDRS 1999 Version - Occupation
C155370	UHDR1-Ocular Pursuit: Horizontal	UHDR1-Ocular Pursuit: Horizontal	Unified Huntington's Disease Rating Scale '99 - Ocular pursuit, horizontal.	UHDRS 1999 Version - Ocular Pursuit: Horizontal
C155371	UHDR1-Ocular Pursuit: Vertical	UHDR1-Ocular Pursuit: Vertical	Unified Huntington's Disease Rating Scale '99 - Ocular pursuit, vertical.	UHDRS 1999 Version - Ocular Pursuit: Vertical
C155441	UHDR1-Operate Automobile Safely	UHDR1-Operate Automobile Safely	Unified Huntington's Disease Rating Scale '99 - Could the subject operate an automobile safely and independently?	UHDRS 1999 Version - Operate Automobile Safely
C155471	UHDR1-Permanently Institutionalized	UHDR1-Permanently Institutionalized	Unified Huntington's Disease Rating Scale '99 - Since the last visit, has the subject been permanently institutionalized?	UHDRS 1999 Version - Permanently Institutionalized
C155418	UHDR1-Perseverative Thinking: Frequency	UHDR1-Perseverative Thinking: Frequency	Unified Huntington's Disease Rating Scale '99 - Perseverative/obsessional thinking: Frequency: Within the past month, how often have you found yourself getting stuck on certain ideas? How often have you been bothered by thoughts, images, or fears that keep coming back even if you try not to have them?	UHDRS 1999 Version - Perseverative Thinking: Frequency
C155431	UHDR1-Pharmacotherapy of Depression	UHDR1-Pharmacotherapy of Depression	Unified Huntington's Disease Rating Scale '99 - In the opinion of the examiner, is a clinical evaluation or follow up warranted for possible pharmacotherapy of depression?	UHDRS 1999 Version - Pharmacotherapy of Depression
C155432	UHDR1-Pharmacotherapy of Irritability	UHDR1-Pharmacotherapy of Irritability	Unified Huntington's Disease Rating Scale '99 - In the opinion of the examiner, is a clinical evaluation or follow up warranted for possible pharmacotherapy of irritability?	UHDRS 1999 Version - Pharmacotherapy of Irritability
C155444	UHDR1-Prepare Own Meals Without Help	UHDR1-Prepare Own Meals Without Help	Unified Huntington's Disease Rating Scale '99 - Could the subject prepare his/her own meals without help?	UHDRS 1999 Version - Prepare Own Meals Without Help
C155381	UHDR1-Pronate/Supinate: Hands: Left	UHDR1-Pronate/Supinate: Hands: Left	Unified Huntington's Disease Rating Scale '99 - Pronate/supinate-hands, left.	UHDRS 1999 Version - Pronate/Supinate: Hands: Left
C155380	UHDR1-Pronate/Supinate: Hands: Right	UHDR1-Pronate/Supinate: Hands: Right	Unified Huntington's Disease Rating Scale '99 - Pronate/supinate-hands, right.	UHDRS 1999 Version - Pronate/Supinate: Hands: Right
C155477	UHDR1-Psychosis Subscale Score	UHDR1-Psychosis Subscale Score	Unified Huntington's Disease Rating Scale '99 - Psychosis subscale score of the total behavior score.	UHDRS 1999 Version - Psychosis Subscale Score
C155450	UHDR1-Public Transportation Without Help	UHDR1-Public Transportation Without Help	Unified Huntington's Disease Rating Scale '99 - Could the subject use public transportation to get places without help?	UHDRS 1999 Version - Public Transportation Without Help
C155467	UHDR1-Purpose of This Visit	UHDR1-Purpose of This Visit	Unified Huntington's Disease Rating Scale '99 - What was the purpose of this visit?	UHDRS 1999 Version - Purpose of This Visit
C155400	UHDR1-Retropulsion Pull Test	UHDR1-Retropulsion Pull Test	Unified Huntington's Disease Rating Scale '99 - Retropulsion pull test.	UHDRS 1999 Version - Retropulsion Pull Test
C155384	UHDR1-Rigidity: Arms: Left	UHDR1-Rigidity: Arms: Left	Unified Huntington's Disease Rating Scale '99 - Rigidity-arms, left.	UHDRS 1999 Version - Rigidity: Arms: Left
C155383	UHDR1-Rigidity: Arms: Right	UHDR1-Rigidity: Arms: Right	Unified Huntington's Disease Rating Scale '99 - Rigidity-arms, right.	UHDRS 1999 Version - Rigidity: Arms: Right
C155372	UHDR1-Saccade Initiation: Horizontal	UHDR1-Saccade Initiation: Horizontal	Unified Huntington's Disease Rating Scale '99 - Saccade initiation, horizontal.	UHDRS 1999 Version - Saccade Initiation: Horizontal
C155373	UHDR1-Saccade Initiation: Vertical	UHDR1-Saccade Initiation: Vertical	Unified Huntington's Disease Rating Scale '99 - Saccade initiation, vertical.	UHDRS 1999 Version - Saccade Initiation: Vertical
C155374	UHDR1-Saccade Velocity: Horizontal	UHDR1-Saccade Velocity: Horizontal	Unified Huntington's Disease Rating Scale '99 - Saccade velocity, horizontal.	UHDRS 1999 Version - Saccade Velocity: Horizontal
C155375	UHDR1-Saccade Velocity: Vertical	UHDR1-Saccade Velocity: Vertical	Unified Huntington's Disease Rating Scale '99 - Saccade velocity, vertical.	UHDRS 1999 Version - Saccade Velocity: Vertical
C155408	UHDR1-Self-esteem/Guilt: Frequency	UHDR1-Self-esteem/Guilt: Frequency	Unified Huntington's Disease Rating Scale '99 - Self-esteem/guilt: Frequency: Within the past month, how often have you been feeling badly about yourself?	UHDRS 1999 Version - Self-esteem/Guilt: Frequency
C155409	UHDR1-Self-esteem/Guilt: Severity	UHDR1-Self-esteem/Guilt: Severity	Unified Huntington's Disease Rating Scale '99 - Self-esteem/guilt: Severity: How have these feelings affected your daily activities?	UHDRS 1999 Version - Self-esteem/Guilt: Severity
C155438	UHDR1-Shop for Groceries Without Help	UHDR1-Shop for Groceries Without Help	Unified Huntington's Disease Rating Scale '99 - Could the subject shop for groceries without help?	UHDRS 1999 Version - Shop for Groceries Without Help

UHDRS 1999 Version - Since Last Assessment				
C155469	UHDR1-Since Last Assessment Feel	UHDR1-Since Last Assessment Feel	Unified Huntington's Disease Rating Scale '99 - Since your last assessment does the subject feel.	UHDRS 1999 Version - Since Last Assessment Feel
C155468	UHDR1-Since Last Assessment Opinion	UHDR1-Since Last Assessment Opinion	Unified Huntington's Disease Rating Scale '99 - Since your last assessment of the subject, in your opinion, has the subject.	UHDRS 1999 Version - Since Last Assessment Opinion
C155410	UHDR1-Suicidal Thoughts: Frequency	UHDR1-Suicidal Thoughts: Frequency	Unified Huntington's Disease Rating Scale '99 - Suicidal thoughts: Frequency: Within the past month, how often have you thought about hurting yourself or ending it all?	UHDRS 1999 Version - Suicidal Thoughts: Frequency
C155411	UHDR1-Suicidal Thoughts: Severity	UHDR1-Suicidal Thoughts: Severity	Unified Huntington's Disease Rating Scale '99 - Suicidal thoughts: Severity: Do you have a plan in mind to end it all? Have you taken any steps toward carrying out your plan?	UHDRS 1999 Version - Suicidal Thoughts: Severity
C155440	UHDR1-Supervise Children Without Help	UHDR1-Supervise Children Without Help	Unified Huntington's Disease Rating Scale '99 - Could the subject supervise children without help?	UHDRS 1999 Version - Supervise Children Without Help
C155403	UHDR1-Symbol Digit Modalities Test	UHDR1-Symbol Digit Modalities Test	Unified Huntington's Disease Rating Scale '99 - Symbol digit modalities test (raw score).	UHDRS 1999 Version - Symbol Digit Modalities Test
C155446	UHDR1-Take Medications Without Help	UHDR1-Take Medications Without Help	Unified Huntington's Disease Rating Scale '99 - Could the subject take his/her own medications without help?	UHDRS 1999 Version - Take Medications Without Help
C155399	UHDR1-Tandem Walking	UHDR1-Tandem Walking	Unified Huntington's Disease Rating Scale '99 - Tandem walking.	UHDRS 1999 Version - Tandem Walking
C155377	UHDR1-Tongue Protrusion	UHDR1-Tongue Protrusion	Unified Huntington's Disease Rating Scale '99 - Tongue protrusion.	UHDRS 1999 Version - Tongue Protrusion
C155474	UHDR1-Total Behavior Score	UHDR1-Total Behavior Score	Unified Huntington's Disease Rating Scale '99 - Total Behavior score.	UHDRS 1999 Version - Total Behavior Score
C155479	UHDR1-Total Functional Capacity Score	UHDR1-Total Functional Capacity Score	Unified Huntington's Disease Rating Scale '99 - Total functional capacity score.	UHDRS 1999 Version - Total Functional Capacity Score
C155473	UHDR1-Total Motor Score	UHDR1-Total Motor Score	Unified Huntington's Disease Rating Scale '99 - Total Motor score.	UHDRS 1999 Version - Total Motor Score
C155455	UHDR1-Transfer Chair Without Help	UHDR1-Transfer Chair Without Help	Unified Huntington's Disease Rating Scale '99 - Could the subject transfer between chairs without help?	UHDRS 1999 Version - Transfer Chair Without Help
C155445	UHDR1-Use Telephone Without Help	UHDR1-Use Telephone Without Help	Unified Huntington's Disease Rating Scale '99 - Could the subject use the telephone without help?	UHDRS 1999 Version - Use Telephone Without Help
C155457	UHDR1-Use Toilet/Commode Without Help	UHDR1-Use Toilet/Commode Without Help	Unified Huntington's Disease Rating Scale '99 - Could the subject use the toilet/commode without help?	UHDRS 1999 Version - Use Toilet/Commode Without Help
C155402	UHDR1-Verbal Fluency Test	UHDR1-Verbal Fluency Test	Unified Huntington's Disease Rating Scale '99 - Verbal fluency test (raw score).	UHDRS 1999 Version - Verbal Fluency Test
C155436	UHDR1-Volunteer or Non Gainful Work	UHDR1-Volunteer or Non Gainful Work	Unified Huntington's Disease Rating Scale '99 - Could the subject engage in any kind of volunteer or non gainful work?	UHDRS 1999 Version - Volunteer or Non Gainful Work
C155451	UHDR1-Walk Own Neighborhood Without Help	UHDR1-Walk Own Neighborhood Without Help	Unified Huntington's Disease Rating Scale '99 - Could the subject walk to places in his/her own neighborhood without help?	UHDRS 1999 Version - Walk Own Neighborhood Without Help
C155452	UHDR1-Walk Without Falling	UHDR1-Walk Without Falling	Unified Huntington's Disease Rating Scale '99 - Could the subject walk without falling?	UHDRS 1999 Version - Walk Without Falling
C155453	UHDR1-Walk Without Help	UHDR1-Walk Without Help	Unified Huntington's Disease Rating Scale '99 - Could the subject walk without help?	UHDRS 1999 Version - Walk Without Help

C100901	UPD101	UPD1-Mentation:Intellectual Impairment	Unified Parkinson's Disease Rating Scale - Mentation, behavior and mood: Intellectual impairment.	UPDRS - Mentation, Behavior and Mood: Intellectual Impairment
C100902	UPD102	UPD1-Mentation:Thought Disorder	Unified Parkinson's Disease Rating Scale - Mentation, behavior and mood: Thought disorder.	UPDRS - Mentation, Behavior and Mood: Thought Disorder
C100903	UPD103	UPD1-Mentation:Depression	Unified Parkinson's Disease Rating Scale - Mentation, behavior and mood: Depression.	UPDRS - Mentation, Behavior and Mood: Depression
C100904	UPD104	UPD1-Mentation:Motivation/Initiative	Unified Parkinson's Disease Rating Scale - Mentation, behavior and mood: Motivation/Initiative.	UPDRS - Mentation, Behavior and Mood: Motivation/Initiative
C100905	UPD105	UPD1-Activities:Speech	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Speech.	UPDRS - Activities of Daily Living: Speech
C100906	UPD106	UPD1-Activities:Salivation	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Salivation.	UPDRS - Activities of Daily Living: Salivation
C100907	UPD107	UPD1-Activities:Swallowing	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Swallowing.	UPDRS - Activities of Daily Living: Swallowing
C100908	UPD108	UPD1-Activities:Handwriting	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Handwriting.	UPDRS - Activities of Daily Living: Handwriting
C100909	UPD109	UPD1-Activities:Cut Food/Handle Utensil	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Cutting food and handling utensils.	UPDRS - Activities of Daily Living: Cutting Food and Handling Utensils
C100910	UPD110	UPD1-Activities:Dressing	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Dressing.	UPDRS - Activities of Daily Living: Dressing
C100911	UPD111	UPD1-Activities:Hygiene	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Hygiene.	UPDRS - Activities of Daily Living: Hygiene
C100912	UPD112	UPD1-Activities:Turn Bed/Adj Clothes	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Turning in bed and adjusting bed clothes.	UPDRS - Activities of Daily Living: Turning in Bed and Adjusting Bed Clothes
C100913	UPD113	UPD1-Activities:Falling	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Falling (unrelated to freezing).	UPDRS - Activities of Daily Living: Falling
C100914	UPD114	UPD1-Activities:Freezing When Walking	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Freezing when walking.	UPDRS - Activities of Daily Living: Freezing When Walking
C100915	UPD115	UPD1-Activities:Walking	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Walking.	UPDRS - Activities of Daily Living: Walking
C100916	UPD116	UPD1-Activities:Tremor	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Tremor (Symptomatic complaint of tremor in any part of body.).	UPDRS - Activities of Daily Living: Tremor
C100917	UPD117	UPD1-Activities:Sensory Complaints	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Sensory complaints related to Parkinsonism.	UPDRS - Activities of Daily Living: Sensory Complaints Related to Parkinsonism
C100918	UPD118	UPD1-Motor:Speech	Unified Parkinson's Disease Rating Scale - Motor examination: Speech.	UPDRS - Motor Examination: Speech
C100919	UPD119	UPD1-Motor:Facial Expression	Unified Parkinson's Disease Rating Scale - Motor examination: Facial expression.	UPDRS - Motor Examination: Facial Expression
C111585	UPD120A	UPD1-Motor:Tremor at Rest:Face Lips Chin	Unified Parkinson's Disease Rating Scale - Motor examination: Tremor at rest: face, lips, chin.	UPDRS - Motor Examination: Tremor at Rest, Face, Lips, Chin
C111586	UPD120B	UPD1-Motor:Tremor at Rest:Hands: Right	Unified Parkinson's Disease Rating Scale - Motor examination: Tremor at rest: Hands: Right.	UPDRS - Motor Examination: Tremor at Rest, Hands, Right
C111587	UPD120C	UPD1-Motor:Tremor at Rest:Hands: Left	Unified Parkinson's Disease Rating Scale - Motor examination: Tremor at rest: Hands: Left.	UPDRS - Motor Examination: Tremor at Rest, Hands, Left
C111588	UPD120D	UPD1-Motor:Tremor at Rest:Feet: Right	Unified Parkinson's Disease Rating Scale - Motor examination: Tremor at rest: Feet: Right.	UPDRS - Motor Examination: Tremor at Rest, Feet, Right
C111589	UPD120E	UPD1-Motor:Tremor at Rest:Feet: Left	Unified Parkinson's Disease Rating Scale - Motor examination: Tremor at rest: Feet: Left.	UPDRS - Motor Examination: Tremor at Rest, Feet, Left

Unified Parkinson's Disease Rating Scale - Motor examination				
C111590	UPD121A	UPD1--Motor:Action Tremor:Hand: Right	Unified Parkinson's Disease Rating Scale - Motor examination: Action tremor: Hand: Right.	UPDRS - Motor Examination: Action Tremor, Hand, Right
C111591	UPD121B	UPD1--Motor:Action Tremor:Hand: Left	Unified Parkinson's Disease Rating Scale - Motor examination: Action tremor: Hand: Left.	UPDRS - Motor Examination: Action Tremor, Hand, Left
C111592	UPD122A	UPD1-Motor:Rigidity Neck	Unified Parkinson's Disease Rating Scale - Motor examination: Rigidity neck.	UPDRS - Motor Examination: Rigidity Neck
C111593	UPD122B	UPD1-Motor:Rigidity Upper Extrem: Right	Unified Parkinson's Disease Rating Scale - Motor examination: Rigidity upper extremity: Right.	UPDRS - Motor Examination: Rigidity Upper Extremity, Right
C111594	UPD122C	UPD1-Motor:Rigidity Upper Extrem: Left	Unified Parkinson's Disease Rating Scale - Motor examination: Rigidity upper extremity: Left.	UPDRS - Motor Examination: Rigidity Upper Extremity, Left
C111595	UPD122D	UPD1-Motor:Rigidity Lower Extrem: Right	Unified Parkinson's Disease Rating Scale - Motor examination: Rigidity lower extremity: Right.	UPDRS - Motor Examination: Rigidity Lower Extremity, Right
C111596	UPD122E	UPD1-Motor:Rigidity Lower Extrem: Left	Unified Parkinson's Disease Rating Scale - Motor examination: Rigidity lower extremity: Left.	UPDRS - Motor Examination: Rigidity Lower Extremity, Left
C111597	UPD123A	UPD1-Motor:Finger Taps: Right	Unified Parkinson's Disease Rating Scale - Motor examination: Finger taps: Right.	UPDRS - Motor Examination: Finger Taps, Right
C111598	UPD123B	UPD1-Motor:Finger Taps: Left	Unified Parkinson's Disease Rating Scale - Motor examination: Finger taps: Left.	UPDRS - Motor Examination: Finger Taps, Left
C111599	UPD124A	UPD1-Motor:Hand Grips: Right	Unified Parkinson's Disease Rating Scale - Motor examination: Hand grips: Right.	UPDRS - Motor Examination: Hand Grips, Right
C111600	UPD124B	UPD1-Motor:Hand Grips: Left	Unified Parkinson's Disease Rating Scale - Motor examination: Hand grips: Left.	UPDRS - Motor Examination: Hand Grips, Left
C111601	UPD125A	UPD1-Motor:Hand Pronate/Supinate: Right	Unified Parkinson's Disease Rating Scale - Motor examination: Hand pronate/supinate: Right.	UPDRS - Motor Examination: Hand Pronate/Supinate, Right
C111602	UPD125B	UPD1-Motor:Hand Pronate/Supinate: Left	Unified Parkinson's Disease Rating Scale - Motor examination: Hand pronate/supinate: Left.	UPDRS - Motor Examination: Hand Pronate/Supinate, Left
C111603	UPD126A	UPD1-Motor:Leg Agility: Right	Unified Parkinson's Disease Rating Scale - Motor examination: Leg agility: Right.	UPDRS - Motor Examination: Leg Agility, Right
C111604	UPD126B	UPD1-Motor:Leg Agility: Left	Unified Parkinson's Disease Rating Scale - Motor examination: Leg agility: Left.	UPDRS - Motor Examination: Leg Agility, Left
C100927	UPD127	UPD1-Motor:Arising from Chair	Unified Parkinson's Disease Rating Scale - Motor examination: Arising from chair (Patient attempts to rise from a straightbacked chair, with arms folded across chest.).	UPDRS - Motor Examination: Arising from Chair
C100928	UPD128	UPD1-Motor:Posture	Unified Parkinson's Disease Rating Scale - Motor examination: Posture.	UPDRS - Motor Examination: Posture
C100929	UPD129	UPD1-Motor:Gait	Unified Parkinson's Disease Rating Scale - Motor examination: Gait.	UPDRS - Motor Examination: Gait
C100930	UPD130	UPD1-Motor:Postural Stability	Unified Parkinson's Disease Rating Scale - Motor examination: Postural stability (Response to sudden, strong posterior displacement produced by pull on shoulders while patient erect with eyes open and feet slightly apart. Patient is prepared.).	UPDRS - Motor Examination: Postural Stability
C100931	UPD131	UPD1-Motor:Bradykinesia and Hypokinesia	Unified Parkinson's Disease Rating Scale - Motor examination: Body bradykinesia and hypokinesia (Combining slowness, hesitancy, decreased arm swing, small amplitude, and poverty of movement in general.).	UPDRS - Motor Examination: Body Bradykinesia and Hypokinesia
C100932	UPD132	UPD1-Complications:Dyskinesias Duration	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Dyskinesias, Duration: What proportion of the waking day are dyskinesias present? (Historical information.).	UPDRS - Complications of Therapy: Dyskinesias - Duration
C100933	UPD133	UPD1-Complications:Dyskinesias Disable	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Dyskinesias, Disability: How disabling are the dyskinesias? (Historical information; may be modified by office examination.).	UPDRS - Complications of Therapy: Dyskinesias - Disability
C100934	UPD134	UPD1-Complications:Dyskinesias Painful	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Dyskinesias, Painful dyskinesias: How painful are the dyskinesias?	UPDRS - Complications of Therapy: Dyskinesias - Painful Dyskinesias

Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week)				
C100935	UPD135	UPD1-Complications:Dyskinésias Dystonia	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Dyskinésias, Presence of early morning dystonia (Historical information.).	UPDRS - Complications of Therapy: Dyskinésias - Presence of Early Morning Dystonia
C100936	UPD136	UPD1-Complications:Fluct Predictable	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Clinical fluctuations, Are 'off' periods predictable?	UPDRS - Complications of Therapy: Clinical Fluctuations - Off Periods Predictable
C100937	UPD137	UPD1-Complications:Fluct Unpredictable	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Clinical fluctuations, Are 'off' periods unpredictable?	UPDRS - Complications of Therapy: Clinical Fluctuations - Off Periods Unpredictable
C100938	UPD138	UPD1-Complications:Fluct Suddenly	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Clinical fluctuations, Do 'off' periods come on suddenly, within a few seconds?	UPDRS - Complications of Therapy: Clinical Fluctuations - Off Periods Sudden
C100939	UPD139	UPD1-Complications:Fluct Average	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Clinical fluctuations, What proportion of the waking day is the patient 'off' on average?	UPDRS - Complications of Therapy: Clinical Fluctuations - Average Off Periods Per Day
C100940	UPD140	UPD1-Complications:Anorex Nausea Vomit	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Other complications, Does the patient have anorexia, nausea, or vomiting?	UPDRS - Complications of Therapy: Other Complications - Anorexia, Nausea, or Vomiting
C100941	UPD141	UPD1-Complications:Insomnia Hypersomnol	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Other complications, Any sleep disturbances, such as insomnia or hypersomnolence?	UPDRS - Complications of Therapy: Other Complications - Sleep Disturbances
C100942	UPD142	UPD1-Complications:Symptom Orthostasis	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Other complications, Does the patient have symptomatic orthostasis? (Record the patient's blood pressure, height and weight on the scoring form).	UPDRS - Complications of Therapy: Other Complications - Symptomatic Orthostasis
C111605	UPD142A	UPD1-Blood Pressure: Seated	Unified Parkinson's Disease Rating Scale - Blood pressure: Seated.	UPDRS - Symptomatic Orthostasis: Blood Pressure, Seated
C111606	UPD142B	UPD1-Blood Pressure: Supine	Unified Parkinson's Disease Rating Scale - Blood pressure: Supine.	UPDRS - Symptomatic Orthostasis: Blood Pressure, Supine
C111607	UPD142C	UPD1-Blood Pressure: Standing	Unified Parkinson's Disease Rating Scale - Blood pressure: Standing.	UPDRS - Symptomatic Orthostasis: Blood Pressure, Standing
C111608	UPD142D	UPD1-Weight	Unified Parkinson's Disease Rating Scale - Weight.	UPDRS - Symptomatic Orthostasis: Weight
C111609	UPD142E	UPD1-Pulse: Seated	Unified Parkinson's Disease Rating Scale - Pulse: Seated.	UPDRS - Symptomatic Orthostasis: Pulse, Seated
C111610	UPD142F	UPD1-Pulse: Standing	Unified Parkinson's Disease Rating Scale - Pulse: Standing.	UPDRS - Symptomatic Orthostasis: Pulse, Standing
C100943	UPD143	UPD1-Modified Hoehn and Yahr Staging	Unified Parkinson's Disease Rating Scale - Modified Hoehn and Yahr Staging.	UPDRS - Modified Hoehn and Yahr Staging
C111611	UPD144A	UPD1-Schwab/England % ADL Score (PD)	Unified Parkinson's Disease Rating Scale - Schwab and England % ADL Score (PD).	UPDRS - Schwab and England % ADL Score (PD)
C111612	UPD144B	UPD1-Schwab/England % ADL (Dyskinesia)	Unified Parkinson's Disease Rating Scale - Schwab and England % ADL (with dyskinesia).	UPDRS - Schwab and England % ADL (With Dyskinesia)
C111613	UPD145	UPD1-Mentation, Behavior, Mood Sub-Total	Unified Parkinson's Disease Rating Scale - Mentation, behavior and mood sub-total.	UPDRS - Mentation, Behavior and Mood Sub-total
C111614	UPD146	UPD1-Activities Daily Living Sub-Total	Unified Parkinson's Disease Rating Scale - Activities of daily living sub-total.	UPDRS - Activities of Daily Living Sub-total
C111615	UPD147	UPD1-Motor Examination Sub-Total	Unified Parkinson's Disease Rating Scale - Motor examination sub-total.	UPDRS - Motor Examination Sub-total
C111616	UPD148	UPD1-UPDRS Total	Unified Parkinson's Disease Rating Scale - UPDRS total.	UPDRS - UPDRS Total

C111591	UPD1--Motor:Action Tremor:Hand: Left	UPD1--Motor:Action Tremor:Hand: Left	Unified Parkinson's Disease Rating Scale - Motor examination: Action tremor: Hand: Left.	UPDRS - Motor Examination: Action Tremor, Hand, Left
C111590	UPD1--Motor:Action Tremor:Hand: Right	UPD1--Motor:Action Tremor:Hand: Right	Unified Parkinson's Disease Rating Scale - Motor examination: Action tremor: Hand: Right.	UPDRS - Motor Examination: Action Tremor, Hand, Right
C111614	UPD1-Activities Daily Living Sub-Total	UPD1-Activities Daily Living Sub-Total	Unified Parkinson's Disease Rating Scale - Activities of daily living sub-total.	UPDRS - Activities of Daily Living Sub-total
C100909	UPD1-Activities:Cut Food/Handle Utensil	UPD1-Activities:Cut Food/Handle Utensil	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Cutting food and handling utensils.	UPDRS - Activities of Daily Living: Cutting Food and Handling Utensils
C100910	UPD1-Activities:Dressing	UPD1-Activities:Dressing	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Dressing.	UPDRS - Activities of Daily Living: Dressing
C100913	UPD1-Activities:Falling	UPD1-Activities:Falling	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Falling (unrelated to freezing).	UPDRS - Activities of Daily Living: Falling
C100914	UPD1-Activities:Freezing When Walking	UPD1-Activities:Freezing When Walking	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Freezing when walking.	UPDRS - Activities of Daily Living: Freezing When Walking
C100908	UPD1-Activities:Handwriting	UPD1-Activities:Handwriting	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Handwriting.	UPDRS - Activities of Daily Living: Handwriting
C100911	UPD1-Activities:Hygiene	UPD1-Activities:Hygiene	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Hygiene.	UPDRS - Activities of Daily Living: Hygiene
C100906	UPD1-Activities:Salivation	UPD1-Activities:Salivation	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Salivation.	UPDRS - Activities of Daily Living: Salivation
C100917	UPD1-Activities:Sensory Complaints	UPD1-Activities:Sensory Complaints	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Sensory complaints related to Parkinsonism.	UPDRS - Activities of Daily Living: Sensory Complaints Related to Parkinsonism
C100905	UPD1-Activities:Speech	UPD1-Activities:Speech	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Speech.	UPDRS - Activities of Daily Living: Speech
C100907	UPD1-Activities:Swallowing	UPD1-Activities:Swallowing	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Swallowing.	UPDRS - Activities of Daily Living: Swallowing
C100916	UPD1-Activities:Tremor	UPD1-Activities:Tremor	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Tremor (Symptomatic complaint of tremor in any part of body.).	UPDRS - Activities of Daily Living: Tremor
C100912	UPD1-Activities:Turn Bed/Adj Clothes	UPD1-Activities:Turn Bed/Adj Clothes	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Turning in bed and adjusting bed clothes.	UPDRS - Activities of Daily Living: Turning in Bed and Adjusting Bed Clothes
C100915	UPD1-Activities:Walking	UPD1-Activities:Walking	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Walking.	UPDRS - Activities of Daily Living: Walking
C111605	UPD1-Blood Pressure: Seated	UPD1-Blood Pressure: Seated	Unified Parkinson's Disease Rating Scale - Blood pressure: Seated.	UPDRS - Symptomatic Orthostasis: Blood Pressure, Seated
C111607	UPD1-Blood Pressure: Standing	UPD1-Blood Pressure: Standing	Unified Parkinson's Disease Rating Scale - Blood pressure: Standing.	UPDRS - Symptomatic Orthostasis: Blood Pressure, Standing
C111606	UPD1-Blood Pressure: Supine	UPD1-Blood Pressure: Supine	Unified Parkinson's Disease Rating Scale - Blood pressure: Supine.	UPDRS - Symptomatic Orthostasis: Blood Pressure, Supine
C100940	UPD1-Complications:Anorex Nausea Vomit	UPD1-Complications:Anorex Nausea Vomit	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Other complications, Does the patient have anorexia, nausea, or vomiting?	UPDRS - Complications of Therapy: Other Complications - Anorexia, Nausea, or Vomiting
C100933	UPD1-Complications:Dyskinesias Disable	UPD1-Complications:Dyskinesias Disable	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Dyskinesias, Disability: How disabling are the dyskinesias? (Historical information; may be modified by office examination.).	UPDRS - Complications of Therapy: Dyskinesias - Disability
C100932	UPD1-Complications:Dyskinesias Duration	UPD1-Complications:Dyskinesias Duration	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Dyskinesias, Duration: What proportion of the waking day are dyskinesias present? (Historical information.).	UPDRS - Complications of Therapy: Dyskinesias - Duration

Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week)				
C100935	UPD1-Complications:Dyskinesias Dystonia	UPD1-Complications:Dyskinesias Dystonia	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Dyskinesias, Presence of early morning dystonia (Historical information.).	UPDRS - Complications of Therapy: Dyskinesias - Presence of Early Morning Dystonia
C100934	UPD1-Complications:Dyskinesias Painful	UPD1-Complications:Dyskinesias Painful	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Dyskinesias, Painful dyskinesias: How painful are the dyskinesias?	UPDRS - Complications of Therapy: Dyskinesias - Painful Dyskinesias
C100939	UPD1-Complications:Fluct Average	UPD1-Complications:Fluct Average	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Clinical fluctuations, What proportion of the waking day is the patient 'off' on average?	UPDRS - Complications of Therapy: Clinical Fluctuations - Average Off Periods Per Day
C100936	UPD1-Complications:Fluct Predictable	UPD1-Complications:Fluct Predictable	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Clinical fluctuations, Are 'off' periods predictable?	UPDRS - Complications of Therapy: Clinical Fluctuations - Off Periods Predictable
C100938	UPD1-Complications:Fluct Suddenly	UPD1-Complications:Fluct Suddenly	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Clinical fluctuations, Do 'off' periods come on suddenly, within a few seconds?	UPDRS - Complications of Therapy: Clinical Fluctuations - Off Periods Sudden
C100937	UPD1-Complications:Fluct Unpredictable	UPD1-Complications:Fluct Unpredictable	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Clinical fluctuations, Are 'off' periods unpredictable?	UPDRS - Complications of Therapy: Clinical Fluctuations - Off Periods Unpredictable
C100941	UPD1-Complications:Insomnia Hypersomnol	UPD1-Complications:Insomnia Hypersomnol	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Other complications, Any sleep disturbances, such as insomnia or hypersomnolence?	UPDRS - Complications of Therapy: Other Complications - Sleep Disturbances
C100942	UPD1-Complications:Symptom Orthostasis	UPD1-Complications:Symptom Orthostasis	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Other complications, Does the patient have symptomatic orthostasis? (Record the patient's blood pressure, height and weight on the scoring form).	UPDRS - Complications of Therapy: Other Complications - Symptomatic Orthostasis
C111613	UPD1-Mentation, Behavior, Mood Sub-Total	UPD1-Mentation, Behavior, Mood Sub-Total	Unified Parkinson's Disease Rating Scale - Mentation, behavior and mood sub-total.	UPDRS - Mentation, Behavior and Mood Sub-total
C100903	UPD1-Mentation:Depression	UPD1-Mentation:Depression	Unified Parkinson's Disease Rating Scale - Mentation, behavior and mood: Depression.	UPDRS - Mentation, Behavior and Mood: Depression
C100901	UPD1-Mentation:Intellectual Impairment	UPD1-Mentation:Intellectual Impairment	Unified Parkinson's Disease Rating Scale - Mentation, behavior and mood: Intellectual impairment.	UPDRS - Mentation, Behavior and Mood: Intellectual Impairment
C100904	UPD1-Mentation:Motivation/Initiative	UPD1-Mentation:Motivation/Initiative	Unified Parkinson's Disease Rating Scale - Mentation, behavior and mood: Motivation/Initiative.	UPDRS - Mentation, Behavior and Mood: Motivation/Initiative
C100902	UPD1-Mentation:Thought Disorder	UPD1-Mentation:Thought Disorder	Unified Parkinson's Disease Rating Scale - Mentation, behavior and mood: Thought disorder.	UPDRS - Mentation, Behavior and Mood: Thought Disorder
C100943	UPD1-Modified Hoehn and Yahr Staging	UPD1-Modified Hoehn and Yahr Staging	Unified Parkinson's Disease Rating Scale - Modified Hoehn and Yahr Staging.	UPDRS - Modified Hoehn and Yahr Staging
C111615	UPD1-Motor Examination Sub-Total	UPD1-Motor Examination Sub-Total	Unified Parkinson's Disease Rating Scale - Motor examination sub-total.	UPDRS - Motor Examination Sub-total
C100927	UPD1-Motor:Arising from Chair	UPD1-Motor:Arising from Chair	Unified Parkinson's Disease Rating Scale - Motor examination: Arising from chair (Patient attempts to rise from a straightbacked chair, with arms folded across chest.).	UPDRS - Motor Examination: Arising from Chair
C100931	UPD1-Motor:Bradykinesia and Hypokinesia	UPD1-Motor:Bradykinesia and Hypokinesia	Unified Parkinson's Disease Rating Scale - Motor examination: Body bradykinesia and hypokinesia (Combining slowness, hesitancy, decreased arm swing, small amplitude, and poverty of movement in general.).	UPDRS - Motor Examination: Body Bradykinesia and Hypokinesia
C100919	UPD1-Motor:Facial Expression	UPD1-Motor:Facial Expression	Unified Parkinson's Disease Rating Scale - Motor examination: Facial expression.	UPDRS - Motor Examination: Facial Expression
C111598	UPD1-Motor:Finger Taps: Left	UPD1-Motor:Finger Taps: Left	Unified Parkinson's Disease Rating Scale - Motor examination: Finger taps: Left.	UPDRS - Motor Examination: Finger Taps, Left
C111597	UPD1-Motor:Finger Taps: Right	UPD1-Motor:Finger Taps: Right	Unified Parkinson's Disease Rating Scale - Motor examination: Finger taps: Right.	UPDRS - Motor Examination: Finger Taps, Right
C100929	UPD1-Motor:Gait	UPD1-Motor:Gait	Unified Parkinson's Disease Rating Scale - Motor examination: Gait.	UPDRS - Motor Examination: Gait
C111600	UPD1-Motor:Hand Grips: Left	UPD1-Motor:Hand Grips: Left	Unified Parkinson's Disease Rating Scale - Motor examination: Hand grips: Left.	UPDRS - Motor Examination: Hand Grips, Left

Unified Parkinson's Disease Rating Scale - Motor Examination				
C111599	UPD1-Motor:Hand Grips: Right	UPD1-Motor:Hand Grips: Right	Unified Parkinson's Disease Rating Scale - Motor examination: Hand grips: Right.	UPDRS - Motor Examination: Hand Grips, Right
C111602	UPD1-Motor:Hand Pronate/Supinate: Left	UPD1-Motor:Hand Pronate/Supinate: Left	Unified Parkinson's Disease Rating Scale - Motor examination: Hand pronate/supinate: Left.	UPDRS - Motor Examination: Hand Pronate/Supinate, Left
C111601	UPD1-Motor:Hand Pronate/Supinate: Right	UPD1-Motor:Hand Pronate/Supinate: Right	Unified Parkinson's Disease Rating Scale - Motor examination: Hand pronate/supinate: Right.	UPDRS - Motor Examination: Hand Pronate/Supinate, Right
C111604	UPD1-Motor:Leg Agility: Left	UPD1-Motor:Leg Agility: Left	Unified Parkinson's Disease Rating Scale - Motor examination: Leg agility: Left.	UPDRS - Motor Examination: Leg Agility, Left
C111603	UPD1-Motor:Leg Agility: Right	UPD1-Motor:Leg Agility: Right	Unified Parkinson's Disease Rating Scale - Motor examination: Leg agility: Right.	UPDRS - Motor Examination: Leg Agility, Right
C100930	UPD1-Motor:Postural Stability	UPD1-Motor:Postural Stability	Unified Parkinson's Disease Rating Scale - Motor examination: Postural stability (Response to sudden, strong posterior displacement produced by pull on shoulders while patient erect with eyes open and feet slightly apart. Patient is prepared.).	UPDRS - Motor Examination: Postural Stability
C100928	UPD1-Motor:Posture	UPD1-Motor:Posture	Unified Parkinson's Disease Rating Scale - Motor examination: Posture.	UPDRS - Motor Examination: Posture
C111596	UPD1-Motor:Rigidity Lower Extrem: Left	UPD1-Motor:Rigidity Lower Extrem: Left	Unified Parkinson's Disease Rating Scale - Motor examination: Rigidity lower extremity: Left.	UPDRS - Motor Examination: Rigidity Lower Extremity, Left
C111595	UPD1-Motor:Rigidity Lower Extrem: Right	UPD1-Motor:Rigidity Lower Extrem: Right	Unified Parkinson's Disease Rating Scale - Motor examination: Rigidity lower extremity: Right.	UPDRS - Motor Examination: Rigidity Lower Extremity, Right
C111592	UPD1-Motor:Rigidity Neck	UPD1-Motor:Rigidity Neck	Unified Parkinson's Disease Rating Scale - Motor examination: Rigidity neck.	UPDRS - Motor Examination: Rigidity Neck
C111594	UPD1-Motor:Rigidity Upper Extrem: Left	UPD1-Motor:Rigidity Upper Extrem: Left	Unified Parkinson's Disease Rating Scale - Motor examination: Rigidity upper extremity: Left.	UPDRS - Motor Examination: Rigidity Upper Extremity, Left
C111593	UPD1-Motor:Rigidity Upper Extrem: Right	UPD1-Motor:Rigidity Upper Extrem: Right	Unified Parkinson's Disease Rating Scale - Motor examination: Rigidity upper extremity: Right.	UPDRS - Motor Examination: Rigidity Upper Extremity, Right
C100918	UPD1-Motor:Speech	UPD1-Motor:Speech	Unified Parkinson's Disease Rating Scale - Motor examination: Speech.	UPDRS - Motor Examination: Speech
C111585	UPD1-Motor:Tremor at Rest:Face Lips Chin	UPD1-Motor:Tremor at Rest:Face Lips Chin	Unified Parkinson's Disease Rating Scale - Motor examination: Tremor at rest: face, lips, chin.	UPDRS - Motor Examination: Tremor at Rest, Face, Lips, Chin
C111589	UPD1-Motor:Tremor at Rest:Feet: Left	UPD1-Motor:Tremor at Rest:Feet: Left	Unified Parkinson's Disease Rating Scale - Motor examination: Tremor at rest: Feet: Left.	UPDRS - Motor Examination: Tremor at Rest, Feet, Left
C111588	UPD1-Motor:Tremor at Rest:Feet: Right	UPD1-Motor:Tremor at Rest:Feet: Right	Unified Parkinson's Disease Rating Scale - Motor examination: Tremor at rest: Feet: Right.	UPDRS - Motor Examination: Tremor at Rest, Feet, Right
C111587	UPD1-Motor:Tremor at Rest:Hands: Left	UPD1-Motor:Tremor at Rest:Hands: Left	Unified Parkinson's Disease Rating Scale - Motor examination: Tremor at rest: Hands: Left.	UPDRS - Motor Examination: Tremor at Rest, Hands, Left
C111586	UPD1-Motor:Tremor at Rest:Hands: Right	UPD1-Motor:Tremor at Rest:Hands: Right	Unified Parkinson's Disease Rating Scale - Motor examination: Tremor at rest: Hands: Right.	UPDRS - Motor Examination: Tremor at Rest, Hands, Right
C111609	UPD1-Pulse: Seated	UPD1-Pulse: Seated	Unified Parkinson's Disease Rating Scale - Pulse: Seated.	UPDRS - Symptomatic Orthostasis: Pulse, Seated
C111610	UPD1-Pulse: Standing	UPD1-Pulse: Standing	Unified Parkinson's Disease Rating Scale - Pulse: Standing.	UPDRS - Symptomatic Orthostasis: Pulse, Standing
C111612	UPD1-Schwab/England % ADL (Dyskinesia)	UPD1-Schwab/England % ADL (Dyskinesia)	Unified Parkinson's Disease Rating Scale - Schwab and England % ADL (with dyskinesia).	UPDRS - Schwab and England % ADL (With Dyskinesia)
C111611	UPD1-Schwab/England % ADL Score (PD)	UPD1-Schwab/England % ADL Score (PD)	Unified Parkinson's Disease Rating Scale - Schwab and England % ADL Score (PD).	UPDRS - Schwab and England % ADL Score (PD)
C111616	UPD1-UPDRS Total	UPD1-UPDRS Total	Unified Parkinson's Disease Rating Scale - UPDRS total.	UPDRS - UPDRS Total
C111608	UPD1-Weight	UPD1-Weight	Unified Parkinson's Disease Rating Scale - Weight.	UPDRS - Symptomatic Orthostasis: Weight

Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week have you had problems remembering things, following conversations, paying attention, thinking clearly, or finding your way around the house or in town?				
C100473	UPD2101	UPD2-Cognitive Impairment	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week have you had problems remembering things, following conversations, paying attention, thinking clearly, or finding your way around the house or in town?	MDS-UPDRS - Cognitive Impairment
C100474	UPD2102	UPD2-Hallucinations and Psychosis	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week have you seen, heard, smelled or felt things that were not really there?	MDS-UPDRS - Hallucinations and Psychosis
C100475	UPD2103	UPD2-Depressed Mood	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week have you felt low, sad, hopeless or unable to enjoy things? If yes, was this feeling for longer than one day at a time? Did it make it difficult for you carry out your usual activities or to be with people?	MDS-UPDRS - Depressed Mood
C100476	UPD2104	UPD2-Anxious Mood	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week have you felt nervous, worried or tense? If yes, was this feeling for longer than one day at a time? Did it make it difficult for you to follow your usual activities or to be with other people?	MDS-UPDRS - Anxious Mood
C100477	UPD2105	UPD2-Apathy	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you felt indifferent to doing activities or being with people?	MDS-UPDRS - Apathy
C100478	UPD2106	UPD2-Ftrs Dopa Dysregulation Synd	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you had unusually strong urges that are hard to control? Do you feel driven to do or think about something and find it hard to stop?	MDS-UPDRS - Features of Dopamine Dysregulation Syndrome
C100479	UPD2107	UPD2-Sleep Problems	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you had trouble going to sleep at night or staying asleep through the night?	MDS-UPDRS - Sleep Problems
C100480	UPD2108	UPD2-Daytime Sleepiness	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you had trouble staying awake during the daytime?	MDS-UPDRS - Daytime Sleepiness
C100481	UPD2109	UPD2-Pain and other Sensations	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you had uncomfortable feelings in your body like pain, aches tingling or cramps?	MDS-UPDRS - Pain and Other Sensations
C100482	UPD2110	UPD2-Urinary Problems	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you had trouble with urine control?	MDS-UPDRS - Urinary Problems
C100483	UPD2111	UPD2-Constipation Problems	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week have you had constipation troubles that cause you difficulty moving your bowels?	MDS-UPDRS - Constipation Problems
C100484	UPD2112	UPD2-Lightheadedness on Standing	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you felt faint, dizzy or foggy when you stand up after sitting or lying down?	MDS-UPDRS - Lightheadedness on Standing
C100485	UPD2113	UPD2-Fatigue	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually felt fatigued?	MDS-UPDRS - Fatigue
C100486	UPD2201	UPD2-Speech	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you had problems with your speech?	MDS-UPDRS - Speech
C100487	UPD2202	UPD2-Saliva and Drooling	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually had too much saliva during when you are awake or when you sleep?	MDS-UPDRS - Saliva and Drooling
C100488	UPD2203	UPD2-Chewing and Swallowing	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually had problems swallowing pills or eating meals?	MDS-UPDRS - Chewing and Swallowing
C100489	UPD2204	UPD2-Eating Tasks	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually had troubles handling your food and using eating utensils?	MDS-UPDRS - Eating Tasks

Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually had problems dressing?				
C100490	UPD2205	UPD2-Dressing	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually had problems dressing?	MDS-UPDRS - Dressing
C100491	UPD2206	UPD2-Hygiene	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually been slow or do you need help with washing, bathing, shaving, brushing teeth, combing your hair or with other personal hygiene?	MDS-UPDRS - Hygiene
C100492	UPD2207	UPD2-Handwriting	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have people usually had trouble reading your handwriting?	MDS-UPDRS - Handwriting
C100493	UPD2208	UPD2-Doing Hobbies/Other Activities	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually had trouble doing your hobbies or other things that you like to do?	MDS-UPDRS - Doing Hobbies and Other Activities
C100494	UPD2209	UPD2-Turning in Bed	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, do you usually have trouble turning over in bed?	MDS-UPDRS - Turning in Bed
C100495	UPD2210	UPD2-Tremor	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually had shaking or tremor?	MDS-UPDRS - Tremor
C101018	UPD2211	UPD2-Get Out of Bed/Car/Deep Chair	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually had trouble getting out of bed, a car seat, or a deep chair?	MDS-UPDRS - Get Out of Bed, Car, or Deep Chair
C100496	UPD2212	UPD2-Walking and Balance	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually had problems with balance and walking?	MDS-UPDRS - Walking and Balance
C100497	UPD2213	UPD2-Freezing	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, on your usual day when walking, do you suddenly stop or freeze as if your feet are stuck to the floor?	MDS-UPDRS - Freezing
C100502	UPD2301	UPD2-Speech Problems	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Speech Problems.	MDS-UPDRS - Speech Problems
C100503	UPD2302	UPD2-Facial Expression	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Facial Expression.	MDS-UPDRS - Facial Expression
C100504	UPD2303A	UPD2-Rigidity Neck	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rigidity Neck.	MDS-UPDRS - Rigidity Neck
C100505	UPD2303B	UPD2-Rigidity RT Upper Extremity	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rigidity Right Upper Extremity.	MDS-UPDRS - Rigidity Right Upper Extremity
C100506	UPD2303C	UPD2-Rigidity Left Upper Extremity	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rigidity Left Upper Extremity.	MDS-UPDRS - Rigidity Left Upper Extremity
C100507	UPD2303D	UPD2-Rigidity RT Lower Extremity	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rigidity Right Lower Extremity.	MDS-UPDRS - Rigidity Right Lower Extremity
C100508	UPD2303E	UPD2-Rigidity Left Lower Extremity	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rigidity Left Lower Extremity.	MDS-UPDRS - Rigidity Left Lower Extremity
C100509	UPD2304A	UPD2-Right Finger Tapping	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Right Finger Tapping.	MDS-UPDRS - Right Finger Tapping
C100510	UPD2304B	UPD2-Left Finger Tapping	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Left Finger Tapping.	MDS-UPDRS - Left Finger Tapping
C100511	UPD2305A	UPD2-Right Hand Movements	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Right Hand Movements.	MDS-UPDRS - Right Hand Movements
C100512	UPD2305B	UPD2-Left Hand Movements	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Left Hand Movements.	MDS-UPDRS - Left Hand Movements
C100513	UPD2306A	UPD2-Pron/Sup Movement of RT Hand	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Pronation-Supination Movements of Right Hand.	MDS-UPDRS - Pronanation-Supination Movement of Right Hand
C100514	UPD2306B	UPD2-Pron/Sup Movement of Left Hand	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Pronation-Supination Movements of Left Hand.	MDS-UPDRS - Pronanation-Supination Movement of Left Hand
C100515	UPD2307A	UPD2-Right Toe Tapping	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Right Toe Tapping.	MDS-UPDRS - Right Toe Tapping

C100516	UPD2307B	UPD2-Left Toe Tapping	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Left Toe Tapping.	MDS-UPDRS - Left Toe Tapping
C100517	UPD2308A	UPD2-Right Leg Agility	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Right Leg Agility.	MDS-UPDRS - Right Leg Agility
C100518	UPD2308B	UPD2-Left Leg Agility	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Left Leg Agility.	MDS-UPDRS - Left Leg Agility
C100519	UPD2309	UPD2-Arising from Chair	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Arising from Chair.	MDS-UPDRS - Arising from Chair
C100520	UPD2310	UPD2-Gait	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Gait.	MDS-UPDRS - Gait
C100521	UPD2311	UPD2-Freezing of Gait	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Freezing of Gait.	MDS-UPDRS - Freezing of Gait
C100522	UPD2312	UPD2-Postural Stability	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Postural Stability.	MDS-UPDRS - Postural Stability
C100523	UPD2313	UPD2-Posture	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Posture.	MDS-UPDRS - Posture
C100524	UPD2314	UPD2-Body Bradykinesia	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Global Spontaneity of Movement (Body Bradykinesia).	MDS-UPDRS - Body Bradykinesia
C100525	UPD2315A	UPD2-Postural Tremor of Right Hand	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Postural Tremor of the Right Hand.	MDS-UPDRS - Postural Tremor of Right Hand
C113882	UPD2315B	UPD2-Postural Tremor of Left Hand	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Postural Tremor of the Left Hand.	MDS-UPDRS - Postural Tremor of Left Hand
C113883	UPD2316A	UPD2-Kinetic Tremor of Right Hand	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Kinetic Tremor of the Right Hand.	MDS-UPDRS - Kinetic Tremor of Right Hand
C100526	UPD2316B	UPD2-Kinetic Tremor of Left Hand	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Kinetic Tremor of the Left Hand.	MDS-UPDRS - Kinetic Tremor of Left Hand
C100527	UPD2317A	UPD2-Rest Tremor Amplitude RUE	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rest Tremor Amplitude Right Upper Extremity.	MDS-UPDRS - Rest Tremor Amplitude Right Upper Extremity
C100528	UPD2317B	UPD2-Rest Tremor Amplitude LUE	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rest Tremor Amplitude Left Upper Extremity.	MDS-UPDRS - Rest Tremor Amplitude Left Upper Extremity
C100529	UPD2317C	UPD2-Rest Tremor Amplitude RLE	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rest Tremor Amplitude Right Lower Extremity.	MDS-UPDRS - Rest Tremor Amplitude Right Lower Extremity
C100530	UPD2317D	UPD2-Rest Tremor Amplitude LLE	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rest Tremor Amplitude Left Lower Extremity.	MDS-UPDRS - Rest Tremor Amplitude Left Lower Extremity
C100531	UPD2317E	UPD2-Rest Tremor Amplitude Lip/Jaw	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rest Tremor Amplitude Lip/Jaw.	MDS-UPDRS - Rest Tremor Amplitude Lip or Jaw
C100532	UPD2318	UPD2-Consistency of Rest Tremor	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Consistency of Rest Tremor.	MDS-UPDRS - Consistency of Rest Tremor
C100498	UPD23A	UPD2-Medication for PD	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Is the patient on medication for treating the symptoms of Parkinson's Disease?	MDS-UPDRS - Medication for Parkinson's Disease
C100499	UPD23B	UPD2-Clinical State on Meds	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - If the patient is receiving medication for treating the symptoms of Parkinson's Disease, mark the patient's clinical state.	MDS-UPDRS - Clinical State on Medication
C100500	UPD23C	UPD2-Taking Levodopa	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Is the patient on Levodopa?	MDS-UPDRS - Taking Levodopa
C100501	UPD23C1	UPD2-Minutes Since Levodopa Dose	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Minutes since last Levodopa dose.	MDS-UPDRS - Minutes Since Levodopa Dose
C100536	UPD2401	UPD2-Time Spent with Dyskinesias	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Time Spent with Dyskinesias.	MDS-UPDRS - Time Spent with Dyskinesias

UPDRS - Unified Parkinson's Disease Rating Scale				
C100537	UPD2402	UPD2-Functional Impact Dyskinesias	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Functional Impact of Dyskinesias.	MDS-UPDRS - Functional Impact of Dyskinesias
C100538	UPD2403	UPD2-Time Spent in the Off State	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Time Spent in the Off State.	MDS-UPDRS - Time Spent in the Off State
C100539	UPD2404	UPD2-Functional Impact Fluctuations	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Functional Impact of Fluctuations.	MDS-UPDRS - Functional Impact of Fluctuations
C100540	UPD2405	UPD2-Complexity Motor Fluctuations	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Complexity of Motor Fluctuations.	MDS-UPDRS - Complexity of Motor Fluctuations
C100541	UPD2406	UPD2-Painful Off-state Dystonia	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Painful Off-state Dystonia.	MDS-UPDRS - Painful Off-state Dystonia
C100533	UPD2DA	UPD2-Dyskinesias During Exam	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Were dyskinesias (chorea or dystonia) present during examination?	MDS-UPDRS - Dyskinesias During Exam
C100534	UPD2DB	UPD2-Movements Interfere Ratings	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - If yes, did these movements interfere with your ratings?	MDS-UPDRS - Movements Interfere with Ratings
C100535	UPD2HY	UPD2-Hoehn and Yahr Stage	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Hoehn and Yahr Stage.	MDS-UPDRS - Hoehn and Yahr Stage

C100476	UPD2-Anxious Mood	UPD2-Anxious Mood	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week have you felt nervous, worried or tense? If yes, was this feeling for longer than one day at a time? Did it make it difficult for you to follow your usual activities or to be with other people?	MDS-UPDRS - Anxious Mood
C100477	UPD2-Apathy	UPD2-Apathy	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you felt indifferent to doing activities or being with people?	MDS-UPDRS - Apathy
C100519	UPD2-Arising from Chair	UPD2-Arising from Chair	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Arising from Chair.	MDS-UPDRS - Arising from Chair
C100524	UPD2-Body Bradykinesia	UPD2-Body Bradykinesia	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Global Spontaneity of Movement (Body Bradykinesia).	MDS-UPDRS - Body Bradykinesia
C100488	UPD2-Chewing and Swallowing	UPD2-Chewing and Swallowing	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually had problems swallowing pills or eating meals?	MDS-UPDRS - Chewing and Swallowing
C100499	UPD2-Clinical State on Meds	UPD2-Clinical State on Meds	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - If the patient is receiving medication for treating the symptoms of Parkinson's Disease, mark the patient's clinical state.	MDS-UPDRS - Clinical State on Medication
C100473	UPD2-Cognitive Impairment	UPD2-Cognitive Impairment	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week have you had problems remembering things, following conversations, paying attention, thinking clearly, or finding your way around the house or in town?	MDS-UPDRS - Cognitive Impairment
C100540	UPD2-Complexity Motor Fluctuations	UPD2-Complexity Motor Fluctuations	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Complexity of Motor Fluctuations.	MDS-UPDRS - Complexity of Motor Fluctuations
C100532	UPD2-Consistency of Rest Tremor	UPD2-Consistency of Rest Tremor	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Consistency of Rest Tremor.	MDS-UPDRS - Consistency of Rest Tremor
C100483	UPD2-Constipation Problems	UPD2-Constipation Problems	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week have you had constipation troubles that cause you difficulty moving your bowels?	MDS-UPDRS - Constipation Problems
C100480	UPD2-Daytime Sleepiness	UPD2-Daytime Sleepiness	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you had trouble staying awake during the daytime?	MDS-UPDRS - Daytime Sleepiness
C100475	UPD2-Depressed Mood	UPD2-Depressed Mood	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week have you felt low, sad, hopeless or unable to enjoy things? If yes, was this feeling for longer than one day at a time? Did it make it difficult for you carry out your usual activities or to be with people?	MDS-UPDRS - Depressed Mood
C100493	UPD2-Doing Hobbies/Other Activities	UPD2-Doing Hobbies/Other Activities	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually had trouble doing your hobbies or other things that you like to do?	MDS-UPDRS - Doing Hobbies and Other Activities
C100490	UPD2-Dressing	UPD2-Dressing	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually had problems dressing?	MDS-UPDRS - Dressing
C100533	UPD2-Dyskinésias During Exam	UPD2-Dyskinésias During Exam	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Were dyskinésias (chorea or dystonia) present during examination?	MDS-UPDRS - Dyskinésias During Exam
C100489	UPD2-Eating Tasks	UPD2-Eating Tasks	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually had troubles handling your food and using eating utensils?	MDS-UPDRS - Eating Tasks
C100503	UPD2-Facial Expression	UPD2-Facial Expression	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Facial Expression.	MDS-UPDRS - Facial Expression
C100485	UPD2-Fatigue	UPD2-Fatigue	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually felt fatigued?	MDS-UPDRS - Fatigue
C100521	UPD2-Freezing of Gait	UPD2-Freezing of Gait	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Freezing of Gait.	MDS-UPDRS - Freezing of Gait

Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale				
C100497	UPD2-Freezing	UPD2-Freezing	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, on your usual day when walking, do you suddenly stop or freeze as if your feet are stuck to the floor?	MDS-UPDRS - Freezing
C100478	UPD2-Ftrs Dopa Dysregulation Synd	UPD2-Ftrs Dopa Dysregulation Synd	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you had unusually strong urges that are hard to control? Do you feel driven to do or think about something and find it hard to stop?	MDS-UPDRS - Features of Dopamine Dysregulation Syndrome
C100537	UPD2-Functional Impact Dyskinesias	UPD2-Functional Impact Dyskinesias	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Functional Impact of Dyskinesias.	MDS-UPDRS - Functional Impact of Dyskinesias
C100539	UPD2-Functional Impact Fluctuations	UPD2-Functional Impact Fluctuations	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Functional Impact of Fluctuations.	MDS-UPDRS - Functional Impact of Fluctuations
C100520	UPD2-Gait	UPD2-Gait	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Gait.	MDS-UPDRS - Gait
C101018	UPD2-Get Out of Bed/Car/Deep Chair	UPD2-Get Out of Bed/Car/Deep Chair	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually had trouble getting out of bed, a car seat, or a deep chair?	MDS-UPDRS - Get Out of Bed, Car, or Deep Chair
C100474	UPD2-Hallucinations and Psychosis	UPD2-Hallucinations and Psychosis	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week have you seen, heard, smelled or felt things that were not really there?	MDS-UPDRS - Hallucinations and Psychosis
C100492	UPD2-Handwriting	UPD2-Handwriting	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have people usually had trouble reading your handwriting?	MDS-UPDRS - Handwriting
C100535	UPD2-Hoehn and Yahr Stage	UPD2-Hoehn and Yahr Stage	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Hoehn and Yahr Stage.	MDS-UPDRS - Hoehn and Yahr Stage
C100491	UPD2-Hygiene	UPD2-Hygiene	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually been slow or do you need help with washing, bathing, shaving, brushing teeth, combing your hair or with other personal hygiene?	MDS-UPDRS - Hygiene
C100526	UPD2-Kinetic Tremor of Left Hand	UPD2-Kinetic Tremor of Left Hand	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Kinetic Tremor of the Left Hand.	MDS-UPDRS - Kinetic Tremor of Left Hand
C113883	UPD2-Kinetic Tremor of Right Hand	UPD2-Kinetic Tremor of Right Hand	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Kinetic Tremor of the Right Hand.	MDS-UPDRS - Kinetic Tremor of Right Hand
C100510	UPD2-Left Finger Tapping	UPD2-Left Finger Tapping	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Left Finger Tapping.	MDS-UPDRS - Left Finger Tapping
C100512	UPD2-Left Hand Movements	UPD2-Left Hand Movements	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Left Hand Movements.	MDS-UPDRS - Left Hand Movements
C100518	UPD2-Left Leg Agility	UPD2-Left Leg Agility	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Left Leg Agility.	MDS-UPDRS - Left Leg Agility
C100516	UPD2-Left Toe Tapping	UPD2-Left Toe Tapping	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Left Toe Tapping.	MDS-UPDRS - Left Toe Tapping
C100484	UPD2-Lightheadedness on Standing	UPD2-Lightheadedness on Standing	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you felt faint, dizzy or foggy when you stand up after sitting or lying down?	MDS-UPDRS - Lightheadedness on Standing
C100498	UPD2-Medication for PD	UPD2-Medication for PD	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Is the patient on medication for treating the symptoms of Parkinson's Disease?	MDS-UPDRS - Medication for Parkinson's Disease
C100501	UPD2-Minutes Since Levodopa Dose	UPD2-Minutes Since Levodopa Dose	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Minutes since last Levodopa dose.	MDS-UPDRS - Minutes Since Levodopa Dose
C100534	UPD2-Movements Interfere Ratings	UPD2-Movements Interfere Ratings	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - If yes, did these movements interfere with your ratings?	MDS-UPDRS - Movements Interfere with Ratings
C100481	UPD2-Pain and other Sensations	UPD2-Pain and other Sensations	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you had uncomfortable feelings in your body like pain, aches tingling or cramps?	MDS-UPDRS - Pain and Other Sensations

Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale				
C100541	UPD2-Painful Off-state Dystonia	UPD2-Painful Off-state Dystonia	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Painful Off-state Dystonia.	MDS-UPDRS - Painful Off-state Dystonia
C100522	UPD2-Postural Stability	UPD2-Postural Stability	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Postural Stability.	MDS-UPDRS - Postural Stability
C113882	UPD2-Postural Tremor of Left Hand	UPD2-Postural Tremor of Left Hand	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Postural Tremor of the Left Hand.	MDS-UPDRS - Postural Tremor of Left Hand
C100525	UPD2-Postural Tremor of Right Hand	UPD2-Postural Tremor of Right Hand	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Postural Tremor of the Right Hand.	MDS-UPDRS - Postural Tremor of Right Hand
C100523	UPD2-Posture	UPD2-Posture	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Posture.	MDS-UPDRS - Posture
C100514	UPD2-Pron/Sup Movement of Left Hand	UPD2-Pron/Sup Movement of Left Hand	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Pronation-Supination Movements of Left Hand.	MDS-UPDRS - Pronation-Supination Movement of Left Hand
C100513	UPD2-Pron/Sup Movement of RT Hand	UPD2-Pron/Sup Movement of RT Hand	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Pronation-Supination Movements of Right Hand.	MDS-UPDRS - Pronation-Supination Movement of Right Hand
C100531	UPD2-Rest Tremor Amplitude Lip/Jaw	UPD2-Rest Tremor Amplitude Lip/Jaw	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rest Tremor Amplitude Lip/Jaw.	MDS-UPDRS - Rest Tremor Amplitude Lip or Jaw
C100530	UPD2-Rest Tremor Amplitude LLE	UPD2-Rest Tremor Amplitude LLE	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rest Tremor Amplitude Left Lower Extremity.	MDS-UPDRS - Rest Tremor Amplitude Left Lower Extremity
C100528	UPD2-Rest Tremor Amplitude LUE	UPD2-Rest Tremor Amplitude LUE	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rest Tremor Amplitude Left Upper Extremity.	MDS-UPDRS - Rest Tremor Amplitude Left Upper Extremity
C100529	UPD2-Rest Tremor Amplitude RLE	UPD2-Rest Tremor Amplitude RLE	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rest Tremor Amplitude Right Lower Extremity.	MDS-UPDRS - Rest Tremor Amplitude Right Lower Extremity
C100527	UPD2-Rest Tremor Amplitude RUE	UPD2-Rest Tremor Amplitude RUE	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rest Tremor Amplitude Right Upper Extremity.	MDS-UPDRS - Rest Tremor Amplitude Right Upper Extremity
C100509	UPD2-Right Finger Tapping	UPD2-Right Finger Tapping	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Right Finger Tapping.	MDS-UPDRS - Right Finger Tapping
C100511	UPD2-Right Hand Movements	UPD2-Right Hand Movements	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Right Hand Movements.	MDS-UPDRS - Right Hand Movements
C100517	UPD2-Right Leg Agility	UPD2-Right Leg Agility	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Right Leg Agility.	MDS-UPDRS - Right Leg Agility
C100515	UPD2-Right Toe Tapping	UPD2-Right Toe Tapping	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Right Toe Tapping.	MDS-UPDRS - Right Toe Tapping
C100508	UPD2-Rigidity Left Lower Extremity	UPD2-Rigidity Left Lower Extremity	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rigidity Left Lower Extremity.	MDS-UPDRS - Rigidity Left Lower Extremity
C100506	UPD2-Rigidity Left Upper Extremity	UPD2-Rigidity Left Upper Extremity	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rigidity Left Upper Extremity.	MDS-UPDRS - Rigidity Left Upper Extremity
C100504	UPD2-Rigidity Neck	UPD2-Rigidity Neck	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rigidity Neck.	MDS-UPDRS - Rigidity Neck
C100507	UPD2-Rigidity RT Lower Extremity	UPD2-Rigidity RT Lower Extremity	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rigidity Right Lower Extremity.	MDS-UPDRS - Rigidity Right Lower Extremity
C100505	UPD2-Rigidity RT Upper Extremity	UPD2-Rigidity RT Upper Extremity	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rigidity Right Upper Extremity.	MDS-UPDRS - Rigidity Right Upper Extremity
C100487	UPD2-Saliva and Drooling	UPD2-Saliva and Drooling	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually had too much saliva during when you are awake or when you sleep?	MDS-UPDRS - Saliva and Drooling
C100479	UPD2-Sleep Problems	UPD2-Sleep Problems	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you had trouble going to sleep at night or staying asleep through the night?	MDS-UPDRS - Sleep Problems

UPDRS - Unified Parkinson's Disease Rating Scale				
	Item	UPDRS Item	Description	MDS-UPDRS
C100502	UPD2-Speech Problems	UPD2-Speech Problems	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Speech Problems.	MDS-UPDRS - Speech Problems
C100486	UPD2-Speech	UPD2-Speech	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you had problems with your speech?	MDS-UPDRS - Speech
C100500	UPD2-Taking Levodopa	UPD2-Taking Levodopa	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Is the patient on Levodopa?	MDS-UPDRS - Taking Levodopa
C100538	UPD2-Time Spent in the Off State	UPD2-Time Spent in the Off State	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Time Spent in the Off State.	MDS-UPDRS - Time Spent in the Off State
C100536	UPD2-Time Spent with Dyskinesias	UPD2-Time Spent with Dyskinesias	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Time Spent with Dyskinesias.	MDS-UPDRS - Time Spent with Dyskinesias
C100495	UPD2-Tremor	UPD2-Tremor	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually had shaking or tremor?	MDS-UPDRS - Tremor
C100494	UPD2-Turning in Bed	UPD2-Turning in Bed	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, do you usually have trouble turning over in bed?	MDS-UPDRS - Turning in Bed
C100482	UPD2-Urinary Problems	UPD2-Urinary Problems	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you had trouble with urine control?	MDS-UPDRS - Urinary Problems
C100496	UPD2-Walking and Balance	UPD2-Walking and Balance	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually had problems with balance and walking?	MDS-UPDRS - Walking and Balance

C103761 UPS0101

UPS01-Describe Your Desire
to Urinate

Urgency Perception Scale - Which of the following would typically
describe your experience when you have a desire to urinate.

UPS - Describe Your
Experience When You Desire
to Urinate

C103761	UPS01-Describe Your Desire to Urinate	UPS01-Describe Your Desire to Urinate	Urgency Perception Scale - Which of the following would typically describe your experience when you have a desire to urinate.	UPS - Describe Your Experience When You Desire to Urinate
---------	------------------------------------------	------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------

NCI Code: C141653, Codelist extensible: No

C141695	VALG0101	VALG01-Cancer Stage	Veterans Administration Lung Study Group - Cancer stage.	VALG - Cancer Stage
---------	----------	---------------------	----------------------------------------------------------	---------------------

NCI Code: C141652, Codelist extensible: No

C141695	VALG01-Cancer Stage	VALG01-Cancer Stage	Veterans Administration Lung Study Group - Cancer stage.	VALG - Cancer Stage
---------	---------------------	---------------------	----------------------------------------------------------	---------------------

C112729	VFQ101	VFQ1-Your Overall Health Is	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - General Health and Vision: In general, would you say your overall health is:	VFQ25-Interviewer Administered Format - Overall Health
C112730	VFQ102	VFQ1-Eyesight Using Both Eyes Is	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - General Health and Vision: At the present time, would you say your eyesight using both eyes (with glasses or contact lenses, if you wear them) is excellent, good, fair, poor, or very poor or are you completely blind?	VFQ25-Interviewer Administered Format - Eyesight Using Both Eyes
C112731	VFQ103	VFQ1-How Often You Worry About Eyesight	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - General Health and Vision: How much of the time do you worry about your eyesight?	VFQ25-Interviewer Administered Format - Time Spent Worry About Eyesight
C112732	VFQ104	VFQ1-How Much Pain in and Around Eyes	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - General Health and Vision: How much pain or discomfort have you had in and around your eyes (for example, burning, itching, or aching)? Would you say it is:	VFQ25-Interviewer Administered Format - Pain or Discomfort You Had in and Around Eyes
C112733	VFQ105	VFQ1-Difficulty Reading Newspapers	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: How much difficulty do you have reading ordinary print in newspapers? Would you say you have:	VFQ25-Interviewer Administered Format - Difficulty Reading Ordinary Print in Newspapers
C112734	VFQ106	VFQ1-Difficulty Doing Work/Hobbies	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: How much difficulty do you have doing work or hobbies that require you to see well up close, such as cooking, sewing, fixing things around the house, or using hand tools? Would you say:	VFQ25-Interviewer Administered Format - Difficulty Doing Work or Hobbies
C112735	VFQ107	VFQ1-Difficulty Finding on Crowded Shelf	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have finding something on a crowded shelf?	VFQ25-Interviewer Administered Format - Difficulty Finding Something On a Shelf
C112736	VFQ108	VFQ1-Difficulty Reading Street Signs	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: How much difficulty do you have reading street signs or the names of stores?	VFQ25-Interviewer Administered Format - Difficulty Reading Street Signs
C112737	VFQ109	VFQ1-Difficulty Going Down Step at Night	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have going down steps, stairs, or curbs in dim light or at night?	VFQ25-Interviewer Administered Format - Difficulty Going Down Steps at Night
C112738	VFQ110	VFQ1-Difficulty Noticing Objects to Side	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have noticing objects off to the side while you are walking along?	VFQ25-Interviewer Administered Format - Difficulty Noticing Objects Off to the Side While Walking
C112739	VFQ111	VFQ1-Difficulty Seeing How People React	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have seeing how people react to things you say?	VFQ25-Interviewer Administered Format - Difficulty Seeing How People React
C112740	VFQ112	VFQ1-Difficulty Picking Out Own Clothes	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have picking out and matching your own clothes?	VFQ25-Interviewer Administered Format - Difficulty Picking Out and Matching Own Clothes
C112741	VFQ113	VFQ1-Difficulty Visiting With People	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have visiting with people in their homes, at parties, or in restaurants?	VFQ25-Interviewer Administered Format - Difficulty Visiting People
C112742	VFQ114	VFQ1-Difficulty Going Out to See Movies	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have going out to see movies, plays, or sports events?	VFQ25-Interviewer Administered Format - Difficulty Going Out to See Movies
C112743	VFQ115	VFQ1-Are You Currently Driving	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: Are you currently driving, at least once in a while?	VFQ25-Interviewer Administered Format - Are You Currently Driving
C112744	VFQ115A	VFQ1-Never Driven or Given Up Driving	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: If no, Have you never driven a car or have you given up driving?	VFQ25-Interviewer Administered Format - Never Driven or Given Up Driving

National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format				
C112745	VFQ115B	VFQ1-Main Reason You Gave Up Driving	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: If gave up driving: Was that mainly because of your eyesight, mainly for some other reason, or because of both your eyesight and other reasons?	VFQ25-Interviewer Administered Format - Main Reason You Gave Up Driving
C112746	VFQ115C	VFQ1-Difficulty Driving During Daytime	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: If currently driving: How much difficulty do you have driving during the daytime in familiar places? Would you say you have:	VFQ25-Interviewer Administered Format - Difficulty Driving During Daytime
C112747	VFQ116	VFQ1-Difficulty Driving at Night	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: How much difficulty do you have driving at night? Would you say you have:	VFQ25-Interviewer Administered Format - Difficulty Driving at Night
C112748	VFQ116A	VFQ1-Driving in Difficult Conditions	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: How much difficulty do you have driving in difficult conditions, such as in bad weather, during rush hour, on the freeway, or in city traffic? Would you say you have:	VFQ25-Interviewer Administered Format - Driving in Difficult Condition
C112749	VFQ117	VFQ1-Accomplish Less Than You Would Like	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Responses to Vision Problems: Do you accomplish less than you would like because of your vision?	VFQ25-Interviewer Administered Format - Accomplish Less Because of Vision
C112750	VFQ118	VFQ1-Limited in How Long You Can Work	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Responses to Vision Problems: Are you limited in how long you can work or do other activities because of your vision?	VFQ25-Interviewer Administered Format - Limited in How Long You Can Work Because of Vision
C112751	VFQ119	VFQ1-Eye Pain Keep From Doing What Like	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Responses to Vision Problems: How much does pain or discomfort in or around your eyes, for example, burning, itching, or aching, keep you from doing what you'd like to be doing? Would you say:	VFQ25-Interviewer Administered Format - Pain in Eyes Keep You From Doing What You Like
C112752	VFQ120	VFQ1-I Stay Home Most of the Time	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Responses to Vision Problems: I stay home most of the time because of my eyesight.	VFQ25-Interviewer Administered Format - Stay Home Because of Eyesight
C112753	VFQ121	VFQ1-I Feel Frustrated a Lot of the Time	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Responses to Vision Problems: I feel frustrated a lot of the time because of my eyesight.	VFQ25-Interviewer Administered Format - Feel Frustrated Because of Eyesight
C112754	VFQ122	VFQ1-Much Less Control Over What I Do	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Responses to Vision Problems: I have much less control over what I do, because of my eyesight.	VFQ25-Interviewer Administered Format - Have Less Control Because of Eyesight
C112755	VFQ123	VFQ1-Rely Too Much on What Others Tell	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Responses to Vision Problems: Because of my eyesight, I have to rely too much on what other people tell me.	VFQ25-Interviewer Administered Format - Have to Rely On Other People Because of Eyesight
C112756	VFQ124	VFQ1-I Need a Lot of Help From Others	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Responses to Vision Problems: I need a lot of help from others because of my eyesight.	VFQ25-Interviewer Administered Format - Need Help From Others Because of Eyesight
C112757	VFQ125	VFQ1-Worry I'll Do Embarrassing Things	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Responses to Vision Problems: I worry about doing things that will embarrass myself or others, because of my eyesight.	VFQ25-Interviewer Administered Format - Worry About Embarrass Myself or Others Because of Eyesight
C112758	VFQ1A01	VFQ1-Rate Your Overall Health	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - General Health: How would you rate your overall health, on a scale where zero is as bad as death and 10 is best possible health?	VFQ25-Interviewer Administered Format - Rate Your Overall Health
C112759	VFQ1A02	VFQ1-Rate Your Eyesight Now	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - General Vision: How would you rate your eyesight now (with glasses or contact lens on, if you wear them), on a scale of from 0 to 10, where zero means the worst possible eyesight, as bad or worse than being blind, and 10 means the best possible eyesight?	VFQ25-Interviewer Administered Format - Rate Your Eyesight Now
C112760	VFQ1A03	VFQ1-Difficulty Reading Small Print	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Near Vision: Wearing glasses, how much difficulty do you have reading the small print in a telephone book, on a medicine bottle, or on legal forms? Would you say:	VFQ25-Interviewer Administered Format - Difficulty Reading Small Print

National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format				
C112761	VFQ1A04	VFQ1-Difficulty Figure Out Bill Accuracy	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Near Vision: Because of your eyesight, how much difficulty do you have figuring out whether bills you receive are accurate?	VFQ25-Interviewer Administered Format - Difficulty Figure Out Bill Accuracy
C112762	VFQ1A05	VFQ1-Difficulty Shaving or Styling Hair	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Near Vision: Because of your eyesight, how much difficulty do you have doing things like shaving, styling your hair, or putting on makeup?	VFQ25-Interviewer Administered Format - Difficulty Shaving or Styling Hair or Putting On Makeup
C112763	VFQ1A06	VFQ1-Difficulty Recognizing People	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Distance Vision: Because of your eyesight, how much difficulty do you have recognizing people you know from across a room?	VFQ25-Interviewer Administered Format - Difficulty Recognizing People You Know
C112764	VFQ1A07	VFQ1-Difficulty Taking Part in Sports	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Distance Vision: Because of your eyesight, how much difficulty do you have taking part in active sports or other outdoor activities that you enjoy (like golf, bowling, jogging, or walking)?	VFQ25-Interviewer Administered Format - Difficulty Taking Part in Sports or Outdoor Activities
C112765	VFQ1A08	VFQ1-Difficulty Seeing Programs on TV	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Distance Vision: Because of your eyesight, how much difficulty do you have seeing and enjoying programs on TV?	VFQ25-Interviewer Administered Format - Difficulty Seeing and Enjoying Programs on TV
C112766	VFQ1A09	VFQ1-Difficulty Entertaining Friends	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Social Function: Because of your eyesight, how much difficulty do you have entertaining friends and family in your home?	VFQ25-Interviewer Administered Format - Difficulty Entertaining Friends and Family in Home
C112767	VFQ1A11A	VFQ1-Do You Have More Help From Others	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Role Limitations: Do you have more help from others because of your vision?	VFQ25-Interviewer Administered Format - Do You Have More Help From Others
C112768	VFQ1A11B	VFQ1-Limited in Kinds of Things Can Do	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Role Limitations: Are you limited in the kinds of things you can do because of your vision?	VFQ25-Interviewer Administered Format - Limited in Kinds of Things Can Do
C112769	VFQ1A12	VFQ1-Often Irritable Because Eyesight	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Well-Being/Distress: I am often irritable because of my eyesight.	VFQ25-Interviewer Administered Format - Often Irritable Because of Eyesight
C112770	VFQ1A13	VFQ1-I Don't Go Out of My Home Alone	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Dependency: I don't go out of my home alone, because of my eyesight.	VFQ25-Interviewer Administered Format - Don't Go Out of Home Alone Because of Eyesight

C112749	VFQ1-Accomplish Less Than You Would Like	VFQ1-Accomplish Less Than You Would Like	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Responses to Vision Problems: Do you accomplish less than you would like because of your vision?	VFQ25-Interviewer Administered Format - Accomplish Less Because of Vision
C112743	VFQ1-Are You Currently Driving	VFQ1-Are You Currently Driving	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: Are you currently driving, at least once in a while?	VFQ25-Interviewer Administered Format - Are You Currently Driving
C112734	VFQ1-Difficulty Doing Work/Hobbies	VFQ1-Difficulty Doing Work/Hobbies	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: How much difficulty do you have doing work or hobbies that require you to see well up close, such as cooking, sewing, fixing things around the house, or using hand tools? Would you say:	VFQ25-Interviewer Administered Format - Difficulty Doing Work or Hobbies
C112747	VFQ1-Difficulty Driving at Night	VFQ1-Difficulty Driving at Night	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: How much difficulty do you have driving at night? Would you say you have:	VFQ25-Interviewer Administered Format - Difficulty Driving at Night
C112746	VFQ1-Difficulty Driving During Daytime	VFQ1-Difficulty Driving During Daytime	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: If currently driving: How much difficulty do you have driving during the daytime in familiar places? Would you say you have:	VFQ25-Interviewer Administered Format - Difficulty Driving During Daytime
C112766	VFQ1-Difficulty Entertaining Friends	VFQ1-Difficulty Entertaining Friends	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Social Function: Because of your eyesight, how much difficulty do you have entertaining friends and family in your home?	VFQ25-Interviewer Administered Format - Difficulty Entertaining Friends and Family in Home
C112761	VFQ1-Difficulty Figure Out Bill Accuracy	VFQ1-Difficulty Figure Out Bill Accuracy	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Near Vision: Because of your eyesight, how much difficulty do you have figuring out whether bills you receive are accurate?	VFQ25-Interviewer Administered Format - Difficulty Figure Out Bill Accuracy
C112735	VFQ1-Difficulty Finding on Crowded Shelf	VFQ1-Difficulty Finding on Crowded Shelf	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have finding something on a crowded shelf?	VFQ25-Interviewer Administered Format - Difficulty Finding Something On a Shelf
C112737	VFQ1-Difficulty Going Down Step at Night	VFQ1-Difficulty Going Down Step at Night	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have going down steps, stairs, or curbs in dim light or at night?	VFQ25-Interviewer Administered Format - Difficulty Going Down Steps at Night
C112742	VFQ1-Difficulty Going Out to See Movies	VFQ1-Difficulty Going Out to See Movies	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have going out to see movies, plays, or sports events?	VFQ25-Interviewer Administered Format - Difficulty Going Out to See Movies
C112738	VFQ1-Difficulty Noticing Objects to Side	VFQ1-Difficulty Noticing Objects to Side	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have noticing objects off to the side while you are walking along?	VFQ25-Interviewer Administered Format - Difficulty Noticing Objects Off to the Side While Walking
C112740	VFQ1-Difficulty Picking Out Own Clothes	VFQ1-Difficulty Picking Out Own Clothes	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have picking out and matching your own clothes?	VFQ25-Interviewer Administered Format - Difficulty Picking Out and Matching Own Clothes
C112733	VFQ1-Difficulty Reading Newspapers	VFQ1-Difficulty Reading Newspapers	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: How much difficulty do you have reading ordinary print in newspapers? Would you say you have:	VFQ25-Interviewer Administered Format - Difficulty Reading Ordinary Print in Newspapers
C112760	VFQ1-Difficulty Reading Small Print	VFQ1-Difficulty Reading Small Print	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Near Vision: Wearing glasses, how much difficulty do you have reading the small print in a telephone book, on a medicine bottle, or on legal forms? Would you say:	VFQ25-Interviewer Administered Format - Difficulty Reading Small Print
C112736	VFQ1-Difficulty Reading Street Signs	VFQ1-Difficulty Reading Street Signs	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: How much difficulty do you have reading street signs or the names of stores?	VFQ25-Interviewer Administered Format - Difficulty Reading Street Signs
C112763	VFQ1-Difficulty Recognizing People	VFQ1-Difficulty Recognizing People	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Distance Vision: Because of your eyesight, how much difficulty do you have recognizing people you know from across a room?	VFQ25-Interviewer Administered Format - Difficulty Recognizing People You Know

National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format				
C112739	VFQ1-Difficulty Seeing How People React	VFQ1-Difficulty Seeing How People React	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have seeing how people react to things you say?	VFQ25-Interviewer Administered Format - Difficulty Seeing How People React
C112765	VFQ1-Difficulty Seeing Programs on TV	VFQ1-Difficulty Seeing Programs on TV	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Distance Vision: Because of your eyesight, how much difficulty do you have seeing and enjoying programs on TV?	VFQ25-Interviewer Administered Format - Difficulty Seeing and Enjoying Programs on TV
C112762	VFQ1-Difficulty Shaving or Styling Hair	VFQ1-Difficulty Shaving or Styling Hair	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Near Vision: Because of your eyesight, how much difficulty do you have doing things like shaving, styling your hair, or putting on makeup?	VFQ25-Interviewer Administered Format - Difficulty Shaving or Styling Hair or Putting On Makeup
C112764	VFQ1-Difficulty Taking Part in Sports	VFQ1-Difficulty Taking Part in Sports	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Distance Vision: Because of your eyesight, how much difficulty do you have taking part in active sports or other outdoor activities that you enjoy (like golf, bowling, jogging, or walking)?	VFQ25-Interviewer Administered Format - Difficulty Taking Part in Sports or Outdoor Activities
C112741	VFQ1-Difficulty Visiting With People	VFQ1-Difficulty Visiting With People	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have visiting with people in their homes, at parties, or in restaurants?	VFQ25-Interviewer Administered Format - Difficulty Visiting People
C112767	VFQ1-Do You Have More Help From Others	VFQ1-Do You Have More Help From Others	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Role Limitations: Do you have more help from others because of your vision?	VFQ25-Interviewer Administered Format - Do You Have More Help From Others
C112748	VFQ1-Driving in Difficult Conditions	VFQ1-Driving in Difficult Conditions	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: How much difficulty do you have driving in difficult conditions, such as in bad weather, during rush hour, on the freeway, or in city traffic? Would you say you have:	VFQ25-Interviewer Administered Format - Driving in Difficult Condition
C112751	VFQ1-Eye Pain Keep From Doing What Like	VFQ1-Eye Pain Keep From Doing What Like	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Responses to Vision Problems: How much does pain or discomfort in or around your eyes, for example, burning, itching, or aching, keep you from doing what you'd like to be doing? Would you say:	VFQ25-Interviewer Administered Format - Pain in Eyes Keep You From Doing What You Like
C112730	VFQ1-Eyesight Using Both Eyes Is	VFQ1-Eyesight Using Both Eyes Is	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - General Health and Vision: At the present time, would you say your eyesight using both eyes (with glasses or contact lenses, if you wear them) is excellent, good, fair, poor, or very poor or are you completely blind?	VFQ25-Interviewer Administered Format - Eyesight Using Both Eyes
C112732	VFQ1-How Much Pain in and Around Eyes	VFQ1-How Much Pain in and Around Eyes	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - General Health and Vision: How much pain or discomfort have you had in and around your eyes (for example, burning, itching, or aching)? Would you say it is:	VFQ25-Interviewer Administered Format - Pain or Discomfort You Had in and Around Eyes
C112731	VFQ1-How Often You Worry About Eyesight	VFQ1-How Often You Worry About Eyesight	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - General Health and Vision: How much of the time do you worry about your eyesight?	VFQ25-Interviewer Administered Format - Time Spent Worry About Eyesight
C112770	VFQ1-I Don't Go Out of My Home Alone	VFQ1-I Don't Go Out of My Home Alone	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Dependency: I don't go out of my home alone, because of my eyesight.	VFQ25-Interviewer Administered Format - Don't Go Out of Home Alone Because of Eyesight
C112753	VFQ1-I Feel Frustrated a Lot of the Time	VFQ1-I Feel Frustrated a Lot of the Time	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Responses to Vision Problems: I feel frustrated a lot of the time because of my eyesight.	VFQ25-Interviewer Administered Format - Feel Frustrated Because of Eyesight
C112756	VFQ1-I Need a Lot of Help From Others	VFQ1-I Need a Lot of Help From Others	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Responses to Vision Problems: I need a lot of help from others because of my eyesight.	VFQ25-Interviewer Administered Format - Need Help From Others Because of Eyesight
C112752	VFQ1-I Stay Home Most of the Time	VFQ1-I Stay Home Most of the Time	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Responses to Vision Problems: I stay home most of the time because of my eyesight.	VFQ25-Interviewer Administered Format - Stay Home Because of Eyesight
C112750	VFQ1-Limited in How Long You Can Work	VFQ1-Limited in How Long You Can Work	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Responses to Vision Problems: Are you limited in how long you can work or do other activities because of your vision?	VFQ25-Interviewer Administered Format - Limited in How Long You Can Work Because of Vision

National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format				
C112768	VFQ1-Limited in Kinds of Things Can Do	VFQ1-Limited in Kinds of Things Can Do	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Role Limitations: Are you limited in the kinds of things you can do because of your vision?	VFQ25-Interviewer Administered Format - Limited in Kinds of Things Can Do
C112745	VFQ1-Main Reason You Gave Up Driving	VFQ1-Main Reason You Gave Up Driving	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: If gave up driving: Was that mainly because of your eyesight, mainly for some other reason, or because of both your eyesight and other reasons?	VFQ25-Interviewer Administered Format - Main Reason You Gave Up Driving
C112754	VFQ1-Much Less Control Over What I Do	VFQ1-Much Less Control Over What I Do	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Responses to Vision Problems: I have much less control over what I do, because of my eyesight.	VFQ25-Interviewer Administered Format - Have Less Control Because of Eyesight
C112744	VFQ1-Never Driven or Given Up Driving	VFQ1-Never Driven or Given Up Driving	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: If no, Have you never driven a car or have you given up driving?	VFQ25-Interviewer Administered Format - Never Driven or Given Up Driving
C112769	VFQ1-Often Irritable Because Eyesight	VFQ1-Often Irritable Because Eyesight	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Well-Being/Distress: I am often irritable because of my eyesight.	VFQ25-Interviewer Administered Format - Often Irritable Because of Eyesight
C112759	VFQ1-Rate Your Eyesight Now	VFQ1-Rate Your Eyesight Now	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - General Vision: How would you rate your eyesight now (with glasses or contact lens on, if you wear them), on a scale of from 0 to 10, where zero means the worst possible eyesight, as bad or worse than being blind, and 10 means the best possible eyesight?	VFQ25-Interviewer Administered Format - Rate Your Eyesight Now
C112758	VFQ1-Rate Your Overall Health	VFQ1-Rate Your Overall Health	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - General Health: How would you rate your overall health, on a scale where zero is as bad as death and 10 is best possible health?	VFQ25-Interviewer Administered Format - Rate Your Overall Health
C112755	VFQ1-Rely Too Much on What Others Tell	VFQ1-Rely Too Much on What Others Tell	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Responses to Vision Problems: Because of my eyesight, I have to rely too much on what other people tell me.	VFQ25-Interviewer Administered Format - Have to Rely On Other People Because of Eyesight
C112757	VFQ1-Worry I'll Do Embarrassing Things	VFQ1-Worry I'll Do Embarrassing Things	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Responses to Vision Problems: I worry about doing things that will embarrass myself or others, because of my eyesight.	VFQ25-Interviewer Administered Format - Worry About Embarrass Myself or Others Because of Eyesight
C112729	VFQ1-Your Overall Health Is	VFQ1-Your Overall Health Is	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - General Health and Vision: In general, would you say your overall health is:	VFQ25-Interviewer Administered Format - Overall Health

C112771	VFQ201	VFQ2-Your Overall Health Is	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - General Health and Vision: In general, would you say your overall health is:	VFQ25-Self Administered Format - Overall Health
C112772	VFQ202	VFQ2-Eyesight Using Both Eyes Is	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - General Health and Vision: At the present time, would you say your eyesight using both eyes (with glasses or contact lenses, if you wear them) is excellent, good, fair, poor, or very poor or are you completely blind?	VFQ25-Self Administered Format - Eyesight Using Both Eyes
C112773	VFQ203	VFQ2-How Often You Worry About Eyesight	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - General Health and Vision: How much of the time do you worry about your eyesight?	VFQ25-Self Administered Format - Time Spent Worry About Eyesight
C112774	VFQ204	VFQ2-How Much Pain in and Around Eyes	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - General Health and Vision: How much pain or discomfort have you had in and around your eyes (for example, burning, itching, or aching)? Would you say it is:	VFQ25-Self Administered Format - Pain or Discomfort You Had in and Around Eyes
C112775	VFQ205	VFQ2-Difficulty Reading Newspapers	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: How much difficulty do you have reading ordinary print in newspapers? Would you say you have:	VFQ25-Self Administered Format - Difficulty Reading Ordinary Print in Newspapers
C112776	VFQ206	VFQ2-Difficulty Doing Work/Hobbies	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: How much difficulty do you have doing work or hobbies that require you to see well up close, such as cooking, sewing, fixing things around the house, or using hand tools? Would you say:	VFQ25-Self Administered Format - Difficulty Doing Work or Hobbies
C112777	VFQ207	VFQ2-Difficulty Finding on Crowded Shelf	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have finding something on a crowded shelf?	VFQ25-Self Administered Format - Difficulty Finding Something On a Shelf
C112778	VFQ208	VFQ2-Difficulty Reading Street Signs	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: How much difficulty do you have reading street signs or the names of stores?	VFQ25-Self Administered Format - Difficulty Reading Street Signs
C112779	VFQ209	VFQ2-Difficulty Going Down Step at Night	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have going down steps, stairs, or curbs in dim light or at night?	VFQ25-Self Administered Format - Difficulty Going Down Steps at Night
C112780	VFQ210	VFQ2-Difficulty Noticing Objects to Side	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have noticing objects off to the side while you are walking along?	VFQ25-Self Administered Format - Difficulty Noticing Objects Off to the Side While Walking
C112781	VFQ211	VFQ2-Difficulty Seeing How People React	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have seeing how people react to things you say?	VFQ25-Self Administered Format - Difficulty Seeing How People React
C112782	VFQ212	VFQ2-Difficulty Picking Out Own Clothes	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have picking out and matching your own clothes?	VFQ25-Self Administered Format - Difficulty Picking Out and Matching Own Clothes
C112783	VFQ213	VFQ2-Difficulty Visiting With People	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have visiting with people in their homes, at parties, or in restaurants?	VFQ25-Self Administered Format - Difficulty Visiting People
C112784	VFQ214	VFQ2-Difficulty Going Out to See Movies	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have going out to see movies, plays, or sports events?	VFQ25-Self Administered Format - Difficulty Going Out to See Movies
C112785	VFQ215	VFQ2-Are You Currently Driving	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: Are you currently driving, at least once in a while?	VFQ25-Self Administered Format - Are You Currently Driving
C112786	VFQ215A	VFQ2-Never Driven or Given Up Driving	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: If no: Have you never driven a car or have you given up driving?	VFQ25-Self Administered Format - Never Driven or Given Up Driving

National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format				
C112787	VFQ215B	VFQ2-Main Reason You Gave Up Driving	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: If you gave up driving: Was that mainly because of your eyesight, mainly for some other reason, or because of both your eyesight and other reasons?	VFQ25-Self Administered Format - Main Reason You Gave Up Driving
C112788	VFQ215C	VFQ2-Difficulty Driving During Daytime	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: If currently driving: How much difficulty do you have driving during the daytime in familiar places? Would you say you have:	VFQ25-Self Administered Format - Difficulty Driving During Daytime
C112789	VFQ216	VFQ2-Difficulty Driving at Night	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: How much difficulty do you have driving at night? Would you say you have:	VFQ25-Self Administered Format - Difficulty Driving at Night
C112790	VFQ216A	VFQ2-Driving in Difficult Conditions	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: How much difficulty do you have driving in difficult conditions, such as in bad weather, during rush hour, on the freeway, or in city traffic? Would you say you have:	VFQ25-Self Administered Format - Driving in Difficult Condition
C112791	VFQ217	VFQ2-Accomplish Less Than You Would Like	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Responses to Vision Problems: Do you accomplish less than you would like because of your vision?	VFQ25-Self Administered Format - Accomplish Less Because of Vision
C112792	VFQ218	VFQ2-Limited in How Long You Can Work	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Responses to Vision Problems: Are you limited in how long you can work or do other activities because of your vision?	VFQ25-Self Administered Format - Limited in How Long You Can Work Because of Vision
C112793	VFQ219	VFQ2-Eye Pain Keep From Doing What Like	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Responses to Vision Problems: How much does pain or discomfort in or around your eyes, for example, burning, itching, or aching, keep you from doing what you'd like to be doing? Would you say:	VFQ25-Self Administered Format - Pain in Eyes Keep You From Doing What You Like
C112794	VFQ220	VFQ2-I Stay Home Most of the Time	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Responses to Vision Problems: I stay home most of the time because of my eyesight.	VFQ25-Self Administered Format - Stay Home Because of Eyesight
C112795	VFQ221	VFQ2-I Feel Frustrated a Lot of the Time	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Responses to Vision Problems: I feel frustrated a lot of the time because of my eyesight.	VFQ25-Self Administered Format - Feel Frustrated Because of Eyesight
C112796	VFQ222	VFQ2-Much Less Control Over What I Do	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Responses to Vision Problems: I have much less control over what I do, because of my eyesight.	VFQ25-Self Administered Format - Have Less Control Because of Eyesight
C112797	VFQ223	VFQ2-Rely Too Much on What Others Tell	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Responses to Vision Problems: Because of my eyesight, I have to rely too much on what other people tell me.	VFQ25-Self Administered Format - Have to Rely On Other People Because of Eyesight
C112798	VFQ224	VFQ2-I Need a Lot of Help From Others	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Responses to Vision Problems: I need a lot of help from others because of my eyesight.	VFQ25-Self Administered Format - Need Help From Others Because of Eyesight
C112799	VFQ225	VFQ2-Worry I'll Do Embarrassing Things	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Responses to Vision Problems: I worry about doing things that will embarrass myself or others, because of my eyesight.	VFQ25-Self Administered Format - Worry About Embarrass Myself or Others Because of Eyesight
C112800	VFQ2A01	VFQ2-Rate Your Overall Health	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - General Health: How would you rate your overall health, on a scale where zero is as bad as death and 10 is best possible health?	VFQ25-Self Administered Format - Rate Your Overall Health
C112801	VFQ2A02	VFQ2-Rate Your Eyesight Now	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - General Vision: How would you rate your eyesight now (with glasses or contact lens on, if you wear them), on a scale of from 0 to 10, where zero means the worst possible eyesight, as bad or worse than being blind, and 10 means the best possible eyesight?	VFQ25-Self Administered Format - Rate Your Eyesight Now
C112802	VFQ2A03	VFQ2-Difficulty Reading Small Print	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Near Vision: Wearing glasses, how much difficulty do you have reading the small print in a telephone book, on a medicine bottle, or on legal forms? Would you say:	VFQ25-Self Administered Format - Difficulty Reading Small Print

National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format				
C112803	VFQ2A04	VFQ2-Difficulty Figure Out Bill Accuracy	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Near Vision: Because of your eyesight, how much difficulty do you have figuring out whether bills you receive are accurate?	VFQ25-Self Administered Format - Difficulty Figure Out Bill Accuracy
C112804	VFQ2A05	VFQ2-Difficulty Shaving or Styling Hair	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Near Vision: Because of your eyesight, how much difficulty do you have doing things like shaving, styling your hair, or putting on makeup?	VFQ25-Self Administered Format - Difficulty Shaving or Styling Hair or Putting On Makeup
C112805	VFQ2A06	VFQ2-Difficulty Recognizing People	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Distance Vision: Because of your eyesight, how much difficulty do you have recognizing people you know from across a room?	VFQ25-Self Administered Format - Difficulty Recognizing People You Know
C112806	VFQ2A07	VFQ2-Difficulty Taking Part in Sports	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Distance Vision: Because of your eyesight, how much difficulty do you have taking part in active sports or other outdoor activities that you enjoy (like golf, bowling, jogging, or walking)?	VFQ25-Self Administered Format - Difficulty Taking Part in Sports or Outdoor Activities
C112807	VFQ2A08	VFQ2-Difficulty Seeing Programs on TV	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Distance Vision: Because of your eyesight, how much difficulty do you have seeing and enjoying programs on TV?	VFQ25-Self Administered Format - Difficulty Seeing and Enjoying Programs on TV
C112808	VFQ2A09	VFQ2-Difficulty Entertaining Friends	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Social Function: Because of your eyesight, how much difficulty do you have entertaining friends and family in your home?	VFQ25-Self Administered Format - Difficulty Entertaining Friends and Family in Home
C112809	VFQ2A11A	VFQ2-Do You Have More Help From Others	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Role Limitations: Do you have more help from others because of your vision?	VFQ25-Self Administered Format - Do You Have More Help From Others
C112810	VFQ2A11B	VFQ2-Limited in Kinds of Things Can Do	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Role Limitations: Are you limited in the kinds of things you can do because of your vision?	VFQ25-Self Administered Format - Limited in Kinds of Things Can Do
C112811	VFQ2A12	VFQ2-Often Irritable Because Eyesight	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Well-Being/Distress: I am often irritable because of my eyesight.	VFQ25-Self Administered Format - Often Irritable Because of Eyesight
C112812	VFQ2A13	VFQ2-I Don't Go Out of My Home Alone	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Dependency: I don't go out of my home alone, because of my eyesight.	VFQ25-Self Administered Format - Don't Go Out of Home Alone Because of Eyesight

C112791	VFQ2-Accomplish Less Than You Would Like	VFQ2-Accomplish Less Than You Would Like	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Responses to Vision Problems: Do you accomplish less than you would like because of your vision?	VFQ25-Self Administered Format - Accomplish Less Because of Vision
C112785	VFQ2-Are You Currently Driving	VFQ2-Are You Currently Driving	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: Are you currently driving, at least once in a while?	VFQ25-Self Administered Format - Are You Currently Driving
C112776	VFQ2-Difficulty Doing Work/Hobbies	VFQ2-Difficulty Doing Work/Hobbies	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: How much difficulty do you have doing work or hobbies that require you to see well up close, such as cooking, sewing, fixing things around the house, or using hand tools? Would you say:	VFQ25-Self Administered Format - Difficulty Doing Work or Hobbies
C112789	VFQ2-Difficulty Driving at Night	VFQ2-Difficulty Driving at Night	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: How much difficulty do you have driving at night? Would you say you have:	VFQ25-Self Administered Format - Difficulty Driving at Night
C112788	VFQ2-Difficulty Driving During Daytime	VFQ2-Difficulty Driving During Daytime	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: If currently driving: How much difficulty do you have driving during the daytime in familiar places? Would you say you have:	VFQ25-Self Administered Format - Difficulty Driving During Daytime
C112808	VFQ2-Difficulty Entertaining Friends	VFQ2-Difficulty Entertaining Friends	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Social Function: Because of your eyesight, how much difficulty do you have entertaining friends and family in your home?	VFQ25-Self Administered Format - Difficulty Entertaining Friends and Family in Home
C112803	VFQ2-Difficulty Figure Out Bill Accuracy	VFQ2-Difficulty Figure Out Bill Accuracy	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Near Vision: Because of your eyesight, how much difficulty do you have figuring out whether bills you receive are accurate?	VFQ25-Self Administered Format - Difficulty Figure Out Bill Accuracy
C112777	VFQ2-Difficulty Finding on Crowded Shelf	VFQ2-Difficulty Finding on Crowded Shelf	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have finding something on a crowded shelf?	VFQ25-Self Administered Format - Difficulty Finding Something On a Shelf
C112779	VFQ2-Difficulty Going Down Step at Night	VFQ2-Difficulty Going Down Step at Night	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have going down steps, stairs, or curbs in dim light or at night?	VFQ25-Self Administered Format - Difficulty Going Down Steps at Night
C112784	VFQ2-Difficulty Going Out to See Movies	VFQ2-Difficulty Going Out to See Movies	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have going out to see movies, plays, or sports events?	VFQ25-Self Administered Format - Difficulty Going Out to See Movies
C112780	VFQ2-Difficulty Noticing Objects to Side	VFQ2-Difficulty Noticing Objects to Side	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have noticing objects off to the side while you are walking along?	VFQ25-Self Administered Format - Difficulty Noticing Objects Off to the Side While Walking
C112782	VFQ2-Difficulty Picking Out Own Clothes	VFQ2-Difficulty Picking Out Own Clothes	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have picking out and matching your own clothes?	VFQ25-Self Administered Format - Difficulty Picking Out and Matching Own Clothes
C112775	VFQ2-Difficulty Reading Newspapers	VFQ2-Difficulty Reading Newspapers	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: How much difficulty do you have reading ordinary print in newspapers? Would you say you have:	VFQ25-Self Administered Format - Difficulty Reading Ordinary Print in Newspapers
C112802	VFQ2-Difficulty Reading Small Print	VFQ2-Difficulty Reading Small Print	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Near Vision: Wearing glasses, how much difficulty do you have reading the small print in a telephone book, on a medicine bottle, or on legal forms? Would you say:	VFQ25-Self Administered Format - Difficulty Reading Small Print
C112778	VFQ2-Difficulty Reading Street Signs	VFQ2-Difficulty Reading Street Signs	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: How much difficulty do you have reading street signs or the names of stores?	VFQ25-Self Administered Format - Difficulty Reading Street Signs
C112805	VFQ2-Difficulty Recognizing People	VFQ2-Difficulty Recognizing People	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Distance Vision: Because of your eyesight, how much difficulty do you have recognizing people you know from across a room?	VFQ25-Self Administered Format - Difficulty Recognizing People You Know

National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format				
C112781	VFQ2-Difficulty Seeing How People React	VFQ2-Difficulty Seeing How People React	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have seeing how people react to things you say?	VFQ25-Self Administered Format - Difficulty Seeing How People React
C112807	VFQ2-Difficulty Seeing Programs on TV	VFQ2-Difficulty Seeing Programs on TV	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Distance Vision: Because of your eyesight, how much difficulty do you have seeing and enjoying programs on TV?	VFQ25-Self Administered Format - Difficulty Seeing and Enjoying Programs on TV
C112804	VFQ2-Difficulty Shaving or Styling Hair	VFQ2-Difficulty Shaving or Styling Hair	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Near Vision: Because of your eyesight, how much difficulty do you have doing things like shaving, styling your hair, or putting on makeup?	VFQ25-Self Administered Format - Difficulty Shaving or Styling Hair or Putting On Makeup
C112806	VFQ2-Difficulty Taking Part in Sports	VFQ2-Difficulty Taking Part in Sports	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Distance Vision: Because of your eyesight, how much difficulty do you have taking part in active sports or other outdoor activities that you enjoy (like golf, bowling, jogging, or walking)?	VFQ25-Self Administered Format - Difficulty Taking Part in Sports or Outdoor Activities
C112783	VFQ2-Difficulty Visiting With People	VFQ2-Difficulty Visiting With People	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have visiting with people in their homes, at parties, or in restaurants?	VFQ25-Self Administered Format - Difficulty Visiting People
C112809	VFQ2-Do You Have More Help From Others	VFQ2-Do You Have More Help From Others	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Role Limitations: Do you have more help from others because of your vision?	VFQ25-Self Administered Format - Do You Have More Help From Others
C112790	VFQ2-Driving in Difficult Conditions	VFQ2-Driving in Difficult Conditions	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: How much difficulty do you have driving in difficult conditions, such as in bad weather, during rush hour, on the freeway, or in city traffic? Would you say you have:	VFQ25-Self Administered Format - Driving in Difficult Condition
C112793	VFQ2-Eye Pain Keep From Doing What Like	VFQ2-Eye Pain Keep From Doing What Like	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Responses to Vision Problems: How much does pain or discomfort in or around your eyes, for example, burning, itching, or aching, keep you from doing what you'd like to be doing? Would you say:	VFQ25-Self Administered Format - Pain in Eyes Keep You From Doing What You Like
C112772	VFQ2-Eyesight Using Both Eyes Is	VFQ2-Eyesight Using Both Eyes Is	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - General Health and Vision: At the present time, would you say your eyesight using both eyes (with glasses or contact lenses, if you wear them) is excellent, good, fair, poor, or very poor or are you completely blind?	VFQ25-Self Administered Format - Eyesight Using Both Eyes
C112774	VFQ2-How Much Pain in and Around Eyes	VFQ2-How Much Pain in and Around Eyes	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - General Health and Vision: How much pain or discomfort have you had in and around your eyes (for example, burning, itching, or aching)? Would you say it is:	VFQ25-Self Administered Format - Pain or Discomfort You Had in and Around Eyes
C112773	VFQ2-How Often You Worry About Eyesight	VFQ2-How Often You Worry About Eyesight	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - General Health and Vision: How much of the time do you worry about your eyesight?	VFQ25-Self Administered Format - Time Spent Worry About Eyesight
C112812	VFQ2-I Don't Go Out of My Home Alone	VFQ2-I Don't Go Out of My Home Alone	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Dependency: I don't go out of my home alone, because of my eyesight.	VFQ25-Self Administered Format - Don't Go Out of Home Alone Because of Eyesight
C112795	VFQ2-I Feel Frustrated a Lot of the Time	VFQ2-I Feel Frustrated a Lot of the Time	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Responses to Vision Problems: I feel frustrated a lot of the time because of my eyesight.	VFQ25-Self Administered Format - Feel Frustrated Because of Eyesight
C112798	VFQ2-I Need a Lot of Help From Others	VFQ2-I Need a Lot of Help From Others	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Responses to Vision Problems: I need a lot of help from others because of my eyesight.	VFQ25-Self Administered Format - Need Help From Others Because of Eyesight
C112794	VFQ2-I Stay Home Most of the Time	VFQ2-I Stay Home Most of the Time	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Responses to Vision Problems: I stay home most of the time because of my eyesight.	VFQ25-Self Administered Format - Stay Home Because of Eyesight
C112792	VFQ2-Limited in How Long You Can Work	VFQ2-Limited in How Long You Can Work	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Responses to Vision Problems: Are you limited in how long you can work or do other activities because of your vision?	VFQ25-Self Administered Format - Limited in How Long You Can Work Because of Vision

National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format				
C112810	VFQ2-Limited in Kinds of Things Can Do	VFQ2-Limited in Kinds of Things Can Do	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Role Limitations: Are you limited in the kinds of things you can do because of your vision?	VFQ25-Self Administered Format - Limited in Kinds of Things Can Do
C112787	VFQ2-Main Reason You Gave Up Driving	VFQ2-Main Reason You Gave Up Driving	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: If you gave up driving: Was that mainly because of your eyesight, mainly for some other reason, or because of both your eyesight and other reasons?	VFQ25-Self Administered Format - Main Reason You Gave Up Driving
C112796	VFQ2-Much Less Control Over What I Do	VFQ2-Much Less Control Over What I Do	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Responses to Vision Problems: I have much less control over what I do, because of my eyesight.	VFQ25-Self Administered Format - Have Less Control Because of Eyesight
C112786	VFQ2-Never Driven or Given Up Driving	VFQ2-Never Driven or Given Up Driving	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: If no: Have you never driven a car or have you given up driving?	VFQ25-Self Administered Format - Never Driven or Given Up Driving
C112811	VFQ2-Often Irritable Because Eyesight	VFQ2-Often Irritable Because Eyesight	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Well-Being/Distress: I am often irritable because of my eyesight.	VFQ25-Self Administered Format - Often Irritable Because of Eyesight
C112801	VFQ2-Rate Your Eyesight Now	VFQ2-Rate Your Eyesight Now	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - General Vision: How would you rate your eyesight now (with glasses or contact lens on, if you wear them), on a scale of from 0 to 10, where zero means the worst possible eyesight, as bad or worse than being blind, and 10 means the best possible eyesight?	VFQ25-Self Administered Format - Rate Your Eyesight Now
C112800	VFQ2-Rate Your Overall Health	VFQ2-Rate Your Overall Health	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - General Health: How would you rate your overall health, on a scale where zero is as bad as death and 10 is best possible health?	VFQ25-Self Administered Format - Rate Your Overall Health
C112797	VFQ2-Rely Too Much on What Others Tell	VFQ2-Rely Too Much on What Others Tell	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Responses to Vision Problems: Because of my eyesight, I have to rely too much on what other people tell me.	VFQ25-Self Administered Format - Have to Rely On Other People Because of Eyesight
C112799	VFQ2-Worry I'll Do Embarrassing Things	VFQ2-Worry I'll Do Embarrassing Things	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Responses to Vision Problems: I worry about doing things that will embarrass myself or others, because of my eyesight.	VFQ25-Self Administered Format - Worry About Embarrass Myself or Others Because of Eyesight
C112771	VFQ2-Your Overall Health Is	VFQ2-Your Overall Health Is	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - General Health and Vision: In general, would you say your overall health is:	VFQ25-Self Administered Format - Overall Health

NCI Code: C130241, Codelist extensible: No

C130327	VLERS101	VLERS1-Vignos Lower Extremity Rating	Vignos Lower Extremity Rating Scale - Vignos rating scale.	VLERS - Vignos Lower Extremity Rating
---------	----------	--------------------------------------	------------------------------------------------------------	---------------------------------------

NCI Code: C130240, Codelist extensible: No

C130327	VLERS1-Vignos Lower Extremity Rating	VLERS1-Vignos Lower Extremity Rating	Vignos Lower Extremity Rating Scale - Vignos rating scale.	VLERS - Vignos Lower Extremity Rating
---------	--------------------------------------	--------------------------------------	------------------------------------------------------------	---------------------------------------

Codelist Item Details				
Code	Label	Description	Definition	Version
C130899	WD1A1	WD1-Sex as Observed	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - Record sex as observed.	WHODAS 2.0 12-item Version Interviewer-administered - Observed Sex
C130900	WD1A2	WD1-How Old Are You Now	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - How old are you now?	WHODAS 2.0 12-item Version Interviewer-administered - How Old Are You Now
C130901	WD1A3	WD1-Years Studying in School/College	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - How many years in all did you spend studying in school, college or university?	WHODAS 2.0 12-item Version Interviewer-administered - Years Studying in School or College
C130902	WD1A4	WD1-Current Marital Status	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - What is your current marital status?	WHODAS 2.0 12-item Version Interviewer-administered - Current Marital Status
C130903	WD1A5	WD1-Describes Main Work Status Best	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - Which describes your main work status best?	WHODAS 2.0 12-item Version Interviewer-administered - Describes Main Work Status Best
C130898	WD1F5	WD1-Living Situation at Interview	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - Living situation at time of interview.	WHODAS 2.0 12-item Version Interviewer-administered - Living Situation at Interview
C130916	WD1H1	WD1-How Many Days Difficulties Present	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - Overall, in the past 30 days, how many days were these difficulties present?	WHODAS 2.0 12-item Version Interviewer-administered - How Many Days Difficulties Present
C130917	WD1H2	WD1-Days Unable to Carry Out Activities	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - In the past 30 days, for how many days were you totally unable to carry out your usual activities or work because of any health condition?	WHODAS 2.0 12-item Version Interviewer-administered - Days Unable to Carry Out Activities
C130918	WD1H3	WD1-How Many Days Reduce Activities	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - In the past 30 days, not counting the days that you were totally unable, for how many days did you cut back or reduce your usual activities or work because of any health condition?	WHODAS 2.0 12-item Version Interviewer-administered - How Many Days Reduce Activities
C130904	WD1S1	WD1-Standing for Long Periods	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - In the past 30 days, how much difficulty did you have in: Standing for long periods such as 30 minutes?	WHODAS 2.0 12-item Version Interviewer-administered - Standing for Long Periods
C130913	WD1S10	WD1-Dealing With People You Do Not Know	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - In the past 30 days, how much difficulty did you have in: Dealing with people you do not know?	WHODAS 2.0 12-item Version Interviewer-administered - Dealing With People You Do Not Know
C130914	WD1S11	WD1-Maintaining a Friendship	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - In the past 30 days, how much difficulty did you have in: Maintaining a friendship?	WHODAS 2.0 12-item Version Interviewer-administered - Maintaining a Friendship
C130915	WD1S12	WD1-Your Day-to-Day Work/School	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - In the past 30 days, how much difficulty did you have in: Your day-to-day work/school?	WHODAS 2.0 12-item Version Interviewer-administered - Your Day-to-Day Work or School
C130905	WD1S2	WD1-Care of Household Responsibilities	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - In the past 30 days, how much difficulty did you have in: Taking care of your household responsibilities?	WHODAS 2.0 12-item Version Interviewer-administered - Care of Household Responsibilities
C130906	WD1S3	WD1-Learning a New Task	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - In the past 30 days, how much difficulty did you have in: Learning a new task, for example, learning how to get to a new place?	WHODAS 2.0 12-item Version Interviewer-administered - Learning a New Task
C130907	WD1S4	WD1-Problem Joining Community Activities	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - In the past 30 days, how much difficulty did you have in: How much of a problem did you have joining in community activities (for example, festivities, religious or other activities) in the same way as anyone else can?	WHODAS 2.0 12-item Version Interviewer-administered - Problem Joining Community Activities

Detailed Item Information					
Item ID	Item Label	Description	Question Text	Scale Description	Scale Label
C130908	WD1S5	WD1-Emotionally Affected by Health	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - In the past 30 days, how much difficulty did you have in: How much have you been emotionally affected by your health problems?	WHODAS 2.0 12-item Version Interviewer-administered - Emotionally Affected by Health	WHODAS 2.0 12-item Version Interviewer-administered - Emotionally Affected by Health
C130909	WD1S6	WD1-Concentrating for Ten Minutes	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - In the past 30 days, how much difficulty did you have in: Concentrating on doing something for ten minutes?	WHODAS 2.0 12-item Version Interviewer-administered - Concentrating for Ten Minutes	WHODAS 2.0 12-item Version Interviewer-administered - Concentrating for Ten Minutes
C130910	WD1S7	WD1-Walking a Long Distance	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - In the past 30 days, how much difficulty did you have in: Walking a long distance such as a kilometre [or equivalent]?	WHODAS 2.0 12-item Version Interviewer-administered - Walking a Long Distance	WHODAS 2.0 12-item Version Interviewer-administered - Walking a Long Distance
C130911	WD1S8	WD1-Washing Your Whole Body	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - In the past 30 days, how much difficulty did you have in: Washing your whole body?	WHODAS 2.0 12-item Version Interviewer-administered - Washing Your Whole Body	WHODAS 2.0 12-item Version Interviewer-administered - Washing Your Whole Body
C130912	WD1S9	WD1-Getting Dressed	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - In the past 30 days, how much difficulty did you have in: Getting dressed?	WHODAS 2.0 12-item Version Interviewer-administered - Getting Dressed	WHODAS 2.0 12-item Version Interviewer-administered - Getting Dressed

C130905	WD1-Care of Household Responsibilities	WD1-Care of Household Responsibilities	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - In the past 30 days, how much difficulty did you have in: Taking care of your household responsibilities?	WHODAS 2.0 12-item Version Interviewer-administered - Care of Household Responsibilities
C130909	WD1-Concentrating for Ten Minutes	WD1-Concentrating for Ten Minutes	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - In the past 30 days, how much difficulty did you have in: Concentrating on doing something for ten minutes?	WHODAS 2.0 12-item Version Interviewer-administered - Concentrating for Ten Minutes
C130902	WD1-Current Marital Status	WD1-Current Marital Status	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - What is your current marital status?	WHODAS 2.0 12-item Version Interviewer-administered - Current Marital Status
C130917	WD1-Days Unable to Carry Out Activities	WD1-Days Unable to Carry Out Activities	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - In the past 30 days, for how many days were you totally unable to carry out your usual activities or work because of any health condition?	WHODAS 2.0 12-item Version Interviewer-administered - Days Unable to Carry Out Activities
C130913	WD1-Dealing With People You Do Not Know	WD1-Dealing With People You Do Not Know	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - In the past 30 days, how much difficulty did you have in: Dealing with people you do not know?	WHODAS 2.0 12-item Version Interviewer-administered - Dealing With People You Do Not Know
C130903	WD1-Describes Main Work Status Best	WD1-Describes Main Work Status Best	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - Which describes your main work status best?	WHODAS 2.0 12-item Version Interviewer-administered - Describes Main Work Status Best
C130908	WD1-Emotionally Affected by Health	WD1-Emotionally Affected by Health	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - In the past 30 days, how much difficulty did you have in: How much have you been emotionally affected by your health problems?	WHODAS 2.0 12-item Version Interviewer-administered - Emotionally Affected by Health
C130912	WD1-Getting Dressed	WD1-Getting Dressed	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - In the past 30 days, how much difficulty did you have in: Getting dressed?	WHODAS 2.0 12-item Version Interviewer-administered - Getting Dressed
C130916	WD1-How Many Days Difficulties Present	WD1-How Many Days Difficulties Present	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - Overall, in the past 30 days, how many days were these difficulties present?	WHODAS 2.0 12-item Version Interviewer-administered - How Many Days Difficulties Present
C130918	WD1-How Many Days Reduce Activities	WD1-How Many Days Reduce Activities	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - In the past 30 days, not counting the days that you were totally unable, for how many days did you cut back or reduce your usual activities or work because of any health condition?	WHODAS 2.0 12-item Version Interviewer-administered - How Many Days Reduce Activities
C130900	WD1-How Old Are You Now	WD1-How Old Are You Now	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - How old are you now?	WHODAS 2.0 12-item Version Interviewer-administered - How Old Are You Now
C130906	WD1-Learning a New Task	WD1-Learning a New Task	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - In the past 30 days, how much difficulty did you have in: Learning a new task, for example, learning how to get to a new place?	WHODAS 2.0 12-item Version Interviewer-administered - Learning a New Task
C130898	WD1-Living Situation at Interview	WD1-Living Situation at Interview	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - Living situation at time of interview.	WHODAS 2.0 12-item Version Interviewer-administered - Living Situation at Interview
C130914	WD1-Maintaining a Friendship	WD1-Maintaining a Friendship	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - In the past 30 days, how much difficulty did you have in: Maintaining a friendship?	WHODAS 2.0 12-item Version Interviewer-administered - Maintaining a Friendship
C130907	WD1-Problem Joining Community Activities	WD1-Problem Joining Community Activities	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - In the past 30 days, how much difficulty did you have in: How much of a problem did you have joining in community activities (for example, festivities, religious or other activities) in the same way as anyone else can?	WHODAS 2.0 12-item Version Interviewer-administered - Problem Joining Community Activities
C130899	WD1-Sex as Observed	WD1-Sex as Observed	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - Record sex as observed.	WHODAS 2.0 12-item Version Interviewer-administered - Observed Sex

Detailed Item Information				
Item ID	Item Name	Item Type	Item Description	Scale Description
C130904	WD1-Standing for Long Periods	WD1-Standing for Long Periods	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - In the past 30 days, how much difficulty did you have in: Standing for long periods such as 30 minutes?	WHODAS 2.0 12-item Version Interviewer-administered - Standing for Long Periods
C130910	WD1-Walking a Long Distance	WD1-Walking a Long Distance	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - In the past 30 days, how much difficulty did you have in: Walking a long distance such as a kilometre [or equivalent]?	WHODAS 2.0 12-item Version Interviewer-administered - Walking a Long Distance
C130911	WD1-Washing Your Whole Body	WD1-Washing Your Whole Body	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - In the past 30 days, how much difficulty did you have in: Washing your whole body?	WHODAS 2.0 12-item Version Interviewer-administered - Washing Your Whole Body
C130901	WD1-Years Studying in School/College	WD1-Years Studying in School/College	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - How many years in all did you spend studying in school, college or university?	WHODAS 2.0 12-item Version Interviewer-administered - Years Studying in School or College
C130915	WD1-Your Day-to-Day Work/School	WD1-Your Day-to-Day Work/School	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - In the past 30 days, how much difficulty did you have in: Your day-to-day work/school?	WHODAS 2.0 12-item Version Interviewer-administered - Your Day-to-Day Work or School

C130932	WD2H1	WD2-How Many Days Difficulties Present	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - Overall, in the past 30 days, how many days were these difficulties present?	WHODAS 2.0 12-item Version Proxy-administered - How Many Days Difficulties Present
C130933	WD2H2	WD2-Days Unable to Carry Out Activities	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - In the past 30 days, for how many days were you totally unable to carry out your usual activities or work because of any health condition?	WHODAS 2.0 12-item Version Proxy-administered - Days Unable to Carry Out Activities
C130934	WD2H3	WD2-How Many Days Reduce Activities	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - In the past 30 days, not counting the days that you were totally unable, for how many days did you cut back or reduce your usual activities or work because of any health condition?	WHODAS 2.0 12-item Version Proxy-administered - How Many Days Reduce Activities
C130919	WD2H4	WD2-I Am (Fill in Blank) of This Person	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - I am the (Fill in the Blank) of this person.	WHODAS 2.0 12-item Version Proxy-administered - I Am the (Fill in the Blank) of This Person
C130920	WD2S1	WD2-Standing for Long Periods	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Standing for long periods such as 30 minutes?	WHODAS 2.0 12-item Version Proxy-administered - Standing for Long Periods
C130929	WD2S10	WD2-Dealing With People Does Not Know	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Dealing with people he or she does not know?	WHODAS 2.0 12-item Version Proxy-administered - Dealing With People Does Not Know
C130930	WD2S11	WD2-Maintaining a Friendship	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Maintaining a friendship?	WHODAS 2.0 12-item Version Proxy-administered - Maintaining a Friendship
C130931	WD2S12	WD2-Your Day-to-Day Work/School	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - In the past 30 days, how much difficulty did your relative have in: His or her day-to-day work?	WHODAS 2.0 12-item Version Proxy-administered - Your Day-to-Day Work or School
C130921	WD2S2	WD2-Care of Household Responsibilities	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Taking care of his or her household responsibilities?	WHODAS 2.0 12-item Version Proxy-administered - Care of Household Responsibilities
C130922	WD2S3	WD2-Learning a New Task	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Learning a new task, for example, learning how to get to a new place?	WHODAS 2.0 12-item Version Proxy-administered - Learning a New Task
C130923	WD2S4	WD2-Problem Joining Community Activities	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - In the past 30 days, how much difficulty did your relative have in: How much of a problem did your relative have joining in community activities (for example, festivities, religious or other activities) in the same way as anyone else can?	WHODAS 2.0 12-item Version Proxy-administered - Problem Joining Community Activities
C130924	WD2S5	WD2-Emotionally Affected by Health	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - In the past 30 days, how much difficulty did your relative have in: How much has your relative been emotionally affected by his or her health condition?	WHODAS 2.0 12-item Version Proxy-administered - Emotionally Affected by Health
C130925	WD2S6	WD2-Concentrating for Ten Minutes	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Concentrating on doing something for ten minutes?	WHODAS 2.0 12-item Version Proxy-administered - Concentrating for Ten Minutes
C130926	WD2S7	WD2-Walking a Long Distance	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Walking a long distance such as a kilometre [or equivalent]?	WHODAS 2.0 12-item Version Proxy-administered - Walking a Long Distance
C130927	WD2S8	WD2-Washing His/Her Whole Body	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Washing his or her whole body?	WHODAS 2.0 12-item Version Proxy-administered - Washing His or Her Whole Body
C130928	WD2S9	WD2-Getting Dressed	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Getting dressed?	WHODAS 2.0 12-item Version Proxy-administered - Getting Dressed

C130921	WD2-Care of Household Responsibilities	WD2-Care of Household Responsibilities	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Taking care of his or her household responsibilities?	WHODAS 2.0 12-item Version Proxy-administered - Care of Household Responsibilities
C130925	WD2-Concentrating for Ten Minutes	WD2-Concentrating for Ten Minutes	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Concentrating on doing something for ten minutes?	WHODAS 2.0 12-item Version Proxy-administered - Concentrating for Ten Minutes
C130933	WD2-Days Unable to Carry Out Activities	WD2-Days Unable to Carry Out Activities	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - In the past 30 days, for how many days were you totally unable to carry out your usual activities or work because of any health condition?	WHODAS 2.0 12-item Version Proxy-administered - Days Unable to Carry Out Activities
C130929	WD2-Dealing With People Does Not Know	WD2-Dealing With People Does Not Know	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Dealing with people he or she does not know?	WHODAS 2.0 12-item Version Proxy-administered - Dealing With People Does Not Know
C130924	WD2-Emotionally Affected by Health	WD2-Emotionally Affected by Health	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - In the past 30 days, how much difficulty did your relative have in: How much has your relative been emotionally affected by his or her health condition?	WHODAS 2.0 12-item Version Proxy-administered - Emotionally Affected by Health
C130928	WD2-Getting Dressed	WD2-Getting Dressed	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Getting dressed?	WHODAS 2.0 12-item Version Proxy-administered - Getting Dressed
C130932	WD2-How Many Days Difficulties Present	WD2-How Many Days Difficulties Present	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - Overall, in the past 30 days, how many days were these difficulties present?	WHODAS 2.0 12-item Version Proxy-administered - How Many Days Difficulties Present
C130934	WD2-How Many Days Reduce Activities	WD2-How Many Days Reduce Activities	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - In the past 30 days, not counting the days that you were totally unable, for how many days did you cut back or reduce your usual activities or work because of any health condition?	WHODAS 2.0 12-item Version Proxy-administered - How Many Days Reduce Activities
C130919	WD2-I Am (Fill in Blank) of This Person	WD2-I Am (Fill in Blank) of This Person	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - I am the (Fill in the Blank) of this person.	WHODAS 2.0 12-item Version Proxy-administered - I Am the (Fill in the Blank) of This Person
C130922	WD2-Learning a New Task	WD2-Learning a New Task	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Learning a new task, for example, learning how to get to a new place?	WHODAS 2.0 12-item Version Proxy-administered - Learning a New Task
C130930	WD2-Maintaining a Friendship	WD2-Maintaining a Friendship	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Maintaining a friendship?	WHODAS 2.0 12-item Version Proxy-administered - Maintaining a Friendship
C130923	WD2-Problem Joining Community Activities	WD2-Problem Joining Community Activities	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - In the past 30 days, how much difficulty did your relative have in: How much of a problem did your relative have joining in community activities (for example, festivities, religious or other activities) in the same way as anyone else can?	WHODAS 2.0 12-item Version Proxy-administered - Problem Joining Community Activities
C130920	WD2-Standing for Long Periods	WD2-Standing for Long Periods	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Standing for long periods such as 30 minutes?	WHODAS 2.0 12-item Version Proxy-administered - Standing for Long Periods
C130926	WD2-Walking a Long Distance	WD2-Walking a Long Distance	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Walking a long distance such as a kilometre [or equivalent]?	WHODAS 2.0 12-item Version Proxy-administered - Walking a Long Distance
C130927	WD2-Washing His/Her Whole Body	WD2-Washing His/Her Whole Body	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Washing his or her whole body?	WHODAS 2.0 12-item Version Proxy-administered - Washing His or Her Whole Body
C130931	WD2-Your Day-to-Day Work/School	WD2-Your Day-to-Day Work/School	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - In the past 30 days, how much difficulty did your relative have in: His or her day-to-day work?	WHODAS 2.0 12-item Version Proxy-administered - Your Day-to-Day Work or School

Codelist Item Details				
Code	Label	Description	Question Text	Version
C130947	WD3H1	WD3-How Many Days Difficulties Present	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - Overall, in the past 30 days, how many days were these difficulties present?	WHODAS 2.0 12-item Version Self-administered - How Many Days Difficulties Present
C130948	WD3H2	WD3-Days Unable to Carry Out Activities	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - In the past 30 days, for how many days were you totally unable to carry out your usual activities or work because of any health condition?	WHODAS 2.0 12-item Version Self-administered - Days Unable to Carry Out Activities
C130949	WD3H3	WD3-How Many Days Reduce Activities	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - In the past 30 days, not counting the days that you were totally unable, for how many days did you cut back or reduce your usual activities or work because of any health condition?	WHODAS 2.0 12-item Version Self-administered - How Many Days Reduce Activities
C130935	WD3S1	WD3-Standing for Long Periods	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - In the past 30 days, how much difficulty did you have in: Standing for long periods such as 30 minutes?	WHODAS 2.0 12-item Version Self-administered - Standing for Long Periods
C130944	WD3S10	WD3-Dealing With People You Do Not Know	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - In the past 30 days, how much difficulty did you have in: Dealing with people you do not know?	WHODAS 2.0 12-item Version Self-administered - Dealing With People You Do Not Know
C130945	WD3S11	WD3-Maintaining a Friendship	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - In the past 30 days, how much difficulty did you have in: Maintaining a friendship?	WHODAS 2.0 12-item Version Self-administered - Maintaining a Friendship
C130946	WD3S12	WD3-Your Day-to-Day Work/School	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - In the past 30 days, how much difficulty did you have in: Your day-to-day work?	WHODAS 2.0 12-item Version Self-administered - Your Day-to-Day Work or School
C130936	WD3S2	WD3-Care of Household Responsibilities	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - In the past 30 days, how much difficulty did you have in: Taking care of your household responsibilities?	WHODAS 2.0 12-item Version Self-administered - Care of Household Responsibilities
C130937	WD3S3	WD3-Learning a New Task	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - In the past 30 days, how much difficulty did you have in: Learning a new task, for example, learning how to get to a new place?	WHODAS 2.0 12-item Version Self-administered - Learning a New Task
C130938	WD3S4	WD3-Problem Joining Community Activities	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - In the past 30 days, how much difficulty did you have in: How much of a problem did you have joining in community activities (for example, festivities, religious or other activities) in the same way as anyone else can?	WHODAS 2.0 12-item Version Self-administered - Problem Joining Community Activities
C130939	WD3S5	WD3-Emotionally Affected by Health	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - In the past 30 days, how much difficulty did you have in: How much have you been emotionally affected by your health problems?	WHODAS 2.0 12-item Version Self-administered - Emotionally Affected by Health
C130940	WD3S6	WD3-Concentrating for Ten Minutes	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - In the past 30 days, how much difficulty did you have in: Concentrating on doing something for ten minutes?	WHODAS 2.0 12-item Version Self-administered - Concentrating for Ten Minutes
C130941	WD3S7	WD3-Walking a Long Distance	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - In the past 30 days, how much difficulty did you have in: Walking a long distance such as a kilometre [or equivalent]?	WHODAS 2.0 12-item Version Self-administered - Walking a Long Distance
C130942	WD3S8	WD3-Washing Your Whole Body	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - In the past 30 days, how much difficulty did you have in: Washing your whole body?	WHODAS 2.0 12-item Version Self-administered - Washing Your Whole Body
C130943	WD3S9	WD3-Getting Dressed	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - In the past 30 days, how much difficulty did you have in: Getting dressed?	WHODAS 2.0 12-item Version Self-administered - Getting Dressed

C130936	WD3-Care of Household Responsibilities	WD3-Care of Household Responsibilities	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - In the past 30 days, how much difficulty did you have in: Taking care of your household responsibilities?	WHODAS 2.0 12-item Version Self-administered - Care of Household Responsibilities
C130940	WD3-Concentrating for Ten Minutes	WD3-Concentrating for Ten Minutes	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - In the past 30 days, how much difficulty did you have in: Concentrating on doing something for ten minutes?	WHODAS 2.0 12-item Version Self-administered - Concentrating for Ten Minutes
C130948	WD3-Days Unable to Carry Out Activities	WD3-Days Unable to Carry Out Activities	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - In the past 30 days, for how many days were you totally unable to carry out your usual activities or work because of any health condition?	WHODAS 2.0 12-item Version Self-administered - Days Unable to Carry Out Activities
C130944	WD3-Dealing With People You Do Not Know	WD3-Dealing With People You Do Not Know	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - In the past 30 days, how much difficulty did you have in: Dealing with people you do not know?	WHODAS 2.0 12-item Version Self-administered - Dealing With People You Do Not Know
C130939	WD3-Emotionally Affected by Health	WD3-Emotionally Affected by Health	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - In the past 30 days, how much difficulty did you have in: How much have you been emotionally affected by your health problems?	WHODAS 2.0 12-item Version Self-administered - Emotionally Affected by Health
C130943	WD3-Getting Dressed	WD3-Getting Dressed	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - In the past 30 days, how much difficulty did you have in: Getting dressed?	WHODAS 2.0 12-item Version Self-administered - Getting Dressed
C130947	WD3-How Many Days Difficulties Present	WD3-How Many Days Difficulties Present	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - Overall, in the past 30 days, how many days were these difficulties present?	WHODAS 2.0 12-item Version Self-administered - How Many Days Difficulties Present
C130949	WD3-How Many Days Reduce Activities	WD3-How Many Days Reduce Activities	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - In the past 30 days, not counting the days that you were totally unable, for how many days did you cut back or reduce your usual activities or work because of any health condition?	WHODAS 2.0 12-item Version Self-administered - How Many Days Reduce Activities
C130937	WD3-Learning a New Task	WD3-Learning a New Task	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - In the past 30 days, how much difficulty did you have in: Learning a new task, for example, learning how to get to a new place?	WHODAS 2.0 12-item Version Self-administered - Learning a New Task
C130945	WD3-Maintaining a Friendship	WD3-Maintaining a Friendship	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - In the past 30 days, how much difficulty did you have in: Maintaining a friendship?	WHODAS 2.0 12-item Version Self-administered - Maintaining a Friendship
C130938	WD3-Problem Joining Community Activities	WD3-Problem Joining Community Activities	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - In the past 30 days, how much difficulty did you have in: How much of a problem did you have joining in community activities (for example, festivities, religious or other activities) in the same way as anyone else can?	WHODAS 2.0 12-item Version Self-administered - Problem Joining Community Activities
C130935	WD3-Standing for Long Periods	WD3-Standing for Long Periods	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - In the past 30 days, how much difficulty did you have in: Standing for long periods such as 30 minutes?	WHODAS 2.0 12-item Version Self-administered - Standing for Long Periods
C130941	WD3-Walking a Long Distance	WD3-Walking a Long Distance	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - In the past 30 days, how much difficulty did you have in: Walking a long distance such as a kilometre [or equivalent]?	WHODAS 2.0 12-item Version Self-administered - Walking a Long Distance
C130942	WD3-Washing Your Whole Body	WD3-Washing Your Whole Body	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - In the past 30 days, how much difficulty did you have in: Washing your whole body?	WHODAS 2.0 12-item Version Self-administered - Washing Your Whole Body
C130946	WD3-Your Day-to-Day Work/School	WD3-Your Day-to-Day Work/School	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - In the past 30 days, how much difficulty did you have in: Your day-to-day work?	WHODAS 2.0 12-item Version Self-administered - Your Day-to-Day Work or School

Codelist for NCI Code: C130281				
Code	Label	Description	Definition	Version
C130850	WD4A1	WD4-Sex as Observed	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - Record sex as observed.	WHODAS 2.0 12+24-item Version Interviewer-administered - Observed Sex
C130851	WD4A2	WD4-How Old Are You Now	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - How old are you now?	WHODAS 2.0 12+24-item Version Interviewer-administered - How Old Are You Now
C130852	WD4A3	WD4-Years Studying in School/College	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - How many years in all did you spend studying in school, college or university?	WHODAS 2.0 12+24-item Version Interviewer-administered - Years Studying in School or College
C130853	WD4A4	WD4-Current Marital Status	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - What is your current marital status?	WHODAS 2.0 12+24-item Version Interviewer-administered - Current Marital Status
C130854	WD4A5	WD4-Describes Main Work Status Best	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - Which describes your main work status best?	WHODAS 2.0 12+24-item Version Interviewer-administered - Describes Main Work Status Best
C130867	WD4D1_2	WD4-Remembering to Do Important Things	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Remembering to do important things?	WHODAS 2.0 12+24-item Version Interviewer-administered - Remembering to Do Important Things
C130868	WD4D1_3	WD4-Finding Solutions to Problems	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Analysing and finding solutions to problems in day-to-day life?	WHODAS 2.0 12+24-item Version Interviewer-administered - Finding Solutions to Problems
C130869	WD4D1_5	WD4-Understanding What People Say	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Generally understanding what people say?	WHODAS 2.0 12+24-item Version Interviewer-administered - Understanding What People Say
C130870	WD4D1_6	WD4-Starting/Maintaining Conversation	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Starting and maintaining a conversation?	WHODAS 2.0 12+24-item Version Interviewer-administered - Starting or Maintaining Conversation
C130871	WD4D2_2	WD4-Standing Up From Sitting Down	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Standing up from sitting down?	WHODAS 2.0 12+24-item Version Interviewer-administered - Standing Up From Sitting Down
C130872	WD4D2_3	WD4-Moving Around Inside Your Home	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Moving around inside your home?	WHODAS 2.0 12+24-item Version Interviewer-administered - Moving Around Inside Your Home
C130873	WD4D2_4	WD4-Getting Out of Your Home	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Getting out of your home?	WHODAS 2.0 12+24-item Version Interviewer-administered - Getting Out of Your Home
C130874	WD4D3_3	WD4-Eating	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Eating?	WHODAS 2.0 12+24-item Version Interviewer-administered - Eating
C130875	WD4D3_4	WD4-Staying By Yourself for a Few Days	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Staying by yourself for a few days?	WHODAS 2.0 12+24-item Version Interviewer-administered - Staying By Yourself for a Few Days
C130876	WD4D4_3	WD4-Get Along with People Close to You	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Getting along with people who are close to you?	WHODAS 2.0 12+24-item Version Interviewer-administered - Get Along with People Close to You
C130877	WD4D4_4	WD4-Making New Friends	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Making new friends?	WHODAS 2.0 12+24-item Version Interviewer-administered - Making New Friends
C130878	WD4D4_5	WD4-Sexual Activities	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Sexual activities?	WHODAS 2.0 12+24-item Version Interviewer-administered - Sexual Activities

Work and Daily Living Domains				
Item ID	Item Label	Description	Question Text	Version
C130882	WD4D5_01	WD4-Reduce or Miss Household Work	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, on how many days did you reduce or completely miss household work because of your health condition?	WHODAS 2.0 12+24-item Version Interviewer-administered - Reduce or Miss Household Work
C130888	WD4D5_02	WD4-Miss Work Half Day or More	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, on how many days did you miss work for half a day or more because of your health condition?	WHODAS 2.0 12+24-item Version Interviewer-administered - Miss Work Half Day or More
C130887	WD4D5_10	WD4-Earn Less Money	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - Because of your health condition, in the past 30 days how much difficulty did you have in: Did you earn less money as the result of a health condition?	WHODAS 2.0 12+24-item Version Interviewer-administered - Earn Less Money
C130879	WD4D5_2	WD4-Doing Important Household Tasks	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - Because of your health condition, in the past 30 days, how much difficulty did you have in: Doing your most important household tasks well?	WHODAS 2.0 12+24-item Version Interviewer-administered - Doing Important Household Tasks
C130880	WD4D5_3	WD4-Getting Household Work Done Needed	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - Because of your health condition, in the past 30 days, how much difficulty did you have in: Getting all the household work done that you needed to do?	WHODAS 2.0 12+24-item Version Interviewer-administered - Getting Household Work Done Needed
C130881	WD4D5_4	WD4-Getting Household Work Done Quickly	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - Because of your health condition, in the past 30 days, how much difficulty did you have in: Getting your household work done as quickly as needed?	WHODAS 2.0 12+24-item Version Interviewer-administered - Getting Household Work Done Quickly
C130883	WD4D5_6	WD4-Doing Important Work/School Tasks	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - Because of your health condition, in the past 30 days how much difficulty did you have in: Doing your most important work/school tasks well?	WHODAS 2.0 12+24-item Version Interviewer-administered - Doing Important Work or School Tasks
C130884	WD4D5_7	WD4-Getting All Work Done You Need	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - Because of your health condition, in the past 30 days how much difficulty did you have in: Getting all the work done that you need to do?	WHODAS 2.0 12+24-item Version Interviewer-administered - Getting All Work Done You Need
C130885	WD4D5_8	WD4-Getting Work Done Quickly as Needed	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - Because of your health condition, in the past 30 days how much difficulty did you have in: Getting your work done as quickly as needed?	WHODAS 2.0 12+24-item Version Interviewer-administered - Getting Work Done Quickly as Needed
C130886	WD4D5_9	WD4-Had to Work at a Lower Level	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - Because of your health condition, in the past 30 days how much difficulty did you have in: Have you had to work at a lower level because of a health condition?	WHODAS 2.0 12+24-item Version Interviewer-administered - Had to Work at a Lower Level
C130889	WD4D6_2	WD4-Problem Because of Barriers in World	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days: How much of a problem did you have because of barriers or hindrances in the world around you?	WHODAS 2.0 12+24-item Version Interviewer-administered - Problem Because of Barriers in World
C130890	WD4D6_3	WD4-Problem Living With Dignity	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days: How much of a problem did you have living with dignity because of the attitudes and actions of others?	WHODAS 2.0 12+24-item Version Interviewer-administered - Problem Living With Dignity
C130891	WD4D6_4	WD4-Time Spend on Your Health Condition	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days: How much time did you spend on your health condition, or its consequences?	WHODAS 2.0 12+24-item Version Interviewer-administered - Time Spend on Your Health Condition
C130892	WD4D6_6	WD4-Drain on Financial Resources	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days: How much has your health been a drain on the financial resources of you or your family?	WHODAS 2.0 12+24-item Version Interviewer-administered - Drain on Financial Resources
C130893	WD4D6_7	WD4-Problem Did Your Family Have	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days: How much of a problem did your family have because of your health problems?	WHODAS 2.0 12+24-item Version Interviewer-administered - Problem Did Your Family Have
C130894	WD4D6_8	WD4-Problem Doing Things for Relaxation	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days: How much of a problem did you have in doing things by yourself for relaxation or pleasure?	WHODAS 2.0 12+24-item Version Interviewer-administered - Problem Doing Things for Relaxation

Detailed Item Descriptions and WHODAS Version Information				
Item ID	Item Code	Item Description	Question Text	WHODAS Version
C130849	WD4F5	WD4-Living Situation at Interview	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - Living situation at time of interview.	WHODAS 2.0 12+24-item Version Interviewer-administered - Living Situation at Interview
C130895	WD4H1	WD4-How Many Days Difficulties Present	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - Overall, in the past 30 days, how many days were these difficulties present?	WHODAS 2.0 12+24-item Version Interviewer-administered - How Many Days Difficulties Present
C130896	WD4H2	WD4-Days Unable to Carry Out Activities	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, for how many days were you totally unable to carry out your usual activities or work because of any health condition?	WHODAS 2.0 12+24-item Version Interviewer-administered - Days Unable to Carry Out Activities
C130897	WD4H3	WD4-How Many Days Reduce Activities	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, not counting the days that you were totally unable, for how many days did you cut back or reduce your usual activities or work because of any health condition?	WHODAS 2.0 12+24-item Version Interviewer-administered - How Many Days Reduce Activities
C130855	WD4S1	WD4-Standing for Long Periods	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Standing for long periods such as 30 minutes?	WHODAS 2.0 12+24-item Version Interviewer-administered - Standing for Long Periods
C130864	WD4S10	WD4-Dealing With People You Do Not Know	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Dealing with people you do not know?	WHODAS 2.0 12+24-item Version Interviewer-administered - Dealing With People You Do Not Know
C130865	WD4S11	WD4-Maintaining a Friendship	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Maintaining a friendship?	WHODAS 2.0 12+24-item Version Interviewer-administered - Maintaining a Friendship
C130866	WD4S12	WD4-Your Day-to-Day Work	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Your day-to-day work?	WHODAS 2.0 12+24-item Version Interviewer-administered - Your Day-to-Day Work
C130856	WD4S2	WD4-Care of Household Responsibilities	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Taking care of your household responsibilities?	WHODAS 2.0 12+24-item Version Interviewer-administered - Care of Household Responsibilities
C130857	WD4S3	WD4-Learning a New Task	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Learning a new task, for example, learning how to get to a new place?	WHODAS 2.0 12+24-item Version Interviewer-administered - Learning a New Task
C130858	WD4S4	WD4-Problem Joining Community Activities	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Joining in community activities (for example, festivities, religious or other activities) in the same way as anyone else can?	WHODAS 2.0 12+24-item Version Interviewer-administered - Problem Joining Community Activities
C130859	WD4S5	WD4-Emotionally Affected by Health	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: How much have you been emotionally affected by your health problems?	WHODAS 2.0 12+24-item Version Interviewer-administered - Emotionally Affected by Health
C130860	WD4S6	WD4-Concentrating for Ten Minutes	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Concentrating on doing something for ten minutes?	WHODAS 2.0 12+24-item Version Interviewer-administered - Concentrating for Ten Minutes
C130861	WD4S7	WD4-Walking a Long Distance	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Walking a long distance such as a kilometre [or equivalent]?	WHODAS 2.0 12+24-item Version Interviewer-administered - Walking a Long Distance
C130862	WD4S8	WD4-Washing Your Whole Body	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Washing your whole body?	WHODAS 2.0 12+24-item Version Interviewer-administered - Washing Your Whole Body
C130863	WD4S9	WD4-Getting Dressed	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Getting dressed?	WHODAS 2.0 12+24-item Version Interviewer-administered - Getting Dressed

C130856	WD4-Care of Household Responsibilities	WD4-Care of Household Responsibilities	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Taking care of your household responsibilities?	WHODAS 2.0 12+24-item Version Interviewer-administered - Care of Household Responsibilities
C130860	WD4-Concentrating for Ten Minutes	WD4-Concentrating for Ten Minutes	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Concentrating on doing something for ten minutes?	WHODAS 2.0 12+24-item Version Interviewer-administered - Concentrating for Ten Minutes
C130853	WD4-Current Marital Status	WD4-Current Marital Status	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - What is your current marital status?	WHODAS 2.0 12+24-item Version Interviewer-administered - Current Marital Status
C130896	WD4-Days Unable to Carry Out Activities	WD4-Days Unable to Carry Out Activities	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, for how many days were you totally unable to carry out your usual activities or work because of any health condition?	WHODAS 2.0 12+24-item Version Interviewer-administered - Days Unable to Carry Out Activities
C130864	WD4-Dealing With People You Do Not Know	WD4-Dealing With People You Do Not Know	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Dealing with people you do not know?	WHODAS 2.0 12+24-item Version Interviewer-administered - Dealing With People You Do Not Know
C130854	WD4-Describes Main Work Status Best	WD4-Describes Main Work Status Best	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - Which describes your main work status best?	WHODAS 2.0 12+24-item Version Interviewer-administered - Describes Main Work Status Best
C130879	WD4-Doing Important Household Tasks	WD4-Doing Important Household Tasks	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - Because of your health condition, in the past 30 days, how much difficulty did you have in: Doing your most important household tasks well?	WHODAS 2.0 12+24-item Version Interviewer-administered - Doing Important Household Tasks
C130883	WD4-Doing Important Work/School Tasks	WD4-Doing Important Work/School Tasks	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - Because of your health condition, in the past 30 days how much difficulty did you have in: Doing your most important work/school tasks well?	WHODAS 2.0 12+24-item Version Interviewer-administered - Doing Important Work or School Tasks
C130892	WD4-Drain on Financial Resources	WD4-Drain on Financial Resources	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days: How much has your health been a drain on the financial resources of you or your family?	WHODAS 2.0 12+24-item Version Interviewer-administered - Drain on Financial Resources
C130887	WD4-Earn Less Money	WD4-Earn Less Money	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - Because of your health condition, in the past 30 days how much difficulty did you have in: Did you earn less money as the result of a health condition?	WHODAS 2.0 12+24-item Version Interviewer-administered - Earn Less Money
C130874	WD4-Eating	WD4-Eating	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Eating?	WHODAS 2.0 12+24-item Version Interviewer-administered - Eating
C130859	WD4-Emotionally Affected by Health	WD4-Emotionally Affected by Health	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: How much have you been emotionally affected by your health problems?	WHODAS 2.0 12+24-item Version Interviewer-administered - Emotionally Affected by Health
C130868	WD4-Finding Solutions to Problems	WD4-Finding Solutions to Problems	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Analysing and finding solutions to problems in day-to-day life?	WHODAS 2.0 12+24-item Version Interviewer-administered - Finding Solutions to Problems
C130876	WD4-Get Along with People Close to You	WD4-Get Along with People Close to You	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Getting along with people who are close to you?	WHODAS 2.0 12+24-item Version Interviewer-administered - Get Along with People Close to You
C130884	WD4-Getting All Work Done You Need	WD4-Getting All Work Done You Need	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - Because of your health condition, in the past 30 days how much difficulty did you have in: Getting all the work done that you need to do?	WHODAS 2.0 12+24-item Version Interviewer-administered - Getting All Work Done You Need
C130863	WD4-Getting Dressed	WD4-Getting Dressed	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Getting dressed?	WHODAS 2.0 12+24-item Version Interviewer-administered - Getting Dressed

Detailed Item Descriptions and WHODAS Version Information					
Item ID	Item Description	Item Description	Item Description	WHODAS Version	WHODAS Version
C130880	WD4-Getting Household Work Done Needed	WD4-Getting Household Work Done Needed	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - Because of your health condition, in the past 30 days, how much difficulty did you have in: Getting all the household work done that you needed to do?	WHODAS 2.0 12+24-item Version Interviewer-administered - Getting Household Work Done Needed	WHODAS 2.0 12+24-item Version Interviewer-administered - Getting Household Work Done Needed
C130881	WD4-Getting Household Work Done Quickly	WD4-Getting Household Work Done Quickly	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - Because of your health condition, in the past 30 days, how much difficulty did you have in: Getting your household work done as quickly as needed?	WHODAS 2.0 12+24-item Version Interviewer-administered - Getting Household Work Done Quickly	WHODAS 2.0 12+24-item Version Interviewer-administered - Getting Household Work Done Quickly
C130873	WD4-Getting Out of Your Home	WD4-Getting Out of Your Home	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Getting out of your home?	WHODAS 2.0 12+24-item Version Interviewer-administered - Getting Out of Your Home	WHODAS 2.0 12+24-item Version Interviewer-administered - Getting Out of Your Home
C130885	WD4-Getting Work Done Quickly as Needed	WD4-Getting Work Done Quickly as Needed	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - Because of your health condition, in the past 30 days how much difficulty did you have in: Getting your work done as quickly as needed?	WHODAS 2.0 12+24-item Version Interviewer-administered - Getting Work Done Quickly as Needed	WHODAS 2.0 12+24-item Version Interviewer-administered - Getting Work Done Quickly as Needed
C130886	WD4-Had to Work at a Lower Level	WD4-Had to Work at a Lower Level	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - Because of your health condition, in the past 30 days how much difficulty did you have in: Have you had to work at a lower level because of a health condition?	WHODAS 2.0 12+24-item Version Interviewer-administered - Had to Work at a Lower Level	WHODAS 2.0 12+24-item Version Interviewer-administered - Had to Work at a Lower Level
C130895	WD4-How Many Days Difficulties Present	WD4-How Many Days Difficulties Present	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - Overall, in the past 30 days, how many days were these difficulties present?	WHODAS 2.0 12+24-item Version Interviewer-administered - How Many Days Difficulties Present	WHODAS 2.0 12+24-item Version Interviewer-administered - How Many Days Difficulties Present
C130897	WD4-How Many Days Reduce Activities	WD4-How Many Days Reduce Activities	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, not counting the days that you were totally unable, for how many days did you cut back or reduce your usual activities or work because of any health condition?	WHODAS 2.0 12+24-item Version Interviewer-administered - How Many Days Reduce Activities	WHODAS 2.0 12+24-item Version Interviewer-administered - How Many Days Reduce Activities
C130851	WD4-How Old Are You Now	WD4-How Old Are You Now	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - How old are you now?	WHODAS 2.0 12+24-item Version Interviewer-administered - How Old Are You Now	WHODAS 2.0 12+24-item Version Interviewer-administered - How Old Are You Now
C130857	WD4-Learning a New Task	WD4-Learning a New Task	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Learning a new task, for example, learning how to get to a new place?	WHODAS 2.0 12+24-item Version Interviewer-administered - Learning a New Task	WHODAS 2.0 12+24-item Version Interviewer-administered - Learning a New Task
C130849	WD4-Living Situation at Interview	WD4-Living Situation at Interview	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - Living situation at time of interview.	WHODAS 2.0 12+24-item Version Interviewer-administered - Living Situation at Interview	WHODAS 2.0 12+24-item Version Interviewer-administered - Living Situation at Interview
C130865	WD4-Maintaining a Friendship	WD4-Maintaining a Friendship	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Maintaining a friendship?	WHODAS 2.0 12+24-item Version Interviewer-administered - Maintaining a Friendship	WHODAS 2.0 12+24-item Version Interviewer-administered - Maintaining a Friendship
C130877	WD4-Making New Friends	WD4-Making New Friends	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Making new friends?	WHODAS 2.0 12+24-item Version Interviewer-administered - Making New Friends	WHODAS 2.0 12+24-item Version Interviewer-administered - Making New Friends
C130888	WD4-Miss Work Half Day or More	WD4-Miss Work Half Day or More	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, on how many days did you miss work for half a day or more because of your health condition?	WHODAS 2.0 12+24-item Version Interviewer-administered - Miss Work Half Day or More	WHODAS 2.0 12+24-item Version Interviewer-administered - Miss Work Half Day or More
C130872	WD4-Moving Around Inside Your Home	WD4-Moving Around Inside Your Home	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Moving around inside your home?	WHODAS 2.0 12+24-item Version Interviewer-administered - Moving Around Inside Your Home	WHODAS 2.0 12+24-item Version Interviewer-administered - Moving Around Inside Your Home
C130889	WD4-Problem Because of Barriers in World	WD4-Problem Because of Barriers in World	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days: How much of a problem did you have because of barriers or hindrances in the world around you?	WHODAS 2.0 12+24-item Version Interviewer-administered - Problem Because of Barriers in World	WHODAS 2.0 12+24-item Version Interviewer-administered - Problem Because of Barriers in World
C130893	WD4-Problem Did Your Family Have	WD4-Problem Did Your Family Have	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days: How much of a problem did your family have because of your health problems?	WHODAS 2.0 12+24-item Version Interviewer-administered - Problem Did Your Family Have	WHODAS 2.0 12+24-item Version Interviewer-administered - Problem Did Your Family Have

Detailed Description of WHODAS 2.0 Items				
C130894	WD4-Problem Doing Things for Relaxation	WD4-Problem Doing Things for Relaxation	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days: How much of a problem did you have in doing things by yourself for relaxation or pleasure?	WHODAS 2.0 12+24-item Version Interviewer-administered - Problem Doing Things for Relaxation
C130858	WD4-Problem Joining Community Activities	WD4-Problem Joining Community Activities	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Joining in community activities (for example, festivities, religious or other activities) in the same way as anyone else can?	WHODAS 2.0 12+24-item Version Interviewer-administered - Problem Joining Community Activities
C130890	WD4-Problem Living With Dignity	WD4-Problem Living With Dignity	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days: How much of a problem did you have living with dignity because of the attitudes and actions of others?	WHODAS 2.0 12+24-item Version Interviewer-administered - Problem Living With Dignity
C130882	WD4-Reduce or Miss Household Work	WD4-Reduce or Miss Household Work	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, on how many days did you reduce or completely miss household work because of your health condition?	WHODAS 2.0 12+24-item Version Interviewer-administered - Reduce or Miss Household Work
C130867	WD4-Remembering to Do Important Things	WD4-Remembering to Do Important Things	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Remembering to do important things?	WHODAS 2.0 12+24-item Version Interviewer-administered - Remembering to Do Important Things
C130850	WD4-Sex as Observed	WD4-Sex as Observed	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - Record sex as observed.	WHODAS 2.0 12+24-item Version Interviewer-administered - Observed Sex
C130878	WD4-Sexual Activities	WD4-Sexual Activities	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Sexual activities?	WHODAS 2.0 12+24-item Version Interviewer-administered - Sexual Activities
C130855	WD4-Standing for Long Periods	WD4-Standing for Long Periods	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Standing for long periods such as 30 minutes?	WHODAS 2.0 12+24-item Version Interviewer-administered - Standing for Long Periods
C130871	WD4-Standing Up From Sitting Down	WD4-Standing Up From Sitting Down	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Standing up from sitting down?	WHODAS 2.0 12+24-item Version Interviewer-administered - Standing Up From Sitting Down
C130870	WD4-Starting/Maintaining Conversation	WD4-Starting/Maintaining Conversation	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Starting and maintaining a conversation?	WHODAS 2.0 12+24-item Version Interviewer-administered - Starting or Maintaining Conversation
C130875	WD4-Staying By Yourself for a Few Days	WD4-Staying By Yourself for a Few Days	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Staying by yourself for a few days?	WHODAS 2.0 12+24-item Version Interviewer-administered - Staying By Yourself for a Few Days
C130891	WD4-Time Spend on Your Health Condition	WD4-Time Spend on Your Health Condition	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days: How much time did you spend on your health condition, or its consequences?	WHODAS 2.0 12+24-item Version Interviewer-administered - Time Spend on Your Health Condition
C130869	WD4-Understanding What People Say	WD4-Understanding What People Say	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Generally understanding what people say?	WHODAS 2.0 12+24-item Version Interviewer-administered - Understanding What People Say
C130861	WD4-Walking a Long Distance	WD4-Walking a Long Distance	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Walking a long distance such as a kilometre [or equivalent]?	WHODAS 2.0 12+24-item Version Interviewer-administered - Walking a Long Distance
C130862	WD4-Washing Your Whole Body	WD4-Washing Your Whole Body	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Washing your whole body?	WHODAS 2.0 12+24-item Version Interviewer-administered - Washing Your Whole Body
C130852	WD4-Years Studying in School/College	WD4-Years Studying in School/College	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - How many years in all did you spend studying in school, college or university?	WHODAS 2.0 12+24-item Version Interviewer-administered - Years Studying in School or College
C130866	WD4-Your Day-to-Day Work	WD4-Your Day-to-Day Work	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Your day-to-day work?	WHODAS 2.0 12+24-item Version Interviewer-administered - Your Day-to-Day Work

C130722	WD5A1	WD5-Sex as Observed	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - Record sex as observed.	WHODAS 2.0 36-item Version Interviewer-administered - Sex as Observed
C130723	WD5A2	WD5-How Old Are You Now	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - How old are you now?	WHODAS 2.0 36-item Version Interviewer-administered - How Old Are You Now
C130724	WD5A3	WD5-Years Studying in School/College	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - How many years in all did you spend studying in school, college or university?	WHODAS 2.0 36-item Version Interviewer-administered - Years Studying in School or College
C130725	WD5A4	WD5-Current Marital Status	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - What is your current marital status?	WHODAS 2.0 36-item Version Interviewer-administered - Current Marital Status
C130726	WD5A5	WD5-Describes Main Work Status Best	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - Which describes your main work status best?	WHODAS 2.0 36-item Version Interviewer-administered - Describes Main Work Status Best
C130727	WD5D1_1	WD5-Concentrating for Ten Minutes	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Concentrating on doing something for ten minutes?	WHODAS 2.0 36-item Version Interviewer-administered - Concentrating for Ten Minutes
C130728	WD5D1_2	WD5-Remembering to Do Important Things	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Remembering to do important things?	WHODAS 2.0 36-item Version Interviewer-administered - Remembering to Do Important Things
C130729	WD5D1_3	WD5-Finding Solutions to Problems	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Analysing and finding solutions to problems in day-to-day life?	WHODAS 2.0 36-item Version Interviewer-administered - Finding Solutions to Problems
C130730	WD5D1_4	WD5-Learning a New Task	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Learning a new task, for example, learning how to get to a new place?	WHODAS 2.0 36-item Version Interviewer-administered - Learning a New Task
C130731	WD5D1_5	WD5-Understanding What People Say	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Generally understanding what people say?	WHODAS 2.0 36-item Version Interviewer-administered - Understanding What People Say
C130732	WD5D1_6	WD5-Starting/Maintaining Conversation	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Starting and maintaining a conversation?	WHODAS 2.0 36-item Version Interviewer-administered - Starting or Maintaining Conversation
C130733	WD5D2_1	WD5-Standing for Long Periods	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Standing for long periods such as 30 minutes?	WHODAS 2.0 36-item Version Interviewer-administered - Standing for Long Periods
C130734	WD5D2_2	WD5-Standing Up From Sitting Down	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Standing up from sitting down?	WHODAS 2.0 36-item Version Interviewer-administered - Standing Up From Sitting Down
C130735	WD5D2_3	WD5-Moving Around Inside Your Home	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Moving around inside your home?	WHODAS 2.0 36-item Version Interviewer-administered - Moving Around Inside Your Home
C130738	WD5D3_1	WD5-Washing Your Whole Body	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Washing your whole body?	WHODAS 2.0 36-item Version Interviewer-administered - Washing Your Whole Body
C130739	WD5D3_2	WD5-Getting Dressed	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Getting dressed?	WHODAS 2.0 36-item Version Interviewer-administered - Getting Dressed
C130740	WD5D3_3	WD5-Eating	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Eating?	WHODAS 2.0 36-item Version Interviewer-administered - Eating

Detailed Item Information				
ID	Item ID	Description	Question Text	Scale Description
C130741	WD5D3_4	WD5-Staying by Yourself for a Few Days	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Staying by yourself for a few days?	WHODAS 2.0 36-item Version Interviewer-administered - Staying by Yourself for a Few Days
C130742	WD5D4_1	WD5-Dealing With People You Do Not Know	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Dealing with people you do not know?	WHODAS 2.0 36-item Version Interviewer-administered - Dealing With People You Do Not Know
C130743	WD5D4_2	WD5-Maintaining a Friendship	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Maintaining a friendship?	WHODAS 2.0 36-item Version Interviewer-administered - Maintaining a Friendship
C130744	WD5D4_3	WD5-Get Along With People Close to You	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Getting along with people who are close to you?	WHODAS 2.0 36-item Version Interviewer-administered - Get Along With People Close to You
C130745	WD5D4_4	WD5-Making New Friends	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Making new friends?	WHODAS 2.0 36-item Version Interviewer-administered - Making New Friends
C130746	WD5D4_5	WD5-Sexual Activities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Sexual activities?	WHODAS 2.0 36-item Version Interviewer-administered - Sexual Activities
C130751	WD5D5_01	WD5-Days Reduce or Miss Household Work	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, on how many days did you reduce or completely miss household work because of your health condition?	WHODAS 2.0 36-item Version Interviewer-administered - Days Reduce or Miss Household Work
C130758	WD5D5_02	WD5-How Many Days Did You Miss Work	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, on how many days did you miss work for half a day or more because of your health condition?	WHODAS 2.0 36-item Version Interviewer-administered - How Many Days Did You Miss Work
C130747	WD5D5_1	WD5-Care of Household Responsibilities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - Because of your health condition, in the past 30 days, how much difficulty did you have in: Taking care of your household responsibilities?	WHODAS 2.0 36-item Version Interviewer-administered - Care of Household Responsibilities
C130757	WD5D5_10	WD5-Earn Less Money	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - Because of your health condition, in the past 30 days how much difficulty did you have in: Did you earn less money as the result of a health condition?	WHODAS 2.0 36-item Version Interviewer-administered - Earn Less Money
C130748	WD5D5_2	WD5-Doing Important Household Tasks	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - Because of your health condition, in the past 30 days, how much difficulty did you have in: Doing your most important household tasks well?	WHODAS 2.0 36-item Version Interviewer-administered - Doing Important Household Tasks
C130749	WD5D5_3	WD5-Getting Household Work Done Needed	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - Because of your health condition, in the past 30 days, how much difficulty did you have in: Getting all the household work done that you needed to do?	WHODAS 2.0 36-item Version Interviewer-administered - Getting Household Work Done Needed
C130750	WD5D5_4	WD5-Getting Household Work Done Quickly	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - Because of your health condition, in the past 30 days, how much difficulty did you have in: Getting your household work done as quickly as needed?	WHODAS 2.0 36-item Version Interviewer-administered - Getting Household Work Done Quickly
C130752	WD5D5_5	WD5-Your Day-to-Day Work/School	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - Because of your health condition, in the past 30 days how much difficulty did you have in: Your day-to-day work/school?	WHODAS 2.0 36-item Version Interviewer-administered - Your Day-to-Day Work or School
C130753	WD5D5_6	WD5-Doing Important Work/School Tasks	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - Because of your health condition, in the past 30 days how much difficulty did you have in: Doing your most important work/school tasks well?	WHODAS 2.0 36-item Version Interviewer-administered - Doing Important Work or School Tasks
C130754	WD5D5_7	WD5-Getting All Work Done You Need	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - Because of your health condition, in the past 30 days how much difficulty did you have in: Getting all the work done that you need to do?	WHODAS 2.0 36-item Version Interviewer-administered - Getting All Work Done You Need to Do

Detailed Item Descriptions and WHODAS Mapping				
C130755	WD5D5_8	WD5-Getting Work Done Quickly as Needed	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - Because of your health condition, in the past 30 days how much difficulty did you have in: Getting your work done as quickly as needed?	WHODAS 2.0 36-item Version Interviewer-administered - Getting Work Done Quickly as Needed
C130756	WD5D5_9	WD5-Had to Work at a Lower Level	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - Because of your health condition, in the past 30 days how much difficulty did you have in: Have you had to work at a lower level because of a health condition?	WHODAS 2.0 36-item Version Interviewer-administered - Had to Work at a Lower Level
C130759	WD5D6_1	WD5-Problem Joining Community Activities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days: How much of a problem did you have joining in community activities (for example, festivities, religious or other activities) in the same way as anyone else can?	WHODAS 2.0 36-item Version Interviewer-administered - Problem Joining Community Activities
C130760	WD5D6_2	WD5-Problem Because of Barriers in World	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days: How much of a problem did you have because of barriers or hindrances in the world around you?	WHODAS 2.0 36-item Version Interviewer-administered - Problem Because of Barriers in World
C130761	WD5D6_3	WD5-Problem Living with Dignity	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days: How much of a problem did you have living with dignity because of the attitudes and actions of others?	WHODAS 2.0 36-item Version Interviewer-administered - Problem Living with Dignity
C130762	WD5D6_4	WD5-Time Spend on Your Health Condition	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days: How much time did you spend on your health condition or its consequences?	WHODAS 2.0 36-item Version Interviewer-administered - Time Spend on Your Health Condition
C130763	WD5D6_5	WD5-Emotionally Affected by Health	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days: How much have you been emotionally affected by your health condition?	WHODAS 2.0 36-item Version Interviewer-administered - Emotionally Affected by Health
C130764	WD5D6_6	WD5-Drain on Financial Resources	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days: How much has your health been a drain on the financial resources of you or your family?	WHODAS 2.0 36-item Version Interviewer-administered - Drain on Financial Resources
C130765	WD5D6_7	WD5-Problem Did Your Family Have	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days: How much of a problem did your family have because of your health problems?	WHODAS 2.0 36-item Version Interviewer-administered - How Much Problem Did Your Family Have
C130766	WD5D6_8	WD5-Problem Doing Things for Relaxation	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days: How much of a problem did you have in doing things by yourself for relaxation or pleasure?	WHODAS 2.0 36-item Version Interviewer-administered - Problem Doing Things for Relaxation
C130721	WD5F5	WD5-Living Situation at Interview	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - Living situation at time of interview.	WHODAS 2.0 36-item Version Interviewer-administered - Living Situation at Interview
C130767	WD5H1	WD5-How Many Days Difficulties Present	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - Overall, in the past 30 days, how many days were these difficulties present?	WHODAS 2.0 36-item Version Interviewer-administered - How Many Days Difficulties Present
C130768	WD5H2	WD5-Days Unable to Carry Out Activities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, for how many days were you totally unable to carry out your usual activities or work because of any health condition?	WHODAS 2.0 36-item Version Interviewer-administered - Days Unable to Carry Out Activities
C130769	WD5H3	WD5-How Many Days Reduce Activities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, not counting the days that you were totally unable, for how many days did you cut back or reduce your usual activities or work because of any health condition?	WHODAS 2.0 36-item Version Interviewer-administered - How Many Days Reduce Activities
C130736	WD5SD2_4	WD5-Getting Out of Your Home	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Getting out of your home?	WHODAS 2.0 36-item Version Interviewer-administered - Getting Out of Your Home
C130737	WD5SD2_5	WD5-Walking a Long Distance	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Walking a long distance such as a kilometre [or equivalent]?	WHODAS 2.0 36-item Version Interviewer-administered - Walking a Long Distance

C130747	WD5-Care of Household Responsibilities	WD5-Care of Household Responsibilities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - Because of your health condition, in the past 30 days, how much difficulty did you have in: Taking care of your household responsibilities?	WHODAS 2.0 36-item Version Interviewer-administered - Care of Household Responsibilities
C130727	WD5-Concentrating for Ten Minutes	WD5-Concentrating for Ten Minutes	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Concentrating on doing something for ten minutes?	WHODAS 2.0 36-item Version Interviewer-administered - Concentrating for Ten Minutes
C130725	WD5-Current Marital Status	WD5-Current Marital Status	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - What is your current marital status?	WHODAS 2.0 36-item Version Interviewer-administered - Current Marital Status
C130751	WD5-Days Reduce or Miss Household Work	WD5-Days Reduce or Miss Household Work	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, on how many days did you reduce or completely miss household work because of your health condition?	WHODAS 2.0 36-item Version Interviewer-administered - Days Reduce or Miss Household Work
C130768	WD5-Days Unable to Carry Out Activities	WD5-Days Unable to Carry Out Activities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, for how many days were you totally unable to carry out your usual activities or work because of any health condition?	WHODAS 2.0 36-item Version Interviewer-administered - Days Unable to Carry Out Activities
C130742	WD5-Dealing With People You Do Not Know	WD5-Dealing With People You Do Not Know	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Dealing with people you do not know?	WHODAS 2.0 36-item Version Interviewer-administered - Dealing With People You Do Not Know
C130726	WD5-Describes Main Work Status Best	WD5-Describes Main Work Status Best	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - Which describes your main work status best?	WHODAS 2.0 36-item Version Interviewer-administered - Describes Main Work Status Best
C130748	WD5-Doing Important Household Tasks	WD5-Doing Important Household Tasks	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - Because of your health condition, in the past 30 days, how much difficulty did you have in: Doing your most important household tasks well?	WHODAS 2.0 36-item Version Interviewer-administered - Doing Important Household Tasks
C130753	WD5-Doing Important Work/School Tasks	WD5-Doing Important Work/School Tasks	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - Because of your health condition, in the past 30 days how much difficulty did you have in: Doing your most important work/school tasks well?	WHODAS 2.0 36-item Version Interviewer-administered - Doing Important Work or School Tasks
C130764	WD5-Drain on Financial Resources	WD5-Drain on Financial Resources	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days: How much has your health been a drain on the financial resources of you or your family?	WHODAS 2.0 36-item Version Interviewer-administered - Drain on Financial Resources
C130757	WD5-Earn Less Money	WD5-Earn Less Money	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - Because of your health condition, in the past 30 days how much difficulty did you have in: Did you earn less money as the result of a health condition?	WHODAS 2.0 36-item Version Interviewer-administered - Earn Less Money
C130740	WD5-Eating	WD5-Eating	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Eating?	WHODAS 2.0 36-item Version Interviewer-administered - Eating
C130763	WD5-Emotionally Affected by Health	WD5-Emotionally Affected by Health	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days: How much have you been emotionally affected by your health condition?	WHODAS 2.0 36-item Version Interviewer-administered - Emotionally Affected by Health
C130729	WD5-Finding Solutions to Problems	WD5-Finding Solutions to Problems	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Analysing and finding solutions to problems in day-to-day life?	WHODAS 2.0 36-item Version Interviewer-administered - Finding Solutions to Problems
C130744	WD5-Get Along With People Close to You	WD5-Get Along With People Close to You	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Getting along with people who are close to you?	WHODAS 2.0 36-item Version Interviewer-administered - Get Along With People Close to You
C130754	WD5-Getting All Work Done You Need	WD5-Getting All Work Done You Need	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - Because of your health condition, in the past 30 days how much difficulty did you have in: Getting all the work done that you need to do?	WHODAS 2.0 36-item Version Interviewer-administered - Getting All Work Done You Need to Do

WHODAS 2.0 36-item Version Interviewer-administered				
C130739	WD5-Getting Dressed	WD5-Getting Dressed	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Getting dressed?	WHODAS 2.0 36-item Version Interviewer-administered - Getting Dressed
C130749	WD5-Getting Household Work Done Needed	WD5-Getting Household Work Done Needed	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - Because of your health condition, in the past 30 days, how much difficulty did you have in: Getting all the household work done that you needed to do?	WHODAS 2.0 36-item Version Interviewer-administered - Getting Household Work Done Needed
C130750	WD5-Getting Household Work Done Quickly	WD5-Getting Household Work Done Quickly	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - Because of your health condition, in the past 30 days, how much difficulty did you have in: Getting your household work done as quickly as needed?	WHODAS 2.0 36-item Version Interviewer-administered - Getting Household Work Done Quickly
C130736	WD5-Getting Out of Your Home	WD5-Getting Out of Your Home	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Getting out of your home?	WHODAS 2.0 36-item Version Interviewer-administered - Getting Out of Your Home
C130755	WD5-Getting Work Done Quickly as Needed	WD5-Getting Work Done Quickly as Needed	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - Because of your health condition, in the past 30 days how much difficulty did you have in: Getting your work done as quickly as needed?	WHODAS 2.0 36-item Version Interviewer-administered - Getting Work Done Quickly as Needed
C130756	WD5-Had to Work at a Lower Level	WD5-Had to Work at a Lower Level	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - Because of your health condition, in the past 30 days how much difficulty did you have in: Have you had to work at a lower level because of a health condition?	WHODAS 2.0 36-item Version Interviewer-administered - Had to Work at a Lower Level
C130758	WD5-How Many Days Did You Miss Work	WD5-How Many Days Did You Miss Work	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, on how many days did you miss work for half a day or more because of your health condition?	WHODAS 2.0 36-item Version Interviewer-administered - How Many Days Did You Miss Work
C130767	WD5-How Many Days Difficulties Present	WD5-How Many Days Difficulties Present	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - Overall, in the past 30 days, how many days were these difficulties present?	WHODAS 2.0 36-item Version Interviewer-administered - How Many Days Difficulties Present
C130769	WD5-How Many Days Reduce Activities	WD5-How Many Days Reduce Activities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, not counting the days that you were totally unable, for how many days did you cut back or reduce your usual activities or work because of any health condition?	WHODAS 2.0 36-item Version Interviewer-administered - How Many Days Reduce Activities
C130723	WD5-How Old Are You Now	WD5-How Old Are You Now	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - How old are you now?	WHODAS 2.0 36-item Version Interviewer-administered - How Old Are You Now
C130730	WD5-Learning a New Task	WD5-Learning a New Task	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Learning a new task, for example, learning how to get to a new place?	WHODAS 2.0 36-item Version Interviewer-administered - Learning a New Task
C130721	WD5-Living Situation at Interview	WD5-Living Situation at Interview	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - Living situation at time of interview.	WHODAS 2.0 36-item Version Interviewer-administered - Living Situation at Interview
C130743	WD5-Maintaining a Friendship	WD5-Maintaining a Friendship	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Maintaining a friendship?	WHODAS 2.0 36-item Version Interviewer-administered - Maintaining a Friendship
C130745	WD5-Making New Friends	WD5-Making New Friends	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Making new friends?	WHODAS 2.0 36-item Version Interviewer-administered - Making New Friends
C130735	WD5-Moving Around Inside Your Home	WD5-Moving Around Inside Your Home	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Moving around inside your home?	WHODAS 2.0 36-item Version Interviewer-administered - Moving Around Inside Your Home
C130760	WD5-Problem Because of Barriers in World	WD5-Problem Because of Barriers in World	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days: How much of a problem did you have because of barriers or hindrances in the world around you?	WHODAS 2.0 36-item Version Interviewer-administered - Problem Because of Barriers in World

Detailed Item Information				
ID	Item Name	Item Description	Question Text	Version
C130765	WD5-Problem Did Your Family Have	WD5-Problem Did Your Family Have	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days: How much of a problem did your family have because of your health problems?	WHODAS 2.0 36-item Version Interviewer-administered - How Much Problem Did Your Family Have
C130766	WD5-Problem Doing Things for Relaxation	WD5-Problem Doing Things for Relaxation	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days: How much of a problem did you have in doing things by yourself for relaxation or pleasure?	WHODAS 2.0 36-item Version Interviewer-administered - Problem Doing Things for Relaxation
C130759	WD5-Problem Joining Community Activities	WD5-Problem Joining Community Activities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days: How much of a problem did you have joining in community activities (for example, festivities, religious or other activities) in the same way as anyone else can?	WHODAS 2.0 36-item Version Interviewer-administered - Problem Joining Community Activities
C130761	WD5-Problem Living with Dignity	WD5-Problem Living with Dignity	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days: How much of a problem did you have living with dignity because of the attitudes and actions of others?	WHODAS 2.0 36-item Version Interviewer-administered - Problem Living with Dignity
C130728	WD5-Remembering to Do Important Things	WD5-Remembering to Do Important Things	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Remembering to do important things?	WHODAS 2.0 36-item Version Interviewer-administered - Remembering to Do Important Things
C130722	WD5-Sex as Observed	WD5-Sex as Observed	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - Record sex as observed.	WHODAS 2.0 36-item Version Interviewer-administered - Sex as Observed
C130746	WD5-Sexual Activities	WD5-Sexual Activities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Sexual activities?	WHODAS 2.0 36-item Version Interviewer-administered - Sexual Activities
C130733	WD5-Standing for Long Periods	WD5-Standing for Long Periods	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Standing for long periods such as 30 minutes?	WHODAS 2.0 36-item Version Interviewer-administered - Standing for Long Periods
C130734	WD5-Standing Up From Sitting Down	WD5-Standing Up From Sitting Down	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Standing up from sitting down?	WHODAS 2.0 36-item Version Interviewer-administered - Standing Up From Sitting Down
C130732	WD5-Starting/Maintaining Conversation	WD5-Starting/Maintaining Conversation	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Starting and maintaining a conversation?	WHODAS 2.0 36-item Version Interviewer-administered - Starting or Maintaining Conversation
C130741	WD5-Staying by Yourself for a Few Days	WD5-Staying by Yourself for a Few Days	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Staying by yourself for a few days?	WHODAS 2.0 36-item Version Interviewer-administered - Staying by Yourself for a Few Days
C130762	WD5-Time Spend on Your Health Condition	WD5-Time Spend on Your Health Condition	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days: How much time did you spend on your health condition or its consequences?	WHODAS 2.0 36-item Version Interviewer-administered - Time Spend on Your Health Condition
C130731	WD5-Understanding What People Say	WD5-Understanding What People Say	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Generally understanding what people say?	WHODAS 2.0 36-item Version Interviewer-administered - Understanding What People Say
C130737	WD5-Walking a Long Distance	WD5-Walking a Long Distance	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Walking a long distance such as a kilometre [or equivalent]?	WHODAS 2.0 36-item Version Interviewer-administered - Walking a Long Distance
C130738	WD5-Washing Your Whole Body	WD5-Washing Your Whole Body	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Washing your whole body?	WHODAS 2.0 36-item Version Interviewer-administered - Washing Your Whole Body
C130724	WD5-Years Studying in School/College	WD5-Years Studying in School/College	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - How many years in all did you spend studying in school, college or university?	WHODAS 2.0 36-item Version Interviewer-administered - Years Studying in School or College
C130752	WD5-Your Day-to-Day Work/School	WD5-Your Day-to-Day Work/School	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - Because of your health condition, in the past 30 days how much difficulty did you have in: Your day-to-day work/school?	WHODAS 2.0 36-item Version Interviewer-administered - Your Day-to-Day Work or School

C130771	WD6D1_1	WD6-Concentrating for Ten Minutes	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Concentrating on doing something for ten minutes?	WHODAS 2.0 36-item Version Proxy-administered - Concentrating for Ten Minutes
C130772	WD6D1_2	WD6-Remembering to Do Important Things	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Remembering to do important things?	WHODAS 2.0 36-item Version Proxy-administered - Remembering to Do Important Things
C130773	WD6D1_3	WD6-Finding Solutions to Problems	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Analysing and finding solutions to problems in day-to-day life?	WHODAS 2.0 36-item Version Proxy-administered - Finding Solutions to Problems
C130774	WD6D1_4	WD6-Learning a New Task	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Learning a new task, for example, learning how to get to a new place?	WHODAS 2.0 36-item Version Proxy-administered - Learning a New Task
C130775	WD6D1_5	WD6-Understanding What People Say	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Generally understanding what people say?	WHODAS 2.0 36-item Version Proxy-administered - Understanding What People Say
C130776	WD6D1_6	WD6-Starting/Maintaining Conversation	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Starting and maintaining a conversation?	WHODAS 2.0 36-item Version Proxy-administered - Starting or Maintaining Conversation
C130777	WD6D2_1	WD6-Standing for Long Periods	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Standing for long periods such as 30 minutes?	WHODAS 2.0 36-item Version Proxy-administered - Standing for Long Periods
C130778	WD6D2_2	WD6-Standing Up From Sitting Down	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Standing up from sitting down?	WHODAS 2.0 36-item Version Proxy-administered - Standing Up From Sitting Down
C130779	WD6D2_3	WD6-Moving Around Inside Their Home	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Moving around inside their home?	WHODAS 2.0 36-item Version Proxy-administered - Moving Around Inside Their Home
C130782	WD6D3_1	WD6-Washing His/Her Whole Body	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Because of their health condition, in the past 30 days, how much difficulty did your relative have in: Washing his or her whole body?	WHODAS 2.0 36-item Version Proxy-administered - Washing His or Her Whole Body
C130783	WD6D3_2	WD6-Getting Dressed	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Because of their health condition, in the past 30 days, how much difficulty did your relative have in: Getting dressed?	WHODAS 2.0 36-item Version Proxy-administered - Getting Dressed
C130784	WD6D3_3	WD6-Eating	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Because of their health condition, in the past 30 days, how much difficulty did your relative have in: Eating?	WHODAS 2.0 36-item Version Proxy-administered - Eating
C130785	WD6D3_4	WD6-Staying by Him/Herself a Few Days	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Because of their health condition, in the past 30 days, how much difficulty did your relative have in: Staying by himself or herself for a few days?	WHODAS 2.0 36-item Version Proxy-administered - Staying by Him or Herself a Few Days
C130786	WD6D4_1	WD6-Dealing With People Does Not Know	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Because of their health condition, in the past 30 days, how much difficulty did your relative have in: Dealing with people he or she does not know?	WHODAS 2.0 36-item Version Proxy-administered - Dealing With People Does Not Know
C130787	WD6D4_2	WD6-Maintaining a Friendship	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Because of their health condition, in the past 30 days, how much difficulty did your relative have in: Maintaining a friendship?	WHODAS 2.0 36-item Version Proxy-administered - Maintaining a Friendship
C130788	WD6D4_3	WD6-Get Along With People Close to Him	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Because of their health condition, in the past 30 days, how much difficulty did your relative have in: Getting along with people who are close to him or her?	WHODAS 2.0 36-item Version Proxy-administered - Get Along With People Close to Him
C130789	WD6D4_4	WD6-Making New Friends	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Because of their health condition, in the past 30 days, how much difficulty did your relative have in: Making new friends?	WHODAS 2.0 36-item Version Proxy-administered - Making New Friends

Assessment Item Details				
Item ID	Item Label	Item Description	Question Text	Version
C130790	WD6D4_5	WD6-Sexual Activities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Because of their health condition, in the past 30 days, how much difficulty did your relative have in: Sexual activities?	WHODAS 2.0 36-item Version Proxy-administered - Sexual Activities
C130791	WD6D5_1	WD6-Care of Household Responsibilities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Because of their health condition, in the past 30 days, how much difficulty did your relative have in: Taking care of his or her household responsibilities?	WHODAS 2.0 36-item Version Proxy-administered - Care of Household Responsibilities
C130792	WD6D5_2	WD6-Doing Important Household Tasks	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Because of their health condition, in the past 30 days, how much difficulty did your relative have in: Doing his or her most important household tasks well?	WHODAS 2.0 36-item Version Proxy-administered - Doing Important Household Tasks
C130793	WD6D5_3	WD6-Getting Household Work Done Needed	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Because of their health condition, in the past 30 days, how much difficulty did your relative have in: Getting all the household work done that is needed?	WHODAS 2.0 36-item Version Proxy-administered - Getting Household Work Done Needed
C130794	WD6D5_4	WD6-Getting Household Work Done Quickly	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Because of their health condition, in the past 30 days, how much difficulty did your relative have in: Getting the household work done as quickly as needed?	WHODAS 2.0 36-item Version Proxy-administered - Getting Household Work Done Quickly
C130795	WD6D5_5	WD6-Their Day-to-Day Work/School	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: His or her day-to-day work/school?	WHODAS 2.0 36-item Version Proxy-administered - Their Day-to-Day Work or School
C130796	WD6D5_6	WD6-Doing Important Work/School Tasks	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Doing his or her most important work/school tasks well?	WHODAS 2.0 36-item Version Proxy-administered - Doing Important Work or School Tasks
C130797	WD6D5_7	WD6-Getting All Work Done You Need	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Getting all the work done that is needed?	WHODAS 2.0 36-item Version Proxy-administered - Getting All Work Done You Need
C130798	WD6D5_8	WD6-Getting Work Done Quickly as Needed	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Getting the work done as quickly as needed?	WHODAS 2.0 36-item Version Proxy-administered - Getting Work Done Quickly as Needed
C130799	WD6D6_1	WD6-Problem Joining Community Activities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Participation in society in the past 30 days: How much of a problem did your relative have in joining in community activities (for example, festivities, religious or other activities) in the same way as anyone else can?	WHODAS 2.0 36-item Version Proxy-administered - Problem Joining Community Activities
C130800	WD6D6_2	WD6-Problem Because of Barriers in World	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Participation in society in the past 30 days: How much of a problem did your relative have because of barriers or hindrances in the world around him or her?	WHODAS 2.0 36-item Version Proxy-administered - Problem Because of Barriers in World
C130801	WD6D6_3	WD6-Problem Living with Dignity	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Participation in society in the past 30 days: How much of a problem did your relative have living with dignity because of the attitudes and actions of others?	WHODAS 2.0 36-item Version Proxy-administered - Problem Living with Dignity
C130802	WD6D6_4	WD6-Time Spend on Your Health Condition	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Participation in society in the past 30 days: How much time did your relative spend on his or her health condition, or its consequences?	WHODAS 2.0 36-item Version Proxy-administered - Time Spend on Your Health Condition
C130803	WD6D6_5	WD6-Emotionally Affected by Health	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Participation in society in the past 30 days: How much has your relative been emotionally affected by his or her health condition?	WHODAS 2.0 36-item Version Proxy-administered - Emotionally Affected by Health
C130804	WD6D6_6	WD6-Drain on Financial Resources	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Participation in society in the past 30 days: How much has his or her health been a drain on his or her financial resources or on the financial resources of other relatives?	WHODAS 2.0 36-item Version Proxy-administered - Drain on Financial Resources
C130805	WD6D6_7	WD6-Problem Did Your Family Have	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Participation in society in the past 30 days: How much of a problem did you or the rest of his or her family have because of his or her health problems?	WHODAS 2.0 36-item Version Proxy-administered - Problem Did Your Family Have
C130806	WD6D6_8	WD6-Problem Doing Things for Relaxation	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Participation in society in the past 30 days: How much of a problem did your relative have in doing things by himself or herself for relaxation or pleasure?	WHODAS 2.0 36-item Version Proxy-administered - Problem Doing Things for Relaxation

Assessment Items				
C130807	WD6H1	WD6-How Many Days Difficulties Present	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Overall, in the past 30 days, how many days were these difficulties present?	WHODAS 2.0 36-item Version Proxy-administered - How Many Days Difficulties Present
C130808	WD6H2	WD6-Days Unable to Carry Out Activities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, for how many days was your relative totally unable to carry out his or her usual activities or work because of any health condition?	WHODAS 2.0 36-item Version Proxy-administered - Days Unable to Carry Out Activities
C130809	WD6H3	WD6-How Many Days Reduce Activities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, not counting the days that your relative was totally unable, for how many days did your relative cut back or reduce his or her usual activities or work because of any health condition?	WHODAS 2.0 36-item Version Proxy-administered - How Many Days Reduce Activities
C130770	WD6H4	WD6-I Am (Fill in Blank) of This Person	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - I am the (Fill in the Blank) of this person.	WHODAS 2.0 36-item Version Proxy-administered - I Am (Fill in the Blank) of this Person
C130780	WD6SD2_4	WD6-Getting Out of Their Home	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Getting out of their home?	WHODAS 2.0 36-item Version Proxy-administered - Getting Out of Their Home
C130781	WD6SD2_5	WD6-Walking a Long Distance	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Walking a long distance such as a kilometre [or equivalent]?	WHODAS 2.0 36-item Version Proxy-administered - Walking a Long Distance

C130791	WD6-Care of Household Responsibilities	WD6-Care of Household Responsibilities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Because of their health condition, in the past 30 days, how much difficulty did your relative have in: Taking care of his or her household responsibilities?	WHODAS 2.0 36-item Version Proxy-administered - Care of Household Responsibilities
C130771	WD6-Concentrating for Ten Minutes	WD6-Concentrating for Ten Minutes	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Concentrating on doing something for ten minutes?	WHODAS 2.0 36-item Version Proxy-administered - Concentrating for Ten Minutes
C130808	WD6-Days Unable to Carry Out Activities	WD6-Days Unable to Carry Out Activities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, for how many days was your relative totally unable to carry out his or her usual activities or work because of any health condition?	WHODAS 2.0 36-item Version Proxy-administered - Days Unable to Carry Out Activities
C130786	WD6-Dealing With People Does Not Know	WD6-Dealing With People Does Not Know	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Because of their health condition, in the past 30 days, how much difficulty did your relative have in: Dealing with people he or she does not know?	WHODAS 2.0 36-item Version Proxy-administered - Dealing With People Does Not Know
C130792	WD6-Doing Important Household Tasks	WD6-Doing Important Household Tasks	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Because of their health condition, in the past 30 days, how much difficulty did your relative have in: Doing his or her most important household tasks well?	WHODAS 2.0 36-item Version Proxy-administered - Doing Important Household Tasks
C130796	WD6-Doing Important Work/School Tasks	WD6-Doing Important Work/School Tasks	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Doing his or her most important work/school tasks well?	WHODAS 2.0 36-item Version Proxy-administered - Doing Important Work or School Tasks
C130804	WD6-Drain on Financial Resources	WD6-Drain on Financial Resources	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Participation in society in the past 30 days: How much has his or her health been a drain on his or her financial resources or on the financial resources of other relatives?	WHODAS 2.0 36-item Version Proxy-administered - Drain on Financial Resources
C130784	WD6-Eating	WD6-Eating	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Because of their health condition, in the past 30 days, how much difficulty did your relative have in: Eating?	WHODAS 2.0 36-item Version Proxy-administered - Eating
C130803	WD6-Emotionally Affected by Health	WD6-Emotionally Affected by Health	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Participation in society in the past 30 days: How much has your relative been emotionally affected by his or her health condition?	WHODAS 2.0 36-item Version Proxy-administered - Emotionally Affected by Health
C130773	WD6-Finding Solutions to Problems	WD6-Finding Solutions to Problems	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Analysing and finding solutions to problems in day-to-day life?	WHODAS 2.0 36-item Version Proxy-administered - Finding Solutions to Problems
C130788	WD6-Get Along With People Close to Him	WD6-Get Along With People Close to Him	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Because of their health condition, in the past 30 days, how much difficulty did your relative have in: Getting along with people who are close to him or her?	WHODAS 2.0 36-item Version Proxy-administered - Get Along With People Close to Him
C130797	WD6-Getting All Work Done You Need	WD6-Getting All Work Done You Need	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Getting all the work done that is needed?	WHODAS 2.0 36-item Version Proxy-administered - Getting All Work Done You Need
C130783	WD6-Getting Dressed	WD6-Getting Dressed	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Because of their health condition, in the past 30 days, how much difficulty did your relative have in: Getting dressed?	WHODAS 2.0 36-item Version Proxy-administered - Getting Dressed
C130793	WD6-Getting Household Work Done Needed	WD6-Getting Household Work Done Needed	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Because of their health condition, in the past 30 days, how much difficulty did your relative have in: Getting all the household work done that is needed?	WHODAS 2.0 36-item Version Proxy-administered - Getting Household Work Done Needed
C130794	WD6-Getting Household Work Done Quickly	WD6-Getting Household Work Done Quickly	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Because of their health condition, in the past 30 days, how much difficulty did your relative have in: Getting the household work done as quickly as needed?	WHODAS 2.0 36-item Version Proxy-administered - Getting Household Work Done Quickly
C130780	WD6-Getting Out of Their Home	WD6-Getting Out of Their Home	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Getting out of their home?	WHODAS 2.0 36-item Version Proxy-administered - Getting Out of Their Home
C130798	WD6-Getting Work Done Quickly as Needed	WD6-Getting Work Done Quickly as Needed	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Getting the work done as quickly as needed?	WHODAS 2.0 36-item Version Proxy-administered - Getting Work Done Quickly as Needed

Detailed Description of WHODAS 2.0 36-item Version Proxy-administered Items				
C130807	WD6-How Many Days Difficulties Present	WD6-How Many Days Difficulties Present	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Overall, in the past 30 days, how many days were these difficulties present?	WHODAS 2.0 36-item Version Proxy-administered - How Many Days Difficulties Present
C130809	WD6-How Many Days Reduce Activities	WD6-How Many Days Reduce Activities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, not counting the days that your relative was totally unable, for how many days did your relative cut back or reduce his or her usual activities or work because of any health condition?	WHODAS 2.0 36-item Version Proxy-administered - How Many Days Reduce Activities
C130770	WD6-I Am (Fill in Blank) of This Person	WD6-I Am (Fill in Blank) of This Person	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - I am the (Fill in the Blank) of this person.	WHODAS 2.0 36-item Version Proxy-administered - I Am (Fill in the Blank) of this Person
C130774	WD6-Learning a New Task	WD6-Learning a New Task	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Learning a new task, for example, learning how to get to a new place?	WHODAS 2.0 36-item Version Proxy-administered - Learning a New Task
C130787	WD6-Maintaining a Friendship	WD6-Maintaining a Friendship	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Because of their health condition, in the past 30 days, how much difficulty did your relative have in: Maintaining a friendship?	WHODAS 2.0 36-item Version Proxy-administered - Maintaining a Friendship
C130789	WD6-Making New Friends	WD6-Making New Friends	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Because of their health condition, in the past 30 days, how much difficulty did your relative have in: Making new friends?	WHODAS 2.0 36-item Version Proxy-administered - Making New Friends
C130779	WD6-Moving Around Inside Their Home	WD6-Moving Around Inside Their Home	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Moving around inside their home?	WHODAS 2.0 36-item Version Proxy-administered - Moving Around Inside Their Home
C130800	WD6-Problem Because of Barriers in World	WD6-Problem Because of Barriers in World	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Participation in society in the past 30 days: How much of a problem did your relative have because of barriers or hindrances in the world around him or her?	WHODAS 2.0 36-item Version Proxy-administered - Problem Because of Barriers in World
C130805	WD6-Problem Did Your Family Have	WD6-Problem Did Your Family Have	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Participation in society in the past 30 days: How much of a problem did you or the rest of his or her family have because of his or her health problems?	WHODAS 2.0 36-item Version Proxy-administered - Problem Did Your Family Have
C130806	WD6-Problem Doing Things for Relaxation	WD6-Problem Doing Things for Relaxation	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Participation in society in the past 30 days: How much of a problem did your relative have in doing things by himself or herself for relaxation or pleasure?	WHODAS 2.0 36-item Version Proxy-administered - Problem Doing Things for Relaxation
C130799	WD6-Problem Joining Community Activities	WD6-Problem Joining Community Activities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Participation in society in the past 30 days: How much of a problem did your relative have in joining in community activities (for example, festivities, religious or other activities) in the same way as anyone else can?	WHODAS 2.0 36-item Version Proxy-administered - Problem Joining Community Activities
C130801	WD6-Problem Living with Dignity	WD6-Problem Living with Dignity	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Participation in society in the past 30 days: How much of a problem did your relative have living with dignity because of the attitudes and actions of others?	WHODAS 2.0 36-item Version Proxy-administered - Problem Living with Dignity
C130772	WD6-Remembering to Do Important Things	WD6-Remembering to Do Important Things	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Remembering to do important things?	WHODAS 2.0 36-item Version Proxy-administered - Remembering to Do Important Things
C130790	WD6-Sexual Activities	WD6-Sexual Activities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Because of their health condition, in the past 30 days, how much difficulty did your relative have in: Sexual activities?	WHODAS 2.0 36-item Version Proxy-administered - Sexual Activities
C130777	WD6-Standing for Long Periods	WD6-Standing for Long Periods	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Standing for long periods such as 30 minutes?	WHODAS 2.0 36-item Version Proxy-administered - Standing for Long Periods
C130778	WD6-Standing Up From Sitting Down	WD6-Standing Up From Sitting Down	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Standing up from sitting down?	WHODAS 2.0 36-item Version Proxy-administered - Standing Up From Sitting Down
C130776	WD6-Starting/Maintaining Conversation	WD6-Starting/Maintaining Conversation	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Starting and maintaining a conversation?	WHODAS 2.0 36-item Version Proxy-administered - Starting or Maintaining Conversation

Assessment Item Details					
Item ID	Item Description	Item Type	Question Text	Scoring	Version
C130785	WD6-Staying by Him/Herself a Few Days	WD6-Staying by Him/Herself a Few Days	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Because of their health condition, in the past 30 days, how much difficulty did your relative have in: Staying by himself or herself for a few days?		WHODAS 2.0 36-item Version Proxy-administered - Staying by Him or Herself a Few Days
C130795	WD6-Their Day-to-Day Work/School	WD6-Their Day-to-Day Work/School	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: His or her day-to-day work/school?		WHODAS 2.0 36-item Version Proxy-administered - Their Day-to-Day Work or School
C130802	WD6-Time Spend on Your Health Condition	WD6-Time Spend on Your Health Condition	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Participation in society in the past 30 days: How much time did your relative spend on his or her health condition, or its consequences?		WHODAS 2.0 36-item Version Proxy-administered - Time Spend on Your Health Condition
C130775	WD6-Understanding What People Say	WD6-Understanding What People Say	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Generally understanding what people say?		WHODAS 2.0 36-item Version Proxy-administered - Understanding What People Say
C130781	WD6-Walking a Long Distance	WD6-Walking a Long Distance	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Walking a long distance such as a kilometre [or equivalent]?		WHODAS 2.0 36-item Version Proxy-administered - Walking a Long Distance
C130782	WD6-Washing His/Her Whole Body	WD6-Washing His/Her Whole Body	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Because of their health condition, in the past 30 days, how much difficulty did your relative have in: Washing his or her whole body?		WHODAS 2.0 36-item Version Proxy-administered - Washing His or Her Whole Body

C130810	WD7D1_1	WD7-Concentrating for Ten Minutes	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Concentrating on doing something for ten minutes?	WHODAS 2.0 36-item Version Self-administered - Concentrating for Ten Minutes
C130811	WD7D1_2	WD7-Remembering to Do Important Things	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Remembering to do important things?	WHODAS 2.0 36-item Version Self-administered - Remembering to Do Important Things
C130812	WD7D1_3	WD7-Finding Solutions to Problems	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Analysing and finding solutions to problems in day-to-day life?	WHODAS 2.0 36-item Version Self-administered - Finding Solutions to Problems
C130813	WD7D1_4	WD7-Learning a New Task	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Learning a new task, for example, learning how to get to a new place?	WHODAS 2.0 36-item Version Self-administered - Learning a New Task
C130814	WD7D1_5	WD7-Understanding What People Say	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Generally understanding what people say?	WHODAS 2.0 36-item Version Self-administered - Understanding What People Say
C130815	WD7D1_6	WD7-Starting/Maintaining Conversation	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Starting and maintaining a conversation?	WHODAS 2.0 36-item Version Self-administered - Starting or Maintaining Conversation
C130816	WD7D2_1	WD7-Standing for Long Periods	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Standing for long periods such as 30 minutes?	WHODAS 2.0 36-item Version Self-administered - Standing for Long Periods
C130817	WD7D2_2	WD7-Standing Up From Sitting Down	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Standing up from sitting down?	WHODAS 2.0 36-item Version Self-administered - Standing Up From Sitting Down
C130818	WD7D2_3	WD7-Moving Around Inside Your Home	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Moving around inside your home?	WHODAS 2.0 36-item Version Self-administered - Moving Around Inside Your Home
C130819	WD7D2_4	WD7-Getting Out of Your Home	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Getting out of your home?	WHODAS 2.0 36-item Version Self-administered - Getting Out of Your Home
C130820	WD7D2_5	WD7-Walking a Long Distance	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Walking a long distance such as a kilometre [or equivalent]?	WHODAS 2.0 36-item Version Self-administered - Walking a Long Distance
C130821	WD7D3_1	WD7-Washing Your Whole Body	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - in the past 30 days, how much difficulty did you have in: Washing your whole body?	WHODAS 2.0 36-item Version Self-administered - Washing Your Whole Body
C130822	WD7D3_2	WD7-Getting Dressed	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Getting dressed?	WHODAS 2.0 36-item Version Self-administered - Getting Dressed
C130823	WD7D3_3	WD7-Eating	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Eating?	WHODAS 2.0 36-item Version Self-administered - Eating
C130824	WD7D3_4	WD7-Staying by Yourself for a Few Days	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Staying by yourself for a few days?	WHODAS 2.0 36-item Version Self-administered - Staying by Yourself for a Few Days
C130825	WD7D4_1	WD7-Dealing With People You Do Not Know	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Dealing with people you do not know?	WHODAS 2.0 36-item Version Self-administered - Dealing With People You Do Not Know
C130826	WD7D4_2	WD7-Maintaining a Friendship	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Maintaining a friendship?	WHODAS 2.0 36-item Version Self-administered - Maintaining a Friendship

Detailed Item Descriptions and Reference				
C130827	WD7D4_3	WD7-Get Along With People Close to You	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Getting along with people who are close to you?	WHODAS 2.0 36-item Version Self-administered - Get Along With People Close to You
C130828	WD7D4_4	WD7-Making New Friends	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Making new friends?	WHODAS 2.0 36-item Version Self-administered - Making New Friends
C130829	WD7D4_5	WD7-Sexual Activities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Sexual activities?	WHODAS 2.0 36-item Version Self-administered - Sexual Activities
C130830	WD7D5_1	WD7-Care of Household Responsibilities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Taking care of your household responsibilities?	WHODAS 2.0 36-item Version Self-administered - Care of Household Responsibilities
C130831	WD7D5_2	WD7-Doing Important Household Tasks	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Doing most important household tasks well?	WHODAS 2.0 36-item Version Self-administered - Doing Important Household Tasks
C130832	WD7D5_3	WD7-Getting Household Work Done Needed	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Getting all the household work done that you needed to do?	WHODAS 2.0 36-item Version Self-administered - Getting Household Work Done Needed
C130833	WD7D5_4	WD7-Getting Household Work Done Quickly	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Getting your household work done as quickly as needed?	WHODAS 2.0 36-item Version Self-administered - Getting Household Work Done Quickly
C130834	WD7D5_5	WD7-Your Day-to-Day Work/School	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - Because of your health condition, in the past 30 days, how much difficulty did you have in: your day-to-day work/school?	WHODAS 2.0 36-item Version Self-administered - Your Day-to-Day Work or School
C130835	WD7D5_6	WD7-Doing Important Work/School Tasks	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - Because of your health condition, in the past 30 days, how much difficulty did you have in: Doing your most important work/school tasks well?	WHODAS 2.0 36-item Version Self-administered - Doing Important Work or School Tasks
C130836	WD7D5_7	WD7-Getting All Work Done You Need	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - Because of your health condition, in the past 30 days, how much difficulty did you have in: Getting all the work done that you need to do?	WHODAS 2.0 36-item Version Self-administered - Getting All Work Done You Need
C130837	WD7D5_8	WD7-Getting Work Done Quickly as Needed	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - Because of your health condition, in the past 30 days, how much difficulty did you have in: Getting your work done as quickly as needed?	WHODAS 2.0 36-item Version Self-administered - Getting Work Done Quickly as Needed
C130838	WD7D6_1	WD7-Problem Joining Community Activities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days: How much of a problem did you have in joining in community activities (for example, festivities, religious or other activities) in the same way as anyone else can?	WHODAS 2.0 36-item Version Self-administered - Problem Joining Community Activities
C130839	WD7D6_2	WD7-Problem Because of Barriers in World	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days: How much of a problem did you have because of barriers or hindrances in the world around you?	WHODAS 2.0 36-item Version Self-administered - Problem Because of Barriers in World
C130840	WD7D6_3	WD7-Problem Living with Dignity	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days: How much of a problem did you have living with dignity because of the attitudes and actions of others?	WHODAS 2.0 36-item Version Self-administered - Problem Living with Dignity
C130841	WD7D6_4	WD7-Time Spend on Your Health Condition	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days: How much time did you spend on your health condition, or its consequences?	WHODAS 2.0 36-item Version Self-administered - Time Spend on Your Health Condition
C130842	WD7D6_5	WD7-Emotionally Affected by Health	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days: How much have you been emotionally affected by your health condition?	WHODAS 2.0 36-item Version Self-administered - Emotionally Affected by Health
C130843	WD7D6_6	WD7-Drain on Financial Resources	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days: How much has your health been a drain on the financial resources of you or your family?	WHODAS 2.0 36-item Version Self-administered - Drain on Financial Resources
C130844	WD7D6_7	WD7-Problem Did Your Family Have	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days: How much of a problem did your family have because of your health problems?	WHODAS 2.0 36-item Version Self-administered - Problem Did Your Family Have

Assessment Item Details				
Item ID	Item Label	Description	Question Text	Scale Description
C130845	WD7D6_8	WD7-Problem Doing Things for Relaxation	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days: How much of a problem did you have in doing things by yourself for relaxation or pleasure?	WHODAS 2.0 36-item Version Self-administered - Problem Doing Things for Relaxation
C130846	WD7H1	WD7-How Many Days Difficulties Present	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - Overall, in the past 30 days, how many days were these difficulties present?	WHODAS 2.0 36-item Version Self-administered - How Many Days Difficulties Present
C130847	WD7H2	WD7-Days Unable to Carry Out Activities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, for how many days were you totally unable to carry out your usual activities or work because of any health condition?	WHODAS 2.0 36-item Version Self-administered - Days Unable to Carry Out Activities
C130848	WD7H3	WD7-How Many Days Reduce Activities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, not counting the days that you were totally unable, for how many days did you cut back or reduce your usual activities or work because of any health condition?	WHODAS 2.0 36-item Version Self-administered - How Many Days Reduce Activities

C130830	WD7-Care of Household Responsibilities	WD7-Care of Household Responsibilities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Taking care of your household responsibilities?	WHODAS 2.0 36-item Version Self-administered - Care of Household Responsibilities
C130810	WD7-Concentrating for Ten Minutes	WD7-Concentrating for Ten Minutes	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Concentrating on doing something for ten minutes?	WHODAS 2.0 36-item Version Self-administered - Concentrating for Ten Minutes
C130847	WD7-Days Unable to Carry Out Activities	WD7-Days Unable to Carry Out Activities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, for how many days were you totally unable to carry out your usual activities or work because of any health condition?	WHODAS 2.0 36-item Version Self-administered - Days Unable to Carry Out Activities
C130825	WD7-Dealing With People You Do Not Know	WD7-Dealing With People You Do Not Know	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Dealing with people you do not know?	WHODAS 2.0 36-item Version Self-administered - Dealing With People You Do Not Know
C130831	WD7-Doing Important Household Tasks	WD7-Doing Important Household Tasks	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Doing most important household tasks well?	WHODAS 2.0 36-item Version Self-administered - Doing Important Household Tasks
C130835	WD7-Doing Important Work/School Tasks	WD7-Doing Important Work/School Tasks	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - Because of your health condition, in the past 30 days, how much difficulty did you have in: Doing your most important work/school tasks well?	WHODAS 2.0 36-item Version Self-administered - Doing Important Work or School Tasks
C130843	WD7-Drain on Financial Resources	WD7-Drain on Financial Resources	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days: How much has your health been a drain on the financial resources of you or your family?	WHODAS 2.0 36-item Version Self-administered - Drain on Financial Resources
C130823	WD7-Eating	WD7-Eating	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Eating?	WHODAS 2.0 36-item Version Self-administered - Eating
C130842	WD7-Emotionally Affected by Health	WD7-Emotionally Affected by Health	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days: How much have you been emotionally affected by your health condition?	WHODAS 2.0 36-item Version Self-administered - Emotionally Affected by Health
C130812	WD7-Finding Solutions to Problems	WD7-Finding Solutions to Problems	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Analysing and finding solutions to problems in day-to-day life?	WHODAS 2.0 36-item Version Self-administered - Finding Solutions to Problems
C130827	WD7-Get Along With People Close to You	WD7-Get Along With People Close to You	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Getting along with people who are close to you?	WHODAS 2.0 36-item Version Self-administered - Get Along With People Close to You
C130836	WD7-Getting All Work Done You Need	WD7-Getting All Work Done You Need	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - Because of your health condition, in the past 30 days, how much difficulty did you have in: Getting all the work done that you need to do?	WHODAS 2.0 36-item Version Self-administered - Getting All Work Done You Need
C130822	WD7-Getting Dressed	WD7-Getting Dressed	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Getting dressed?	WHODAS 2.0 36-item Version Self-administered - Getting Dressed
C130832	WD7-Getting Household Work Done Needed	WD7-Getting Household Work Done Needed	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Getting all the household work done that you needed to do?	WHODAS 2.0 36-item Version Self-administered - Getting Household Work Done Needed
C130833	WD7-Getting Household Work Done Quickly	WD7-Getting Household Work Done Quickly	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Getting your household work done as quickly as needed?	WHODAS 2.0 36-item Version Self-administered - Getting Household Work Done Quickly
C130819	WD7-Getting Out of Your Home	WD7-Getting Out of Your Home	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Getting out of your home?	WHODAS 2.0 36-item Version Self-administered - Getting Out of Your Home
C130837	WD7-Getting Work Done Quickly as Needed	WD7-Getting Work Done Quickly as Needed	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - Because of your health condition, in the past 30 days, how much difficulty did you have in: Getting your work done as quickly as needed?	WHODAS 2.0 36-item Version Self-administered - Getting Work Done Quickly as Needed

Detailed Item Information				
ID	Item Name	Item Description	Question Text	Scale Name
C130846	WD7-How Many Days Difficulties Present	WD7-How Many Days Difficulties Present	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - Overall, in the past 30 days, how many days were these difficulties present?	WHODAS 2.0 36-item Version Self-administered - How Many Days Difficulties Present
C130848	WD7-How Many Days Reduce Activities	WD7-How Many Days Reduce Activities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, not counting the days that you were totally unable, for how many days did you cut back or reduce your usual activities or work because of any health condition?	WHODAS 2.0 36-item Version Self-administered - How Many Days Reduce Activities
C130813	WD7-Learning a New Task	WD7-Learning a New Task	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Learning a new task, for example, learning how to get to a new place?	WHODAS 2.0 36-item Version Self-administered - Learning a New Task
C130826	WD7-Maintaining a Friendship	WD7-Maintaining a Friendship	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Maintaining a friendship?	WHODAS 2.0 36-item Version Self-administered - Maintaining a Friendship
C130828	WD7-Making New Friends	WD7-Making New Friends	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Making new friends?	WHODAS 2.0 36-item Version Self-administered - Making New Friends
C130818	WD7-Moving Around Inside Your Home	WD7-Moving Around Inside Your Home	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Moving around inside your home?	WHODAS 2.0 36-item Version Self-administered - Moving Around Inside Your Home
C130839	WD7-Problem Because of Barriers in World	WD7-Problem Because of Barriers in World	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days: How much of a problem did you have because of barriers or hindrances in the world around you?	WHODAS 2.0 36-item Version Self-administered - Problem Because of Barriers in World
C130844	WD7-Problem Did Your Family Have	WD7-Problem Did Your Family Have	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days: How much of a problem did your family have because of your health problems?	WHODAS 2.0 36-item Version Self-administered - Problem Did Your Family Have
C130845	WD7-Problem Doing Things for Relaxation	WD7-Problem Doing Things for Relaxation	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days: How much of a problem did you have in doing things by yourself for relaxation or pleasure?	WHODAS 2.0 36-item Version Self-administered - Problem Doing Things for Relaxation
C130838	WD7-Problem Joining Community Activities	WD7-Problem Joining Community Activities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days: How much of a problem did you have in joining in community activities (for example, festivities, religious or other activities) in the same way as anyone else can?	WHODAS 2.0 36-item Version Self-administered - Problem Joining Community Activities
C130840	WD7-Problem Living with Dignity	WD7-Problem Living with Dignity	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days: How much of a problem did you have living with dignity because of the attitudes and actions of others?	WHODAS 2.0 36-item Version Self-administered - Problem Living with Dignity
C130811	WD7-Remembering to Do Important Things	WD7-Remembering to Do Important Things	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Remembering to do important things?	WHODAS 2.0 36-item Version Self-administered - Remembering to Do Important Things
C130829	WD7-Sexual Activities	WD7-Sexual Activities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Sexual activities?	WHODAS 2.0 36-item Version Self-administered - Sexual Activities
C130816	WD7-Standing for Long Periods	WD7-Standing for Long Periods	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Standing for long periods such as 30 minutes?	WHODAS 2.0 36-item Version Self-administered - Standing for Long Periods
C130817	WD7-Standing Up From Sitting Down	WD7-Standing Up From Sitting Down	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Standing up from sitting down?	WHODAS 2.0 36-item Version Self-administered - Standing Up From Sitting Down
C130815	WD7-Starting/Maintaining Conversation	WD7-Starting/Maintaining Conversation	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Starting and maintaining a conversation?	WHODAS 2.0 36-item Version Self-administered - Starting or Maintaining Conversation
C130824	WD7-Staying by Yourself for a Few Days	WD7-Staying by Yourself for a Few Days	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Staying by yourself for a few days?	WHODAS 2.0 36-item Version Self-administered - Staying by Yourself for a Few Days
C130841	WD7-Time Spend on Your Health Condition	WD7-Time Spend on Your Health Condition	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days: How much time did you spend on your health condition, or its consequences?	WHODAS 2.0 36-item Version Self-administered - Time Spend on Your Health Condition

Assessment Item Details				
Item ID	Item Name	Item Description	Question Text	Scale Name
C130814	WD7-Understanding What People Say	WD7-Understanding What People Say	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Generally understanding what people say?	WHODAS 2.0 36-item Version Self-administered - Understanding What People Say
C130820	WD7-Walking a Long Distance	WD7-Walking a Long Distance	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Walking a long distance such as a kilometre [or equivalent]?	WHODAS 2.0 36-item Version Self-administered - Walking a Long Distance
C130821	WD7-Washing Your Whole Body	WD7-Washing Your Whole Body	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - in the past 30 days, how much difficulty did you have in: Washing your whole body?	WHODAS 2.0 36-item Version Self-administered - Washing Your Whole Body
C130834	WD7-Your Day-to-Day Work/School	WD7-Your Day-to-Day Work/School	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - Because of your health condition, in the past 30 days, how much difficulty did you have in: your day-to-day work/school?	WHODAS 2.0 36-item Version Self-administered - Your Day-to-Day Work or School

NCI Code: C124680, Codelist extensible: No

C117747	WHEG0101	WHEG01-WH Hepatic Encephalopathy Grade	West Haven Hepatic Encephalopathy Grade - Grade.	West Haven Criteria - West Haven Hepatic Encephalopathy Grade
---------	----------	----------------------------------------	--------------------------------------------------	---------------------------------------------------------------

C117747	WHEG01-WH Hepatic Encephalopathy Grade	WHEG01-WH Hepatic Encephalopathy Grade	West Haven Hepatic Encephalopathy Grade - Grade.	West Haven Criteria - West Haven Hepatic Encephalopathy Grade

C124777	WHIVS101	WHIVS1-WHO Clinical Stage of HIV/AIDS	WHO Clinical Staging of HIV/AIDS for Adults and Adolescents - WHO clinical stage of HIV/AIDS.	WHO Clinical Staging of HIV/AIDS for Adults and Adolescents - WHO Clinical Stage of HIV/AIDS
---------	----------	---------------------------------------	-----------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------

C124777	WHIVS1-WHO Clinical Stage of HIV/AIDS	WHIVS1-WHO Clinical Stage of HIV/AIDS	WHO Clinical Staging of HIV/AIDS for Adults and Adolescents - WHO clinical stage of HIV/AIDS.	WHO Clinical Staging of HIV/AIDS for Adults and Adolescents - WHO Clinical Stage of HIV/AIDS
---------	---------------------------------------	---------------------------------------	-----------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------

C124778	WHIVS201	WHIVS2-WHO Clinical Stage of HIV/AIDS	WHO Clinical Staging of HIV/AIDS for Children - WHO clinical stage of HIV/AIDS.	WHO Clinical Staging of HIV/AIDS for Children - WHO Clinical Stage of HIV/AIDS
---------	----------	---------------------------------------	---------------------------------------------------------------------------------	--------------------------------------------------------------------------------

C124778	WHIVS2-WHO Clinical Stage of HIV/AIDS	WHIVS2-WHO Clinical Stage of HIV/AIDS	WHO Clinical Staging of HIV/AIDS for Children - WHO clinical stage of HIV/AIDS.	WHO Clinical Staging of HIV/AIDS for Children - WHO Clinical Stage of HIV/AIDS
---------	---------------------------------------	---------------------------------------	---------------------------------------------------------------------------------	--------------------------------------------------------------------------------

Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0					
C100949	WPAI0101	WPAI01-Currently Employed	Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 - Are you currently employed (working for pay)?	WPAI:SHP v2.0 - Currently Employed	
C100950	WPAI0102	WPAI01-Missed Work Hours Due to Problem	Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 - During the past seven days, how many hours did you miss from work because of problems associated with your problem?	WPAI:SHP v2.0 - Missed Work Hours Due to Problem	
C100951	WPAI0103	WPAI01-Missed Work Hours Due to Other	Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 - During the past seven days, how many hours did you miss from work because of any other reason, such as vacation, holidays, time off to participate in this study?	WPAI:SHP v2.0 - Missed Work Hours Due to Other Reasons	
C100952	WPAI0104	WPAI01-Hours Actually Worked	Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 - During the past seven days, how many hours did you actually work?	WPAI:SHP v2.0 - Hours Actually Worked	
C100953	WPAI0105	WPAI01-Problem Affect Productivity	Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 - During the past seven days, how much did your problem affect your productivity while you were working?	WPAI:SHP v2.0 - Problem Affects Productivity	
C100954	WPAI0106	WPAI01-Problem Affect Reg Daily Activity	Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 - During the past seven days, how much did your problem affect your ability to do your regular daily activities, other than work at a job?	WPAI:SHP v2.0 - Problem Affects Regular Daily Activity	
C166349	WPAI0107	WPAI01-Absenteeism Score	Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 - Absenteeism score.	WPAI:SHP v2.0 - Absenteeism Score	
C166350	WPAI0108	WPAI01-Presenteeism Score	Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 - Presenteeism score.	WPAI:SHP v2.0 - Presenteeism Score	
C166351	WPAI0109	WPAI01-Work Productivity Loss Score	Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 - Work productivity loss score.	WPAI:SHP v2.0 - Work Productivity Loss Score	
C166352	WPAI0110	WPAI01-Activity Impairment Score	Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 - Activity impairment score.	WPAI:SHP v2.0 - Activity Impairment Score	

C166349	WPAI01-Absenteeism Score	WPAI01-Absenteeism Score	Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 - Absenteeism score.	WPAI:SHP v2.0 - Absenteeism Score	
C166352	WPAI01-Activity Impairment Score	WPAI01-Activity Impairment Score	Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 - Activity impairment score.	WPAI:SHP v2.0 - Activity Impairment Score	
C100949	WPAI01-Currently Employed	WPAI01-Currently Employed	Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 - Are you currently employed (working for pay)?	WPAI:SHP v2.0 - Currently Employed	
C100952	WPAI01-Hours Actually Worked	WPAI01-Hours Actually Worked	Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 - During the past seven days, how many hours did you actually work?	WPAI:SHP v2.0 - Hours Actually Worked	
C100951	WPAI01-Missed Work Hours Due to Other	WPAI01-Missed Work Hours Due to Other	Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 - During the past seven days, how many hours did you miss from work because of any other reason, such as vacation, holidays, time off to participate in this study?	WPAI:SHP v2.0 - Missed Work Hours Due to Other Reasons	
C100950	WPAI01-Missed Work Hours Due to Problem	WPAI01-Missed Work Hours Due to Problem	Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 - During the past seven days, how many hours did you miss from work because of problems associated with your problem?	WPAI:SHP v2.0 - Missed Work Hours Due to Problem	
C166350	WPAI01-Presenteeism Score	WPAI01-Presenteeism Score	Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 - Presenteeism score.	WPAI:SHP v2.0 - Presenteeism Score	
C100953	WPAI01-Problem Affect Productivity	WPAI01-Problem Affect Productivity	Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 - During the past seven days, how much did your problem affect your productivity while you were working?	WPAI:SHP v2.0 - Problem Affects Productivity	
C100954	WPAI01-Problem Affect Reg Daily Activity	WPAI01-Problem Affect Reg Daily Activity	Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 - During the past seven days, how much did your problem affect your ability to do your regular daily activities, other than work at a job?	WPAI:SHP v2.0 - Problem Affects Regular Daily Activity	
C166351	WPAI01-Work Productivity Loss Score	WPAI01-Work Productivity Loss Score	Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 - Work productivity loss score.	WPAI:SHP v2.0 - Work Productivity Loss Score	

C166321	WPAI0201	WPAI02-Currently Employed	Work Productivity and Activity Impairment Questionnaire - General Health V2.0 - Are you currently employed (working for pay)?	WPAI-GH Version 2 - Currently Employed
C166322	WPAI0202	WPAI02-Hours Miss Work Health Problems	Work Productivity and Activity Impairment Questionnaire - General Health V2.0 - During the past seven days, how many hours did you miss from work because of your health problems?	WPAI-GH Version 2 - Hours Miss Work Health Problems
C166323	WPAI0203	WPAI02-Hours Miss Work Other Reason	Work Productivity and Activity Impairment Questionnaire - General Health V2.0 - During the past seven days, how many hours did you miss from work because of any other reason, such as vacation, holidays, time off to participate in this study?	WPAI-GH Version 2 - Hours Miss Work Other Reason
C166324	WPAI0204	WPAI02-Hours Actually Work	Work Productivity and Activity Impairment Questionnaire - General Health V2.0 - During the past seven days, how many hours did you actually work?	WPAI-GH Version 2 - Hours Actually Work
C166325	WPAI0205	WPAI02-Problems Affect Productivity	Work Productivity and Activity Impairment Questionnaire - General Health V2.0 - During the past seven days, how much did your health problems affect your productivity while you were working?	WPAI-GH Version 2 - Problems Affect Productivity
C166326	WPAI0206	WPAI02-Problems Affect Daily Activities	Work Productivity and Activity Impairment Questionnaire - General Health V2.0 - During the past seven days, how much did your health problems affect your ability to do your regular daily activities, other than work at a job?	WPAI-GH Version 2 - Problems Affect Daily Activities
C166327	WPAI0207	WPAI02-Absenteeism Score	Work Productivity and Activity Impairment Questionnaire - General Health V2.0 - Absenteeism score.	WPAI-GH Version 2 - Absenteeism Score
C166328	WPAI0208	WPAI02-Presenteeism Score	Work Productivity and Activity Impairment Questionnaire - General Health V2.0 - Presenteeism score.	WPAI-GH Version 2 - Presenteeism Score
C166329	WPAI0209	WPAI02-Work Productivity Loss Score	Work Productivity and Activity Impairment Questionnaire - General Health V2.0 - Work productivity loss score.	WPAI-GH Version 2 - Work Productivity Loss Score
C166330	WPAI0210	WPAI02-Activity Impairment Score	Work Productivity and Activity Impairment Questionnaire - General Health V2.0 - Activity impairment score.	WPAI-GH Version 2 - Activity Impairment Score

C166327	WPAI02-Absenteeism Score	WPAI02-Absenteeism Score	Work Productivity and Activity Impairment Questionnaire - General Health V2.0 - Absenteeism score.	WPAI-GH Version 2 - Absenteeism Score
C166330	WPAI02-Activity Impairment Score	WPAI02-Activity Impairment Score	Work Productivity and Activity Impairment Questionnaire - General Health V2.0 - Activity impairment score.	WPAI-GH Version 2 - Activity Impairment Score
C166321	WPAI02-Currently Employed	WPAI02-Currently Employed	Work Productivity and Activity Impairment Questionnaire - General Health V2.0 - Are you currently employed (working for pay)?	WPAI-GH Version 2 - Currently Employed
C166324	WPAI02-Hours Actually Work	WPAI02-Hours Actually Work	Work Productivity and Activity Impairment Questionnaire - General Health V2.0 - During the past seven days, how many hours did you actually work?	WPAI-GH Version 2 - Hours Actually Work
C166322	WPAI02-Hours Miss Work Health Problems	WPAI02-Hours Miss Work Health Problems	Work Productivity and Activity Impairment Questionnaire - General Health V2.0 - During the past seven days, how many hours did you miss from work because of your health problems?	WPAI-GH Version 2 - Hours Miss Work Health Problems
C166323	WPAI02-Hours Miss Work Other Reason	WPAI02-Hours Miss Work Other Reason	Work Productivity and Activity Impairment Questionnaire - General Health V2.0 - During the past seven days, how many hours did you miss from work because of any other reason, such as vacation, holidays, time off to participate in this study?	WPAI-GH Version 2 - Hours Miss Work Other Reason
C166328	WPAI02-Presenteeism Score	WPAI02-Presenteeism Score	Work Productivity and Activity Impairment Questionnaire - General Health V2.0 - Presenteeism score.	WPAI-GH Version 2 - Presenteeism Score
C166326	WPAI02-Problems Affect Daily Activities	WPAI02-Problems Affect Daily Activities	Work Productivity and Activity Impairment Questionnaire - General Health V2.0 - During the past seven days, how much did your health problems affect your ability to do your regular daily activities, other than work at a job?	WPAI-GH Version 2 - Problems Affect Daily Activities
C166325	WPAI02-Problems Affect Productivity	WPAI02-Problems Affect Productivity	Work Productivity and Activity Impairment Questionnaire - General Health V2.0 - During the past seven days, how much did your health problems affect your productivity while you were working?	WPAI-GH Version 2 - Problems Affect Productivity
C166329	WPAI02-Work Productivity Loss Score	WPAI02-Work Productivity Loss Score	Work Productivity and Activity Impairment Questionnaire - General Health V2.0 - Work productivity loss score.	WPAI-GH Version 2 - Work Productivity Loss Score