

PROTEXPRESS

User's Guide



Center for Bioinformatics

December 6, 2007

TABLE OF CONTENTS

About This Guide	1
Purpose	1
Audience	1
Typical User	1
Prerequisites	1
Topics Covered	1
Additional References	2
Text Conventions Used	2
Credits and Resources	3
 Chapter 1	
Working with protExpress	5
Using the Dashboard	5
Managing Protocols	6
Searching for a Protocol	6
Adding a Protocol	7
Editing a Protocol	7
Managing Experiments	9
Searching for an Experiment	9
Adding an Experiment	10
Adding an Experiment Run	10
Editing an Experiment Run	10
Adding a Protocol Action	11
Editing a Protocol Action	11
Adding a Protocol Application	11
Editing a Protocol Application	11
Editing an Experiment	11
Working with Inputs	12
Working with Outputs	12
Importing Data	12
Exporting Experiment Data	12

Appendix A	
protExpress Glossary	15

ABOUT THIS GUIDE

This section introduces you to the *protExpress User's Guide*. It includes the following topics:

- *Purpose* on this page
- *Audience* on this page
- *Topics Covered* on page 1
- *Additional References* on page 2
- *Text Conventions Used* on page 2
- *Credits and Resources* on page 3

Purpose

This guide provides an overview of protExpress. It explains how to use ...

Audience

Typical User

This guide is designed for ... who want to ...

Prerequisites

To get the most out of this guide, you should be familiar with the following topics:

- <topic>
- <topic>
- <topic>

This documentation is not intended for ...

Topics Covered

If you have worked with previous versions of protExpress, see *Additional References* on page 2.

If you are new to protExpress, read this brief overview, which explains what you will find in each chapter and appendix.

- <Chapter Number & Name> introduces ...
- <Chapter Number & Name> describes ...
- <Chapter 3> ...
- <Appendix Number & Name> provides general information about ...
- <Appendix Number & Name> is a glossary of terms related to protExpress.

Additional References

For more information about protExpress, see the following references:

- <Reference>
- <Reference>

Text Conventions Used

This section explains conventions used in this guide. The various typefaces represent interface components, keyboard shortcuts, toolbar buttons, dialog box options, and text that you type.

Convention	Description	Example
Bold	Highlights names of option buttons, check boxes, drop-down menus, menu commands, command buttons, or icons.	Click Search .
<u>URL</u>	Indicates a Web address.	http://domain.com
text in SMALL CAPS	Indicates a keyboard shortcut.	Press ENTER.
text in SMALL CAPS + text in SMALL CAPS	Indicates keys that are pressed simultaneously.	Press SHIFT + CTRL.
<i>Italics</i>	Highlights references to other documents, sections, figures, and tables.	See <i>Figure 4.5</i> .
<i>Italic boldface monospace type</i>	Represents text that you type.	In the New Subset text box, enter <i>Proprietary Proteins</i> .
Note:	Highlights information of particular importance	Note: This concept is used throughout the document.
{ }	Surrounds replaceable items.	Replace {last name, first name} with the Principal Investigator's name.

Credits and Resources

The following people contributed to the development of this document.

<i>protExpress Development and Management Teams</i>		
<i>Development</i>	<i>Documentation</i>	<i>Project and Product Management</i>
Name ¹	Carolyn Kelley Klinger ²	Name ⁷
Name ¹	Jill Hadfield ¹	Name ⁶
¹ National Cancer Institute Center for Bioinformatics (NCICB)	² Lockheed Martin Management Systems Designers	³ Northrup Grumman
⁴ University of Maryland, Department of Diagnostic Radiology	⁵ VA Maryland Healthcare System	⁶ MIRC Committee, Radiological Society of North America (RSNA)
<i>Contacts and Support</i>		
NCICB Application Support	http://ncicbsupport.nci.nih.gov/sw/ Telephone: 301-451-4384 Toll free: 888-478-4423	

CHAPTER 3

WORKING WITH PROTEXPRESS

This section includes the following topics:

- *Using the Dashboard* on page 5
- *Managing Protocols* on page 6
- *Managing Experiments* on page 9
- *Working with Inputs* on page 12
- *Working with Outputs* on page 12
- *Importing Data* on page 12
- *Exporting Experiment Data* on page 12

Using the Dashboard

After logging in to protExpress, you arrive at the Dashboard. To return to the Dashboard after working in other areas of protExpress, click **Dashboard** in the protExpress menu.

The protExpress Dashboard lists the three protocols and three experiments that you must recently added to protExpress, along with the dates when you added them. Only protocols and experiments that you own appear in these lists.

You can start the following tasks from the Dashboard:

- View a protocol or an experiment
- Search for a protocol or an experiment to view
- Add a new protocol or an experiment
- Edit a protocol or an experiment
- Import experiment data

For more information, see:

- *Managing Protocols* on page 6
- *Managing Experiments* on page 9
- *Importing Data* on page 12

Managing Protocols


This section includes the following tasks:

- *Searching for a Protocol* on page 6
- *Adding a Protocol* on page 7
- *Editing a Protocol* on page 7

Searching for a Protocol

The protocol you want to work with may not appear in the Dashboard, which lists only the three protocols you most recently added to protExpress. To find other protocols, you can search for them.

To search for a protocol

1. On the Dashboard, click  **Search** in the Protocols area or select the **Protocols** menu. The Search Protocols page appears.

Search Protocols | [Add New Protocol](#)

Search Criteria

Name:
Description:
Type:

Protocol Application
Experiment Run
Experiment Run Output

Search

Figure 3.1 Search Protocols page

2. Optionally, enter or select one or more search criteria. The more search criteria you specify, the fewer results you receive. Search criteria are all optional and include:
 - **Name:** enter any character in the protocol name
 - **Description:** enter any character in the protocol description
 - **Type:** select Protocol Application, Experiment Run, or Experiment Run Output

Note: If you do not enter or select any search criteria, all protocols in protExpress appear in the search results.

3. Click **Search**. Search results appear in a table below the search criteria. You can edit any protocol in the list that you own.


For more information, see:

- *Editing a Protocol* on page 7

Adding a Protocol

When you add a protocol, protExpress considers you the protocol's owner and you are the only one who can edit it.

To add a protocol

1. On the Dashboard or Search Protocols page, click . The Add New Protocol page appears.





Figure 3.2 Add New Protocol page


2. In the **LSID** box, enter the [Life Science Identifier](#) for the protocol. This is a required field.
3. In the **Name** box, enter a name for the new protocol. This is a required field.
4. From the **Type** list, select a protocol type. Options include [Protocol Application](#), [Experiment Run](#), and Experiment Run Output.
5. Optionally, enter the protocol's description and its associated software and instrument in the boxes with those names.
6. Click . The Edit Protocol: *Protocol Name* page appears.

The Overview tab contains the values you entered in steps 2. - 5. You can now optionally provide additional information about the protocol in the Input/Output, Contact, and Parameters tabs. For more information about these tabs, see *Editing a Protocol* on page 7.

Editing a Protocol




As a protocol owner, you can edit any of the protocol's properties. Protocol properties in protExpress mirror those specified in the [XAR](#) format used by [CPAS](#).

To edit a protocol

1. Find the protocol you want to edit by either of the following methods:
 - In the Dashboard's Protocols section, click .
 - In the Actions column on the Search Results page, click **Edit**.

The Edit Protocol: *Protocol Name* page appears.

2. As needed, edit the protocol's properties that are listed in the Overview, Input/Output, Contact, and Parameters tabs. Refer to *Table 3.1* below for more information about these properties.

- Before moving to another tab, click  **Save** to save your changes or click  **Cancel** to delete them. If you do not click  **Save** before moving to another tab, you will lose your changes.

Note: Hover your mouse over the maroon, dotted text below to see a popup window with more information about the word.

Options Available on Each Tab	Expected Value
Overview Tab	
LSID (required)	Life Science Identifier
Name (required)	Protocol name
Description	Protocol description
Type	Select Protocol Application, Experiment Run, or Experiment Run Output
Software	Software associated with protocol
Instrument	Instrument associated with protocol
Input/Output Tab	
Max Input Material	Maximum number of material input objects generated for this protocol application
Max Input Data	Maximum number of data input objects generated for this protocol application
Output Material	Description of output material
Output Data	Description of output data
Output Material Type	Base type of output material (default type is <code>Material</code>)
Output Data Type	Base type of output data (default type is <code>Data</code>)
Contact Tab	
First Name	Protocol owner's first name
Last Name	Protocol owner's last name
Email Address	Protocol owner's first name email address
Contact Id	Any other unique identifier for the protocol owner
Parameters Tab	
Application LSID Template	Information about the application LSID template, which directs how application LSIDs are formed at load time
Application Name Template	Information about the application name template, which directs how application names are formed at load time
Output Material LSID Template	Information about the output material LSID template, which directs how output material LSIDs are formed at load time
Output Material Name Template	Information about the output material name template, which directs how output material names are formed at load time

Table 3.1 Properties of each protocol

Options Available on Each Tab	Expected Value
Output Data LSID Template	Information about the output data LSID template, which directs how output data LSIDs are formed at load time
Output Data Name Template	Information about the output data name template, which directs how output data names are formed at load time
Output Data File Template	Information about the output data file template, which directs how output data files are formed at load time
Output Data Directory Template	Information about the output data directory template, which directs how output data directories are formed at load time

Table 3.1 Properties of each protocol

Managing Experiments


This section includes the following procedures:

- *Searching for an Experiment* on page 9
- *Adding an Experiment* on page 10
- *Adding an Experiment Run* on page 10
- *Editing an Experiment Run* on page 10
- *Adding a Protocol Action* on page 11
- *Editing a Protocol Action* on page 11
- *Editing an Experiment* on page 11

Searching for an Experiment

The Dashboard lists the three experiments you most recently added to protExpress. To find other experiments, you can search for them.

To search for an experiment

1. On the Dashboard, click  **Search** in the Experiments area or select the **Experiments** menu. The Search Experiments page appears.
2. Optionally, enter or select one or more search criteria. The more search criteria you specify, the fewer results you receive. Search criteria are all optional and include:
 - **Name:** enter any character in the experiment name
 - **Comments:** enter any character that might appear in the experiment's comments

Note: If you do not enter or select any search criteria, all experiments in protExpress appear in the search results.
3. Click **Search**. Search results appear in a table below the search criteria. You edit any experiment in the list that you own.


For more information, see:

- *Editing an Experiment* on page 11

Adding an Experiment

When you add an experiment, protExpress considers you the experiment's owner and you are the only one who can edit it.

To add a protocol

1. On the Dashboard or Search Experiments page, click . The Experiment Overview tab on the Add New Experiment page appears.

Add New Experiment

Overview

Experiment Overview

LSID:

Name:

Comments:

Hypothesis:

URL:




 Cancel  Save

Figure 3.3 Add New Experiment page

2. In the **LSID** box, enter the *Life Science Identifier* for the experiment. This is a required field.
3. In the **Name** box, enter a name for the new experiment. This is a required field.
4. Optionally, enter relevant text into the **Comments**, **Hypothesis**, and **URL** boxes.
5. Click . Additional tabs appear behind the Overview tab where you can complete storing information about the experiment.

Experiment 3

Overview Protocol Actions Experiment Runs Contact Export

Experiment Overview

LSID:

Name:

Comments:

Hypothesis:

URL:



 Cancel  Save

Figure 3.4 Additional Tabs for Experiment Information

For more information about these additional tabs, see *Editing an Experiment* on page 11.

Adding an Experiment Run

Documentation to come.

Editing an Experiment Run

Documentation to come.

Adding a Protocol Action

Documentation to come.

Editing a Protocol Action

Documentation to come.

Adding a Protocol Application

Documentation to come.


Editing a Protocol Application

Documentation to come.




Editing an Experiment

As an experiment owner, you can edit any of the experiment's properties. Experiment properties in protExpress mirror those specified in the [XAR](#) format used by [CPAS](#).

To edit an experiment

- Find the experiment you want to edit by either of the following methods:
 - In the Dashboard's Experiments section, click .
 - In the Actions column on the Search Results page, click **Edit**.

The *Experiment Name* page appears.

- As needed, edit the experiment's properties that are listed in the Overview, Protocol Actions, Experiment Runs, Contact, and Export tabs. Refer to [Table 3.1](#) below for more information about these properties.
- Before moving to another tab, click  **Save** to save your changes or click  **Cancel** to delete them. If you do not click  **Save** before moving to another tab, you will lose your changes.

Note: Hover your mouse over the maroon, dotted text below to see a popup window with more information about the word.

Tab Field	Expected Value
Overview Tab	
LSID (required)	Life Science Identifier
Name (required)	Protocol name
Comments	Text comments about the experiment
Hypothesis	Hypothesis related to the experiment
URL	Web site with more information about the experiment
Protocol Actions Tab	
See Adding a Protocol Action on page 11 and Editing a Protocol Action on page 11 for more information about working with protocol actions.	
Experiment Runs Tab	

Table 3.2 Properties of each experiment

Tab Field	Expected Value
See <i>Adding an Experiment Run</i> on page 10, and <i>Editing an Experiment Run</i> on page 10 for more information about working with experiment runs.	
Contact Tab	
First Name	Protocol owner's first name
Last Name	Protocol owner's last name
Email Address	Protocol owner's first name email address
Contact Id	Any other unique identifier for the protocol owner
Export Tab	
See <i>Exporting Experiment Data</i> on page 12 for more information about exporting experiment data.	

Table 3.2 Properties of each experiment

Working with Inputs

Documentation to come.

Working with Outputs

Documentation to come.


Importing Data

Documentation to come.

Exporting Experiment Data

You can export experiment data from protExpress to XAR 2.2 format.


To export experiment data

1. Find the experiment you want to export by either of the following methods:
 - In the Dashboard's Experiments section, click .
 - In the Actions column on the Search Results page, click **Edit**.The *Experiment Name* page appears.

2. Select the **Export** tab. The Export tab appears.



Figure 3.5 Export tab

3. At this time, the only available file type is XAR 2.2. In future releases, you will be able to select from several file types in the File Type drop-down list.
4. Click  **Save**. A browser window opens with all of the current experiment's data in XML format. Use your browser functions to save this window as a file on your local computer.

Tip: Click your browser's **Back** button to return to protExpress.

APPENDIX

A

PROTEXPRESS GLOSSARY

This glossary defines acronyms, abbreviations, and terminology used in protExpress.

<i>Term</i>	<i>Definition</i>
CPAS (Computational Proteomics Analysis System)	A web-based system built on the LabKey Server for managing, analyzing, and sharing high volumes of tandem mass spectrometry data. CPAS employs open-source tools provided by the Trans Proteomic Pipeline, developed by the Institute for Systems Biology.
Data	A data object refers to a measurement value or control value, or a set of such values. Data objects can be references to data stored in files or in database tables, or they can be complete in themselves. Data objects can be copied and reused a limitless number of times. Data objects are often generated by instruments or computers, which may make it important to keep track of machine models and software versions in the applications that create data objects.
Experiment	A grouping of experiment runs for the purpose of comparison or export. Currently an experiment run belongs to one and only one experiment, which must live in the same folder in CPAS.
Experiment Run	A series of experimental steps performed on specific inputs, producing specific outputs.
LSID (Life Science Identifier)	Persistent, location-independent, resource identifiers for uniquely naming biologically significant resources including species names, concepts, occurrences, genes or proteins, or data objects that encode information about them.

Table A.1 Glossary of terms used in protExpress

Term	Definition
Material	A material object refers to some biological sample or processed derivative of a sample. Examples of material objects include blood, tissue, protein solutions, dyed protein solutions, and the content of wells on a plate. Materials have a finite amount and usually a finite life span, which often makes it important to track measurement amounts and storage conditions for these objects.
protExpress	A proteomics experiment and protocol data management tool that you can use to search and administer proteomics experiment and protocol data through online forms
Proteomics	Large-scale study of proteins, particularly their structures and functions
Protocol	A description of how an experimental step is performed. A Protocol object describes an operation that takes as input some Material and/or Data objects, and produces as output some Material and/or Data objects.
Protocol Application	The application of a protocol to some specific set of inputs, producing some outputs. A protocol application is like an instance of the protocol. A protocol application belongs to an experiment run, whereas protocol objects themselves are often shared across runs. When the same protocol is applied to multiple inputs in parallel, the experiment run will contain multiple protocol applications object for that protocol object. Protocol applications have associated parameter values for the parameters declared by the protocol.
XAR File	A compressed, single-file package of experimental data and descriptions. A XAR file expands into a single root folder with any combination of subfolders containing experimental data and settings files. At the root of a XAR file is a xar.xml file that serves as a manifest for the contents of the XAR as well as a structured description of the experiment that produced the data.

Table A.1 Glossary of terms used in protExpress

INDEX

C

CPAS, definition 15

D

Data, definition 15

E

Experiment, definition 15

Experiment run, definition 15

L

LSID, definition 15

M

Material, definition 16

P

Proteomics, definition 16

protExpress, definition 16

Protocol, definition 16

Protocol application 16

X

XAR file, definition 16

