

NCKU Programming Contest Training Course Strong Connected Component(SCC) 2018/04/25

Syuan-Yi Lin(petermouse)

petermouselin@gmail.com

Department of Computer Science and Information Engineering National Cheng Kung University Tainan, Taiwan



made by tommy5198 & free999 & electorn & petermouse



Outline



 Articulation/Bridge (in undirected graph)

 Strongly Connected Component(SCC) (in directed graph)








 connected graph/component connected graph/component iff all pairwise vertices exist at least one path & no more vertices can be added

articulation(cut-vertex)
remove articulation vertex split
one component to two

bridge(cut-edge)
 same as articulation





- Find Articulation in Graph
 - Graph become non-connected if remove a Articulation.
 V times DFS = O(V*(V+E)) -> too slow!
 - Vertex is not Articulation if can find alternative path–> find cycle!
 - Use DFS -> O(V+E)







Concept

- DFS traversel will construct a DFS tree
- if vertex u's children can't back to u's ancestors
- —> u is Articulation
- if vertex u is root and has at least 2 child
- -> u is Articulation


Bridge?

- two Articulation u, v have an edge —> (u, v) is Bridge!













acm international Callegiate Programming Contact
























- dfn[u] = DFS traversal order
 - first visit time each vertex u in DFS

- low[u] = min(dfn[u], lowest low[v])
 - if edge (u,v) exist and v is not u's parent





Articulation/Bridge

Articulation

- if vertex u's children can't back to u's ancestors
- -> dfn[u] <= low[v], v is u's child</pre>
- if vertex u is root and has at least 2 child
- -> count child >= 2

Bridge?

- two Articulation u, v -> dfn[u] < low[v], v is u's child






• code

```
23 void DFS(int prev, int cur)
24 ⊟ {
            bool cut = false;
25
                     int child = 0;
26
27 ----low[cur] = dfn[cur] = ++dfsn;
28 - · · · for(int idx = adj_list[cur]; ~idx; idx = edge[idx].next) {
29 = ···· if(!dfn[edge[idx].to]) {
30 Processing Street St
31 | low[edge[idx].to]);
32 = ----if(low[edge[idx].to] >= dfn[cur])
33
                   cut = true;
34 ----+child;
35 | ···· } else if(edge[idx].to != prev)
37 | . . . }
38 □ · · · if((child > 1 | prev != -1) && cut)
39 ---- ans++;
```






Note: This is an undirected graph














































































































































Practice




UVA - 315








- connected component in directed graph
 - same definition in undirected graph





SCC



















find all SCCs, contract all cycles —> DAG (directed acyclic graph)

- Kosaraju's Algorithm

- Tarjan's Algorithm










Kosaraju's algorithm

STRONGLY-CONNECTED-COMPONENTS(G)


- Call DFS(G) to compute finishing time for each vertex.
- 2. Compute transpose of G i.e., G^T.
- 3. Call DFS(G^T) but this time consider the vertices in order of decreasing finish time.
- 4. Out the vertices of each tree in DFS-forest.

twice DFS —> total complexity: O(V+E)







_			 		
Г					



_			 		
Г					





_			 		
Г					




_			 		
Г					








_			 		
Г					




	_				
l -					
 					
1 / 1					







_						
	h	A				
		u				
		<u> </u>				




- 1						· '	i I
- 1		l .				1 '	i l
- 1	n	1 🗖				1 '	i l
- 1	11	ıu				1 '	i I
- 1						1	1 1



- 1						· '	i I
- 1		l .				1 '	i l
- 1	n	1 🗖				1 '	i l
- 1	11	ıu				1 '	i I
- 1						1	1 1




h	d	f				
1	•	-				




h	d	f	a			
	J	-	9			






h	d	f	a	С			
	~	•	9	•			1




ı		ī	i		1			
	I_	_1	<u></u>					
	n	Ia	T	l a	I C			į į
		•	l -	9			i	İ





1								
- 1								
- 1	h	d	†	a	\mathbf{C}	6		
- 1	• •	J	•	9	U	_		ĺ






h	Ч	f	a	C	Δ	h		
П	ļū		9	C	E	D		



Algorithm

a finish!




1									
- 1			•						
- 1	n I	d	†	a	C	6	h	a	
- 1		G	•	9	J	0		u	



Algorithm


Reverse the graph



h	Ч	f	a	C	e	h	а	
11	ĮϤ	•	19	•	-	l D	a	




- Algorithm
 - Reverse the graph



h	Ч	f	a	C	6	h	а	
11	u	•	9	C	<u> </u>	D	a	




- Algorithm
 - Reverse the graph
 - Re-search by the ending time



h	Ч	f	a	C	6	h	а	
11	u	•	9	C	<u> </u>	D	a	




- Algorithm
 - Reverse the graph
 - Re-search by the ending time



1									
	_	_	_				_		
	h		l f	\sim			lh		
		u		u	C		l D	a	
		_		J		_	_		i




- Algorithm
 - Reverse the graph
 - Re-search by the ending time



		h	d	f	q	С	е	b	а		
--	--	---	---	---	---	---	---	---	---	--	--




- Algorithm
 - Reverse the graph
 - Re-search by the ending time



1									
			•						ĺ
	h l	d	†	a	C	6	l h	а	ĺ
	• •	ч	•	9	U	U	D	u	ĺ



- Algorithm
 - Reverse the graph
 - Re-search by the ending time




h	٦	f	a	0	0	h	2	
N	u	I	9	C	е	D	a	





- Algorithm
 - Reverse the graph
 - Re-search by the ending time




			ī					
h	d	f	a	C	e	h	а	
1	G	'	19				ч	





- Algorithm
 - Reverse the graph
 - Re-search by the ending time




h	d	f	a	С	е	h	а	
• •	ч	•	9	ļ	0		ч	





- Algorithm
 - Reverse the graph
 - Re-search by the ending time




h	Н	f	a	C	Δ	h	a	
11	u	1	9	C	C	D	a	







- Algorithm
 - Reverse the graph
 - Re-search by the ending time




			i	i	1			
ın	l Cl	T .	la	l C	le	l D	а	
• •			9	•	•	2	a	





- Algorithm
 - Reverse the graph
 - Re-search by the ending time

4 components









Tarjan


```
void DFS(int v) {
  int top;
43
  dfn[v] = low[v] = ++dfn cnt;
44
  stk.push(v);
45
  in stk[v] = true;
  for (int idx = adj list[v]; ~idx; idx = edge[idx].next) {
   if (!dfn[edge[idx].to]) {
  DFS(edge[idx].to);
49
   low[v] = min(low[v], low[edge[idx].to]);
  else if (in stk[edge[idx].to]) {
  low[v] = min(low[v], dfn[edge[idx].to]);
  1...}
54
55
  if (dfn[v] == low[v]) {
  do {
57
   top = stk.top();
  stk.pop();
59
   in stk[top] = false;
  } while (top != v);
61
62
  ++ans;
63
  }
64
```








• Tarjan












• Tarjan












• Tarjan






































C b а










C b а



































IBW. event sponsor

Tarjan




In stack


















IBM. event sponsor


Tarjan












h g C b а










dfn == low

h g C b а




















dfn == low












C b а










C b а










d C b а










d C b а











In stack












d C b а











dfn == low












b а





















b а










b а









In stack




b

а








b а









children's low < low



b


а






event sponsor

Tarjan




dfn == low




















4 strongly connected components



Practice



Uva - 11838







UVa 11504

