

LAO CHON LAM


laochanlam@gmail.com

Department of Computer Science and Information Engineering National Cheng Kung University Tainan, Taiwan






Outline



acm International Collegiate Programming Contest

Graph


- Vertex (V)
 - A, D, B, D
- Edge (E)
 - BC, CD,⋯
- degree (deg)
 - The Branch of a Vertex
- Path (P)
 - Non-duplicate Vertex Connected Seque
 - ADCB
- Cycle (C)
 - A Cycle whose Two Ending Points are th.




NCKU CSIE Programming Contest Training



Undirected Graph – G1, G2



- Directed Graph G3
 - deg: in-degree and out-degree




NCKU CSIE Programming Contest Training


Course



Multiple Edge




Complete Graph



NCKU CSIE Programming Contest Training




- Representation
 - adjacent list





- Representation
 - adjacent matrix




1	0	1	1	1
2	1	0	1	1
3	1	1	0	1
1	1	1	1	\cap


NCKU CSIE Programming Contest Training




Outline















A data structure consists of nodes. (at least two)





- A data structure consists of nodes. (at least two)
- Every pair of nodes must have one and only one path.(con nected)






- A data structure consists of nodes. (at least two)
- Every pair of nodes must have one and only one path.(con nected)

• Each tree has a root. (room be any nodes)



Relations: (using node 0 as root)

-**Leaf:** nodes with no branch. (3,4,5)






Relations: (using node 0 as root)

-Leaf: nodes with no branch.

-Parent/Children: has succesor nodes -Parent (1)

has predecessor node-children (3,4)



Made By louis7340 & Edit by




Relations: (using node 0 as root)

-Leaf: nodes with no branch.

-Parent/Children: has succesor nodes -Parent

has predecessor node-children

-Sibling: children with same parent (1,2)



acm International Collegiate Programming Contest event sponsor

Tree

Relations: (using node 0 as root)

-Leaf: nodes with no branch.

-Parent/Children: has succesor nodes -Parent


has predecessor node-children

-Sibling: children with same parent

-Ancestor: nodes that are on the path


from root to itself.

(3' s ancestor: 0,1)






• Tree Level: according to the distance to the root.






• Tree Height(Depth): the maximum distance from the root.





• **SubTree:** nodes that are not the root can form a subt ree






Feature:

- -no cycle
- -every pair of nodes are connected
- -every pair of nodes has only one path




Forest: n trees are disjoint (n ≥ 0)

 \(\omega \) can be empty





Outline





(D)epth-(F)irst-(S)earch




(D)epth (F)irst (S)earch


Stack



























































































































































































Source Code(adjacency list)

```
void DFS(int cur)
    vis[cur]=true;
    for(int i=0;i<adj[cur].size();i++)</pre>
    {
        int next=adj[cur][i];
        if(!vis[next])
             DFS(next);
    return;
```




Practice

[UVA-572] Oil Deposits



Outline





(B)readth-(F)irst-(S)earch




(B)readth-(F)irst-(S)earch

Queue




IBM. event sponsor






IBM. event sponsor















































6




































































































Source Code (adjacency list)

```
void BFS(int root)
    queue<int> que;
    que.push(root);
    visited[root]=true;
    while(!que.empty())
        int cur=que.front();
        que.pop();
        for(int i=0;i<adj[cur].size();i++)</pre>
        {
            int next=adj[cur][i];
            if(!visited[next])
                 visited[next]=true;
                 que.push(next);
        }
    return;
```



Practice

[UVA-532] Dungeon Master



• Skill:

int dir[4][2]={ {1,0},{-1,0},{0,1},{0,-1} }



Skill:

```
int dir[4][2]={ {1,0},{-1,0},{0,1},{0,-1} };
void DFS(int cur_x,int cur_y)
    vis[cur_x][cur_y]=1;
    for(int i=0;i<4;i++)</pre>
        int nx=cur_x+dir[i][0];
        int ny=cur_y+dir[i][1];
        //watch for boundary
        if( !vis[nx][ny])
            DFS(nx,ny);
```



Time Complexity

DFS
$$O(V+E)$$

BFS
$$O(V+E)$$

V: the number of nodes

E: the number of edges

(adjacency list)



Time Complexity

DFS $O(V^2)$

BFS $O(V^2)$

V: the number of nodes

E: the number of edges

(adjacency matrix)



HW3

Totally 28 problems

UVa:

260,336,352,383,439,532,539,567,571,601,7 05,

762,10004,10009,10474, 10505,10592,1060 3, 10946, 11624

POJ:

1129,1154,1416,1606,1753,1915,1979,2243



Thank for Your Attention