Salesforce

MCE-Dev-201

Salesforce Certified Marketing Cloud Engagement Developer

- Up to Date products, reliable and verified.
- Questions and Answers in PDF Format.

For More Information – Visit link below:

Web: www.examkill.com/

Version product

Latest Version: 6.0

Question: 1

A developer needs to identify all subscribers who were sent Job ID 420 but did not click any links. Which SQL statement would produce the desired results?

A.

```
SELECT s.SubscriberKey
FROM _Sent s
JOIN _Click c ON s.SubscriberKey = c.SubscriberKey AND s.JobID = c.JobID
WHERE s.JobID = 420
```

B.

```
SELECT s.SubscriberKey
FROM _Sent s
LEFT JOIN _Click c ON s.SubscriberKey = c.SubscriberKey AND s.JobID = c.JobID
WHERE s.JobID = 420 AND c.SubscriberKey IS NULL
```

C.

```
SELECT s.SubscriberKey
FROM _Sent s
JOIN _Click c ON s.SubscriberKey = c.SubscriberKey AND s.JobID = c.JobID
WHERE s.JobID = 420 AND c.SubscriberKey IS NULL
```

D.

```
SELECT s.SubscriberKey
FROM _Sent s
LEFT JOIN _Click c ON s.SubscriberKey = c.SubscriberKey AND s.JobID = c.JobID
WHERE s.JobID = 420
```

A. Option A
B. Option B
C. Option C
D. Option D

Answer: C

Question: 2

A marketing director at Northern Trail Outfitters wants to analyze the Send, Click, and Open Data Views. Which activities should the developer build to generate the data before transferring it to the SFTP?

A. Query Activity > Tracking Extract
B. Data Views Extract > Filter Activity
C. Filter Activity > Data Extension Extract
D. Query Activity > Data Extension Extract

Answer: B

Question: 3

A developer wants to retrieve daily JSON data from a customer's API and write it to a data extension for consumption in Marketing Cloud at a later time.
What set of Server-Side JavaScript activities should the developer use?

A. Platform.Function.InvokeRetrieve(); Platform.Function.ParseJSON(); Platform.Function.UpsertData();
B. Platform.Function.HTTPGet(); Platform.Function.ParseJSON(); Platform.Function.UpsertData();
C. Platform.Function.InvokeRetrievef); Platform.Function.Stringify(); Platform.Function.UpsertDE();
D. Platform.Function.HTTPGe(); Platform.Function.Stringify(); Platform.Response.Write();

Answer: C

Question: 4

A developer wants to retrieve a row of data from a data extension using the SOAP API. Which API Object should be used for this call?

A. DataExtensionField
B. DataExtension
C. DataExtensionObject
D. Row

Answer: C

Question: 5

A developer wants to write a query to compile data originating from an HTML form so it can be exported in CSV format. However, the source data extension may contain line breaks within the Comments field, which makes it difficult to read and sort the resulting CSV.
Which SQL functions could be used to change each line break to a single space?

A. REPLACE and CHAR
B. FORMAT and SPACE
C. LTRIM and RTRJM
D. REPLICATE and NCHAR

Answer: A

Question: 6

New subscribers at Northern Trail Outfitters (NTO) are added to a data extension. NTO would like to send these subscribers a welcome series with Journey Builder.
What would allow the data extension to be selected for journey entry'

A. At least one Campaign must be associated to the data extension.
B. The Triggered Send Template must be used to create the data extension.
C. The data extension must be configured for sending.
D. The data extension must contain a field of the EmailAddress data type.

Answer: C

Question: 7

A developer receives Error Code 5 when performing a SOAP API call. The error states: "Cannot Perform 'Post' on objects of type 'SentEvent'".
What could be the issue?

A. SOAP does not support POST; use REST
B. The authentication token has expired.
C. It may be a temporary network issue.
D. 'SentEvent' is not able to be updated using SOAP.

Answer: A

Question: 8

A developer uses an API to send data to a Marketing Cloud data extension once every five minutes using the REST API. They notice data does not always write to the data extension, leading to data loss.
Which three best practices are recommended to avoid this issue? Choose 3 answers

A. In case of 'Not Authorized' errors, request a new Access Token and attempt the call again.
B. In case of Server errors, request a new Access Token before each request.
C. In case of Server errors, ensure the Server is available and attempt the call again.
D. Use Username and Password authentication instead of oAuth client ID and client secret.
E. Store the expiry of the access token to ensure a new token is requested if the old one is invalid.

Answer: A, D, E

Question: 9

A developer receives a request for tracking data for alt sends associated with a specific JoblD. The developer needs to see Sends, Opens, Clicks, and Bounces.
Which two activities could the developer use? Choose 2 answers

A. Tracking Extract Activity
B. Server-Side JavaScript Activity
C. Campaign Data Extract
D. SQL Query Activity

Answer: A, D

Question: 10

A developer wants to build an email that dynamically populates the physical address of a company's locations using the variable ©address. The deployment goes to millions of subscribers and the developer wants the fastest possible performance.
Which AMPscript solution should be recommended?

A. %%[SET @address = field(Lookcup("Building_Locations"/ "Address", "Id",@Id), "Address")]%%
B. %% [SET @address - field(Row(LookupRows("Building_Locations", "Address","Id"), 1),"Address")]%%
C. %%; SET @address = LookupRows(Building_Locations", "Address", "Id")]%%
D. %: SET @address = Lookup(''Building_locations'', Address'', ''id''@id)] %%

Answer: A

For More Information – **Visit link below:**

https://www.examkill.com/

Sales: sales@examkill.com

Support: support@examkill.com

FEATURES:

- 100% Pass Guarantee
- 30 DaysMoney Back Guarantee
- 24/7 Live Chat Support(Technical & Sales)
- Instant download after purchase
- 50,000 +ve Reviews
- 100% Success Rate
- Discounts Available for Bulk Orders
- Updates are free for 90 days
- Verified answers by experts