SAP
C_ABAPD_2309
SAP Certified Associate – Back-End Developer - ABAP Cloud

- Up to Date products, reliable and verified.
- Questions and Answers in PDF Format.

For More Information – Visit link below:

Web: www.examkill.com/

Version product

Latest Version: 6.1

Question: 1

Given the following code,

```
DATA gv_text1 TYPE string. "#EC_NEEDED
DATA gv_text2 TYPE string ##NEEDED.
```

What are valid statements? Note: There are 2 correct answers to this question.

A. ##NEEDED is checked by the syntax checker.
B. The program is not checked by the syntax checker.
C. The pseudo-comment is checked by the syntax checker
D. #EC_NEEDED is not checked by the syntax checker.

Answer: A,D

Question: 2

What are some of the reasons that Core Data Services are preferable to the classical approach to data modeling? Note: There are 2 correct answers to this question.

A. They transfer computational results to the application server.
B. They avoid data transfer completely.
C. They implement code pushdown.
D. They compute results on the application server.

Answer: A,C

Question: 3

In the following ABAP SQL code, what are valid case distinctions?
Note: There are 2 correct answers to this question.

A.

```
SELECT FROM dbtab1 FIELDS F1,
CASE
WHEN F2 = '1' THEN 'Value 1
WHEN f2'2' THEN 'Value 2' ELSE "Value for the rest'
END AS f case
INTO TABLE @et t1.
```

B.

```
SELECT FROM dbtab1
FIELDS F1,
CASE f2,
WHEN ‘1’ THEN 'Value 1',
WHEN ‘2’ THEN 'Value 2',
WHEN OTHERS "Value for the rest",
ENDCASE AS f_case
INTO TABLE @gt t1.
```

C.

```
SELECT FROM dbtab1 FIELDS F1,
CASE
WHEN F2 = '1' THEN "Value 1'
WHEN f2 < f3 AND f2 = ‘2’ THEN "Value 2'
WHEN OTHERS 'Value for the rest'
ENDCASE AS f_case
INTO TABLE @gt t1.
```

D.

```
SELECT FROM dbtab1
FIELDS f1,
CASE f2
WHEN ‘1’ THEN 'Value 1'
WHEN '2' THEN 'Value 2'
ELSE "Value for the rest'
END AS f_case
INTO TABLE @gt_t1.
```

Answer: A,D

Question: 4

Which of the following is a generic internal table type?

A. STANDARD TABLE
B. HASHED TABLE
C. SORTED TABLE
D. INDEX TABLE

Answer: D

Question: 5

Which of the following actions cause an indirect change to a database table requiring a table conversion? Note: There are 2 correct answers to this question.

A. Deleting a field from a structure that is included in the table definition.
B. Shortening the length of a domain used in a data element that is used in the table definition.
C. Changing the field labels of a data element that is used in the table definition.
D. Renaming a field in a structure that is included in the table definition

Answer: A,B

Question: 6

Given the following Core Data Services View Entity Data Definition:

```
1 @AccessControl.authorizationCheck: #NOT_REQUIRED
2 ?
3 DEFINE VIEW ENTITY demo_sales_cds_so_ve_simple
4   AS SELECT FROM demo_sales_order AS SalesOrder
5   {
6     KEY so_key,
7         buyer_id     AS BuyerID,
8         currency_sum AS currencySum
9   }
```

You want to provide a short description of the data definition for developers that will be attached to the database view Which of the following annotations would do this if you inserted it on line # 27

A. @UI headerinto description label
B. @EndUser Text label
C. @EndUserText.quickInfo
D. @UI.badge.title.label

Answer: B

Question: 7

In which products must you use the ABAP Cloud Development Model? Note: There are 2 correct answers to this question.

A. SAP S/4HANA Cloud, public edition

B. SAP S/4HANA on premise
C. SAP S/4HANA Cloud, private edition
D. SAP BTP, ABAP environment

Answer: A,D

Question: 8

Given the following Core Data Services View Entity Data Definition, Which of the following types are permitted to be used for <source> on line #4? Note: There are 2 correct answers to this question.

```
1 @AccessControl.authorizationCheck: #NOT_REQUIRED
2 DEFINE VIEW ENTITY demo_cds_data_source_matrix
3  AS SELECT FROM
4  <source>
5  {
6    KEY field_1,
7    field_2,
8    field_3
9  }
```

A. A CDS DDIC-based view
B. A database table from the ABAP Dictionary
C. An external view from the ABAP Dictionary
D. A database view from the ABAP Dictionary

Answer: A,B

Question: 9

Class super has subclass sub. Which rules are valid for the sub constructor?
Note: There are 2 correct answers to this question.

A. Events of your own instance cannot be raised before the registration of a handler in super.
B. The constructor of super must be called before using any components of your own instance.
C. The method signature can be changed.
D. Import parameters can only be evaluated after calling the constructor of super.

Answer: B,C

Question: 10

/DMO/I_Connection is a CDS view.
What variable type is connection full based on the following code?

DATA connection full TYPE /DMD/I_Connection.

A. Simple variable
B. Structure
C. Internal table

Answer: B

For More Information – Visit link below:
https://www.examkill.com/

Sales: sales@examkill.com
Support: support@examkill.com

FEATURES:

- 100% Pass Guarantee
- 30 DaysMoney Back Guarantee
- 24/7 Live Chat Support(Technical & Sales)
- Instant download after purchase
- 50,000 +ve Reviews
- 100% Success Rate
- Discounts Available for Bulk Orders
- Updates are free for 90 days
- Verified answers by experts