

**Distribution of Houses by Predominant Materials of Roof and Wall
and Level of Damage Risk**

Table No. : DL 08

State : NCT OF DELHI

SOUTH WEST

Wall / Roof		Census Houses		Level of Risk under									Flood Prone Area in %
		No. of Houses	%	EQ Zone				Wind Velocity m/s					
				V	IV	III	II	55 & 50	47	44 & 39	33		
				Area in %		Area in %							
				100				12.7	87.3				
WALL													
A1 - Mud & Unburnt Brick Wall	Rural	1,138	0.2										
	Urban	13,692	2.5										
	Total	14,830	2.7		H			VH	H				
A2 - Stone Wall not packed with mortar	Rural	629	0.1										
	Urban	5,679	1.0										
	Total	6,308	1.1		H			H	M				
Total - Category - A		21,138	3.8										
B - Burnt Bricks Wall & Stone wall packed with mortar	Rural	30,987	5.6										
	Urban	454,721	82.6										
	Total	485,708	88.2		M			H	M				
Total - Category - B		485,708	88.3										
C1 - Concrete Wall	Rural	1,534	0.3										
	Urban	35,644	6.5										
	Total	37,178	6.8		L			L	VL				
C2 - Wood wall	Rural	42	-										
	Urban	1,022	0.2										
	Total	1,064	0.2		L			VH	H				
Total - Category - C		38,242	6.9										
X - Other Materials	Rural	229	-										
	Urban	4,957	0.9										
	Total	5,186	0.9		VL			VH	H				
Total - Category - X		5,186	0.9										
TOTAL HOUSES*		550,274											

ROOF												
R1 - Light Weight Sloping Roof	Rural	5,287	1.0									
	Urban	55,249	10.0									
	Total	60,536	11.0		M			VH	VH			
R2 - Heavy Weight Sloping Roof	Rural	17,972	3.3									
	Urban	86,533	15.7									
	Total	104,505	19.0		M			H	M			
R3 - Flat Roof	Rural	11,300	2.1									
	Urban	373,933	68.0									
	Total	385,233	70.1	Damage Risk as per that for the Wall supporting it								
TOTAL HOUSES*		550,274										

Probable Maximum Precipitation at a Station of the district in one day for arial extent of 1000 sqm. 631 mm

Housing Category : Wall Types

Category - A : Buildings in field-stone, rural structures,
unburnt brick houses, clay houses

Category - B : Ordinary brick building; buildings of the large block & prefabricated type, half-timbered structures, building in natural hewn stone

Category - C : Reinforced building, well built wooden structures

Category - X : Other materials not covered in A,B,C. These are generally light.

Notes : 1. Flood prone area includes that protected area which may have more severe damage under failure of protection works. In some other areas the local damage may be severe under heavy rains and choked drainage.

2. Damage Risk for wall types is indicated assuming heavy flat roof in categories A, B and C (Reinforced Concrete) building

3. Source of Housing Data : Census of Housing, GOI, 2011

Housing Category : Roof Type

Category - R1 - Light Weight (Grass, Thatch, Bamboo, Wood, Mud, Plastic, Polythene, GI Metal, Asbestos Sheets, Other Materials)

Category - R2 - Heavy Weight (Tiles, Stone/Slate)

Category - R3 - Flat Roof (Brick, Concrete)

EQ Zone V : Very High Damage Risk Zone (MSK > IX)

EQ Zone IV : High Damage Risk Zone (MSK VIII)

EQ Zone III : Moderate Damage Risk Zone (MSK VII)

EQ Zone II : Low Damage Risk Zone (MSK < VI)

Level of Risk : VH = Very High; H = High;

M = Moderate; L = Low; VL = Very Low

* Total No.of Houses excluding Vacant/Locked Houses