
Project Report for Data Structure

Simple Shogi

using linked-list

錢宇倫

通訊二

110503511

DEPARTMENT OF COMMUNICATION ENGINEERING,

December 26, 2022

Contents

1	Makefile	2
2	Open game display	2
3	Reload game display	6
4	To-Improve	8

1 Makefile

```
● whimyo30@MSI:~/workspace/shogi_dynamic$ make
Building...
gcc -g -Wall -Werror -I inc -c -o build/main.o src/main.c
Linking...
gcc build/file.o build/goma.o build/board.o build/main.o -o bin/run -L lib
```

figure.1 - makefile

2 Open game display

Open a new game...

```
● whimyo30@MSI:~/workspace/shogi_dynamic$ cd bin
○ whimyo30@MSI:~/workspace/shogi_dynamic/bin$ ./run -n -s lan
[Open new game]
Creating file...

Initialize board...

Generate goma...

Initialize goma bag...
```

figure.2 - open new game

Open an existing game...

```
● whimyo30@MSI:~/workspace/shogi_dynamic$ cd bin
○ whimyo30@MSI:~/workspace/shogi_dynamic/bin$ ./run -n -s emma
[Open new game]
Creating file...

This file name have already exist.
Would you like to rewrite this old game_file?[y/n]:
```

figure.3 - open an existing game

Enter *y* then the program will rewrite the old record and open a new game.
Enter *n* then the program will exit with failure.

Rewrite the existing game...

```
whimy030@MSI:~/workspace/shogi_dynamic/bin$ ./run -n -l emma
[Open new game]
Creating file...

This file name have already exist.
Would you like to rewrite this old game_file?[y/n]:y
Opening file...

Open file successfully.
Initialize board...

Generate goma...

Initialize goma bag...
```

figure.4 - Rewrite the existing game

Basic display

===== y駒台 =====																
=====																
9	8	7	6	5	4	3	2	1								
香	桂	銀	金	玉	金	銀	桂	香	1							
	飛						角		2							
歩	歩	歩	歩	歩	歩	歩	歩	歩	3							
									4							
									5							
									6							
歩	歩	歩	歩	歩	歩	歩	歩	歩	7							
	角						飛		8							
香	桂	銀	金	玉	金	銀	桂	香	9							
=====																
===== x駒台 =====																

[Turn1]
[Player x]
Please enter the initial position:1 7
Select 歩 [1][7]

Please enter the new position:1 6
Select 空 [1][6]

歩 [1][7]->[1][6]?

Would you like to re-select?[y/n]:n

Swaping...

歩 move from [1][7] to [1][6]

Would you want to leave the game?[s/n]n
Total time:1671716250

figure.5(a)(b) - (a)Board display(b)Basic move instruction

Error

- Movement restriction-> Not following the movement rule

Case 1: *Pawn* can only go on step forward each turn

```
[Turn1]
[Player x]
Please enter the initial position:1 7
Select 歩 [1][7]

Please enter the new position:1 5

You can not move to here.
[Error 3]:歩 can only move forward one step
Please try again.

Please enter the new position:█
```

```
===== y駒台 =====
=====
9 8 7 6 5 4 3 2 1
香 桂 銀 金 玉 金 銀 桂 香 1
飛 角 2
歩 歩 歩 歩 歩 歩 歩 歩 3
4
5
6
歩 歩 歩 歩 歩 歩 歩 歩 7
角 飛 8
香 桂 銀 金 玉 金 銀 桂 香 9
=====
===== x駒台 =====
```

figure.6(a)(b) - (a)Error message(*Pawn* move)(b)example board

Case 2: *Bishop* can only move in a diagonal direction

```
[Turn1]
[Player x]
Please enter the initial position:8 8
Select 角 [8][8]

Please enter the new position:6 6
You can not move to here.
[Error 4]:There is chess in your moving path.
Please try again.

Please enter the new position:█
```

```
===== y駒台 =====
=====
9 8 7 6 5 4 3 2 1
香 桂 銀 金 玉 金 銀 桂 香 1
飛 角 2
歩 歩 歩 歩 歩 歩 歩 歩 3
4
5
6
歩 歩 歩 歩 歩 歩 歩 歩 7
角 飛 8
香 桂 銀 金 玉 金 銀 桂 香 9
=====
===== x駒台 =====
```

figure.7(a)(b) - (a)Error message(*Bishop* move)(b)example board

Eat goma



figure.8(a)(b) - (a)previous board(b)after eating chess

1. Cover the chess be ate by the present player's chess.
2. Pick the eaten chess into player's *mochigoma* bag.

Regret movement



figure.9(a)(b) - (a)previous board(b)after regretting


```
[Turn15]
[Player x]
Would you like to regret?[0/1]:0
Regreting...
```

figure.10 - Asking for regretting movement

1. Trace back to the previous turn of the player regretting.
2. If any chess had been eaten within the period, place it back to the board.
3. Display of turn will minus 2.(e.g. 17 to 15)

3 Reload game display

Reload an old record...

```
● whimyo30@MSI:~/workspace/shogi_dynamic$ cd bin
○ whimyo30@MSI:~/workspace/shogi_dynamic/bin$ ./run -l emma
[Reload old game]
Reloading...

Building the old structure...
```

figure.11 - Reload the old game record

Reload a non-existing record...

```
● whimyo30@MSI:~/workspace/shogi_dynamic$ cd bin
⊗ whimyo30@MSI:~/workspace/shogi_dynamic/bin$ ./run -l mary
[Reload old game]
Reloading...

This file does not exist.
Would you like to open a new game?
You could open a new game by entering ./shogi -n -s {$new_game_file_name}
```

figure.11 - Reload a non-existing game record

Review the game record

- View the next step -> enter *f*
- View the back step -> enter *b*

```
[Reload old game]
Reloading...

Building the old structure...

===== y駒台 =====

=====
9 8 7 6 5 4 3 2 1
香 桂 銀 金 玉 金 銀 桂 香 1
  飛                角 2
步 步 步 步 步 步 步 步 步 3
                                4
                                5
                                6
步 步 步 步 步 步 步 步 步 7
  角                飛 8
香 桂 銀 金 玉 金 銀 桂 香 9
=====

===== x駒台 =====
Turn[0]

Press 'f' for the next step, 'b' for the back step:█
```

figure.12 - View the step


b for the first step

```
Turn[0]

Press 'f' for the next step, 'b' for the back step:b
This is already the first step.
Would you like to exit?[y/n]:█
```

figure.13 - Already the first step

f for the last step



```
Turn[4]

Press 'f' for the next step, 'b' for the back step:f
This is already the final step.
Would you like to exit?[y/n]:
```

figure.14 - Already the last step

4 To-Improve

About file saving...

1. Visualize the game record.
 - (a) Make the game record more visualization.
 - (b) Figure out how to read csv file.
2. Detect available path when got which chess to move, before enter the goal position.
 - (a) Scan all board.
 - (b) Check each position by following assigned chess movement rule.
 - (c) Return whether there is any path for the assigned chess to go.
3. Drop chess system
 - (a) Assign where to drop (position)
 - (b) Assign which chess to drop (By number?)
 - (c) Check the drop rule.
 - (d) Drop the chess but with opposite color.
 - i. Change symbol of chess(including enemy's chess).
4. Promotion system
5. Use NoSQL to save game record.

References

- [1] Shogi rule
- [2] Output with color in C
- [3] pgn
- [4] libev tutorial
- [5] redis