## Assignment\_3\_result report

110503527 通訊二陳廷宇

## A.Huffman

Compile result

```
tingyu@LAPTOP-3KGQATTK:~/assignment_3-tingyuchen/Huffman$ make
    cc -g -Wall -Werror -Wextra -00 -std=c11 -D_POSIX_C_SOURCE=2 -c -o huffcode.o huffcode.c
    cc -g -Wall -Werror -Wextra -00 -std=c11 -D_POSIX_C_SOURCE=2 -c -o huffman.o huffman.c
    ar r libhuffman.a huffman.o
    ar: creating libhuffman.a
    cc -o huffcode huffcode.o libhuffman.a
    cc -o huffcode huffcode.o libhuffman.a
    otingyu@LAPTOP-3KGQATTK:~/assignment_3-tingyuchen/Huffman$
```

- 2. Execute result
  - Archive result

```
• tingyu@LAPTOP-3KGQATTK:~/assignment_3-tingyuchen/Huffman$ ./huffcode -c -i test.txt -o textarchive.txt

Compressed/Decompressed time : 1032 µs
○ tingyu@LAPTOP-3KGQATTK:~/assignment_3-tingyuchen/Huffman$
```

Decode result

```
Compressed/Decompressed time : 116 µs

tingyu@LAPTOP-3KGQATTK:~/assignment_3-tingyuchen/Huffman$ ./huffcode -d -i textarchive.txt -o textdecode.txt

Compressed/Decompressed time : 837 µs
tingyu@LAPTOP-3KGQATTK:~/assignment_3-tingyuchen/Huffman$
```

## B.Arcd

Compile result

```
tingyu@LAPTOP-3KGQATTK:~/assignment_3-tingyuchen/Arcd$ cmake .
-- Configuring done
-- Generating done
-- Build files have been written to: /home/tingyu/assignment_3-tingyuchen/Arcd
tingyu@LAPTOP-3KGQATTK:~/assignment_3-tingyuchen/Arcd$ make
Scanning dependencies of target arcd
[ 59%] Building C object arcd/CMakeFiles/arcd.dir/arcd.c.o
[100%] Linking C static library libarcd.a
[ 100%] Built target arcd
O tingyu@LAPTOP-3KGQATTK:~/assignment_3-tingyuchen/Arcd$
```

- 2. Execute result
  - Archive result

```
Compressed/Decompressed time : 1207 μs

    ctingyu@LAPTOP-3KGQATTK:~/assignment_3-tingyuchen/Arcd/examples$
```

Decode result



As the result , Huffman is faster then arcd.