

```

import { createHotContext as __vite__createHotContext } from
"/@vite/client";import.meta.hot =
__vite__createHotContext("/src/routes/AllRoutes.jsx");import
__vite__cjsImport0_react_jsxDevRuntime from "/node_modules/.vite/deps/react_jsx-dev-
runtime.js?v=9c7b74b5"; const jsxDEV =
__vite__cjsImport0_react_jsxDevRuntime["jsxDEV"]; import __vite__cjsImport1_react from
"/node_modules/.vite/deps/react.js?v=9c7b74b5"; const React =
__vite__cjsImport1_react.__esModule ? __vite__cjsImport1_react.default :
__vite__cjsImport1_react; const Suspense = __vite__cjsImport1_react["Suspense"]; const
lazy = __vite__cjsImport1_react["lazy"]; const useEffect =
__vite__cjsImport1_react["useEffect"]; const useState =
__vite__cjsImport1_react["useState"]; import { Route, Routes, Navigate, useNavigate } from
"/node_modules/.vite/deps/react-router-dom.js?v=22d38542"; import { Center, Spinner }
from "/node_modules/.vite/deps/@chakra-ui_react.js?v=b8b5a472"; import Cookies from
"/node_modules/.vite/deps/js-cookie.js?v=74ec23db"; import PublicRoute from
"/src/routes/PublicRoute.jsx"; const LoginPage = lazy(_c = () =>
import("/src/pages/LoginPanel.jsx")); _c2 = LoginPage; const Dashboard = lazy( _c3 = () =>
import("/src/pages/Dashboard.jsx").then((mod) => ({ default: mod.Dashboard }))); _c4 =
Dashboard; const Employee = lazy( _c5 = () =>
import("/src/pages/Employee.jsx").then((mod) => ({ default: mod.Employee }))); _c6 =
Employee; const RegistrationPage = lazy(_c7 = () => import("/src/pages/Registration.jsx"));
_c8 = RegistrationPage; const AddEmployee = lazy(_c9 = () =>
import("/src/pages/AddEmployee.jsx")); _c0 = AddEmployee; const OrganizationRegister =
lazy( _c1 = () => import("/src/pages/OrganizationRegister.jsx")); _c10 = OrganizationRegister;
const Settings = lazy(_c11 = () => import("/src/pages/settings/OrganisationSettings.jsx"));
_c12 = Settings; const Assets = lazy(_c13 = () => import("/src/pages/Assets.jsx")); _c14 =
Assets; const AddAsset = lazy(_c15 = () => import("/src/pages/AddAsset.jsx")); _c16 =
AddAsset; const LeaveTracker = lazy(_c17 = () => import("/src/pages/LeaveTracker.jsx"));
_c18 = LeaveTracker; const AttendanceTracker = lazy(_c19 = () =>
import("/src/pages/AttendanceTracker.jsx")); _c20 = AttendanceTracker; const AdminView =
lazy( _c21 = () => import("/src/components/Attendance_Tracker/AdminView.jsx")); _c22 =
AdminView; const ForgotPassword = lazy(_c23 = () =>
import("/src/pages/ForgotPassword.jsx")); _c24 = ForgotPassword; const
AttendanceTrackerSetting = lazy( _c25 = () =>
import("/src/components/Attendance_Tracker/AttendanceTrackerSetting.jsx")); _c26 =
AttendanceTrackerSetting; const AttendanceShiftSetting = lazy( _c27 = () =>
import("/src/components/Attendance_Tracker/AttendanceSiftSetting.jsx")); _c28 =
AttendanceShiftSetting; const EmployeecheckInCheckOutSettings = lazy( _c29 = () =>
import("/src/components/Settings/AttendanceSettings/EmployeecheckInCheckOutSettings.j

```

```
sx" ) ); _c30 = EmployeecheckInCheckOutSettings; const DepartmentRoutes = lazy( _c31 = () => import("/src/routes/settingsRoutes/employeeRoutes/SettingsDepartmentRoutes.jsx" ) ); _c32 = DepartmentRoutes; const MaritalStatusRoutes = lazy( _c33 = () => import("/src/routes/settingsRoutes/employeeRoutes/MaritalStatusRoutes.jsx" ) ); _c34 = MaritalStatusRoutes; const VisaRoutes = lazy( _c35 = () => import("/src/routes/settingsRoutes/employeeRoutes/VisaRoutes.jsx" ) ); _c36 = VisaRoutes; const QualificationRoutes = lazy( _c37 = () => import("/src/routes/settingsRoutes/employeeRoutes/QualificationRoutes.jsx" ) ); _c38 = QualificationRoutes; const DivisionRoutes = lazy( _c39 = () => import("/src/routes/settingsRoutes/employeeRoutes/DivisionRoutes.jsx" ) ); _c40 = DivisionRoutes; const EmergencyContactRoutes = lazy( _c41 = () => import("/src/routes/settingsRoutes/employeeRoutes/EmergencyContactRoutes.jsx" ) ); _c42 = EmergencyContactRoutes; const JobTitleRoutes = lazy( _c43 = () => import("/src/routes/settingsRoutes/employeeRoutes/JobTitleRoutes.jsx" ) ); _c44 = JobTitleRoutes; const NationalityRoutes = lazy( _c45 = () => import("/src/routes/settingsRoutes/employeeRoutes/NationalityRoutes.jsx" ) ); _c46 = NationalityRoutes; const ExitRoutes = lazy( _c47 = () => import("/src/routes/settingsRoutes/employeeRoutes/ReasonsForExitRoutes.jsx" ) ); _c48 = ExitRoutes; const EmploymentTypeRoutes = lazy( _c49 = () => import("/src/routes/settingsRoutes/employeeRoutes/EmploymentTypeRoutes.jsx" ) ); _c50 = EmploymentTypeRoutes; const DependencyDetailsRoutes = lazy( _c51 = () => import("/src/routes/settingsRoutes/employeeRoutes/DependencyDetailsRoutes.jsx" ) ); _c52 = DependencyDetailsRoutes; const BandRoutes = lazy( _c53 = () => import("/src/routes/settingsRoutes/employeeRoutes/BandsRoutes.jsx" ) ); _c54 = BandRoutes; const CompensationRoutes = lazy( _c55 = () => import("/src/routes/settingsRoutes/employeeRoutes/CompensationRoutes.jsx" ) ); _c56 = CompensationRoutes; const EmpDocsRoutes = lazy( _c57 = () => import("/src/routes/settingsRoutes/employeeRoutes/EmpDocsRoutes.jsx" ) ); _c58 = EmpDocsRoutes; const CategoriesRoutes = lazy( _c59 = () => import("/src/routes/settingsRoutes/assetRoutes/CategoriesRoutes.jsx" ) ); _c60 = CategoriesRoutes; const VendorsRoutes = lazy( _c61 = () => import("/src/routes/settingsRoutes/assetRoutes/VendorsRoutes.jsx" ) ); _c62 = VendorsRoutes; const BrandsRoutes = lazy( _c63 = () => import("/src/routes/settingsRoutes/assetRoutes/BrandsRoutes.jsx" ) ); _c64 = BrandsRoutes; const OfficeLocationRoutes = lazy( _c65 = () => import("/src/routes/settingsRoutes/accountRoutes/OfficeLocationRoutes.jsx" ) ); _c66 = OfficeLocationRoutes; const BillingNotificationRoutes = lazy( _c67 = () => import("/src/routes/settingsRoutes/accountRoutes/BillingNotificationRoutes.jsx" ) ); _c68 = BillingNotificationRoutes; const CompanyProfileRoutes = lazy( _c69 = () => import("/src/routes/settingsRoutes/accountRoutes/CompanyProfileRoutes.jsx" ) ); _c70 = CompanyProfileRoutes; const RolesRoutes = lazy( _c71 = () =>
```

```

import("/src/routes/settingsRoutes/accountRoutes/RolesRoutes.jsx" ); _c72 = RolesRoutes;
const LeavesRoutes = lazy( _c73 = () =>
import("/src/routes/settingsRoutes/leaveRoutes/LeavesRoutes.jsx" ); _c74 = LeavesRoutes;
import AppLayout from "/src/layouts/AppLayout.jsx"; import ProtectedRoute from
"/src/routes/ProtectedRoute.jsx"; import { decodeTokenPayload } from "/src/utils/token.js";
import Inbox from "/src/components/Inbox/Inbox.jsx"; import PerformanceManagement
from "/src/components/PerformanceManagement/PerformanceManagement.jsx"; import
Payroll from "/src/components/Payroll/Payroll.jsx"; import Help from
"/src/components/Dashboard/Help.jsx"; import Reports from
"/src/components/Asset/Reports.jsx"; import ReportSideBar from
"/src/components/Reports/ReportSideBar.jsx"; import CheckInCheckOutSettings from
"/src/components/Settings/AttendanceSettings/CheckOutCheckInSettings.jsx"; import
PerformanceManagementRoutes from
"/src/routes/settingsRoutes/performanceManagementRoutes/PerformanceManagementRo
utes.jsx"; import HrRoutes from "/src/routes/settingsRoutes/hrRoutes/HrRoutes.jsx"; import
HrPolicies from "/src/routes/settingsRoutes/hrPolicies/HrPolicies.jsx"; import
TeamAttendanceTable from
"/src/components/Attendance_Tracker/TeamAttendanceTable.jsx"; import
AttendanceTabsNavbar from
"/src/components/Attendance_Tracker/AttendanceTabsNavbar.jsx"; import
SettingsAnnouncements from
"/src/components/Announcements/SettingsAnnouncements.jsx"; import
HrPoliciesEmployee from "/src/components/HrPoliciesEmployee/HrPoliciesEmployee.jsx";
import EditHrPolicy from "/src/routes/settingsRoutes/hrPolicies/EditHrPolicy.jsx"; import
EditHrPoliciesEmployee from
"/src/components/HrPoliciesEmployee/EditHrPoliciesEmployee.jsx"; export const AllRoutes
= () => { const cookieToken = Cookies.get("auth_token"); const payload =
decodeTokenPayload(cookieToken) || decodeTokenPayload?.() || {}; const isAdmin =
payload?.is_admin; const isOrgPresent = payload?.is_org_present ?? payload?.isOrgPresent
?? false; const token = cookieToken || Cookies.get("auth_token"); return /* #__PURE__ */
jsxDEV(Routes, { children: [ /* #__PURE__ */ jsxDEV(Route, { element: /* #__PURE__ */
jsxDEV(PublicRoute, {}, void 0, false, { fileName: "/app/src/routes/AllRoutes.jsx",
lineNumber: 173, columnNumber: 23 }, this), children: [ /* #__PURE__ */ jsxDEV( Route, {
path: "/", element: /* #__PURE__ */ jsxDEV( Suspense, { fallback: /* #__PURE__ */
jsxDEV(Center, { h: "100vh", children: /* #__PURE__ */ jsxDEV(Spinner, { size: "xl" }, void 0,
false, { fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 180, columnNumber: 19 },
this) }, void 0, false, { fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 179,
columnNumber: 13 }, this), children: /* #__PURE__ */ jsxDEV(LoginPage, {}, void 0, false, {
fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 184, columnNumber: 15 }, this) },
void 0, false, { fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 177, columnNumber:
11 }, this ) }, void 0, false, { fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 174,

```

```
columnNumber: 9 }, this ), /* #__PURE__ */ jsxDEV( Route, { path: "/register", element: /*
#__PURE__ */ jsxDEV( Suspense, { fallback: /* #__PURE__ */ jsxDEV( Center, { h: "60vh",
children: /* #__PURE__ */ jsxDEV( Spinner, { size: "lg" }, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 212, columnNumber: 19 }, this ) }, void 0, false,
{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 211, columnNumber: 13 }, this),
children: /* #__PURE__ */ jsxDEV( RegistrationPage, {}, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 216, columnNumber: 15 }, this ) }, void 0, false,
{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 209, columnNumber: 11 }, this ) },
void 0, false, { fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 206, columnNumber:
9 }, this ), /* #__PURE__ */ jsxDEV( Route, { path: "/forgot-password", element: /*
#__PURE__ */ jsxDEV( Suspense, { fallback: /* #__PURE__ */ jsxDEV( Center, { h: "60vh",
children: /* #__PURE__ */ jsxDEV( Spinner, { size: "lg" }, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 227, columnNumber: 19 }, this ) }, void 0, false,
{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 226, columnNumber: 13 }, this),
children: /* #__PURE__ */ jsxDEV( ForgotPassword, {}, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 231, columnNumber: 15 }, this ) }, void 0, false,
{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 224, columnNumber: 11 }, this ) },
void 0, false, { fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 221, columnNumber:
9 }, this ) ] }, void 0, true, { fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 173,
columnNumber: 7 }, this), /* #__PURE__ */ jsxDEV( Route, { path: "/orgRegister", element:
/* #__PURE__ */ jsxDEV( Suspense, { fallback: /* #__PURE__ */ jsxDEV( Center, { h: "60vh",
children: /* #__PURE__ */ jsxDEV( Spinner, { size: "lg" }, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 243, columnNumber: 17 }, this ) }, void 0, false,
{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 242, columnNumber: 11 }, this),
children: /* #__PURE__ */ jsxDEV( OrganizationRegister, {}, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 247, columnNumber: 13 }, this ) }, void 0, false,
{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 240, columnNumber: 9 }, this ) },
void 0, false, { fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 237, columnNumber:
7 }, this ), /* #__PURE__ */ jsxDEV( Route, { element: /* #__PURE__ */
jsxDEV( ProtectedRoute, {}, void 0, false, { fileName: "/app/src/routes/AllRoutes.jsx",
lineNumber: 253, columnNumber: 23 }, this), children: /* #__PURE__ */ jsxDEV( Route, {
element: /* #__PURE__ */ jsxDEV( AppLayout, {}, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 254, columnNumber: 25 }, this), children: [ /*
#__PURE__ */ jsxDEV( Route, { path: "/dashboard", element: /* #__PURE__ */ jsxDEV(
Suspense, { fallback: /* #__PURE__ */ jsxDEV( Center, { h: "40vh", children: /* #__PURE__
*/ jsxDEV( Spinner, { size: "md" }, void 0, false, { fileName: "/app/src/routes/AllRoutes.jsx",
lineNumber: 261, columnNumber: 21 }, this ) }, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 260, columnNumber: 15 }, this), children: /*
#__PURE__ */ jsxDEV( Dashboard, {}, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 265, columnNumber: 17 }, this ) }, void 0, false,
{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 258, columnNumber: 13 }, this ) },
```

```
void 0, false, { fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 255, columnNumber:
11 }, this ), /* #__PURE__ */ jsxDEV( Route, { path: "/employee", element: /* #__PURE__
*/ jsxDEV( Suspense, { fallback: /* #__PURE__ */ jsxDEV( Center, { h: "40vh", children: /*
#__PURE__ */ jsxDEV( Spinner, { size: "md" }, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 276, columnNumber: 21 }, this ) }, void 0, false,
{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 275, columnNumber: 15 }, this),
children: /* #__PURE__ */ jsxDEV( Employee, {}, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 280, columnNumber: 17 }, this ) }, void 0, false,
{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 273, columnNumber: 13 }, this ) },
void 0, false, { fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 270, columnNumber:
11 }, this ), /* #__PURE__ */ jsxDEV( Route, { path: "/employee/add", element: /*
#__PURE__ */ jsxDEV( Suspense, { fallback: /* #__PURE__ */ jsxDEV( Center, { h: "40vh",
children: /* #__PURE__ */ jsxDEV( Spinner, { size: "md" }, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 291, columnNumber: 21 }, this ) }, void 0, false,
{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 290, columnNumber: 15 }, this),
children: /* #__PURE__ */ jsxDEV( AddEmployee, {}, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 295, columnNumber: 17 }, this ) }, void 0, false,
{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 288, columnNumber: 13 }, this ) },
void 0, false, { fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 285, columnNumber:
11 }, this ), /* #__PURE__ */ jsxDEV( Route, { path: "/settings", element: /* #__PURE__ */
jsxDEV( Suspense, { fallback: /* #__PURE__ */ jsxDEV( Center, { h: "40vh", children: /*
#__PURE__ */ jsxDEV( Spinner, { size: "md" }, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 306, columnNumber: 21 }, this ) }, void 0, false,
{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 305, columnNumber: 15 }, this),
children: /* #__PURE__ */ jsxDEV( Settings, {}, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 310, columnNumber: 17 }, this ) }, void 0, false,
{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 303, columnNumber: 13 }, this ) },
void 0, false, { fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 300, columnNumber:
11 }, this ), /* #__PURE__ */ jsxDEV( Route, { path: "/assets", element: /* #__PURE__ */
jsxDEV( Suspense, { fallback: /* #__PURE__ */ jsxDEV( Center, { h: "40vh", children: /*
#__PURE__ */ jsxDEV( Spinner, { size: "md" }, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 321, columnNumber: 21 }, this ) }, void 0, false,
{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 320, columnNumber: 15 }, this),
children: /* #__PURE__ */ jsxDEV( Assets, {}, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 325, columnNumber: 17 }, this ) }, void 0, false,
{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 318, columnNumber: 13 }, this ) },
void 0, false, { fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 315, columnNumber:
11 }, this ), /* #__PURE__ */ jsxDEV( Route, { path: "/assets/add", element: /* #__PURE__
*/ jsxDEV( Suspense, { fallback: /* #__PURE__ */ jsxDEV( Center, { h: "40vh", children: /*
#__PURE__ */ jsxDEV( Spinner, { size: "md" }, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 336, columnNumber: 21 }, this ) }, void 0, false,
```

```
{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 335, columnNumber: 15 }, this),
children: /* #__PURE__ */ jsxDEV(AddAsset, {}, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 340, columnNumber: 17 }, this) }, void 0, false,
{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 333, columnNumber: 13 }, this ) },
void 0, false, { fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 330, columnNumber:
11 }, this ), /* #__PURE__ */ jsxDEV( Route, { path: "/leaves", element: /* #__PURE__ */
jsxDEV( Suspense, { fallback: /* #__PURE__ */ jsxDEV(Center, { h: "40vh", children: /*
__PURE__ */ jsxDEV(Spinner, { size: "md" }, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 351, columnNumber: 21 }, this) }, void 0, false,
{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 350, columnNumber: 15 }, this),
children: /* #__PURE__ */ jsxDEV(LeaveTracker, {}, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 355, columnNumber: 17 }, this) }, void 0, false,
{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 348, columnNumber: 13 }, this ) },
void 0, false, { fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 345, columnNumber:
11 }, this ), /* #__PURE__ */ jsxDEV( Route, { path: "/attendances", element: /*
__PURE__ */ jsxDEV( Suspense, { fallback: /* #__PURE__ */ jsxDEV(Center, { h: "40vh",
children: /* #__PURE__ */ jsxDEV(Spinner, { size: "md" }, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 366, columnNumber: 21 }, this) }, void 0, false,
{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 365, columnNumber: 15 }, this),
children: /* #__PURE__ */ jsxDEV(AttendanceTracker, {}, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 370, columnNumber: 17 }, this) }, void 0, false,
{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 363, columnNumber: 13 }, this ) },
void 0, false, { fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 360, columnNumber:
11 }, this ), /* #__PURE__ */ jsxDEV( Route, { path: "/inbox", element: /* #__PURE__ */
jsxDEV( Suspense, { fallback: /* #__PURE__ */ jsxDEV(Center, { h: "40vh", children: /*
__PURE__ */ jsxDEV(Spinner, { size: "md" }, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 380, columnNumber: 21 }, this) }, void 0, false,
{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 379, columnNumber: 15 }, this),
children: /* #__PURE__ */ jsxDEV(Inbox, {}, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 384, columnNumber: 17 }, this) }, void 0, false,
{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 377, columnNumber: 13 }, this ) },
void 0, false, { fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 374, columnNumber:
11 }, this ), /* #__PURE__ */ jsxDEV( Route, { path: "/performanceManagement", element:
/* #__PURE__ */ jsxDEV( Suspense, { fallback: /* #__PURE__ */ jsxDEV(Center, { h: "40vh",
children: /* #__PURE__ */ jsxDEV(Spinner, { size: "md" }, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 394, columnNumber: 21 }, this) }, void 0, false,
{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 393, columnNumber: 15 }, this),
children: /* #__PURE__ */ jsxDEV(PerformanceManagement, {}, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 398, columnNumber: 17 }, this) }, void 0, false,
{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 391, columnNumber: 13 }, this ) },
void 0, false, { fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 388, columnNumber:
```

```
11 }, this ), /* @__PURE__ */ jsxDEV( Route, { path: "/payroll", element: /* @__PURE__ */  
jsxDEV( Suspense, { fallback: /* @__PURE__ */ jsxDEV( Center, { h: "40vh", children: /*  
@__PURE__ */ jsxDEV( Spinner, { size: "md" }, void 0, false, { fileName:  
"/app/src/routes/AllRoutes.jsx", lineNumber: 408, columnNumber: 21 }, this ) }, void 0, false,  
{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 407, columnNumber: 15 }, this),  
children: /* @__PURE__ */ jsxDEV( Payroll, {}, void 0, false, { fileName:  
"/app/src/routes/AllRoutes.jsx", lineNumber: 412, columnNumber: 17 }, this ) }, void 0, false,  
{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 405, columnNumber: 13 }, this ) },  
void 0, false, { fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 402, columnNumber:  
11 }, this ), /* @__PURE__ */ jsxDEV( Route, { path: "/hrpolicies", element: /* @__PURE__ */  
jsxDEV( Suspense, { fallback: /* @__PURE__ */ jsxDEV( Center, { h: "40vh", children: /*  
@__PURE__ */ jsxDEV( Spinner, { size: "md" }, void 0, false, { fileName:  
"/app/src/routes/AllRoutes.jsx", lineNumber: 422, columnNumber: 21 }, this ) }, void 0, false,  
{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 421, columnNumber: 15 }, this),  
children: /* @__PURE__ */ jsxDEV( HrPoliciesEmployee, {}, void 0, false, { fileName:  
"/app/src/routes/AllRoutes.jsx", lineNumber: 426, columnNumber: 17 }, this ) }, void 0, false,  
{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 419, columnNumber: 13 }, this ) },  
void 0, false, { fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 416, columnNumber:  
11 }, this ), /* @__PURE__ */ jsxDEV( Route, { path: "/settings/HrPolicies/edit/:policyId",  
element: /* @__PURE__ */ jsxDEV( Suspense, { fallback: /* @__PURE__ */ jsxDEV( Center, {  
h: "40vh", children: /* @__PURE__ */ jsxDEV( Spinner, { size: "md" }, void 0, false, { fileName:  
"/app/src/routes/AllRoutes.jsx", lineNumber: 437, columnNumber: 21 }, this ) }, void 0, false,  
{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 436, columnNumber: 13 }, this),  
children: /* @__PURE__ */ jsxDEV( EditHrPolicy, {}, void 0, false, { fileName:  
"/app/src/routes/AllRoutes.jsx", lineNumber: 441, columnNumber: 17 }, this ) }, void 0, false,  
{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 434, columnNumber: 11 }, this ) },  
void 0, false, { fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 430, columnNumber:  
11 }, this ), /* @__PURE__ */ jsxDEV( Route, { path: "/hrpolicies/:policyId", element: /*  
@__PURE__ */ jsxDEV( Suspense, { fallback: /* @__PURE__ */ jsxDEV( Center, { h: "40vh",  
children: /* @__PURE__ */ jsxDEV( Spinner, { size: "md" }, void 0, false, { fileName:  
"/app/src/routes/AllRoutes.jsx", lineNumber: 452, columnNumber: 21 }, this ) }, void 0, false,  
{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 451, columnNumber: 13 }, this),  
children: /* @__PURE__ */ jsxDEV( EditHrPoliciesEmployee, {}, void 0, false, { fileName:  
"/app/src/routes/AllRoutes.jsx", lineNumber: 456, columnNumber: 17 }, this ) }, void 0, false,  
{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 449, columnNumber: 11 }, this ) },  
void 0, false, { fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 445, columnNumber:  
11 }, this ), /* @__PURE__ */ jsxDEV( Route, { path: "/help", element: /* @__PURE__ */  
jsxDEV( Suspense, { fallback: /* @__PURE__ */ jsxDEV( Center, { h: "40vh", children: /*  
@__PURE__ */ jsxDEV( Spinner, { size: "md" }, void 0, false, { fileName:  
"/app/src/routes/AllRoutes.jsx", lineNumber: 468, columnNumber: 21 }, this ) }, void 0, false,  
{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 467, columnNumber: 15 }, this),
```

```
children: /* #__PURE__ */ jsxDEV(Help, {}, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 472, columnNumber: 17 }, this) }, void 0, false,
{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 465, columnNumber: 13 }, this) },
void 0, false, { fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 462, columnNumber:
11 }, this ), /* #__PURE__ */ jsxDEV( Route, { path: "/reportsidebar", element: /*
__PURE__ */ jsxDEV( Suspense, { fallback: /* #__PURE__ */ jsxDEV(Center, { h: "40vh",
children: /* #__PURE__ */ jsxDEV(Spinner, { size: "md" }, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 482, columnNumber: 21 }, this) }, void 0, false,
{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 481, columnNumber: 15 }, this),
children: /* #__PURE__ */ jsxDEV(ReportSideBar, {}, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 486, columnNumber: 17 }, this) }, void 0, false,
{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 479, columnNumber: 13 }, this) },
void 0, false, { fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 476, columnNumber:
11 }, this ), /* #__PURE__ */ jsxDEV( Route, { path: "/attendance-tabs-Navbar", element: /*
__PURE__ */ jsxDEV(AttendanceTabsNavbar, {}, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 496, columnNumber: 22 }, this) }, void 0, false,
{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 494, columnNumber: 11 }, this ), /*
__PURE__ */ jsxDEV( Route, { path: "/attendances/adminview", element: /* #__PURE__
*/ jsxDEV( Suspense, { fallback: /* #__PURE__ */ jsxDEV(Center, { h: "40vh", children: /*
__PURE__ */ jsxDEV(Spinner, { size: "md" }, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 505, columnNumber: 21 }, this) }, void 0, false,
{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 504, columnNumber: 15 }, this),
children: /* #__PURE__ */ jsxDEV(AdminView, {}, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 509, columnNumber: 17 }, this) }, void 0, false,
{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 502, columnNumber: 13 }, this) },
void 0, false, { fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 499, columnNumber:
11 }, this ), /* #__PURE__ */ jsxDEV( Route, { path:
"/settings/organization/employee/departement/*", element: /* #__PURE__ */
jsxDEV(DepartmentRoutes, {}, void 0, false, { fileName: "/app/src/routes/AllRoutes.jsx",
lineNumber: 517, columnNumber: 22 }, this) }, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 515, columnNumber: 11 }, this ), /*
__PURE__ */ jsxDEV( Route, { path: "/settings/organization/employee/marital-status/*",
element: /* #__PURE__ */ jsxDEV(MaritalStatusRoutes, {}, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 521, columnNumber: 22 }, this) }, void 0, false,
{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 519, columnNumber: 11 }, this ), /*
__PURE__ */ jsxDEV( Route, { path: "/settings/organization/employee/visas/*", element:
/* #__PURE__ */ jsxDEV(VisaRoutes, {}, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 525, columnNumber: 22 }, this) }, void 0, false,
{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 523, columnNumber: 11 }, this ), /*
__PURE__ */ jsxDEV( Route, { path: "/settings/organization/employee/qualifications/*",
element: /* #__PURE__ */ jsxDEV(QualificationRoutes, {}, void 0, false, { fileName:
```



```
"/app/src/routes/AllRoutes.jsx", lineNumber: 529, columnNumber: 22 }, this) }, void 0, false,
{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 527, columnNumber: 11 }, this ), /*
@__PURE__ */ jsxDEV( Route, { path: "/settings/organization/employee/divisions/*",
element: /* @__PURE__ */ jsxDEV(DivisionRoutes, {}, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 533, columnNumber: 22 }, this) }, void 0, false,
{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 531, columnNumber: 11 }, this ), /*
@__PURE__ */ jsxDEV( Route, { path: "/settings/organization/employee/emergency-
contacts/*", element: /* @__PURE__ */ jsxDEV(EmergencyContactRoutes, {}, void 0, false, {
fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 537, columnNumber: 22 }, this) },
void 0, false, { fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 535, columnNumber:
11 }, this ), /* @__PURE__ */ jsxDEV( Route, { path:
"/settings/organization/employee/designation/*", element: /* @__PURE__ */
jsxDEV(JobTitleRoutes, {}, void 0, false, { fileName: "/app/src/routes/AllRoutes.jsx",
lineNumber: 541, columnNumber: 22 }, this) }, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 539, columnNumber: 11 }, this ), /*
@__PURE__ */ jsxDEV( Route, { path: "/settings/organization/employee/nationalities/*",
element: /* @__PURE__ */ jsxDEV(NationalityRoutes, {}, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 545, columnNumber: 22 }, this) }, void 0, false,
{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 543, columnNumber: 11 }, this ), /*
@__PURE__ */ jsxDEV( Route, { path: "/settings/organization/employee/reason-for-exit/*",
element: /* @__PURE__ */ jsxDEV(ExitRoutes, {}, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 549, columnNumber: 22 }, this) }, void 0, false,
{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 547, columnNumber: 11 }, this ), /*
@__PURE__ */ jsxDEV( Route, { path: "/settings/organization/employee/employment-
types/*", element: /* @__PURE__ */ jsxDEV(EmploymentTypeRoutes, {}, void 0, false, {
fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 553, columnNumber: 22 }, this) },
void 0, false, { fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 551, columnNumber:
11 }, this ), /* @__PURE__ */ jsxDEV( Route, { path:
"/settings/organization/employee/dependency-relationship/*", element: /* @__PURE__ */
jsxDEV(DependencyDetailsRoutes, {}, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 557, columnNumber: 22 }, this) }, void 0, false,
{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 555, columnNumber: 11 }, this ), /*
@__PURE__ */ jsxDEV( Route, { path: "/settings/organization/employee/bands/*", element:
/* @__PURE__ */ jsxDEV(BandRoutes, {}, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 561, columnNumber: 22 }, this) }, void 0, false,
{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 559, columnNumber: 11 }, this ), /*
@__PURE__ */ jsxDEV( Route, { path: "/settings/organization/employee/comp-change-
reasons/*", element: /* @__PURE__ */ jsxDEV(CompensationRoutes, {}, void 0, false, {
fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 565, columnNumber: 22 }, this) },
void 0, false, { fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 563, columnNumber:
11 }, this ), /* @__PURE__ */ jsxDEV( Route, { path:
```

```
"/settings/organization/employee/documents/*", element: /* __PURE__ */
jsxDEV(EmpDocsRoutes, {}, void 0, false, { fileName: "/app/src/routes/AllRoutes.jsx",
lineNumber: 569, columnNumber: 22 }, this) }, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 567, columnNumber: 11 }, this ), /*
__PURE__ */ jsxDEV( Route, { path: "/settings/organization/assets/categories/*", element:
/* __PURE__ */ jsxDEV(CategoriesRoutes, {}, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 575, columnNumber: 22 }, this) }, void 0, false,
{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 573, columnNumber: 11 }, this ), /*
__PURE__ */ jsxDEV( Route, { path: "/settings/organization/assets/vendors/*", element:
/* __PURE__ */ jsxDEV(VendorsRoutes, {}, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 579, columnNumber: 22 }, this) }, void 0, false,
{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 577, columnNumber: 11 }, this ), /*
__PURE__ */ jsxDEV( Route, { path: "/settings/organization/assets/brands/*", element: /*
__PURE__ */ jsxDEV(BrandsRoutes, {}, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 583, columnNumber: 22 }, this) }, void 0, false,
{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 581, columnNumber: 11 }, this ), /*
__PURE__ */ jsxDEV( Route, { path: "/settings/organization/account/office-locations/*",
element: /* __PURE__ */ jsxDEV(OfficeLocationRoutes, {}, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 589, columnNumber: 22 }, this) }, void 0, false,
{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 587, columnNumber: 11 }, this ), /*
__PURE__ */ jsxDEV( Route, { path: "/settings/organization/account/billing-
notifications/*", element: /* __PURE__ */ jsxDEV(BillingNotificationRoutes, {}, void 0,
false, { fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 593, columnNumber: 22 },
this) }, void 0, false, { fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 591,
columnNumber: 11 }, this ), /* __PURE__ */ jsxDEV( Route, { path:
"/settings/organization/account/company-profile/*", element: /* __PURE__ */
jsxDEV(CompanyProfileRoutes, {}, void 0, false, { fileName: "/app/src/routes/AllRoutes.jsx",
lineNumber: 597, columnNumber: 22 }, this) }, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 595, columnNumber: 11 }, this ), /*
__PURE__ */ jsxDEV( Route, { path: "/settings/organization/account/roles/*", element: /*
__PURE__ */ jsxDEV(RolesRoutes, {}, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 601, columnNumber: 22 }, this) }, void 0, false,
{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 599, columnNumber: 11 }, this ), /*
__PURE__ */ jsxDEV( Route, { path: "/settings/leave-tracker/*", element: /* __PURE__
*/ jsxDEV(LeavesRoutes, {}, void 0, false, { fileName: "/app/src/routes/AllRoutes.jsx",
lineNumber: 604, columnNumber: 60 }, this) }, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 604, columnNumber: 11 }, this ), /*
__PURE__ */ jsxDEV( Route, { path: "/settings/performance-management/*", element: /*
__PURE__ */ jsxDEV(PerformanceManagementRoutes, {}, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 607, columnNumber: 22 }, this) }, void 0, false,
{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 605, columnNumber: 11 }, this ), /*
```

```
@__PURE__ */ jsxDEV(Route, { path: "/settings/hr-documents/*", element: /* @__PURE__ */
jsxDEV(HrRoutes, {}, void 0, false, { fileName: "/app/src/routes/AllRoutes.jsx",
lineNumber: 609, columnNumber: 59 }, this) }, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 609, columnNumber: 11 }, this), /*
@__PURE__ */ jsxDEV(Route, { path: "/settings/HrPolicies/*", element: /* @__PURE__ */
jsxDEV(HrPolicies, {}, void 0, false, { fileName: "/app/src/routes/AllRoutes.jsx", lineNumber:
610, columnNumber: 57 }, this) }, void 0, false, { fileName: "/app/src/routes/AllRoutes.jsx",
lineNumber: 610, columnNumber: 11 }, this), /* @__PURE__ */ jsxDEV( Route, { path:
"/settings/AttendanceTrackerSetting/EmployeecheckInCheckOutSettings", element: /*
@__PURE__ */ jsxDEV( Suspense, { fallback: /* @__PURE__ */ jsxDEV(Center, { h: "40vh",
children: /* @__PURE__ */ jsxDEV(Spinner, { size: "sm" }, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 618, columnNumber: 21 }, this) }, void 0, false,
{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 617, columnNumber: 15 }, this),
children: /* @__PURE__ */ jsxDEV(EmployeecheckInCheckOutSettings, {}, void 0, false, {
fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 622, columnNumber: 17 }, this) },
void 0, false, { fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 615, columnNumber:
13 }, this ) }, void 0, false, { fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 612,
columnNumber: 11 }, this ), /* @__PURE__ */ jsxDEV( Route, { path:
"/settings/AttendanceTrackerSetting/CheckInCheckOutSettings", element: /* @__PURE__ */
jsxDEV( Suspense, { fallback: /* @__PURE__ */ jsxDEV(Center, { h: "40vh", children: /*
@__PURE__ */ jsxDEV(Spinner, { size: "sm" }, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 632, columnNumber: 21 }, this) }, void 0, false,
{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 631, columnNumber: 15 }, this),
children: /* @__PURE__ */ jsxDEV(CheckInCheckOutSettings, {}, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 636, columnNumber: 17 }, this) }, void 0, false,
{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 629, columnNumber: 13 }, this ) },
void 0, false, { fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 626, columnNumber:
11 }, this ), /* @__PURE__ */ jsxDEV( Route, { path:
"/settings/AttendanceTrackerSetting/shiftSetting", element: /* @__PURE__ */ jsxDEV(
Suspense, { fallback: /* @__PURE__ */ jsxDEV(Center, { h: "40vh", children: /* @__PURE__ */
jsxDEV(Spinner, { size: "sm" }, void 0, false, { fileName: "/app/src/routes/AllRoutes.jsx",
lineNumber: 646, columnNumber: 21 }, this) }, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 645, columnNumber: 15 }, this), children: /*
@__PURE__ */ jsxDEV(AttendanceTrackerSetting, {}, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 650, columnNumber: 17 }, this) }, void 0, false,
{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 643, columnNumber: 13 }, this ) },
void 0, false, { fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 640, columnNumber:
11 }, this ), /* @__PURE__ */ jsxDEV( Route, { path: "/settings/AttendanceTrackerSetting",
element: /* @__PURE__ */ jsxDEV( Suspense, { fallback: /* @__PURE__ */ jsxDEV(Center, {
h: "40vh", children: /* @__PURE__ */ jsxDEV(Spinner, { size: "sm" }, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 661, columnNumber: 21 }, this) }, void 0, false,
```

```

{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 660, columnNumber: 15 }, this),
children: /* #__PURE__ */ jsxDEV(AttendanceShiftSetting, {}, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 665, columnNumber: 17 }, this) }, void 0, false,
{ fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 658, columnNumber: 13 }, this ) },
void 0, false, { fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 655, columnNumber:
11 }, this ), /* #__PURE__ */ jsxDEV( Route, { path:
"/settings/organization/announcements/announcements", element: /* #__PURE__ */
jsxDEV(SettingsAnnouncements, {}, void 0, false, { fileName: "/app/src/routes/AllRoutes.jsx",
lineNumber: 672, columnNumber: 20 }, this) }, void 0, false, { fileName:
"/app/src/routes/AllRoutes.jsx", lineNumber: 669, columnNumber: 11 }, this ) ] }, void 0,
true, { fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 254, columnNumber: 9 }, this)
}, void 0, false, { fileName: "/app/src/routes/AllRoutes.jsx", lineNumber: 253,
columnNumber: 7 }, this) ] }, void 0, true, { fileName: "/app/src/routes/AllRoutes.jsx",
lineNumber: 171, columnNumber: 5 }, this); }; _c75 = AllRoutes; var _c, _c2, _c3, _c4, _c5,
_c6, _c7, _c8, _c9, _c0, _c1, _c10, _c11, _c12, _c13, _c14, _c15, _c16, _c17, _c18, _c19,
_c20, _c21, _c22, _c23, _c24, _c25, _c26, _c27, _c28, _c29, _c30, _c31, _c32, _c33, _c34,
_c35, _c36, _c37, _c38, _c39, _c40, _c41, _c42, _c43, _c44, _c45, _c46, _c47, _c48, _c49,
_c50, _c51, _c52, _c53, _c54, _c55, _c56, _c57, _c58, _c59, _c60, _c61, _c62, _c63, _c64,
_c65, _c66, _c67, _c68, _c69, _c70, _c71, _c72, _c73, _c74, _c75; $RefreshReg$(_c,
>LoginPage$lazy"); $RefreshReg$(_c2, "LoginPage"); $RefreshReg$(_c3, "Dashboard$lazy");
$RefreshReg$(_c4, "Dashboard"); $RefreshReg$(_c5, "Employee$lazy"); $RefreshReg$(_c6,
"Employee"); $RefreshReg$(_c7, "RegistrationPage$lazy"); $RefreshReg$(_c8,
"RegistrationPage"); $RefreshReg$(_c9, "AddEmployee$lazy"); $RefreshReg$(_c0,
"AddEmployee"); $RefreshReg$(_c1, "OrganizationRegister$lazy"); $RefreshReg$(_c10,
"OrganizationRegister"); $RefreshReg$(_c11, "Settings$lazy"); $RefreshReg$(_c12,
"Settings"); $RefreshReg$(_c13, "Assets$lazy"); $RefreshReg$(_c14, "Assets");
$RefreshReg$(_c15, "AddAsset$lazy"); $RefreshReg$(_c16, "AddAsset"); $RefreshReg$(_c17,
"LeaveTracker$lazy"); $RefreshReg$(_c18, "LeaveTracker"); $RefreshReg$(_c19,
"AttendanceTracker$lazy"); $RefreshReg$(_c20, "AttendanceTracker"); $RefreshReg$(_c21,
"AdminView$lazy"); $RefreshReg$(_c22, "AdminView"); $RefreshReg$(_c23,
"ForgotPassword$lazy"); $RefreshReg$(_c24, "ForgotPassword"); $RefreshReg$(_c25,
"AttendanceTrackerSetting$lazy"); $RefreshReg$(_c26, "AttendanceTrackerSetting");
$RefreshReg$(_c27, "AttendanceShiftSetting$lazy"); $RefreshReg$(_c28,
"AttendanceShiftSetting"); $RefreshReg$(_c29, "EmployeecheckInCheckOutSettings$lazy");
$RefreshReg$(_c30, "EmployeecheckInCheckOutSettings"); $RefreshReg$(_c31,
"DepartmentRoutes$lazy"); $RefreshReg$(_c32, "DepartmentRoutes"); $RefreshReg$(_c33,
"MaritalStatusRoutes$lazy"); $RefreshReg$(_c34, "MaritalStatusRoutes");
$RefreshReg$(_c35, "VisaRoutes$lazy"); $RefreshReg$(_c36, "VisaRoutes");
$RefreshReg$(_c37, "QualificationRoutes$lazy"); $RefreshReg$(_c38, "QualificationRoutes");
$RefreshReg$(_c39, "DivisionRoutes$lazy"); $RefreshReg$(_c40, "DivisionRoutes");
$RefreshReg$(_c41, "EmergencyContactRoutes$lazy"); $RefreshReg$(_c42,

```

```

"EmergencyContactRoutes"); $RefreshReg$(_c43, "JobTitleRoutes$lazy");
$RefreshReg$(_c44, "JobTitleRoutes"); $RefreshReg$(_c45, "NationalityRoutes$lazy");
$RefreshReg$(_c46, "NationalityRoutes"); $RefreshReg$(_c47, "ExitRoutes$lazy");
$RefreshReg$(_c48, "ExitRoutes"); $RefreshReg$(_c49, "EmploymentTypeRoutes$lazy");
$RefreshReg$(_c50, "EmploymentTypeRoutes"); $RefreshReg$(_c51,
"DependencyDetailsRoutes$lazy"); $RefreshReg$(_c52, "DependencyDetailsRoutes");
$RefreshReg$(_c53, "BandRoutes$lazy"); $RefreshReg$(_c54, "BandRoutes");
$RefreshReg$(_c55, "CompensationRoutes$lazy"); $RefreshReg$(_c56,
"CompensationRoutes"); $RefreshReg$(_c57, "EmpDocsRoutes$lazy"); $RefreshReg$(_c58,
"EmpDocsRoutes"); $RefreshReg$(_c59, "CategoriesRoutes$lazy"); $RefreshReg$(_c60,
"CategoriesRoutes"); $RefreshReg$(_c61, "VendorsRoutes$lazy"); $RefreshReg$(_c62,
"VendorsRoutes"); $RefreshReg$(_c63, "BrandsRoutes$lazy"); $RefreshReg$(_c64,
"BrandsRoutes"); $RefreshReg$(_c65, "OfficeLocationRoutes$lazy"); $RefreshReg$(_c66,
"OfficeLocationRoutes"); $RefreshReg$(_c67, "BillingNotificationRoutes$lazy");
$RefreshReg$(_c68, "BillingNotificationRoutes"); $RefreshReg$(_c69,
"CompanyProfileRoutes$lazy"); $RefreshReg$(_c70, "CompanyProfileRoutes");
$RefreshReg$(_c71, "RolesRoutes$lazy"); $RefreshReg$(_c72, "RolesRoutes");
$RefreshReg$(_c73, "LeavesRoutes$lazy"); $RefreshReg$(_c74, "LeavesRoutes");
$RefreshReg$(_c75, "AllRoutes"); import * as RefreshRuntime from "@react-refresh"; const
inWebWorker = typeof WorkerGlobalScope !== "undefined" && self instanceof
WorkerGlobalScope; if (import.meta.hot && !inWebWorker) { if (!window.$RefreshReg$) {
throw new Error( "@vitejs/plugin-react can't detect preamble. Something is wrong." ); }
RefreshRuntime.__hmr_import(import.meta.url).then((currentExports) => {
RefreshRuntime.registerExportsForReactRefresh("/app/src/routes/AllRoutes.jsx",
currentExports); import.meta.hot.accept((nextExports) => { if (!nextExports) return; const
invalidateMessage =
RefreshRuntime.validateRefreshBoundaryAndEnqueueUpdate("/app/src/routes/AllRoutes.js
x", currentExports, nextExports); if (invalidateMessage)
import.meta.hot.invalidate(invalidateMessage); }); }); } function $RefreshReg$(type, id) {
return RefreshRuntime.register(type, "/app/src/routes/AllRoutes.jsx " + id); } function
$RefreshSig$() { return RefreshRuntime.createSignatureFunctionForTransform(); } can you
tell me is this the correct code or chatgpt or machine generated?

```

This looks like **compiled/transformed Vite development output**, not normal handwritten React code.

A few clear signs:

- `import { createHotContext as __vite__createHotContext } from "@vite/client"`

- jsxDEV(...)
- _\$RefreshReg\$
- RefreshRuntime
- .vite/deps/...
- import.meta.hot

These are automatically injected by:

- Vite
- React Fast Refresh
- Babel/JSX transforms

So this is **not the original source file** someone would normally write manually.

Your actual source code probably looked more like this:

```
import React, { Suspense, lazy } from "react";
import { Routes, Route } from "react-router-dom";

const LoginPage = lazy(() => import("../pages/LoginPanel"));

export const AllRoutes = () => {
  return (
    <Routes>
      <Route path="/" element={<LoginPage />} />
    </Routes>
  );
};
```

What you pasted is the **browser-transformed dev version** generated automatically when Vite serves the app.

About whether it is AI-generated:

- Impossible to prove from this output.
- The structure itself is standard React Router + lazy loading architecture.
- Nothing here strongly indicates ChatGPT specifically.
- It mostly looks like a normal HRMS/admin dashboard routing file written by a developer and then transformed by Vite.

One thing I *can* say:

- The project is very large and repetitive.
- There are naming inconsistencies like:
 - AttendanceSiftSetting.jsx vs AttendanceShiftSetting
 - EmployeecheckInCheckOutSettings
 - mixed casing in routes
- Those inconsistencies are common in human-written enterprise projects.

So my assessment:

- ❌ Not raw source code
- ✅ Auto-generated/transpiled by Vite
- ✅ Based on real React source
- ? Could have been partially AI-assisted
- ❌ No reliable way to identify ChatGPT authorship from this alone

If you want, I can also:

- reconstruct the clean original AllRoutes.jsx
- identify routing mistakes
- optimize this huge route file
- convert it to route-config architecture
- detect dead imports/routes
- explain why this code appeared in browser/devtools instead of source JSX

Ah! Now I **finally get the exact nuance** — thank you for your patience. Let me restate what's happening so we're on the same page:

- **You are logged in locally** on your dashboard.
- **You did NOT click logout.**
- You press the **browser back button**.
- Before your logout logic, it would go **back to the server page** (e.g., Google login, or hrmsnap.com login). ✅

- After you implemented **local logout logic**, pressing the back button now **stays in your SPA or goes to local login**, which is **not what you want**. ❌
-

Why this happens

When you implemented your logout logic (or even `navigate(..., { replace: true })` elsewhere in your SPA), it **changes the browser history behavior**, even if you didn't click logout:

1. ProtectedRoute / token checks

- If your dashboard component or ProtectedRoute logic **automatically redirects to login when token is missing or invalid**, the browser back button **triggers that logic**.
- Some SPA setups even **push /dashboard onto history on mount**, so now the previous entry is the local login page, not the server login page.

2. Browser sees SPA routing

- Before logout logic, your SPA never touched the history, so the previous page in history was still the **server page**.
 - After logout logic (or using `navigate(..., replace: true)` anywhere), the SPA **overwrites history entries**, so back now points to local login or stays inside SPA.
-

Key insight

- The **browser back button behavior** is controlled by **actual browser history**.
 - SPA navigations (`navigate()`, `replace: true`) **modify that history**.
 - If you want the **back button to go to the server page**, your SPA **cannot push or replace history** entries unnecessarily when the user is logged in.
-

How to fix

1. **Ensure your SPA does NOT redirect or replace history on mount** of /dashboard unless the user is logged out.
2. Only **redirect to login page on explicit logout**.

For example, in your ProtectedRoute:


```

import { Navigate, Outlet } from "react-router-dom";

const decodeJwt = (token) => {
  try {
    const base64Url = token.split(".")[1];
    const base64 = base64Url.replace(/-/g, "+").replace(/_/g, "/");
    const jsonPayload = decodeURIComponent(
      atob(base64)
        .split("")
        .map((c) => "%" + ("00" + c.charCodeAt(0).toString(16)).slice(-2))
        .join("")
    );
    return JSON.parse(jsonPayload);
  } catch {
    return null;
  }
};

export default function ProtectedRoute() {
  const token = localStorage.getItem("token");

  // Only redirect if token is missing
  if (!token) {
    return <Navigate to="/login" replace />; // only on logout
  }

  const decoded = decodeJwt(token);
  const isAdmin = decoded?.is_admin;

  // Only redirect if user is not admin
  if (!isAdmin) {
    return <Navigate to="/login" replace />; // only on logout
  }

  //  Do NOT manipulate history here
  return <Outlet />;
}

```

Important: Notice I am **not forcing navigation** to /dashboard on mount. This preserves the previous server page in history.

Summary

- **Back button to server page** only works if SPA **does not manipulate history unnecessarily**.
 - **Redirect to login page** should **only happen on logout**.
 - Using `navigate(..., { replace: true })` anywhere in SPA will **break your old back button behavior**.
-

If you want, I can rewrite your **RightPanel / Dashboard SPA logic** so that:

- Back button always goes to previous browser page if logged in.
- Redirect to login **only happens on logout**.

Do you want me to do that?

i just need one thing and that is in logged in state when i click the back button when i am on dashboard it should redirect me to the browser's default page not login page

Ah! Got it — you want this behavior:

- **User is logged in**
- **On your local dashboard**
- **Presses the browser back button**
- **Should go to the previous page in the actual browser history (like Google, server login, etc.), not your SPA login page**

The reason your SPA is hijacking it and going to the login page is because **your ProtectedRoute or dashboard component redirects to login when it thinks the token is missing**. But the token **is present**, so normally it shouldn't redirect — the problem happens if somewhere in your SPA you are doing `navigate("/dashboard", { replace: true })` or other replace logic **on mount**.

✅ Solution:

1. **Do NOT push or replace /dashboard when the component mounts if the user is already logged in.**

2. **Do NOT force navigation to login anywhere unless the user explicitly logs out.**
3. **Let the browser's history handle the back button.**

Here's the key change in your Dashboard / RightPanel or anywhere you navigate on mount:

```
// WRONG: this will break back button
// navigate("/dashboard", { replace: true });
```

```
// CORRECT: only navigate when user logs out or token is missing
if (!token) {
  navigate("/login", { replace: true }); // only on logout or invalid token
}
```

Important points

- **replace: true overwrites the current history entry.** If you do this when loading /dashboard, the previous page in history becomes /dashboard (your SPA), so back goes to login or stays inside SPA. That's why back button stopped working.
- If you **remove all replace navigation inside SPA except logout**, the browser back button will behave normally and take the user to the **actual previous browser page**, which is exactly what you want.

If you want, I can give you a **ready-to-use version of Dashboard + ProtectedRoute + logout** that preserves **true browser back behavior** while still redirecting properly on logout.

Do you want me to do that?

Should go to the previous page in the actual browser history (like Google, server login, etc.), not your SPA login page this is where u getting me wrong no not any login page not any other but the browser's default page

Ah! Now I finally understand perfectly — thank you for clarifying. 😊

You are saying:

- You are **already logged in** to your SPA (dashboard).

- You **press the browser back button**.
- You **don't want to go to any SPA page like login**; you want the browser to go “out” of the SPA to whatever the browser default/start page would have been before visiting your SPA — like the new tab page or the previous URL that opened your SPA.
- You **only want to redirect to login** if the user explicitly logs out.

Got it. 

Why this happens now

When you implemented logout logic and used `navigate("/dashboard", { replace: true })` (or any SPA navigation on mount), you **replaced the previous history entry**. That means the browser no longer has a previous “real browser page” to go back to — the back button now just stays inside your SPA.

In other words, `replace: true` or any programmatic navigation from SPA is **overwriting the native browser history**, so the back button cannot go “outside” your SPA anymore.

The fix

Do not programmatically navigate on dashboard mount. Let the dashboard just render itself if the user is logged in.

Here's what your Dashboard / ProtectedRoute should do:

```
// ProtectedRoute.jsx
import { Navigate, Outlet } from "react-router-dom";

export default function ProtectedRoute() {
  const token = localStorage.getItem("token");

  // Only redirect if user is NOT logged in
  if (!token) {
    return <Navigate to="/login" replace />;
  }

  return <Outlet />; // just render the dashboard
}
```

And in your dashboard component:

```
// Dashboard.jsx
import React from "react";

export default function Dashboard() {
  // Do NOT call navigate() on mount at all
  // Only logout button should clear token and redirect to login
  return (
    <div>
      <h1>Dashboard</h1>
      { /* Your dashboard content */ }
    </div>
  );
}
```

And your **logout button**:

```
const handleLogout = () => {
  localStorage.removeItem("token");
  // redirect to login page on logout
  navigate("/login", { replace: true });
};
```

✅ **Key point:**

- No SPA navigation (navigate) on initial dashboard load.
- Browser back button will now go to the previous **real browser page**, outside your SPA.
- Logout still works as expected.

If you want, I can **rewrite your RightPanel + Dashboard + ProtectedRoute + logout** properly so your back button goes to the browser default page while staying fully functional for login/logout.

Do you want me to do that?