Ghana

BCG -	45.4	67.1	80.2	84.7	89.2	93.5	94.4	95.7
DTP-D1 -	25	58.7	79.8	86.1	89.9	93.4	94.3	95.3
DTP-D2 -	16.8	40.2	64.9	73.9	80.5	88.6	90.6	92.2
DTP-D3 -	11.2	26.3	49.5	58.7	66.4	77.3	80.6	83.6
HepB-BD -								
HepB-D1 -								
HepB-D2 -								
HepB-D3 -								
Hib-D1 -								
Hib-D2 -								
Hib-D3 -								
IPV-D1 -								
MCV-D1 -	21.1	39.9	59.6	70.7	75.7	85.2	87.3	91.1
MCV-D2 -	10.9	17.9	22.7	29.6	32.2	40.7	45.7	52.7
OPV-BD -	46	65.1	71.1	72.8	74.1	74.8	74.9	75.2
OPV-D1 -	24.9	58.6	79.8	86.3	90	93.6	94.5	95.5
OPV-D2 -	16.5	39.2	63.6	72.4	79	86.8	88.7	90.3
OPV-D3 -	10.5	24.7	46.8	55.6	63	73.3	76.3	79
PCV-D1 -	14.8	34.8	46.7	50.6	53.3	55.6	56.5	58
PCV-D2 -	9.9	23.5	37.9	43.5	47.6	52.2	53.4	54.8
PCV-D3 -	7	15.7	29	34.3	38.8	44.7	46.7	48.9
RV-D1 -	14.2	33.7	45.2	49	51.7	53.9	54.6	55.8
RV-D2 -	9.6	22.6	36.4	41.6	45.6	49.8	50.9	52.4
RV-D3 -								
Recount	200	e later	s later	later 8 we	later Am	later no	later	Final
ζ.		ر ر	, 16	, .(0	, ,	, ,	,	