LINUX FUNDAMENTALS: AN INTRODUCTION TO
SYSTEM AND COMMAND-LINE BASICS

**EXP.NO: 2**   **DATE: 28-01-2025**

AIM:

To understand and explore the fundamentals of the Linux operating system, including key components such as the file system, various commands, shell operators, to build a strong foundation for cybersecurity and system administration. in TryHackMe platform.

ALGORITHM:

1. Access the lab in TryHackMe platform using the link below- https://tryhackme.com/room/linuxfundamentalspart1

2. Click Start a Machine to start the Ubuntu Linux machine that you can interact with your browser.

3. Solve the task questions

4. Understand the history of Linux and the commands to interact with the filesystems.

5. Learn about commends like echo, whoami

6. Learn about Shell Operations.

OUTPUT:

This contains all of the information for the machine deployed in the room including the IP address and expiry timer - along with buttons to manage the machine. Remember to "**Terminate**" a machine once you are done with the room. More information on this can be found in the tutorial room.

For now, press "**Start Machine**" where you will be able to interact with your own Linux machine within your browser whilst following along with this room:

Answer the questions below

I've deployed my first Linux machine!

No answer needed   ✓ Correct Answer

Let's get started with two of the first commands which I have broken down in the table below:

Command	Description
echo	Output any text that we provide
whoami	Find out what user we're currently logged in as!

See the snippets below for an example of each command being used

Using echo

tryhackme@linux1:~$ echo "Hello Friend!"

Using whoami to find out the username of who we're logged in as

tryhackme@linux1:~$ whoami

Try this on your Linux machine now!

Answer the questions below

If we wanted to output the text "**TryHackMe**", what would our command be?

echo "TryHackMe"   ✓ Correct Answer

What is the username of who you're logged in as on your deployed Linux machine?

---

of text files using a command called "**cat**".

"Cat" is short for concatenating & is a fantastic way for us to output the contents of files (not just text files).

In the screenshot below, you can see how I have combined the use of "ls" to list the files within a directory called "Documents":

Using "ls" to to list the contents of the current directory

tryhackme@linux1:~/Documents$ ls
todo.txt
tryhackme@linux1:~/Documents$ cat todo.txt
Here's something important for me to do later!

We've applied some knowledge from earlier in this task to do the following:

1. Used "**ls**" to let us know what files are available in the "Documents" folder of this machine. In this case, it is called "todo.txt".
2. We have then used `cat todo.txt` to concatenate/output the contents of this "todo.txt" file, where the contents are "Here's something important for me to do later!"

Pro tip: You can use cat to output the contents of a file within directories without having to navigate to it by using cat and the name of the directory. I.e. `cat /home/ubuntu/Documents/todo.txt`

Sometimes things like usernames, passwords (yes - really...), flags or configuration settings are stored within files where "cat" can be used to retrieve these.

Finding out the full Path to our Current Working Directory (pwd)

Room progress (27%)

of text files using a command called "**cat**".

"Cat" is short for concatenating & is a fantastic way for us to output the contents of files (not just text files!).

In the screenshot below, you can see how I have combined the use of "ls" to list the files within a directory called "Documents":

Using "ls" to to list the contents of the current directory

```
tryhackme@linux1:~/Documents$ ls
todo.txt
tryhackme@linux1:~/Documents$ cat todo.txt
Here's something important for me to do later!
```

We've applied some knowledge from earlier in this task to do the following:

1. Used "**ls**" to let us know what files are available in the "Documents" folder of this machine. In this case, it is called "todo.txt".
2. We have then used `cat todo.txt` to concatenate/output the contents of this "todo.txt" file, where the contents are "Here's something important for me to do later!"

Pro tip: You can use cat to output the contents of a file within directories without having to navigate to it by using cat and the name of the directory. I.e. `cat /home/ubuntu/Documents/todo.txt`

Sometimes things like usernames, passwords (yes - really...), flags or configuration settings are stored within files where "cat" can be used to retrieve these.

Finding out the full Path to our Current Working Directory (pwd)

```
"testfile.txt" 0L, 0C written
tryhackme@linux1:~/folder1$ vim testfile.txt
```


tryhackme.com/room/linuxfundamentalspart1

```
h blah blah blah blah blah
```

```
:wq
```

+ ⏻ — ⓘ linuxfundpart1v2   47min 8s


```
"testfile.txt" 1L, 23C written
tryhackme@linux1:~/folder1$ cat testfile.txt
h blah blah blah blah
tryhackme@linux1:~/folder1$
```

+ ⏻ — ⓘ linuxfundpart1v2   46min 47s

1. Understanding why Linux is so commonplace today

2. Interacting with your first-ever Linux machine!

3. Ran some of the most fundamental commands

4. Had an introduction to navigating around the filesystem & how we can use commands like find and grep to make finding data even more efficient!

5. Power up your commands by learning about some of the important shell operators.

Answer the questions below

Research: What year was the first release of a Linux operating system?

| 1991 | ✓ Correct Answer |

If we wanted to output the text "**TryHackMe**", what would our command be?

| echo TryHackMe | ✓ Correct Answer | ♀ Hint |

What is the username of who you're logged in as on your deployed Linux machine?

| tryhackme | ✓ Correct Answer | ♀ Hint |

On the Linux machine that you deploy, how many folders are there?

| 4 | ✓ Correct Answer |

Which directory contains a file?

| folder4 | ✓ Correct Answer | ♀ Hint |

What is the contents of this file?

| Hello World | ✓ Correct Answer |

Use the cd command to navigate to this file and find out the new current working directory. What is the path?

| /home/tryhackme/folder4 | ✓ Correct Answer |

Use grep on "access.log" to find the flag that has a prefix of "THM". What is the flag? **Note:** The "access.log" file is located in the "/home/tryhackme/" directory.

| THM{ACCESS} | ✓ Correct Answer | ♀ Hint |

And I still haven't found what I'm looking for!

| No answer needed | ✓ Correct Answer |

If we wanted to run a command in the background, what operator would we want to use?

&	✓ Correct Answer

If I wanted to replace the contents of a file named "passwords" with the word "password123", what would my command be?

echo password123 > passwords	✓ Correct Answer	💡 Hint

Now if I wanted to add "tryhackme" to this file named "passwords" but also keep "passwords123", what would my command be

echo tryhackme >> passwords	✓ Correct Answer	💡 Hint

Now use the deployed Linux machine to put these into practice

No answer needed	✓ Correct Answer

RESULT:

      This experiment provides a practical introduction to LINUX Operating system fundamentals, enabling to navigate, manage, and analyze system components efficiently.