## Sensitivity

| Sensitivity Attributes | Score | LH DQ | Tally |
|---|---|---|---|
| Adult Mobility | 1.12 | 2.73 |  |
| Complexity in Reproductive Strategy | 3.44 | 2.5 |  |
| Dispersal of Early Life Stages | 1.08 | 3 |  |
| Egg and Larval Survival and Settlement Requirements | 2.96 | 1.7 |  |
| Historical Variability in Temperature | 2.48 | 3 |  |
| Juvenile Habitat Requirements | 2.44 | 3 |  |
| Other Stressors | 1.68 | 2.2 |  |
| Population Growth Rate | 3.56 | 2.2 |  |
| Prey Specificity | 2.08 | 2.75 |  |
| Relationship to Calcified Organisms (due to impacts from Ocean Acidification) | 1.68 | 1.4 |  |
| Spawning Cycle | 2.36 | 2.6 |  |
| Stock Size/Status | 1.12 | 3 |  |
| **Total Sensitivity \| Certainty** | **High (3) \| 1** | | |

## Exposure

| Exposure Factors | Mean | SD | Tally |
|---|---|---|---|
| Bottom Temperature | 2.31 | 1.08 |  |
| Bottom Oxygen | 2.92 | 0.94 |  |
| Bottom Salinity | 2.32 | 1.06 |  |
| Bottom Aragonite Solubility | 1.21 | 0.55 |  |
| Small zooplankton integrated biomass | 1.26 | 0.26 |  |
| Medium zooplankton integrated biomass | 1.42 | 0.27 |  |
| Large zooplankton integrated biomass | 1.4 | 0.39 |  |
| **Total Exposure** | **Moderate (1.93)** | **0.92** |  |

## Vulnerability

| Vulnerability | Mean | SD | Tally |
|---|---|---|---|
| **Total Vulnerability** | **Moderate (5.8)** | **2.76** |  |

Low Moderate High Very High