






Diet proportions for species: Acadian redfish





Diet proportions for species: American plaice




Diet proportions for species: Anchovies





Diet proportions for species: Atlantic bluefin tuna





Diet proportions for species: Atlantic cod




Diet proportions for species: Atlantic halibut





Diet proportions for species: Atlantic herring





Diet proportions for species: Atlantic menhaden




Diet proportions for species: Atlantic salmon





Diet proportions for species: Atlantic states demersal fish




Diet proportions for species: Atlantic surf clam




Diet proportions for species: Baleen whales





Diet proportions for species: Benthic Carnivore




Diet proportions for species: Benthic grazer








Diet proportions for species: Black sea bass





Diet proportions for species: Blue shark




Diet proportions for species: Bluefish




Diet proportions for species: Butterfish




Diet proportions for species: Carnivorous zooplankton




Diet proportions for species: Carrion





Diet proportions for species: Deposit Feeder




Diet proportions for species: Diatom



Diet proportions for species: Dinoflagellates




Diet proportions for species: Drums and croakers



Diet proportions for species: Fourspot Flounder


Predator perspective



prey

- Benthic Carnivore
- Deposit Feeder
- Rest
- Mesozooplankton
- Carnivorous zooplankton
- Other benthic filter feeder
- Miscellaneous demersal fish
- Shallow macrozoobenthos
- Benthic grazer


Prey perspective





pred

- Silver hake
- Rest
- Gelatinous zooplankton
- Monkfish
- Little skate
- Bluefish
- Spiny dogfish
- Wolffish
- Haddock
- Winter skate
- American plaice



Diet proportions for species: Gelatinous zooplankton




Diet proportions for species: Haddock




Diet proportions for species: Illex squid



Diet proportions for species: Invasive vertebrate species




Diet proportions for species: Labile detritus




Diet proportions for species: Little skate


Predator perspective




Prey perspective





Diet proportions for species: Lobster




Diet proportions for species: Loligo squid





Diet proportions for species: Mackerel





Diet proportions for species: Macroalgae




Diet proportions for species: Marine turtles




Diet proportions for species: Meiobenthos





Diet proportions for species: Mesozooplankton




Diet proportions for species: Microphytobenthos




Diet proportions for species: Microzooplankton




Diet proportions for species: Migratory mesopelagic fish




Diet proportions for species: Miscellaneous demersal fish




Diet proportions for species: Monkfish





Diet proportions for species: Northeast skate complex




Diet proportions for species: Northern shrimp other pandalids




Diet proportions for species: Ocean pout




Diet proportions for species: Ocean quahog




Diet proportions for species: Offshore hake




Diet proportions for species: Other benthic filter feeder




Diet proportions for species: Other benthopelagic fish





Diet proportions for species: Other demersal sharks




Diet proportions for species: Other flatfish




Diet proportions for species: Other pelagic sharks




Diet proportions for species: Other shrimps




Diet proportions for species: Other tunas





Diet proportions for species: Pelagic Bacteria





Diet proportions for species: Pico–phytoplankton





Diet proportions for species: Pinnipeds




Diet proportions for species: Pollock





Diet proportions for species: Porbeagle shark




Diet proportions for species: Red deep-sea crab





Diet proportions for species: Red hake





Diet proportions for species: Refractory detritus




Diet proportions for species: Right whales




Diet proportions for species: Sandbar shark





Diet proportions for species: Scup




Diet proportions for species: Sea scallop




Diet proportions for species: Seabirds




Diet proportions for species: Seagrass




Diet proportions for species: Sediment Bacteria




Diet proportions for species: Shallow demersal fish





Diet proportions for species: Shallow macrozoobenthos




Diet proportions for species: Silver hake





Diet proportions for species: Small toothed whales



Diet proportions for species: Smooth dogfish




Diet proportions for species: Spiny dogfish



Diet proportions for species: Striped Bass


Predator perspective



prey

- Atlantic surf clam
- Rest
- Miscellaneous demersal fish
- Deposit Feeder
- Ocean quahog
- Carnivorous zooplankton
- Lobster
- Shallow macrozoobenthos
- Benthic grazer


Prey perspective




pred

- Silver hake
- Yellowtail flounder
- Rest
- Little skate
- Spiny dogfish
- Monkfish
- Northeast skate complex
- Bluefish
- Winter skate
- Witch flounder


Diet proportions for species: Summer flounder





Diet proportions for species: Tautog





Diet proportions for species: Tilefish




Diet proportions for species: Toothed whales




Diet proportions for species: White hake



Diet proportions for species: Windowpane flounder




Diet proportions for species: Winter flounder



Diet proportions for species: Winter skate


Predator perspective



prey

- Rest
- Carnivorous zooplankton
- Loligo squid
- Benthic Carnivore
- Haddock
- Lobster
- Ocean quahog
- Illex squid
- Winter skate
- Deposit Feeder
- Atlantic surf clam
- Atlantic cod
- Pollock
- Gelatinous zooplankton
- Benthic grazer


Prey perspective





pred

- Witch flounder
- Wolffish
- Rest
- Northeast skate complex
- Winter skate
- Monkfish
- Little skate
- Spiny dogfish

Diet proportions for species: Witch flounder



Diet proportions for species: Wolffish



Diet proportions for species: Yellowtail flounder

