Rajalakshmi Engineering College

Name: NEIL DANIEL A

Email: 240701356@rajalakshmi.edu.in

Roll no: 240701356 Phone: 8925059757

Branch: REC

Department: I CSE FD

Batch: 2028

Degree: B.E - CSE



NeoColab_REC_CS23231_DATA STRUCTURES

REC_DS using C_Week 4_COD_Question 3

Attempt : 1 Total Mark : 10 Marks Obtained : 10

Section 1: Coding

1. Problem Statement

Write a program to implement a queue using an array and pointers. The program should provide the following functionalities:

Insert an element into the queue. Delete an element from the queue. Display the elements in the queue.

The queue has a maximum capacity of 5 elements. If the queue is full and an insertion is attempted, a "Queue is full" message should be displayed. If the queue is empty and a deletion is attempted, a "Queue is empty" message should be displayed.

Input Format

Each line contains an integer representing the chosen option from 1 to 3.

Option 1: Insert an element into the queue followed by an integer representing the element to be inserted, separated by a space.

Option 2: Delete an element from the queue.

Option 3: Display the elements in the queue.

Output Format

For option 1 (insertion):-

- 1. The program outputs: "<data> is inserted in the queue." if the data is successfully inserted.
- 2. "Queue is full." if the queue is already full and cannot accept more elements.

For option 2 (deletion):-

- 1. The program outputs: "Deleted number is: <data>" if an element is successfully deleted and returns the value of the deleted element.
- 2. "Queue is empty." if the queue is empty no elements can be deleted.

For option 3 (display):-

- 1. The program outputs: "Elements in the queue are: <element1> <element2> ... <elementN>" where <element1>, <element2>, ..., <elementN> represent the elements present in the queue.
- 2. "Queue is empty." if the queue is empty no elements can be displayed.

For invalid options, the program outputs: "Invalid option."

Refer to the sample output for the formatting specifications.

Sample Test Case

Input: 1 10

240101350

```
240701356
Output: 10 is inserted in the queue.
    Elements in the queue are: 10
    Invalid option.
    Answer
    #include <stdio.h>
    #include <stdlib.h>
    #define max 5
    int queue[max];
    int front = -1, rear = -1;
int insertq(int *data)
      if(rear==max-1){
         return 0;
      else if(front==-1){
         front=0;
         rear=0;
         queue[rear]=*data;
      }else{
         rear++;
         queue[rear]=*data;
      return 1;
    int delq() {
      if (front == -1) {
         printf("Queue is empty.\n");
         return -1;
      int value = queue[front];
      if (front == rear) {
         printf("Deleted number is: %d\n",value);
                                                                                 240101356
                                                      240701356
         front = -1;
rear
} else {
       rear = -1;
```

```
240701356
          printf("Deleted number is: %d\n",value);
          front = (front + 1);
        return value;
     void display()
        if(front==-1){
          printf("Queue is empty.\n");
        }
        else{
         printf("Elements in the queue are: ");
          for(int i=front;i<=rear;i++){</pre>
            printf("%d ",queue[i]);
          printf("\n");
     }
     int main()
        int data, reply, option;
       while (1)
          if (scanf("%d", &option) != 1)
             break;
          switch (option)
             case 1:
               if (scanf("%d", &data) != 1)
                 break;
               reply = insertq(&data);
               if (reply == 0)
                 printf("Queue is full.\n");
               else
                 printf("%d is inserted in the queue.\n", data);
break
case 2:
del~
               break:
                           Called without arguments
               delq(); //
               break;
```

```
240101356
                                                         240101356
              display();
break;
efault:
printf("Invalid option.\n");
             default:
               break;
          }
        }
        return 0;
                                                                              Marks: 10/10
     Status: Correct
240701356
240701356
                                                                                      240701356
                                                         240101356
```

240701356

2,40101356

240101356

240701356