



Contents lists available at ScienceDirect

Environmental Pollution

journal homepage: www.elsevier.com/locate/envpol

COVID-19 as a factor influencing air pollution?



Keywords:

Sars virus
Mortality
Epidemy
Public health
Air pollutants

To the Editor: At the end of 2019, the first cases of pneumonia associated with coronavirus (COVID-19) were reported in Wuhan, China (Huang et al., 2020). Thereafter, the number of infected people increased rapidly and, a month later, the outbreak turned into a national crisis, with infected individuals diagnosed all over the country (CDC, 2020; Chan et al., 2020; World Health Organization, 2020a; 2020b). Chinese authorities shut down transportation and travel in and out of Wuhan. They also curtailed and reduced local business travel, closed down schools, colleges and universities in order to reduce the spread of the disease and established numerous quarantines (Wilder-Smith and Freedman, 2020). The maps in Fig. 1 show the nitrogen dioxide (NO₂) concentrations, resulting primarily from the burning of fossil fuels (He et al., 2020a,b), prior to and following the quarantine, with a massive reduction observed in concentrations after the corona virus outbreak (NASA, 2020). The data were collected by the Tropospheric Monitoring Instruments (TROPOMI) on-board ESA's Sentinel-5 satellite. A related sensor, the Ozone Monitoring Instrument (OMI) on-board NASA's Aura satellite, recorded similar atmospheric changes. NO₂ is a common tracer of air pollution/industrial activity, associated with morbidity and mortality (He et al., 2020a,b). NASA scientists have commented that the reduction in NO₂ pollution was first apparent near Wuhan, but spread across the rest of the country, and eventually worldwide (NASA, 2020). In Central China, NO₂ emissions were reduced by as much as 30% (NASA, 2020). CO₂ emissions, another common tracer of air pollution (Hanaoka and Masui, 2019), decreased by 25% in China and by 6% worldwide (CarbonBrief, 2020). Air pollution is responsible for many deaths and increased incidences of respiratory disease

(Brauer, 2010). According to the World Health Organization, 4.6 million individuals die annually from diseases and illnesses directly related to poor air quality (Cohen et al., 2017). Poor air quality is responsible for more deaths each year than motor vehicle accidents (European Environment Agency, 2005). The impact of air pollution is a global problem and includes developed countries, such as the European nations where 193,000 people died in 2012 from airborne particulate matter (Ortiz et al., 2017). Air pollution associated deaths include but are not limited to aggravated asthma, bronchitis, emphysema, lung and heart diseases, and respiratory allergies (Brauer, 2010). China, where the COVID-19 epidemic started, is also a country severely affected by air pollution (He et al., 2020a,b). Air pollution in China was responsible for 4000 preventable deaths each day i.e. 1.6 million fatalities in 2016 (Rohde and Muller, 2015; Wang et al., 2012). Several models predict mortality due to air pollution (Hoek et al., 2013), with an increase of all-cause mortality ranging from 0.13% per 10 µg/m³ of NO₂ per day (He et al., 2020a,b) to 2% per 10 µg/m³ of NO₂ on a 5 day period (Chiusolo et al., 2011), or a global hazard ratio of 1.052 (95 confidence intervals 1.045 to 1.059) per increase of 8.1 ppb in NO₂ (Crouse et al., 2015). In a hypothetical scenario in which the impact of air pollution on mortality was underestimated using the aforementioned models, and in which we considered a time period of two months with a decrease in NO₂ air pollution in China, macabre predictions could postulate a 6% reduction in mortality due to air pollution (i.e. around 100 000 life's saved, just in China). Similar calculations could be applied to other countries. At the time of writing this, there are 3,158 reported deaths from COVID-19 in China and 4,607 worldwide. Considering the huge decrease in air pollution following the quarantine (China's CO₂ emissions decreased by a quarter), the COVID-19 pandemic might paradoxically have decreased the total number of deaths during this period, by drastically decreasing the number of fatalities due to air pollution. Moreover, in addition to the reduced number of deaths due to air pollution, the reduction in air pollution itself could also have positive benefits in reducing preventable non communicable diseases (Chen and Bloom, 2019; Neira et al., 2018).




Fig. 1. Sequence of airborne NO₂ concentrations measured with the TROPOMI sensor on-board ESA's Sentinel-5 satellite before and after the COVID-19 pandemic. (Satellite images from (NASA, 2020)).

Declaration of competing interest

The authors of this work declare no conflict of interest.

CRediT authorship contribution statement

Frédéric Dutheil: Conceptualization, Writing - original draft, Writing - review & editing. **Julien S. Baker:** Writing - original draft, Writing - review & editing. **Valentin Navel:** Conceptualization, Writing - original draft, Writing - review & editing.

Appendix A. Supplementary data

Supplementary data to this article can be found online at <https://doi.org/10.1016/j.envpol.2020.114466>.

References

- Brauer, M., 2010. How much, how long, what, and where: air pollution exposure assessment for epidemiologic studies of respiratory disease. *Proc. Am. Thorac. Soc.* 7, 111–115. <https://doi.org/10.1513/pats.200908-093RM>.
- CarbonBrief, 2020. As China Battles One of the Most Serious Virus Epidemics of the Century, the Impacts on the Country's Energy Demand and Emissions Are Only Beginning to Be Felt.
- CDC, 2020. First Travel-Related Case of 2019 Novel Coronavirus Detected in United States.
- Chan, J.F.-W., Yuan, S., Kok, K.-H., To, K.K.-W., Chu, H., Yang, J., Xing, F., Liu, J., Yip, C.C.-Y., Poon, R.W.-S., Tsoi, H.-W., Lo, S.K.-F., Chan, K.-H., Poon, V.K.-M., Chan, W.-M., Ip, J.D., Cai, J.-P., Cheng, V.C.-C., Chen, H., Hui, C.K.-M., Yuen, K.-Y., 2020. A familial cluster of pneumonia associated with the 2019 novel coronavirus indicating person-to-person transmission: a study of a family cluster. *Lancet* 395, 514–523. [https://doi.org/10.1016/S0140-6736\(20\)30154-9](https://doi.org/10.1016/S0140-6736(20)30154-9).
- Chen, S., Bloom, D.E., 2019. The macroeconomic burden of noncommunicable diseases associated with air pollution in China. *PLoS One* 14, e0215663. <https://doi.org/10.1371/journal.pone.0215663>.
- Chiusolo, M., Cadum, E., Stafoggia, M., Galassi, C., Berti, G., Faustini, A., Bisanti, L., Vigotti, M.A., Dessì, M.P., Cernigliaro, A., Mallone, S., Pacelli, B., Minerba, S., Simonato, L., Forastiere, F., EpiAir Collaborative Group, 2011. Short-Term effects of nitrogen dioxide on mortality and susceptibility factors in 10 Italian cities: the EpiAir study. *Environ. Health Perspect.* 119, 1233–1238. <https://doi.org/10.1289/ehp.1002904>.
- Cohen, A.J., Brauer, M., Burnett, R., Anderson, H.R., Frostad, J., Estep, K., Balakrishnan, K., Brunekreef, B., Dandona, L., Dandona, R., Feigin, V., Freedman, G., Hubbell, B., Jobling, A., Kan, H., Knibbs, L., Liu, Y., Martin, R., Morawska, L., Pope, C.A., Shin, H., Straif, K., Shaddick, G., Thomas, M., van Dingenen, R., van Donkelaar, A., Vos, T., Murray, C.J.L., Forouzanfar, M.H., 2017. Estimates and 25-year trends of the global burden of disease attributable to ambient air pollution: an analysis of data from the Global Burden of Diseases Study 2015. *Lancet* 389, 1907–1918. [https://doi.org/10.1016/S0140-6736\(17\)30505-6](https://doi.org/10.1016/S0140-6736(17)30505-6).
- Crouse, D.L., Peters, P.A., Hystad, P., Brook, J.R., van Donkelaar, A., Martin, R.V., Villeneuve, P.J., Jerrett, M., Goldberg, M.S., Pope, C.A., Brauer, M., Brook, R.D., Robichaud, A., Menard, R., Burnett, R.T., 2015. Ambient PM_{2.5}, O₃, and NO₂ exposures and associations with mortality over 16 Years of follow-up in the Canadian census health and environment cohort (CanCHEC). *Environ. Health Perspect.* 123, 1180–1186. <https://doi.org/10.1289/ehp.1409276>.
- European Environment Agency, 2005. Communication from the Commission to the Council and the European Parliament - Thematic Strategy on Air Pollution (COM(2005) 0446 final).
- Hanaoka, T., Masui, T., 2019. Exploring effective short-lived climate pollutant mitigation scenarios by considering synergies and trade-offs of combinations of air pollutant measures and low carbon measures towards the level of the 2 °C target in Asia. *Environ. Pollut.* 261, 113650. <https://doi.org/10.1016/j.envpol.2019.113650>.
- He, L., Zhang, S., Hu, J., Li, Z., Zheng, X., Cao, Y., Xu, G., Yan, M., Wu, Y., 2020a. On-road emission measurements of reactive nitrogen compounds from heavy-duty diesel trucks in China. *Environ. Pollut.* 262, 114280. <https://doi.org/10.1016/j.envpol.2020.114280>.

- He, M.Z., Kinney, P.L., Li, T., Chen, C., Sun, Q., Ban, J., Wang, J., Liu, S., Goldsmith, J., Kioumourtzoglou, M.-A., 2020b. Short- and intermediate-term exposure to NO₂ and mortality: a multi-county analysis in China. *Environ. Pollut.* 261, 114165. <https://doi.org/10.1016/j.envpol.2020.114165>.
- Hoek, G., Krishnan, R.M., Beelen, R., Peters, A., Ostro, B., Brunekreef, B., Kaufman, J.D., 2013. Long-term air pollution exposure and cardio-respiratory mortality: a review. *Environ. Health* 12, 43. <https://doi.org/10.1186/1476-069X-12-43>.
- Huang, C., Wang, Y., Li, X., Ren, L., Zhao, J., Hu, Y., Zhang, L., Fan, G., Xu, J., Gu, X., Cheng, Z., Yu, T., Xia, J., Wei, Y., Wu, W., Xie, X., Yin, W., Li, H., Liu, M., Xiao, Y., Gao, H., Guo, L., Xie, J., Wang, G., Jiang, R., Gao, Z., Jin, Q., Wang, J., Cao, B., 2020. Clinical features of patients infected with 2019 novel coronavirus in Wuhan, China. *Lancet* 395, 497–506. [https://doi.org/10.1016/S0140-6736\(20\)30183-5](https://doi.org/10.1016/S0140-6736(20)30183-5).
- NASA, 2020. Airborne Nitrogen Dioxide Plummets over China.
- Neira, M., Prüss-Ustün, A., Mudu, P., 2018. Reduce air pollution to beat NCDs: from recognition to action. *Lancet* 392, 1178–1179. [https://doi.org/10.1016/S0140-6736\(18\)32391-2](https://doi.org/10.1016/S0140-6736(18)32391-2).
- Ortiz, C., Linares, C., Carmona, R., Díaz, J., 2017. Evaluation of short-term mortality attributable to particulate matter pollution in Spain. *Environ. Pollut.* 224, 541–551. <https://doi.org/10.1016/j.envpol.2017.02.037>.
- Rohde, R.A., Müller, R.A., 2015. Air Pollution in China: Mapping of Concentrations and Sources. Berkeley Earth.
- Wang, H., Dwyer-Lindgren, L., Lofgren, K.T., Rajaratnam, J.K., Marcus, J.R., Levin-Reactor, A., Levitz, C.E., Lopez, A.D., Murray, C.J.L., 2012. Age-specific and sex-specific mortality in 187 countries, 1970–2010: a systematic analysis for the Global Burden of Disease Study 2010. *Lancet* 380, 2071–2094. [https://doi.org/10.1016/S0140-6736\(12\)61719-X](https://doi.org/10.1016/S0140-6736(12)61719-X).
- Wilder-Smith, A., Freedman, D.O., 2020. Isolation, quarantine, social distancing and community containment: pivotal role for old-style public health measures in the novel coronavirus (2019-nCoV) outbreak. *J. Trav. Med.* taaa020. <https://doi.org/10.1093/jtm/taaa020>.
- World Health Organization, 2020a. Novel Coronavirus – Thailand (ex-China).
- World Health Organization, 2020b. Novel Coronavirus – Japan (ex-China).

Frédéric Dutheil*

Université Clermont Auvergne, CNRS, LaPSCo, Physiological and Psychosocial Stress, CHU Clermont-Ferrand, University Hospital of Clermont-Ferrand, Preventive and Occupational Medicine, Witty Fit, F-63000, Clermont-Ferrand, France

Julien S. Baker

Centre for Health and Exercise Science Research, Department of Sport, Physical Education and Health, Hong Kong Baptist University, Kowloon Tong, Hong Kong

Valentin Navel

Université Clermont Auvergne, CNRS, INSERM, GReD, Translational Approach to Epithelial Injury and Repair, CHU Clermont-Ferrand, University Hospital of Clermont-Ferrand, Ophthalmology, F-63000, Clermont-Ferrand, France

* Corresponding author. University Hospital of Clermont-Ferrand (CHU), Occupational and Environmental Medicine, 58 rue Montalembert, 63000, Clermont-Ferrand, France. E-mail address: fdutheil@chu-clermontferrand.fr (F. Dutheil).

5 March 2020

Available online 9 April 2020

This paper has been recommended for acceptance by Admir Crésó