



Field : MCKINLAY	Rotary Table : 41.4m	Rig : SAXON RIG 183	Open Hole:	Cased Hole:	Loggers :	EUSEBIUS SALDANHA
Permit : PPL 234	Ground Level : 36.2m	Spud Date : 08-09-2021	12 1/2" : 609.5m	9 5/8" : 607.3m		KOUROSH NIKKHAH
State : SOUTH AUSTRALIA	GDA 2020 Co-ordinates :	TD Date : 17-09-2021	8 1/2" : 1581.5m	7" : 1579.4m		STEVEN PEREIRA
Country : AUSTRALIA	Lat. : 28°29'10.29"S	Total Depth : 2590.0 m	6 1/8" : 2590.0m	4 1/2" : 2581.6m		
Scale : 1/ 200	Long. : 140°28'34.57"E	Final Status : CASSED & SUSPENDED				

LITHOLOGY	ACCESSORIES	DRILLING DATA	ABBREVIATIONS
 Coarse sandstone  Medium sandstone  Fine sandstone  VF Sandstone  Claystone  Siltstone  Carb Siltstone  Coal-lignite  Limestone  Volcanic rock  Metamorphic rock	 Pyrite  Siderite  Glauconite  Iron  Mica  Macrocrystalline  Calcareous  Feldspar  Carbonaceous  Fossils  Calcite	 Casing shoe  Bit Trip  Wiper Trip  Core  Dst  Survey MUD DATA MW - Mud Weight (lb/gal) FV - Funnel Viscosity (s/qt) PV - Plastic Viscosity (cps) YP - Yield Point (lb/100ftsq) Gel - Gel Strength (10sec) WL - Water Loss (cc/30min) pH - Acidity / Alkalinity Ck - Cake (32nd/inch) Sol - Solids (% vol) Cl - Chlorides (mg/l)	ABBREVIATIONS BOPD - Barrels of Oil Per Day BWPD - Barrels of Water Per Day CG - Connection Gas CO - Circulate Out COND - Condensate c/c - Crush Cut DST - Drill Stem Test FLOW - Flow Rate (gal/min) GCM - Gas Cut Mud GCW - Gas Cut Water GTS - Gas To Surface INJ - Injection of Mist (bbbls/hr) LCM - Lost Circulation Material MMCFD - Million Cubic Feet / Day NGTS - No Gas To Surface NOTS - No Oil To Surface NR - No Returns OCM - Oil Cut Mud OG - Over Gauge OH - Open Hole OTS - Oil To Surface Q - Flow Rate REC - Recovery Rmf - Resistivity mud filtrate ROP - Rate Of Penetration RPM - Revolutions Per Minute RTSTM - Rate Too Small To Measure Rw - Resistivity water r/r - Ring Residue SCFM - Standard Cubic Ft/Min (air) SGCM - Slightly Gas Cut Mud SPM - Strokes Per Minute SPP - Stand Pipe Pressure SWC - Side-Wall Core TG - Trip Gas WOB - Weight On Bit





MW: 9.5
FV: 56
PV: 16
YP: 18
Ge: 5/6/7
WL: 9
Sol: 6
pH: 10
Ck: 1/2
Cl: 95k

08-09-2021




09-09-2021

WOB: 1-5 klbs
RPM: 30-140
SPP: 180-631 psi
FLW: 277-561 gpm

NO CUTTING SAMPLES
COLLECTED IN SURFACE HOLE.

SURVEY @ 45.0m
INC: 0.30° AZI: 45.00°G

SURVEY @ 65.0m
INC: 0.20° AZI: 65.00°G




WOB: 1-7 klbs
RPM: 90-145
SPP: 680-996 psi
FLW: 571-652 gpm

SURVEY @ 83.0m
INC: 0.20° AZI: 62.00°G

NO CUTTING SAMPLES
COLLECTED IN SURFACE HOLE.

SURVEY @ 120.0m
INC: 0.10° AZI: 133.00°G



WINTON FORMATION:
136.0mMDRT (-94.6mTVDSS)

SURVEY @ 136.60m
INC: 0.50° AZI: 224.00°G



NO CUTTING SAMPLES
COLLECTED IN SURFACE HOLE.

SURVEY @ 158.0m
INC: 0.60° AZI: 215.00°G

SURVEY @ 177.0m
INC: 0.60° AZI: 236.00°G

WOB: 1-6klbs
RPM: 94-141
SPP: 320-977psi
FLW: 297-651gpm

NO GAS






NO CUTTING SAMPLES
COLLECTED IN SURFACE HOLE.

SURVEY @ 195.0m
INC: 0.70° AZI: 246.00°G

SURVEY @ 213.0m
INC: 0.70° AZI: 246.00°G

SURVEY @ 232.0m
INC:0.80° AZI:248.00



NO CUTTING SAMPLES
COLLECTED IN SURFACE HOLE.


SURVEY @ 251.0m
INC: 0.90° AZI: 250.00°G

NO CUTTING SAMPLES
COLLECTED IN SURFACE HOLE.

SURVEY @ 271.0m
INC: 1.00° AZI: 261.00°G

SURVEY @ 290.0m
INC:1.00° AZI:261.00°G

WOB: 1-6klbs
RPM: 150
SPP: 1043-1285psi
FLW: 603-651gpm



WOB: 1-8klbs
RPM: 150
SPP: 1294-1385psi
FLW: 622-651gpm

300
(300)


310

320

330

340

0 0.5 1 4 14
14 18 28




100% C1

100% C1

100% C1


1 10 100 1K
1K 10K



NO CUTTING SAMPLES
COLLECTED IN SURFACE HOLE.



SURVEY @ 309.0m
INC: 0.90° AZI: 272.00°G

SURVEY @ 328.0m
INC: 1.30° AZI: 250.00°G




WOB: 1-8klbs
RPM: 150
SPP: 1364-1446psi
FLW: 624-650gpm

WOB: 1-9klbs
RPM: 150-152
SPP: 1396-1448psi
FLW: 614-650gpm



100% C1

100% C1







SURVEY @ 348.0m
INC: 1.30° AZI: 257.00°G

NO CUTTING SAMPLES
COLLECTED IN SURFACE HOLE.

SURVEY @ 367.0m
INC: 1.40° AZI: 259.00°G

SURVEY @ 386.0m
INC:1.30° AZI:279.00°G



SURVEY @ 406m
INC: 1.70° AZI: 264.00°G

NO CUTTING SAMPLES
COLLECTED IN SURFACE HOLE.

SURVEY @ 425.0m
INC: 1.70° AZI: 264.00°G

SURVEY @ 444.0m
INC: 1.80° AZI: 265.00°G

WOB: 1-8klbs
RPM: 150
SPP: 1410-1454psi
FLW: 630-649gpm

MW: 9.5
FV: 55
PV: 13
YP: 22
Ge: 7/9/11
WL: 8
Sol: 8
pH: 9.6
Ck: 1/
Cl: 92k

460



100% C1

470

SURVEY @ 463.0m
INC:1.90° AZI:266.00°G

NO CUTTING SAMPLES
COLLECTED IN SURFACE HOLE.

480



SURVEY @ 483.0m
INC:1.90° AZI:268.00°G

490

100% C1

WOB: 3-8klbs
RPM: 149-152
SPP: 1414-1482psi
FLW: 630-650gpm

500

(500)




SURVEY @ 502.0m
INC: 2.0° AZI: 272.00°G

SILTSTONE: med gry-dk gry, lt gry i/p, arg,
tr carb spks, frm-mod hd, blk-y-sbbiky.

510

100% C1



SURVEY @ 521.0m
INC: 2.00° AZI: 271.00°G

SANDSTONE:v lt gry,lt grnsh gry,trnsl,off
wh,f-med,sbang-sbrnd,mod srt,wk sil cmt,
abdt lt gry arg mtx,fri,v pr vis por,no fluor.

MACKUNDA FORMATION:
536.0MDRT (-494.5mTDVSS)


SURVEY @ 540.0m
INC:2.10° AZI:271.00°G


WOB: 3-20klbs
RPM: 106-151
SPP: 1232-1499psi
FLW: 622-651gpm


SILTSTONE:med gry-dk gry,lt gry i/p,arg,
tr carb spks,frm-mod hd,blky-sbblky.


SURVEY @ 560.0m
INC:2.20° AZI:276.00°G

SANDSTONE:v lt gry,lt grnsh gry,trnsl,off
wh,f-med,sbang-sbrnd,mod srt,wk sil cmt,
abdt lt gry arg mtx,fri,v pr vis por,no fluor.









WOB: 1-7klbs
RPM: 114-120
SPP: 1316-1533psi
FLW: 485-531gpm

G

G

G

99 / 1

98 / 1 / 1

SURVEY @ 748.7m
INC: 6.85° AZI: 62.44°G

SANDSTONE: v lt gry, lt grnsh gry, vf, g/t aren SLTST, wl srt, sbang-sbrnd, wk sil & calc cmt, com wh-gry arg mtx, tr carb & glauc spks, fri, v pr-ti vis por, no fluor.


LIMESTONE: lt-med brn gry, micr, slty i/p, tr foss frags, fri-mod hd.

SURVEY @ 767.8m
INC: 8.08° AZI: 60.97G

SILTSTONE: med gry, med brnsh gry, med dk gry, arg, tr aren, tr calc inclcs, tr carb spks, frm, mntr mod hd, sbblky-sbfiss.

SILTSTONE: med gry, med brnsh gry, med dk gry, arg, tr calc inclcs, tr foss frags, tr carb spks, frm, mntr mod hd, sbblky-sbfiss.

SURVEY @ 787.2m
INC: 9.89° AZI: 58.77°G



WOB: 2-10kips
RPM: 97-120
SPP: 1406-1634psi
FLW: 492-531gpm

850
(847)

7

93 / 2 / 3 / 2

860

870

G

880

7

890

G

94 / 2 / 2 / 2 / Tr

900
(895)

7

WOB: 2-14 klbs
RPM: 120
SPP: 1379-1624 psi
FLW: 492-531 gpm

G

SILTSTONE: med gry, med dk gry, med gry
brn, arg, tr calc incl, tr loc glauc incl, tr carb
spks, tr dissem pyr, frm, mn, mod hd, sbblky-
blky, mn, sbfiss.

SURVEY @ 863.9m
INC: 17.31° AZI: 48.97°G

SILTSTONE: med gry, med dk gry, med gry
brn, arg, tr calc incl, tr loc glauc incl, tr
carb spks, tr dissem pyr, frm, mn, mod hd,
sbblky-blky, mn, sbfiss.


SURVEY @ 883.0m
INC: 19.82° AZI: 43.49°G


SILTSTONE: med gry, med dk gry, med gry
brn, arg, tr calc incl, tr loc glauc incl, tr
carb spks, tr dissem pyr, frm, mn, mod hd,
sbblky-blky, mn, sbfiss.


COORIKIANA FORMATION:
898.5mMDRT (-851.9mTVDSS)


SANDSTONE: pl gry-pl grn gry, mott grn,
off wh, vf-f, wl srt, mod-occ wk calc cmt,
pl gry slty mt, occ carb spks, com glauc,
mn liths & carb spks, mod hd, pr vis por,
no fluor.


SURVEY @ 902.3m
INC: 22.96° AZI: 38.62°G























CONTROL DRILL @ 15M/HR
FROM 1352m-1377m

Rmf: 0.05 ohm @ 75°F

SANDSTONE:lt gry,off wh,v lt brn gry,
vf-f,gt aren SLTST i/p,wl srt,sbang-
sbrnd,mod-str calc cmt,com gry slty-wh
arg mtx,tr carb & lith spks,tr micmic,
mod hd-hd,v pr vis por,no fluor.

SILTSTONE:med lt gry,med gry,med-dk
gry/brn,dk gry-v dk gry,aren,g/t slty
SST i/p,arg i/p,calc,tr carb & lith
spks,tr micmic,mod hd-hd,sbbiky-blky.

SURVEY @ 1364.3m
INC: 68.69° AZI: 38.41°G

MURTA FORMATION:
1366.1mMDRT (-1149.3mTVDSS)

SILTSTONE:med gry,med lt gry,dk gry,
aren,mnr arg,tr carb & lith spks,tr
calc inclis,tr micmic,mod hd-hd,sbbiky-
blky,mnr sbfiss.

SANDSTONE:lt gry,lt-med brn,vf-f,wl
srt,sbang-sbrnd,mod-str calc cmt,com
wh-brn arg mtx,tr liths,hd-mod hd,v pr
vis por,no fluor.

LIMESTONE:lt-med brn,micr,arg,mnr vf
aren,hd-mod hd,v hd i/p.

SILTSTONE:med gry,med lt gry,lt-med
brn,dk gry,arg,aren i/p,mnr sndy lams,tr
carb & lith spks,tr micmic,calc inclis,
mod hd-hd,sbbiky.

MURTA M1:
1381.9mMDRT (-1155.1mTVDSS)

SURVEY @ 1383.3m
INC: 69.33° AZI: 38.74°G

SANDSTONE:lt gry,lt brn,med brn,vf,f i/p,
mnr slty lams,v wl sty,sbang-sbrnd,mod-
str sil cmt,mnr mod calc cmt,mnr-loc
com gry-brn arg mtx,tr lith & carb spks,
mod hd-hd,v pr vis por,no fluor.


SILTSTONE:med gry,med lt gry,mnr dk
gry,aren i/p,com sndy lams,mnr arg,tr
carb spks,mod hd,hd i/p,sbbiky-sbfiss.


MURTA M2:
1398.3mMDRT (-1160.8mTVDSS)


SURVEY @ 1402.8m
INC: 70.80° AZI: 40.33°G


SANDSTONE:lt gry,lt gry brn,vf-f,loc
com slty lams,wl srt,sbang-sbrnd,mod
sil cmt,mnr loc mod str calc cmt,mnr-
loc com gry-brn arg mtx,tr lith & carb
spks,fri-mod hd,hd i/p,v pr vis por,no
fluor.

WOB: 2-21klbs
RPM: 149-151
SPR: 1745-2093psi
FLW: 514-571gpm









SANDSTONE:wh,v lt gry,tnsl,vf-f,tr med, com slty lams,wl srt,sbang-sbrnd,mod-wk sil cmt,mnr wh-gry arg mtx,tr carb spks, mod hd-fri,tr disagg,v pr vis por,gd inf por, no fluor.

7" CASING SHOE SET AT 1579.4m

BIT #3 BAKER TD405KX
SIZE: 6-1/8" JETS: 5x12
IN: 1581.5m OUT: 2590.0m
RUN: 1008.5m HRS: 47.8
COND:1-1-WT-A-X-I-RR-TD

SURVEY @ 1583.9m
INC: 87.73° AZI: 47.11°G

SILTSTONE:med-dk gry,mnr med gry brn, com aren,tr-loc com sndy lams,tr carb spks,tr micmic,mod hd-frn,sbbiky-sbfiss.

SANDSTONE:wh,v lt gry,tnsl,vf-f,tr med, com slty lams,wl srt,sbang-sbrnd,mod-wk sil cmt,mnr wh-gry arg mtx,tr carb spks,mod hd-fri,tr disagg,v pr vis por,gd inf por,no fluor.

SILTSTONE:med gry,occ mott gry,vf aren,tr-com vf sndy lams,tr carb spks,rr micmic,frm-mod hd,sbfiss-occ sbbiky.

SANDSTONE:off wh,v lt gry,vf-f,wl srt, sbang-sbrnd,mod-wk sil cmt,mnr off wh arg mtx,com slty lams,rr carb spks,fri-mod hd,v pr vis por,no fluor.

SILTSTONE:med gry,occ mott gry,tr brn gry,vf aren,tr-com vf sndy lams,tr carb spks,rr micmic,frm-mod hd,sbfiss-occ sbbiky.

SURVEY @ 1603.3m
INC: 87.83° AZI: 46.89°G


SILTSTONE:med-pl gry,med brn gry,lt-med brn,arg,vf aren,com vf sndy lams, mnr micmic,mnr-com Sid,tr carb spks, mod hd,sbbiky-occ sbfiss.


SANDSTONE:off wh,v lt gry,pl gry brn, vf-f,slty g/t aren SLTST i/p,wl srt,sbang-sbrnd,mod str sil cmt,tr Sid cmt,com off wh arg mtx,tr micmic,tr carb spks, mod hd,pr-v pr vis por,no fluor.


Rmf 0.06 ohm @ 75°F


SURVEY @ 1622.4m
INC: 87.21° AZI: 45.68°G


SANDSTONE:off wh,v lt gry,pl gry brn, vf-f aggs,slty g/t aren SLTST i/p,wl srt, sbang-sbrnd,mod str sil cmt,tr-5% Sid cmt,com off wh arg mtx,tr micmic,tr carb spks,mod hd,pr-v pr vis por,no fluor.



































WOB: 6-10klbs
RPM: 120
SPP: 2119-2158psi
FLW: 271gpm

M

2300
(1229)

SANDSTONE:clr-trnsI,opq,tr mlky,pl-lt brn,tr pl yel grs,f-crs lse,vf-f aggs,v pr srt,sbrnd-sbang,wk sil cmt,tr brn gry arg mtx,tr carb spks,tr micmic,rr slty lams, dom lse disagg grs,fri,gd vis por,gd-v gd inf por,fluor.

FLUOR:2311m-2320m,100% of SST, mod bri-mnr bri yel grn evn fluor, mod rpd-rpd diff cut,mod thk blu wh r/r.

2310

SANDSTONE:pl-lt brn,clr-trnsI,opq, mlky,trnsI gry,f-crs lse,vf-f aggs,pr-v pr srt,sbrnd-sbang,wk sil cmt,tr brn gry arg mtx,tr carb spks,tr micmic,fri,lse disagg grs,gd vis por,gd inf por,fluor.

SURVEY @ 2315.0m
INC: 89.90° AZI: 48.59°G

7

80 / 6 / 4 / 5 / 5

274 U

FLUOR:2320m-2323.5,100% of SST, bri-mod bri yel grn evn fluor,inst diff cut,mod thk-thk blu wh r/r.

2320

76 / 6 / 4 / 6 / 8

303 U

SANDSTONE:pl-lt brn,clr-trnsI,opq,tr mlky,vf-med,mnr crs lse,vf-f aggs,mod-pr srt,sbrnd-sbang,wk sil cmt,tr brn gry arg mtx,tr carb spks,tr micmic,fri,lse disagg grs,gd vis por,gd inf por,fluor.

FLUOR:2323.5-2330m,100% of SST, bri-mod bri yel grn evn fluor,inst-rpd diff cut,mod thk-thk blu wh r/r.

0 0.5 1 4 14 28
14 18 28

2330

1 10 100 1K
1K 10K

SILTSTONE:med gry,med lt gry,vf aren, mnr carb spks,tr micmic,frm,sbblky-blky.

M

7

SURVEY @ 2334.3m
INC: 89.62° AZI: 49.08°G

80 / 6 / 4 / 5 / 5

308 U

SANDSTONE:pl-lt brn,clr-trnsI,opq,vf-med,tr crs,vf-f aggs,mod srt,sbang-sbrnd, wk sil cmt,tr brn gry arg mtx,tr carb spks, tr micmic,fri,lse disagg grs,gd vis por,gd inf por,fluor.

FLUOR:2330m-2346m,100% of SST, bri-mod bri yel grn evn fluor,inst diff cut,mod thk-thk blu wh r/r.

2340

SANDSTONE:trnsI-clr,opq,pl-lt brn,vf-crs lse,vf-f aggs,pr srt,sbrnd-sbang,wk sil cmt,tr brn gry arg mtx,tr carb spks,tr-mnr micmic,pred lse disagg grs,fri,gd vis por,gd-v gd inf por,fluor.

FLUOR:2346m-2355m,100% of SST, bri yel grn evn fluor,inst diff cut,thk blu wh & occ blu grn r/r.


2350
(1229)


WOB: 3-9klbs
RPM: 120
SPP: 1890-2182psi
FLW: 248-271gpm


M

7

SURVEY @ 2353.9m
INC: 90.48° AZI: 49.26°G







FLUOR:2471m-2485m,100% of SST,
mod bri-bri yel grn evn fluor,inst
diff cut,mod thk blu wh r/r.

SURVEY @ 2469.5m
INC: 89.28° AZI: 48.93°G

SANDSTONE:clr,trnsl,opq,pl-lt brn,lt
gry,f-crs,rr v crs,mnr vf-f aggs,v pr srt,
sbang-sbrnd,rr ang,wk sil cmt,tr brn-gry
arg mtx,tr carb spks,tr micmic,pred
disagg qtz grs,mnr vf-f aggs,v gd inf por,
fr vis por,fluor.

SANDSTONE:clr,trnsl,opq,pl-lt brn,
lt gry,f-v crs,mnr vf-f aggs,v pr srt,
sbang-sbrnd,rr ang,wk sil cmt,tr brn-
gry arg mtx,tr carb spks,tr micmic,pred
disagg qtz grs,mnr vf-f aggs,v gd inf
por,fr vis por,fluor.

FLUOR:2485m-2500m,100% of SST,
bri-mod bri yel grn evn fluor,RPD
diff cut,mod thk-thk blu wh r/r.

SANDSTONE:pl-lt brn,lt gry,clr,trnsl,
opq,pred vf-f aggs,com f-v crs grs,v pr
srt,sbang-sbrnd,rr ang,wk-mod sil cmt,tr-
mnr brn gry arg mtx,tr slty lams,tr carb
spks,rr micmic,pred fri-mod hd,com
disagg f-v crs qtz grs,fr vis por,v gd inf
por,fluor.

SURVEY @ 2488.7m
INC: 88.76° AZI: 48.74°G

SILTSTONE:dk gry,v dk gry,vf aren i/p,
loc com sndy lams,tr-loc com carb spks,
micmic i/p,frm-mod hd,sbfiss-sbbiky.

SANDSTONE:pl-lt brn,lt gry,clr,trnsl,opq,
pred vf-f aggs,com f-crs,rr v crs grs,v pr
srt,sbang-sbrnd,rr ang,wk-mod sil cmt,tr-
mnr brn gry arg mtx,tr slty lams,tr carb
spks,rr micmic,pred fri-mod hd,com
disagg f-crs,rr v crs qtz grs,fr vis por,v gd
inf por,fluor.

FLUOR:2500m-2530m,100% of SST,
mod bri-bri yel grn evn fluor,inst
diff cut,thn-mod thk blu wh r/r.

SANDSTONE:clr,trnsl,opq,pl-lt brn,lt
gry,f-v crs grs,mnr vf-f aggs,v pr srt,
sbang-ang,com sbrnd,wk sil cmt,mnr
loc brn-gry arg mtx,tr carb spks &
micmic,pred disagg qtz grs,mnr fri,v gd
inf por,fr vis por,fluor.

SURVEY @ 2508.3m
INC: 88.62° AZI: 48.13°G


SANDSTONE:clr,trnsl,opq,pl-lt brn,lt
gry,f-crs,tr v crs grs,tr vf-f aggs,v pr srt,
sbang-ang,com sbrnd,wk sil cmt,mnr loc
brn-gry arg mtx,tr carb spks & micmic,
pred disagg qtz grs,mnr fri, v gd inf por,
fr vis por,fluor.

SANDSTONE:clr-trnsl,opq,pl brn,lt gry,
pred f-v crs grs,tr vf-f aggs,v pr srt,
sbang-ang,sbrnd,wk sil cmt,tr loc brn-gry
arg mtx,tr carb spks,pred disagg qtz grs,
tr fri,v gd inf por,fr vis por,fluor.

WOB: 6-10klbs
RPM: 120
SPP: 2119-2158psi
FLW: 271-274gpm

CONTROL DRILL @ 15-25M/HR

CONTROL DRILL @ 15M/HR
FROM 2514m-2526m



CONTROL DRILL @ 15-25M/HR

CONTROL DRILL @ 25M/HR
FROM 2533m-2590m

WOB: 5-11klbs
RPM: 120
SPP: 1972-2264psi
FLW: 248-271gpm

SANDSTONE:clr,tnsl,opq,pl brn,lt gry,
pred f-v crs grs,mnr vf-f aggs,v pr srt,
sbang-ang,sbrnd,wk sil cmt,tr loc brn-gry
arg mtx,tr slty lams,tr carb spks,pred
disagg qtz grs,mnr fri,v gd inf por,fr vis
por,fluor.

SURVEY @ 2527.6m
INC: 88.93° AZI: 47.76°G

FLUOR:2530m-2550m,100% of SST,
bri-mod bri yel grn evn fluor,RPD
diff cut,thk-mod thk blu wh r/r.

SILTSTONE:dk gry,med-med lt gry,vf
aren,mnr-loc com carb spks & micmic,
frm-mod hd,sbblky-sbfiiss.

SANDSTONE:pl-lt brn,lt gry,clr,tnsl,opq,
pred vf-f aggs,com f-crs,rr v crs grs,v pr
srt,sbang-sbrnd,tr ang,wk-mod sil cmt,tr-
mnr brn gry arg mtx,tr slty lams,tr carb
spks,rr micmic,pred fri-mod hd,com
disagg f-crs,rr v crs qtz grs,fr vis por,v gd
inf por,fluor.

SANDSTONE:pl-lt brn,lt gry,clr,tnsl,opq,
pred vf-f aggs,com f-v crs grs,v pr srt
sbang-ang,com sbrnd,wk-mod sil cmt,tr-
mnr brn gry arg mtx,tr slty lams,tr carb
spks,rr micmic,pred fri-mod hd,com
disagg f-v crs qtz grs,fr vis por,v gd inf
por,fluor.

SURVEY @ 2546.7m
INC: 88.90° AZI: 48.25°G

SANDSTONE:pl-lt brn,lt gry,med lt gry,clr,
tnsl,opq,pred vf-f aggs,com f-v crs grs,
v pr srt,sbang-sbrnd,mnr ang,wk-mod sil
cmt,mnr brn-gry arg mtx,tr slty lams,rr
micmic,tr carb spks,pred fri-mod hd,com
disagg f-v crs qtz grs,fr vis por,v gd inf
por,fluor.

FLUOR:2550m-2562m,100% of SST,
mod bri-bri yel grn evn fluor,inst-rpd
diff cut,mod thk blu wh r/r.

SANDSTONE:clr,tnsl,opq,pl brn,lt gry,
pred f-crs,rr v crs grs,mnr vf-f aggs,v pr
srt,sbang-sbrnd,mnr ang & rnd,wk sil
cmt,tr loc brn-gry arg mtx,tr slty lams,tr
carb spks,pred disagg qtz grs,mnr fri,v
gd inf por,fr vis por,fluor.

SANDSTONE:clr,tnsl,opq,pl brn,lt-med
gry,pred f-med,tr crs grs,mnr vf-f aggs,pr
srt,sbang-sbrnd,wk sil cmt,tr loc brn arg-
gry slty mtx,loc com slty lams,tr-loc com
carb incls,mnr micmic,pred disagg qtz
grs,mnr fri,v gd inf por,fr vis por,fluor.

FLUOR:2562m-2575m,100% of SST,
mod bri-bri yel grn evn fluor,RPD
diff cut,thn-mod thk blu wh r/r.

SILTSTONE:dk gry,med-med lt gry,vf
aren,mnr-loc com carb spks & lams,com
micmic,frm-mod hd,sbblky-sbfiiss.

SURVEY @ 2565.8m
INC: 88.59° AZI: 48.89°G

SANDSTONE:lt-med gry,pl brn,clr,tnsl,
pred vf-f aggs,mnr f-med,tr crs grs,mod-
pr srt,sbang-sbrnd,wk-mod sil cmt,mnr-
loc com gry slty-brn arg mtx,loc com slty
lams,tr-loc com carb spks,rr micmic,pred
fri-mod hd,mnr disagg f-crs qtz grs,fr vis
por,gd inf por,fluor.

SILTSTONE:dk gry,med-med lt gry,vf
aren,g/t slty SST i/p,loc com carb spks
& lams,com micmic,frm-mod hd,sbblky-
sbfiiss.

FLUOR:2575m-2590m,75-100% of SST,
mod bri-dll yel grn evn fluor,RPD-mod
slw diff cut,thn-mod thk blu wh r/r.

