


TERINGIE 6

Field : TERINGIE	Rotary Table : 30.9m	Rig Name: SLR188	Open Hole :	Cased Hole :	Loggers :Hau Ho
Permit : PPL 226	Ground Level : 36.0m	Spud Date : 20-12-2024	12-1/4" : 601.0m	9-5/8" : 599.3m	Duc Nguyen
State : SA	GDA 2020 Coordinates :	TD Date : 30-12-2024	8-1/2" : 1595.0m	7" : 1593.1m	Magesh Kumar
Country : AUSTRALIA	Lat : 28°28'00.18"S	Total Depth : 3441.4m	6-1/8" : 3441.4m	4-1/2" : 3439.8m	
Scale : 200	Long : 140°23'27.98"E	Final Status : Cased & Suspended			

LITHOLOGY



ACCESSORIES



DRILLING DATA





MUD DATA

MW - Mud Weight (lb/gal)
FV - Funnel Viscosity (s/qt)
PV - Plastic Viscosity (cps)
YP - Yield Point (lb/100ftsqt)
Gel - Gel Strength (10sec)
WL - Water Loss (cc/30min)
pH - Acidity / Alkalinity
CL - Cake (32nd/inch)
SOL - Solids (%vol)
Cl - Chlorides

Abbreviations

BOPD - Barrels of Oil / Day	OH - Open Hole
BWPD - Barrels of Water / Day	OTS - Oil to Surface
CG - Connection Gas	Q - Flow Rate
CO - Circulate Out	REC - Recovery
COND - Condensate	Rmf - Resistivity mud filtrate
C/C - Crush Cut	ROP - Rate Of Penetration
DST - Drill Stem Test	RPM - Revolutions Per Minute
FLOW - Flow Rate (gal / min)	RTSM - Rate To Small to Measure
GCM - Gas Cut Mud	SPP - Stand Pipe Pressure
GCW - Gas Cut Water	Rw - Resistivity Water
GTS - Gas to Surface	R/R - Ring Residue
INJ - Injection of Mist (bbl/hr)	SCFM - Standard Cubic ft/min (air)
LCM - Lost Circulation Material	SGCM - Slightly Gas Cut Mud
MMCFD - Million Cubic Feet / Day	SPM - Strokes Per Minute
NGTS - No Gas To Surface	SPP - Stand Pipe Pressure
NOTS - No Oil To Surface	SWC - Side Wall Core
NR - No Returns	SWAB - Produced Swab Gas
OCM - Oil Cut Mud	TG - Trip Gas
OG - Over Gauge	WOB - Weight On Bit





NO GAS


MD: 33.2 m
VD: 33.2 m
azi: 0.9 inc: 0.2

NO CUTTING SAMPLES
COLLECTED IN SURFACE HOLE

MD: 41.4 m
VD: 41.4 m
azi: 323.2 inc: 0.1

MD: 53.9 m
VD: 53.9 m
azi: 207.7 inc: 0.8

MD: 67.1 m
VD: 67.0 m
azi: 203.0 inc: 1.9




SLIDING:
77.5-88.0m

WOB: 1-7 klbs
SPP: 450-770 psi
RPM: 0-60
FLOW: 350-450 gpm

SLIDING:
103.5-111.5m

SLIDING:
116-126.5m

MW: 9.0
FV: 61
PV: 9
YP: 17
Gel: 6/8/9
WL: 9.8
Sol: 0.94
pH: 10
Cl: 1/-
Cl: 52k



NO GAS

NO GAS


MD:80.3 m
VD :80.3 m
azi :203.4 inc:2.9

MD:94.0 m
VD :94.0 m
azi :208.8 inc:4.0

NO CUTTING SAMPLES
COLLECTED IN SURFACE HOLE

MD:106.9 m
VD :106.9 m
azi :214.7 inc:5.0

MD:120.0 m
VD :119.9 m
azi :214.6 inc:5.8



SLIDING:
132-155m

WOB: 0.5-12 klbs
SPP: 430-730 psi
RPM: 0-61
FLOW: 310-450 gpm

SLIDING:
180.5-188.5m

NO GAS

MD:133.1 m
VD :132.9 m
azi :215.6 inc:7.1

MD:146.4 m
VD :146.0 m
azi :219.6 inc:9.0


WINTON FORMATION:
149.5mMDRT (-113.2mTVDSS)

NO CUTTING SAMPLES
COLLECTED IN SURFACE HOLE

MD:160.0 m
VD :159.4 m
azi :221.3 inc:9.9

MD:172.8 m
VD :172.1 m
azi :221.3 inc:10.0

MD:186.2 m
VD :185.3 m
azi :222.9 inc:8.5




NO GAS

MD:198.4 m
VD :198.4 m
azi :223.1 inc:8.3

NO CUTTING SAMPLES
COLLECTED IN SURFACE HOLE

MD:239.3 m
VD :237.9 m
azi :222.1 inc:8.3



NO GAS

NO CUTTING SAMPLES
COLLECTED IN SURFACE HOLE

MD: 292.5 m
VD: 230.4 m
azi: 221.4 inc: 8.6

WOB: 1-10 klbs
SPP: 590-1001 psi
RPM: 80
FLOW: 350-380 gpm

WOB: 1-12 klbs
SPP: 678-1288 psi
RPM: 0-80
FLOW: 370-525 gpm


300
297.9
304
301.8
308
305.8
312
309.7
316
313.7
320
317.7
324
321.6
328
325.6
332
329.5
336
333.5
340
337.4
344
341.4
348
345.4
352
349.3

NO GAS

NO GAS

MD:319.6 m
VD :317.2 m
azi :222.2 inc:8.6

NO CUTTING SAMPLES
COLLECTED IN SURFACE HOLE.



FIRST GAS DATA
RECORDED AT 369m



100% C1

100% C1

MD:358.9 m
VD :356.2 m
azi :223.3 inc:7.6

NO CUTTING SAMPLES
COLLECTED IN SURFACE HOLE


MD:398.9 m
VD :395.8 m
azi :221.4 inc:7.2



MD:425.6 m
VD :422.3 m
azi :220.9 inc:7.6

NO CUTTING SAMPLES
COLLECTED IN SURFACE HOLE

MD:452.1 m
VD :448.6 m
azi :220.1 inc:7.4



100% C1


100% C1


100% C1


MD:478.4 m
VD :474.7 m
azi :219.0 inc:7.2


NO CUTTING SAMPLES
COLLECTED IN SURFACE HOLE


MD:505.1 m
VD :501.2 m
azi :220.4 inc:6.9

















MW: 9.7
FV: 47
PV: 10
YP: 16
Gel: 6/9/10
WL: 7.8
Sol: 2.26
pH: 9.5
CK: 1/2
Cl: 90k

WOB: 4-16 kbs
SPP: 1510-1911 psi
RPM: 80-110
FLOW: 504-550 gpm

MD:859.8 m
VD:853.2 m
azi:39.6 inc:15.1

SILTSTONE:med gry,arg,sli calc,homog,rr glauc,
frm-mod hd,biky-sbbiky.

MD:873.5 m
VD:866.3 m
azi:40.6 inc:16.4

SILTSTONE:med gry,arg,sli calc,homog,frm-mod
hd,biky-sbbiky.


MD:886.3 m
VD:878.6 m
azi:42.1 inc:17.4

SILTSTONE:med gry,arg,aren i/p,sli calc,loc com
glauc,rr liths,frm-mod hd,biky-sbbiky.

MD:900.4 m
VD:892.0 m
azi:43.2 inc:18.7

SANDSTONE:lt grn gry,vf-med,mod srt,
sbrnd-sbang,calc cmtl,com wh arg mbx,com liths,
com glauc,lr feld,rr carb spcks,fri,pr-ti vis por,no
fluor.

MD:912.9 m



COORIKIANA SST:
914.5mMDRT (-869.3mTVDSS)

SANDSTONE:lt gry,lt grn gry,vf-f,grd to SLTST,
mod srt,sbrnd-sbang,calc cmt,com wh arg mbx,com
liths,com glauc,tr feld,rr carb spks,fri,pr-li vis por,no
fluor.


BULLDOG SHALE:
929.0mMDRT (-882.9mTVDSS)

SILTSTONE:med-rr dk gry,arg,aren i/p,sli calc,rr
carb spks,rr shell frags,frm-mod hd,sbbiky.

SILTSTONE:med gry,arg,aren i/p,tr glauc,tr LMST
frags,frm-mod hd,sbbiky.

LIMESTONE:brn gry,micr,arg,tr liths,hd,ang frac,
blky.

SILTSTONE:med gry,arg,rr aren,sli calc,homog,rr
carb spks,frm-mod hd,sbbiky.



MD:979.6 m
VD :965.0 m
azi :43.8 inc:26.4

SILTSTONE:med-dk gry,arg,sli calc,homog,rr liths,
rr glauc,rr LMST frags,frm-mod hd,sbbiky.

MD:992.9 m
VD :976.9 m
azi :43.4 inc:27.5


SILTSTONE:med-dk gry,arg,rr aren,sli calc,tr
LMST frags,tr calc vns,tr glauc,frm-mod hd,
blkly-sbbiky.

MD:1005.7 m
VD :988.2 m
azi :43.2 inc:28.6

LIMESTONE:lt gry,micr,arg,brit i/p,hd,ang,frac,blkly.

MD:1019.1 m
VD :999.9 m
azi :42.4 inc:29.9

SILTSTONE:med-dk gry,arg,rr aren,sli calc,tr
LMST frags,tr glauc,frm-mod hd,blkly-sbbiky.



WOB: 4-13 kbs
SHP: 1534-2468 psi
RPM: 80-120
FLOW: 468-644 gpm

SANDSTONE:lt grn gry,vf-f,mod wl srt,sbang-sbrnd
calc cmt,com wh arg mbx,com liths,com glauc,ri,pr
vis por,no fluor.

MD:1032.6 m
VD :1011.5 m
azi :41.9 inc:31.2

88 / 3 / 5 / 4

LIMESTONE:lt gry,micr,arg,brit i/p,hd,ang frac,blkly.

MD:1045.8 m
VD :1022.7 m
azi :41.9 inc:32.9

88 / 3 / 4 / 5

MD:1059.4 m
VD :1034.0 m
azi :41.0 inc:34.5

89 / 3 / 6 / 2

SILTSTONE:med-dk gry,arg,aren i/p,sli calc,loc
com sandy lams,loc com LMST frags,loc com
glauc,tr liths,frm-mod hd,sbbkly.

MD:1072.6 m
VD :1044.8 m
azi :41.2 inc:35.9

SILTSTONE:med-dk gry,arg,sli calc,homog,
frm-mod hd,sbbkly.

1084
1084.0
1088
1088.2
1092
1092.3
1096
1096.5
1100
1100.6
1104
1104.7
1108
1108.8
1112
1112.9
1116
1116.9
1120
1120.0
1124
1124.0
1128
1128.0
1132
1132.0
1136

MW: 9.7
FV: 53
PV: 13
YP: 21
Gel: 7/9/10
WL: 7.0
Sol: 1.93
pH: 9.5
Ck: 1/2
Cl: 111k

WOB: 5-11 klbs
SPP: 1308-2466 psi
RPM: 80-120
FLOW: 450-644 gpm

87 / 3 / 5 / 4 / 1

85 / 3 / 5 / 5 / 2

85 / 3 / 5 / 5 / 2

MD:1086.0 m
VD :1055.6 m
azi :41.2 inc:37.4

SILTSTONE:med-rr dk gry,arg,sls calc,com LMST
frags,rr shell frags,rr glauc,frm-mod hd,sbbiky.

MD:1099.5 m
VD :1066.2 m
azi :41.7 inc:38.7


SANDSTONE:wh,vf,grd to SLTST,wl srt,sbang,calc
cmt,com wh arg mbx,tr liths,rr carb spks,mod hd,
pr-li vis por,no fluor.


MD:1112.3 m
VD :1076.1 m
azi :41.6 inc:39.8


SILTSTONE:med gry,arg,aren i/p,sls calc,com sndy
lams,tr LMST frags,tr liths,frm-mod hd,sbbiky.

MD:1126.3 m
VD :1086.7 m
azi :41.9 inc:41.3

SANDSTONE:wh,lt grn gry,vf,grd to SLTST,sbrnd,
calc cmt,com wh arg mbx,com liths,loc com glauc,tr
feld,fri-mod hd,pr vis por,no fluor.







SILTSTONE: gry-dk gry, pl brnsh gry, occ brn, vf aren, arg i/p, carb spks, tr micmic, mod hd, sbbiky.

MD: 1312.4 m
VD: 1199.3 m
azi: 45.1 inc: 65.6

SANDSTONE: off wh, pl gry-pl brn, opq-trnsl i/p, vf, grd to sil SLTST w/depth, sbang, wl srt, com mod strg calc cmt, sil cmt i/p, com sly-kaol mbx, mnr carb spks, mod hd aggs, v pr-ti vis por, no fluor.

MD: 1326.1 m
VD: 1204.7 m
azi: 44.9 inc: 67.8

SILTSTONE: medgry, occ dk gry, brnsh gry, com vf aren, arg i/p, vf aren lams, tr micmic, mod hd, sbbiky-sbflss.

MURTA FORMATION:
1335.9mMDRT (-1172.3mTVDSS)

MD: 1339.7 m
VD: 1209.6 m
azi: 44.8 inc: 69.9

SANDSTONE: off wh, pl brn, pl gry, trnsl, vf-f, wl srt, sbang, mod calc cmt, mnr-mod kaol mtz, mod hd aggs, v pr-pr vis por, no fluor.


SILTSTONE: it-dk gry, arg, aren i/p, com sndy lams, tr LMST frags, tr pyr, tr lihs, rr carb spks, mod hd-hd, sbbiky-sbflss.



MD: 1352.8 m
VD: 1213.9 m
azi: 44.7 inc: 71.6

MURTA M1:
1354.3mMDRT (-1178.4mTVDSS)

WOB: 7-14 kbps
SPP: 2150-3070 psi
RPM: 80-120
FLOW: 530-665 gpm

23-12-2024





biky.

MURTA M4:
1416.7mMDRT (-1193.6mTVDSS)

SILTSTONE:lt-dk gry,arg,aren i/p,micmic i/p,com
sndy lams,tr LMST frags,tr liths,loc com carb spks,
mod hd-hd,biky-sbfliss.

MD:1433.3 m
VD :1232.7 m
azi :45.2 inc:80.0

SANDSTONE:wh,off wh,lt gry,pl brn,vf-f,wl srt,
sbrnd-sbang,calc cmt,com wh arg mtz,com LMST
& sid frags,rr liths,rr carb spks,fri-hd,pr-ti vis,no fluor

SANDSTONE:wh,off wh,lt gry,pl brn,vf-f,wl srt,
sbrnd-sbang,calc cmt,com wh arg mtz,rr liths,rr
carb spks,fri-hd,pr-ti vis,no fluor.


MD:1446.5 m
VD :1235.0 m
azi :45.1 inc:80.0

MURTA M4L:
1447.5mMDRT (-1199.2mTVDSS)

SILTSTONE:lt-dk gry,lt brn gry,aren, arg i/p,micmic
i/p,com liths,rr carb spks,loc com LMST frags,rr
glauc,mod hd-hd,biky-sbfliss.

MD:1460.1 m
VD :1237.3 m
azi :45.4 inc:80.0

SANDSTONE:wh,lt gry,off wh,vf,grd to sltst,wl srt,
sbang-sbrnd,sil cmt,calc i/p,com wh arg mtz,com
sly lams,rr liths,tr sid, frags,fri-hd,pr-ti vis,no fluor.



MW: 9.8
FV: 47
PV: 12
YP: 20
Gel: 6/9/10
WL: 6.6
Sol: 2.93
pH: 9.5
Ct: 1/2
Ct: 110k

WOB: 5-16 kbps
SPP: 2150-2940 psi
RPM: 99-120
FLOW: 540-645 gpm

90 / 4 / 3 / 2 / 1

86 / 5 / 4 / 2 / 3

84 / 4 / 3 / 5 / 4

Changed Gas trap Decanting Tube

MD: 1472.8 m
VD: 1239.5 m
azi: 45.2 inc: 80.0

SANDSTONE: wh, lt gry, off wh, vf, grd to sltst, wl srt, sbang-sbrnd, sil cmt, com wh arg mt, com silty lams, rr liths, tr LMST frags, fri-mod hd, pr-ti vis, no fluor.

MURTA M5:
1483.0mMDRT (-1205.3mTVDSS)

MD: 1485.9 m
VD: 1241.8 m
azi: 45.3 inc: 80.0

SILTSTONE: lt-med gry, aren, rr arg, sli micmic, com sndy lams, tr liths, rr carb spks, rr LMST frags, mod hd-hd, blk-y-sbfiss.


MD: 1499.6 m
VD: 1244.2 m
azi: 45.3 inc: 80.1


SANDSTONE: wh, lt gry, vf, grd to sltst, wl srt, sbang-sbrnd, sil cmt, com wh arg mt, com silty lams, rr liths, rr sid frags, mod hd-hd, pr-ti vis, no fluor.


MD: 1512.5 m
VD: 1246.4 m
azi: 45.3 inc: 80.2

SILTSTONE: lt-med gry, aren, rr arg, sli micmic, com sndy lams, tr liths, rr carb spks, rr LMST frags, mod hd-hd, blk-y-sbfiss.

MD: 1525.9 m
VD: 1248.5 m
azi: 45.0 inc: 81.2







SILTSTONE:lt-med gry,aren,arg i/p,micmic,com
sndy lams,rr carb spks,mod hd,sbbkly.

SANDSTONE:wh,off wh,vf-f,sbang,wl srt,sil cmt,rr
sid cmt,com wh arg mbx,com slty lams,fri-mod hd,pr
vis por,dll-mod bri fluor.

FLUOR: 1640.0-1687.0m: 30-90% of SST;
dll-mod bri yel/gm ptchy-evn fluor, v slw bldg
ct,blu-wh c/ct,thk r/r.

SANDSTONE:wh,off wh,vf-f,sbang,wl srt,sil cmt,rr
sid cmt,com wh arg mbx,com slty lams,fri-mod hd,pr
vis por,dll-occ mod bri fluor.

MD:1663.2 m
VD :1257.2 m
azi :44.1 inc:87.9

SILTSTONE:lt-med gry,aren,arg i/p,micmic,com
sndy lams,rr carb spks,mod hd,sbbkly.



LIMESTONE:lt-med gry brn,lt-med gry brn,micr,arg,
aren i/p,sid,brit i/p,hd-v hd,ang,frac,blky.

SANDSTONE:wh,off wh,vf-f,sbang,wl srt,sil cmt,sid
cmt,com wh arg mbx,com sid frags,rr lths,fri-mod hd
pr-fr vis por,mod bri fluor.

MCKINLAY MBR:
1687.0mMDRT (-1222.3mTVDSS)

MD:1689.9 m
VD :1258.4 m
azi :44.0 inc:86.9

FLUOR: 1687.0-1730.0m: 90-100% of SST;
mod bri yel-gm evn fluor,slw bldg ct,blu-wh c/ct,



thk r/r.

SANDSTONE:wh,off wh,lt gry,vf-f,sbang,wl srt,sil
cmt,sid cmt,com wh arg mtb,com sid frags,rr liths,
fri-mod hd,pr-fr vis por,mod bri fluor.

SANDSTONE:wh,off wh,clr,tnsl,vf-f,occ crs grs,pr
srt,sbang,sil cmt,com wh arg mtb,occ frstd qtz,
fri-mod hd,pr-fr vis por,mod bri fluor.

MD:1716.7 m
VD :1259.7 m
azi :44.4 inc:87.7

SANDSTONE:wh,off wh,clr,tnsl,vf-f,occ crs grs,pr
srt,sbang,sil cmt,com wh arg mtb,occ frstd qtz,
fri-mod hd,pr-fr vis por,mod bri-bri fluor.

SANDSTONE:wh,off wh,clr,tnsl,vf-f,occ crs grs,pr
srt,sbang,sil cmt,com wh arg mtb,occ frstd qtz,
fri-mod hd,pr-fr vis por,mod bri-bri fluor.


FLUOR: 1730.0-1780.0m: 100% of SST;
mod bri-bri yell-gm evn fluor,slw bldg ct,blu-wh
c/ct,thk r/r.

SANDSTONE:wh,off wh,clr,tnsl,vf-f,occ crs grs,pr
srt,sbang,sil cmt,com wh arg mtb,tr mic,tr frstd qtz,
fri-mod hd,pr-fr vis por,mod bri-bri fluor.

MW: 9.8
FV: 47
PV: 10
YP: 17
Gel: 7/10/11
WL: 5.0
Sol: 2.76
pH: 9.8
Ck: 1/2
Cl: 118k



WOB: 2-12 klbs
SPP: 1400-1976 psi
RPM: 119-120
FLOW: 231-284 gpm


CONTROL DRILLING





SILTSTONE: med gry, aren, arg i/p, sli micmic, rr carb spks, mod hd, sbblky.


WOB: 1-12 klbs
SPP: 1420-2000 psi
RPM: 120
FLOW: 2120-285 gpm











bldg ct, thn bri yel/wh flm res.

SILTSTONE: med gry, aren, arg i/p, sli micmic, rr carb spks, mod hd, sbbiky.

MD: 2089.0 m
VD: 1260.0 m
azi: 46.1 inc: 91.8

SANDSTONE: clr-trnsl, occ off wh, mnrr pl brn, pred vf-f, sbang-sbrnd, gen wl srt, wk sil cmt, gen cln, com lse f qtz, pr vis-fr por, fluor.

SANDSTONE: clr-trnsl, off wh, pl brn i/p, vf aggs, gen f-occ med lse qtz, sbang-sbrnd, mod srt, wk sil cmt, tr kaol mtb, gen cln, fri aggs, com lse f-occ med qtz, pr vis-fr inf por, dim-occ mod bri fluor.


MD: 2115.5 m
VD: 1259.3 m
azi: 46.8 inc: 91.2


SANDSTONE: clr-trnsl, off wh, pl brn i/p, vf aggs, gen f-occ med lse qtz, sbang-sbrnd, mod srt, wk sil cmt, tr kaol mtb, gen cln, fri aggs, com lse f-occ med qtz, pr vis-fr inf por, dim-occ mod bri fluor.

SANDSTONE: clr-trnsl, off wh, pl brn i/p, vf aggs, gen f-occ med lse qtz, sbang-sbrnd, mod srt, wk sil cmt, tr kaol mtb, gen cln, fri aggs, com lse f-occ med qtz, pr vis-fr inf por, mod bri-occ bri fluor.

SANDSTONE: clr-trnsl, off wh, pred f, mnrr med, sbang-sbrnd, gen wl srt, wk sil cmt, gen cln, pred lse f qtz, fr inf por, fluor.

FLUOR: 2130.0-2180.0m; 10-50% of SST; dim-mod bri yel/gm evn-ptchy fluor, slw bldg ct, thn yel/wh flm res.





WOB: 1-11 klbs
SPP: 1405-2164 psi
RPM: 120-140
FLOW: 220-270 gpm

2200
1259.9

74 / 6 / 5 / 6 / 9

209U

2204
1259.9

2208
1259.9

2212
1259.9

75 / 6 / 5 / 6 / 8

268U

2216
1260.0

2220
1260.0

2224
1260.0

M

27-12-2024

28-12-2024

2228
1260.0

Clean decanting tube

2232
1260.0

M

2236
1260.0

2240
1259.9

2244
1259.9

M

2248
1259.9

78 / 6 / 4 / 5 / 7

200U

WOB: 2-11 klbs
SPP: 1550-2125 psi
RPM: 139-140
FLOW: 220-285 gpm

2252

MD: 2196.3 m
VD: 1259.9 m
azi: 47.5 inc: 89.8

SANDSTONE: pl brn, clr-trnsl, off wh, gen vf aggs, occ
lse f-med, mnr lse crs, sbang-sbrnd, mod wl srt, wk sil
cmt, mnr kaol mtz in aggs, cln i/p, com lse f-occ med,
rr crs qtz, pr vis-fr inf por, dll-mod bri fluor.

SANDSTONE: pl brn, clr-trnsl, off wh, gen vf aggs, occ
lse f-med, mnr lse crs, sbang-sbrnd, mod wl srt, wk sil
cmt, mnr kaol mtz in aggs, cln i/p, com lse f-occ med,
rr crs qtz, pr vis-fr inf por, dll-mod bri fluor.

FLUOR: 2220.0-2270.0m; 100% of SST;
dll-mod bri yel/gm evn fluor, slw-1st bldg ct,
blu-wh c/c, thn ye r/r...


MD: 2222.6 m
VD: 1260.0 m
azi: 46.8 inc: 89.9

SANDSTONE: clr-trnsl, off wh, f-crs, dom f,
sbang-sbrnd, mod wl srt, sil cmt, tr wh agg mtz, tr mid
lse-mod hd aggs, fr vis & inf por, mod bri-bri fluor.

SANDSTONE: clr-trnsl, f-med, rr crs, sbrnd-sbang,
mod srt, wk sil cmt, nil vis mtz, cln & lse, tr mic, fr vis &
inf por, mod bri-bri fluor.

SANDSTONE: clr, trnsl, f-med, rr crs, sbrnd-sbang,
mod srt, wk sil cmt, nil vis mtz, cln & lse, tr mic, fr vis &
inf por, dll-mod bri fluor.

MD: 2249.1 m
VD: 1259.9 m
azi: 47.1 inc: 90.5



SANDSTONE:clr,tmsl,f-occ med,wl srt, sbang-sbrnd,wk sil cmt,nil vis mt,x,cln & lse,tr mic,fr vis & inf por,mod bri fluor.

SANDSTONE:clr,tmsl,f-crs,wl srt,sbrnd-sbang,wk sil cmt,nil vis mt,x,cln & lse,rr mic,fr inf por,mod bri fluor.

FLUOR: 2270.0-2320.0m; 100% of SST; mod bri yel/gm evn fluor,slw-1st bldg ct,blu-wh c/ct,thn yel/wh rrr.

MD:2275.6 m
VD :1259.7 m
azi :47.2 inc:90.2

SILTSTONE:med-dk gry,aren,rr arg,micmic,tr liths tr carb spks,mod hd,sbbkly.

SANDSTONE:clr,tmsl,f-med,wl srt,sbang-sbrnd,wk sil cmt,nil vis mt,x,cln & lse,rr mic,fr inf por,mod bri fluor.

SANDSTONE:clr,tmsl,f-med,rr crs,mod srt, sbang-sbrnd,wk sil cmt,nil vis mt,x,rr sid,cln & lse, fri-lse,rr mic,fr inf por,mod bri-bri fluor.



MD:2302.4 m
VD :1259.9 m
azi :47.0 inc:88.9


SANDSTONE:clr,tmsl,f-med,rr crs,mod srt, sbang-sbrnd,wk sil cmt,nil vis mt,x,rr sid,cln & lse, fri-lse,rr mic,fr inf por,mod bri-bri fluor.


WOB:2-12 kbs
SPP: 1545-2190 psi
RPM: 120-140
FLOW:230-285 gpm

Cleared blocked decanting tube

CHANGE SHAKER SCREENS/
TROUBLESHOOT SHAKER #2







SANDSTONE:clr,tnsl,off wh,f-med,rr crs,mod srt, sbang-sbrnd,sil cmt,tr wh arg mtx,occ slty lams, fri-lse,tr mic,fr vis & inf por,dll fluor.

SILTSTONE:dk gry,aren,arg i/p,micmic,carb,mod hd,sbbiky.

MD:2435.7 m
VD :1261.1 m
azi :47.4 inc:90.9

SANDSTONE:clr,tnsl,off wh,f-med,rr crs,mod srt, sbang-sbrnd,sil cmt,tr wh arg mtx,occ slty lams, fri-lse,tr mic,fr vis & inf por,dll fluor.


SANDSTONE:tnsl,off wh,f gr,occ med-crs,mod srt, sbang-sbrnd,wk sil cmt,tr wh arg mtx,tr slty lams,fri-occ lse,fr vis & inf por,dll-mod bri fluor.


MD:2462.0 m
VD :1260.7 m
azi :47.4 inc:90.9


SANDSTONE:clr,tnsl,f-med,rr crs,mod wl srt, sbang-sbrnd,wk sil cmt,nil vis mtx,lse & cln,tr mic,fr inf por,dll-mod bri fluor.


FLUOR: 2460.0-2520.0m; 90-100% of SST; mod bri yel/grn evn fluor,slw bldg ct,blu/wh c/c, thn yel/wh r/r.


SANDSTONE:clr,tnsl,f-med,rr crs,wl srt,














2756
1258.9

80 / 6 / 4 / 4 / 6

184U

2760
1258.8

2764
1258.8

2768
1258.7

80 / 6 / 4 / 4 / 6

207U

2772
1258.6

2776
1258.6

2780
1258.6

28-12-2024

29-12-2024

2784
1258.5

2788
1258.5

2792
1258.5

2796
1258.5

77 / 6 / 4 / 5 / 8

131U

2800
1258.5

WOB: 1-15 klbs
SPP: 1777-2380 psi
RPM: 120-130
FLOW: 230-270 gpm

72 / 6 / 5 / 7 / 10

114U

2804
1258.5

2808
1258.6

SANDSTONE: trns, pl brn, occ cl, off wh, pred vf-f, tr med, sbang-sbrnd, mod wl srt, wk sil cmt, tr-mnr kaol mt, fri aggs, com lse vf-f qt, pr vis por, dli-mod bri fluor.

SANDSTONE: trns, pl brn, occ cl, off wh, pred vf-f, tr med, sbang-sbrnd, mod wl srt, wk sil cmt, tr-mnr kaol mt, fri aggs, com lse vf-f qt, pr vis por, dli-mod bri fluor.

MD: 2767.9 m
VD: 1258.7 m
azi: 38.9 inc: 90.8

SANDSTONE: trns, pl brn, occ cl, off wh, pred vf-f, tr med, sbang-sbrnd, mod wl srt, wk sil cmt, tr-mnr kaol mt, fri aggs, com lse vf-f qt, pr vis por, dli-mod bri fluor.


FLUOR: 2779.0-2813.0m; 100% of SST;
dli-mod bri dli yel/gm evn fluor, slw bldg ct,
thn yel/wh r/r.

SILTSTONE: med gry, aren, micmic, tr carb spks, tr liths, tr sid frags, mod hd, sbblky.

SANDSTONE: trns, wh, off wh, cl, f-crs, dom med, mod srt, sbang-sbrnd, sil cmt, tr wh arg mt, tr silty lams, tr mic, tr coaly frags, fri-lse, fr vis & inf por, dli-mod bri fluor.

MD: 2794.6 m
VD: 1258.5 m
azi: 38.8 inc: 90.1

SANDSTONE: cl, trns, f-med, rr crs, mod srt, sbrnd-sbang, wk sil cmt, nil vis mt, tr mic, lse & cin, fr inf por, dim-dli fluor.



SANDSTONE:clr,tnsl,f-med,rr crs,mod srt, sbnd-sbang,wk sil cmt,nl vis mtz,tr mic,lse & cln,fr inf por,dll-mod bri fluor.

FLUOR: 2813.0-2860.0m: 90-100% of SST; dim-mod bri yel/grn evn fluor,slw bldg ct,blu -wh c/ct,ptchy-thn r/r.

MD:2821.3 m
VD :1258.8 m
azi :39.3 inc:88.5

SANDSTONE:tnsl,wh,off wh,f-med,wl srt, sbang-sbrnd,sil cmt,tr wh arg mtz,tr mic,tr slty lams, fri-occ lse,fr vis & inf por,dll-mod bri fluor.


SANDSTONE:tnsl,clr,off wh,f-med,rr crs,mod srt, sbnd-sbang,wk sil cmt,tr wh arg mtz,cln i/p,tr mic, lse-occ fri aggs,fr vis & inf por,dll fluor.


SANDSTONE:tnsl,clr,off wh,f-med,rr crs,mod srt, sbnd-sbang,wk sil cmt,tr wh arg mtz,cln i/p,tr mic, lse-occ fri aggs,fr vis & inf por,dim fluor.


MD:2847.7 m
VD :1259.3 m
azi :38.7 inc:89.1


SANDSTONE:tnsl,clr,off wh,f-med,rr crs,mod srt, sbnd-sbang,wk sil cmt,tr wh arg mtz,cln i/p,tr mic, tr coaly frags,lse-occ fri aggs,fr vis & inf por,dim fluor.


SILTSTONE:it-dk gry,aren,micmic,loc com coaly frags,tr liths,mod hd,sbbkly.

















SPP: 1877-2861 psi
RPM: 98-140
FLOW: 219-293 gpm

3204
1260.4

3208
1260.4

3212
1260.3

3216
1260.3

3220
1260.2

3224
1260.2

3228
1260.1

3232
1260.0

3236
1260.0

3240
1260.9

3244
1259.8

3248
1259.8

3252
1259.7

3256
1259.7

81 / 6 / 4 / 4 / 5

175U

81 / 6 / 4 / 4 / 5

209U

78 / 6 / 4 / 5 / 7

SANDSTONE: trnsi-clr, pl brn, com vf-f aggs, mnr med, sbang-sbrnd, occ ang, mod wl srt, wk-frn sil cmt, tr kaol mxb, fn-frn aggs, pr vis por, fluor.

SANDSTONE: clr-trnsi, off wh, vf-pred f, lse qtz, sbang-sbrnd, gen wl srt, wk-nil sil cmt, cln, sucr, fr inf por, fluor.

MD: 3220.4 m
VD: 1260.2 m
azi: 43.3 inc: 91.0

SANDSTONE: clr-trnsi, off wh, vf-pred f, lse qtz, sbang-sbrnd, gen wl srt, wk-nil sil cmt, cln, sucr, fr inf por, fluor.

SANDSTONE: clr-trnsi, off wh, vf-pred f, lse qtz, sbang-sbrnd, gen wl srt, wk-nil sil cmt, cln, sucr, fr inf por, fluor.


FLUOR: 3230.0-3280.0m; 40-50% of SST; pred dim-mod bri yel/grn evn fluor, slw blmg -bldg ct, thn yel/wh fin res.


SANDSTONE: clr-trnsi, mnr pl brn, vf-pred f, sbang-sbrnd, wl srt, sucr i/p, wk sil cmt, gen cln, pred lse f grs, fr inf por, fluor.

MD: 3246.8 m
VD: 1259.8 m
azi: 44.1 inc: 90.8

SANDSTONE: clr-trnsi, mnr pl brn, vf-pred f, occ med-r crs lse qtz, sbang-sbrnd, wl srt, sucr i/p, wk sil cmt, gen cln, pred lse f grs, fr inf por, fluor.

WOB: 3-13 kbs
SPP: 2102-2843 psi
RPM: 100-120
FLOW: 235-308 gpm





SANDSTONE:cl, trmsl, f gr, rr med-crs, sbang-sbrnd, wl srt, wk sil cmt, nil vis mtx, loc com coaly frags, tr mic, fri-lse, fr vis & inf por, mod bri fluor.

SANDSTONE:cl, trmsl, f gr, sbrnd-sbang, wl srt, wk sil cmt, nil vis mtx, loc com coaly frags, tr mic, fri-lse, fr int por, dll fluor.

MD: 3326.7 m
VD: 1258.8 m
az: 49.2 inc: 90.6

FLUOR: 3330.0-3341.0m; 100% of SST; mod bri yel/grn evn fluor, slw bldg ct, blu-wh c/ct, thk yel/wh r/r.

SANDSTONE:cl, trmsl, off wh, f-rr med crs, sbrnd-sbang, wl srt, wk sil cmt, nil-tr wh arg mtx, tr mic, fri-lse, fr vis & inf por, mod bri fluor.

SILTSTONE:lt gry, lt brn gry, aren, micmic, tr liths, tr carb spks, mod hd, sbblky.


FLUOR: 3341.0-3390.0m; 50-100% of SST; v dim-dil yel/grn ptchy-evn fluor, slw bldg ct, pl blu-wh c/ct, thn yel/wh r/r.

SANDSTONE:cl, trmsl, off wh, f-crs, sbrnd-sbang, wl srt, wk sil cmt, nil-tr wh arg mtx, tr mic, fri-lse, fr vis & inf por, dull fluor.

MD: 3353.9 m
VD: 1258.4 m
az: 51.0 inc: 91.1

SANDSTONE:cl, f gr, sbang-sbrnd, wl srt, wk sil cmt, nil vis mtx, com sid frags, tr mic, lse & cin, fr inf por, v dim fluor.

SILTSTONE:lt gry, lt brn gry, aren, micmic, tr liths, tr coaly frags, tr carb spks, mod hd, sbblky.



Disclaimer

The use of and reliance upon this recorded data by the herein named company (and any of its affiliates, partners, representatives,agents, consultants and employees) is subject to the terms and conditions agreed upon between Schlumberger and the company,including: (a) restrictions on use of the recorded data; (b) disclaimers and waivers of warranties and representations regarding company's use and reliance upon the recorded data; and (c) customers full and sole responsibility for any inference drawn or decision made in connection with the use of this recorded data.